
NORTHROP GRUMMAN

BETHPAGEFACILITY



PHASE I SITE ASSESSMENT - PLANT 1

MAY 2001



PHASE II SITE ASSESSMENT PLANT 1

Prepared For:

NORTHROP GRUMMAN CORPORATION BETHPAGE, NEW YORK

Prepared By:

DVIRKA AND BARTILUCCI CONSULTING ENGINEERS WOODBURY, NEW YORK

MAY 2001

NORTHROP GRUMMAN CORPORATION PHASE II SITE ASSESSMENT PLANT 1 BETHPAGE, NEW YORK

TABLE OF CONTENTS

Section	<u>Title</u>	Page
1.0	INTRODUCTION	1-1
2.0	SCOPE OF WORK AND FIELD ACTIVITIES	2-1
	2.1 Scope of Work	2-1 2-1 2-18
3.0	FINDINGS	3-1
	3.1 Interior Investigation 3.1.1 Former Paint Spray Room (I02) 3.1.2 Former Paint Storage Room (I03) 3.1.3 Former Storage Building Former Dry Wells (I04) 3.1.4 Former Dry Well Area (I05) 3.1.5 Former Paint Shop (I06) 3.1.6 Former Paint Tunnel (I07) 3.1.7 Boiler Room Former Dry Well (I08) 3.1.8 Former Hammer Shop (I09) 3.1.9 Paint Shop Former Dry Well (I10) 3.1.10 Former Paint Shop Booths and Paint Tunnel (I11) 3.1.11 Former Alodine Room (I12) 3.1.12 Former Downspout Dry Wells (I13) 3.1.13 Former Heat Treat Room (I16) 3.1.14 Former Paint Mixing Room (I17) 3.1.15 Material Stock Room (I19) 3.1.16 Five Former Machine Pits (I21) 3.1.17 Pump Station "B" (I23) 3.1.18 Hallway Adjacent to Former Alodine Room (I26) 3.1.19 Air Handling Unit Room (I28)	3-3 3-4 3-4 3-5 3-6 3-6 3-7 3-8 3-9 3-10 3-11 3-12 3-13 3-14
	3.1.20 Former Storage Building (I30) 3.1.21 Refrigeration/Air Conditioning Room (I31) 3.1.22 Hangar 1 (I32) 3.1.23 Storage Area in Office Area Fast of Hangar 2 (I33)	3-16 3-17

Section			<u>Title</u>	Page
		3.1.24	"Old" Ejection Pits (I34)	3-18
			Transformer Rooms (135)	
			Former Router Room (136)	
		3.1.27	Machine Shop (previously referred to as	
			Former Upholstery Room) (I37)	3-20
		3.1.28	Boiler Room (I38)	3-21
		3.1.29	Former Facility Maintenance Area (I39)	3-21
			Hangar 2 (140)	
		3.1.31	Random Locations at Historic Manufacturing Operations (I41)) 3-23
			Paint Shop Dry Well in Former Hammer Shop (I42)	
			Dry Wells in Former Carpentry Shop (I43)	
			Canopy Trim Fixture Drain Hole/Sump Pit (144)	
•			Waste Collection Station Adjacent to	
			Canopy Drain/Sump Pit (I45)	3-25
		3.1.36	Former "Spot Weld Rinse Tank" (In vicinity of	
			Column E6) (I46)	3-26
	•	3.1.37	RHIC Magnet Pumping Units (I47)	
		3.1.38	Pit in Room Adjacent to South Side of	
			Former Carpentry Shop (D17)	3-27
	3.2	Exterio	or Investigation	3-28
	•	3.2.1	Former Settling Tanks/Leaching Pools (E01)	3-29
		3.2.2	Six Former Leaching Pools (E02)	3-29
	,	3.2.3	Former Heat Treat Drainage Wells (E03)	3-30
		3.2.4	Former Dry Well (E04)	3-31
	,	3.2.5	Leaching Pool Area (E06)	3-31
		3.2.6	Nine Leaching Pools (E07)	3-32
		3.2.7	Former Leaching Field with Twenty Leaching Pools (E08)	3-33
		3.2.8	Former Coal Storage Bin (E09)	3-33
	(3.2.9	Seven Former Leaching Pools (E10)	3-34
			Former Dry Well (E12)	
			Former Drum Storage Area (E13)	
	3	3.2.12	Existing On-site Recharge Basin (E18)	3-36
	3	3.2.13	Former On-site Recharge Basin (E19)	3-36
			Unidentified Pit (E20)	
		3.2.15	Former AST and Salvage Area (E21)	3-38
		3.2.16	Material Storage Area (E22)	3-39
	3	3.2.17	Former Concrete Sump Pit (E25)	3-39
			Location of Former Trichloroethylene Tank (E27)	
			Pump Station "A" (E30)	
			Catch Basins (Vicinity of Pump House/Water Tank) (E32)	
			Former Tank 1111 (Retween Hangars 1 and 2) (F33)	

Section		<u>Title</u>	Page
		3.2.22 Courtyard Between Hangars 1 and 2 (E34)	3-42
		3.2.23 Area West of Hangar 1 (E35)	3-43
		3.2.24 Former Drainage Swale (North of Maint. Area) (E36)	3-44
		3.2.25 Former Discoloration (Southeast Parking Area) (E37)	3-45
		3.2.26 Boiler Room Exterior Former Dry Well (E38)	3-45
		3.2.27 Dry Well Outside Former Facility Maintenance Area (E39)	
		3.2.28 Dry Well Outside Former Paint Tunnel (E41)	
		3.2.29 Unidentified Pit Outside Boiler Room (E42)	3-47
		3.2.30 Former 2,000 Gallon Gas USTs (4) South of Refrig./	
		AC Room (E43)	
		3.2.31 Former Gas Pump House South of Refrig./AC Room (E44)	
		3.2.32 Fill Material Within Abandoned Leaching Pools	
		3.2.33 LIPA Pit/Sump (D14)	
		3.2.34 Square Ejector Pit North of Recharge Basin (D15)	
	3.3	Groundwater Investigation	
	3.4	Data Validation	3-52
4.0	CON	ICLUSIONS AND RECOMMENDATIONS	4-1
	4.1	Interior Investigation	4-1
		4.1.1 Former Paint Spray Room (I02)	
		4.1.2 Former Paint Storage Room (I03)	
		4.1.3 Former Storage Building Former Dry Wells (I04)	4-4
		4.1.4 Former Dry Well Area (I05)	
		4.1.5 Former Paint Shop (I06)	4-4
		4.1.6 Former Paint Tunnel (I07)	4-4
		4.1.7 Boiler Room Former Dry Well (I08)	4-4
		4.1.8 Former Hammer Shop (I09)	4-6
		4.1.9 Paint Shop Former Dry Well (I10)	4-6
		4.1.10 Former Paint Shop Booths and Paint Tunnel (I11)	4-6
		4.1.11 Former Alodine Room (I12)	4-6
		4.1.12 Former Downspout Dry Wells (I13)	4-6
		4.1.13 Former Heat Treat Room (I16)	4-6
		4.1.14 Former Paint Mixing Room (I17)	4-7
		4.1.15 Material Stock Room (I19)	4-7
		4.1.16 Five Former Machine Pits (I21)	4-7
		4.1.17 Pump Station "B" (I23)	
		4.1.18 Hallway Adjacent to Former Alodine Room (I26)	
		4.1.19 Air Handling Unit Room (I28)	
		4.1.20 Former Storage Building (I30)	4-8
		4.1.21 Refrigeration/Air Conditioning Room (I31)	4-8

Section		<u>Title</u>	Page
		4.1.22 Hangar 1 (132)	4-8
		4.1.23 Storage Area in Office Area East of Hangar 2 (I33)	4-8
		4.1.24 "Old" Ejection Pits (I34)	
		4.1.25 Transformer Rooms (I35)	
		4.1.26 Former Router Room (I36)	. 4-10
		4.1.27 Machine Shop (previously referred to as	
		Former Upholstery Room) (I37)	. 4-10
		4.1.28 Boiler Room (I38)	
		4.1.29 Former Facility Maintenance Area (I39)	. 4-10
		4.1.30 Hangar 2 (140)	. 4-10
		4.1.31 Random Locations of Historic Manufacturing Operations (I41)	
		4.1.32 Paint Shop Dry Well in Former Hammer Shop (I42)	. 4-11
		4.1.33 Dry Wells in Former Carpentry Shop (I43)	. 4-11
		4.1.34 Canopy Trim Fixture Drain Hole/Sump Pit (I44)	. 4-11
		4.1.35 Waste Collection Station Adjacent to Canopy Drain/	
		Sump Pit (I45)	. 4-13
		4.1.36 Former "Spot Weld Rinse Tank" (In vicinity of	
		Column E6) (I46)	. 4-13
		4.1.37 RHIC Magnet Pumping Units (I47)	. 4-13
		4.1.38 Pit in Room Adjacent to South Side of Former	
		Carpentry Shop (D17)	. 4-13
	4.2	Exterior Investigation	
		4.2.1 Former Settling Tanks/Leaching Pools (E01)	. 4-13
		4.2.2 Six Former Leaching Pools (E02)	. 4-13
		4.2.3 Former Heat Treat Drainage Wells (E03)	. 4-14
		4.2.4 Former Dry Well (E04)	. 4-14
		4.2.5 Leaching Pool Area (E06)	
		4.2.6 Nine Leaching Pools (E07)	
		4.2.7 Former Leaching Field with Twenty Leaching Pools (E08)	. 4-14
		4.2.8 Former Coal Storage Bin (E09)	
		4.2.9 Seven Former Leaching Pools (E10)	. 4-15
		4.2.10 Former Dry Well (E12)	. 4-15
		4.2.11 Former Drum Storage Area (E13)	. 4-15
		4.2.12 Existing On-site Recharge Basin (E18)	
		4.2.13 Former On-site Recharge Basin (E19)	. 4-18
		4.2.14 Unidentified Pit (E20)	
		4.2.15 Former AST and Salvage Area (E21)	. 4-18
		4.2.16 Material Storage Area (E22)	. 4-18
		4.2.17 Former Concrete Sump Pit (E25)	
		4.2.18 Location of Former Trichloroethylene Tank (E27)	. 4-18
		4.2.19 Pump Station "A" (F30)	4-19

Section	<u>Title</u>	Page
	4.2.20 Catch Basins (Vicinity of Pump House/Water Tank) (E32)	4-19
	4.2.21 Former Tank 1111 (Between Hangars 1 and 2) (E33)	
	4.2.22 Courtyard Between Hangars 1 and 2 (E34)	
	4.2.23 Area West of Hangar 1 (E35)	
	4.2.24 Former Drainage Swale (North of Maint. Area) (E36)	
	4.2.25 Former Discoloration (Southeast Parking Area) (E37)	
	4.2.26 Boiler Room Exterior Former Dry Well (E38)	
	4.2.27 Dry Well Outside Former Facility Maintenance Area (E39)	
	4.2.28 Dry Well Outside Former Paint Tunnel (E41)	
	4.2.29 Unidentified Pit Outside Boiler Room (E42)	4-22
	4.2.30 Former 2,000 Gal Gas USTs (4) South of Refrig./	
	AC Room (E43)	4-22
	4.2.31 Former Gas Pump House South of Refrig./AC Room (E44)	4-22
	4.2.32 Fill Material Within Abandoned Leaching Pools	4-22
	4.2.33 LIPA Pit/Sump (D14)	4-22
	4.2.34 Square Ejector Pit North of Recharge Basin (D15)	4-22
4.3	Groundwater Investigation	4-23
List of Appendi	ces	
Geop	hysical Surveys	A
Borin	g Logs	В
Labo	ratory Data	C

List of Figures	
1-1	Site Location Map1-3
1-2	Site Plan 1-4
2-1	Investigated Areas of Environmental Concern - Interior Areas2-2
2-2	Investigated Areas of Environmental Concern - Exterior Areas2-3
2-3	Sample Location Map - Interior Areas2-14
2-4	Sample Location Map - Exterior Areas
2-5	Geophysical Survey Areas
4-1	Areas of Concern Recommended for Additional Investigation or Remediation
4-2	Recommendation for Remediation - Former Paint Tunnel4-5
4-3	Recommendation for Remediation - Former Storage Building4-9
4-4	Recommendation for Remediation - Dry Wells in Former Carpentry Shop
4-5	Recommendation for Additional Investigation - Former
4-6	Coal Storage Bin
4-0 4-7	Recommendation for Remediation - Former Drum Storage Area 4-17 Recommendation for Additional Investigation - Former
	Drainage Swale4-21
4-8	Recommendation for Additional Investigation - Square Ejector Pit North of Recharge Basin
List of Tables	
2-1	Phase II Field Program Activities - Interior Areas2-4
2-2	Phase II Field Program Activities - Exterior Areas
4-1	Summary of Recommendations

1.0 INTRODUCTION

This document presents the results of the Phase II Site Assessment undertaken for the Northrop Grumman Corporation (NGC) property known as Plant 1, located on the southwest of the Long Island Rail Road (LIRR) tracks and northwest of Sheridan Avenue in Bethpage. in Bethpage, New York. A site location map and site plan are presented on Figures 1-1 and 1-2, respectively. The Plant 1 parcel (Tax I.D. Number: Section 46, Block 323, Lot 15) consists of the irregularly shaped area shown on Figure 1-2. The area is currently owned by NGC and comprises a total of approximately 22.5 acres.

The site is located within an area zoned "Industrial." Areas northwest and west are also zoned "Industrial," while areas immediately northeast, east and southeast are predominantly zoned residential. In 1995, the Town of Oyster Bay rezoned the parcel of land immediately southwest of the Plant 1 property from an "H" Industrial District Zone to "S-2" or Golden Age District. Further southwest, commercial zoning is found along Central Avenue. For the purpose of this report, the property line, which runs parallel to the LIRR tracks, will be referred to as "north" when discussing the location of on-site structures.


The majority of the site is paved and/or occupied by structures. The topography of the site is generally level and is approximately 110 feet above mean sea level with depth to groundwater approximately 45 feet below grade. There are storm water catch basins located throughout the site, and the direction of surface drainage varies with location. The Soil Conservation Service (SCS) classifies the majority of the soils on-site as Urban Land, as shown in the Nassau County Soil Survey (1987 edition). Urban Land is defined as an area with at least 85 percent asphalt, concrete or other impervious building material, with most of the remaining small areas of soil being well drained Riverhead, Hempstead or Enfield soils, or excessively drained Udipsaments. The Nassau County Soil Survey indicates that most areas of Urban Land are nearly level or gently sloping. The remaining portion of the site is identified as Urban Land Riverhead complex, which is a combination of urbanized areas and very deep, well-drained Riverhead soils.

The results of the 1999 Phase I Site Assessment at Plant 1 were used to identify potential areas of environmental concern (AOCs) both inside and outside of the building. The Plant 1 AOCs requiring investigation as part of the United States Environmental Protection Agency (USEPA) Underground Injection Control (UIC) Program are documented under a separate Phase II Site Assessment entitled "UIC Phase II Site Assessment - Plant 1," dated June 2001 which was prepared by Dvirka and Bartilucci Consulting Engineers (D&B). This Phase II Site Assessment documents the investigation activities and findings for AOCs that were determined not to be regulated by the USEPA UIC Program based on the design and status (i.e., previously closed) of the structures associated with each AOC.

This Phase II Site Assessment was conducted in four phases. The results from the first phase of sampling and analysis were used to identify those areas where additional investigation was warranted. The supplemental investigation and delineation sampling and analysis was performed during three subsequent phases of the project.

Section 2 of this document describes the scope of work and field program which was performed during September 2000 through March 2001. The findings of the Phase II Site Assessment, on an AOC-by-AOC basis, are described in Section 3. Section 4 provides conclusions and recommendations regarding the program.

Supporting data related to the Phase II Site Assessment program at Plant 1 are presented in appendices to this document. Geophysical surveys performed as part of the Phase II Site Assessment are included in Appendix A. Logs for the Phase II Site Assessment soil borings are included in Appendix B and tables summarizing the analytical results of samples collected during the Phase II Site Assessment are included in Appendix C.



NYSDEC 107300

2.0 SCOPE OF WORK AND FIELD ACTIVITIES

2.1 Scope of Work

The results of the Phase I Site Assessment at Plant, were used to identify potential AOCs both within the interior and exterior of the building. As discussed in Section 1, this report addresses only those AOCs that were determined not to be regulated by the USEPA UIC Program. The AOCs investigated as part of this Phase II Site Assessment are shown on Figures 2-1 (interior areas) and 2-2 (exterior areas) and are summarized in Tables 2-1 (interior areas) and 2-2 (exterior areas). The information in these tables includes the AOC designation, the number of borings and samples completed for each AOC, and the analytical parameters for each sample. The interior and exterior programs were conducted concurrently. Interior and exterior sample locations are shown on Figures 2-3 and 2-4, respectively.

2.2 Field Program

This section provides a description of the field activities conducted as part of the Phase II Site Assessment at the Plant 1 site. Work performed during the Phase II Site Assessment included geophysical surveys and collection and analysis of soil and groundwater samples. Descriptions of the procedures used during these activities are included in Sections 2.2.1 (Geophysical Surveys), 2.2.2 (Soil Sampling), and 2.2.3 (Groundwater Monitoring Well Installation and Sampling).

2.2.1 Geophysical Surveys

In order to locate former structures and sample locations at eleven potential AOCs, NAEVA Geophysics Inc. (NAEVA) of Tappan, New York was subcontracted to perform geophysical surveys. Ground penetrating radar (GPR) techniques and an electromagnetic metal-detector were used to perform the geophysical surveys. The areas investigated by NAEVA are summarized below:

5 5 5 5 5 5 5 5 5	Turgeted AOC was the room.	1	1	,		2	2	2	2	_	;	1	:	1'-3', 3-5'	112 805		L
Acquial fraction and Clause (1974). Substitution (1974) (1	Targeted AOC was the room.		1	,	,	2	2	2	2	-		:	-	1'-3', 3'-5'	H2 B64		
Act of Literimental Clearery large l	Targeted AOC was the room.		1	ı		2	2	2	2	-	-			1'-3', 3-3'	112 B03		
Accordization and Course for Engine large	Targeted AOC was the room.		1		, 	2	2	2	2	-		:		1'-3', 3'-5'	112 B02		
Acquarizationmental Cascon Results Seal pulse Seal Purses Seal Pur	Targeted AOC was the room.	,			,	12	2	2	2	-	,		,	1'-3', 3'-5'	112 B01	Former Alodine Room	112
Accordizationemotal Casceria Residency Residency Region (1975) According from the Control Region (1975) Accordin	Targeted AOC was a concrete pit.		,	,		2	2	2	2	-		,	-	1.5-3.5; 3.5-5 5(1)	1		
Act of Excitationated Concern Solid Solid Solid Profession Profession Solid Profession	Targeted AOC was a concrete pit. Added to program based on the visual identification of this structure as being associated with a paint curtain			1	;	. 2	2	2	2	_	1		,	0-2,24(1)	f11 B06		
Act of Euricemental Control Eurice Production	largeled AOC was the room.			1		2	2	2	2	_	,			1'-3', 3'-5'	fin Bos		
Ave al Extremental Courty Bridge Sall Surgius Sall Bridge Sall Bri	Target; d AOC was the room.			1	,	1.3	2	2	2	-	1		1	1'-3', 3'-5'	11) B04		
Ave of Environmental Covern	Targeted AOC was the room.		-	1	,		2	2	2	-		-		1'-3', 3'-5'	H1 B03		
Ava of Environmental Concern	Targeted AOC was the room.		-	1	1	~	2	2	2	-		,		P V. 3-5	H1 B02		
Soll Sampling Soll Sampling Soll Barbring Soll Probes Soll Pro	Targeted AOC was the room.			=	-	2	2	2	2	-		,		1' - 3', 3-5'	JII Ber	Former Paint Shop Booths and Paint Tunnel	Ξ
Acco d Entremental Concern Birdy-No. Soil Sampling bring of the bring libring bring	No remaining evidence of dry well.			2	-	2	2	2	s	-	ı			4'-6', 10'-12'	110 B01	Paint Shop Former Dry Well	110
Acco l'Entremental Contre de l'angle de l'an	Targeted AOC was the room.			-		1	2	2	2	-	,	,		1'-3,3.5'	109 But	Former Hanuser Shop	109
Acco d'Entiremental Converte legis et al. 25 col 10 No. 25	No remaining evidence of dry well.			2	-	ы	2	2	5	-	1	t		7-4,9:11	108 B01	Boiler Room Former Dry Well	<u>s</u>
Soil Soil Soil Soil Soil Soil Soil Soil Baringto Inches	Boring added to program based on the identification of a former north-south back filled concrete trench.		:		,	2	2	2	2	-	,	,		5-7,7.9	107 B03		
Soil Serial Se	Target id AOC was a concrete "tunnel".		1	-		IJ	23	,	2	-	1	1		1'-3', 3'-5'	107 B02		
Soil Sample Soil Sample Soil Barings Soil B	Boring & E of sump, which formerly discharged to an AST.		-	-			;	-	2	! _	1	,		5-7	107 DOIE8		
Soil Sampling Soil Samplin	Borrag 5' W of sump, which formerly discharged to an AST.		1	,	,	,		2	2	-	1			3'-5', 5-7	107 301W5		
	Boring 8'S of sump, which formerly discharged to an AST				:			2	2	-				3'-5', 5-7	107 B01S8		
	Boring & N of sump, which formerly discharged to an AST.		!	;	:			2	2	-	,			3' - 5', 5-7'	107 DO IN8		
	Targeted AOC was a concrete sump that discharged to an AST		-	-	;	2	2	2	2	-			[3' - 5', 5'-7'	I07 B01	Former Paint Tunnel	107
	Targeted AOC was the room.		-		1	2	2	2	2	-	,			F - 3', 3'-5'	H05-B02		
	Targeted AOC was the room.		-		ı	ы	2	2	2	_	1	;		F - 3', 3'-5'	105 Bul	Former Paint Shop	J0K
	No renaining evidence of pool. Actually located in an exterior location. This boring was also targeted immediately adjacent E43 B02.		-	2	ı		ю	12		-		-	,	6'-8', 14'-16	E43 B02		
	Pool was hackfilled This pool is shared by 14 and 15.		,	2	r	ы	2	2	7	-	,		1	8'-10', 20'-22'	10S B01	Fonner Dry Well Area	FOS
Act of Environmental Concern Bring/Prob Soil Sampling	No renaining endence of pool. This pool is shared by I4 and I5. Therefore, this pool was targeted under 105-B01.					,	,	-		<u> </u>	,	,	,		J04 B02		
	No remaining evidence of pool AOC located directly under a support column Bering placed within 5' of AOC		1	-	-	-	-	-	-	-				8 -10	104 Bo1	Farmer Storage Building Former Dry Wells	104
Area of Environmental Concern Bring/Probe Internal (depth by Soil Borings Samples Samples Metals 2 VOCs 3. SVOCs 4. TCLP 5. PCBs 6. Glycols 7. Pests/Herbs Former Paint Spray Room. 102 Ent. 1 2 2 2 2 2	Targeted AOC was the room.		;	:	-	2	2	2	2	-		:	,	1' - 3', 3'-5'	103 B 91	Former Paint Storage Room	103
Area of Environmental Concern Boring/Probe Interval (depth bgs) No. of ISA No. of Splif No. of Samples No.	Targered AOC was the room.			1	-	2	2	2	2	-	,	1	1	1-3,3-5	t02 B01	Former Paint Spray Room	102
Area of Environmental Concern Buring/Probe Interval (depth Soil Borings Soil Probes No. of Samples and Analyses*		7. Pests/Herbs	6. Glycols	5. PCBs		3. SVOCs						ļ	No. of HSA Borings				
	Comments			und Analyses*	of Samples	Z			ນ່ Probes	×.	<u> </u> 	Soil Borings		Soil Sampling Interval (depth bgs)	Soil Boring/Probe ID No.	Area of Environmental Concern	AOC No.

TABLE 2-1
NORTHROP CRUMMAN CORPORATION
PLANT I
PHASE II SITE ASSESSMENT FIELD ACTIVITIES
BUILDING INTERIOR

TABLE 2-1 NORTHROP GRUMMAN CORPORATION PLANT I PHASE II SITE ASSESSMENT FIELD ACTIVITIES BUILDING INTERIOR

124 FA	123 Pu			122 Fo					121 E	119 M	2		117		116 Fc				115					¥		113 F		AOC No.
Floor Drains, Slop Sinks, Trench Drains and Pite/Sumps	Pump Station '8"			Former Fanks in Former RHIC Magnet Area		-			Five Former Machine Pits	Material Stock Room	RHIC Magnet Utility Trenches		Forner Pant Mixing Room		Furner Heat Treat Room				Expansion of Leaching Pools at AOC 115					Five Former Leaching Pouls		Former Downspout Dry Wells		Soil Area of Environmental Concern Boring/Probe ID No.
	123 B01	B03	B02	B01	121 Bos	121 B94	121 B03	121 802	121 801	119 BD1	1	117 802	117 B01	H6 B02	116 B01	B04	803	B02	101	Bos	BO4	803	B02	B01	I13 B02	113 B01		Soil Baring/Probe ID No.
1	0-2, 2-4"(1)		ı	1	1'-3', 3'-5'	l' - 3', 3'-5'	5'-7', 7-9'	1'-3',3'-5'	2'4', 4'-6'	11-31-31-51	,	1'-3', 3'-5'	1'-3'.3'-5'	11-3", 3-5"-5-5", 5.5". 7-5" (1)	:	-	1	1	 	į	:	4	t		2'-4', 6'-7'	2"-4",8"-9"		Soil Sampling Interval (depth bgs)
1			:	ï				1	,	,				:	1				-			 	;	-	,		No. of HSA Borings	
1			,	1			,	,						1	:	:	,	t		ı	,	1		1	1	1	No. of Split Speen Soil Samples	Seil Borings
		-							,		1	,		1	1				:	ı	ı	1	1	,		,	Total Footage	
1	-	,		,	-	-	2	-	2	-		-	-	-	;			1		'	ı	1	1		-	-	No. of Soil Probes	Seil Probes
	2	<u>'</u>	,	:	2	2	2	2	4	ы	-	IJ	2	ı,	ı	<u> </u>	,		1	1	-	:	,	1	v	*	No. of Soil Probe Samples) be
1	2	1			2	2	2	2	2	2		2	2	3	!			:	-	_	;				2	2	1. RCRA Metals	
1	2	1		-	2 2	2 2	2 2	22	2 2	2 2		2 2	2 2	3	1	1	;	:		-	:	1	-		2 1	2 1	2. VOCs 3. SVOCs	
	-				-	-		2	2	2	-	-	2	-				-	-		'				2	. (OCs STARS	No. of Sam
	-]					-	_	_		_	-	میا				_	_	,		_	_		. 2	12	RS 5. PCBs	No. of Samples and Analyses*
		,			1		1			-	1		_	:	1		1			-	-		-	-			Bs 6. Glycols	yses*
;		1		1	1	'		;	1	;	' '	,		1	t	r	·		;	-	:	-	,	1	-		ols 7. Pests/Herbs	
The discharge point of drainage features are documented in a separate report entitled "Discharge Determination Report - Plant I", dated May 2001.	Targeted AOC was a sump with a concrete bottom. Required NGC removal of standing water.	According to NGC, USTs never existed in this area. Boring eliminated in consultation w/ NGC.	According to NGC, USTs never existed in this area. Boring eliminated in consultation w/NGC.	According to NGC, USTs never existed in this area. Boring eliminated in consultation w/NGC.	Targeted AOC was a previously backfilled concrete pit	Targeted AOC was a previously backfilled concrete pit.	Targeted AOC was a previously backfilled concrete pit.	Targeted AOC was a previously backfilled concrete pit.	Targeted AOC was a previously backfilled concrete pit.	Targeted AOC was the room.	Inspection did not reveal compromised integrity. No samples collected.	Targeted AOC was the room.		Targsted AOC was a concrue pit. Refusal encountered at 3° bgs during first attempt. Second attempt was made where samples were collected below pit bottom.	Refusal - coald not collect samples. Also targeted with 116-B02.	Located under PROM building. Not technically feasible due to targeted depth. Removed from sampling program.	Located under FROM building Not technically feasible due to targeted depth. Removed from sampling program.	Located under PROM building. Not technically feasible due to targeted depth. Removed from sampling program.	Located under PROM building. Not technically feasible due to targeted depth. Removed from sampling program.	Located under FROM building. Not technically feasible due to turgeted depth. Removed from sampling program.	Located under PROM building. Not technically feasible due to targeted death. Removed from sampling program.	Located under PROM building. Not technically feasible due to targeted death. Removed from sampling program.	Located under PROM building. Not technically feasible due to turgeted depth. Removed from sampling program.	Located under FROM building. Not technically feasible due to targeted depth. Removed from sampling program.	No remaining evidence of dry well.	No remaining evidence of dry well. Located in cafeteria		Comments

NYSDEC 107304

TABLE 2-4 NORTHROP GRUMMAN CORPORATION PLANT 1 PHASE II SITE ASSESSMENT FIELD ACTIVITIES BUILDING INTERIOR

AOC No.	Area of Environmental Concern	Soil n Boring/Probe ID No.	Soil Sampling Interval (depth		Seil Borings		Suil Probes	robes			Z	No. of Samples and Analyses*	d Analyses*			Сопинентя
				No. of HSA Borings	No. of Split Spoon Sail Samples	Tetal I	No. of Soil Probes	No. of Soil Probe Samples	I. RCRA Metals	2. VOCs 3. SVOCs		4 TCLP STARS	5. PCBs	6. Clycols	7. Pests/Herbs	
125	Wood Block Flooring	,	,			-	-	٠					1			:
128	Hallway Adjacent to Forner Alodine Room	126 B01	1'-3',3'-5'		,	,	-	13	2	2	2	,	2	:	1	Targeted AOC was a concrete trench (solid bottom).
		126 B02	15-35.35-35	1	1	-	-	2	2	2	2	-	2	:	:	Targeted AOC was a concrete trench (solid bottom).
128	Air Handling Unit Room	108 823	2'-4', 4'-6'	1	'	'	-	2	2	2	2	,	1	1		Targeted AOC was a solid bottom sump within a concrete pit.
130	Former Storage Building	130 B01	1'-3',3'-5'	ı	1	1	-	2	2	2	2		2	-		Largeted AOC was a room.
		130 B02	1'-3',3'-5'	:		.	-	2	la	2	2		2	, [:	Targeted AOC was a room
		130 B03	1'-3',3'-5'	:	:		-	4	2	2	2	-	2		-	Targeted AOC was a room.
		130 B03N8	1.3, 3.5				-	2	,	1	2	-	-	.	1	Boring located & N of initial boring
		130 B03S8	5.2.3.3	:		:	-	2	,	,	2		;			Boring located 8' S of imital boring.
		8/WE0B 0E1	1:3', 3'-5'		,		-	2		,	2	1	1	,	1	Bonng located 8' W of initial boiling.
		130 B03E8	1.3, 3.5	:	-	ı	-	2		-	2	:	-	;	1	Borng located 8' E of initial borng,
		[30 B03S12	0'.2', 4'-6', 8'-10'				-	5			3				1	Bonng located 12'S of mital baring.
		130 B03W12	0'-2', 4'-6', 8'-10'	:	:	:	-	5	-	:	s	-		1	-	Boring located 12' W of mittal boring.
		130 Bo3E12	0-2, 4-6, 8-10	,	1		-	5		:	3	-	r	:	,	Bonng located 12' E of muial boring.
_		130 204	S-6 'E-1			:	,	2	12	2	2	-	2		;	Targeted ACC was a room
		130 B05	6'-8', 8'-10'		-		2	22	2	2	2	-	2	;	1	Targeted ACC was a room.
		908 061	1:3:, 3:5'	-			-	2	2	2	2		2	;	:	Tangeled ACC was a room.
		130 B07	0' · 2', 2'.4'	1	ı	1	-	2	2	2	2	:	2	1	ı	Targeted AOC was area potentially subject to former surface releases. Added to program based on discovery of machine shop stop sink discharge to grade.
131	Refrigeration/Air Conditioning Room	108 151	13:3:5	1	,	1	-	2	2	2	2		;		ī	Targeted AOC was a room
		131 802	2.4.4.6	:	1	:	-	2	2	2	2	:	1	,		Targeted AOC was a room.
132	Hangar i	132 801	1'.3', 3'.5'	1	-	-	2	2	2	2	2		2	2	2	Targeted AOC was a room.
		132 802	1:3:3:5	1	-	:	-	2	2	2	2	-	2	2	2	Targeted AOC was a room.
		132 B03	1'3', 3'-5'			:	-	2	2	2	2	-	10	2	2	Targe ad AOC was a room.
		132 BO4	1'3',3'5'	ı	1	,	-	2	2	2	2	'	2	2	2	Targeted AOC was a room.
133	Storage Area in Office Area East of Hangar 2	133 BOI	11:31, 31:57	:		:	1	2	2	2	2					Targeted AOC was a room.
134	"Old" Ejection Pits	134 801	4'-6',6-8'	-	-	-	-	2	2	2	2	-	2	1	-	Targeted AOC was a concrete pit (solid bottom) in a weight room
		134 B0Z	2-8		-	.	-	2	2	2	2	:	2	ı		Targeted AOC was a concrete pit (solid bottom) in a utility room.
		134 B03	ı	ı					ı	ı	1	1	1	4	ī	Bonng removed from program - deemed unnecessary (AOC was an aboveground "tub"). This boring was transferred to 138.
33	Transformer Rooms	135 801	11-31, 31-5	,			-	2	;		1	1	z	1	-	Targeted AOX: was a room.
		135 B02	1'-3'-, 3'-5'		:		-	2	1	1	:	1	2	1	-	Targeted AOC was a room.

712Part 2017

AOC No.	Soil Area of Environmental Concern Boring/Frobe 1D No.		Soil Sampling Interval (depth bgs)		Soll Burings		Soit P	Sait Probes			Z 5	No. of Samples and Analyses*	d Analyses*			Comments
				No. of HSA Borings	No. of Split Spoon Soil Samples	Total !	No. of Soil Probes	No. of Soil Probe Samples	1.RCRA Metals	2. VOCs 3.	3. SVOCs	4. TCLP STARS	5. PCBs	6. Glycols	7. Pests/Herbs	
136	Former Router Room	136 B01	1'3', 3'5'	1	ī	-	-	2	2	2	2	1	i	1	1	Targeted AOC was a room.
		135 B02	1'-3', 3'-5'	'	:	:	-	2	2	2	13	_	,	1		Targeted AOC was a room.
137	Machine Stop (previously referred to as Former Upholstery Room)	137 B01	11-31, 31-51		,	'	-	2	2	2	~	1	1	1	1	Targeted AOC was a room.
137	Machine Skop (previously referred to as Former Upholstery Room) (continued)	137 B02	[1-3], 31-51	,	ı	-	-	2	ы	19	2	,	,	1	1	Targeted AOC was a room.
138	Boiler Room	138 B01	11-31, 31-51	1	1	;	_	2	2	2	2	_	,	,	:	Targeled AOC was a morn.
		138 Bø2	11-31, 31-5	ı	-	'	-	2	2	2	12	;	ι	1	1	Targeted AOC was a room.
139	Former Facility Maintenance Area	139 801	1'-3', 3'-5'		-		_	2	2	2	2	-	-	1	_	Targeted AOC was a room.
		139 802	1-3:3-5	1	1	1	2	2	2	2	2		-	,	-	Targeted AOC was a room.
J40	Hangar 2	140 B01	2'-4', 4'-6'	1	-	1	2	2	2	2	2	-	2	2		Targeted AOC was a room.
		140 B02	1	:	1	:	:	'	1	- 1	1	r	ı	:	:	Targeted AOC was a room. Could not penetrate concrete w/ portable equipment (inaccessible w/ truck). Technically not practical.
_		J40 B03	1'-3', 3'-5'	-			-	2	2	2	2	-	2	2		Targeted AOC was a room.
		J40 B04	1:3,3:5	1	-	1	-	2	2	2	1-	,	2	2		Targeted AOC was a room.
		140 B05	153, 355	-	-	:	-	2	2	2	1-7	-	2	2		Targeted AOC was a room.
		140 806	1'-3', 3'-5'	1	1	1	-	2	2	2			2	2		Target:d AOC was a room.
141	Random Lecations of Historic Manufacturing Operations	141 Bo1	0' - 2', 2'.4'	-		-		2	2	2	2		2	;	_	Targeted AOC was a room Placed in location of former "Hydrauhes" area (in vicinity of column I/3 and I/4).
		141 B02	1'3',3'5'	1		1	-	2	2	2	2		2	1	-	Targeted AOC was a room. Placed ir location of furmer "Drivmatic and Brake/Press Dept" (in vicinity of column E16)
		J41 Bo3	1'-3', 3'-5'		-		4	4	2	2	1	-	2	1	_	Targeted AOC was a room. Placed in location of former "Drivmatic and Brake/Press Dept" (in vicinity of column £17).
		141 B04	1-3', 3-5'	:	_	-	_	2	2	2		'	22	,	-	Targeted AOC was a room. Placed in location of former "Shear, Saw and Router Dept" (in vicinity of column E26).
		(4) B05	11-31, 31-57			1	-	2	2	2	1	,	2	-		Targeted AOC was a room. Paced in location of former "Bench/Layout Area Dept" (in vicinity of column E30 and E31).
		141 B06			-	1	ı	:	1	1			ı		,	No additional areas appeared to warrant further investigation.
		141 B07	-	1	-	ı		ı	+	-	1		,	1	-	No additional areas appeared to warrant further investigation
		141 B08	ı	,	ı		1	1	1	1		1			1	No additional areas appeared to warrant further investigation
		141 B09	i	1	-	1	1	_	:		_		-	1		No additional areas appeared to warrant further investigation.
		141 B10	-	:	-	t.	1	ı	-	1	ì	-	1	,		No additional areas appeared to warrant further investigation
45	Paint Shop Dry Well in Former Hammer Shop	J42 B01	8' - 10'		1	:	-		2	2		ı	2	1	1	No remaining evidence of dry well.

TABLE 1-1

NORTHROP CRUMMAN CORPORATION

PLANT I

PHASE II SITE ASSESSMENT FIELD ACTIVITIES

BUILDING INTERIOR

TABLE 2-1 NORTHROP GRUMMAN CORPORATION PLANT I PHASE II SITE ASSESSMENT FIELD ACTIVITIES BUILDING INTERIOR

AOC No.	Soil Area of Environmental Concern Boring/Probe D. No.	Soil Boring/Probe ID No.	Soil Sampling Interval (depth bgs)		Soil Borings		Soil	Soil Probes			Š	No. of Samples and Analyses*	d Analyses*		ĺ	Comments
				No. of BSA Borings	No. of Split Spoon Soil Samples	Tetal Footage	Ne. of Soil Probes	No. of Soil Probe Samples	I. RCRA Metals	2. VOCs	2. VOCs 3. SVOCs	4. TCLP STARS	5. PCBs	6. Glycols	7. Pests/Herbs	
5	Dry Wells in Former Carpentry Shop	143 801	8'-10', 14'-16'	÷	ï	ı	-	2	ы	2	2	-	,	1	;	Targeted AOC was a backfilled dry well.
		143 B01A	10"-12", 12"-14"	1	ı	,	-	2	F.	'	1	1	1	'	ı	Boring advanced within AOC (backfilled drywell).
		143 B02	115-13, 135-15	1	ı	,	-	2	2	2	2	1	,	;		Targeted AOC was a backfilled dry well (void encountered 8-11).
5	Dry Wells in Former Carpentry Shop		15'-17' 17'-19' 19'-													
143	Dry Wells in Fermer Carpentry Shop (continued)	143 B02A	15'-17', 17'-19', 19'- 21'	1		:	-	ىن	,	1	w	;	1	1	1	Bonng advanced within AOC (backfilled drywell).
Ĭ	Canopy Trum Fixture Drain Hole/Sump Pit	144 B01	4' - 6', 6'-8'	1	1	1	-	2	2	2	2	;	!	1	,	Targeted AOC was a concrete pit (solid floor). Pit floor is 4'3" deep.
145	Waste Collection Station Adjacent to Canopy Drain/Sump Pit	145 R01	0'-2', 2-4'	1		:	-	2	2	2	2		2	,	1	Targeted AOC had a solid hottom
146	Former "Spot Weld Rinse Tank" (In vicinity of column E6)	146 B01	0' - 2", 2"-4"	,	'	t	-	2	2	2	2	;				:
147	RHIC Magnet Pumping Units	147 B01	0'-2', 2'-4'	1	:		-	2	2	~	~					
		147 B02	0 - 2, 2.4	:			-	2	2 1	12 1	2					
D17	Pit in Room Adjacent to South Side of Fornier Carpentry Shop		0.3. 3-4.4.4.	'			٠	Ça	w		-				·	

* Target Constituents/Analytical Methods

NeCRA Metals (Method 6010/7471)
 Vulntile Organic Compounds (Method 8200) incl. those listed in STARS 3 Semivolatife Organic Compounds (Method 8270) incl. those listed an STARS

Notes:

(!) Below bottom of sump, pit or trench → Not applicable

4 STARS Table 2 VOCs and SVOCs by TCLP
5 Polychlorinated Biphenyk (PCBs) (Method 8082)
6 Select Glycols (Method 8015)

7 Pesteides and Herbicides (Methods 8081/8151)

Targeted AOC was backfilled (suspected distribution box).	•	1	,	1	2	2	2	1	,	ā	٥	-	3'-5', 12'-14'	E06 B05		
No temaining evidence of pool.	•	ı	,	1	2	2	2	,	1	22	7	-	10'-12', 20-22'	E06 B04		
No remaining evidence of pool.	•		ļ ·		2	2	2	1		22	7	-	10'-12', 20'-22'	E% B03		
No remaining evidence of pool.	•	,	;	-	2	2	2	1	;	22	7	-	10'-12', 20'-22'	E96 B02		
No remaining evidence of pool.	•	+	1	1	2	2	2	1	1	z	7	-	10'-12', 20'-22'	E06 B01	Leaching Pool Area	E06
GPR, inconclusive. No remaining evidence of pool.	•	1		1	2	2	2		-	1			8" - HO", 18"-20"	E@# B01	Former Dry Well	E04
Targood AOC was a backfilled pool.	•		2	1	2	2	2	*	-		,		14" - 16', 20"-22"	E03 B02		
Targeted AOC was a backfilled pool.	•	,	2	:	2	2	2	9	2		-	1	16' - 18', 22'-24'	E03 E01	Former Heat Treat Drainage Wells	E03
Located on and/or adjacent to LIPA markout. Could not locate any "clear" areas within 10' of AOC. Deemed not technically practical.	•	t	ı	1	4	-			:	4	1	,	,	E02 B06		
Locared on and/or adjacent to LIPA markout. Could not locate any "clear" areas within 10' of AOC. Deemed not technically practical.	•		,	,	,	1	1	,	1	,	. 1	1	1	E02 B05		
Targued AOC was a backfilled pool.	•	ļ .		1	2	2	2	ı		26	9	-	12'-14', 24'-26'	E92 B04		
Targated AOC was a backfilled pool.	•		. !	1	2	2	2		:	22	6	-	12'-14', 20'-22'	E02 B03		
Targated AOC was a backfilled pool.	•			1	2	2	2		;	*	5	-	6'-8', 14'-16'	E92 B02		
Targied AOC was a backfilled pool.	•		-		2	2	2	1		22	6	-	12' 14', 30' 22'	E02 B01	Sax Former Leaching Pools	1:02
Targeted AOC was a backfilled pool. Added to program based on GPR findings.	•	1	2	ì	2	2	2	5	_	1	1	-	12'-14': 18'-20'	E01 B14		
Targled AOC was a backfilled pool. Added to program based on GPK find pigs.	-	-	2	-	2	2	2	5	-	-	:	-	12'-14' 20'-22'	E01 B13		
Taryyled AOC was a backfilled pool. Added to program based on GPR find pass.	•	ı	2	ı	2	2	2	5	-	-	-	,	12'-14', 20'-22'	E01 B12		
Targyled AOC was a backfilled pool. Added to program based on GPR findings	•	:	2	1	2	2	2	J	-	ı		:	12'-14', 29'-22'	E61 B11		
Adoed to program based on GPR findings, Located on and/or adjacent to LtpA markout. Could not locate any "clear" areas within 10 of AOC. Decryed not perfuncially practical.		1	,	1	ı					ı	1		ţ	E01 B10		
Targeed AOC was a founer imhoff tank (solid bottom).	•	ı	2		2	2	2	,		26	5	-	16'-18' 24'-26'	E01 B09		
Targeted AOC was a former Imhoff tank (solid bottom).	•	,	2	,	2	2	2	-	;	26	6	-	18'-20', 24'-26'	E01 B08		
Targeted AOC was a former Imhoff tank (solid bottom). Encountered refusal during first attempt with Geoprobe.		_	2	1	2	2	2	-	1	22	6	-	12'-14', 20'-22'	E01 B07		
Targeted AOC was a former limboff tank (solid bottom).	•	-	2	ı	2	2	2	1	,	22	6	-	12'-14', 20'-22'	E01 B06		
Targeted AOC was a backfilled pool.	•	1	2		2	2	2	5	-	-	1	1	12'-14', 18'-20'	E01 B0S		
Targeted AOC was a backfilled pool.	•	-	2	1	2	2	2	5		-		-	12'-14', 20'-22'	E01 B04		
Tarkeled AOC was a backfilled pool.			2	ı	2	2	2	5	-		1	,	12'-14', 20'-22'	E01 B03		
Targeted AOC was a backfilled pool.	•	-	2	-	2	2	2	5	1	_	-	-	12'-14', 20'-22'	E02 H02		
Targeted AOC was a backfilled pool. AOC was located on and/or adjacent to LIPA markout. Closest "clear" adjacent area within 10' of AOC was largeted.	•	;	2	ı	2	2	2	5	-	1	,	,	14'-16', 20'-22'	E01 B01	Former Settling Tanks/Leaching Pools	DO:
		6. Glycols	S. PCBs	4 TCLP STARS	3. SVOCs	2. VOCs	I. RCRA Metals	No. of Soil Probes	No. of Soil Probe Setups	Total Footage	No. of Split Spoon Soil Samples	No. of HSA Berings				
Comments	GPR Survey			and Analyses	No. of Samples and Analyses			Sail Probes	Soil I	, s	Soil Borings		Soil Sampling Interval (depth bgs)	Sail Boring/Probe ID No.	Area of Environmental Concern	ADC No.

TABLE 2-2
NORTHROP GRUMMAN CORPORATION
PLANT |
PHASE II SITE ASSESSMENT FIELD ACTIVITIES
BUILDING EXTERIOR

E08

former Leaching Field with Twenty Leaching Pools

E08 B01

E08 B02

6' - 8', 14'-16'

E07 B12 E07 B13 E07 B14

12-14: 16-18
11-18: 19-21
11-18: 19-21
11-18: 19-21
11-18: 19-21
11-18: 19-21
11-18: 19-21
11-18: 19-21
11-18: 19-21
11-18: 19-21
11-18: 19-21
11-18: 19-21
11-18: 19-21

E07 B09

E07.B10

E08 B08

E08 B06

E08 B10

8-10, 14-16 10'-12', 14-16 14'-16', 22'-24' 8-10', 14-16' 8-10', 14-16' 8-10', 14-16' 8-10', 14-16' 8-10', 14-16' 8-10', 14-16'

E08 B04

NORTHROP GROMMAN CORPORATION
PLANT 1
PHASE II SITE ASSESSMENT FIELD ACTIVITIES
BUILDING EXTERIOR

AOC No.

Area of Environmental Concern

Soil Boring/Probe ID No.

Soil Sampling Interval (depth bgs)

Seil Berings

Soil Probes

No. of HSA Borings

No. of Split Spoon Soil Samples

Fotal Footage

No. of Soil Probe Setups

No. of Soil Probes

1. RCRA Metals

2. VOCs

3. SVOCs

4. TCLP STARS

5. PCBs

6. Glycols

to of Samples and Analyses'

GPR Survey

500

Leaching Pool Area (continued)

E06 B06

8'-10', 16'-18'

E07

Nine Leaching Pools

E07 B03

E05 B13

E06 B11

E07 B04

E07 B06

	E .	E17										EI	E12				***			E10	E09			-					E08		AOC No.
	Existing On-site Recharge Basin	Ejecror Pia										Former Drum Storage Area	Former Dry Well							Seven Former Leaching Pools	Fonton Coal Storage Bin								Former Leaching Field with Twenty Leaching Pools (continued)		Area of Euvironmental Concern
E18 B02	E18 B01	ŀ	EIJB02612	E13B02W12	E13B0ZNE20	E13R02NE10	£13B02E8	E13B02W8	E13B02S5	EI3B02N5	E13 B02	E13 B01	E12 B01	E10 B08	E10 B06	EIG BOS	E10 B04	E10 B03	E10 B02	E10 R01	E09 B01	E08 B20	E08 B19	E08 B18	E08 B17	E08 B16	E08 B15	E08 B14	E08 B12		Soil Boring/Probe Soil Sampling Interval (depth bgs)
0'-2', 2'-4'(1)	Ø - 2', 2'-4'(1)	:	0' - 2', 2'-4'	0' - 2', 2'-4'	0'-2', 2'-4'	0' - 2', 2'.4'	0' - 2', 2'-4'	0'-2', 2'.4'	0'-2',2'-4'	0'-2', 2'-4'	0'-2',2'-4'	1'-3', 3'-5'	10" 12", 18"-20"	6'-10', 14'-16'	10' - 12', 16'-18'	10'-12', 16-18'	11"- 13", 19"-21"	12'- 14', 20'-22'	117-127, 19-28	13'- 15', 21'-23'	0' - 2', 6'-8'	ı				,	ı	8'- 10, 16-18'	12' - 14', 18'-20'		Soil Sampling Interval (depth bgs)
,		,			'		_			,	ı		1		ı				-	_		,		4	1	1	1	-		No. of HSA Borings	
1	,	ı		1		'					1		1	,	;		1	,	5	5		ı	,			1		1		No. of Split Speon Soil Samples	Soil Borings
1		,	:	,	,			, ,	,	,	-	,	-		1			1	21	23	-	-	:	1	1	,	-	4	-	Total Footage	3
1	1	1	_	-	_	_	-	-	-	-	-	-	-	-	_	-	-	-			-	-		,	1	1	-	-	-	No. of Soil Probe Setups	Soil Probes
2	2		2	2	2	2	2	2	2	2	2	2	5	5	٥	۰	5	7	-	;	4	-		,	,	;		٠	7	No. of Soil Probes	obes
2	2	;		1						,	2	2	2	2	2	2	2	2	2	2	2			1	1	1	1	2	2	1. RCRA Metals	
2	2	. 1	_			1	,	,	} :	:	2	2	2	2	2	2	12	2	ы	2	-	ı		,	1	:	-	2	2	1. VOC3	z
и	2		2	2	2	2	2	. 2	2	2	2	2	to	2	2	2	12	2	2	2	2		1	-	-	:	1	2	2	3. SVOC3	No. of Samples and Analyses
ı	-	1	1	,			1	,	1	1	1	-	1		-	,	ı				:	1	1	1	-	_	1	,	1	4. TCLP STARS	ınd Analyses*
2	2	1	22	1	, ,	t	,				2	2	ι	-	-	ı	:	:		,		1				:	1	1	,	s. PCBs	
		1		,	,		,	,		,	-	:	ı	-	-	ı		;		1	,		1	ı	1	,	ı	1	;	6. Glycols	
1	1	ı	;	1				-		-	-	1	=	•	•		•	•		•		•		•	•	•	-	•	•		GPR Survey
**		This area was investigated as part of AOC D15.	Probe located 12' E of initial boring.	Probe located 12' W of initial boring.	Probe located 20' S of initial boring.	Probe located 10' NE of initial boring	Probe located 8' E of initial boring.	Probe located 8' W of initial borng.	Probe located 5'S of initial boring.	Probe located 5' N of initial boring.	***		No remaining evidence of pool GPR inconclusive	Targeted AOC was a backfilled pool. Added to program based on GPR findings. Encountered refusal in first attempt.	No remaining evidence of pool. Initially attempted with Geoprobe, but encountered refusal.	No remaining cytdence of pool. Initially attempted with Geoprobe, bu negaritered refusal.		No. technically feasible, located in office area.	Not technically feasible, located in office area.	Targeted AOC was a backfilled pool.	Targeted AOC was a backfilled pool.		Comments								

TABLE 2-2
NORTHROP GRUMMAN CORPORATION
PLANT I
PHASE II SITE ASSESSMENT FIELD ACTIVITIES
BUILDING EXTERIOR

::

:

AOC No.	Area of Environmental Concern	Soil Boring/Probe W No.	Soil Sampling Interval (depth bgs)		Soil Horings	-3	Soil Probes	obes		2	No. of Samples and Analyses*	and Analyses*			GPR Survey	Comments
				No. of HSA Borings	No. of Split Spoon Soil Samples	Total Footage	No. of Soil Probe Setups	No. of Soil Probes	1. RCRA Metab	2. VOC\$	3. SVOC3	4. TCLP STARS	5. PCBs	6. Glycels		
E19	Former On-site Recharge Basin	E19 B01	8' - 10', 18'-20'		,	ı	-	7	2	2	2	:	2	1	-	1
E20	Unidentified Pit	E20 B01	2"-4",4"-6"	-		1	1	2	2	2	2	,	2	'	;	Targeted AOC was a concrete pit (solid bottom).
621	Former AST and Salvage Area	E21 B01	0' - 2', 2'-4'	ï	:		-	2		2	'	,	1	'	:	
		E21 B02	0' - 2', 2'-4'		-	-	1	2	2	2	2	'	2	_	:	
		E21 B03	0-2.24		-	ı	-	2	2	2	2	1	2	1	:	Į.
		E21 B04	0'-2', 2'-4'	:	t	-	-	2	2	2	2	,	2	í	:	-
		E21 B05	0' - 2', 2'-4'		-	:	-	2	2	12	2	1	2	-	1	
E ₂₂	Material Storage Area	E22 B01	0' - 2', 2'-4'	1	-		-	2	2	2	2	1	2	2	1	1
		E22 B02	0'-2', 2'4'	1	1	1	-	2	2	2	2	-	2	2	,	3
		E22 B03	0'-2', 2'-4'	ı			-	2	2	2	2	-	2	2		ţ
		E22 B04	0' - 2', 2'-4'	١,	,	1	-	2	2	2	2		2	2	1	
E23	Grated Dry Well	F23 R01	1	1	1		;	1	ı		1	1	1	;	1	Targated AOC was actually a trench (solid bottom). Encountered refusal. Could not achieve required depth of sampling intervals.
125	Former Concrete Sump Pit	E25 B01	5'-7', 7-9'	1	1	,	-	5	2	2	2	1	2	2	•	GPR inconclusive.
E26	Former Flight Fuel Depot		-	,	,	,	1	1	,	:		-	:	1	1	NGC is addressing this AOC under a separate program.
E27	Tank	E27 B01	F-3', 3'-5'	1	:	:	-	2	,	2	1	,	ı	-	-	:
E28	Boiler Room UST	,	:	1	ŧ			1	r	'	1			1	•	GPR inconclusive (no need for UST closure program)
E29	Floor Drans Outside Former Facility Maint Area and Incide Pump House	1			ı			ı	1	!		1	1	ı	1	The discharge point of drainage features are documented in a separate report entitled "Discharge Determination Report - Plant 1", dated May 2001
Ę	Pump Station *A"	E30 B01	13-15, 15-17	,	1		-	ω	2	2	2	1	1	1		Targated AOC was a backfilled sump beneath pedestrian bridge. Encountered refusal during first attempt at 13' bgs. Targeted adjacent tocation.
E	Catch Basms (Vicinity of Pump House/Water Tank)	E3Z B01	6'-8.8'-10'	1		ı	-	2	2	2	2	1	:	1	,	Targeted AOC was an active structure with solid bottom. Targeted adjacent location.
		E32 B02	6'-8'8'-10	;	ı	,	-	2	2	2	2	1	;	t	:	Targeted AOC was an active structure with solid bottom. Targeted adjacent location.
E33	Former Tank 1111 (Between Hangars 1 and 2)	E33 B01	1' - 2', 3'-5'	1	-		-	2	2	2	2	-		1	'	_
Ţ	Courtyard Between Hangars 1 and 2	E34 B01	1.3.3.5	ŧ	1	,	-	2	2	2	2	-	2	2	1	Targeted AOC was an area, as opposed to a structure.
		E34 B02	1'-3',3'-5'	,	-	1	-	2	2	2	2	1	2	2	1	Targeted AOC was an area, as opposed to a structure.
		E34 B03	0' - 2', 2'-4'	:	r	:	-	2	2	2	2	:	2	2	1	Targeted AOC was an area, as opposed to a structure.
		E34 B04	0 - 2', 2'-4'		-		-	2	2	2	2	1	2	12	-	Targeted AOC was an area, as opposed to a structure.
Ē	Area West of Hangar !	E35 B01	0' - 2', 2'-4'	1	1		-	2	2	2	2	:	2	:		Targeted AOC was an area, as opposed to a structure.
	Former Drainage Swale (N of Maint.	E35 B02	0'-2', 2'-4'		1	,	-	2	2	2	2	1	2	ľ	Ľ	Targited AOC was an area, as opposed to a structure.
E36	Area)	E36 B01	1' - 3', 3'-5'	;	;	,	_	2	2	2	2	,	2	:		Targeted AOC was an area, as opposed to a structure.

TABLE 1-2
NORTHROP GRUMMAN CORPORATION
PLANT 1
PHASE II SITE ASSESSMENT FIELD ACTIVITIES
BUILDING EXTERIOR

;

TABLE 2.2 NORTHROP GRUMMAN CORPORATION PLANT | PHASE II SITE ASSESSMENT FIELD ACTIVITIES BUILDING EXTERIOR

ţ,

1	1	-	5	-	3	s	ď	1	1		4	,	-	-	Groundwater Sampling	1
Soil boring was advanced immediately adjacent to the ejector pit off northeast corner.	-	1		ı	ún	1	in	۵.	-	ı	1	1	6'-8', 10'-12', 14'- 16', 17'-19', 19'-21'	D15 B01	Square Ejector Pit North of Recharge Basin	DIS
Borng advanced within AOC.	-	-	-	-	3	ı	3	J	-	,	,	,	5'-7', 7'-9', 9'-11'	D14 B01	LIPA Pit/Sump	D14
No samples collected due to metal at bottom of drainage feature.	-		-	-		1	ı	,	1	-	ı	,	1	D12.B01	Dry Well Northwest of the Boiler Room	D12
Added to program at NGC's request.		_	1		:	,	1	-	-		1	,	6:7	E08 B09		
Added to program at NGC's request.	÷	ı	1		;	,	ı	-	-	1	ı	,	\$1.7	F07 B11		
Added to program at NGC's request.	:	-	1	-	:	,	: 4			-	-		5:7	E01 B05	Fill Material Within Abandoned Leaching Pools	:
Encountered refusal, could not collect samples at appropriate cepth	:	;	1	1	;	ı	ı	1	;	1	ı	:	1	E45 B01	UST Outside Former Boiler Room Near Former Coal Storage Bin	E45
		-		:	2	2	2	2	-	-	-	-	0'-2'.2'-4'	E44 B01	Former Gas Pump House S of Refrig/AC Room	E44
ACX targeted under IS E43B02 due to close proximity.	ı	1	:	ı	;	1	ı	ı	1	ı	ı	-	ı	E43 B02		
1	:	-			2	2	2	٤	1			1	6'-8', 14'-16'	E43 B01	Former 2,000 Gal Gas USTs (4) South of Refrag/AC Room	E43
Targeted AOC was a concrete pit (solid bottom).	-	-	2	-	2	2	2	19		-		1	3' - 5', 5'-7'	E42 B01	Unidentified Pit Outside Boiler Room	E42
No remaining evidence of pool.			2	-	2	2	2	7	-		1	,	8' - 10', 18'-20'	E41 B01	Dry Well Outside Former Paint Tunnel	1541
Visual inspection of pit did not reveal presence of compromised integrity.			***	:	-	-	-	ı	-	1	1	;	t	E40 B01	Distribution Pit in Transformer Area	E40
No remaining evidence of pool.		:	2		2	2	2	5	1	-	1		8" - 10", 20"-22"	E39 B01	Dry Well Queside Forner Facility Maintenance Area	E39
No remaining evidence of pool.		-	2	_	2	2	2	7	1		1	-	10' - 12', 20'-22'	E38 B01	Boiler Room Exterior Former Dry Well	E38
Targeted AOC was an area, as opposed to a structure.	-	:	2	-	2	2	2	2	1		1	,	0' - Z, Z'-4'	E37 B02		
Targeted AOC was an area, as opposed to a structure.	÷		2	-	2	2	2	12	1	:	ı		0'-2,2'4'	E37 B01	Former Discoloration (SE Parking Area)	E37
Targeted AOC was an area, as opposed to a structure	:	1	2	-	2	2	2	2	-	;	;	-	1'-3,3'-5'	E36 B02	Former Drainage Swale (N of Maint. Area) (continued)	E36
		6. Glycols	5. PCBs	4. TCLP STARS	3. SVOCs	2. VOCs	I. RCRA Metab	No. of Soil Probes	No. of Soil Probe Setups	Total Footage	No. of Split Spoon Soil Samples	No. of HSA Berings				
Contracts	GPR Survey		*	No. of Samples and Analyses*	No. of Samples			Sail Probes	Soil F	**************************************	Soil Berings		Soil Sampling Interval (depth bgs)	Soil Boring/Probe ID No.	Area of Environmental Concern	AOC No.

* Target Constituents/Analytical Methods

4. STARS Table 2 VOCs and SVOCs by TCLP
5 Polychlorinated Buphenyls (PCBs) (Method 8082)
6. Select Glycols (Method 8015)

I. RCRA Metals (Method 60)D/H/Ti)
 Velahite Organic Compounds (Method 8260) incl. those listed in STARS
 Semu-olatife Organic Compounds (Method 8270) incl those listed in STARS

(1) Below bottom of chamber, dry well, pit, catch basin or recharge basin
 Not applicable

NYSDEC 107312

- E1 Former Settling Tanks/Leaching Pools;
- E2 Six Former Leaching Pools;
- E3 Former Heat Treat Drainage Wells;
- E4 Former Dry Well;
- E6 Leaching Pool Area;
- E7 Nine Leaching Pools;
- E8 Former Leaching Field with Twenty Leaching Pools;
- E10 Seven Former Leaching Pools;
- E12 Former Dry Well;
- E25 Former Concrete Sump Pit; and
- E28 Boiler Room UST

The locations of these areas are shown on Figure 2-5.

Each AOC that was not paved with reinforced concrete was initially investigated utilizing a Fisher TW-6 Pipe and Cable Locator (electromagnetic metal-detector). The instrument was carried over the areas in a series of closely spaced parallel traverses. A GPR survey was then conducted in those areas that exhibited metal-detector anomalies. GPR data was collected along traverses centered over the anomalies. GPR data profiles were collected over a grid of parallel lines spaced 3 to 5 feet apart for AOCs which did not exhibit any metal-detector anomalies or AOCs paved with reinforced concrete. The data profiles were then examined for evidence of reflections that could be associated with subsurface features. This data were used to locate soil borings that were advanced in these areas. A more detailed description of the methods and instruments used during the geophysical survey is included in the report from NAEVA, in Appendix A.

2.2.2 Soil Sampling

This section provides a description of the procedures used to collect soil samples during the Phase II Site Assessment at Plant 1. Dedicated field books, which are available in the project file, provide documentation of the daily field activities conducted at the site during the field program.

The interior soil probes were advanced utilizing Geoprobe tooling and either an electric hammer-drill or, where access allowed, truck-mounted Simco 200 Earthprobe. At exterior locations, soil samples were collected utilizing a truck-mounted hollow stem auger drill rig (CME 55 or CME 75) with Geoprobe tooling, a truck-mounted Simco 200 Earthprobe with Geoprobe tooling or manual advancement of Geoprobe tooling using an electric hammer-drill.

The Geoprobe tooling consisted of drill rods and either a 1.5-inch outside diameter by 2-foot long or a 2-inch outside diameter by 4-foot long soil probe sampler. A clear polyethylene terephthalate-G (PETG) sample tube liner, dedicated to each soil probe sample, was used to contain the sample within the sampler. Each soil probe was advanced utilizing the hammer-drill, Earthprobe or drill rig's 140-pound hammer to drive the soil probe sampler, sample tube liner and drill rods to the desired depth. The soil probe sampler was retrieved using a mechanical floor jack, the Earthprobe or the drill rig.

All soil samples collected were geologically characterized, inspected for staining, discoloration or odors, and screened for volatile organic compounds (VOCs) using an organic vapor analyzer equipped with a photoionization detector (PID). This information is included on the soil boring logs in Appendix B.

During the advancing of soil probes, a PID was used to monitor VOCs in the workers' breathing zone and at the boreholes. Air monitoring results are documented in the project field books. The PID was calibrated on at least a daily basis, using isobutylene gas at a concentration of 100 parts per million in air. Equipment calibration was documented in the project field books.

Material to be sent for laboratory analysis was placed in laboratory-supplied sample bottles, which were immediately stored in an iced cooler for subsequent transport to the laboratory under Chain of Custody procedures. Any excess sample material not required for analysis was returned to the borehole from which it came. The remainder of the borehole was filled with clean sand and/or bentonite pellets. Each borehole was restored at grade with the same material that was originally in place. That is, asphalt areas were restored with asphalt, concrete areas were restored with concrete and grass covered areas were restored with soil or sand. Where manholes were encountered, the covers were replaced after sampling had been completed.

All non-dedicated sampling equipment was decontaminated between sample locations. Decontamination procedures consisted of:

- External wash with a solution of non-phosphate detergent and potable water;
- Potable water rinse; and
- Distilled/deionized water rinse.

Decontamination fluids were contained for proper off-site transportation and disposal by NGC.

2.2.3 Groundwater Monitoring Well Installation and Sampling

Four groundwater monitoring wells were installed at the Plant 1 site to assess potential impact to groundwater. The approximate locations of the groundwater monitoring wells are shown on Figure 2-4.

The monitoring wells were installed utilizing a CME-55 rotary drill rig equipped with 4 1/4-inch hollow stem augers. All equipment, including the 4 1/4-inch hollow stem augers, was decontaminated utilizing a high-pressure steam cleaner. All decontamination water was contained in 55-gallon DOT drums for proper disposal. Each monitoring well was installed to a depth of approximately 55 feet below grade. Well construction logs are presented in Appendix B. Fifteen feet of 2-inch diameter 0.010 slot schedule 40 flush joint threaded PVC screen and 2-inch

diameter Schedule 40 flush joint thread PVC riser pipe was utilized for the well construction. All drill cuttings and well development water were contained in 55-gallon DOT drums for proper off-site transportation and disposal by NGC. Number 1 Morie well gravel was utilized for the well screen annulus. The remainder of the annular void was filled with hydrated bentonite pellets and a cement and bentonite grout mix was installed as a seal. Subsequent well development activities reduced the turbidity of the well water to less than 50 NTU's, with the exception of monitoring wells PLT1MW-01 and PLT1GM-14. As a result, the laboratory filtered and conducted dissolved metals analysis for groundwater samples collected from monitoring wells PLT1MW-01 and PLT1GM-14.

In addition, two existing groundwater monitoring wells (PLT1GM-14 and PIT-INFFTMWD) located at the Plant 1 site (see Figure 2-4) were sampled along with the newly installed wells.

3.0 FINDINGS

As previously described, the Phase II Site Assessment consisted of sampling at 37 interior AOCs and 35 exterior AOCs. The samples collected as part of the interior and exterior investigations are summarized on Tables 2-1 and 2-2, respectively. Sample locations are shown on Figures 2-3 (interior locations), and 2-4 (exterior locations).

Analytical results for all samples analyzed during the Phase II Site Assessment are summarized in tables included in Appendix C. Analytical results were screened against site-specific criteria for the Plant 1 site. These guidance values were approved by the NYSDEC and utilized for other investigation programs conducted at NGC Plants 5 and 12. The site-specific guidance values developed and utilized for the Plants 5 and 12 investigation/remediation programs consisted of a combination of USEPA Soil Screening Levels (SSLs), Technical and Administrative Guidance Memorandum (TAGM) 4046 criteria and other guidance selected for major technical, environmental and land use considerations. The technical rationale for the development and implementation of the Plant 1 site-specific criteria is summarized in a document entitled "Non-UIC Remediation Plan - Plant 1," dated May 2001. The Plant 1 site-specific criteria is listed below:

Constituent of Concern	Comparison Value	
SVOCs (ug/kg or ppb)		
Total CaPAHs	10,000	}
Total PAHs	100,000	}
Total SVOCs	500,000	
Metals (mg/kg or ppm)		
Arsenic	20	
Barium	5,500	
Cadmium	78	,
Cadmium (total)	390	checking
Chromium (hexavalent)	390	
Mercury	23	
Lead	400	

Constituent of Concern	Comparison Value
Selenium	390
Silver	390
PCBs (ug/kg or ppb)	
Total PCBs (subsurface soil)	10,000

Although there are no NYSDEC TAGM criteria for glycols (i.e., ethylene glycol and propylene glycol), discussions with NYSDEC representatives indicate that a level of 50,000 ug/kg has been utilized. Analytical results for pesticides/herbicides were screened against the NYSDEC criteria provided in Appendix A of TAGM 4046. In addition, groundwater results were compared to the NYSDEC Class GA groundwater standards.

3.1 Interior Investigation

As previously discussed, the Phase II Site Assessment interior investigation activities were conducted at the following areas at the site:

- Former Paint Spray Room (I02)
- Former Paint Storage Room (I03)
- Former Storage Building Former Dry Wells (I04)
- Former Dry Well Area (I05)
- Former Paint Shop (I06)
- Former Paint Tunnel (I07)
- Boiler Room Former Dry Well (108)
- Former Hammer Shop (I09)
- Paint Shop Former Dry Well (I10)
- Former Paint Shop Booths and Paint Tunnel (I11)
- Former Alodine Room (I12)
- Former Downspout Dry Wells (I13)
- Former Heat Treat Room (I16)
- Former Paint Mixing Room (I17)
- Material Stock Room (I19)
- Five Former Machine Pits (I21)
- Pump Station "B" (I23)
- Hallway Adjacent to Former Alodine Room (I26)
- Air Handling Unit Room (I28)

- Former Storage Building (I30)
- Refrigeration/Air Conditioning Room (I31)
- Hangar 1 (I32)
- Storage Area in Office Area East of Hangar 2 (I33)
- "Old" Ejection Pits (I34)
- Transformer Rooms (I35)
- Former Router Room (I36)
- Machine Shop (previously referred to as Former Upholstery Room) (I37)
- Boiler Room (I38)
- Former Facility Maintenance Area (I39)
- Hangar 2 (I40)
- Random Locations of Historic Manufacturing Operations (I41)
- Paint Shop Dry Well in Former Hammer Shop (I42)
- Dry Wells in Former Carpentry Shop (I43)
- Canopy Trim Fixture Drain Hole/Sump Pit (I44)
- Waste Collection Station Adjacent to Canopy Drain/Sump Pit (I45)
- Former "Spot Weld Rinse Tank" (In vicinity of column E6) (I46)
- RHIC Magnet Pumping Units (I47)
- Pit in Room Adjacent to South Site of former Carpentry Shop (D17)

An area-by-area discussion of the Initial Phase II Site Assessment interior investigation activity findings is presented below.

3.1.1 Former Paint Spray Room (I02)

Two soil samples were collected at soil boring location I02B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total carcinogenic polycyclic aromatic hydrocarbons (CaPAHs), total polycyclic aromatic hydrocarbons (PAHs) and total semivolatile organic compounds (SVOCs) of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.2 Former Paint Storage Room (I03)

Two soil samples were collected at soil boring location I03B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

 The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.3 Former Storage Building Former Dry Wells (104)

One soil sample was collected at soil boring location I04B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

 The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.4 Former Dry Well Area (I05)

Four soil samples were collected at soil boring locations I05B01 and E43B02, during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

 The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.5 Former Paint Shop (I06)

Four soil samples were collected at soil boring locations I06B01 and I06B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

 The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.6 Former Paint Tunnel (I07)

Thirteen soil samples were collected at soil boring locations I07B01, I07B01N8, I07B01S8, I07B01W5, I07B01E8, I07B02, I07B03 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are

presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 Chromium and lead were detected in soil sample I07B01 (3'-5') at concentrations of 2,370 mg/kg and 613 mg/kg, respectively, which exceeded the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

 The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.7 <u>Boiler Room Former Dry Well (108)</u>

Two soil samples were collected at soil boring location I08B01 the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

- PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.8 Former Hammer Shop (109)

Two soil samples were collected at soil boring location I09B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.9 Paint Shop Former Dry Well (I10)

Two soil samples were collected at soil boring location I10B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.10 Former Paint Shop Booths and Paint Tunnel (I11)

Fourteen soil samples were collected at soil boring locations I11B01, I11B02, I11B03, I11B04, I11B05, I11B06 and I11B07 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.11 Former Alodine Room (I12)

Ten soil samples were collected at soil boring locations I12B01, I12B02, I12B03, I12B04 and I12B05 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.12 Former Downspout Dry Wells (I13)

Four soil samples were collected at soil boring locations I13B01 and I13B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

- VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.13 Former Heat Treat Room (I16)

Three soil samples were collected at soil boring location I16B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.14 Former Paint Mixing Room (I17)

Four soil samples were collected at soil boring locations I17B01 and I17B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.15 Material Stock Room (I19)

Two soil samples were collected at soil boring location I19B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3, Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.16 Five Former Machine Pits (I21)

Ten soil samples were collected at soil boring locations I21B01, I21B02, I21B03, I21B04, and I21B05 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.17 Pump Station "B" (I23)

Two soil samples were collected at soil boring location I23B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.18 Hallway Adjacent to Former Alodine Room (I26)

Four soil samples were collected at soil boring locations I26B01 and I26B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.19 Air Handling Unit Room (I28)

Two soil samples were collected at soil boring location I28B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.20 Former Storage Building (I30)

Thirty-one soil samples were collected at soil boring locations I30B01, I30B02, I30B03, I30B03N8, I30B03S8, I30B03W8, I30B03E8, I30B03S12, I30B03W12, I30B03E12, I30B04, I30B05, I30B06 and I30B07 during the Phase II Site Assessment field investigation. Soil

samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- Total CaPAHs and total PAHs were detected in soil sample I30B03 (1'-3') at concentrations of 83,820 ug/kg and 186,120 ug/kg, respectively, which exceeded the Plant 1 site-specific criteria. Total CaPAHs, total PAHs and total SVOCs were detected in soil sample I30B03S8 (1'-3') at concentrations of 320,900 ug/kg, 712,300 ug/kg and 712, 460 ug/kg, respectively, which exceeded the Plant 1 site-specific criteria. Total CaPAHs were detected in soil sample I30B03E8 (1'-3') at a concentration of 25,650 ug/kg which exceeded the Plant 1 site-specific criteria.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.21 Refrigeration/Air Conditioning Room (I31)

Four soil samples were collected at soil boring locations I31B01 and I31B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.22 <u>Hangar 1 (I32)</u>

Eight soil samples were collected at soil boring locations I32B01, I32B02, I32B03 and I32B04 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3, C-4, C-5, and C-6 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

- Glycols
 - Elevated levels of glycols were not detected.
- Pesticides/Herbicides
 - Elevated levels of pesticides/herbicides were not detected.

3.1.23 Storage Area in Office Area East of Hangar 2 (I33)

Two soil samples were collected at soil boring location I33B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

- RCRA Metals
 - RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.24 "Old" Ejection Pits (I34)

Four soil samples were collected at soil boring locations I34B01 and I34B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.25 Transformer Rooms (I35)

Four soil samples were collected at soil boring locations I35B01 and I35B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Table C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.26 Former Router Room (I36)

Four soil samples were collected at soil boring locations I36B01 and I36B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table

2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

- VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.27 <u>Machine Shop (previously referred to as Former Upholstery Room) (I37)</u>

Four soil samples were collected at soil boring locations I37B01 and I37B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.28 Boiler Room (I38)

Four soil samples were collected at soil boring locations I38B01 and I38B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.29 Former Facility Maintenance Area (I39)

Four soil samples were collected at soil boring locations I39B01 and I39B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.30 Hangar 2 (I40)

Ten soil samples were collected at soil boring locations I40B01, I40B03, I40B04, I40B05 and I40B06 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3, C-4 and C-5 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

- RCRA Metals
 - RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.
- PCBs
 - PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Glycols
 - Elevated levels of glycols were not detected.

3.1.31 Random Locations at Historic Manufacturing Operations (I41)

Ten soil samples were collected at soil boring locations I41B01, I41B02, I41B03, I41B04 and I41B05 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

- PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.32 Paint Shop Dry Well in Former Hammer Shop (I42)

Two soil samples were collected at soil boring location I42B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.33 Dry Wells in Former Carpentry Shop (I43)

Nine soil samples were collected at soil boring locations I43B01, I43B01A, I43B02 and I43B02A during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 Chromium and lead were detected in soil sample I43B01 (8'-10') at concentrations of 1,060 mg/kg and 1,470 mg/kg, respectively, which exceeded the Plant 1 site-specific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

Total CaPAHs were detected in soil sample I43B02 (13'-15') at a concentration of 10,064 ug/kg which exceeded the Plant 1 site-specific criteria.

3.1.34 Canopy Trim Fixture Drain Hole/Sump Pit (I44)

Two soil samples were collected at soil boring location I44B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.35 Waste Collection Station Adjacent to Canopy Drain/Sump Pit (145)

Two soil samples were collected at soil boring location I45B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2, C-3 and C-4 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.1.36 Former "Spot Weld Rinse Tank" (In vicinity of column E6) (I46)

Two soil samples were collected at soil boring location I46B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.37 RHIC Magnet Pumping Units (I47)

Four soil samples were collected at soil boring locations I47B01 and I47B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table

2-1. The analytical results are presented on Tables C-1, C-2 and C-3 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.1.38 Pit in Room Adjacent to South Side of Former Carpentry Shop (D17)

Three soil samples were collected at soil boring location D17B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2 Exterior Investigation

As previously discussed, the Phase II Site Assessment exterior investigation activities were conducted at the following areas at the site:

- Former Settling Tanks/Leaching Pools (E01)
- Six Former Leaching Pools (E02)
- Former Heat Treat Drainage Wells (E03)
- Former Dry Well (E04)
- Leaching Pool Area (E06)
- Nine Leaching Pools (E07)
- Former Leaching Field with Twenty Leaching Pools (E08)
- Former Coal Storage Bin (E09)
- Seven Former Leaching Pools (E10)
- Former Dry Well (E12)
- Former Drum Storage Area (E13)
- Existing On-site Recharge Basin (E18)
- Former On-site Recharge Basin (E19)
- Unidentified Pit (E20)
- Former AST and Salvage Area (E21)
- Material Storage Area (E22)
- Former Concrete Sump Pit (E25)
- Location of Former Trichloroethylene Tank (E27)
- Pump Station "A" (E30)
- Catch Basins (Vicinity of Pump House/Water Tank) (E32)
- Former Tank 1111 (Between Hangars 1 and 2) (E33)
- Courtyard Between Hangars 1 and 2 (E34)
- Area West of Hangar 1 (E35)
- Former Drainage Swale (North of Maint. Area) (E36)
- Former Discoloration (Southeast Parking Area) (E37)
- Boiler Room Exterior Former Dry Well (E38)
- Dry Well Outside Former Facility Maintenance Area (E39)
- Dry Well Outside Former Paint Tunnel (E41)
- Unidentified Pit Outside Boiler Room (E42)
- Former 2,000 Gal Gas USTs (4) South of Refrig./AC Room (E43)
- Former Gas Pump House South of Refrig./AC Room (E44)
- Fill Material Within Abandoned Leaching Pools
- LIPA Pit/Sump (D14)
- Square Ejector Pit North of Recharge Basin (D15)

An area-by-area discussion of the Phase II Site Assessment exterior investigation activity findings is presented below.

3.2.1 Former Settling Tanks/Leaching Pools (E01)

Twenty-six soil samples were collected at soil boring locations E01B01, E01B02, E01B03, E01B04, E01B05, E01B06, E01B07, E01B08, E01B09, E01B11, E01B12, E01B13 and E01B14 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

- VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.2 Six Former Leaching Pools (E02)

Eight soil samples were collected at soil boring locations E02B01, E02B02, E02B03 and E02B04 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.3 Former Heat Treat Drainage Wells (E03)

Four soil samples were collected at soil boring locations E03B01 and E01B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.4 Former Dry Well (E04)

Two soil samples were collected at soil boring location E04B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.5 Leaching Pool Area (E06)

Fourteen soil samples were collected at soil boring locations E06B01, E06B02, E06B03, E06B04, E06B05, E06B06 and E06B09 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

•

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.6 Nine Leaching Pools (E07)

Twenty-six soil samples were collected at soil boring locations E07B01, E07B02, E07B03, E07B04, E07B05, E07B06, E07B07, E07B09, E07B10, E07B11, E07B12, E07B13 and E07B14 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.7 Former Leaching Field with Twenty Leaching Pools (E08)

Twenty-six soil samples were collected at soil boring locations E08B01, E08B02, E08B03, E08B04, E08B05, E08B06, E08B07, E08B08, E08B09, E08B10, E08B11, E08B12 and E08B14 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

• RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.8 Former Coal Storage Bin (E09)

Two soil samples were collected at soil boring location E09B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

Lead was detected in soil sample E09B01 (0'-2') at a concentration of 834 mg/kg which exceeded the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.9 Seven Former Leaching Pools (E10)

Fourteen soil samples were collected at soil boring locations E10B01, E10B02, E10B03, E10B04, E10B05, E10B06 and E10B07 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

- VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.10 Former Dry Well (E12)

Two soil samples were collected at soil boring location E12B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

- VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.11 Former Drum Storage Area (E13)

Twenty soil samples were collected at soil boring locations E13B01, E13B02, E13B02N5, E13B02S5, E13B02W8, E13B02E8, E13B02NE10, E13B02NE20, E13B02W12 and E13B02E12 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

 Total CaPAHs were detected in soil sample E13B02 (0'-2') at a concentration of 30,420 ug/kg which exceeded the Plant 1 site-specific criteria.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.12 Existing On-site Recharge Basin (E18)

Four soil samples were collected at soil boring locations E18B01 and E18B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

- VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.13 Former On-site Recharge Basin (E19)

Two soil samples were collected at soil boring location E19B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.14 <u>Unidentified Pit (E20)</u>

Two soil samples were collected at soil boring location E20B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.15 Former AST and Salvage Area (E21)

Ten soil samples were collected at soil boring locations E21B01, E21B02, E21B03, E21B04 and E21B05 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

- PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.16 <u>Material Storage Area (E22)</u>

Eight soil samples were collected at soil boring locations E22B01, E22B02, E22B03 and E22B04 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9, C-10 and C-11 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

- VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Glycols

Elevated levels of glycols were not detected.

3.2.17 Former Concrete Sump Pit (E25)

Two soil samples were collected at soil boring location E25B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9, C-10 and C-11 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Glycols

Elevated levels of glycols were not detected.

3.2.18 Location of Former Trichloroethylene Tank (E27)

Two soil samples were collected at soil boring location E27B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Table C-8 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.19 Pump Station "A" (E30)

Two soil samples were collected at soil boring location E30B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8 C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.20 Catch Basins (Vicinity of Pump House/Water Tank) (E32)

Four soil samples were collected at soil boring locations E32B01 and E32B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.21 Former Tank 1111 (Between Hangars 1 and 2) (E33)

Two soil samples were collected at soil boring location E33B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.22 Courtyard Between Hangars 1 and 2 (E34)

Eight soil samples were collected at soil boring locations E34B01, E34B02, E34B03 and E34B04 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9, C-10 and C-11 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

• Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

- PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Glycols

Elevated levels of glycols were not detected.

3.2.23 Area West of Hangar 1 (E35)

Four soil samples were collected at soil boring locations E35B01 and E35B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.24 Former Drainage Swale (North of Maint. Area) (E36)

Four soil samples were collected at soil boring locations E36B01 and E36B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

- Total PCBs were detected at a concentration of 13,000 ug/kg in soil sample E36B02 (3'-5') which exceeded the Plant 1 site-specific criteria.

3.2.25 Former Discoloration (Southeast Parking Area) (E37)

Four soil samples were collected at soil boring locations E37B01 and E37B02 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.26 Boiler Room Exterior Former Dry Well (E38)

Two soil samples were collected at soil boring location E38B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.
- PCBs
 - PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.27 Dry Well Outside Former Facility Maintenance Area (E39)

Two soil samples were collected at soil boring location E39B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

- RCRA Metals
 - RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Volatile Organic Compounds
 - VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.28 Dry Well Outside Former Paint Tunnel (E41)

Two soil samples were collected at soil boring location E41B01 the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.29 Unidentified Pit Outside Boiler Room (E42)

Two soil samples were collected at soil boring location E42B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8, C-9 and C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.30 Former 2,000 Gallon Gas USTs (4) South of Refrig./AC Room (E43)

Two soil samples were collected at soil boring location E43B01 the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.31 Former Gas Pump House South of Refrig./AC Room (E44)

Two soil samples were collected at soil boring location E44B01 the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7, C-8 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

 RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.

Volatile Organic Compounds

 VOCs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

Semivolatile Organic Compounds

The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.32 Fill Material Within Abandoned Leaching Pools

Three soil samples were collected at soil boring locations E01B05, E07B11 and E08B09 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Table C-10 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

PCBs

 PCBs were not detected at concentrations exceeding the Plant 1 site-specific criteria.

3.2.33 LIPA Pit/Sump (D14)

Three soil samples were collected at soil boring location D14B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

- RCRA metals were not detected at concentrations exceeding the Plant 1 sitespecific criteria.
- Semivolatile Organic Compounds
 - The Plant 1 site-specific criteria for total CaPAHs, total PAHs and total SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.2.34 Square Ejector Pit North of Recharge Basin (D15)

Five soil samples were collected at soil boring location D15B01 during the Phase II Site Assessment field investigation. Soil samples were analyzed as described on Table 2-2. The analytical results are presented on Tables C-7 and C-9 in Appendix C. Exceedances of the Plant 1 site-specific criteria are summarized below:

RCRA Metals

Chromium was detected at a concentration of 584 mg/kg in soil sample D15B01 (19'-21') which exceeded the Plant 1 site-specific criteria.

• Semivolatile Organic Compounds

- The Plant 1 site-specific criteria for *total* CaPAHs, *total* PAHs and *total* SVOCs of 10,000 ug/kg, 100,000 ug/kg and 500,000 ug/kg were not exceeded.

3.3 Groundwater Investigation

As previously discussed in Section 2, four shallow groundwater monitoring wells (PLT1MW-01, 02, 03, and 04) were installed at the Plant 1 site to determine whether shallow groundwater has been impacted. In addition, groundwater samples were collected from two existing monitoring wells (PLT1GM-14 and PIT-INFFTMWD) and analyzed as part of the Phase II Site Assessment. The groundwater samples listed above were analyzed for RCRA metals (Methods 6010/7471), VOCs (Method 8260), SVOCs (Method 8270), and PCBs (Method 8082). Due to elevated turbidity levels of monitoring wells PLT1MW-01 and PLT1GM-14, the laboratory filtered and conducted dissolved metals analysis for groundwater samples collected from these wells. Groundwater sample PLT1GM-14 was only analyzed for dissolved and undissolved RCRA metals due to the fact that this well had been recently sampled as part of a separate investigation. The analytical results of the groundwater sample are presented on Tables C-12 through C-15 in Appendix C and are summarized as follows:

RCRA Metals

 RCRA metals were not detected above NYSDEC Class GA groundwater standards/guidance values for the dissolved and undissolved analyses.

VOCs

 VOCs were not detected above NYSDEC Class GA groundwater standards/ guidance values.

• SVOCs

 SVOCs were not detected above NYSDEC Class GA groundwater standards/ guidance values.

PCBs

 Total PCBs were not detected above NYSDEC Class GA groundwater standards/ guidance values.

3.4 Data Validation

Soil and water samples were collected as part of the site investigation at the Northrop Grumman Plant 1 site. The samples were analyzed for volatile organic compounds (VOCs), semivolatile organic compounds (SVOCs), PCBs, pesticides, glycols and/or RCRA metals, depending on sample location. All sample analyses were performed by Chemtech Consulting Group Inc., a subcontractor Dvirka and Bartilucci Consulting Engineers. Chemtech performed the sample analyses in accordance with USEPA SW-846 – Methodologies and NYSDEC Analytical Services Protocol (ASP) Quality Assurance/Quality Control (QA/QC) requirements.

The data packages submitted by Chemtech have been reviewed for contractual compliance and completeness. Twenty percent of the analytical results have been reviewed for calculation and transcription errors to yield a "20 percent validation" as stipulated in the work plan. The findings of the validation process are summarized below.

All sample analyses were performed within the method specified holding times.

Several samples required reanalysis due to surrogate recoveries and/or internal standard area counts being outside QC limits. Both sets of data were reviewed and the results for the most compliant set were placed on the data summary tables to be used for environmental assessment purposes.

Reanalysis of several samples at secondary dilutions was required due to compound concentrations exceeding the instrument calibration range. The results taken from the diluted runs have been flagged "D" on the data summary tables.

No problems were found with the sample results. All results have been deemed valid and usable for environmental assessment purposes.

4.0 CONCLUSIONS AND RECOMMENDATIONS

Based upon the findings of the Phase II Site Assessment field investigation program discussed in Sections 3, conclusions and recommendations are presented in this section regarding the need for further investigation or remediation activities, if necessary, at the Plant 1 property.

As previously stated in Section 3, the analytical results of the Phase II Site Assessment were compared to site-specific criteria that were developed for the Plant 1 site, consistent with previous investigations at Plants 5 and 12. The technical rationale for the development and implementation of the Plant 1 site-specific criteria is summarized in a document entitled "Non-UIC Remediation Plan - Plant 1," dated May 2001.

Conclusions and recommendations for no further action, additional investigation and/or remediation activities at areas of environmental concern are presented in Sections 4.1, 4.2 and 4.3. A summary of recommendations for additional investigation or remediation are shown in Table 4-1. Areas of concern which are recommended for additional investigation or remediation are illustrated in Figure 4-1.

4.1 Interior Investigation

4.1.1 Former Paint Spray Room (I02)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.2 Former Paint Storage Room (I03)



-	Former Drainage Swale (North of E36B02 4-7 Maintenance Area)	Former Drum E13B02 4-6	Former Coal E09B01 4-5 Storage Bin	I43B02 4.4	Dry Well in Former I43B01 4.4 Carpentry Shop	Former Storage I30B03 4-3	Former Paint Tunnel 107B01 4-2	Areas of Concern Boring Drawing (AOCs) Location No.	
00	v	1	4	1	1	;	1	g Number of Soil Borings	
ప	33	:	=		:	ŧ	-	Number of Soil Samples	Additic
Advance one boring adjacent to boring D15B01 to a depth of 31 feet and collect samples from 21 to 31 feet for chromium analysis. Advance three borings eight feet north, eight feet east and 10 feet northwest of boring D15B01 to a depth of 30 feet and collect samples form 10 to 30 feet for chromium analysis. Advance two borings along west and south pit wall to 30 feet and collect samples from 10 to 30 feet and collect samples from 10 to 30 feet and collect samples from 10 to 30 feet for chromium analysis.	Advance boring adjacent to E36B02 and collect soil samples from 5 to 15 feet bgs for PCBs analysis. Advance 4 borings 5 feet north, south, east and west to 15 feet bgs. Collect soil samples from 1 to 15 feet bgs for PCBs analysis.	:	Advance boring adjacent to E09B01 and collect soul samples from 2 to 6 feet bgs for lead analysis Advance 3 borings 5 feet north, east and west to 6 feet bgs. Collect soil samples from 0 to 6 feet bgs for lead analysis.	·	1	:	:	Description	Additional Sampling and Analysis
ı	;	144 square feet	!	8 foot diameter	8 foot diameter	400 square feet	130 square feet 80 square feet	Area of Excavation	
ı		0 to 2 feet bgs	ı	from 13 to 15 feet bgs	from 8 to 10 feet bgs	0 to 3 feet bgs	0 to 3 feet bgs 0 to 5 feet bgs	Depth of Excavation	Remediation
;	-	-	1	-	1	-	•	Endpoint Sample Analysis and Method	

Notes: bgs: below ground surface.

--: Not applicable.
G \(APostyn\(NGC\Plant\) \(1\Non-UIC\) \(Plase \) \(IN\) on \(UIC\) \(Summary\) of \(Recomm \) \(x\) is

Page 1 of 1

4.1.3 Former Storage Building Former Dry Wells (I04)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.4 Former Dry Well Area (I05)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.


4.1.5 Former Paint Shop (I06)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.6 Former Paint Tunnel (I07)

As discussed in Section 3, chromium and lead were detected in soil sample I07B01 (3'-5') at concentrations of 2,370 mg/kg and 613 mg/kg, respectively, which exceeded the Plant 1 site-specific criteria. Consequently, remediation is warranted in the vicinity of soil boring location I07B01. The vertical and horizontal extent of soil excavation for proper off-site transportation and disposal is shown on Figure 4-2.

4.1.7 Boiler Room Former Dry Well (108)



4.1.8 Former Hammer Shop (109)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.9 Paint Shop Former Dry Well (I10)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.10 Former Paint Shop Booths and Paint Tunnel (I11)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.11 Former Alodine Room (I12)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.12 Former Downspout Dry Wells (I13)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.13 Former Heat Treat Room (I16)

4.1.14 Former Paint Mixing Room (I17)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.15 Material Stock Room (I19)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.16 Five Former Machine Pits (I21)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.17 Pump Station "B" (I23)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.18 Hallway Adjacent to Former Alodine Room (I26)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.19 Air Handling Unit Room (128)

4.1.20 Former Storage Building (I30)

As discussed in Section 3, *total* CaPAHs and *total* PAHs were detected in soil sample I30B03 (1'-3') at concentrations of 83,820 ug/kg and 186,120 ug/kg, respectively which exceeded the Plant 1 site specific criteria. *Total* CaPAHs, *total* PAHs and *total* SVOCs were also detected in soil sample I30B03S8 (1'-3') at concentrations of 320,900 ug/kg, 712,300 ug/kg and 712, 460 ug/kg, respectively which exceeded the Plant 1 site specific criteria. In addition, *total* CaPAHs were detected in soil sample I30B03E8 (1'-3') at a concentration of 25,650 ug/kg which exceeded the Plant 1 site specific criteria.. Consequently, remediation is warranted in the vicinity of soil boring locations I30B03, I30B03S8 and I30B03E8. The vertical and horizontal extent of soil excavation for proper off-site transportation and disposal is shown on Figure 4-3.

4.1.21 Refrigeration/Air Conditioning Room (I31)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.22 Hangar 1 (I32)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.23 Storage Area in Office Area East of Hangar 2 (I33)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.24 "Old" Ejection Pits (I34)

4.1.25 Transformer Rooms (I35)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.26 Former Router Room (I36)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.27 <u>Machine Shop (previously referred to as Former Upholstery Room) (I37)</u>

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.28 <u>Boiler Room (I38)</u>

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.29 Former Facility Maintenance Area (I39)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.30 Hangar 2 (I40)

4.1.31 Random Locations of Historic Manufacturing Operations (I41)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.32 Paint Shop Dry Well in Former Hammer Shop (I42)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.33 Dry Wells in Former Carpentry Shop (I43)

As discussed in Section 3, chromium and lead were detected in soil sample I43B01 (8'-10') at concentrations of 1,060 mg/kg and 1,470 mg/kg, respectively which exceeded the Plant 1 site-specific criteria. In addition, *total* CaPAHs were detected in soil sample I43B02 (13'-15') at a concentration of 10,064 ug/kg which exceeded the Plant 1 site specific criteria. Consequently, remediation is warranted in the vicinity of soil boring locations I43B01 and I43B02. The vertical and horizontal extent of soil excavation for proper off-site transportation and disposal is shown on Figure 4-4. It should be noted that dry wells I43B01 and I43B02 are backfilled to grade. Therefore, it has been assumed that the overburden material will be excavated and stockpiled for re-use as backfill material. The impacted soil from 8 to 10 feet bgs and 13 to 15 feet for dry wells I43B01 and I43B02, respectively, will be excavated for proper off-site transportation and disposal.

4.1.34 Canopy Trim Fixture Drain Hole/Sump Pit (I44)

No.

4.1.35 Waste Collection Station Adjacent to Canopy Drain/Sump Pit (I45)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.36 Former "Spot Weld Rinse Tank" (In vicinity of column E6) (I46)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.37 RHIC Magnet Pumping Units (I47)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.1.38 Pit in Room Adjacent to South Side of Former Carpentry Shop (D17)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2 Exterior Investigation

4.2.1 Former Settling Tanks/Leaching Pools (E01)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.2 Six Former Leaching Pools (E02)

4.2.3 Former Heat Treat Drainage Wells (E03)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.4 Former Dry Well (E04)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.5 Leaching Pool Area (E06)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.6 Nine Leaching Pools (E07)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.7 Former Leaching Field with Twenty Leaching Pools (E08)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.8 Former Coal Storage Bin (E09)

As discussed in Section 3, lead was detected in soil sample E09B01 (0'-2') at a concentration of 834 mg/kg which exceeded the Plant 1 site-specific criteria. However, the horizontal and vertical extent of impacted soil has not been fully determined. Consequently,

further sampling and analysis is warranted. It is therefore recommended to advance one soil boring immediately adjacent to soil boring E09B01 to a depth of 6 feet below grade. Continuous 2-foot soil samples should be collected from the 2 to 6-foot interval for lead analysis by Method 6010. In addition, it is recommended to advance three soil borings 5 feet north, east and west of soil boring E09B01 to a depth of 6 feet below grade. Continuous 2-foot soil samples should be collected from each these three soil borings for lead analysis by Method 6010. The recommended soil sample locations for AOC E09 are shown on Figure 4-5.

4.2.9 <u>Seven Former Leaching Pools (E10)</u>

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.


4.2.10 Former Dry Well (E12)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.11 Former Drum Storage Area (E13)

As discussed in Section 3, *total* CaPAHs were detected in soil sample E13B02 (0'-2') at a concentration of 30,420 ug/kg which exceeded the Plant 1 site specific criteria. Consequently, remediation is warranted in the vicinity of soil boring location E13B02. The vertical and horizontal extent of soil excavation for proper off-site transportation and disposal is shown on Figure 4-6.

4.2.12 Existing On-site Recharge Basin (E18)



4.2.13 Former On-site Recharge Basin (E19)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.14 Unidentified Pit (E20)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.15 Former AST and Salvage Area (E21)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.16 Material Storage Area (E22)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.17 Former Concrete Sump Pit (E25)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.18 Location of Former Trichloroethylene Tank (E27)

4.2.19 Pump Station "A" (E30)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.20 Catch Basins (Vicinity of Pump House/Water Tank) (E32)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.21 Former Tank 1111 (Between Hangars 1 and 2) (E33)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.22 Courtyard Between Hangars 1 and 2 (E34)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.23 Area West of Hangar 1 (E35)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.24 Former Drainage Swale (North of Maint. Area) (E36)

As discussed in Section 3, *total* PCBs were detected at a concentration of 13,000 ug/kg in soil sample E36B02 (3'-5') which exceeded the Plant 1 site-specific criteria. However, the horizontal and vertical extent of impacted soil has not been fully determined. Consequently, further sampling and analysis is warranted. It is therefore recommended to advance one soil

boring immediately adjacent to soil boring E36B02 to a depth of 15 feet below grade. Continuous 2-foot soil samples should be collected from the 5 to 15-foot interval for PCBs analysis by Method 8082. In addition, it is recommended to advance four soil borings 5 feet north, south, east and west of soil boring E36B02 to a depth of 15 feet below grade. Continuous 2-foot soil samples should be collected from 1 to 15 feet from each these four soil borings for PCBs analysis by Method 8082. The recommended soil sample locations for AOC E36B02 are shown on Figure 4-7.

4.2.25 Former Discoloration (Southeast Parking Area) (E37)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.26 Boiler Room Exterior Former Dry Well (E38)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.27 Dry Well Outside Former Facility Maintenance Area (E39)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.28 Dry Well Outside Former Paint Tunnel (E41)

4.2.29 <u>Unidentified Pit Outside Boiler Room (E42)</u>

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.30 Former 2,000 Gal Gas USTs (4) South of Refrig./AC Room (E43)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.31 Former Gas Pump House South of Refrig./AC Room (E44)

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.32 Fill Material Within Abandoned Leaching Pools

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.33 <u>LIPA Pit/Sump (D14)</u>

Based on the results of the Phase II Site Assessment, it appears that further investigation or remediation is not warranted.

4.2.34 Square Ejector Pit North of Recharge Basin (D15)

As discussed in Section 3, chromium was detected at a concentration of 584 mg/kg in soil sample D15B01 (19'-21') which exceeded the Plant 1 site-specific criteria. However, the horizontal and vertical extent of impacted soil has not been fully determined. Consequently, further sampling and analysis is warranted. It is therefore recommended to advance one soil

boring immediately adjacent to soil boring D15B01 to a depth of 31 feet below grade. Continuous 2-foot soil samples should be collected from the 21 to 31-foot interval for chromium analysis by Method 6010. In addition, it is recommended to advance three soil borings 8 feet north, 8 feet east and 10 feet northwest of soil boring E36B02 to a depth of 30 feet below grade. Continuous 2-foot soil samples should be collected from 10 to 30 feet from each these three soil borings for chromium analysis by Method 6010. It is also recommended to advance a soil boring adjacent to the west and south walls of the ejector pit to a depth of 30 feet. Continuous 2-foot soil samples should be collected from 10 to 30 feet from each these soil borings for chromium analysis by Method 6010.

Since soil samples have not been previously collected from beneath the ejector pit, it is recommended to pump out all liquid and sludge from the pit to facilitate sampling. Two soil borings should be advanced through the bottom of the pit, at locations to be determined in the field, to a depth of approximately 8 feet. Continuous 2-foot soil samples should be collected from 0 to 8 feet below the bottom of the pit from each these soil borings for chromium analysis by Method 6010. All recommended soil sample locations for AOC D15B01 are shown on Figure 4-8.

4.3 Groundwater Investigation

As previously discussed in Section 3, four shallow groundwater monitoring wells (PLT1MW-01, 02, 03, and 04) were installed at the Plant 1 site to determine whether shallow groundwater has been impacted. In addition, groundwater samples were collected from two existing monitoring wells (PLT1GM-14 and PIT-INFFTMWD) and analyzed as part of the Phase II Site Assessment. The groundwater samples listed above were analyzed for RCRA metals (Methods 6010/7471), VOCs (Method 8260), SVOCs (Method 8270), and PCBs (Method 8082). Due to elevated turbidity levels of monitoring wells PLT1MW-01 and PLT1GM-14, the laboratory filtered and conducted dissolved metals analysis for groundwater samples collected from these wells. Groundwater sample PLT1GM-14 was analyzed for dissolved and undissolved RCRA metals due to the fact that this well had been recently sampled as part of a separate investigation. The analytical groundwater results presented in Section 3 did not indicate

any exceedances of the NYSDEC Class GA groundwater standards/guidance values. As a result, further investigation or remediation with respect to groundwater at the Plant 1 site does not appear to be warranted at this time.

APPENDIX A

GEOPHYSICAL SURVEYS

Subsurface Geophysical Surveys

GPR
MAGNETICS
ELECTROMAGNETICS
SEISMICS
RESISTIVITY
UTILITY LOCATION
BOREHOLE LOGGING
BOREHOLE CAMERA

STAFF SUPPORT

Results of Geophysical Investigation

Portions of a Northrop Grumman Corporation Facility: Plant 1 South Oyster Bay Road Bethpage, New York

Prepared for: Dvirka and Bartilucci Consulting Engineers Woodbury, New York

September 18 through 20, 2000

• ,

Prepared by:

Date of Investigation:

Mark E. Weis

Mark E. Weis Project Manager NAEVA Geophysics, Inc. 50 North Harrison Avenue, Suite 11 Congers, NY 10920

NEW YORK

P.O. Box 576 Tappan New York 10983 (914) 268-1800 (914) 268-1802 Fax

VIRGINIA

P.O. Box 7325 Charlottesville Virginia 22906 (804) 978-3187 (804) 973-9791 Fax

Contents

Introduction	
Methods	
Results	
Figure 1	Areas of Geophysical Investigation at Environmental Areas Of Concern E1, E2, and E3, Northrop Grumman Plant 1, Bethpage New York
Figure 2	Area of Geophysical Investigation at Environmental Area Of Concern E4, Northrop Grumman Plant 1, Bethpage, New York
Figure 3	Area of Geophysical Investigation at Environmental Area Of Concern E6, Northrop Grumman Plant 1, Bethpage, New York
Figure 4	Area of Geophysical Investigation at Environmental Area Of Concern E7, Northrop Grumman Plant 1, Bethpage, New York
Figure 5	Area of Geophysical Investigation at Environmental Area Of Concern E8, Northrop Grumman Plant 1, Bethpage, New York
Figure 6	Area of Geophysical Investigation at Environmental Area Of Concern E10, Northrop Grumman Plant 1, Bethpage, New York
Figure 7	Area of Geophysical Investigation at Environmental Area Of Concern E12, Northrop Grumman Plant 1, Bethpage, New York
Figure 8	Area of Geophysical Investigation at Environmental Area Of Concern E25, Northrop Grumman Plant 1, Bethpage, New York
Figure 9	Area of Geophysical Investigation at Environmental Area Of Concern E28, Northrop Grumman Plant 1, Bethpage, New York

Results of Geophysical Investigation Portions of a Northrop Grumman Facility: Plant 1 South Oyster Bay Road Bethpage, New York

Introduction

On September 18 through 20, 2000, NAEVA Geophysics Inc. conducted geophysical investigations on 11 portions of the Northrop Grumman facility located in Bethpage, New York. The purpose of these investigations was to locate detectable subsurface features such as leaching pools, dry wells, sumps and settling tanks, and underground storage tanks (USTs) that were suspected of being present at the site. The areas of concern and their associated suspected subsurface targets, as outlined by the Dvirka and Bartilucci site representative, are listed below.

- E1 Former settling tanks/leaching pools
- E2 Six former leaching pools
- E3 Four former heat treat drainage wells
- **E4** Former dry well
- **E6** Leaching pool area
- E7 Nine leaching pools
- E8 Former leaching field with 20 leaching pools
- **E10** Seven former leaching pools
- **E12** Former dry well
- E25 Former concrete sump pit
- **E28** Boiler room UST

Methods

The equipment selected for this investigation included: a Fisher TW-6 Pipe and Cable Locator (a type of electromagnetic metal-detector) and a GSSI SIR-3 ground penetrating radar (GPR) system with a 300 MHz antenna.

Each Area of Concern (AOC) that was not paved with reinforced concrete was initially investigated using the TW-6. The instrument was carried over the areas in a series of closely spaced parallel traverses to identify buried metallic objects that could represent metal or reinforced concrete features such as manhole covers, foundations, or the suspected UST.

Surface conditions permitting, GPR was used to investigate each metaldetector anomaly in an attempt to better characterize its source. GPR data was collected along traverses centered over the anomalies. In AOCs where no metal-detector anomalies were found, as well as those areas paved with reinforced concrete (where the metal-detector can not be used), GPR data profiles were collected over a grid of parallel lines spaced 3 to 5 feet apart covering all accessible portions of the AOC. The data profiles were then examined for evidence of reflections that could be interpreted as being caused by the expected targets in each AOC.

Each detected feature was marked-out on the ground using florescent pink spray paint, and in non-paved areas, pin flags. The locations of subsurface features were measured from permanent aboveground features and used to produce scaled site maps for each AOC (see Figures 1 through 9).

Results

The results for each AOC are discussed separately below. In all discussions, compass directions are relative to Site North, which is approximately 45 degrees east of True North. GPR depth of penetration throughout the area of investigation was estimated to be approximately 3 to 4 feet in soil covered and asphalt-paved areas and less than 2 feet in areas paved with reinforced concrete.

E 1 Eight leaching pools and a large approximately 45 by 47-foot former settling tank were identified at this site. Two additional leaching pools, whose expected locations were obscured by metallic surface debris, probably also exist. An 8 by 19-foot rectangular subsurface vault, which may be part of an in-use sewer system, is located east of the former settling tank, outside of the AOC.

The reported system layout for the leaching pools in this AOC was two north/south lines about 30 feet apart, each comprised of five leaching pools. The lids to the southernmost leaching pools of each line (E1-1 and E1-2) are exposed at the surface. Three buried leaching pool covers were delineated, at intervals of approximately 30 feet, north of each of these two exposed covers. The western line of pools is located roughly 3 feet east of the property line fence. A steel plate covers the expected location of the northeastern leaching pool E1-10. A Northrop Grumman employee stated that this plate covers a sinkhole. It is surmised that the sinkhole may represent a collapsed leaching pool. No metal lid was detected at E1-9, the expected location of the northwest leaching pool; however, the site was covered by metal signs and a stack of cast iron catch basin grates, which limited our investigative efforts.

E 2 The apparent lids to four suspected leaching pools were identified beneath the asphalt at this site. Two additional leaching pools may also exist. Three of these buried covers (labeled E2-1 through E2-3 on the site map) are located in an east/west row spaced about 25 feet apart, 5 feet south of the AOC. The fourth suspected lid is in the western portion of the AOC, about 20 feet south of the fence. The GPR data profiles collected over each of these four anomalies showed flat metallic objects within 2 feet of the surface.

A circular blemish in the asphalt surface at location E2-5 correlates to the expected location of a reported leaching pool. The metal-detector gave no indication of a buried manhole cover at this location. The GPR data profile collected over this area showed evidence of a subsurface structure, but gave no conclusive evidence as to its identity.

Anomaly E2-6 correlates to the expected location of a sixth leaching pool. The metal-detector gave a very weak response at this location, however this response may be associated with subsurface electric lines that traverse this site. The GPR data profiles collected over this area detected the electric lines, but showed no evidence of a subsurface structure.

- E 3 One suspected manhole cover was identified beneath the asphalt within the borders of this AOC. In addition, three metal-detector anomalies were identified south of the AOC. The suspected manhole cover (E3-1) is indicated by a circular patch in the asphalt adjacent to the curb line near the center of the AOC. The three metal-detector anomalies (labeled E3-2 through E3-4 on the site map) are located between 5 and 30 feet south of the AOC. The GPR data profiles collected over anomalies E3-2 and E3-3 showed flat metallic objects within 2 feet of the surface. The GPR data profiles collected over E3-3 gave no indications as to the source of this anomaly. This anomaly elicited a much smaller response from the metal-detector than the other anomalies did.
- E 4 NAEVA found no evidence of the former dry well that was suspected to exist at this location. The metal-detector gave no indications of buried metallic dry well covers. The GPR data profiles, which were collected at a 3-foot line spacing across this AOC, showed no anomalous reflective images that could be interpreted as be caused by a dry well.
- E 6 Using GPR, four possible abandoned leaching pools were identified beneath the asphalt at this site. The four anomalies are located, along with two storm drain associated dry wells, in an east/west row

spaced roughly 20 feet apart, approximately 20 feet south of the building. A storm drain line runs across these anomalies and through the two storm drain manholes. This linear arrangement suggests that the two storm drain dry wells may have originally been part of the leaching pool system.

The TW-6 detected buried metal at only the eastern anomaly. The GPR data profiles, which were collected over the AOC at a 5-foot line spacing, confirmed a shallow metallic object at the center of the eastern anomaly and showed evidence of disturbed soil or possible subsurface structures at each of the three western anomalies.

E 7 The apparent lids to 13 suspected leaching pools were identified beneath the asphalt within this AOC. An 8 by 8-foot rectangular metal-detector anomaly that may represent an abandoned settling tank was also identified.

The GPR data profiles collected over the 13 suspected leaching pools showed flat metallic objects believed to be steel leaching pool lids just below the asphalt surface at each location. The GPR data profiles collected over the possible settling tank gave no further information as to the nature of this anomaly. Similarly, the GPR gave no significant insight into the cause of an irregularly shaped metal-detector anomaly located at the northern entrance to the parking lot. Based upon the TW-6's response, it is believed that this anomaly is probably caused by buried metallic debris.

E 8 NAEVA found no evidence of the 20 former leaching pools that were suspected to exist within this AOC. The metal-detector gave no indications of buried metallic dry well covers. The GPR data profiles, which were collected at a 3-foot line spacing in the courtyard portion of this AOC and a 5-foot line spacing in the parking lot portion, showed no anomalous reflective images that could be interpreted as being caused by leaching pools. GPR data was not collected over the active roadway portion of this AOC due to safety concerns.

E 10 This AOC was divided into two portions, one on either side of the elevated walkway that crosses the site. A former septic tank and leach pool were expected in the eastern portion of the AOC and six former leaching pools were expected in the western portion.

Seven metal-detector anomalies were identified beneath the grass within the borders of the eastern portion of this AOC, however, only two of these anomalies, E10-1 and E10-2, coincide with the expected locations of the

suspected former septic tank and leaching pool. The GPR data profiles collected over the seven anomalies showed evidence of buried metallic objects but gave no indications as to the character of the anomalies. Anomaly E10-7 elicited a much smaller response from the metal-detector than the other anomalies did.

No evidence of the six pools suspected to exist in the western portion of the AOC was seen. The TW-6 indicated the presence of one buried metallic object in the northeast corner of this portion of the AOC, but the apparent linear nature of this anomaly is more consistent with buried metallic debris than with a leaching pool. The GPR data profiles, which were collected east/west at a 5-foot line spacing across this area, showed no anomalous reflective images that could be interpreted as be caused by leaching pools.

E 12 NAEVA found no evidence of a former dry well within this AOC. The metal-detector gave no indications of buried metallic dry well covers. The GPR data profiles, which were collected at a 5-foot line spacing across the AOC, showed no anomalous reflective images that could be interpreted as be caused by a dry well. It should be noted that the lid to a dry well is exposed at the surface just outside of the area of investigation, 6 feet north of the AOC's northeast corner.

E 25 NAEVA found no evidence of the concrete sump pit that was suspected to exist at this location, however site conditions severely impacted our investigation. The reinforced concrete pavement prevented the use of the metal-detector and limited the GPR's depth of penetration to less than 1-foot.

E 28 NAEVA found no evidence of an abandoned UST within this AOC. The metal-detector gave no indications of large buried metallic objects. The GPR data profiles, which were collected at a 4-foot line spacing both north/south and east/west across the AOC, showed no hyperbolic reflections typically indicative of an underground storage tank.

Former product and return lines, which were exposed at the base of the generator located inside the boiler room, were traced using a utility locating instrument. These lines both exit the west side of the building above grade. This would tend to indicate that the tank associated with these lines would have been above ground.


A vault and a vent pipe were noted adjacent to the building, about 5 feet east of the AOC, but stored materials blocked access to them. The relatively large diameter of the vent pipe suggests that they may be associated with a sewer system rather than the suspected UST.

Figure 2 - Area of Geophysical Investigation at Environmental Area Of Concern E4, Northrop Grumman Plant 1, Bethpage, New York.





BUILDING




10 ft Scale: One inch equals approximately ten feet


NAEVA Geophysics Project No. C0009181W Dates of Investigation: September 18 - 20, 2000 Map by Clay McMullen

EXPLANATION

Ground Penetrating Radar Data Profiles

Area Of Concern





guardrail roed roed BUILDING ropd at NAEVA Geophysics Project No. C0009181W
Date of Investigation: September 18 - 20th, 2000
Map by Clay McNeJan conorate sidewalk BUILDING graes o 77 grass BUILDING Area of Geophysical Investigation Ground Penetrating Radar Data Profiles Manhole Fire Hydrant EXPLANATION BUILDING BUILDING Figure 5 - Area of Geophysical Investigation at Environmental Area Of Concern E8, Northrop Grumman Plant 1, Bethpage, New York. NACVA GEOPHYSICS, INC. site north

Ş. aphalt parking lot BUILDING concrete sidewalk concrete 1 NAEVA Geophysics Project No. C0009181W Date of Investigation: September 18 - 20, 2000 Map by Cley McMullen E10.2 **6** €10-1 post indicator varives E10-7 ©; Figure 6 - Area of Geophysical Investigation at Environmental Area Of Concern Area E10, Northrop Grumman Plant 1, Bethpage, New York. Ground Penetrating Radar Profiles

Area of Geophysical Investigation

Fire Hydrant 0 0 EXPLANATION NASVA GEOPHYSICS INC

A SUBSDUCT OF FORTH AND EXPLORATION THROWN INC.

Subsurface Geophysical Surveys Footings for Overhead Walkway Sewer Manhole Cover Metal Detector Anomaly site north

Figure 7 - Area of Geopysical Investigation at Environmental Area Of Concern E12, Northrop Grumman Plant 1, Bethpage, New York.




Scale: One inch equals approximately ten feet

NAEVA Geophysics Project No. C0009181W Dates of Investigation: September 18 - 20, 2000 Map by Clay McMullen

EXPLANATION

Area of Concern

Manhole






Figure 9 - Area of Geophysical Investigation at Environmental Area Of Concern E28,
Northrop Grumman Plant 1,
Bethpage New York.






Scale: One inch equals approximately ten feet

NAEVA Geophysics Project No. C0009181W Dates of Investigation: September 18 - 20, 2000 Map by Clay McMullen





APPENDIX B

BORING LOGS

A DIVISI	ION OF W		Dvirland Barti COSULICH	lucc Ing engi	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site Ass	Boring No.: I02B01 Sheet 1 of 1 By: MR essment
Driller Drill R	: W. Ro ig: Eartl	wland hprobe	Emingto			Geologist: Keith Robb Drilling Method: Geo Drive Hammer Weigh Date Completed: Sep	probe it: N/A	Boring Completion Depth: 5 ft. Ground Surface Elevation: ft. Boring Diameter: 2 in.
		Soil S						
Depth (ft.)	San No.	nple Type	Blows (Per 6")	Rec. (inches)	PID (ppm)		Lithology D	Description
1-3	1	GP		20	15.0	0-20": Brown-light oran	_	
						medium SAND	, trace GRAVEL, w	rell sorted, damp
3-5	2	GP		20	15-20	0-20": Tan-brown, coar	se SAND and fine	to medium
						GRAVEL, poo	rly sorted, trace FII	NES, dry
H								
								
\sqcup								
┢─┤								
Sample	-		_ 11 • •	^-	n – o		Notes: 12" thic	ck concrete at grade
			= Hand A HP = Hy			probe		



1852 Bethpage, NY

Phase II Site Assessment

Boring No.: 103B01

Project Name: Plant 1 -

Sheet 1 of

By: MR

Drilling Contractor: Emington

Driller: W. Rowland **Drill Rig:** Earthprobe

Geologist: Keith Robbins Drilling Method: Geoprobe Drive Hammer Weight: N/A

Boring Completion Depth: Ground Surface Elevation:

Boring Diameter:

5 ft. -- ft. 2 in.

Date Started: September 19, 2000

Date Completed: September 19, 2000

		Soil Sample				
Depth	San	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
1-3	1	GP		20	50-100	0-20": Brown SILT, trace fine to medium SAND, fine GRAVEL, damp
- · · ·					00 100	22 . 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.
					-	
3-5	2	GP	-			Light brown-tan, medium to coarse SAND, some fine subrounded GRAVEL, dry
				···		
				-		
					_	
	-					
	İ		ŀ	ļ		
-		 				
					——-	
				L		

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 7" thick concrete at grade

Rain falling outside. Interior background PID readings of 3-5 ppm may be due to high humidity,



1852 Bethpage, NY Boring No.: 104B01 Sheet 1 of 1

Project Name: Plant 1 - By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Geologist: Mark Rauber Drilling Method: Geoprobe Drive Hammer Weight: N/A **Boring Completion Depth:** 10 ft. Groun Boring

nd Surface	Elevation:		ft.	
g Diamete	r:	2	in.	

	arted: October 17, 2000 Date Completed: October 17, 2000					
.		Soil Sample Sample Blows Rec.				190.4.
Depth	San	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
8-10	1	GP		24	0.0	0-24": Brown to tan to orange SAND with GRAVEL
1						
		_				
ł			,			
			<u></u> _			
- 1						
1						
		-			-	
				ļ		
				1		
				-		
- 						
			ļ	I		
			[ı		
- 						
1			1	1		
- 1	İ		Ì			
 -						
- 1				ļ		

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Boring conducted to target former dry well. Notes: Manual drilling efforts prohibited deeper sample collection.



1852 Bethpage, NY **Boring No.**: 105B01 Sheet 1 of

Project Name:

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington Driller: W. Rowland

Drill Rig: Earthprobe Date Started: October 2, 2000 Geologist: Ken Wenz **Drilling Method:** Geoprobe **Drive Hammer Weight: N/A** **Boring Completion Depth:** 22 ft. **Ground Surface Elevation:** - ft. **Boring Diameter:**

Date Completed: October 2, 2000

2 in.

	Soil Sample					
Depth	San	Sample Blows Rec.			PID	Lithology Description
(ft.)	No.	Туре	(Per 6")		(ppm)	
8-12	1	GP		38	0.0	0-10": Brown SILT and fine to medium SAND, dry, no odors
						10"-13": Gray-brown SILT and CLAY, trace fine to medium SAND, dry, no odor
						13"-35": Gray-brown to orange SILT and fine to coarse SAND,
						moist to dry, trace fine to coarse GRAVEL, dry, no odor
						35"-38": Orange-brown, fine to coarse SAND, little
						fine to coarse GRAVEL, trace SILT, dry, no odor
12-16	2	GP		42	0.0	0-42*: Orange-brown, fine to coarse SAND, little
						fine to coarse GRAVEL, trace SILT, dry, no odor
16-20	3	GP	-	40	0.0	0-40": Orange-brown, fine to coarse SAND, little
						fine to coarse GRAVEL, trace SILT, dry, no odor
20-22	4	GP			0.0	Orange-brown, fine to coarse SAND, little fine to coarse
•						GRAVEL, trace SILT, dry, no odor
i						
					_	
		_				
ŀ						
Ì						
	_					
- 						

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes:

Boring conducted within leaching pool which is "open" to 3' below grade

C A DIVIS	ION OF W		Dvirland Barti CONSULTI COSULICH	IUCO	NEERS	Project No.: 1852 Boring No.: I06B01 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment
Driller Drill R	: W. Ro ig: Eart	wland hprobe	Emingto			Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 21, 2000 Boring Completion Depth: 5 ff Ground Surface Elevation: - ft Boring Diameter: 2 in
		Soil S				
Depth (ft.)	San No.	nple Type	Blows (Per 6")	Rec. (inches)	PID (ppm)	Lithology Description
1-3	1	GP		17	0.0	0-1": Brown, fine to coarse SAND, trace SILT,
						trace fine to medium GRAVEL, dry, no odor
						1"-17": Orange-brown, fine to coarse SAND, trace SILT,
			-			trace fine to medium GRAVEL, dry, no odor
3-5	2	GP		20	0.0	0"-20": Orange-brown, fine to coarse SAND, trace SILT,
				304		little fine to coarse GRAVEL, dry, no odor
-						
-						
		-				
Same !	Tyran		ļ			Nacco Of this course
	lit Spoo		= Hand A HP = Hye			Notes: 8" thick concrete at grade probe

A DIVISI	ION OF W		ONSULT	Ca lucc NG ENGII ASSOCIAT	NEERS	Project No.: 1852 Boring No.: 106B02 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment	
Driller Drill R	: W. Ro ig: Eart	wland hprobe	Emingtonber 21, 2			Drilling Method: Geoprobe Ground Surface Elevation: -	5 ft. - ft. 2 in.
Depth (ft.)	San No.	Soil Sanple	Blows	Rec. (inches)	PID (ppm)	Lithology Description	
1-3	1	GP		22	0.0	0-10": Brown-black SILT and fine to coarse SAND,	
						trace fine to medium GRAVEL, dry, no odor	
					•	10"-22": Brown SILT, some fine to medium SAND,	
						trace fine to medium GRAVEL, dry, no odor	
3-5	2	GP		18	0.0	0-10": Orange-brown, fine to coarse SAND, trace SILT,	
						little fine to medium GRAVEL, dry, no odor	
						10"-18": Gray SILT and fine to medium SAND, trace	
						fine to medium GRAVEL, dry, no odor	
						1	
						1	
						1	
						1	
						1	
						1	ı
						1	ĺ
						1	
						1	Į
						1	
						1	
						1	
-						1	
						1	
						1	
	-					1	
						1	
						1	
						1	
						1	
\rightarrow						1	
1						1	
						1	
Sample	Type:					Notes: 7" thick concrete at grade	\dashv
	-	n HA	= Hand A	uger GF	e Geor	•	- [

CC = Concrete Core HP = Hydropunch



1852

Boring No.: 107B01

Project Name:

Bethpage, NY Plant 1 -

Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A **Boring Completion Depth: Ground Surface Elevation:**

7 ft. -- ft. 2 in.

Date Started: September 29, 2000

Soil Sample

Date Completed: September 29, 2000

Boring Diameter:

Depth	San	Sample E		Sample Blo		Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)			
3-5	1	GP		22	0.0	0-15": Brown, fine to coarse SAND and SILT, dry, no odor		

5-7	2	GP	 15	0.0	0-2": Brown, fine to coarse SAND and SILT, dry, no odor
					2"-15": Orange-brown, fine to coarse SAND, trace SILT,

			trace fine to coarse GRAVEL, dry, no odor
			,
	-		


Sample Type:


SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes:

Boring conducted adjacent to a 32" deep pit

through a 6" thick concrete floor







Project No.:

1852

Boring No.: 107B01E8

Project Location: Project Name:

Bethpage, NY Plant 1 -

Sheet 1 of 1

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Geologist: Mark Rauber **Drilling Method:** Geoprobe Drive Hammer Weight: N/A

Boring Completion Depth: 7 ft. **Ground Surface Elevation:** - ft. **Boring Diameter:**

2 in.


Date S	tarted:	Januar	y 3, 2001			Date Completed: January 3, 2001
	<u> </u>	Soil S	ample	•		
Depth	San	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
5-7	1	GP		24	0.2	0-24": Brown to tan SILTY/CLAYEY SAND with a gray tint,
					i	trace GRAVEL,moist, no odor
			 		 	
			<u> </u>	ļ		
	_					
	<u> </u>	-	 		 	
		-				
$\neg \neg$						

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring conducted in a backfilled pit which has a 2" thick bottom and is covered by a 3" thick concrete floor slab.



Sample Type: Notes: 3" thick concrete at grade

CC = Concrete Core HP = Hydropunch

SS = Split Spoon HA = Hand Auger GP = Geoprobe

	Dvirka and Bartiluco consulting engi cosulich associa	NEERS	1 -	: I07B02 et 1 of 1 : MR
Drilling Contractor: Driller: W. Rowland Drill Rig: Earthprobe Date Started: Septem	nber 21, 2000		Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 21, 2000 Boring Cor Ground Su Boring Dia	mpletion Depth: 5 ft. rface Elevation: ft. meter: 2 in
Depth Sample (ft.) No. Type	Blows Rec. (Per 6") (inches)	PID (ppm)	Lithology Description	
1-3 1 GP	- 24	0.0	0-24": Brown to orange-brown, SILT and fine to coarse	SAND,
			trace fine to medium GRAVEL, dry, no odor	·
3-5 2 GP	- 16	0.0	0-2": Brown to orange-brown, SILT and fine to coarse S	AND.
			trace fine to medium GRAVEL, dry, no odor	•
		1	2"-16": Orange-brown, fine to coarse SAND, trace SILT	
			trace fine to medium GRAVEL, dry, no odor	•



1852

Boring No.: 107B03

Project Name:

Bethpage, NY Plant 1 - Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Date Started: October 17, 2000

Geologist: Mark Rauber Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: October 17, 2000

Boring Completion Depth: Ground Surface Elevation:

Boring Diameter:

9 ft. -- ft. 2 in.

		Soil Sample]	
	Depth	Sample		Blows	Rec.	PID	Lithology Description
İ	(ft.)	No.	Type	(Per 6")	(inches)	(ppm)	
	5-7	1	GP		24	35.0	0-24": Tan SAND wth gray staining, slight odor
i							
	7-9	2	GP		24	25.0	0-24": Brown to tan to orange SAND with a 3" gray stained layer at 7' below gray

7-9	2	GP		24	25.0	0-24": Brown to tan to orange SAND with a 3" gray stained layer at 7' below grade
ļ						
			<u> </u>			
ļ		<u> </u>		ļ		
					!	
-	<u> </u>				<u> </u>	
-	-			-		
				<u> </u>		
	 					
						
			a			
				,	-	
<u> </u>						
Sample	Tymas					Notes: Pering conducted to target honorth a heat

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes: Boring conducted to target beneath a backfilled former 4'-3" deep pit running north-south within the former Paint Tunnnel.



Project Name:

1852 Bethpage, NY Boring No.: 108B01

Plant 1 -

Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor: Emington Driller: W. Rowland

Drill Rig: Earthprobe Date Started: September 26, 2000 Geologist: Ken Wenz **Drilling Method:** Geoprobe Drive Hammer Weight: N/A Date Completed: September 26, 2000

Boring Completion Depth: 11 ft. **Ground Surface Elevation:** - ft. 2 in.

Boring Diameter:

	SOII S	ample			
San	nple	Blows	Rec.	PID	Lithology Description
No.	Туре	(Per 6")	(inches)	(ppm)	
1	GP		18	0.0	0-4*: Brown SILT and fine to medium SAND, trace fine GRAVEL, dry, no odor
					4"-18": Orange-brown, fine to coarse SAND,
					trace SILT, trace fine GRAVEL, dry, no odor
2	GP		22	0.0	0-22": Orange-brown, fine to coarse SAND,
					trace SILT, trace fine GRAVEL, dry, no odor
3	GP		20	0.0	0-20": Orange-brown, fine to coarse SAND,
					trace SILT, trace fine GRAVEL, dry, no odor
4	GP	<u> </u>	21	0.0	0-21": Orange-brown, fine to coarse SAND,
					trace SILT, trace fine GRAVEL, dry, no odor
5	GP	-	10	0.0	0-10": Orange-brown, fine to coarse SAND,
					trace SILT, trace fine GRAVEL, dry, no odor
	1 2 3 4	1 GP 2 GP 3 GP 4 GP	No. Type (Per 6*) 1 GP 2 GP 3 GP 4 GP	No. Type (Per 6") (inches) 1 GP 18 2 GP 22 3 GP 20 4 GP 21	No. Type (Per 6") (inches) (ppm) 1 GP 18 0.0 2 GP 22 0.0 3 GP 20 0.0 4 GP 21 0.0

			ļ .
 	 -		
 	 -		

Sample Type: SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 6" thick concrete at grade refusal noted at 11' below grade

A DIVIS	SION OF W	\bigcirc	CONSULT	ka iluco ING ENGI I ASSOCIAT	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site Ass	Boring No.: I09B01 Sheet 1 of 1 By: MR sessment	
Driller Drill R	: W. Ro t ig: Eart	owland hprobe Septen	Emingtonber 26, 2			Geologist: Keith We Drilling Method: Ge Drive Hammer Weig Date Completed: Se	oprobe ght: N/A	Boring Completion Depth: Ground Surface Elevation: Boring Diameter:	5 ft ft 2 in
Depth	Sar	Soil S	ample Blows	Rec.	PID		Lithology I	Description	
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)				
1-3	1	GP		18	0.00	0-18": Brown SILT, so	ome CLAY, trace fin	e to medium SAND, dry, no odor	
3-5	2	GP		22	0.0	0-3": Brown SILT, sor	ne CLAY, trace fine	to medium SAND, dry, no odor	
						3"-22": Orange-brown	, fine to medium SA	ND, trace SILT, dry, no odor	
	<u> </u>								
			<u> </u>						
		<u></u>							

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 6" thick concrete below wood block floor

A DIVISIO	ON OF W		ONSULTI	(a lucc ng engin associati	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site As	Boring No.: 110B01 Sheet 1 of 1 By: MR sessment	
Driller: Drill Ri	W. Ro g: Eartl	wland nprobe Septem	Emingto			Geologist: Ken Wen Drilling Method: Ge Drive Hammer Weig Date Completed: Se	oprobe jht: N/A	Boring Completion Depth: Ground Surface Elevation: Boring Diameter:	12 ft ft 2 in
Depth (ft.)	San No.	Soil Sa uple Type	Blows (Per 6")	Rec.	PID (ppm)		Lithology	Description	_
2-4	1	GP		15	0.0	0-15": Brown to orang	e-brown, fine to co	arse SAND, trace SILT,	
						trace fine to n	nedium GRAVEL, n	noist, no odors, occasional brick p	ieces
4-6	2	GP	-	22	0.0	0-22": Orange-brown,	fine to coarse SAN	ID, trace SILT,	
						trace fine to n	nedium GRAVEL, n	noist, no odors	
6-8	3	GP		22	0.0	0-22": Orange-brown	to tan, fine to coars	e SAND, trace SILT,	
						1	nedium GRAVEL, n		
8-10	4	GP		24	0.0	0-24": Orange-brown	to tan, fine to coars	e SAND, trace SILT,	
						trace fine to n	nedium GRAVEL, n	noist, no odors	
10-12	5	GP		24	0.0	0-24": Brown to orang	e-brown, fine to co	arse SAND, trace SILT,	
Ì						trace fine to n	nedium GRAVEL, n	noist, no odors	
			_						
						1			
	_								
							T		
ample	Type:		= Hand A				Notes: 2" thic	k concrete at grade	

A DIVISI	ON OF W		ONSULTI	(a lucc NG ENGII ASSOCIAT	NEERS	Project No.: 1852 Boring No.: I11E Project Location: Bethpage, NY Sheet 1 Project Name: Plant 1 - By: MR Phase II Site Assessment	of 1
Driller: Drill R	: W. Ro ig: Eartl	wland hprobe Septem	Emingto			Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 22, 2000 Boring Complete Ground Surface Boring Diameter:	Elevation: - ft.
Depth (ft.)	San No.	Soil Sa nple Type	Blows	Rec.	PID (ppm)	Lithology Description	
1-3	1	GP		24	0.1	0-24": Brown, SILT, some fine to medium SAND,	
						trace fine GRAVEL, dry, no odors	
3-5	2	GP		24	0.0	0-2": Brown, SILT, some fine to medium SAND,	
						trace fine GRAVEL, dry, no odors	
						2"-24": Tan to orange-brown, fine to coarse SAND, trace SILT	
						little fine to medium GRAVEL, dry, no odors	
			i				
		-					
							,
Sample SS = Sp CC = Co	lit Spoo	n HA: Core	= Hand A HP = Hy	auger Gl	P = Geop	Notes: 6" thick concrete at grade probe	


C A DIVIS	JON OF W		ONSULTI	Ka lucc ng engli associat	NEERS	Project No.: 1852 Boring No.: I11B02 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment
Driller Drill R	: W. Ro	owland hprobe	Emingtonber 22, 2			Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 22, 2000 Boring Completion Depth: 5 ft Ground Surface Elevation: ft Boring Diameter: 2 in
		Soil S	ample			
Depth	Sar	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
1-3	1 1	GP		24	0.0	0-4": Brown, fine to coarse SAND, trace SILT,
						trace fine to coarse GRAVEL, dry, no odors
						1
	ļ <u> </u>	<u> </u>				4"-20": Brown, SILT and fine to medium SAND, dry, no odors
			 			20"-24": Brown, fine to coarse SAND, trace SILT,
	<u> </u>	ļ	ļ			trace fine to coarse GRAVEL, dry, no odors
3-5	2	GP		24	0.1	0-24": Tan to brown, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odors
						}
						1
						1
-			ļ			4
			<u> </u>			4
		<u> </u>				
		<u> </u>				
						1
						7
						-
						4
						1
						1
						†
		\vdash				1
						-
						4
						1
Sample	Type					Notes: 6" thick concrete at grade
		n HA	= Hand A	waer Gl	P = Geor	

A DIVIS	SION OF W		CONSULTI	ka ilucc ing engli rassociat	NEERS	Project No.: 1852 Boring No.: I11B03 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment
Driller Drill R	r: W. Ro R ig: E art	owland thprobe				Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Drive Hammer Weight: N/A Boring Completion Depth: 5 ft. Ground Surface Elevation: ft. Boring Diameter: 2 in
Date	started:		nber 22, 2	2000		Date Completed: September 22, 2000
Depth		Soil S	Blows	Rec.	,,,,	Listed and Department on
(ft.)	No.	mple Type	⊣	•	(ppm)	Lithology Description
	1	1				0.47% Day of Control Control Control Control
1-3	├-	GP		20	0.0	0-17": Brown, SILT and fine to medium SAND, dry, no odors
	+				 	17"-20": Brown, fine to coarse SAND, trace SILT,
	<u> </u>	<u> </u>	ļ <u>.</u>			trace fine to medium GRAVEL, dry, no odors
3-5	2	GP		23	0.1	0-23": Tan to brown, fine to coarse SAND, trace SILT,
						trace fine to medium GRAVEL, dry, no odors
	 	 		-		
	 	├				
	<u> </u>	<u> </u>			<u> </u>	
	 	 				
	 	-				
						
			 			
		 		ļ -		
				\longrightarrow		
		<u> </u>				
			,			

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

C A DIVISI	ON OF W		ONSULTI	LUCC NG ENGIN ASSOCIAT	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site Ass	Boring No.: 111804 Sheet 1 of 1 By: MR sessment	
Driller: Drill Ri	W. Ro ig: Earti tarted:	wland hprobe Septem	Emingto			Geologist: Ken Wen Drilling Method: Ge Drive Hammer Weig Date Completed: Se	oprobe jht: N/A	Boring Completion Depth: Ground Surface Elevation: Boring Diameter:	5 ft ft 2 ir
Depth (ft.)		Soil Sanple Type	Blows	Rec.	PID (ppm)		Lithology I	Description	
1-3	1	GP		24	0.0	0-8": Brown, fine to co	parse SAND, trace S	SILT.	
	•	<u> </u>			- 0.0		parse GRAVEL, dry		
						8"-13": Brown, SILT a	_		
						13"-24": Brown, fine to		•	
						1	to coarse GRAVEL		
3-5	2	GP		21	0.1	0-21": Brown, fine to			
3-3		GP	-	21	0.1	1	parse GRAVEL, dry		
	-								_
ample	Type:			uger Gl			Notes: 7" thic	k concrete at grade	



Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 8" thick concrete at grade



1852

Boring No.: 111B06

Project Name:

Bethpage, NY

Sheet 1 of

Plant 1 -

By: MR Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe Geologist: Mark Rauber **Drilling Method:** Geoprobe **Drive Hammer Weight: N/A**

Boring Completion Depth: 4 ft. **Ground Surface Elevation:** - ft.

Boring Diameter:

2 in.

2000		Date Completed: October 16, 2000
0		
ws Rec.	PID	Lithology Description
r 6") (inches)	(ppm)	
- 24	0.0	0-24": Brown to tan, SAND and GRAVEL
- 12	1.2	0-12": Brown to tan, SAND and GRAVEL
0 31	ows Rec. (inches)	ows Rec. PID (inches) (ppm) 24 0.0

	i		1	
_				
		-		

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes: Boring conducted within a 27" deep pit with a 6" thick concrete bottom. Boring depths are from beneath bottom of pit.



1852 Bethpage, NY Boring No.: I11B07 Sheet 1 of 1

Project Name: Pla

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland **Drill Rig:** Earthprobe

Date Started: October 20, 2000

Geologist: Mark Rauber Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: October 20, 2000 Boring Completion Depth: Ground Surface Elevation:

Boring Diameter:

5.5 ft. -- ft. 2 in.

			Soil Sa	ample			
	Depth	San	nple	Blows	Rec.	PID	Lithology Description
	(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
	1.5-3.5	1	GP		16	4.5	0-16": Brown/tan SAND and GRAVEL with a slight green tint and resin odor
	3.5-5.5	2	GP		18	4.5	0-18": Dark brown, slightly rust color, stained SAND and GRAVEL, moist, no odo
ı							1

_			

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes: Boring advanced through the bottom of a 17" deep backfilled concrete pit with a 2" thick concrete bottom and a 1" thick concrete floor slab at grade

C A DIVIS	ON OF W		ONSULTI	Ka IUCC NG ENGIR ASSOCIAT	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site As	Boring No.: I12B01 Sheet 1 of 1 By: MR sessment	
Driller Drill R	: W. Ro	owland hprobe	Emingto			Geologist: Ken Wen Drilling Method: Ge Drive Hammer Weig Date Completed: Se	oprobe jht: N/A	Boring Completion Depth: Ground Surface Elevation: Boring Diameter:	5 ft. ft. 2 in.
Depth (ft.)	Sar No.	Soil Sanple Type	Blows	Rec.	PID (ppm)		Lithology	Description	
1-3	1	GP	_	22	0.0	0-22": Brown, fine to d	coarse SAND, trace	SILT.	
						1	oarse GRAVEL, dry		
3-5	2	GP		7	0.0	0-7": Brown, fine to co			
							oarse GRAVEL, dry		
									i
	-								
		-							
	-		,						
						Ī			i
									ı
				i					ł
				-					
									i
									Ì
									l
					-				
									l
									
									- [
		1							
									I
Sample	Туре:	1				···	Notes: 6" thick	k concrete at grade	-
		n HA=	Hand A	uger GF	e Geop	orobe]	♥	

A DIVISI	ON OF W		CONSULTI	KA ILUCO ING ENGII	NEERS	Project No.: 1852 Boring No.: 112B02 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment	
Driller: Drill Ri	W. Ro	owland hprobe Septem	Emingto			Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 21, 2000 Boring Completion Depth: Ground Surface Elevation: Boring Diameter:	5 ft. ft. 2 in.
Depth (ft.)	San No.	Soil Sanple	Blows	Rec.	PID (ppm)	Lithology Description	
1-3	1	GP		24	0.0	0-24": Orange-brown, fine to coarse SAND, trace SILT,	
						little fine to coarse GRAVEL, dry, no odors	
3-5	2	GP		19	0.0	0-19": Orange-brown, fine to coarse SAND, trace SILT,	
						little fine to coarse GRAVEL, dry, no odors	
						_	
						4	
						-}	
					<u> </u>	4	
\vdash						4	
						-	
						-	
						_	
						4	
						-	
						4	
						-	
						-	
						4	l
						-	
						-	
						-	
	· · · ·					1	
						-	
						-	
						1	
						1	
						1	
						1	
						1	
						1	
Sample		<u> —</u>	- Hand ^	uger G		Notes: 4" thick concrete at grade	

		ILLIAM F.	COSULICH	IUCC ING ENGI I ASSOCIAT	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site Ass	
Driller Drill R	W. Ro	owland hprobe Septem	Emingto			Geologist: Ken Wen Drilling Method: Ge Drive Hammer Weig Date Completed: Se	oprobe jht: N/A	Boring Completion Depth: 5 ft. Ground Surface Elevation: ft. Boring Diameter: 2 in.
Depth (ft.)	San No.	Soil Sanple	Blows	Rec. (inches)	PID (ppm)		Lithology I	Description
1-3	1	GP		24	0.0	0-24": Brown, fine to r	medium SAND, som	ne SILT
						trace fine to	medium GRAVEL, d	try, no odors
3-5	2	GP	-	18	0.0	0-18": Brown, fine to r		
						1	medium GRAVEL, d	
								,,
			-					
-						1		
						1		
				ļ				
								i
								ļ
								ļ
								l
								İ
Sample SS = Sn					2 - 0		Notes: 6" thick	k concrete at grade

A DIVISI	ON OF W		Dvirland Barti COSULICH	luco ng engli	NEERS	Project No.: 1852 Boring No.: I12B04 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment
Driller: Drill R	: W. Ro ig: Eart	owland hprobe Septen	Emingto			Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 21, 2000 Boring Completion Depth: 5 ft Ground Surface Elevation: ft Boring Diameter: 2 in
Depth	San	Soil Sanple	ample Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
1-3	1	GP		17	0.0	0-17": Brown to orange-brown, fine to coarse SAND, trace SILT,
						trace fine to coarse GRAVEL, dry, no odors
3-5	2	GP		18	0.0	0-18": Brown to orange-brown, fine to coarse SAND, trace SILT,
						trace fine to coarse GRAVEL, dry, no odors
<u> </u>						
 						
\vdash						
So1	Tyraca					Notes: Of this consult of made
	lit Spoo		= Hand A HP = Hy			Notes: 6" thick concrete at grade probe

Drilling	g Contr	ILLIAM F.	ONSULTI	IUCC NG ENGII ASSOCIAT	NEER\$	Project No.: 1852 Boring No.: I12B05 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment Geologist: Ken Wenz Boring Completion Depth:	5 ft.
Drill R	: W. Ro ig: Eart itarted:	hprobe	nber 21, 2	2000		Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 21, 2000 Ground Surface Elevation: Boring Diameter:	ft. 2 in.
		Soil S					
Depth (ft.)	San No.	nple Type	Blows (Per 6")	Rec. (inches)	PID (ppm)	Lithology Description	
1-3	1	GP	_	24	0.1	0-24": Brown SILT and fine to medium SAND,	
	<u>-</u>	<u> </u>			0	trace fine to medium GRAVEL, dry, no odors	
3-5	2	GP	_	20	0.0	0-20": Brown SILT and fine to medium SAND,	
				_ <u></u> -	0.0	trace fine to medium GRAVEL, dry, no odors	
						3,7,7,0	
					<u> </u>		
						_	
						-	
						-	
						-	
						-	
						4	
						-	
						-	
						4	
						4	
						4	
						4	
						4	
						4	
						4	
						4	
						4	Ì
						-	
						4	
						4	
						4	
						1	
						4	
]	
Sample		- 114				Notes: 6" thick concrete at grade	



Project No.: **Project Location: Project Name:**

1852 Bethpage, NY Boring No.: 113B01 Sheet 1 of 1

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Geologist: Mark Rauber Drilling Method: Geoprobe Drive Hammer Weight: N/A

Boring Completion Depth: 9 ft. **Ground Surface Elevation:** - ft. **Boring Diameter:**

2 in.

Date S	ate Started: October 17, 2000					Date Completed: October 17, 2000
		Soil Sa				
Depth	San	ıple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
2-4	1	GP		12	5.2	0-12": Brown to tan SANDY soil with CLAYEY/SILTY soil, pieces of broken brick,
						some minor staining, no odor
4-6	2	GP		3	12.2	0-3": Brick and broken concrete, brown to black SILTY material
6-8	3	GP		16	7.2	0-16": Brown to tan SAND with layers of brick, stone and SILT
8-9	4	GP	-	12	7.0	0-12": Brown to tan SAND
				_		
				,		
					-	

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Boring conducted to target 2' to 12' beneath Notes: a backfilled former dry well beneath the existing Cafeteria floor. 5" thick tile and concrete floor at grade.



Project No.: **Project Location: Project Name:**

1852

Boring No.: 113B02

Bethpage, NY Plant 1 -

Phase II Site Assessment

Sheet 1 of 1

By: MR

Drilling Contractor: Emington Driller: W. Rowland Drill Rig: Earthprobe

Geologist: Mark Rauber **Drilling Method:** Geoprobe **Drive Hammer Weight: N/A**

7 ft. **Boring Completion Depth: Ground Surface Elevation:**

- ft. **Boring Diameter:** 2 in.

Date S	ate Started: October 20, 2000					Date Completed: October 20, 2000
		Soil S	ample			
Depth	Sar	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
2-4	1	GP		20	0.0	0-20": Brown/tan/red SAND and GRAVEL, moist, no odors
4-6	2	GP	_	18	0.0	0-18": Light brown/red SAND and GRAVEL, moist, no odors
6-7	3	GP	_	12	0.0	0-12": Light brown/red SAND and GRAVEL, moist, no odors

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring conducted to target a former dry well backfilled to grade. Boring conducted manually. Refusal encountered at 7' below grade.



1852 Bethpage, NY Boring No.: I16B02 Sheet 1 of 1

Project Name:

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland **Drill Rig:** Earthprobe

Date Started: October 19, 2000

Geologist: Mark Rauber
Drilling Method: Geoprobe
Drive Hammer Weight: N/A

Boring Completion Depth: Ground Surface Elevation:

Boring Diameter:

- ft. 2 in.

7.5 ft.

ate Started: October 19, 2000	Date Completed: October 19, 2000


Date St	ιaπed:		r 19, 200	U		Date Completed: October 19, 2000		
		Soil S	ample					
Depth			Blows	Pes	PID	Lithology Description		
	San	nple		Rec.		Lithology Description		
(ft.)	No.	Type	(Per 6")	(inches)	(ppm)			
3.5-5.5	1	GP		12	0.5	0-12": Brown-tan, SAND and GRAVEL, trace staining, moist, no odors		
5.5-7.5	2	GP		14	0.5	0-14": Brown-tan, SAND and GRAVEL, trace staining, moist, no odors		
3.5 7.5		<u> </u>		17	0.0	o Stourt air, or and air of a tree, adde during, more, no coole		
\vdash								
				<u></u>				
		·						
					·			
	-							

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring advanced through the bottom of a 2' deep backfilled concrete pit with a 13" thick concrete bottom and a 5" thick concrete floor slab at grade



Boring Completion Depth:

Date Completed: September 26, 2000

Ground Surface Elevation: -- ft. 2 in. **Boring Diameter:**

5 ft.

Boring No.: 117B01

Sheet 1 of 1

By: MR

Date Started: September 26, 2000 Soil Sample Depth **Blows** Rec. PID **Lithology Description** Sample (Per 6") (ft.) No. Type (inches) (ppm) 1-3 1 GP 19 0.0 0-19": Brown SILT, some CLAY, trace fine to medium SAND, dry, no odor GP 20 3-5 2 0.0 0-2": Brown SILT, some CLAY, trace fine to medium SAND, dry, no odor 2"-20": Brown, fine to medium SAND, trace SILT, dry, no odor

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch


Sample Type:


Notes:


8" thick concrete at grade

C A DIVIS	ION OF W		Dvirland Barti CONSULTI COSULICH	luco ng engl	NEERS		No.: 117B02 Sheet 1 of 1 By: MR			
Driller Drill R	: W. Ro ig: Earti	wland hprobe	Emingto			Drilling Method: Geoprobe Ground	Completion Depth: 5 ft. Surface Elevation: - ft. Diameter: 2 in.			
		Soil S	ample							
Depth (ft.)	San No.	nple Type	Blows (Per 6")	Rec. (inches)	PID (ppm)	Lithology Description				
1-3	1	GP		18	0.0	0-4": Brown, fine to medium SAND, race SILT, dry,	no odor			
<u> </u>						4"-18": Brown SILT, little CLAY, trace fine to medium	n SAND, dry, no odor			
3-5	2	GP	-	20	0.0	0-1": Brown SILT, little CLAY, trace fine to medium	SAND, dry, no odor			
						1"-20": Orange-brown, fine to medium SAND, trace	SILT, dry, no odor			
					-					
					_					
		*								

					-					
\vdash										
 										
]					
Sample				_	_	Notes: 6" thick concrete	at grade			
			Hand A			robe				
C	A POINT OF IT		– пу	ai opulici						







Date S	ite Started: October 3, 2000					Date Completed: October 3, 2000
		Soil S	ample			
Depth	San	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
1-3	1	GP		15	0.0	0-15": Tan-brown to orange-brown, fine to medium SAND,
						trace to little SILT, trace fine to coarse GRAVEL, dry, no odor
3-5	2	GP		14	0.0	0-14": Tan-brown to orange-brown, fine to medium SAND,
			:			trace to little SILT, trace fine to coarse GRAVEL, dry, no odor
	 	 				
	ļ					
		†				
		<u> </u>				
\vdash						
		 				
						I

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes:

6" thick concrete at grade

6" void beneath concrete

5 ft.

-- ft.

2 in.



1852 Bethpage, NY **Boring No.: 121B03** Sheet 1 of 1

Project Name: Plant 1 - By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Date Started: October 4, 2000

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: October 4, 2000 **Boring Completion Depth:** 9 ft. **Ground Surface Elevation:** -- ft.

2 in. **Boring Diameter:**


Soil Sample Rec. PiD (ppm) (Date \$	tarted:	Octobe	r 4, 2000)		Date Completed: October 4, 2000
Depth (fi.) Sample (fi.) Blows (Per 6") Rec. (ppm) PID (ppm) Lithology Description 5-9 1 GP - 27 0.0 0-27": Orange-brown, fine to coarse SAND, trace SILT, trace fine to			Soil S	ample		[
(ft.) No. Type (Per 6") (inches) (ppm) 5-9 1 GP - 27 0.0 0-27": Orange-brown, fine to coarse SAND, trace SILT, trace fine to	Depth	San			Rec.	PID	Lithology Description
		No.	Туре				
coarse GRAVEL, occasional concrete pieces, dry, no odor	5-9	1	GP		27	0.0	0-27": Orange-brown, fine to coarse SAND, trace SILT, trace fine to
					\		coarse GRAVEL, occasional concrete pieces, dry, no odor
		<u> </u>					
	1					_	
			<u> </u>				
			L		ļ		
						-	
	_						
]			
	}						

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes: 8" thick concrete at grade

No sample recovery from 1'-5' (sampler advanced by its own weight). Probehole open to 5' below grade



C A DIVIS	ION OF W	\bigcirc	Dvirland Barti CONSULTI COSULICH	ilucc Ing engi	NEFRS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site Ass	Boring No.: I21B05 Sheet 1 of 1 By: MR	
Driller Drill R	: W. Ro	owland hprobe	Emingto er 3, 2000			Geologist: Ken Wenz Drilling Method: Geo Drive Hammer Weigl Date Completed: Oc	probe ht: N/A	Boring Completion Depth: Ground Surface Elevation: Boring Diameter:	5 ft. ft. 2 in
D 41		Soil S		r _					•
Depth (ft.)	No.	nple Type	Blows (Per 6")	Rec. (inches)	PID (ppm)		Lithology L	Description	
1-5	1	GP		38	0.0	0-31": Brown SILT and	fine to medium SA	AND,	
<u> </u>						trace fine to m	nedium GRAVEL, d	ry, no odor	
						31"-38": Tan to orange	-brown, fine to coa	rse SAND, trace SILT,	
				<u> </u>		trace fine t	o coarse GRAVEL,	dry, no odor	
				! 					
					_				
		-							
Sample							Notes: 2" thick	concrete at grade	
			= Hand A HP = Hy			robe			



1852 Bethpage, NY **Boring No.:** 123B01

Project Name:

Plant 1 -

Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Date Started: October 18, 2000

Geologist: Mark Rauber **Drilling Method:** Geoprobe Drive Hammer Weight: N/A **Boring Completion Depth:** 5 ft. ft. **Ground Surface Elevation: Boring Diameter:**

Date Completed: October 18, 2000

2 in.

	tartoa.		1 10, 200			Date Completed. Codoca 10, 2000
	Soil Sample		PID			
Depth		nple	Blows			Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
1-3	1	GP		18	0.0	0-18": Light brown-orange, SAND and GRAVEL,
						slightly moist, no staining, no odors
3-5	2	GP	_	16	0.0	0-16": Light brown-orange, SAND and GRAVEL,
						slightly moist, no staining, no odors
			l			Giginay mood, no outling, no outlo
			<u></u>			
		-				
		 				
		ļ	ļ			
		 				
		<u> </u>				
	_					
		 	<u> </u>			
		ļ				
		<u> </u>				
		<u> </u>				
		<u> </u>				
		\vdash				
		<u> </u>				
		<u> </u>				
						
		ŀ			1	l

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring advanced through the bottom of a 1' deep concrete sump with a 5" thick concrete bottom in the basement of Pump Station "B".



1852 Bethpage, NY Boring No.: 126B01 Sheet 1 of 1

Project Name: Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland **Drill Rig:** Earthprobe

Date Started: September 22, 2000

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Boring Completion Depth: 5 ft. Ground Surface Elevation: -- ft. Boring Diameter: 2 in.

Date Completed: September 22, 2000

Date S	tarted:		nber 22, 2	2000		Date Completed: September 22, 2000
		Soil S				
Depth		Sample Blows Rec.		PID	Lithology Description	
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
1-3	1	GP		20	0.1	0-7": Tan to brown, fine to coarse SAND, trace SILT,
						trace fine to coarse GRAVEL, dry, no odors
						7"-20": Brown SILT, fine to medium SAND, dry, no odors
3-5	2	GP		20	0.0	0"-3": Brown SILT, fine to medium SAND, dry, no odors
						3"-20": Orange-brown, fine to coarse SAND, trace SILT,
						little fine to medium GRAVEL, dry, no odors
<u> </u>						
	<u> </u>					
				- 1		


Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes:

Boring conducted within 12" deep trench with a 4" thick concrete bottom



Notes: Boring conducted within 12" deep trench with a 6" thick concrete bottom

Sample Type:



Project No.: Project Location: Project Name: 1852 Bethpage, NY

Phase II Site Assessment

Boring No.: 128B01

Plant 1 -

Sheet 1 of 1

By: MR

A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C.

Drilling Contractor: Emington
Driller: W. Rowland
Drill Rig: Earthprobe

Date Started: September 28, 2000

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Boring Completion Depth: Ground Surface Elevation: Boring Diameter:

6 ft. -- ft. 2 in.

Date Completed: September 28, 2000


		Soil Sa	ample			
Depth	San	Sample		Rec.	PID	Lithology Description
(ft.)	No.	Type	(Per 6")	(inches)	(ppm)	
2-4	1	GP		20	0.0	0-8": Brown, fine to medium SAND, little SILT, dry, no odor
						8"-15": Brown SILT, little CLAY, trace fine to medium SAND, dry, no odor
						15"-20": Tan to orange-brown, fine to coarse SAND,
						trace SILT, trace fine to medium GRAVEL, dry, no odor
4-6	2	GP		22	0.0	0-22": Tan to orange-brown, fine to coarse SAND,
						trace SILT, trace fine to medium GRAVEL, dry, no odor
					-	

Sam			
Sam	nia	IV	DO.

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch


Notes:

Boring conducted adjacent to 2' deep pit 6" thick concrete beneath wood block floor



Sample Type: SS = Split Spoon HA = Hand Auger GP = Geoprobe

A DIVISI	ON OF W		Dvirland Barti CONSULTI COSULICH	luco ng engli	NEERS	Project No.: 1852 Boring No.: 130B02 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment
Driller: Drill Ri	: W. Ro ig: Earth	wland nprobe	Emingto			Geologist: Keith Robbins Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 19, 2000 Boring Completion Depth: 5 ft. Ground Surface Elevation: ft. Boring Diameter: 2 in.
		Soil Sa	ample			
Depth (ft.)	San No.	ple Type	Blows (Per 6")	Rec. (inches)	PID (ppm)	Lithology Description
1-3	1	GP		14	15	0-14": Brown-orange, coarse to medium SAND,
						some crushed subrounded fine GRAVEL, dry
3-5	2	GP		20	50	0-20": Brown, coarse to medium SAND,
						some crushed fine GRAVEL, poorly sorted, dry
					i 	
	**					
 						
 						
					-	
]				
Sample	Туре:		<u> </u>			Notes: concrete is 7" thick beneath wood block floor
SS = Sp	lit Spoo		= Hand A HP = Hy	uger Gl dropunci		probe





1852 Bethpage, NY **Boring No.:** 130B03S12 Sheet 1 of 1

Project Name:

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe Geologist: Mark Rauber Drilling Method: Geoprobe Drive Hammer Weight: N/A

10 ft. **Boring Completion Depth: Ground Surface Elevation:** - ft. **Boring Diameter:**

2 in.

	ig: ⊵art itarted:		ber 28, 2	000		Date Completed: December 28, 2000
		Soil S				
Depth	San	Sample Blows			PID	Lithology Description
(ft.)	No.	Туре		Rec. (inches)	(ppm)	
0-2	1	GP		18	0.0	0-12": Concrete dust and dark brown/black stained SILTY SAND and GRAVEL
						12"-18": Dark brown/black stained SILTY SAND and GRAVEL
2-4	2	GP		20	0.0	0-20": Light brown to orange SAND and GRAVEL, trace SILT, semi-dry, no odor
4-6	3	GP		24	0.0	0-24": Light brown to tan to orange SAND and GRAVEL, dry, no odors
6-8	4	GP		24	0.0	0-24": Light brown to tan to orange SAND and GRAVEL, dry, no odors
8-10	5	GP		24	0.0	0-24": Light brown to orange SAND and GRAVEL, dry, no odors
						<u>.</u>

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 3" thick concrete beneath wood block floor



Project No.: **Project Location: Project Name:**

1852 Bethpage, NY Boring No.: 130B03E12

Plant 1 -

Sheet 1 of 1

By: MR Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe Date Started: December 28, 2000

Geologist: Mark Rauber **Drilling Method:** Geoprobe Drive Hammer Weight: N/A Date Completed: December 28, 2000

10 ft. **Boring Completion Depth: Ground Surface Elevation:** -- ft. **Boring Diameter:**

2 in.

Date S	tarted:		ber 28, 2	000		Date Completed: December 28, 2000
		Soil S	ample			
Depth	San	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
0-2	1	GP	_	12	0.0	0-4": Concrete dust and dark SILTY SAND and GRAVEL
		ļ		_		4"-12": Dark brown SILTY SAND and GRAVEL, moist, no odor
2-4	2	GP	-	12	0.0	0-12": Brown to tan to orange SAND and GRAVEL, slightly moist, no odors
4-6	3	GP		24	0.0	0-14": Brown to tan to dark orange SAND and GRAVEL, no odors
		L				14"-24": Brown to tan slightly gray tinted SILTY CLAYEY material, no odors
6-8	4	GP		20	0.0	0-2": Brown to tan SILTY CLAYEY material, moist, no odors
				_		2"-20": Light brown to tan SAND and GRAVEL, dry, no odors
8-10	5	GP		20	0.0	0-20": Light brown to tan SAND and GRAVEL,
						little lenses of red tint, dry, no odors
						1
		ļ				
						1
				 		1
		<u> </u>	-		ļ	
		1	1		l	

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes:

3" thick concrete beneath wood block floor



1852 Bethpage, NY

Phase II Site Assessment

Boring No.: 130B03W12

Project Name:

Plant 1 -

Sheet 1 of 1 By: MR

Drilling Contractor: Emington

Driller: W. Rowland **Drill Rig:** Earthprobe

Geologist: Mark Rauber Drilling Method: Geoprobe Drive Hammer Weight: N/A Boring Completion Depth: 10 ft. Ground Surface Elevation: -- ft. Boring Diameter: 2 in.

Date Started: December 28, 2000 Date Completed: December 28, 2000

			DCI 20, 2	-		Date Completed. December 20, 2000		
1		Soil Sa						
Depth	Sar	nple	Blows	Rec.	PID	Lithology Description		
(ft.)	No.	Type	(Per 6")	(inches)	(ppm)			
0-2	i 1	GP		18	0.3	0-6": Concrete dust and rubble, trace SILT		
						6"-18": Dark brown SAND and GRAVEL, SILTY CLAYEY material, semi-moist		
2-4	2	GP		12	0.0	0-12": Brown to tan SAND and GRAVEL, dry, no odors		
4-6	3	GP		24	0.0	0-24": Light brown to tan SAND and GRAVEL, dry, no odors		
6-8	4	GP		24	0.0	0-24": Light brown to tan SAND and GRAVEL, dry, no odors		
8-10	5	GP		24	0.0	0-24": Light brown to tan SAND and GRAVEL, dry, no odors		
			j					
				-				
-								

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes:

3" thick concrete beneath wood block floor



1852 Bethpage, NY Boring No.: 130B04

Project Name:

Plant 1 -

Phase II Site Assessment

Sheet 1 of 1

By: MR

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe Geologist: Keith Robbins Drilling Method: Geoprobe Drive Hammer Weight: N/A

Date Completed: September 19, 2000

Boring Completion Depth: Ground Surface Elevation:

Boring Diameter:

5 ft. ft. 2 in.

Date Started: September 19, 2000

		Soil S	ample		_			
Depth	San	nple	Blows	Rec.	PID	Lithology Description		
(ft.)	No.	Type	(Per 6")	(inches)	(ppm)	<u> </u>		
1-3	1	GP		20	10-30	0-20": Brown coarse to medium SAND, some GRAVEL, dry, no odor		
3-5	2	GP	-	20	50-100	0-20": Brown to light orange, coarse to medium SAND,		
				some GRAVEL, poorty sorted, dry				


		_	 		
	_				
			 	_	
	-				


Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe


CC = Concrete Core HP = Hydropunch

concrete is 7" thick beneath wood block floor Notes: PID readings in borehole: 500-1000 ppm





A DIVISI	ON OF W		Dvirland Barti CONSULTI COSULICH	iluco	NEERS	Project No.: 1852 Boring No.: 130B07 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment	
Driller: Drill Ri	: W. Ro ig: Eart	wland hprobe	Emingto er 17, 200			Geologist: Keith Robins Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: October 17, 2000 Boring Completion Depth: 4 ff Ground Surface Elevation: - ft Boring Diameter: 2 in	
		Soil S	ample				
Depth (ft.)	San No.	nple Type	Blows (Per 6")	Rec. (inches)	PID (ppm)	Lithology Description	
0-2	1	GP	_	20	2.0	0-20": Dark brown, fine to coarse SAND, fine to medium GRAVEL,	
<u> </u>	,	OI .		20	2.0	trace organics, dry to damp	
2-4	2	GP		20	10.0	0-20": Brown to light orange, fine to coarse SAND, little fine GRAVEL,	
						trace brown SILT, damp	
]							1
						1	ļ
						<u></u>	ı
		-				1	ı
							İ
							ı
	***						ı
							ı
						1	ļ
							ı
							ı
							ı
							ı
							I
							١
							ļ
			-				
	-						ı
							ł
							ı
	T						
Sample	Type:					Notes:	1
		n HA=	Hand A	uger GE	e Geon		1





1852

Boring No.: 131B02

Project Name:

Bethpage, NY Plant 1 -

Sheet 1 of By: MR

Phase II Site Assessment

Drilling Contractor: Emington Driller: W. Rowland Drill Rig: Earthprobe

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A **Boring Completion Depth: Ground Surface Elevation: Boring Diameter:**

6 ft. -- ft. 2 in.

Date Started: September 18, 2000

Date Completed: September 18, 2000


Date S	tarted:		nber 18, 2	2000		Date Completed: September 18, 2000				
Soil Sample										
Depth		nple	Blows	Rec.	PID	Lithology Description				
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)					
2-4	1	GP		22	0.0	0-22": Brown to orange-brown, fine-coarse SAND, trace SILT, some				
						fine to medium GRAVEL, dry, no odor				
4-6	2	GP		18	0.1	0-18": Brown to orange-brown, fine-coarse SAND, trace SILT, some				
						fine to medium GRAVEL, dry, no odor				
		<u> </u>	_							
		<u> </u>								
		-								
		L								
				ļ						
				<u> </u>						
					-					
Ì										
										
1				1						
-										

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring conducted through bottom of 2' deep pit



SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 8" thick concrete at grade

Rain falling outside. Interior background PID readings of 3-4 ppm may be due to high humidity,



1852

Boring No.: 132B02

Bethpage, NY

Sheet 1 of 1

Project Name: Plant 1 - By: MR

Phase II Site Assessment

Drilling Contractor: Emington Driller: W. Rowland

Drill Rig: Earthprobe

Geologist: Keith Robbins Drilling Method: Geoprobe **Boring Completion Depth: Ground Surface Elevation:**

5 ft. -- ft.

Drive Hammer Weight: N/A

Boring Diameter:

2 in.

		nprobe Septen	nber 19, 2	2000		Date Completed: September 19, 2000
		Soil S				
Depth	Sar	npie	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")		(ppm)	
1-3	1	GP		15	5-10	0-15": Dark brown-orange, coarse to fine SAND,
						some SILT, fine GRAVEL, poorly sorted, dry
3-5	2	GP		24	3-5	0-12": Brown-tan SILT, trace to little fine to medium
						SAND, fine GRAVEL, trace CLAY, damp
						` `
		<u> </u>				
					_	
						,
I			Ì	ŀ		


Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 8" thick concrete at grade

Rain falling outside. Interior background PID readings of 3 ppm may be due to high humidity,





1852 Bethpage, NY Boring No.: 130B02S8 Sheet 1 of 1

Project Name:

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Date Started: December 20, 2000

Geologist: Mark Rauber
Drilling Method: Geoprobe
Drive Hammer Weight: N/A
Date Completed: December 20, 2000

Boring Completion Depth: 5 ft. Ground Surface Elevation: -- ft.

Boring Diameter:

2 in.

Date 5	tanea:		ber 20, 2	:000		Date Completed: December 20, 2000				
		Soil S	ample							
Depth	Sar	nple	Blows	Rec.	PID	Lithology Description				
(ft.)	No.	Туре		(inches)						
	i		(, 5, 5)							
1-3	1	GP		24	0.0	0-8": Concrete dust				
				l	İ	8"-16": Dark brown to black stained SAND and GRAVEL, dry, no odor				
				1						
		 	-	ļ		16"-24": Brown to tan SAND and GRAVEL, dry, no odor				
3-5	2	GP		18	0.0	0-18": Brown to tan SAND and GRAVEL, dry, no odor				
		-								
				i						
		ļ								
		 -								
				1						
l										
					-					
i			1							
				T						
			Ī							

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Sample Type:

Notes:

7" thick concrete beneath wood block floor



1852 Bethpage, NY Boring No.: I30B02E8 Sheet 1 of 1

Project Name: Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe Date Started: December 20, 2000 Geologist: Mark Rauber Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: December 20, 2000 Boring Completion Depth: 5 ft.
Ground Surface Elevation: -- ft.
Boring Diameter: 2 in.

		Soil S	ample			
Depth			Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
1-3	1	GP		12	0.0	0-6": Concrete dust
						6"-12": Brown to tan SANDY SILTY soil , no odor
3-5	2	GP		24	0.0	0-12": Brown to tan SANDY soil with a slight green tint, dry
		1				1

1-3	1	GP	-	12	0.0	0-6": Concrete dust
						6"-12": Brown to tan SANDY SILTY soil , no odor
3-5	2	GP		24	0.0	0-12": Brown to tan SANDY soil with a slight green tint, dry
						12"-24": Brown to tan SAND, trace GRAVEL, dry, no odor
_						
					-	
					 	
	 				ļ	
	<u> </u>			ł		
	<u> </u>		ļ			
	<u> </u>	ļ			<u> </u>	
	ļ			ļ		
					:	
						
				 		
-				 		
	ļ			ļ		
				ļ		
]		
1						
	_	 				
		<u> </u>				
				<u> </u>		
-		\vdash				
<u> </u>		 		-		
<u> </u>		<u> </u>				

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 7" thick concrete beneath wood block floor

1852 Bethpage, NY Plant 1 - Phase II Site As	Boring No.: I30B02W8 Sheet 1 of 1 By: MR sessment
	Bethpage, NY Plant 1 -

Drilling Contractor:EmingtonGeologist: Mark RauberBoring Completion Depth:5 ft.Driller:W. RowlandDrilling Method: GeoprobeGround Surface Elevation:-- ft.Drill Rig:EarthprobeDrive Hammer Weight: N/ABoring Diameter:2 in.

Soil Sample Box Rec. PiD (inches) Rec. PiD (inches) Rec. PiD (inches) Rec. PiD (inches) Rec. PiD (inches) Rec. PiD (inches) Rec. PiD (inches) Rec. PiD (inches) Rec. PiD (inches) Rec. PiD (inches) Rec. PiD (inches) Rec. PiD (inches) Rec. Rec. PiD (inches) Rec. Re	Date Started: December 20, 2000						Date Completed: December 20, 2000			
(ff.) No. Type (Per 6") (inches) (ppm) 1-3 1 GP 24 0.0 0-6": Light brown to tan to orange SAND and GRAVEL, dry, no odor 6"-24": Dark brown to tan SANDY soil with trace black staining, dry, no odor										
1-3 1 GP 24 0.0 0-6": Light brown to tan to orange SAND and GRAVEL, dry, no odor 6"-24": Dark brown to tan SANDY soil with trace black staining, dry, no odor							Lithology Description			
6"-24": Dark brown to tan SANDY soil with trace black staining, dry, no odor	(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)				
	1-3	1	GP		24	0.0	0-6": Light brown to tan to orange SAND and GRAVEL, dry, no odor			
3-5 2 GP - 24 0.0 0-24": Light brown to tan SAND and GRAVEL with a trace green tint, dry, no c							6"-24": Dark brown to tan SANDY soil with trace black staining, dry, no odor			
	3-5	_ 2	GP		24	0.0	0-24": Light brown to tan SAND and GRAVEL with a trace green tint, dry, no odo			
		-								

		~ .								
				-						

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes:

7" thick concrete beneath wood block floor

Project No.: 1852 Boring No.: 130B03N12 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 -By: MR CONSULTING ENGINEERS A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C. Phase II Site Assessment 10 ft. **Drilling Contractor:** Emington Geologist: Mark Rauber **Boring Completion Depth:** -- ft. **Drilling Method:** Geoprobe **Ground Surface Elevation:** Driller: W. Rowland **Boring Diameter:** 2 in. Drive Hammer Weight: N/A **Drill Rig: Earthprobe** Date Completed: December 28, 2000 Date Started: December 28, 2000 Soil Sample PID **Lithology Description** Depth Sample **Blows** Rec. (ft.) Type (Per 6") (inches) (ppm) GP 0-7": Slightly stained SAND and GRAVEL, SILT and concrete dust, moist, no odor 0-2 15 1.1 7"-15": Dark brown SAND and GRAVEL, dry, no odor GP 12 8.0 0-12": Light brown to tan to orange SAND and GRAVEL, dry, no odors 2-4 4-6 GΡ 24 1.3 0-24": Light brown to tan SAND and GRAVEL with a 6" layer of gray tinted SILTY 3 CLAY at bottom of sample interval, moist, no odors 6-8 4 GP 24 0.5 0-24": Light brown to tan SAND and GRAVEL with a 4" layer of gray tinted SILTY CLAY at top of sample interval, moist, no odors GP 24 0.0 0-24": Very light brown to tan to orange SAND and GRAVEL, dry, no odors 8-10 5

Sample Type: SS = Split Spoon HA = Hand Auger GP = Geoprobe Notes:

3" thick concrete beneath wood block floor

A DIVIS	SION OF W		Dvirk and Barti consulti cosulich	luco	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site As	Boring No.: I32B03 Sheet 1 of 1 By: MR sessment
Driller Drill F	r: W. Ro Rig: Earl	owland hprobe	Emingto			Geologist: Keith Rot Drilling Method: Geo Drive Hammer Weig Date Completed: Se	oprobe ht: N/A	Boring Completion Depth: 5 ft Ground Surface Elevation: - ft Boring Diameter: 2 in
	T	Soil S				•	<u> </u>	
Depth	Sar	nple	Blows	Rec.	PID		Lithology	Description
(ft.)	No.	Туре		(inches)	(ppm)			
1-3	1	GP		20	0.0	0-20": Dark brown-ora	nge fine to medium	n SAND little SILT
	<u> </u>	<u> </u>			-	1	RAVEL, well sorted,	
	_		 					
3-5	2	GP		20	0.0	0-10": Tan-brown SIL	· ·	
	<u> </u>					10"-20": Brown-orange	e, coarse to medium	n SAND and GRAVEL, dry
	<u> </u>							
								
<u> </u>	ļ							
Ĺ								
						1		
	 							
	 							
	<u> </u>							
<u> </u>								
L			Ī					
<u> </u>								
<u> </u>			<u> </u>					
]				
				-				

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes: 7" thick concrete at grade

Background PID = 0.0 ppm

A DIVISI	ON OF W		ONSULTI	Ka lucc ng engli associat	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site Ass	Boring No.: 132B04 Sheet 1 of 1 By: MR			
Driller Drill R	: W. Ro ig: Eart	wland hprobe	Emingto			Geologist: Keith Robbins Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 20, 2000 Boring Completion Depth: 5 Ground Surface Elevation: — Boring Diameter: 2 2					
Depth (ft.)	San No.	Soil Sanple	Blows	Rec.	PID (ppm)	Lithology Description					
1-3	1	GP		20	0.0	0-20": Dark brown-orange, medium SAND, some tan-brown SILT, damp					
3-5	2	GP		15	0.0	0-15": Orange-brown	SILT, some fine to r	medium SAND, fine GRAVEL, damp-di			
				_							
Samala	Type						Notes:				
Sample SS = Sp		n HA	= Hand A	uger Gl	o = Geo	orobe	MOLES:				

A DIVIS	ION OF W		CONSULT	Ka ilucc ING ENGII I ASSOCIAT	NEERS	Project No.: 1852 Boring No.: 133B01 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment	
Driller Drill R	: W. Ro ig: Eart	owland hprobe Septen	Emingto			Drilling Method: Geoprobe Ground Surface Elevation:	ft. ft. in.
41		Soil S		1 _			
Depth (ft.)	No.	nple Type	Blows (Per 6")	Rec. (inches)	PID (ppm)	Lithology Description	
1-3	1	GP		16	0.0	0-16": Brown to tan-brown, fine to medium SAND, trace SILT,	
	•	<u> </u>		10	0.0	little fine to medium GRAVEL, dry, no odor	
3-5	2	GP		15	00		_
3-3		GF		15	0.0	0-15": Brown to tan-brown, fine to medium SAND, trace SILT,	
						little fine to medium GRAVEL, dry, no odor	-
						-	
						4	
						4	
						4	
				"		1	
							ŀ
							ļ
						1	
					, .	-	
					-		I
						4	
						-	
						-	
						-	
				[
]	١
						1	
						1	١
\dashv			-			1	1
Sample	Type:					Notes: 6" thick concrete floor	ᅱ

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Drilling Driller Drill R	g Contr : W. Ro ig: Earti tarted:	actor: bwland hprobe	CONSULTI COSULICH Emingto	NG ENGIN ASSOCIATION	NEERS	Project No.: 1852 Boring No.: I34B01 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment Geologist: Ken Wenz Boring Completion Depth: 8 ft Drilling Method: Geoprobe Ground Surface Elevation: ft Drive Hammer Weight: N/A Boring Diameter: 2 in Date Completed: September 29, 2000 Lithology Description
4-6	1	GP		22	0.0	0-18": Brown, fine to medium SAND, trace SILT, trace fine GRAVEL, dry, no odo
						18"-22": Orange-brown, fine to coarse SAND,
						trace SILT, little fine to coarse GRAVEL, dry, no odors
6-8	2	GP		15	0.0	0-15": Orange-brown, fine to coarse SAND,
						trace SILT, little fine to coarse GRAVEL, dry, no odors
						1
						1
						1
						4
						1
				——-{	-	4
	T					In the same of the
Sample SS = Sp		n HA:	= Hand A	uger Gl	P = Geop	Notes: Boring conducted adjacent to a 4' deep pit oprobe



1852

Boring No.: 134B02 Sheet 1 of 1

Project Name:

Bethpage, NY Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Date Started: September 29, 2000

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 29, 2000 **Boring Completion Depth:** 6 ft. **Ground Surface Elevation:** -- ft.

Boring Diameter:

2 in.

	Soil Sa	ample			 · · · · · · · · · · · · · · · · · · ·
Depth	Sample	Blows	Rec.	PID	Lithology

		Soil Sa				
Depth	San	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
2-4	1	GP		20	0.0	0-16": Brown SILT, trace fine to medium SAND, dry, no odor
4-6	2	GP		22	0.0	0-2": Brown SILT, trace fine to medium SAND, dry, no odor 2"-22": Tan to orange-brown, fine to coarse SAND, trace SILT, trace fine to coarse GRAVEL


		·	

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch


Boring conducted adjacent (1' east) to Notes:

2' deep pit



A DIVISI	ION OF W		CONSULT	Ka Iluccing Engli	NEERS	Project No.: 1852 Boring No.: 135B02 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment	
Driller Drill R	: W. Ro ig: Eart	owland hprobe	Emingtonber 29, 2			Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 29, 2000 Boring Completion Depth: Ground Surface Elevation: Boring Diameter:	5 ft. ft. 2 in.
		Soil S	ample				
Depth		nple	Blows	Rec.	PID	Lithology Description	
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)		
1-3	1	GP		16	0.0	0-16": Brown, fine to coarse SAND, trace SILT,	
						little fine to medium GRAVEL, dry, no odor	
3-5	2	GP		18	0.0	0-18": Brown, fine to coarse SAND, trace SILT,	
0-0		Gi		10	0.0	¬	
						little fine to medium GRAVEL, dry, no odor	
						_	
						-	
						-	
						4	
						7	
						1	
					_	†	
						4	
I							
							i
						-	
						4	l
						,	ļ
						1	İ
						1	į
						-	
						-	
			Ī	Ī]		
						1	
Sample	Type:	<u></u>	1	1		Notes: 6" thick concrete at grade	

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch



Driller: W. Rowland Drilling Method: Geoprobe Ground Surface Elevation:	A DIVISI	ION OF W		Dvirland Barti COSULICH	lucc NG ENGII	NEERS	Project No.: 1852 Boring No.: I36B02 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment			
Depth (ft.) Sample (Per 6") (inches) (ppm) 1-3 1 GP 24 0.0 0-16": Tan-brown, fine to coarse SAND, trace SILT, little fine to coarse GRAVEL, dry, no odors 1-3 2 GP 24 0.1 0-12": Brown SILT, little to some fine to medium SAND, dry, no odor 3-5 2 GP 24 0.1 0-12": Brown SILT, little to some fine to medium SAND, dry, no odor 12"-24": Tan to orange-brown, fine to coarse SAND, trace SILT,	Driller: Drill R	: W. Ro ig: Eart	wland hprobe	-			Drilling Method: Geoprobe Ground Surface Elevation: - ft. Drive Hammer Weight: N/A Boring Diameter: 2 in.			
1-3 1 GP 24 0.0 0-16": Tan-brown, fine to coarse SAND, trace SILT, little fine to coarse GRAVEL, dry, no odors 16"-24": Brown SILT, little to some fine to medium SAND, dry, no odor 3-5 2 GP 24 0.1 0-12": Brown SILT, little to some fine to medium SAND, dry, no odor 12"-24": Tan to orange-brown, fine to coarse SAND, trace SILT,			nple	Blows			Lithology Description			
3-5 2 GP 24 0.1 0-12": Brown SILT, little to some fine to medium SAND, dry, no odor 12"-24": Tan to orange-brown, fine to coarse SAND, trace SILT,	1-3	1								
12"-24": Tan to orange-brown, fine to coarse SAND, trace SILT,							16"-24": Brown SILT, little to some fine to medium SAND, dry, no odor			
	3-5	2	GP		24	0.1	0-12": Brown SILT, little to some fine to medium SAND, dry, no odor			
							12"-24": Tan to orange-brown, fine to coarse SAND, trace SILT,			
							<u> </u>			
Sample Type: Notes: 6" thick concrete at grade										

A DIVISI	ON OF WI		ONSULTI	(a lucc ng engin associati	NEERS	Project No.: 1852 Boring No.: 137B01 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment					
Driller: Drill Ri	: W. Ro ig: Earth	wtand nprobe	Emingto			Geologist: Keith Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 27, 2000 Boring Completion Depth: Ground Surface Elevation: Boring Diameter:					
Depth	San		Blows (Per 6")	Rec.	PID	Lithology Description					
(ft.)	No.	Туре			(ppm)	0-4": Brown, fine to coarse SAND, trace SILT, trace fine GRAVEL, dry, no odor					
1-3	1	GP		22	0.0	1					
						4"-12": Brown, fine to					
						1	medium GRAVEL,				
						12"-22": Orange-brow					
						trace fine to	medium GRAVEL,	dry, no odor			
3-5	2	GP		18	0.0	0-6": Brown SILT and	fine to medium SA	NND, dry, no odor			
			<u> </u>			6"-18": Orange-browr	n, fine to coarse SAI	ND, trace SILT,			
						some fine to	o medium GRAVEL	, dry, no odor			
]					
]					
]					
						1					
						1					
						1					
						1					
	-					1					
						1					
				-		1					
						1					
	-					4					
						Á					
				<u> </u>		4					
						4					
						1					
						7					

SS = Split Spoon HA = Hand Auger GP = Geoprobe

A DIVISI	ON OF W		ONSULTI	CA LUCC NG ENGII ASSOCIAT	NEERS	Project No.: 1852 Boring No.: 137B02 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment
Driller: Drill Ri	W. Ro	wland hprobe	Emingto			Geologist: Keith Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 27, 2000 Boring Completion Depth: 5 ft. Ground Surface Elevation: ft. Boring Diameter: 2 in.
		Soil S	ample			
Depth	San	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
1-3	1	GP		24	0.0	0-19": Orange-brown, fine to coarse SAND, trace SILT,
						_
						trace fine to medium GRAVEL, dry, no odor
						19"-24": Brown SILT, trace fine to medium SAND, dry, no odors
3-5	2	GP		19	0.0	0-19": Brown SILT, trace fine to medium SAND, dry, no odors
						
Sample			- Uand A	unas CE	C	Notes: 6" thick concrete below tile floor

A DIVISI	ON OF W		ONSULTI	CA LUCC NG ENGIR ASSOCIAT	NEERS	Project No.: 1852 Boring No.: 138B01 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment
Driller: Drill R	: W. Ro	wland hprobe	Emingto			Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 26, 2000 Boring Completion Depth: 5 ft Ground Surface Elevation: — ft Boring Diameter: 2 in
Depth (ft.)	San No.	Soil Sa nple Type	Blows (Per 6")	Rec. (inches)	PID (ppm)	Lithology Description
1-3	1_	GP		20	0.0	0-20": Brown SILT and fine to medium SAND to fine GRAVEL, dry, no odors
3-5	2	GP		24	0.0	0-6": Brown SILT and fine to medium SAND to fine GRAVEL, dry, no odors 6"-24": Orange-brown, fine to coarse SAND, trace SILT,
						little fine to medium GRAVEL, dry, no odors
	-					
Sample				uger Gl		Notes: 6" thick concrete at grade

A DIVIS	SION OF W	\bigcup_{i}	Dvirland Bart CONSULT COSULICH	iluco	NEERS	Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site Ass	Boring No.: I38B02 Sheet 1 of 1 By: MR essment			
Drille Drill F	r: W.Re Rig: Ear	owland thprobe	Emington			Drive Hammer Weight	Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 26, 2000 Boring Completion Depth: Ground Surface Elevation: Boring Diameter:				
Depth (ft.)	Sai No.	Soil S mple Type	Blows (Per 6")	Rec.	PID (ppm)		Lithology Description				
1-3	1	GP	(r er o)	18	0.0	0-5": Brown SILT and fin	ne to medium SAN	ID dry no odors			
		"-			1	1		AND, trace fine GRAVEL, dry, no odors			
					†	13"-18": Orange-brown,		•			
					 	1	coarse GRAVEL,				
3-5	2	GP		20	0.0	0-5": Orange-brown, fine					
							se GRAVEL, dry,				
							_	to medium SAND, dry, no odors			
				i							
!											
_											
_											
·											


SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

	ON OF W		ONSULTI	LUCC NG ENGIN ASSOCIATI	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site Ass	Boring No.: 139B01 Sheet 1 of 1 By: MR sessment			
Driller: Drill Ri	W. Ro	wland hprobe Septerr	Emingto			Geologist: Keith Rol Drilling Method: Ge Drive Hammer Weig Date Completed: Se	oprobe ht: N/A	Ground Surface Elevation:	5 ft. ft. 2 in		
Depth (ft.)	San No.	Soil Sanple Type	Blows	Rec. (inches)	PID (ppm)		Lithology Description				
1-3	1	GP		20	0.0	0-20°: Brown-tan, fine	SAND and SILT, tr	race fine GRAVEL, damp to dry			
3-5	2	GP	-	15	5.0	0-15": Tan, medium to	coarse SAND, sor	me fine GRAVEL, poorly sorted, dry			
								·			
			_								
	-										
	-										
		_									
				-							
					-						

A DIVIS	ION OF W		Dvirland Barti Consulti	luco Ing engli	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site Ass	Boring No.: 39B02 Sheet 1 of 1 By: MR sessment
Driller Drill R	: W. Ro	wland hprobe Septen	Emingto			Geologist: Keith Rob Drilling Method: Geo Drive Hammer Weigl Date Completed: Se	probe ht: N/A	Boring Completion Depth: 5 ft Ground Surface Elevation: ft Boring Diameter: 2 in
Depth (ft.)	San No.	Soil Sanple Type	Blows (Per 6")	Rec.	PID (ppm)		Lithology [Description
1-3	1	GP		13		0-13": Brown-orange, f	ine SAND, some S	SILT, fine crushed GRAVEL, dry
3-5	2	GP		20	5-10	0-20": Light brown-tan,		SAND, some fine ES, dry, poorly sorted
						- Subrounded C	100071142	20, ary, poorly on oc

Sample Type: Notes: 12" thick concrete at grade

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch



SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 8" thick concrete at grade with an 8" thick layer of dirt/fill beneath then another 8" thick layer of concrete (i.e., an 8" deep backfilled pit)



1852

Boring No.: 140B03

Project Name:

Bethpage, NY Plant 1 -

By: MR

Sheet 1 of 1

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Date Started: September 20, 2000

Geologist: Keith Robbins Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 20, 2000 **Boring Completion Depth:** 5 ft. **Ground Surface Elevation:** -- ft. **Boring Diameter:**


2 in.

Depth (ft.)		Soil S	ample		<u> </u>			
	Sample		Blows	Rec.	PID	Lithology Description		
	No.	Type	(Per 6")	(inches)	(ppm)	·		
1-3	_1	GP		20	0.0	0-20": Dark brown-light orange, coarse to fine SAND, some subrounded		
						fine GRAVEL, trace dark brown SILT (<6" thick), dry to damp		
3-5	2	GP			0.0	Dark brown-orange, coarse to fine SAND, some		
						subrounded GRAVEL, trace grayish SILT		
		l						


					subrounded GRAVEL, trace grayish SILT
<u> </u>					
<u> </u>	<u> </u>				
ļ. <u>. </u>					
					
				-	
			·		

Sample Type:		
SS = Split Spoon HA	= Hand Auger	GP = Geoprobe
CC = Concrete Core	HP = Hydropu	ınch

Notes: approx. 12" thick concrete at grade



A DIVISI	ON OF W		Dvirland Barti CONSULTI COSULICH	luco	NEERS	Project No.: 1852 Boring No.: I40B05 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment
Driller: Drill Ri	W. Ro	wland probe	Emingto			Geologist: Keith Robbins Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 20, 2000 Boring Completion Depth: 5 ft. Ground Surface Elevation: - ft. Boring Diameter: 2 in.
		Soil Sa	ample			
Depth (ft.)	San No.	ple Type	Blows (Per 6")	Rec. (inches)	PID (ppm)	Lithology Description
1-3	1	GP		20	0.0	12"-24": Dark brown, fine to coarse SAND, trace SILT
						24"-36": Brown-light brown, coarse to medium SAND,
						some fine subounded GRAVEL, dry
3-5	2	GP		24	0.0	0-24": Brown-light orange, medium to coarse SAND, trace to
						little fine angular GRAVEL, trace FINES, well sorted, dry
Sample SS = Spl CC = Co	lit Spoor					Notes:



	Soil Sample					
Depth	San	Sample Blows			PID	Lithology Description
(ft.)	No.	Туре	(Per 6*)	Rec. (inches)	(ppm)	
1-3	1	GP		20	0.0	0-20": Dark brown-orange, silty SAND, moist, trace coal black fragment
1-3	-	Gr		20	-0.0	
						FILL, some subrounded GRAVEL, trace clay, slightly cohesive
3-5	2	GP		22	0.0	0-22": Tan, coarse to medium SAND and angular fine GRAVEL,
						trace fine SANDS, poorly sorted, loose, dry
\dashv						
	-					
\neg				· - -		
<u> </u>	-					
•						
 -		<u> </u>				
					_	
Ţ						
\longrightarrow						
$\neg \uparrow$						
\rightarrow						
					-	
				J		

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe


CC = Concrete Core HP = Hydropunch

Notes: approx. 5" to 7" thick concrete at grade


5 ft.

2 in.

ft.



SS = Split Spoon HA = Hand Auger GP = Geoprobe





CONSULTING ENGINEERS
A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C.

Project No.: **Project Location:** 1852

Boring No.: 141B03

Project Name:

Bethpage, NY Plant 1 -

Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Date Started: October 13, 2000

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: October 13, 2000

Ground Surface Elevation:

Boring Completion Depth: 5 ft. -- ft.

2 in. **Boring Diameter:**

	Soil Sample]	
Depth		ample Blows Rec.		PID	Lithology Description	
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
1-3	1	GP		18	0.0	0-18": Brown, SILT and fine to coarse SAND, trace
						fine to coarse GRAVEL, dry, no odor
4-5	2	GP		4	0.0	0-2": Brown, SILT and fine to coarse SAND, trace
		-				fine to coarse GRAVEL, dry, no odor
						2"-3": Brown, SILT and fine to medium SAND, moist, no odor
						3"-4": Creosoted wood

			*			
	-					•
						•

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Void noted during probing from 3'-4' below grade. Three attempts with refusals noted at 5' below grade.

									
C		\sim 6	Dvirk and Barti	ka Iucc	; i	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 -	Boring No.: I41B04 Sheet 1 of 1 By: MR	
		c	ONSULTI	NG ENGI	NEERS	Project Name:	Phase II Site As	•	
A DIVISI	ON OF W	LLIAM F.	COSULICH	ASSOCIAT	ES, P.C.		Phase II Site As	sessment	
Driller Drill R	: W. Ro ig: Eartl	wland hprobe	Emingto r 13, 200			Geologist: Ken Wen Drilling Method: Ge Drive Hammer Weig Date Completed: Od	oprobe jht: N/A	Boring Completion Depth: Ground Surface Elevation: Boring Diameter:	5 ft. ft. 2 in.
		Soil Sa							
Depth		nple	Blows	Rec.	PID		Lithology	Description	
(ft.)	No.	Туре		(inches)	(ppm)				
				<u> </u>				0	
1-3	1	GP		24	0.0	0-4": Brown, fine to m	edium SAND, trace	SIL1, dry, no odor	1
				,		4"-11": Brown, SILT, t	race fine SAND, dr	y, no odor	1
						11"-24": Tan to orang	e-brown fine to cos	arse SAND, trace SILT,	
				-		1			
						little fine to	medium GAVEL,	ary, no odor	
3-5	2	GP		24	0.0	0-24": Tan to orange-	brown, fine to coars	se SAND, trace SILT,	
						little fine to	medium GAVEL, o	dry, no odor	l
								<u> </u>	
		-		 					
									- 1
									1
									1
									ſ
									i
							•		
				 					
									J
									ł
						•			
						•			
				_					
				-					ļ
				 					
									l
				-					
									Ì
									l
Sample	Tymas						Notes: 5" thic	ck concrete at grade	—
		n HA:	= Hand A	Auger Gl	P = Geoi	orobe		~ ~ mote at grade	

CC = Concrete Core HP = Hydropunch

A DIVIS	ION OF W		Dvirland Barti COSULICH	ilucc	NEERS	Project No.: 1852 Boring No.: I41B05 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment
Driller Drill R	: W. Ro	wland hprobe	Emingto		-	Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: October 13, 2000 Boring Completion Depth: 5 ft. Ground Surface Elevation: ft. Boring Diameter: 2 in
Depth (ft.)	San No.	Soil Sanple	Blows	Rec.	PID (ppm)	Lithology Description
1-3	1	GP		24	0.0	0-24": Brown, SILT, little fine to medium SAND,
<u> </u>						occasional fine to medium GRAVEL, dry, no odor
3-5	2	GP		16	0.0	0-9": Brown, SILT, little fine to medium SAND,
						occasional fine to medium GRAVEL, dry, no odor
<u> </u>						9"-16": Brown, SILT and fine SAND, dry, no odor
	[i					
						,
				_		
						
		 -				
					-	
						
					MFUNEL.	
	lit Spoo		= Hand A HP = Hy			Notes: 6" thick concrete at grade probe



1852 Bethpage, NY Boring No.: 142B01 Sheet 1 of

Plant 1 -Project Name:

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Geologist: Mark Rauber **Drilling Method:** Geoprobe Drive Hammer Weight: N/A

10 ft. **Boring Completion Depth:** -- ft. **Ground Surface Elevation:** 2 in. **Boring Diameter:**

	ig: Eartl tarted:		r 19, 200	0		Date Completed: October 19, 2000
	Soil Sample					
Depth	San	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре		(inches)		
						0-24": Light brown-tan-orange, SAND and GRAVEL, no odors
8-10	1_	GP		24	0.0	10-24": Light brown-tan-orange, SAND and GRAVEL, NO odors
	-					
_			<u> </u>	-		1
						-
]
		ļ	 		ļ	
				L		
		1				
		_	<u> </u>			1
			<u> </u>	<u> </u>		4
				<u>L</u>		
		 			-	
		<u> </u>	<u> </u>	ļ		
						1
			<u> </u>	-		-
					ŀ	
						1
	<u> </u>	-	 -			4
	l	1				
		 		 	 	1
		<u> </u>			L	4
]
		 	 	 	 —	1
						1
	 		 	 	├	1
		<u> </u>		ļ		
	 	\vdash				1
				 		4
		<u> </u>		<u> </u>		
-		\vdash	 	 		1
		L	ļ	ļ	 	4
		1				
		+	+	 	 	1

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

4" thick concrete beneath wood block floor. Notes: Boring advanced manually to target beneath former dry well. Refusal encountered at 10' below grade.



1852

Boring No.: I43B01 Sheet 1 of 1

Boring Diameter:

Project Name:

Bethpage, NY Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland
Drill Rig: Earthprobe
Date Started: October 20, 2000

Geologist: Mark Rauber **Drilling Method:** Geoprobe **Drive Hammer Weight:** N/A

Boring Completion Depth: Ground Surface Elevation:

Date Completed: October 20, 2000

16 ft. -- ft. 2 in.

Date S	tarted:	Octobe	er 20, 200	10		Date Completed: October 20, 2000		
	Soil Sample				Ī			
Depth		nple	Blows	Rec.	PID	Lithology Description		
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)			
8-10	1	GP		12	0.0	0-7": Dark brown/black SILTY stained SAND and GRAVEL		
						7"-12": Dark brown/tan SAND and GRAVEL, moist, no odor		
10-12	2	GP	<u></u>	6	0.0	0-6": Dark brown/tan SAND and GRAVEL, moist, no odor		
12-14	3	GP		ea-	0.0	Dark brown/black stained SAND and GRAVEL, no odor		
14-16	4	GP		18	0.0	0-9": Dark brown stained SAND and GRAVEL		
						9"-18": Brown/tan SAND and GRAVEL		
			`					
						,		

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Sample Type:

Notes:

backfilled to grade.

Boring conducted to target a former dry well



1852

Plant 1 -

Boring No.: 143B01A

Project Name:

Bethpage, NY

Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe Date Started: December 28, 2000 Geologist: Mark Rauber **Drilling Method:** Geoprobe Drive Hammer Weight: N/A

Boring Completion Depth: 14 ft. **Ground Surface Elevation: Boring Diameter**

Date Completed: December 28, 2000

er:	2	in.

Date S	tarted:		ber 28, 2	000		Date Completed: December 28, 2000			
	Soil Sample								
Depth	San	nple	Blows	Rec.	Rec. PID Lithology Description				
(ft.)	No.	Туре	(Per 6")		(ppm)	,			
10-12	1	GP		6	3.2	0-6": Dark brown with black stained SILTY moist SAND and GRAVEL, no odor			
12-14	2	GP		6	2.8	0-6": Dark brown SAND and GRAVEL, moist, no odor			
						-			
					_				

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring conducted to target a former dry well backfilled to grade. Refer to soil boring I43B01 for other samples (8'-14' continuous) collected at this location.



Project No.: **Project Location: Project Name:**

1852

Boring No.: 143B02

Bethpage, NY

Sheet 1 of 1

Plant 1 -

By: MR Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Date Started: October 20, 2000

Geologist: Mark Rauber Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: October 20, 2000

Boring Completion Depth: 15 ft. **Ground Surface Elevation:** - ft.

Boring Diameter: 2 in.

	Soil Sample Sample Blows Rec.					
Depth			Blows	Rec.	PID	Lithology Description
(ft.)	No.	Type	(Per 6")	(inches)	(ppm)	
11-13	1	GP		18	0.5	0-6": Dark brown/black stined SILTY sludge, wet
-						6"-18": Dark brown/tan SAND and GRAVEL, moist, slight stained black
13-15	2	_GP		15	12.0	0-15": Black SILTY/CLAYEY sludge, moist, petroleum odor

	+	† 		1		
13-15	2	GP		15	12.0	0-15": Black SILTY/CLAYEY sludge, moist, petroleum odor
]
	+	 	 	†	 	
-	 		ļ	<u> </u>	<u> </u>	
<u></u>				<u> </u>		
	†	 	—		<u> </u>	†
	 	 			<u> </u>	
1						
					-	1
	 	 		 		
	 	 			ļ	
-	†					
	 			ļi		
	 _ 			l		
L						
—	 	$\vdash \vdash \vdash$		 		
<u> </u>	_					
				<u> </u>		
						1
						1
	 	-				•
	 	igspace				
]	
	 	 				
		لا				
L	L -	7				
 	 	 				
<u> </u>		<u> </u>				
L						
	 	 	\longrightarrow			
Samuel	<u></u>					

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring conducted to target a former dry well backfilled to grade. Void encountered from approx. 8' to 11' below grade. Refusal encountered at 15' below grade.



1852 Bethpage, NY Boring No.: I43B02A Sheet 1 of 1

Project Name:

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe Geologist: Mark Rauber Drilling Method: Geoprobe Drive Hammer Weight: N/A

Boring Completion Depth: 21 ft. Ground Surface Elevation: - ft. Boring Dlameter: 2 in.

Date Started: December 27, 2000 Date Completed: December 27, 2000

1	Soil Sample			Date Completed. December 21, 2000		
Depth	S 4 5	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	Filliology Dascribtion
			(10.07		_	
15-17	1	GP		14_	2.0	0-14": Brown to tan SAND and GRAVEL, moist, no odor
17-19	2	GP		24	1.7	0-24": Brown to tan SAND and GRAVEL, slightly moist, no odor
19-21	3	GP		24	0.0	0-24": Light brown to tan SAND and GRAVEL, no odor
				_		
					-	,

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring conducted to target a former dry well backfilled to grade. Refer to soil boring I43B02 for shallow samples (11'-13' and 13'-15') collected at this location.

Dvirka and Bartilucci CONSULTING ENGINEERS A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C. Project No.: 1852 Boring No.: E43B022 Bethpage, NY Sheet 1 of Plant 1 - By: MR Phase II Site Assessment	
Drilling Contractor: Emington Driller: W. Rowland Drill Rig: Earthprobe Date Started: October 12, 2000 Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: October 12, 2000 Ground Surface Eleva Boring Diameter: Date Completed: October 12, 2000	
Soil Sample	
Depth Sample Blows Rec. PID Lithology Description	
6-10 1 GP 46 0.0 0-6": Orange-brown, fine to medium SAND, trace SILT, dry, no odd	Г
6"-10": Brown, SILT, little fine to medium SAND, trace fine to	
medium GRAVEL, dry no odor, occasional asphalt piece	3
10"-46": Tan to orange-brown, fine to coarse SAND, trace SILT,	
little fine to coarse GRAVEL, dry, no odor	
10-14 2 GP 38 0.0 0-38": Tan to orange-brown, fine to coarse SAND, trace SILT,	
little fine to coarse GRAVEL, dry, no odor	
14-16 3 GP 20 0.0 0-20": Tan to orange-brown, fine to coarse SAND, trace SILT,	
little fine to coarse GRAVEL, dry, no odor	

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch



1852

Boring No.: I44B01

Project Name:

Bethpage, NY Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe Geologist: Mark Rauber Drilling Method: Geoprobe Drive Hammer Weight: N/A Boring Completion Depth:
Ground Surface Elevation:

Sheet 1 of 1

8 ft. -- ft.

Date Started: October 20, 2000

Date Completed: October 20, 2000

Ground Surface Elevation:		π.	l
Boring Diameter:	2	in.	l

						Date Completed: October 20, 2000
	Soil Sample					
Depth	Saп		Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре		(inches)	(ppm)	,
4-6	1	GP		18	0.0	0-24": Light brown-tan-orange, SAND and GRAVEL, no odors
6-8	2	GP	_	16	0.0	0-24": Light brown-tan-orange, SAND and GRAVEL, no odors
	_					
,						
	-					
-						
Comple	T				L	Notes: Roring advanced through the hottom of a


Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch


Notes: Boring advanced through the bottom of a 2'-3" deep backfilled concrete pit with a 9" thick concrete bottom and a 5" thick concrete floor slab at grade

A DIVIS	ION OF W	\bigcirc	Dvirland Barti CONSULTI COSULICH	ilucc	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site As:	Boring No.: I45B01 Sheet 1 of 1 By: MR sessment	
Driller Drill R	: W. Ro	wland hprobe	Emingto er 16, 200			Geologist: Mark Rat Drilling Method: Ge Drive Hammer Weig Date Completed: Od	oprobe jht: N/A	Ground Surface Elevation:	ft. ft. in.
Depth (ft.)	·				PID (ppm)		Lithology !	Description	
0-2	1	GP		24	0.0	0-24": Brown to tan S.	ANDY SOIL with GI	RAVEL	
2-4	2	GP		18	1.2	0-18": Brown to tan S	ANDY SOIL with GI	RAVEL	
				-					
Sample SS = Sp CC = Co	lit Spoor	n HA = Core I	= Hand A HP = Hy	uger GF dropunch	P = Geop	robe	Notes: 5" thick	k concrete at grade	



A DIVISI	ON OF W		Dvirland Barti Consulti Cosulich	iluco	NEERS	Project No.: 1852 Boring No.: I47B01 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment	
Driller: Drill Ri	W. Ro	owland hprobe Octobe	Emingto			Drilling Method: Geoprobe Ground Surface Elevation:	4 ft. – ft. 2 in.
Depth (ft.)	San No.	Soil Sanple Type	Blows (Per 6")	Rec.	PID (ppm)	Lithology Description	
0-2	1	GP		18	1.5	0-18": Brown to tan, SAND and GRAVEL	
2-4	2	GP		24	0.0	0-24": Light brown to tan, fine SAND wih GRAVEL	
						,	
		!					
		-					
			-				
Sample SS = Sp		n HA=	= Hand A	uaer GF	e Geor	Notes: 6" thick concrete at grade	

CC = Concrete Core HP = Hydropunch





Project No.: **Project Location: Project Name:**

Geologist: Keith Robins

1852 Bethpage, NY Boring No.: E01B01

Plant 1 -

Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Drilling Method: Geoprobe **Drive Hammer Weight: N/A** **Boring Completion Depth: Ground Surface Elevation:**

-- ft. **Boring Diameter:** 2 in.

22 ft.

Date Started: October 17, 2000 Date Completed: October 17, 2000

Date	iai leu.	OCIODE	17,200)U		Date Completed: October 17, 2000		
Depth	Sai	mple	Blows	Rec.	PID (ppm)	Lithology Description		
(ft.)	No.	Туре	(Per 6")	(inches)				
12-14	1_	GP		24	0.0	0-12": Brown-orange coarse to medium SAND and fine to medium GRAVEL		
						12"-24": Tan fine to medium well sorted SAND, damp		
14-16	2	GP		20	0.0	0-20": Light brown-tan coarse to medium SAND, little GRAVEL, dry		
16-18	2	GP		20	0.0	0-20": Brown-light orange coarse SAND and fine to coarse		
		<u> </u>				subrounded-subangular GRAVEL, damp		
18-20	3	GP		24	0.0	0-6": Brown-orange coarse to medium SAND, little fine GRAVEL		
		<u> </u>				6"-12": Dark brown fine to coarse SAND, trace to little GRAVEL		
						12"-15": Brown-orange gravelly coarse SAND		
						15"-24": Tan fine SAND, trace fine GRAVEL		
20-22	3	GP		20	0.0	0-20": Brown-tan coarse to medium SAND, little		
						coarse to fine GRAVEL, damp-dry		
		1		1				

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes: Boring conducted to target backfilled former leaching pool.



1852

Boring No.: E01B02

Project Name:

Bethpage, NY Plant 1 -

Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe Geologist: Ken Wenz **Drilling Method:** Geoprobe Drive Hammer Weight: N/A

Date Completed: October 9, 2000

Boring Completion Depth: 22 ft. **Ground Surface Elevation: Boring Diameter:**

- ft. 2 in.

Date Started: October 9, 2000

		Soil S	ample				
Depth	Sar	nple	Blows	Rec.	PID	Lithology Description	
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)		
12-16	1	GP		46	0.0	0-15": Orange-brown, fine to medium SAND, little SILT,	
		<u> </u>				0-9" moist, 9"-15" wet, no odor	
						15"-18": Back SILT and CLAY, moist, no odor	
						18"-46": Tan to orange-brown, fine to coarse SAND, trace SILT,	
					·	trace fine to coarse GRAVEL	
16-20	2	GP		30	0.0	0-30*: Tan to orange-brown, fine to coarse SAND, trace SILT,	
						trace fine to coarse GRAVEL	
20-22	3	GP	-	23	0.0	0-23": Tan to orange-brown, fine to coarse SAND, trace SILT,	
						trace fine to coarse GRAVEL	
							-
		 				1	

		.=	

Sample Type: SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Boring conducted within backfilled former leaching pool which was "open' to 4.5' below grade



1852 Bethpage, NY Boring No.: E01B03 Sheet 1 of 1

Project Name:

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A **Boring Completion Depth: Ground Surface Elevation:**

Boring Diameter:

-- ft. 2 in.

22 ft.

Date Started: October 9, 2000 Date Completed: October 9, 2000

Date S	started:	Octobe	r 9, 2000)		Date Completed: October 9, 2000
		Soil S	ample			
Depth	Sai	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Type		(inches)	(ppm)	
12-16	1	GP		43	0.0	0-4": Gray-brown SILT and fine to medium SAND, wet, no odor
	<u> </u>			ļ		4"-43": Tan-brown, fine to coarse SAND, trace SILT,
			<u> </u>			occasional fine to coarse GRAVEL, moist, no odor
16-20	2	GP		41	0.0	0-41": Tan-brown, fine SAND, trace SILT, occasional
		ļ		ļ		fine to coarse GRAVEL, moist, no odor
20-22	3	GP		22	0.0	0-22": Tan-brown, fine SAND, trace SILT, occasional
		ļ				fine to coarse GRAVEL, moist, no odor
					-	
						,

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes: Boring conducted within backfilled former leaching pool which was "open' to 3' below grade



1852 Bethpage, NY Boring No.: E01B04 Sheet 1 of 1

Project Name:

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland
Drill Rig: Earthprobe
Date Started: October 9, 2000

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Boring Completion Depth: 22 ft. Ground Surface Elevation: -- ft. Roring Diameter: 2 in

Date Completed: October 9, 2000

Boring Diameter:	2	in.

Date S	tarted:	Octobe	r 9, 2000			Date Completed: October 9, 2000		
	Soil Sample							
Depth	Sample Blows Rec.				PID	Lithology Description		
(ft.)	No.	Туре	(Per 6*)	(inches)	(ppm)			
12-16	1	GP		48	0.2	0-9": Orange-brown SILT and fine to medium SAND, dry, no odor		
	<u>.</u>				_	9"-15": Black SILT and CLAY, trace fine to medium SAND, dry, no odor		
						15"-48": Brown, fine to coarse SAND, trace SILT,		
				_		trace to little fine to coarse GRAVEL, dry, no odor		
16-20	2	GP		34	0.0	0-34": Brown, fine to coarse SAND, trace SILT,		
						trace to little fine to coarse GRAVEL, dry, no odor		
20-22	3	GP		21	0.0	0-21": Brown, fine to coarse SAND, trace SILT, trace to little		
						fine to coarse GRAVEL, moist to very moist, no odor		
						1		
						1		
]								
-						1		
		<u> </u>				1		
						1		
						1		
		\vdash						
<u> </u>								
-								
						1		
+		\vdash						
	-							
T								

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring conducted within backfilled former leaching pool which was "open' to 4' below grade



1852 Bethpage, NY Boring No.: E01B05 Sheet 1 of 1

Project Name: Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington **Driller:** W. Rowland

Driller: W. Rowland Drill Rig: Earthprobe Date Started: Octobe Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Boring Completion Depth: 22 ft. Ground Surface Elevation: – ft. Boring Diameter: 2 in.

Date S	Date Started: October 9, 2000					Date Completed: October 9, 2000
	Soil Sample				1	
Depth		nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Type	(Per 6")	(inches)	(ppm)	
12-16	1	GP		45	0.0	0-22": Brown to tan-brown SILT and fine to medium, dry to
						moist, trace fine to medium GRAVEL, no odor
	ļ					22"-45": Tan, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
16-20	2	GP		48	0.0	0-48": Tan, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
20-22	3	GP		24	0.0	0-24": Tan, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
						-
			i	.		
	1	- 1		1	ł	

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes: Boring conducted within backfilled former leaching pool which was "open' to 3' below grade



Soil Sample

18

0.0

Project No.: Project Location:

1852 Bethpage, NY Boring No.: E01B06 Sheet 1 of 1

By: MR

Project Name:

Plant 1 -Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55

18-20

Geologist: Keith Robins
Drilling Method: Hollow Stem Auger
Drive Hammer Weight: N/A

Date Completed: October 11, 2000

Boring Completion Depth: 22 ft. Ground Surface Elevation: – ft. Boring Diameter: 8 in.

Date Started: October 11, 2000

Depth		Sample		Blows	Rec.	PID	Lithology Description			
ı	(ft.)	No.	Туре	(Per 6*)	(inches)	(ppm)				
I	12-14	1	SS		6	0.0	0-6": Tan-brown coarse to fine SAND, some fine to coarse GRAVEL, damp			
I				·						
I	14-16	2	SS		12	0.0	0-12": Tan-light brown fine to coarse SAND, little fine GRAVEL, well sorted, dry			
I										
	16-18	3	SS		15	0.0	0-15": Tan-brown coarse to medium SAND, some fine to coarse GRAVEL,			
1			1				1			

			<u> </u>			coarse GRAVEL, dry-damp, poorly sorted
20-22	5	SS	-	20	0.0	0-20": Tan fine well rounded SAND well sorted, trace SILT, trace GRAVEL, damp-
					I	

trace fine SAND, damp-dry

0-18": Tan-brown fine to coarse SAND, some fine to

		L	
_			
· -			

Sample Type: SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring conducted within backfilled former settling tank.



1852

Boring No.: E01B07

Project Name:

Bethpage, NY Plant 1 - Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55

Date Started: October 11, 2000

Geologist: Keith Robins

Drilling Method: Hollow Stem Auger **Drive Hammer Weight:** N/A

Date Completed: October 11, 2000

Boring Completion Depth: 22 ft. Ground Surface Elevation: -- ft.

Boring Diameter:

-- ft. 8 in.

		Soil Sa	ample			
Depth	San		Blows	Rec.	PID	Lithology Description
(ft.)	No.	Type	(Per 6")	(inches)	(ppm)	
12-14	1	SS		6	0.0	0-6": Brown-light orange fine to coarse SAND, some fine GRAVEL, dry
14-16	2	SS		3	0.0	0-3": Brown-orange coarse to medium SAND, some fine to coarse GRAVEL, dry
16-18	3	SS	-	12	0.0	0-12": Tan fine to coarse SAND, some fine GRAVEL, trace orange-dark red coarse SAND
18-20	4	SS	_			Dark brown-brown coarse to fine SAND, some fine to coarse GRAVEL, damp
20-22	5	SS				Tan-light brown fine to medium SAND, trace fine GRAVEL, trace dark very fine SAND, SILT, damp

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring conducted within backfilled former settling tank.



1852 Bethpage, NY Boring No.: E01B08 Sheet 1 of 1

Project Name:

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland **Drill Rig:** CME-55

Geologist: Keith Robins
Drilling Method: Hollow Stem Auger
Drive Hammer Weight: N/A
Date Completed: October 10, 2000

Boring Completion Depth: 26 ft. Ground Surface Elevation: - ft.

Boring Diameter:

- ft. 8 in.

Date Started: October 10, 2000

San No.	nple				
No.		Blows	Rec.	PID	Lithology Description
	Туре	(Per 6")	(inches)	(ppm)	
1	SS		3	0.0	0-3": Dark brown fill
2	ss		20	0.0	0-12": Brown coarse SAND and fine to coarse GRAVEL, trace dark brown-red generally SAND
					12"-20": Tan very fine well sorted SAND, damp
3	SS		_	0.0	Tan well sorted fine SAND, little to trace drk brown SILT
4	SS	-	20	0.0	0-20": Brown-dark brown fine to medium SAND, some fine GRAVEL, trace SILT, damp, trace coarse SAND
5	SS	_	20	0.0	0-20": Tan-light brown fine to medium SAND with dark brown-red horizontal banning of fine SAND (iron), brown-gray very moist SILT at 25.5'-26'
	3	2 SS 3 SS 4 SS	2 SS 3 SS 4 SS	2 SS - 20 3 SS 4 SS - 20	2 SS - 20 0.0 3 SS 0.0 4 SS - 20 0.0

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes: Boring conducted within backfilled former settling tank.



Project Name:

1852 Bethpage, NY Boring No.: E01B09 Sheet 1 of 1

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55

Date Started: October 10, 2000

Geologist: Keith Robins Drilling Method: Hollow Stem Auger

Drive Hammer Weight: N/A

Date Completed: October 10, 2000

Boring Completion Depth: 26 ft. **Ground Surface Elevation:**

-- ft. 8 in. **Boring Diameter:**

		Soil Sa	r 10, 200 mple			
Depth	San		Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре		(inches)	(ppm)	Zimology 2000 i piloti
16-18	1	SS		12	0.0	0-12": Brown coarse SAND and fine to coarse GRAVEL,
10 10		- 00		12	0.0	1
-						trace cobbles, poorly sorted, damp
18-20	2	SS		15	0.0	0-15": Tan-light brown, fine to coarse SAND, little fine to coarse GRAVEL,
						trace dark brown-red coarse damp SAND at 18.5'
20-22	3	ss		18	0.0	0-18": Tan-light orange fine to medium SAND, little fine GRAVEL,
					-	trace dark brown fine SAND, trace SILT, damp
22-24	4	SS	_	20	0.0	0-15": Tan-light brown very fine SAND, little SILT
	· · · · ·	- 00		20	0.0	
						15"-20": Brown-gray very fine SAND to SILT, damp
24-26	5	SS			0.0	Brown-light brown fine SAND, some SILT, trace coarse SAND, damp
1						
				_		
-						
		[
	 -					
-+						
ample			i			Notes: Boring conducted within backfilled former

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

settling tank.

CONSULTING ENGINEERS DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C.

Project No.: **Project Location:** 1852 Bethpage, NY Boring No.: E01B11

Project Name: Plant 1 - Sheet 1 of 1

By: MR

Phase II Site Assessment

Drilling Contractor: Emington Driller: W. Rowland **Drill Rig: Earthprobe**

Geologist: Ken Wenz **Drilling Method:** Geoprobe **Drive Hammer Weight: N/A** **Boring Completion Depth:** 22 ft. ft. **Ground Surface Elevation: Boring Diameter:**

Date Completed: October 10, 2000

2 in.

Date S	tarted:	Octobe	r 10, 200	0		Date Completed: October 10, 2000
		Soil S	ample			
Depth		nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
12-16	1	GP		43	0.2	0-11": Orange-brown, fine-medium SAND, little SILT, dry 0-6", wet 6"-9", no odor
			<u></u>			11"-19": Gray-brown SILT and fine to medium SAND,
						trace fine GRAVEL, dry to moist, no odor
						19"-43": Tan, fine to coarse SAND, trace SILT,
						little fine to medium GRAVEL, dry, no odor
16-20	2	GP		40	0.1	0-40": Tan, fine to coarse SAND, trace SILT,
						little fine to medium GRAVEL, moist, no odor
20-22	3	GP		20	0.1	0-6": Tan, fine to coarse SAND, trace SILT,
			ļ			little fine to medium GRAVEL, wet, no odor
				:		6"-20": Orange-brown, fine to medium SAND and SILT, moist, no odor
						1
						1
			 			
						-
						1
						-
						1
						1
						1
-						1
		ı	ı	1	ı	I and the second

CC = Concrete Core HP = Hydropunch

SS = Split Spoon HA = Hand Auger GP = Geoprobe

Notes: Boring conducted within backfilled former leaching pool which was "open' to 3' below grade

Sample Type:



Project Name:

1852 Bethpage, NY Boring No.: E01B12 Sheet 1 of 1

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55

Geologist: Keith Robins Drilling Method: Hollow Stem Auger Drive Hammer Weight: N/A

Boring Completion Depth: 22 ft. **Ground Surface Elevation:** -- ft. **Boring Diameter:**

Date Started: October 13, 2000 Date Completed: October 13, 2000 8 in.

Date S	tarted:		r 13, 200	U		Date Completed: October 13, 2000
	<u> </u>	Soil S				
Depth		nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
12-14	1	SS		24	0-1	0-3": Black SILTY-SLUDGE, slight odor, wet with some GRAVEL
						3"-24": Tan-orange-brown coarse to medium SAND and
						angular GRAVEL, poorly sorted, damp
14-16	2	SS		20	0.0	0-20": Brown medium to fine SAND, trace SILT, trace GRAVEL, wet-moist
16-18	3	ss		12	0.0	0-12": Brown-tan coarse to medium SAND, very moist, some GRAVEL
18-20	4	SS		12	0.0	0-12": Brown-orange fine to medium SAND,
						trace fine GRAVEL, well sorted, damp
20-22	5	SS		24	0.0	0-24": Tan-brown fine SAND, trace brown-gray SILT, moist
·						
	i					
-					7	
-+						

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Sample Type:

Notes:

Boring conducted within former leaching

pool which is "open" to 12' below grade.



CONSULTING ENGINEERS A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C.

Project No.: Project Location: Project Name:

1852 Bethpage, NY Boring No.: E01B13 Sheet 1 of 1

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Date Started: October 13, 2000

Driller: W. Rowland Drill Rig: CME-55

Geologist: Keith Robins **Drilling Method:** Hollow Stem Auger

Drive Hammer Weight: N/A

Boring Completion Depth: Ground Surface Elevation: Boring Diameter:

22 ft. - ft. 8 in.

Date Completed: October 13, 2000

		Soil Sa	ample			
Depth	San	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6*)	(inches)	(ppm)	
12-14	1	ss_	_	24_	0.0	0-6": Black dark SILT-SLUDGE material, slight unknown odor
						6"-24": Brown coarse SAND & abundant medium to coarse GRAVEL, very moist
14-16	2	SS		24	0.0	0-24": Tan-brown coarse to medium SAND, some fine
						to coarse subangular GRAVEL, trace FINES, poorly sorted
16-18	3	ss	_		0.0	Brown coarse to medium SAND, trace SILT, some
						fine to medium GRAVEL, moist-wet
18-20	4_	ss			0.0	Brown coarse to medium SAND, trace SILT, some
						fine to medium GRAVEL, moist-wet
20-22	5_	SS	-	20	0.0	0-20": Orange-tan fine to medium well sorted SAND, trace coarse SAND,
						trace SILT, damp-moist

-			

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Boring conducted within backfilled former Notes: leaching pool.

Drilling Contractor: Emington Driller: W. Rowland Drill Rig: Earthprobe Date Started: October 9, 2000 Soil Sample Depth (ft.) No. Type (Per 6") (inches) Drilling Method: Geoprobe Ground Surface Elevation: Boring Diameter: Date Completed: October 9, 2000 Lithology Description Description Lithology Description Description 12-16 1 GP 40 0.0 0-18": Orange-brown, fine to medium SAND, little SILT, dry, no odor 18"-20": Gray-brown, fine to medium SAND, little SILT, dry, no odor 20"-40": Brown, fine to coarse SAND, trace SILT, Little fine to coarse GRAVEL, dry, no odor 16-20 2 GP 39 0.0 0-39": Brown, fine to coarse SAND, trace SiLT,
Depth (ft.) Sample (Per 6") Blows (Rec. (Per 6") (inches) PID (Inches) 12-16 1 GP 40 0.0 0-18": Orange-brown, fine to medium SAND, little SILT, dry, no odor 12-16 1 GP 40 0.0 0-18": Orange-brown, fine to medium SAND, little SILT, dry, no odor 18"-20": Gray-brown, fine to coarse SAND, trace SILT, little fine to coarse GRAVEL, dry, no odor 16-20 2 GP - 39 0.0 0-39": Brown, fine to coarse SAND, trace SILT,
(ft.) No. Type (Per 6") (inches) (ppm) 12-16 1 GP 40 0.0 0-18": Orange-brown, fine to medium SAND, little SILT, dry, no odor 18"-20": Gray-brown, fine to medium SAND, little SILT, dry, no odor 20"-40": Brown, fine to coarse SAND, trace SILT, little fine to coarse GRAVEL, dry, no odor 16-20 2 GP 39 0.0 0-39": Brown, fine to coarse SAND, trace SiLT,
12-16 1 GP 40 0.0 0-18": Orange-brown, fine to medium SAND, little SILT, dry, no odor 18"-20": Gray-brown, fine to medium SAND, little SILT, dry, no odor 20"-40": Brown, fine to coarse SAND, trace SILT, little fine to coarse GRAVEL, dry, no odor 2 GP - 39 0.0 0-39": Brown, fine to coarse SAND, trace SILT,
18"-20": Gray-brown, fine to medium SAND, little SILT, dry, no odor 20"-40": Brown, fine to coarse SAND, trace SILT, little fine to coarse GRAVEL, dry, no odor 16-20 2 GP - 39 0.0 0-39": Brown, fine to coarse SAND, trace SiLT,
20"-40": Brown, fine to coarse SAND, trace SILT, little fine to coarse GRAVEL, dry, no odor 16-20 2 GP - 39 0.0 0-39": Brown, fine to coarse SAND, trace SiLT,
little fine to coarse GRAVEL, dry, no odor 16-20 2 GP - 39 0.0 0-39": Brown, fine to coarse SAND, trace SiLT,
16-20 2 GP - 39 0.0 0-39": Brown, fine to coarse SAND, trace SiLT,
little fine to coarse GRAVEL, dry, no odor
20-22 3 GP - 24 0.0 0-24": Brown, fine to coarse SAND, trace SILT,
little fine to coarse GRAVEL, dry, no odor

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring conducted within backfilled former leaching pool which was "open' to 2' below grade



1852 Bethpage, NY Boring No.: E02B01

Project Name:

Bethpage, NY Plant 1 - Sheet 1 of 1 By: MR

me:

Phase II Site Assessment

0-18": Tan coarse to medium SAND, some fine GRAVEL-crushed GRAVEL

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55

20-22

on Geologist: Keith Robins

Drilling Method: Hollow Stem Augers **Drive Hammer Weight**: N/A

Boring Completion Depth: Ground Surface Elevation: Boring Diameter:

22 ft. -- ft. 8 in.

Date Started: September 29, 2000

Date Completed: September 29, 2000

		Soil S	ample			
Depth	Sar	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
10-12	1	SS		12	0.0	0-12": Dark brown coarse to medium SAND, some subangular-subrounded
Ĺ						GRAVEL, damp-moist, trace SILT
12-14	2	SS		6	0.0	0-6": Tan-brown coarse SAND, some subrounded GRAVEL, very moist
		<u> </u>				
14-16	3	ss		3	0.0	0-3": Brown moist coarse SAND, fine GRAVEL
16-18	4	SS		15	0.0	0-12": Tan coarse and abundant fine to medium subrounded GRAVEL, lose
						12"-15": Tan fine SAND, trace medium to coarse SAND, dry
18-20	5	SS		18	0.0	0-18": Tan fine to medium SAND, trace fine GRAVEL, well sorted, dry
		1				

				:

		-		

18

0.0

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 9" thick asphalt at grade.

Boring conducted within backfilled leaching pool.



1852

Boring No.: E02B02

Project Name:

Bethpage, NY Plant 1 -

Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55

Geologist: Keith Robins Drilling Method: Hollow Stem Augers

Drive Hammer Weight: N/A

16 ft. **Boring Completion Depth: Ground Surface Elevation:** -- ft.

Boring Diameter:

8 in.

Date Started: September 27, 2000 Date Completed: September 27, 2000

Date St	iai ieu. k		uer 27, 2	000		Date Completed: September 27, 2000
		Soil S	ample			
Depth	San	nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре		(inches)	(ppm)	
(10)	110.	Type	(1 61 0)	(IIICIICS)	(ppiii)	
6-8	1	SS		12	0.0	0-12": Dark brown SAND and GRAVEL, trace asphalt pieces
			<u> </u>			
8-10	2	SS	-	2	0.0	0-2": Dark brown wet coarse SAND
			i			
10-12	3	ss		6	0.0	0-6": Dark brown medium to coarse SAND, fine GRAVEL, trace SILT, wet-moist
	<u> </u>			Ť	0.0	, a
	<u> </u>					
12-14	4	ss		6	0.0	0-6": Tan-brown coarse to medium SAND and GRAVEL
	l	"			0.0	o o . Tan brown coarso to modiam of the and of the
	ļ					
14-16	5	ss		6	0.0	0-6": Tan-brown coarse to medium SAND and fine GRAVEL
<u> </u>	Ť			Ŭ.	0.0	o . Tan brown coales to modian of the and into ora was
<u> </u>						
			,			
l i						
1 1						
ļ i						
ļ						
l l			-			
l						
 						
		1				

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 5" thick asphalt and 7" stone at grade. Boring conducted within backfilled leaching pool.



1852

Boring No.: E02B03

Project Name:

Bethpage, NY

Plant 1 -

Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor:

Emington

Geologist: Keith Robins

Boring Completion Depth:

Driller: W. Rowland Drill Rig: CME-55

Drilling Method: Hollow Stem Augers Drive Hammer Weight: N/A

22 ft. **Ground Surface Elevation:** ft. 8 in. **Boring Diameter:**

Date St	arted: \$	Septemi	ber 29, 20	000		Date Completed: September 29, 2000
		Soil Sa	ample			
Depth		nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
10-12	1	ss		20	0.0	0-20": Dark brown-light black coarse to medium moist to damp SAND,
			ĺ			trace SILT, poorly sorted, some GRAVEL, loose
12-14	2	SS		14	0.0	0-6": Damp-very moist black-dark brown SAND, trace CLAY pieces, fine GRAVEL
						6"-14": Brown-light orange SAND, fine GRAVEL, trace iron
14 16	2		<u> </u>	6	0.0	
14-16	3	SS	-		0.0	0-6": Brown-tan coarse SAND, some fine GRAVEL, trace dark
						brown gravelly SAND
16-18	4	SS	-	20	0.0	0-15": Tan-light brown coarse to medium SAND and fine GRAVEL
						15"-20": Tan fine SAND, dry
18-20	5	SS		20	0.0	0-20": Tan fine to medium subrounded SAND,
						trace fine GRAVEL, well sorted, dry-damp
20-22	6	SS		18	0.0	0-12": Tan-light brown coarse to medium SAND, some fine GRAVEL
						12"-18": Brown SILT, some fine SAND, damp
						
<u> </u>						

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

12" thick asphalt at grade. Notes:

Boring conducted within backfilled leaching pool.



rtilucci Project Location:

1852 Bethpage, NY Boring No.: E02B04 Sheet 1 of 1

Project Name: Plant 1 -

Project No.:

Plant 1 - By: MR
Phase II Site Assessment

Drilling Contractor: Emington **Driller:** W. Rowland **Drill Rig:** CME-55

Geologist: Keith Robins
Drilling Method: Hollow Stem Augers
Drive Hammer Weight: N/A

Boring Completion Depth: Ground Surface Elevation: Boring Diameter:

Date Started: September 29, 2000Date Completed: September 29, 2000

26 ft. - ft. 8 in.

Date St	Date Started: September 29, 2000					Date Completed: September 29, 2000
		Soil Sa	ample			
Depth (ft.)	San No.	Type	Blows (Per 6")	Rec. (inches)	PID (ppm)	Lithology Description
6-8	1	SS		6	0.0	0-6": Dark brown medium to coarse SAND, trace fine GRAVEL
8-10	2	SS		0	0.0	No recovery - probably backfill soil material
10-12	3	SS		0	0.0	No recovery - probably backfill soil material
12-14	4	SS		6	0.0	0-6": Tan-light brown coarse SAND and subrounded GRAVEL, poorly sorted, dry
14-16	5	SS		8	0.0	0-8": Tan-light brown coarse SAND and alot fine to medium GRAVEL, poorly sorted, damp
16-18	6	SS		20	0.0	0-6": Brown-light orange coarse to medium SAND and fine to coarse GRAVEL, poorly sorted, trace FINES, dry-damp
18-20	7	SS		15	0.0	0-15": Tan fine to medium well sorted SAND, trace brown SILT at 18', trace fine subrounded GRAVEL
20-22	8	SS	-	15	0.0	0-15": Tan fine to medium well sorted SAND, trace fine GRAVEL, trace coarse SAND, dry-damp
22-24	9	SS		24	5.0	0-12.5": Tan fine to medium SAND 12.5"-24": Brown-black SILT and very fine SAND
24-26	10	SS		20	5.0	0-10": Tan-brown fine SAND/SILT, trace black SILT, dry 10"-20": Brown-orange-tan fine SAND, trace fine GRAVEL

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

lotes: 17" thick asphalt at grade.

Boring conducted within backfilled leaching pool which is "open" to 1' below grade.

A DIVISE	ON OF W		ONSULTI	LUCC NG ENGIR	NEERS	Project No.: 1852 Boring No.: E03B01 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment			
Driller Drill R	A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C. Drilling Contractor: Emington Driller: W. Rowland Drill Rig: Earthprobe Date Started: October 10, 2000					Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: October 10, 2000 Boring Completion Depth: 24 ft. Ground Surface Elevation: - ft. Boring Diameter: 2 in.			
Depth (ft.)	San No.	Soil Sanple	Blows (Per 6")	Rec.	PID (ppm)	Lithology Description			
8-12	1	GP		19	0.1	0-19": Brown SILT and fine to medium SAND, trace fine GRAVEL, moist, no odor			
12-16	2	GP		18	0.1	0-18": Brown SILT and fine to medium SAND, trace fine GRAVEL, moist, no odor			
16-20	3	GP		24	0.1	0-3": Brown SILT and fine to medium SAND, trace fine GRAVEL, moist, no odor 3"-9": Black SILT and CLAY, dry, no odor 9"-13": Gray-black, fine to coarse SAND, trace SILT, trace fine to medium GRAVEL, dry, no odor 13"-24": Tan-brown, fine to coarse SAND, trace SILT, trace fine to medium GRAVEL, dry, no odor			
20-24	4	GP		46	0.1	0-8": Tan-brown, fine to coarse SAND, trace SILT, trace fine to medium GRAVEL, dry, no odor 8"-17": Tan SILT and fine to medium SAND, dry, no odor 17"-38": Tan, fine-medium SAND, little SILT, occ. iron banding, dry, no odor 38"-46": Tan to orange-brown, fine to coarse SAND, trace SILT, trace fine GRAVEL, dry, no odor			
Sample	Type					Notes:			
	olit Spoo			Auger G		Notes:			



1852 Bethpage, NY Boring No.: E03B02 Sheet 1 of 1

Project Name:

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Date Started: October 10, 2000

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A

Boring Completion Depth: Ground Surface Elevation: Boring Diameter: 24 ft. – ft. 2 in.

Date Completed: October 10, 2000

	Soil Sample					
Depth	Sar	mple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
8-12	1	GP		22	0.0	0-22": Brown SILT and fine to medium SAND, trace fine GRAVEL, moist, no odor
12-16	2	GP		18	0.1	0-3": Brown SILT and fine to medium SAND, trace fine GRAVEL, moist, no odor
'	<u> </u>			<u> </u>	<u> </u>	3"-9": Black SILT and CLAY, moist, no odor
						9"-18": Gray-brown, fine to coarse SAND, trace SILT,
						little fine to medium GRAVEL, dry, no odor
16-20	3	GP		31	0.1	0-31": Tan to orange-brown, fine to coarse SAND, trace SILT,
		<u> </u>			<u> </u>	little fine to medium GRAVEL, dry, no odor
20-24	4	GP		48	0.1	0-24": Tan to orange-brown, fine to coarse SAND, trace SILT,
	<u> </u>				<u> </u>	little fine to medium GRAVEL, dry, no odor
	L		<u> </u>			24"-48": Tan, fine to medium SAND, little SILT, dry, no odor
1 1	1		'		i	

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Former backfilled leaching pool cover located approx. 8" below grade.

A DIVISION OF V		ONSULTI	lucc ng engir	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site As:	Boring No.: E04B01 Sheet 1 of 1 By: MR sessment	
Drilling Cont Driller: W. R Drill Rig: Ear Date Started:	owland thprobe				Geologist: Ken Wenz Drilling Method: Geo Drive Hammer Weig Date Completed: Oc	probe ht: N/A	Boring Completion Depth: Ground Surface Elevation: Boring Diameter:	20 ft. ft. 2 in.
Depth Sa (ft.) No.	Soil Sample Type	Blows (Per 6")	Rec. (inches)	PID (ppm)		Lithology	Description	
8-12 1	GP	-	46	0.0	0-18": Gray-brown SiL	.T and CLAY, trace	fine SAND, dry, no odor	
					18"-46": Orange-brow	n, fine to coarse SA	AND, trace SILT, some	
					fine to coa	rse GRAVEL, dry,	no odor	
12-16 2	GP		40	0.0	0-40": Tan to orange-t	prown, fine to coars	se SAND, trace SILT, some	-
					fine to coa	rse GRAVEL, dry,	no odor	
16-20 3	GP	-	41	0.0	0-41": Tan to orange-t	prown, fine to coars	se SAND, trace SILT, some	
					fine to coa	rse GRAVEL, dry,	no odor	



1852 Bethpage, NY Boring No.: E06B01 Sheet 1 of 1

Project Name: Plant 1 -Phase II Site Assessment

By: MR

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55

Geologist: Keith Robins Drilling Method: Hollow Stem Augers Drive Hammer Weight: N/A

Date Completed: October 2, 2000

Boring Completion Depth: Ground Surface Elevation:

22 ft. -- ft. 8 in.

Date Started: October 2, 2000

Boring Diameter:

		A				
	Soil Sample		l			
Depth		nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Type	(Per 6")	(inches)	(ppm)	
8-10	1	SS		15	0.0	0-15": Tan well sorted fine to medium SAND, trace fin GRAVEL, dry-damp
10-12	2	SS		12	0.0	0-12": Brown-light orange medium to coarse SAND, little fine to medium GRAVEL, dry
12-14	3	SS		12	0.0	0-12": Tan-light brown coarse SAND and abundant fine to coarse subrounded GRAVEL, poorly sorted
14-16	4	SS		12	0.0	0-12": Tan-light brown coarse SAND, abundant fine to coarse angular-subrounded GRAVEL, poorly sorted, damp
16-18	5	·SS		18	0.0	0-18": Tan fine to medium well sorted SAND, little white-rose color fine GRAVEL
18-20	6	SS	1	18	0.0	0-18": Tan-light brown fine to medium SAND, trace fine GRAVEL, coarse SAND, well sorted, damp
20-22	7	SS		15	0.0	0-18": Tan-brown fine to medium SAND, trace to little fine to medium GRAVEL, trace SILT, trace coarse SAND, well sorted, damp-dry
		-				

Sample Type:		
	Comple	Time

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes:

Boring conducted to target backfilled leaching pool.



1852 Bethpage, NY Boring No.: E06B02 Sheet 1 of 1

Project Name: Plant 1 - By: MR

Phase II Site Assessment

Drilling Contractor: Emington Driller: W. Rowland Drill Rig: CME-55

Geologist: Keith Robins **Drilling Method: Hollow Stem Augers** Drive Hammer Weight: N/A

Boring Completion Depth: Ground Surface Elevation: Boring Diameter:

22 ft. -- ft. 8 in.

Date Started: October 2, 2000

Date Completed: October 2, 2000

Date Of	tarteu.		2, 2000			Date Complete. Colors 2, 2000	
		Soil S	ample				
Depth	San	nple	Blows	Rec.	PID	Lithology Description	
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)		
8-10	1	ss		12	0.0	0-12": Tan-brown-orange coarse to fine SAND, some fine to	
		:				medium subrounded GRAVEL, dry-damp, poorly sorted at 8'-9'	
10-12	2	ss		15	0.0	0-3": Crushed rock	
			1			3"-5": Dark brown SAND and GRAVEL	
]				5"-15": Tan fine to coarse SAND, some fine-medium crushed GRAVEL, dry-damp	
12-14	3	SS	_	15	0.0	0-15": Tan-light brown coarse SAND and abundant fine to medium subrounded-	
						subangular GRAVEL, trace FINES, poorty sorted, dry	
14-16	4	SS	-	20	0.0	0-20": Light brown coarse SAND and abundant fine to medium GRAVEL,	
-						subrounded-subangular, poorly sorted, trace fine-medium SAND, damp-moist	
16-18	5	SS		15	0.0	0-15": Light brown coarse to medium SAND, some fine to coarse GRAVEL,	
10 10	Ť			<u> </u>	0.0	poorly sorted, some crushed white stone, dry-damp, trace fine SAND	
40.00		00	 [
18-20	6	SS		6	0.0	0-6": Tan coarse to medium SAND, little white subrounded GRAVEL,	
			-		-	trace fine SAND at 20'	
20-22	7	SS		20	0.0	0-20": Light brown fine SAND, trace to little coarse SAND,	
						little fine to medium GRAVEL, damp to moist	
					· · · · · ·		
	 						
			-				
		_					
	ı	i l		l l		l .	

Sa	m	ple	Ty	ne:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes:

Boring conducted to target backfilled leaching pool.



1852 Bethpage, NY Boring No.: E06B03 Sheet 1 of 1

Project Name: Plant 1 - By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55

Geologist: Keith Robins Drilling Method: Hollow Stem Augers Drive Hammer Weight: N/A

Boring Completion Depth: 22 ft. **Ground Surface Elevation: Boring Diameter:**

-- ft. 8 in.

	arted:		2, 2000			Date Completed: October 2, 2000
Depth (ft.)	Sar No.	Soil Sanple	Blows (Per 6")	Rec.	PID (ppm)	Lithology Description
8-10	1	SS		12	0.0	0-12": Brown-light orange coarse SAND and fine to coarse GRAVEL angular-subrounded GRAVEL, poorly sorted, trace fine SAND, dry-damp
10-12	2	SS		15	0.0	0-12": Brown-tan coarse to medium SAND, some fine to coarse subrounded GRAVEL, poorly sorted, dry
12-14	3	SS		12	0.0	0-12": Tan coarse to fine SAND and fine to coarse GRAVEL, dry
14-16 16-18	4	SS		15		0-6": Tan-light brown fine to coarse SAND, little to trace GRAVEL 6"-15": Lt brown white crushed dry GRAVEL, coarse SAND, poorly sorted, trace fin
	-				0.0	0-12": Tan fine to coarse SAND, some white crushed GRAVEL, dry
18-20	6	SS		6	0.0	0-6": Tan fine to coarse SAND, trace to little fine to coarse GRAVEL, well sorted, damp-dry, contains more GRAVEL at 19'-20'
20-22	7	SS		20	0.0	0-20": Tan well sorted fine to medium SAND, trace SILT, trace fine GRAVEL

Sample Type:	Notes:
SS = Split Spoon HA = Hand Auger GP = Geoprobe	Boring conducted to target backfilled leaching pool.
CC = Concrete Core HP = Hydropunch	



Project No.: **Project Location: Project Name:**

1852 Bethpage, NY Boring No.: E06B04 Sheet 1 of 1

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Driller: W. Rowland

Emington

Geologist: Keith Robins

Boring Completion Depth: Ground Surface Elevation: 22 ft. -- ft.

Drill Rig: CME-55

Drilling Method: Hollow Stem Augers Drive Hammer Weight: N/A

Boring Diameter:

8 in.

Date St	arted: (October	5, 2000			Date Completed: October 5, 2000
\Box		Soil Sa	ample			
Depth		nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
8-10	1	ss		6	0.0	0-6": Tan-brown medium to coarse SAND, some
						to little fine subrounded GRAVEL, dry
10-12	2	SS		15	0.0	0-15": Tan-light brown-tan coarse to medium SAND, some fine to coarse
						GRAVEL, trace dark brown-redish fine SAND
12-14	3	SS	_	24	0.0	0-24": Tan-brown coarse to medium SAND, little fine to coarse GRAVEL,
				trace dark brown-red very fine SAND, trace SILT at 13.5-14'	trace dark brown-red very fine SAND, trace SILT at 13.5-14'	
14-16	4	SS		15	15 0.0 0-15": Tan-light brown medium to coarse SAND and fine to coarse	
						subrounded GRAVEL, dry-damp
16-18	5	SS		12	0.0	0-2": Coarse to fine GRAVEL
						2"-10": Tan fine to medium SAND, trace fine to coarse subrounded GRAVEL
						10"-12": Tan fine to medium SAND, dry, trace medium GRAVEL
18-20	6	SS		12	0.0	0-12": Tan medium to coarse SAND, some to little fine to coarse GRAVEL,
						trace FINES, dry
20-22	7	SS		15	0.0	0-15": Tan-light brown medium to coarse SAND, trace to little
						fine to coarse GRAVEL, trace fine SAND, damp, well sorted
$\neg \neg$						

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes: <5" thick asphalt at grade.



1852 Bethpage, NY Boring No.: E06B05 Sheet 1 of 1

By: MR

Project Name:

Plant 1 -Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55

Date Started: October 5, 2000

Geologist: Keith Robins

Drilling Method: Hollow Stem Augers **Drive Hammer Weight:** N/A

Date Completed: October 5, 2000

Boring Completion Depth: 16 ft. Ground Surface Elevation: - ft.

Boring Diameter: 8 in.

Date St	te Started. October 5, 2000					Date Completed: October 5, 2000	
		Soil Sa	ample]		
Depth	San	nple	Blows	Rec.	PID	Lithology Description	
(ft.)	No.	Type	(Per 6")	(inches)	(ppm)		
3-5	1	SS		15	0.0	0-6": Brown-light black moist SILTY GRAVEL	
						6"-15": Orange-tan coarse to medium SAND, little fine GRAVEL, trace fine SAND	
6-8	2	SS		15	0.0	0-15": Brown coarse to medium SAND nd crushed subangular GRAVEL,	
						trace fine SAND, dry, poorly sorted	
8-10	3	SS		12	0.0	0-12": Brown-orange coarse to medium SAND	
						and fine subrounded GRAVEL, damp	
10-12	4	SS	-	15	0.0	0-15": Tan-light brown fine to coarse SAND, some fine to medium GRAVEL,	
						more coarse GRAVEL at 11'-12'	
12-14	5	SS		10	0.0	0-10": Tan-light brown fine to medium SAND, trace SILT,	
						some to little fine GRAVEL	
14-16	6	SS		3	0.0	0-3": Tan coare to medium SAND and fine to coarse GRAVEL, dry,	
						large coarse pink GRAVEL	
			with the second				
_			i				
			-				
			_				
					-		
	\dashv						
-							

Sam	ple	Ty	pe:
-----	-----	----	-----

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes:

Boring conducted adjacent to existing distribution chamber to target backfilled leaching pool.



1852

Boring No.: E06B06

Project Name:

Bethpage, NY

Sheet 1 of 1 By: MR

Plant 1 -Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe Geologist: Ken Wenz **Drilling Method:** Geoprobe Drive Hammer Weight: N/A **Boring Completion Depth:** 18 ft. **Ground Surface Elevation:** - ft. **Boring Diameter:**

2 in.		

Date Started: October 10, 2000						Date Completed: October 10, 2000		
		Soil S						
Depth	San	nple	Blows	Rec.	PID	Lithology Description		
(ft.)	No.	Туре	(Per 6")		(ppm)			
8-12	1	GP	_	32		0-32": Gray-black to orange-brown, fine to coarse SAND,		
				, T		trace SILT, little fine to coarse GRAVEL, moist, no odor		
12-16	2	GP		27	-	0-27": Tan to orange-brown, fine to coarse SAND, trace		
						SILT, little fine to coarse GRAVEL, moist, no odor		
16-18	3	GP	-	27		0-27": Tan to orange-brown, fine to coarse SAND, trace		
						SILT, little fine to coarse GRAVEL, moist, no odor		
	-							
		<u> </u>						
		L						
\longrightarrow								
								

Sample Type:

Notes:

Pool determined to have solid bottom. Boring

conducted adjacent to leaching pool which is "open" to

6.5' below grade with approx. 5" water at bottom of pool.

SS = Split Spoon HA = Hand Auger GP = Geoprobe



Soil Sample

Project No.: **Project Location:** Project Name:

1852 Bethpage, NY Boring No.: E06B09 Sheet 1 of 1

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: Earthprobe

Date Started: October 4, 2000

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: October 4, 2000

Boring Completion Depth: 22 ft. **Ground Surface Elevation:** -- ft. **Boring Diameter:**

2 in.

	J Sun Sample					
Depth	Sample Blows Rec.		PID	Lithology Description		
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
6-10	1	GP		33	0.0	0-33": Orange-brown SILT and fine to medium SAND,
				"	0.0	trace fine to medium GRAVEL, dry, no odor
10-14	2	GP		27	0.0	
10-14		GP		27	0.0	0-13": Orange-brown SILT and fine to medium SAND,
						trace fine to medium GRAVEL, dry, no odor
						13"-27": Orange-brown, fine to coarse SAND, trace SILT,
						some fine to coarse GRAVEL, dry, no odor
14-18	3	GP		43	0.0	0-43": Orange-brown, fine to coarse SAND, trace SILT,
						some fine to coarse GRAVEL, dry, no odor
18-22	4	GP		40	0.0	0-40": Orange-brown, fine to coarse SAND, trace SILT,
						some fine to coarse GRAVEL, dry, no odor
}						
\dashv						
			ŀ	ŀ		

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Boring conducted to target former leaching Notes: pool. 8" thick concrete at grade followed by 15" of dirt/fill and 4" thick concrete.

CONSULTING ENGINEERS A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C.

Project No.: **Project Location:** 1852 Bethpage, NY Boring No.: E07B01 Sheet 1 of 1

Project Name: Plant 1 - By: MR

Phase II Site Assessment

Drilling Contractor: Emington Driller: W. Rowland Drill Rig: CME-55

Geologist: Keith Robins **Drilling Method: Hollow Stem Augers** Drive Hammer Weight: N/A

Boring Completion Depth: 20 ft. **Ground Surface Elevation:** - ft. 8 in. **Boring Diameter:**

Date Started: September 20, 2000

Date Completed: September 20, 2000

Date St	Started: September 20, 2000					Date Completed. September 20, 2000
	Soil Sample					
Depth		nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
10-12	1	SS	_	18	0.0	0-18": Light brown/orange poorly sorted fine to medium SAND, some SILT
12-14	2	ss		6	0.0	0-4": Light brown/orange poorly sorted fine to medium SAND, some SILT
						4"-6": Dark brown/orange poorly sorted fine to medium SAND, some SILT, slightly moist
14-16	3	ss		16	0.0	0-16": Dark brown/orange poorty sorted fine to medium SAND, some SILT, slightly moist
16-18	4	SS	-	14	0.4	0-14": Dark brown/orange poorly sorted fine to medium SAND,
						some SILT, slightly moist
18-20	5	ss		12	0.0	0-12": Dark brown/orange poorly sorted fine to medium SAND, some SILT, slightly moist
				-		Some Star, slightly moist
						1
					- -	1
+						

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Boring conducted within backfilled leaching Notes:

pool which is "open" to 1' below grade



1852

Boring No.: E07B02

Project Name:

Bethpage, NY Plant 1 - Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55

Date Started: September 20, 2000

Geologist: Keith Robins

Drilling Method: Hollow Stem Augers

Drive Hammer Weight: N/A

Date Completed: September 20, 2000

Boring Completion Depth: Ground Surface Elevation: 18 ft. -- ft.

Boring Diameter:

8 in.

	Soil Sample							
Depth	San	nple	Blows	Rec.	PID	Lithology Description		
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)			
10-12	1	SS		24	0.0	0-12": Light brown/orange moderately sorted fine to medium SAND, trace GRAVEL		
						12"-24": Brown/orange fine to medium SAND, some GRAVEL		
12-14	2	SS		24	0.0	0-24": Brown/orange fine to medium SAND, some GRAVEL		
14-16	3	SS	<u></u>	24	0.0	0-24": Brown/orange fine to medium SAND, some GRAVEL		
16-18	4	SS		24	0.0	0-24": Light brown/beige poorly sorted fine to coarse SAND, trace to some GRAVE		

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 8" thick asphalt and 1.5' sand fill at grade. Boring conducted within backfilled leaching pool.



1852

Boring No.: E07B03

Project Name:

Bethpage, NY Plant 1 -

By: MR

Sheet 1 of 1

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55

Date Started: September 21, 2000

Geologist: Keith Robins

Drilling Method: Hollow Stem Augers

Drive Hammer Weight: N/A

Date Completed: September 21, 2000

Boring Completion Depth:

21 ft. **Ground Surface Elevation:** - ft.

8 **Boring Diameter:** in.

Date St	arted: \$	-	ber 21, 2	000		Date Completed: September 21, 2000			
	<u> </u>	Soil S		,					
Depth		nple	Blows	Rec.	PID	Lithology Description			
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)				
11-13	1	SS		6	0.0	0-6": Tan-dark brown coarse SAND, some-little			
	į					subrounded GRAVEL, poorly sorted, dry			
13-15	2	SS	-	12	0.0	0-12": Tan coarse SAND and subrounded white GRAVEL, poorly sorted-loose, dr			
15-17	3	ss		10	0.0	0-10": Tan coarse to medium SAND, little-some fine GRAVEL (1"-2"), dry			
17-19	4	SS	_	20	0.0	0-20°: Tan medium to coarse SAND and fine subrounded GRAVEL,			
						trace fine SAND, poorly sorted, dry			
19-21	5	SS	_	_		Tan fine to medium SAND, well sorted, little subrounded GRAVEL, dry			
	_								
-	-		~						
					_				
		ــــــــــــــــــــــــــــــــــــــ							

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

5" thick asphalt and 4'-8" sand fill at grade. Notes: Boring conducted within backfilled leaching pool.



CONSULTING ENGINEERS
A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C.

Emington

Project No.: **Project Location:** 1852 Bethpage, NY Boring No.: E07B04 Sheet 1 of

Project Name:

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor:

Driller: W. Rowland

Geologist: Keith Robins Drilling Method: Hollow Stem Augers **Boring Completion Depth: Ground Surface Elevation:**

21 ft. ft.

Drill Rig: CME-55

Drive Hammer Weight: N/A

Boring Diameter:

8 in.

Date Started: September 21, 2000

Date Completed: September 21, 2000

Date St	arted: 8	Septemi	ber 21, 20	000		Date Completed: September 21, 2000	
		Soil Sa	ample		<u> </u>		
Depth	San	nple	Blows	Rec.	PID	Lithology Description	
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	Zidiology 2000 i piloti	
11-13	1	ss		20	0.0	0-20": Tan coarse to medium subrounded SAND,	
						little fine to medium subrounded GRAVEL, dry	
13-15	2	SS		22	0.0	0-22": Tan-light brown coarse to medium SAND, some fine to coarse	
						subrounded poorly sorted GRAVEL, trace fines. dry	
15-17	3	ss		6	0.0	0-6": Crushed white pink stone at top, tan fine to medium SAND,	
	·					little GRAVEL, trace coarse SAND, dry	
17-19	4	SS		15	0.0	0-15": Light brown-tan coarse to medium SAND, some fine to coarse GRAVEL,	
						crushed, porly sorted, damp. Brown SILT/fine SAND at 18.5'	
19-21	5	SS		20	0.0	0-20": Light brown-tan medium to fine SAND well sorted, trace white fine	
						GRAVEL, coarse SAND, damp, trace SILT	

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 2" thick asphalt at grade.

Boring conducted within backfilled leaching pool which is

"open" to 12" below grade.



Project No.: **Project Location:** Project Name:

1852 Bethpage, NY Boring No.: E07B05 Sheet 1 of

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington Driller: W. Rowland

Drill Rig: CME-55

Geologist: Keith Robins **Drilling Method:** Hollow Stem Augers **Boring Completion Depth: Ground Surface Elevation:**

Drive Hammer Weight: N/A

Boring Diameter:

21 ft. ft. 8 in.

Date Started: September 21, 2000

Date Completed: September 21, 2000

71	 , -	2000		
			_	

		Soil Sa	ample					
Depth		nple	Blows	Rec.	PID	Lithology Description		
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)			
11-13	1	SS	-	24	0.0	0-24": Tan-light brown medium to coarse SAND,		
						little fine to medium GRAVEL, dry-damp		
13-15	2	SS		12	0.0	0-12": Light brown medium to coarse SAND, little fine to coarse		
						GRAVEL, dry-damp		
15-17	3	SS		24	0.0	0-24": Brown-tan medium to coarse SAND, some subrounded GRAVEL,		
						trace dark brown-black SILT and fine SAND at 16.5'		
17-19	4	ss			0.0	Light tan-light brown fine to medium SAND, some subrounded coarse GRAVEL		
19-21	5	SS			0.0	Light tan fine to medium SAND alternating with coarse SAND and fine GRAVEL		
						back into tan fine SAND with dark brown fine SAND and SILT, dry-damp		
			·					
		_						
						1		
					<u></u>	1		

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 5" thick asphalt at grade.

Boring conducted within backfilled leaching pool which is "open" to 2' below grade.



1852 Bethpage, NY

Phase II Site Assessment

Boring No.: E07B06 Sheet 1 of 1

Project Name:

Plant 1 -

By: MR

Drilling Contractor: Emington

Geologist: Keith Robins

Boring Completion Depth:

Driller: W. Rowland Drill Rig: CME-55

Drilling Method: Hollow Stem Augers Drive Hammer Weight: N/A

21 ft. **Ground Surface Elevation:** ft. 8 in. **Boring Diameter:**

Date Started: September 22, 2000

Date Completed: September 22, 2000

	Soil Sample					
Depth	Sample		Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
11-13	1	SS		20	0.0	0-10": Brown-light orange coarse to medium SAND,
						some subrounded GRAVEL, moist
						10"-20": Tan-gray coarse SAND and subrounded GRAVEL with
						dark brown moist SAND/SILT
13-15	2	SS	-	12	0.0	0-12": Brown-dark brown moist-wet coarse to medium SAND,

						fine to coarse GRAVEL, trace SILT
15-17	3	SS		18	0.0	0-12": Tan coarse SAND and fine to medium subrounded GRAVEL
						12"-18": Tan fine to medium SAND, moist, well sorted
17-19	4	ss		15	0.0	0-15": Tan coarse to medium SAND and fine to coarse subrounded GRAVEL,
						poorly sorted, moist
19-21	5	SS		15	0.0	0-15": Light tan-light brown fine to medium SAND, trace fine GRAVEL, damp
					-	
					· 	
			, ,			
·						
					·· <u>······</u>	

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

4" thick asphalt at grade. Notes:

Boring conducted within backfilled leaching pool which is "open" to 20" below grade.



1852 Bethpage, NY Boring No.: E07B07

Project Name:

Plant 1 -

Sheet 1 of 1 By: MR

Phase II Site Assessment

Drilling Contractor: Driller: W. Rowland

Emington

Geologist: Keith Robins

Boring Completion Depth:

Drilling Method: Hollow Stem Augers

21 ft. **Ground Surface Elevation:** -- ft.

Drill Ri	ig: CME tarted: \$	-55	ber 22, 2	:000		Drive Hammer Weight: N/A Boring Diameter: 8 in. Date Completed: September 22, 2000
Depth (ft.)	San No.	Soil Sample	Blows (Per 6")	Rec.	PID (ppm)	Lithology Description
11-13	1	SS		24	0.0	0-24": Brown-orange medium to coarse well sorted SAND, some fine to coarse subrounded GRAVEL, dry-damp
13-15	2	SS		22	0.0	0-22°: Brown-orange medium to coarse well sorted SAND, some fine to medium subrounded GRAVEL, damp
15-17	3	SS		6	0.0	0-6*: Brown-orange medium to coarse SAND, little fine GRAVEL, damp
17-19	4	SS		6	0.0	0-6": Tan-light brown coarse to medium SAND and subrounded- subangular GRAVEL, poorly sorted, moist
19-21	5	SS		15	0.0	0-15": Tan-light brown medium to fine SAND, trace fine GRAVEL at top 19', brown-orange fine SAND (native) at 20.5', well sorted
						1

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes: 2" thick asphalt and 4" thick concrete at grade. Boring conducted within backfilled leaching pool which is "open" to 1' below grade.



1852 Bethpage, NY

Phase II Site Assessment

Boring No.: E07B09 Sheet 1 of 1

Project Name: Plant 1 - By: MR


Driller: W. Rowland Drill Rig: CME-55

Drilling Contractor: Emington

Geologist: Keith Robins Drilling Method: Hollow Stem Augers **Boring Completion Depth:** 21 ft. **Ground Surface Elevation:** ft.

Drill Ri	•					Drive Hammer Weight: N/A Boring Diameter: 8 in.		
Date St	tarted:		ber 22, 2	000		Date Completed: September 22, 2000		
		Soil Sa						
Depth	Sar No.	nple	Blows		PID	Lithology Description		
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)			
11-13	1	SS		24	0.0	0-6": Tan-brown coarse SAND		
						6"-12": Dark brown-black fine to medium SAND and GRAVEL, moist with		
		ļ				brown 1" thick SILT		
						12"-24": Tan-light brown coarse SAND and crushed fine		
						GRAVEL angular, poorly sorted, dry		
13-15	2	SS		15	0.0	0-15": Brown-orange medium to coarse SAND, some subrounded GRAVEL,		
						dry crushed GRAVEL at top		
15-17	3	ss		6	0.0	0-6": Orange-brown coarse SAND and subrounded medium GRAVEL, dry, loose		
17-19	4	SS		18	0.0	0-12": Tan-brown medium to coarse SAND, some fine GRAVEL, damp		
17-13		- 55		10	0.0	12"-18": Tan fine SAND, damp		
19-21	5	ss		20	0.0	0-8": Tan fine SAND, trace fine GRAVEL, dry		
						8"-20": Tan coarse-medium SAND, dry, some subrounded GRAVEL, poorly sorted		
	ı	I	I	1 1		1		

Sample Type:	Notes: 2" thick asphalt at grade.			
SS = Split Spoon HA = Hand Auger GP = Geoprobe	Boring conducted within backfilled leaching pool which is			
CC = Concrete Core HP = Hydropunch	"open" to 5' below grade.			





1852 Bethpage, NY Boring No.: E07B11 Sheet 1 of

By: MR

Project Name: Plant 1 -

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55 Geologist: Keith Robins Drilling Method: Hollow Stem Augers Drive Hammer Weight: N/A Boring Completion Depth: 21 ft. Ground Surface Elevation: -- ft. Boring Diameter: 8 in.

Date Started: September 25, 2000

Date Completed: September 25, 2000

Date St	arted: 3		ber 25, 2	000		Date Completed: September 25, 2000			
	Soil Sample								
Depth		nple	Blows	Rec.	PID	Lithology Description			
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)				
5-7	1	SS		24	0.0	0-12.5": Brown-light tan coarse SAND, fine GRAVEL			
	l					12.5"-24": Light tan-dark brown fine SAND, dry			
11-13	2	SS		18	0.0	0-18": Tan-light brown coarse to medium SAND, some fine GRAVEL, dry			
13-15	3	SS		12	0.0	0-12": Tan coarse SAND and fine to coarse GRAVEL, loose, dry-damp, crushed stone at 15'			
15-17	4	SS		15	0.0	0-15": Tan medium to coarse SAND, some fine subrounded GRAVEL, dry-damp			
17-19	5	SS		3	0.0	0-3": Brown fine to coarse SAND and 2" GRAVEL			
19-21	6	SS		12	0.0	0-12": Tan-orange fine to coarse SAND, some to little fine GRAVEL, damp			
	-								
		:							
Ī									

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: <2" thick asphalt at grade.

Boring conducted within backfilled leaching pool. 5'-7' fill sample collected for waste characterization.



1852 Bethpage, NY Boring No.: E07B12 Sheet 1 of 1

Project Name:

Plant 1 -

By: MR

Phase II Site Assessment

Drilling Contractor: Emington Driller: W. Rowland

Geologist: Keith Robins **Drilling Method: Hollow Stem Augers** **Boring Completion Depth: Ground Surface Elevation:**

21 ft. - ft.

Drill Rig: CME-55

Drive Hammer Weight: N/A

Boring Diameter:

8 in.

Date Started: September 25, 2000

Date Completed: September 25, 2000

		JOPICITI	001 Z0, Z			
		Soil Sample				
Depth	Con	nple			PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	1	(ppm)	Entitional Description
	140.	1900	(1 0, 0)	(incinco)	(pp///)	
11-13	1	SS		18	0.0	0-3": Black-dark brown SILT, trace CLAY, damp
						3"-18": Tan-brown coarse SAND, fine to coarse subrounded GRAVEL, dry
13-15	2	SS	-	18	0.0	0-18": Tan-light brown coarse to medium SAND and fine to coarse GRAVEL,
						poorly sorted, trace dark brown fine SAND, damp
15-17	3	SS		10	0.0	0-10": Brown-tan fine to coarse SAND, some coarse subrounded GRAVEL, dry
			-			,
17-19	4	SS		15	0.0	0-15": Tan-light brown fine to coarse SAND, little fine GRAVEL,
						trace SiLT, dry-damp
19-21	5	SS	_	12	0.0	0-12": Tan fine to medium SAND, some to little fine subrounded GRAVEL,
13-21		- 33		12	0.0	1
						well sorted, dry-damp, trace SILT
-						
						1
						1
1						
			ļ			1
]
						1
						1
						1
						1
-						1
						1

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 4" thick asphalt at grade.

Boring conducted within backfilled leaching pool which is "open" to 42" below grade.



Bethpage, NY

Boring No.: E07B13 Sheet 1 of 1

Project Name:

Plant 1 -

1852

By: MR

Phase II Site Assessment

Drilling Contractor: Emington

Driller: W. Rowland Drill Rig: CME-55 Geologist: Keith Robins
Drilling Method: Hollow Stem Augers

Drive Hammer Weight: N/A

Boring Completion Depth: Ground Surface Elevation: Boring Diameter: 21 ft. -- ft. 8 in.

Date Started: September 25, 2000Date Completed: September 25, 2000

Date St	anteu.		Jei 25, 21			Date Completed. September 25, 2000
		Soil Sa	ample			
Depth			PID	Lithology Description		
(ft.)	No.	Туре	(Per 6")		(ppm)	
11-13	1	ss		12	0.0	0-12": Tan medium to coarse SAND, some to little white subangular
	ļ	ļ				GRAVEL, trace SILT, damp, mroe crushed GRAVEL at 12.5" to 24"
13-15	2	SS		12	0.0	0-12": Tan-brown fine to coarse SAND and fine to coarse GRAVEL, poorly sorted, dry-damp
	<u> </u>					
15-17	3	SS		15	0.0	0-15": Tan-light brown medium to coarse SAND, some fine to medium GRAVEL, trace fine SAND at 12" to 24", dry
47.40	4	66		45	0.0	
17-19	4	SS		15	0.0	0-15": Tan-light brown fine to medium SAND, well sorted, little to trace GRAVEL, trace dark brown-red fine to medium SAND, trace SILT, dry
19-21	5	ss		24	0.0	0-24": Tan fine to coarse SAND, some fine GRAVEL, damp-dry
	_					
					~~~ · · ·	

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 3" thick asphalt at grade.

Boring conducted within backfilled leaching pool.



1852

Boring No.: E07B14 Sheet 1 of 1

**Boring Diameter:** 

**Project Name:** 

Bethpage, NY Plant 1 -

By: MR

Phase II Site Assessment

**Drilling Contractor:** Emington Driller: W. Rowland

Drill Rig: CME-55

Geologist: Keith Robins

**Drilling Method:** Hollow Stem Augers

Drive Hammer Weight: N/A

**Boring Completion Depth: Ground Surface Elevation:** 

20 ft. ft. 8 in.

Date Star						Date Completed: September 25, 2000
$\vdash$			il Sample		_	
Depth (ft.)	San No.	iple Type	Blows (Per 6")	Rec. (inches)	PID (ppm)	Lithology Description
5-7	1	SS		15	0.0	0-15": Light orange-light brown medium to coarse SAND,
						little to some fine GRAVEL, dry
7-9	2	SS		20	0.0	0-20": Brown-orange-tan fine to coarse SAND and alot fine
						subangular GRAVEL, dry, poorly sorted
9-11	3	SS		12	0.0	0-12": Tan fine to medium SAND, trace fine GRAVEL, well sorted,
						trace dark brown fine SAND, trace SILT, dry-damp
11-13	4	_ss		15	0.0	0-15": Tan-light brown medium to coarse SAND, well sorted, some fine to coarse
						GRAVEL, crushed angular GRAVEL, dry, more fine GRAVEL at 12'-13'
13-15	5	SS	<del>-</del>	15	0.0	0-6": Brown coarse SAND and fine GRAVEL
				-		6"-8": Dark brown SAND and GRAVEL
			-			8"-15": Tan coarse SAND and fine GRAVEL
16-18	6	SS			0.0	Brown-dark brown coarse SAND and subangular GRAVEL,
						poorly sorted, little fine to medium SAND, dry-damp
18-20	7	SS			0.0	Brown to tan fine to coarse SAND, some fine SAND, some GRAVEL, dry
-	_					
					· ·	
<del></del>	_					
	-					
<del></del>						
-+	-					
-+	$\dashv$					
$\overline{}$						
-  -	$\dashv$					
1						

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 10" thick asphalt at grade.



CONSULTING ENGINEERS A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C.

Project No.: **Project Location:**  1852 Bethpage, NY Boring No.: E08B01 Sheet 1 of

**Project Name:** 

Plant 1 -

Phase II Site Assessment

By: MR

**Drilling Contractor:** Emington

Geologist: Keith Robins

**Boring Completion Depth:** 

Driller: W. Rowland Drill Rig: CME-55

Drilling Method: Hollow Stem Augers Drive Hammer Weight: N/A

16 ft. **Ground Surface Elevation:** ft.

Date Started: October 3, 2000

Date Completed: October 3, 2000


8 **Boring Diameter:** in.

8-10         2         SS          12         0.0         0-12": Gray -light brown SILT, trace GRAVEL	Date St	arted: (		3, 2000			Date Completed: October 3, 2000
Depth (ft.) No.   Type   (Per 6") (inches) (ppm)   (ppm)			Soil S	ample	<u> </u>		
(ft.) No. Type (Per 6") (inches) (ppm)  6-8 1 SS 15 0.0 0-15": Gray-light brown SILT, damp compact trace fine SAND, coarse GRAVEL very damp-moist  8-10 2 SS 12 0.0 0-12": Gray -light brown SILT, trace GRAVEL  12"-24": Brown-light orange fine-coarse SAND, some fine to coarse GRAVEL, di  10-12 3 SS 12 0.0 0-12": Tan-light brown-orange coarse SAND and fine to coarse  GRAVEL, poorly sorted, dry  12-14 4 SS 12 0.0 0-12": Tan-light brown coarse SAND, some fine to coarse GRAVEL, trace fine to medium SAND, damp  14-16 5 SS 20 0.0 0-20": Tan-light brown medium to coarse SAND, some fine to coarse GRAVEL,	Depth	San			Rec.	PID	Lithology Description
6-8 1 SS 15 0.0 0-15": Gray-light brown SILT, damp compact trace fine SAND, coarse GRAVEL very damp-moist  8-10 2 SS 12 0.0 0-12": Gray -light brown SILT, trace GRAVEL 12"-24": Brown-light orange fine-coarse SAND, some fine to coarse GRAVEL, di 10-12 3 SS 12 0.0 0-12": Tan-light brown-orange coarse SAND and fine to coarse GRAVEL, poorly sorted, dry  12-14 4 SS 12 0.0 0-12": Tan-light brown coarse SAND, some fine to coarse GRAVEL, trace fine to medium SAND, damp  14-16 5 SS 20 0.0 0-20": Tan-light brown medium to coarse SAND, some fine to coarse GRAVEL,						ŀ	
8-10 2 SS 12 0.0 0-12": Gray -light brown SILT, trace GRAVEL  12"-24": Brown-light orange fine-coarse SAND, some fine to coarse GRAVEL, di  10-12 3 SS 12 0.0 0-12": Tan-light brown-orange coarse SAND and fine to coarse  GRAVEL, poorly sorted, dry  12-14 4 SS 12 0.0 0-12": Tan-light brown coarse SAND, some fine to coarse GRAVEL,  trace fine to medium SAND, damp  14-16 5 SS 20 0.0 0-20": Tan-light brown medium to coarse SAND, some fine to coarse GRAVEL,							0-15": Gray-light brown SILT, damp compact trace fine SAND, coarse GRAVEL,
12"-24": Brown-light orange fine-coarse SAND, some fine to coarse GRAVEL, do 10-12 3 SS 12 0.0 0-12": Tan-light brown-orange coarse SAND and fine to coarse GRAVEL, poorly sorted, dry  12-14 4 SS 12 0.0 0-12": Tan-light brown coarse SAND, some fine to coarse GRAVEL, trace fine to medium SAND, damp  14-16 5 SS 20 0.0 0-20": Tan-light brown medium to coarse SAND, some fine to coarse GRAVEL,							1
10-12 3 SS - 12 0.0 0-12": Tan-light brown-orange coarse SAND and fine to coarse GRAVEL, poorly sorted, dry  12-14 4 SS 12 0.0 0-12": Tan-light brown coarse SAND, some fine to coarse GRAVEL, trace fine to medium SAND, damp  14-16 5 SS 20 0.0 0-20": Tan-light brown medium to coarse SAND, some fine to coarse GRAVEL,	8-10	2	ss		12	0.0	0-12": Gray -light brown SILT, trace GRAVEL
GRAVEL, poorly sorted, dry  12-14 4 SS 12 0.0 0-12": Tan-light brown coarse SAND, some fine to coarse GRAVEL, trace fine to medium SAND, damp  14-16 5 SS 20 0.0 0-20": Tan-light brown medium to coarse SAND, some fine to coarse GRAVEL,							12"-24": Brown-light orange fine-coarse SAND, some fine to coarse GRAVEL, dry
12-14 4 SS 12 0.0 0-12": Tan-light brown coarse SAND, some fine to coarse GRAVEL, trace fine to medium SAND, damp  14-16 5 SS 20 0.0 0-20": Tan-light brown medium to coarse SAND, some fine to coarse GRAVEL,	10-12	3	SS		12	0.0	1
trace fine to medium SAND, damp  14-16 5 SS 20 0.0 0-20": Tan-light brown medium to coarse SAND, some fine to coarse GRAVEL,							GRAVEL, poorly sorted, dry
14-16 5 SS 20 0.0 0-20": Tan-light brown medium to coarse SAND, some fine to coarse GRAVEL,	12-14	4	SS		12	0.0	1
							trace fine to medium SAND, damp
subangular, crushed, dry, poorly sorted	14-16	5	SS		20	0.0	1
							subangular, crushed, dry, poorly sorted
					· · · · · · · · · · · · · · · · · · ·		
				-			
			-				
		-					

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch





A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C.

Project No.: **Project Location:**  1852 Bethpage, NY

Phase II Site Assessment

Boring No.: E08B03

Plant 1 -**Project Name:** 

Sheet 1 of

By: MR

**Drilling Contractor:** Driller: W. Rowland

Emington

Geologist: Keith Robins

**Boring Completion Depth:** 

16 ft. -- ft.

Drill Rig: CME-55

**Drilling Method:** Hollow Stem Augers Drive Hammer Weight: N/A

**Ground Surface Elevation: Boring Diameter:** 

8 in.

Date St	arted:	October	3, 2000			Date Completed: October 3, 2000
		Soil S	ample			
Depth	Sar	Sample		Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
6-8	1	ss		15	0.0	0-22": Brown-orange coarse to fine SAND, some to little
		j				fine GRAVEL, trace SILT, dry
8-10	2	ss		20	,	0-20": Brown-orange medium to coarse SAND, little to some
						fine to coarse GRAVEL, dry
10-12	3	SS		15	0.0	0-10": Brown-orange medium to coarse SAND,
						trace GRAVEL, trace dark brown SILT
						10"-15": Tan-light brown coarse to medium SAND and angular white GRAVEL, dry
12-14	4	SS		6	0.0	0-6": Tan-light brown coarse to medium SAND, little fine to coarse GRAVEL
				İ		
14-16	5	ss		20	0.0	0-20": Tan-light brown coarse SAND and fine to coarse GRAVEL, poorly sorted,
						loose, subangular-subrounded
	ļ					1
	1	i	l	l		

14-16	5	SS	 20	0.0	0-20": Tan-light brown coarse SAND and fine to coarse GRAVEL, poorly sorted,
					loose, subangular-subrounded
		-			

1	Sa	m	p	e	Tv	ď	e:	

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes:

## Boring No.: E08B04 Project No.: 1852 **Project Location:** Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 -By: MR CONSULTING ENGINEERS A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C. Phase II Site Assessment Geologist: Keith Robins 16 ft. **Drilling Contractor:** Emington **Boring Completion Depth:** Driller: W. Rowland **Drilling Method: Hollow Stem Augers Ground Surface Elevation:** ft. Drill Rig: CME-55 Drive Hammer Weight: N/A **Boring Diameter:** 8 in. Date Started: October 4, 2000 Date Completed: October 4, 2000 Soil Sample Depth Sample **Blows** Rec. PID **Lithology Description** (ft.) No. Type (Per 6") (inches) (ppm) 6-8 SS 0 1 Soft material, no recovery 8-10 2 SS 0 Soft material, no recovery 10-12 3 SS 6 0-6": Brown-orange coarse SAND, very moist, poorly sorted with GRAVEL, soft 2 12-14 SS 0-2": Brown-orange coarse SAND, fine GRAVEL SS 14-16 5 Tan coarse SAND and fine GRAVEL, subangular Notes: Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch



CONSULTING ENGINEERS A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C.

Project No.: Project Location: Project Name: 1852 Bethpage, NY

Plant 1 -

Boring No.: E08B05 Sheet 1 of

By: MR

Phase II Site Assessment

Drilling Contractor: Driller: W. Rowland

Drill Rig: CME-55

Emington

Geologist: Keith Robins Drilling Method: Hollow Stem Augers Drive Hammer Weight: N/A Boring Completion Depth: Ground Surface Elevation:

Date Started: October 4, 2000 Date Completed: October 4, 2000

**Ground Surface Elevation:** -- ft. **Boring Diameter:** 8 in.

24 ft.

Date St	arteu. (		4, 2000			Date Completed: October 4, 2000		
		Soil Sa	ample					
Depth	Çan		Blows	Rec.	OVA	Lithology Description		
	Sample No. Type		(Per 6")		•	Littiblogy Description		
(ft.)	NO.	Type	(rei o )	(inches)	(ppm)			
6-8	. 1	SS		6	0.0	0-6": Brown-gray SILTY SAND, little fine GRAVEL, moist, trace black fine SILT		
8-12	2	SS		0		Void		
12-14	3	SS		6	0.0	0-3": Dark brown soil 3"-6": Brown-orange coarse SAND, fine GRAVEL, dry		
14-16	4	SS		20	0.0	0-20": Tan coarse SAND and fine poorly sorted GRAVEL, fine to medium		
16-18	5	SS		6	0.0	O-6": Tan well sorted fine to medium SAND, trace coarse SAND, dry		
18-20	6	SS		16	0.0	0-6": Tan well sorted fine to medium SAND and fine to coarse GRAVEL, poorly sorted, subrounded-subangular, damp		
20-22	7	SS		15	0.0	0-15": Tan coarse to fine SAND, little fine to medium GRAVEL		
22-24	8	SS		18	0.0	0-18": Tan-light brown coarse to fine SAND, little fine to coarse GRAVEL, 3 " trace dark brown CLAY seam at 23.5'		
				-				


G \RRussel\1852\Boring Logs\Interior\E08b05

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Sample Type:

Notes:



Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe
CC = Concrete Core HP = Hydropunch

Notes:
Boring conducted to target backfilled leaching pool.



1852 Bethpage, NY Boring No.: E08B07 Sheet 1 of 1

**Project Name:** 

Plant 1 -

Phase II Site Assessment

By: MR

**Drilling Contractor:** Emington Driller: W. Rowland

Drill Rig: CME-55

Geologist: Keith Robins Drilling Method: Hollow Stem Augers Drive Hammer Weight: N/A

**Boring Completion Depth: Ground Surface Elevation: Boring Diameter:** 

16 ft. ft. 8 in.

Date Started: October 5, 2000

Date Completed: October 5, 2000

Date St	arted: (	October	5, 2000			Date Completed: October 5, 2000		
		Soil S	ample					
Depth	Sar	nple	Blows	Rec.	PID	Lithology Description		
(ft.)	No.	Туре	(Per 6")					
6-8	1	SS		12	0.0	0-12": Brown-orange coarse to fine SAND, some fine to coarse subrounded		
						GRAVEL, trace SILT, dry-damp, orange well sorted fine SAND at 7.5'-8'		
8-10	2	SS		20	0.0	0-10": Brown-orange fine to medium SAND, trace SILT, little fine GRAVEL		
						10"-20": Brown-tan coarse to medium SAND, some fine GRAVEL		
10-12	3	ss		15	0.0	0-15": Brown-tan coarse to medium SAND and fine GRAVEL, trace fine SAND		
						poorly sorted, dry		
12-14	4	SS		12	0.0	0-6": Brown-orange medium to coarse SAND, fine to medium GRAVEL		
						6"-12": Tan coarse SAND in fine GRAVEL		
14-16	5	ss		20	0.0	0-20": Tan-brown coare to medium SAND, damp, some fine to coarse		
						GRAVEL, trace fine SAND		
I								

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

<5" thick asphalt at grade. Notes: Boring conducted to target backfilled leaching pool.



1852 Bethpage, NY Boring No.: E08B08 Sheet 1 of 1

**Project Name:** Plant 1 - By: MR

Phase II Site Assessment

**Drilling Contractor:** Emington

Driller: W. Rowland Drill Rig: Earthprobe

Date Started: October 5, 2000

**Drilling Method:** Geoprobe Drive Hammer Weight: N/A

Geologist: Ken Wenz

Date Completed: October 5, 2000

**Boring Completion Depth:** 22 ft. **Ground Surface Elevation:** - ft. 2 in. **Boring Diameter:** 

		Soil Sa	mpie			
Depth	San	npie	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	3, 2 2 3 4
6-10	1	GP	-	39	0.0	0-15": Orange-brown, fine to medium SAND, little SILT,
						trace fine to coarse GRAVEL, dry, no odor
·						15"-26": Gray SILT and fine to medium SAND, trace fine to coarse
						GRAVEL, occasional asphalt and concrete pieces, dry, no odors
						26"-28": Orange-brown, fine to medium SAND, little SILT,
						trace fine to coarse GRAVEL, dry, no odor
						28"-39": Gray SILT and fine to medium SAND, trace fine to coarse
						GRAVEL, occasional asphalt and concrete pieces, dry, no odors
10-14	2	GP		19	0.0	0-3": Gray SILT and fine to medium SAND, trace fine to coarse
						GRAVEL, occasional asphalt and concrete pieces, dry, no odors
						3"-11": Orange-brown, fine to medium SAND, some SILT,
						trace fine to medium GRAVEL, dry, no odor
						11"-14": Asphalt pieces
						14"-19": Orange-brown, fine to coarse SAND, trace SILT,
						little fine to medium GRAVEL, dry, no odor
14-18	3	GP	-	36	0.0	0-36": Orange-brown, fine to coarse SAND, trace SILT,
						little fine to medium GRAVEL, dry, no odor
18-20	4	GP		20	0.0	0-20": Orange-brown, fine to coarse SAND, trace SILT,
						little fine to medium GRAVEL, dry, no odor
20-22	5	GP		23	0.0	0-23": Orange-brown, fine to coarse SAND, trace SILT,
						little fine to medium GRAVEL, dry, no odor
		-				
			-			
			_			
<u> </u>						
-						
$\vdash$						
$\vdash$						
	-					

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

Notes: Boring conducted to target former leaching pool

Sample Type:



1852 Bethpage, NY Boring No.: E08B09

**Project Name:** 

Plant 1 -

Sheet 1 of 1 By: MR

Phase II Site Assessment

**Drilling Contractor:** Emington

Driller: W. Rowland Drill Rig: Earthprobe

Date Started: October 5, 2000

Drilling Method: Geoprobe Drive Hammer Weight: N/A

Geologist: Ken Wenz

Date Completed: October 5, 2000

**Boring Completion Depth:** 22 ft. **Ground Surface Elevation:** -- ft.

2 in **Boring Diameter:** 

Date	i		1 5, 2000			Date Completed: October 5, 2000
<b> </b>	Soil Sample epth Sample Blows Rec.			I tale alone Describation		
Depth (ft.)	San No.		Blows	Rec. (inches)	PID (nom)	Lithology Description
(ft.)		Туре	(Per 6")		(ppm)	
6-10	1	GP		43	0.0	0-14": Brown SILT and fine to medium SAND,
						trace fine to medium GRAVEL, dry, no odor
						14"-17": Concrete pieces
						17"-43": Brown SILT and fine to medium SAND,
			_			trace fine to medium GRAVEL, dry, no odor
10-14	2	GP		30	0.0	0-18": Brown SILT and fine to medium SAND,
						trace fine to medium GRAVEL, dry, no odor
						18"-30": Tan to orange-brown, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
14-18	3	GP		46	0.0	0-46": Tan to orange-brown, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
18-20	4	GP		23	0.0	0-23": Tan to orange-brown, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
20-22	5	GP		24	0.0	0-24": Tan to orange-brown, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
	-					
$\vdash$						
<b> </b>						


SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes:

Boring conducted to target former leaching

pool





Project No.: 1852 **Project Location:** Bethpage, NY Boring No.: E08B11 Sheet 1 of 1

Project Name: Plant 1 -By: MR Phase II Site Assessment

**Drilling Contractor:** Emington

Driller: W. Rowland Drill Rig: Earthprobe Geologist: Ken Wenz Drilling Method: Geoprobe **Drive Hammer Weight: N/A**  **Boring Completion Depth:** 16 ft. **Ground Surface Elevation:** -- ft. 2 in. **Boring Diameter:** 

Date S	tarted:	Octobe	r 5, 2000			Date Completed: October 5, 2000
		Soil Sa	ample			
Depth	San		Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
6-10	1	GP		43	0.0	0-8": Brown, fine to medium SAND, some SILT,
						trace fine to coarse GRAVEL, dry, no odor
						8"-13": Dark brown SILT, trace fine to medium SAND, dry, no odor
						13"-18": Brown, fine to medium SAND, some SILT,
						trace fine to coarse GRAVEL, dry, no odor
						18"-24": Gray-brown, fine SAND and SILT, dry, no odor
						24"-43": Orange-brown, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
10-12	2	GP		24	0.0	0-24": Orange-brown, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
12-14	3	GP		22	0.0	0-22": Tan to orange-brown, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
14-16	4	GP		24	0.0	0-24": Tan to orange-brown, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor

Sample Type:


SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes:

Boring conducted to target former leaching

pool





1852 Bethpage, NY Boring No.: E08B14 Sheet 1 of 1

Project Name:

Plant 1 -

Phase II Site Assessment

By: MR

**Drilling Contractor:** Emington

Date Started: October 11, 2000

**Driller:** W. Rowland **Drill Rig:** Earthprobe

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Boring Completion Depth: 18 ft. Ground Surface Elevation: – ft. Boring Diameter: 2 in.

Date Completed: October 11, 2000

Date 3	l learned.			•		Date Completed: October 11, 2000				
Depth		Soil Sa	Blows	Rec.	PID	Lithology Deparintion				
(ft.)	No.	Type	(Per 6")	i i	(ppm)	Lithology Description				
6-10	1	GP		47	0.1	0-16": Orange-brown, fine to coarse SAND, trace SILT,				
	<u> </u>	<u> </u>			0.1	little fine to coarse GRAVEL, dry, no odor				
						16"-39": Gray to brown, SILT, some CLAY,				
						trace fine to medum GRAVEL, dry, no odor				
		ļ				39"-47": Orange-brown, fine to coarse SAND, trace SILT,				
						some fine to coarse GRAVEL, dry, no odor				
10.14		GD.		40						
10-14	2	GP		48	0.0	0-48": Tan to orange-brown, fine to coarse SAND, trace SILT,				
						some fine to coarse GRAVEL, dry, no odor				
14-16	3	GP		27	0.0	0-27": Tan to orange-brown, fine to coarse SAND, trace SILT,				
						some fine to coarse GRAVEL, dry, no odor				
16-18	3	GP		24	0.0	0-24": Tan to orange-brown, fine to coarse SAND, trace SILT,				
						some fine to coarse GRAVEL, dry, no odor				
		-								
					<del> </del>					
ŀ				ŀ						

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring targeted backfilled former leaching pool

C A DIVISH	ON OF WI		Dvirk and Barti consulting cosulich	lucc ng engir	NEERS	Project No.: 1852 Boring No.: E09B01 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment		
Driller: Drill Ri	W. Ro	wland nprobe	Emingto			Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: October 2, 2000  Boring Completion Depth: 8 ft. Ground Surface Elevation: ft. Boring Diameter: 2 in.		
Depth (ft.)	Sam No.	Soil Sa aple Type	Blows	Rec. (inches)	PID (ppm)	Lithology Description		
0-4	1	GP		32	0.0	0-3": Brown SILT and fine to medium SAND, trace fine GRAVEL, dry, no odor		
						3"-29": Brown to orange-brown, fine to medium SAND, trace SILT,		
						trace fine GRAVEL, dry, no odor		
						29"-32": Brown SILT and fine-medium SAND, trace fine GRAVEL, moist, no odor		
4-8	2	GP		24	0.0	0-24": Brown SILT and fine to medium SAND, trace fine GRAVEL, moist, no odor		
						]		
Sample SS = Sc		n HA	= Hand A	Auger G	P = Geo	Notes:		

CC = Concrete Core HP = Hydropunch



Project No.: **Project Location: Project Name:** 

1852 Bethpage, NY

Phase II Site Assessment

Plant 1 -

Boring No.: E10B01

Sheet 1 of 1

By: MR

**Drilling Contractor:** Emington

Driller: W. Rowland **Drill Rig: CME-55** 

Geologist: Keith Robins

Drilling Method: Hollow Stem Auger Drive Hammer Weight: N/A

**Boring Completion Depth: Ground Surface Elevation: Boring Diameter:** 

23 ft.

- ft.

8 in.

Date Completed: October 12, 2000 Date Started: October 12, 2000

Soil Sample PID **Lithology Description** Depth Sample **Blows** Rec. (ft.) Type (Per 6") (inches) (ppm) No. 0-15": Brown-tan medium to coarse SAND, little fine to coarse GRAVEL, 13-15 SS 15 0.0 trace gray SILTY CLAY, damp 15-17 2 SS 12 0.0 0-12": Tan coarse to medium SAND and fine to coarse subroundedsubangular GRAVEL, poorly sorted, damp-dry 0-15": Light brown medium to coarse well sorted SAND, trace fine GRAVEL, 17-19 SS 0.0 3 15 fine SAND, damp 19-21 SS 15 0.0 0-15": Light brown-tan fine SAND, trace fine GRAVEL, coarse SAND, well sorted, damp 21-23 SS 18 0.0 0-18": Brown-tan fine to coarse SAND, some 5 to little fine to medium GRAVEL, damp

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: Boring conducted to target backfilled former leaching pool.



1852

Boring No.: E10B02

Project Name:

Bethpage, NY Plant 1 - Sheet 1 of 1 By: MR

Phase II Site Assessment

**Drilling Contractor:** Emington

**Driller:** W. Rowland **Drill Rig:** CME-55

Date Started: October 12, 2000

Geologist: Keith Robins

**Drilling Method:** Hollow Stem Auger

Boring Completion Depth: Ground Surface Elevation:

21 ft. -- ft.

Drive Hammer Weight: N/A

**Boring Diameter:** 

8 in.

Date Completed: October 12, 2000

Date 2	tarted:		12,200	-		Date Completed: October 12, 2000		
	Soi		ample		PID			
Depth	San			Blows Rec.		Lithology Description		
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)			
11-13	1	SS		15	0.0	0-15": Orange-tan coarse to fine SAND, little fine to medium GRAVEL, damp		
13-15	2	SS		6	0.0	0-6": Tan coarse SAND and fine to coarse subrounded GRAVEL,		
						poorly sorted, damp, trace medium SAND		
15-17	3	SS		12	0.0	0-12": Tan fine to coarse SAND and fine to coarse subrounded pea size GRAVEL, dry-damp		
17-19	4	ss		12	1.0	0-6": Brown-tan coarse to medium SAND and fine GRAVEL, trace fine SAND		
						6"-12": Light tan very fine SAND, trace SILT, damp		
19-21	5	SS		15	0.0	0-15": Tan-light brown fine to coarse SAND, little to some medium GRAVEL		
		-				damp, well sorted		
				i				
		-						
-		<b> </b>						
─┤								
			-					
					-			
				1				

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

**Notes:** Boring conducted to target backfilled former leaching pool.



1852 Bethpage, NY Boring No.: E10B03 Sheet 1 of 1

By: MR

**Project Name:** 

Plant 1 -Phase II Site Assessment

**Drilling Contractor:** Emington

Driller: W. Rowland Drill Rig: Earthprobe

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A **Boring Completion Depth:** 22 ft. Ground Surface Elevation: -- ft. 2 in. **Boring Diameter:** 

Date S	tarted:	Octobe	r 2, 2000			Date Completed: October 2, 2000
		Soil S				
Depth		nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Type	(Per 6")	(inches)	(ppm)	
12-16	1	GP		34	0.0	0-1": Gray, fine to coarse SAND, trace SILT
						little fine to coarse GRAVEL, dry, no odor
·						1"-34": Orange-brown to tan, fine to coarse SAND, trace SILT
						little fine to coarse GRAVEL, dry, no odor
16-20	2	GP		39	0.0	0-39": Orange-brown to tan, fine to coarse SAND, trace SILT
						little fine to coarse GRAVEL, dry, no odor
20-22	3	GP			0.0	Orange-brown to tan, fine to coarse SAND, trace SILT
						little fine to coarse GRAVEL, dry, no odor
				-		
		-				
<u> </u>						

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Void from 8'-12' below grade Notes: Boring conducted to target backfilled former leaching pool.



1852 Bethpage, NY Boring No.: E10B04

**Project Name:** 

Plant 1 -

Sheet 1 of 1 By: MR

Phase II Site Assessment

**Drilling Contractor:** Emington

Driller: W. Rowland Drill Rig: Earthprobe Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A **Boring Completion Depth:** 21 ft. Grou Bor

Date Started: October 11, 2000

Date Completed: October 11, 2000

ound Surface Elevation:		π
ring Diameter:	2	in.

Date S	tarted:	Octobe	r 11, 200	Ю .		Date Completed: October 11, 2000
		Soil S	ample			
Depth			Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	
11-15	1	GP		38	0.0	0-4": Brown-black, SILT and CLAY, dry, no odor
		ļ				4"-38": Orange-brown to tan, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
15-19	2	GP		39	0.0	0-39": Orange-brown to tan, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
19-21	3	GP	-	24	0.0	0-24": Orange-brown to tan, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
<u> </u>						
$\vdash \vdash \vdash$		<u> </u>				
	-					
Sample	Type:					Notes: 7" thick concrete encountered 5" below grade.

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

7" thick concrete encountered 5" below grade. 11' void encountered beneath 7" thick concrete. Boring conducted to target backfilled former leaching pool.



1852 Bethpage, NY Boring No.: E10B05 Sheet 1 of 1

Project Name: Plant 1 - By: MR
Phase II Site Assessment

**Drilling Contractor:** Emington

Driller: W. Rowland
Drill Rig: Earthprobe
Date Started: October 2, 2000

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Boring Completion Depth: 18 ft. Ground Surface Elevation: -- ft. Boring Diameter: 2 in.

Date Completed: October 2, 2000

	Soil Sample					
Depth	Sample Blows Rec.				PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	Entitology Description
	110.		(reio)	(IIICHES)		
6-10	1	GP		24	0.0	0-22": Brown SILT and fine to coarse SAND, trace fine GRAVEL, dry, no odor
						22"-24": Gray-brown SILT and CLAY, moist, no odor
10-14	2	GP		35	0.0	0-3": Gray-brown SILT and CLAY, moist, no odor
					_	3"-35": Orange-brown to tan, fine to coarse SAND, trace SILT,
						little fine to coarse GRAVEL, dry, no odor
14-18	3	GP		32	0.0	0-32": Orange-brown to tan, fine to coarse SAND, trace SILT,
11.10		<u> </u>		92	0.0	little fine to coarse GRAVEL, dry, no odor
						inde line to coarse GRAVEL, dry, no oddi
					<del></del>	
		-				
<del>                                     </del>						
<b></b>						
			į	ŀ		
<del>  </del>						
<b> </b>						
	_					B. 4

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes



Project No.: Project Location: 1852

Boring No.: E10B06 Sheet 1 of 1

**Project Name:** 

Bethpage, NY Plant 1 -

By: MR

Phase II Site Assessment

**Drilling Contractor:** Emington

Driller: W. Rowland Drill Rig: Earthprobe Geologist: Ken Wenz **Drilling Method:** Geoprobe Drive Hammer Weight: N/A **Boring Completion Depth:** 18 ft. **Ground Surface Elevation:** 

**Boring Diameter:** 

- ft. 2 in.

	tarted:	Octobe	r 2, 2000			Date Completed: October 2, 2000
		Soil S				
Depth		nple	Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6*)		(ppm)	
6-10	1	GP	<del>-</del> -	12	0.0	0-12": Brown SILT and fine to medium SAND,
		<u> </u>				little fine to medium GRAVEL, dry, no odor
10-14	2	GP		30	0.0	0-4": Brown SILT and fine to medium SAND,
						little fine to medium GRAVEL, dry, no odor
_		ļ				4"-7": Brown-gray SILT and CLAY, dry, no odor
						7"-30": Brown to orange-brown, fine to coarse SAND, trace SILT,
						little fine to medium GRAVEL, dry, no odor
14-18	3	_GP		35	0.0	0-35": Tan, fine to coarse SAND, trace SILT,
						little fine to medium GRAVEL, dry, no odor
					·	
					-	
]						
T						
$\overline{}$			-			
				— <del>-</del>	-	
	1		. 1	ı		

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch

leaching pool. No cover found.

Boring conducted to target backfilled former

Notes:



Project No.: Project Location:

**Project Name:** 

1852 Bethpage, NY Boring No.: E10B08 Sheet 1 of 1

Plant 1 -

By: MR

Phase II Site Assessment

**Drilling Contractor:** Emington

Driller: W. Rowland
Drill Rig: Earthprobe
Date Started: October 11, 2000

Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: October 11, 2000 Boring Completion Depth: 16 ft. Ground Surface Elevation: -- ft. Boring Diameter: 2 in.

	·					
Depth	Sample		Blows	Rec.	PID	Lithology Description
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)	

Depth					PID	Lithology Description				
(ft.)	No.	Туре	(Per 6")	(inches)	(ppm)					
6-10	1	GP		27	0.1	0-27": Orange-brown, fine to medium SAND, some SILT,				
3,0	•	<u> </u>			<u> </u>	occasional fine to medium GRAVEL, dry, no odor				
			<u> </u>							
10-14	2	GP		45	0.0	0-45": Orange-brown, fine to medium SAND, some SILT,				
						occasional fine to medium GRAVEL, dry, no odor				
14-16	3	GP		24	0.0	0-24": Orange-brown, fine to medium SAND, some SILT,				
		ļ				occasional fine to medium GRAVEL, dry, no odor				
	_									
		<del> </del>	<del></del>							
		ļ	ļ							
		ļ								
		<del>                                     </del>								
		<u> </u>								
		<u> </u>								

Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe CC = Concrete Core HP = Hydropunch Notes: approx. 2" thick concrete encountered at 3' below grade. Boring conducted to target backfilled former leaching pool.


C A DIVIS	ION OF W		ONSULTI	Ka IUCC ING ENGII I ASSOCIAT	NEERS	Project No.: 1852 Boring No.: E12B01 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment				
Driller Drill R	: W. Ro	owland hprobe	Emingto r 11, 200			Drilling Method: Geoprobe Ground Surface Elevation: -	20 ft. ft. 2 in.			
Depth (ft.)	Sar No.	Soil Sample   Sample   Blows   Rec.   PID			1	Lithology Description				
10-14	1	GP	_	38	0.0	0-38": Orange-brown, fine to coarse SAND, trace SILT,				
10-14	<u> </u>	<u> </u>		30	0.0	little fine to coarse GRAVEL, dry, no odor				
14-16	2	GP		24	0.1	0-24": Orange-brown, fine to coarse SAND, trace SILT,				
14-10		<u> </u>		27	0.1	little fine to coarse GRAVEL, dry, no odor				
16-18	3	GP	_	20	0.0	0-20": Orange-brown, fine to coarse SAND, trace SILT,				
10-10	ا ا	5,		20	<u> </u>	little fine to coarse GRAVEL, dry, no odor				
18-20	4	GP	_	24	0.0	0-24": Orange-brown, fine to coarse SAND, trace SILT,				
10 20		<u> </u>			- 5.5	little fine to coarse GRAVEL, dry, no odor				
						7				
		İ								
***										
Sample SS = Sr					D = Coo	Notes:				

CC = Concrete Core HP = Hydropunch

C A DIVISI	ION OF W		Dvirland Barti COSULICH	UCC NG ENGII	NEERS	Project No.: 1852 Boring No.: E13B01 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment
Driller Drill R	: W. Ro ig: Eartl	wland hprobe	Emingto			Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 25, 2000  Boring Completion Depth: 5 ft Ground Surface Elevation: ft Boring Diameter: 2 in
		Soil Sa				
Depth (ft.)	San No.	nple Type	Blows (Per 6")	Rec. (inches)	PID (ppm)	Lithology Description
1-3	1	GP		20	0.0	0-1": Black SILT and CLAY, trace fine to medium SAND, dry, no odor
						2"-19": Brown SILT and CLAY, trace fine to medium SAND, dry, no odor
						19"-20": Brown, fine to coarse SAND, trace SILT,
						trace fine to medium GRAVEL, dry, no odor
3-5	2	GP		17	0.0	0-17": Orange-brown, fine to coarse SAND, trace SILT,
						trace fine to medium GRAVEL, dry, no odor
				-	<u>-</u>	
$\vdash$						
<b>  </b>						
├──┤						
$\vdash \vdash \vdash$						
Sample	Type:					Notes: 5" thick concrete at grade
SS = Sp	olit Spoc		= Hand A HP = Hy			

A DIVISI	ON OF W		ONSULTI	(a lucc ng engir associat	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site As	Boring No.: E13B02 Sheet 1 of 1 By: MR sessment			
Driller: Drill R	W. Ro	wland hprobe	Emingto			Drilling Method: Ge Drive Hammer Weig	Geologist: Ken Wenz Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: September 25, 2000  Boring Completion Dep Ground Surface Elevati Boring Diameter:		4 ft. ft. 2 in.		
Depth	Soil Sample  Depth Sample Blows Rec. PID			PID		Lithology Description					
(ft.)	No.	Туре	•	(inches)	(ppm)			· · · · · · · · · · · · · · · · · · ·			
0-2	1	GP		24	0.0	0-5": Gray to brown, f	ine to medium SAN	D, trace SILT, dry, no odor			
						5"-24": Brown SILT as	nd CLAY, fine to me	dium SAND, moist, no odor			
2-4	2	GP	-	18	0.0	0-7": Brown SILT and	CLAY, fine to medi	um SAND, moist, no odor			
						7"-18": Orange-brown	, fine to medium SA	ND, trace SILT,			
						trace fine to	coarse GRAVEL, o	dry, no odor			
						j					
					***************************************						
-											
Sample	Type	!				<u> </u>	Notes:	<u>-</u>			

CC = Concrete Core HP = Hydropunch




Drilling	ON OF WI	<i>))</i> [	ONSULTI	LUCC NG ENGIN ASSOCIATI	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site As	Boring No.: E13B02E12 Sheet 1 of 1 By: MR sessment	
Driller: Drill Rig	W. Rog: Earth	wland probe Decemi	Emingto ber 27, 2					Ground Surface Elevation:	ft. ft.
Depth (ft.)	Sam No.	Soil Sa ple Type	Blows	Rec. (inches)	PID (ppm)		Lithology	Description	
0-2	1	GP	_	8	0.4	0-8": Brown to tan SIL	TY CLAYEY mater	rial with some staining, moist, no odor	
2-4	2	GP		8	0.2	0-8": Dark brown to ta	n to orange SAND	and GRAVEL, moist, no odor	
					<u> </u>				
					<u> </u>				
-									
					-				
$\frac{1}{2}$									
						,			
$\Rightarrow$									

CC = Concrete Core HP = Hydropunch

A DIVISI	ION OF W		Dvirk and Barti cosulich	lucc ng engli	NEERS	Project No.: 1852 Boring No.: E13B02N5 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment
Driller Drill R	: W. Ro ig: Earth	wiand nprobe	Emingto ber 27, 2			Geologist: Mark Rauber Drilling Method: Geoprobe Drive Hammer Weight: N/A Date Completed: December 27, 2000  Boring Completion Depth: 4 ft. Ground Surface Elevation: - ft. Boring Diameter: 2 in.
Depth (ft.)						Lithology Description
0-2	1	GP		6	0.0	0-6": Brown to tan SILTY CLAYEY SAND and GRAVEL, moist, no odor
2-4	2	GP		6	0.0	0-6": Brown to tan SILTY CLAYEY SAND and GRAVEL, moist, no odor
						·
	olit Spoo		= Hand A HP = Hy			Notes: 4" thick concrete at grade probe

A DIVIS	ION OF W	<i>IJ</i>	Dvirland Barti CONSULTI COSULICH	IUCC	NEERS	Project No.: Project Location: Project Name:	1852 Bethpage, NY Plant 1 - Phase II Site As	Boring No.: E13B02NE10 Sheet 1 of 1 By: MR sessment		
Driller Drill R	: W. Ro	owland hprobe Decem	Emingto ber 27, 2					Boring Completion Depth: Ground Surface Elevation: Boring Diameter:	4 ff ft 2 ir	
Depth (ft.)					Lithology Description					
0-2	1	GP		6	0.4	0-6": Brown to tan SIL	TY SANDY soil wit	h GRAVEL, moist, no odor		
2-4	2	GP	_	7	0.5	0-7": Brown to tan SIL	TY SANDY soil wit	h GRAVEL, moist, no odor		
							<del></del>			
			•							
н <u> </u>										
			-							
	olit Spoc		= Hand A HP = Hy			probe	Notes: 5" thic	ck concrete at grade		




Sample Type:

SS = Split Spoon HA = Hand Auger GP = Geoprobe

CC = Concrete Core HP = Hydropunch

Notes: 2" thick concrete at grade



C A DIVISI	ON OF W		Dvirland Barti COSULICH	luco ng engli	NEERS	Project No.: 1852 Boring No.: E13B02W12 Project Location: Bethpage, NY Sheet 1 of 1 Project Name: Plant 1 - By: MR Phase II Site Assessment	
Driller Drill R	: W. Ro ig: Eart	wland hprobe	Emingto ber 27, 2			Geologist: Mark Rauber Boring Completion Depth: 4 ft Drilling Method: Geoprobe Ground Surface Elevation: ft Drive Hammer Weight: N/A Boring Diameter: 2 i Date Completed: December 27, 2000	t.
Depth						Lithology Description	
(ft.) 0-2	No. 1	Type GP	(Per 6") 	(inches)	(ppm) 0.0	0-12": Brown to tan SAND and GRAVEL, moist, no odor	_
							_
2-4	2	GP		12	0.0	0-12": Brown to tan SAND and GRAVEL, moist, no odor	
							٦
				<u>.</u>		-	
						1	
							Ì
							l
			. `				
					_		
		_					j
Sample SS = Sp CC = Cd	lit Spoo		= Hand A HP = Hy			probe Notes:	