

**FORMER DRY WELL INVESTIGATION
SOUTH OF PLANT NO. 3
AREA OF CONCERN 20**

**Naval Weapons Industrial
Reserve Plant (NWIRP)**

Bethpage, New York




**Northern Division
Naval Facilities Engineering Command**

Contract Number N62472-90-D-1298

Contract Task Order 0283

January 2000



1.0 INTRODUCTION

This report has been prepared as part of the Free Product Recovery Investigation for Contract Task Order (CTO) No. 283 by Tetra Tech NUS, Inc. (TtNUS) for the Northern Division (NORTHDIV) Naval Facilities Engineering Command (NAVFAC) under the Comprehensive Long-Term Environmental Action – Navy (CLEAN) Contract Number N62472-90-D-1298. The purpose of this report is to determine if metal concentrations present in subsurface soils at the location of a former dry well (Area of Concern (AOC) 20) south of Plant No. 3 are in excess of regulatory standards at the Naval Weapons Industrial Reserve Plant (NWIRP) Bethpage, New York. This letter report presents the results of supplemental subsurface soil testing at this location

AOC 20 consists of several dry wells investigated by Northrop Grumman as part of an overall environmental evaluation of Plant No. 3 in 1997 and 1998. One of the former dry wells is located south of Plant No. 3 near AOC 22 – Former Underground Storage Tanks and soils in the area were found to contain elevated concentrations of mercury, lead, and zinc. This dry well has not been active in recent operations (10 years) and is believed by plant personnel to have been out of operation much longer. The dry well structure is not present at the site and the only evidence of this location is historic utility drawings and the presence of gravel in some of the borings.

2.0 FIELD PROGRAM DESCRIPTION AND RATIONALE

The objective of this investigation is to confirm the presence of RCRA metals in soils at a former AOC 20 dry well south of Plant No. 3; and if present, to delineate the approximate extent of contamination. A subsurface soil investigation was conducted in June 1999.

Field activities are presented by task in the following paragraphs. All field activities were conducted in accordance with procedures referenced in TtNUS Standard Operating Procedures (SOPs), and in accordance with the health and safety procedures established in the site HASP.


2.1 Soil Borings

The location of the former dry well was identified in the field based on historic plant utility drawings. Four soil borings were then installed using hollow-stem auguring drilling techniques. The soil borings were drilled using a truck-mounted drill rig with 3 ¼-inch I.D., 6-inch O.D., by 5-foot length hollow-stem auger casts. Soil boring TTAOC20-SB01 was placed at the approximate center of the former dry well location. The three perimeter soil boring locations, TTAOC20-SB02 through TTAOC20-SB04, were placed approximately 10 feet to the north, southeast and southwest of TTAOC20-SB01 respectively. The perimeter locations were separated by approximately 120 degrees. Soil boring locations TTAOC20-SB01 through TTAOC20-SB04 are depicted in Figure 2-1. Soil boring log sheets are included in Appendix A.

2.2 Soil Sampling

For each of the soil borings, split spoon samples were collected by auguring to the top of the depth interval of interest and driving a 2-inch O.D. by 24-inch length split barrel sampler with repeated blows using a 140-pound weight falling a distance of 30 inches. Split spoon samples were collected at 3 feet to 5 feet, 8 feet to 10 feet, and 13 feet to 15 feet below ground surface in all of the soil borings. For two of the four soil borings, TTAOC20-SB02 and TTAOC20-SB03, poor sample returns over the 13 foot to 15 foot interval made it necessary to collect additional split spoon samples from 15 feet to 17 feet below ground surface in order to meet the laboratory-specified volume requirements.

ACAD:7576CM02.dwg 10/11/99 MF



LEGEND

● SOIL BORING SAMPLE LOCATIONS

0 50 100
SCALE IN FEET

DRAWN BY HJP	DATE 9/21/99	Tetra Tech NUS, Inc.	CONTRACT NO. 7576	OWNER NO. ---
CHECKED BY	DATE		APPROVED BY	DATE
COST/SCHED-AREA			APPROVED BY	DATE
SCALE AS NOTED		AOC 20 SAMPLING LOCATIONS NWIRP BETHPAGE BETHPAGE, NY.	DRAWING NO. FIGURE 2-1	REV. 0

FORM CADD NO. T4NUS_AV.DWG - REV 0 - 1/22/98

To allow for the inclusion of the current AOC 20 data set into a larger data base for NWIRP Bethpage, sample and soil boring labels were modified slightly. For example, soil sample TTNUS-20-SB-01-0305 was collected from soil boring TTAOC20-SB01 (or TT20-SB01) at a depth of 3 to 5 feet below ground surface. TT and TTNUS both refer to TtNUS, SB is soil boring, and "20" references AOC 20. For the Northrop Grumman sample (03-22-15A-S-1), "03" refers to Plant No. 3. As discussed with Northrop Grumman contractors in June 1999, "22" should have been identified as "20". The balance of the label identifies the soil boring number and sample number.

Soil samples from all intervals were used to characterize the lithology and were analyzed for 8 RCRA Metals and zinc by SW-846 6010B/7000A series (USEPA 1997). All data collected was subject to data validation. This data validation was performed in accordance with USEPA Region 2 data validation requirements.

One Matrix Spike/Matrix Spike Duplicate and one Blind Field Duplicate sample were collected from soil boring TTAOC20-SB01. It was necessary to combine soil sample returns over a 4-foot interval (8 feet to 12 feet below ground surface) to meet the necessary laboratory-specified volume requirements for these QA/QC samples. In addition, one Field Blank sample of the potable water source used for decontamination activities located near the former drum marshalling area was collected and analyzed for 8 RCRA Metals and zinc by Methods SW-846 6010B/7000A series (USEPA 1997). Sample log sheets and chain-of-custody forms are included in Appendix A, respectively.

2.3 Soil Boring Survey

At the completion of the soil boring drilling program, relative coordinates for each of the soil boring locations were determined by conducting a grid survey using permanent physical features in the AOC 20 as sight lines. Coordinates were measured to the nearest 0.50-feet with a measuring tape and recorded in the field logbook on hand-illustrated maps depicting the relative positions of each of the soil boring locations. The locations of each of the soil borings were also documented photographically.

2.4 Decontamination Procedures

All auger casts were decontaminated between soil boring locations at the constructed decontamination pad using a pressurized steam cleaner and potable water.

All split spoons were decontaminated prior sample acquisition according to the following procedure.

- Potable water and detergent rinse (Alconox/Liquinox)
- Tap water rinse
- Distilled/deionized water rinse
- Methanol rinse
- Distilled/ deionized water rinse
- Air dry

2.5 Investigative-Derived-Waste (IDW)

All water generated during decontamination activities was containerized in 55-gallon Department-of-Transportation (DOT)-approved steel drums (DOT 17-H) and staged at the appropriated drum storage area (GAC Building south of Plant No. 3).

3.0 NATURE AND EXTENT OF CONTAMINATION IN SITE MEDIA

Subsurface soil [depths greater than 2 feet below ground surface (bgs)] samples were collected from Area of Concern 20 (AOC 20). Based upon the analytical results for these samples, the nature and extent of contamination at AOC 20 is discussed in the following section. Analytical results are presented in Table 3-1 and Figure 3-1.

All soil samples were analyzed for RCRA metals plus zinc (arsenic, barium, cadmium, chromium, lead, mercury, selenium, silver, and zinc). Considered in this data set were thirteen soil samples (including one field duplicate pair) and sample 03-22-15A-S-1, which was collected by Northrop Grumman in 1998. Results for these analytes were compared to Soil Clean-up Objectives as per New York State Department of Environmental Conservation (NYSDEC), "Division of Technical and Administrative Guidance Memorandum: Determination of Soil Clean-up Objectives and Clean-up Levels" (January 24, 1994) (TAGM 4046). An excerpt of Appendix A Table 4 from the NYSDEC TAGM follows:

Constituent	NYSDEC TAGMs (mg/kg)
Arsenic	7.5 or SB
Barium	300 or SB
Cadmium	1 or SB
Chromium	10 or SB
Lead	SB
Mercury	0.1
Selenium	2 or SB
Silver	SB
Zinc	20 or SB

Table 3-1 of this report display a summary of all analytical results compared to TAGMs and Site Background as detailed in the Halliburton NUS Environmental Corporation "Final Remedial Investigation Report for NWIRP Bethpage, New York, (May 1992). As displayed Table 3-1, silver was not detected in any of the samples collected and cadmium was only detected in one sample TTNUS-20-SB-01-0305 at a concentration of 0.03 mg/kg. Additionally mercury and selenium were detected in about half of the samples collected. The remaining metals were

TABLE 3-1

ANALYTICAL RESULTS AND COMPARISON TO NYSDEC TAGMS
AOC 20 - DRY WELLS
NWIRP BETHPAGE, NY

Sample Number: Top Depth: Bottom Depth: Sample Date:	TTNUS-20-SB-01-0305 3 5 29-Jun-99	TTNUS-20-SB-01-0812 8 12 29-Jun-99	TTNUS-20-SB-01-1315 13 15 29-Jun-99	TTNUS-20-SB-02-0305 3 5 29-Jun-99	TTNUS-20-SB-02-0810 8 10 29-Jun-99	TTNUS-20-SB-02-1317 13 17 29-Jun-99	NYSDEC TAGMs/Basis
Inorganics (mg/kg)							
ARSENIC	2.7	2.3	4.1	0.87	0.88	1.2	7.5/TAGM
BARIUM	15.2	8.8	9.9	5.1	7.3	6.6	300/TAGM
CADMIUM	0.03	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	1/TAGM
CHROMIUM	16.1	7.6	9	4.6	2.7	5.2	12.7/SB
LEAD	4.3	2.7	2.7	1.4	1.6	1.4	7.8/SB
MERCURY	0.04	0.02 U	0.06	0.04	0.02 U	0.02 U	0.1/TAGM
SELENIUM	0.35	0.21	0.25	0.27	0.2 U	0.24	2/TAGM
SILVER	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	0.06 U	NA/SB
ZINC ⁽²⁾	19.7 R	7.8 R	10.9 R	6.8 R	5.5 R	4.5 R	20/SB-TAGM

Sample Number: Top Depth: Bottom Depth: Sample Date:	TTNUS-20-SB-03-0305 3 5 29-Jun-99	TTNUS-20-SB-03-0810 8 10 29-Jun-99	TTNUS-20-SB-03-1517 15 17 29-Jun-99	TTNUS-20-SB-04-0305 3 5 29-Jun-99	TTNUS-20-SB-04-0810 8 10 29-Jun-99	TTNUS-20-SB-04-1315 0 15 29-Jun-99	03-22-15A-S-1 ⁽²⁾ 8 10	NYSDEC TAGMs/Basis
Inorganics (mg/kg)								
ARSENIC	1.4	1.5	0.67	6.3	0.83	2.4	ND	7.5/TAGM
BARIUM	8.1	6.2	4.8	46.1	8.3	3	ND	300/TAGM
CADMIUM	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	ND	1/TAGM
CHROMIUM	4.7	3.4	2.3	17	3.4	13.3	ND	12.7/SB
LEAD	2.4	2.3	1.2	9.7	1.2	1.2	4070 J	7.8/SB
MERCURY	0.03	0.03	0.04	0.03	0.02 U	0.02 U	0.47	0.1/TAGM
SELENIUM	0.21 U	0.21 U	0.21 U	0.47	0.21 U	0.22	ND	2/TAGM
SILVER	0.06 U	0.06 U	0.06 U	0.07 U	0.06 U	0.06 U	ND	NA/SB
ZINC ⁽²⁾	10.6 R	7.4 R	6.2 R	25.9 R	4.7 R	7.3 R	119	20/SB-TAGM

ND - Not Detected.

NA - Not Available because the result for this analyte was not detected in site background.

TAGM - Technical and Administrative Guidance Memorandum. [4046, NYSDEC January 24, 1994 (Revised)]

SB - Site Background. Halliburton NUS Environmental Corporation May 1992. Final Remedial Investigation Report NWIRP Bethpage.

U - Value was nondetected at or above the concentration reported.

R - Positive result is deemed unusable due to its presence in a field blank.

(1) In accordance with USEPA Region 2 data validation guidance, all positive zinc results were rejected due to field blank contamination. However since these results are at worst biased high we have chosen to consider them in this screening exercise.

(2) Sample collected by Northrup Grumman. Shaded results exceed the SB or TAGM 4046.



BUILDING 3 (MANUFACTURING)

BUILDING 3 (MANUFACTURING)

BUILDING 3 (MANUFACTURING)

FORMER UST AREA

BUILDING 304

GAC BUILDING

TTAOC20-SB02			
DEPTH	3 TO 5 FT	8 TO 10 FT	13 TO 17 FT
ARSENIC	0.87	0.88	1.2
BARIUM	5.1	7.3	6.6
CHROMIUM	4.6	2.7	5.2
LEAD	1.4	1.6	1.4
MERCURY	0.04	ND	ND
SELENIUM	0.27	5.5R	0.24
ZINC	0.6R	5.5R	4.5R

03-22-15A-S-1	
DEPTH	8 TO 10 FT
LEAD	4076J
MERCURY	0.47
ZINC	119


TTAOC20-SB01				
DEPTH	3 TO 5 FT	8 TO 12 FT	12 TO 15 FT	13 TO 15 FT
ARSENIC	2.7	2.3	4.1	1.1
BARIUM	15.2	6.8	9.9	6.1
CHROMIUM	0.63	ND	ND	ND
LEAD	16.1	7.6	9.6	3.6
MERCURY	4.3	2.7	2.7	2.0
SELENIUM	0.04	ND	0.06	0.06
ZINC	0.35	0.21	0.25	ND
	19.7R	7.6R	18.6R	7.5R

TTAOC20-SB04			
DEPTH	3 TO 5 FT	8 TO 10 FT	10 TO 15 FT
ARSENIC	0.3	0.83	2.4
BARIUM	46.1	8.3	3.0
CHROMIUM	17.0	3.4	13.3
LEAD	9.7	1.2	1.2
MERCURY	0.63	ND	ND
SELENIUM	0.47	ND	0.22
ZINC	25.6R	4.7R	7.3R

TTAOC20-SB03			
DEPTH	3 TO 5 FT	8 TO 10 FT	15 TO 17 FT
ARSENIC	1.4	1.5	0.67
BARIUM	8.1	0.2	4.8
CHROMIUM	4.7	3.4	2.3
LEAD	2.4	2.3	1.2
MERCURY	0.03	0.03	0.04
ZINC	10.6R	7.4R	6.2R

LEGEND

- SOIL BORING SAMPLE LOCATIONS
- ND NOT DETECTED
- R DATA IS REJECTED BUT BASED ON A HIGH BIAS DATA IS STILL CONSIDERED USABLE



NO.	DATE	REVISIONS	BY	CHKD	APPD	REFERENCES

CONTRACT NO.	7576	OWNER NO.	0283
APPROVED BY		DATE	
APPROVED BY		DATE	
DRAWING NO.	FIGURE 3-1	REV.	0

DRAWN BY	MF	DATE	10/8/99
CHECKED BY		DATE	
COST/SCHED-AREA			
SCALE			
AS NOTED			

Tetra Tech NUS, Inc.	
AOC 20	
POSITIVE DETECTIONS IN SOIL	
NWIRP BETHPAGE	
BETHPAGE, NY	

detected in nearly all the samples collected. Arsenic was detected at a maximum concentration of 6.3 mg/kg in sample TTNUS-20-SB-04-0305. Barium was detected at a maximum concentration of 46.1 mg/kg in sample TTNUS-20-SB-04-0305. Chromium was detected at a maximum concentration of 17 mg/kg in sample TTNUS-20-SB-04-0305. Lead was detected at a maximum concentration of 4070 mg/kg in sample 03-22-15A-S-1 (Northrup Grumman), but at a maximum concentration of 9.7 mg/kg in sample TTNUS-20-SB-04-0305 (TtNUS). Mercury was detected at maximum concentration of 0.47 mg/kg in sample 03-22-15A-S-1 (Northrup Grumman), but at a maximum concentration of 0.06 mg/kg in sample TTNUS-20-SB-01-0812-D (TtNUS). Selenium was detected at a maximum concentration of 0.47 mg/kg in sample TTNUS-20-SB-04-0305. Zinc was detected at maximum concentration of 119 mg/kg in sample 03-22-15A-S-1 (Northrup Grumman), but at a maximum concentration of 25.9 mg/kg in sample TTNUS-20-SB-04-0305 (TtNUS).

Chromium concentrations of 16.1 mg/kg in sample TTNUS-20-SB-01-0305, 13.3 mg/kg in sample TTNUS-20-SB-04-1315, and 17 mg/kg in sample TTNUS-20-SB-04-0305 were in excess of the TAGM of 12.7 mg/kg. Lead concentrations of 9.7 in sample TTNUS-20-SB-04-0305 and 4070 mg/kg in sample 03-22-15A-S-1 were in excess of the TAGM of 7.8 mg/kg. The mercury concentration of 0.47 mg/kg in sample 03-22-15A-S-1 was in excess of the TAGM of 0.1 mg/kg. Zinc concentrations of 25.9 mg/kg in sample TTNUS-20-SB-04-0305 and 119 mg/kg in sample 03-22015A-S-1 were in excess of the TAGM of 20 mg/kg.

As per Table 3-1, all zinc results for samples collected by TtNUS were assigned the "R" qualifier during data validation. Generally, this qualifier indicates that positive results are rejected and should be considered unusable. However, these zinc results were rejected as a result of field blank contamination, as per USEPA Region 2 data validation guidance. This finding implies that the laboratory reported zinc concentrations may be biased high or perhaps not present at all in these samples. Because the data user cannot be certain if the zinc concentrations reported are real or artifacts, Region 2 recommends not using the results. However, this approach creates a data gap. Therefore, TtNUS is provisionally using the zinc data because most of the positive results were higher than both the Instrument Detection Limit (IDL 0.03 mg/kg) and the Reporting Limit (RL 2 mg/kg) but less than the TAGM of 20 mg/kg. The only exception is the zinc result of 25.9 mg/kg in sample TTNUS-20-SB-04-0305 and this result only marginally exceeds the TAGM of 20 mg/kg. Appendix B contains copies of the data validation memoranda.

In summary, the highest concentration of lead, mercury, and zinc at AOC 20 were found in the 1998 Northrop Grumman sample 03-22-15A-S-1. The detected concentrations in this sample were in excess of the TAGMs by a factor of 5 to 500. The samples collected by the Navy were found to contain the same metals. However, the detected concentrations were much lower, and only 3 of 12 current samples had one or metal results exceeding a TAGM. In addition, the maximum TAGM exceedance was for chromium at a concentration of 17 mg/kg versus the TAGM of 12.7 mg/kg.

4.0 CONTAMINANT FATE AND TRANSPORT

Metals are the only site-related contaminants at AOC 20 and metals in general are highly persistent environmental contaminants. They do not biodegrade, photolyze or hydrolyze. The major fate mechanisms for metals are adsorption to the soil matrix (as compared to being part of the soil structure) and bioaccumulation.

The mobility of metals is influenced primarily by their physical and chemical properties in combination with the physical and chemical characteristics of the soil matrix. Factors that assist in predicting the mobility of inorganic species are the soil/pore water pH, soil/pore water specific conductance, and cation exchange capacity. The mobility of metals generally increases with decreasing soil pH and cation exchange capacity.

Because metals are frequently incorporated into the soil matrix and remain bound to particulate matter, they also migrate from the source areas via bulk movement processes (erosion). The larger particles (>0.45 microns, which are removed via the filtration step prior to water analysis) are not generally considered to be mobile in groundwater.

There are some instances, however, where these metals are found at such concentrations or in such form as to be able to migrate in solution. It is possible that industrial activities could saturate all available exchange sites in soil and hence a metal may be mobilized. Metals are also more mobile under acidic conditions, which are not present at this site. Finally, a metal solution may be utilized in some industrial applications. In these cases, it is possible for metals to migrate vertically through the soil column and reach the groundwater. However, elevated metal concentrations are generally found in the underlying soils.

5.0 CONCLUSIONS AND RECOMMENDATIONS

The following conclusions and recommendations were developed based on the findings of this investigation.

1. Historically, a dry well south of Plant No. 3 received water containing several metals including lead, mercury, and zinc. Based on the historic dry well operation, the metals would have been introduced below ground surface. Therefore, overlying soils form a barrier between contaminants and potential receptors.
2. The presence of similar metals in the current Navy samples and the observation of gravel in the soil borings confirmed the location of the previous Northrop Grumman sample and AOC 20 dry well.
3. Based on testing, the extent of the metal contaminated soils is very small. In fact, samples collected within a few horizontal feet of the original Northrop Grumman sample did not contain these metals in excess of NYSDEC TAGM levels. Also, samples collected below the former dry well did not contain any metals in excess of the NYSDEC TAGMs. The remaining TAGM exceedances were relatively minor and were not significantly greater than background values.
4. Based on the results of this evaluation, no additional activities at this former dry well are proposed. The results will be included in property transfer documents.

REFERENCES


Halliburton NUS Environmental Corporation May 1992. "Final Remedial Investigation Report for Naval Weapons Industrial Reserve Plant (NWIRP) Bethpage, New York."

USEPA June 1997. "Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW-846), third edition, Update 3."

New York State Department of Environmental Conservation Revised January 24, 1994. "Division of Technical and Administrative Guidance Memorandum (TAGM): Determination of Soil Clean-up Objectives and Clean-up Levels"



**APPENDIX A
FIELD DOCUMENTATION**



**APPENDIX A.1
BORING LOGS**





BORING LOG

PROJECT NAME: NWIRP Belpage (AOC 20) BORING NUMBER: TT20-SB01
 PROJECT NUMBER: 7576 DATE: 06-29-99
 DRILLING COMPANY: ADT GEOLOGIST: S. Polanko
 DRILLING RIG: Mobile Drill B-59 DRILLER: J. Bittl

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S .	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole	Driller BZ
1105	0								hard outer first 3'				
1121	3	4/8	15/24		loose		5" brn, orange-brn silty clay + gravel		damp	0	0	0	0
		18/20			medium		10" H. brn to brn m to v.c. sand + gravel, fl. clay at top to blue silt below		damp/dry				
1124	8	5/8	15/24		loose		6" lay as previous 9" H. brn / brn-orange m. to v.c. sand + gravel, fl. silt		damp damp/dry Fe staining	0	0	0	0
		12/16			medium								
1135	10	21/20	12/24		medium		H. brn / brn-orange / orange m. to v.c. sand + gravel, fl. silt		damp/dry	0	0	0	0
		23/28			medium								
1142	13	7/8	15/24		loose		2" dk brn, brn silty clay + gravel		damp	0	0	0	0
		5/8		T.O.=15'	loose		4" brn-orange m. to c. sand + gravel, fl. silt						
							2" lt brn, white gravel						
							7" lt brn, brn-orange mostly m. to c. sand, sm. gravel, fl. silt						

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: 5' Auger Tests, 3/4" I.D. 6" O.D.
Sampler TTNUS-20-SB-01-0305, TTNUS-20-SB-01-0812,
and TTNUS-20-SB-01-1315 collected @ 1205
 Drilling Area Background (ppm): 0.0
 PID NUI0950

Converted to Well: Yes No Well I.D. #: _____



BORING LOG

PROJECT NAME: NWIRP Bempaya (AOC 20) BORING NUMBER: TT20-SB02
 PROJECT NUMBER: 7576 DATE: 06-29-99
 DRILLING COMPANY: AOT GEOLOGIST: S. Palopke
 DRILLING RIG: Mobile Drill B-59 DRILLER: J. Bitic

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole	Driller BZ
1250	0								head casing first 3'				
1306	3	10/17	10/24		m. dense		lt. brn m. to c. sand + gravel, tr. silt		damp/dry	0	0	0	0
		25/25			m. dense								
1313	8	15/13	14/24		m. dense		1" dk brn / brn-orange silt, clay + gravel		damp poss. black cont?	0	0	0	0
		22/22			m. dense		13" lt. brn to brn, brn-orange, orange m. to c. sand + gravel, tr. silt		damp/dry Fe staining				
1320	13	11/14	3/24		m. dense		3" lt brn, brn-orange, orange m. to c. sand, tr. silt, + gravel		damp	0	0	0	0
		20/20			m. dense				note: not enough sample recovery to complete sample volume; drive additional spurs (15'-17')				
1326	15	14/20	14.5/24		m. dense		1.5" brn-orange, orange-brn m. to c. sand + gravel, tr. silt		damp	0	0	0	0
		20/17		TD=17'	m. dense		13" lt. brn m. to c. sand + gravel, tr. silt						

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: 5' Auger Tests, 3 1/4" I.D., 6" O.D. PID NU10656 Drilling Area Background (ppm): 0.0
Sampler TTANUS-20-SB-02-0305, TTANUS-20-SB-02-0810, and TTANUS-20-SB-02-1317 collected @ 1330

Converted to Well: Yes No Well I.D. #: _____



BORING LOG

PROJECT NAME: NWIRP Bempayc (AOC 20) BORING NUMBER: TT20-SB03
 PROJECT NUMBER: 7576 DATE: 06-29-99
 DRILLING COMPANY: AAT GEOLOGIST: S. Pelapko
 DRILLING RIG: Mobile Drill B-59 DRILLER: J. Bittic

Sample No. and Type or RQD	Depth (Ft) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
1400	0								hand auger				
									first 3'				
1414	3	11/12	12.5/24		m.dense		3" brn silty clay, tr. gravel		damp	0	0	0	0
		15/20			m.dense		9.5" H. brn to brn m. to c. sand + gravel, tr. silt tr. clay at top of interval		damp/dry				
1421	8	7/11			loose		2" dk brn silty clayey sand + gravel		damp	0	0	0	0
		13/14			m.dense		1" brn/orange sandy + silty clay						
							10" orange, H. brn, brn-orange m. to c. sand + gravel, tr. silt		damp/dry Fe staining				
1429	13	14/17	0/24		m.dense		trace brn to dk brn, orange, brn-orange		damp to	0	0	0	0
		22/28			m.dense		silty clay, sand, + gravel		damp/dry				
									note: not enough recovery to complete sample volume unless additional gain (15' - 17')				
1434	15	8/11	13.5/24		loose		2" brn to dk brn silty clay, sm. sand, tr. gravel		damp/dry	0	0	0	0
		14/12		TD=17'	m.dense		3" orange, brn-orange m. to v.c. sand + gravel, tr. silt						
							8.5" H. brn m. to v.c. sand + gravel, tr. silt. Fining downwards to m. to c. sand		Fe staining				

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: 5' Auger casts, 3 1/4" I.D., 6" O.D. PID N10850
Sampler TINUS-20-SB-03-0305, TINUS-20-SB-03-0510, and
TINUS-20-SB-03-1517 collected at 1440

Converted to Well: Yes No Well I.D. #: _____

Drilling Area

Background (ppm): 0.0



BORING LOG

PROJECT NAME: NWIRP Bathpage (AOC 20) BORING NUMBER: TT20-SB04
 PROJECT NUMBER: 7576 DATE: 08-29-99
 DRILLING COMPANY: ADT GEOLOGIST: S. P. K. K.
 DRILLING RIG: Mobil Drill B-59 DRILLER: J. Bitis

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)			
					Soil Density/Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole	Driller BZ
1445	0								hand auger				
									first 2'				
1502	3	5/8	18/24		loose		3" dk brn clayey silt/silty clay + gravel		damp	0	0	0	0
		12/14			m. dense		15" H. brn, brn-orange, gray, brn-gray silty clay + gravel		Fe staining?				
1509	8	6/11	20.5/24		loose		4" dk brn clayey		damp	0	0	0	0
		12/14			m. dense		silt/silty clay, sm. gravel. Brn-orange + brn-gray silt/clay near bottom of interval		Fe staining?				
							16.5" brn-orange, orange, lt. brn m. to u.c. sand + gravel, tr. silt		Fe staining?				
1517	13	4/6	11/24		loose		3" dk brn clayey silt/silty clay + gravel		damp	0	0	0	0
		10/13		TD=15'	m. dense		brn-gray, brn-orange silty clay near bottom of interval		damp/dry				
							5" mostly m. to c. sand, tr. silt (orange, brn-orange)						
							3" H. brn m. to u.c. sand + gravel, tr. silt						

* When rock coring, enter rock brokeness.
 ** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated reponse read.
 Remarks: 5' Ager - cast, 3 1/4" I.D., 6" O.D. PID NUI0850 Drilling Area Background (ppm): 0.0
Samples TT NUS-20-SB-04-0305, TT NUS-20-SB-04-0810, and
TT NUS-20-SB-04-1315 collected at 1540
 Converted to Well: Yes No Well I.D. #: _____

APPENDIX A.2
SOIL SAMPLE LOG SHEET





Project Site Name: NWIRP Bathpage
Project No.: 7576

Sample ID No.: TTNUS-20-SB-01-0305
Sample Location: AD (20 SB01 (Dry Well))
Sampled By: S. Peluso
C.O.C. No.: 06480, 06481

- Surface Soil
- Subsurface Soil
- Sediment
- Other: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

GRAB SAMPLE DATA:

Date:	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)
<u>06-29-99</u>	<u>3'-5'</u>	<u>brn, clayey brn, lt brn</u>	<u>silty clay + m. to v.c. sand + gravel, trace silt + clay dump/dry to dump</u>
<u>1205</u>			
<u>Grab</u>			
Monitor Reading (ppm): <u>0,0</u>			

COMPOSITE SAMPLE DATA:

Date:	Time	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)


SAMPLE COLLECTION INFORMATION:

Analysis	Container Requirements	Collected	Other
<u>8 RCRA Metals + Zinc</u>	<u>(1) 4oz Glass Jar</u>	<input checked="" type="checkbox"/>	<u>-n.a.-</u>

OBSERVATIONS / NOTES:

Sample volume acquired at 1121 HLT in sealed plastic baggie until 1205. Sample transferred directly from baggie to sample container using plastic trowel.

MAP:



Circle if Applicable:

<input type="checkbox"/> MS/MSD	Duplicate ID No.:
---------------------------------	-------------------

Signature(s):

Seth Johnson



Project Site Name: NWIRP Belbpaye
Project No.: 7576

Sample ID No.: TTNUS-20-SB-01-0812
Sample Location: AOL 20, SB01 (Dry Well)
Sampled By: S. Pollock
C.O.C. No.: 06460, 06461

- Surface Soil
- Subsurface Soil
- Sediment
- Other: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

GRAB SAMPLE DATA:

Date:	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)
06-29-99	9' - 12'	lt. brn, brn-orange, orange	M. to U.C. sand + gravel, trace silt, Fe staining damp/dry to damp
Time: 1205			
Method: Grab			
Monitor Reading (ppm): 0.0			

COMPOSITE SAMPLE DATA:

Date:	Time	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)


SAMPLE COLLECTION INFORMATION:

Analysis	Container Requirements	Collected	Other
8 RCRA Metals + Zinc	(4) 4oz Glass Jars	✓	MS/MSD, Birt-Dur

OBSERVATIONS / NOTES:

Sample volume acquired at 1129 and 1135. Held in sealed plastic baggies until 1205. Composited in plastic-lined stainless steel bowl and transferred to sample containers using plastic trowel.

MAP:



Circle if Applicable:

MS/MSD

Duplicate ID No. Wind Field Duplicate
TTNUS-20-SB-01-4852

Signature(s):

Seth Pollock



Project Site Name: NWIRP Bethesda
Project No.: 7576

Sample ID No.: TTNUS-20-SB-01-1315
Sample Location: AOL 20 SB01 (Dir Well)
Sampled By: S. Pollock
C.O.C. No.: 06460, 06461

- Surface Soil
- Subsurface Soil
- Sediment
- Other: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

GRAB SAMPLE DATA:

Date:	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)
06-29-99	13' - 15'	lt. tuck brn, brn-orange, white	Silty clay + m. to c. sand + gravel, trace silt dump
Time: 1205			
Method: Grab			
Monitor Reading (ppm): 0.0			

COMPOSITE SAMPLE DATA:

Date:	Time	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)


SAMPLE COLLECTION INFORMATION:

Analysis	Container Requirements	Collected	Other
8 RCRA Metals + Zinc	(1) 400 Glass Jar	✓	-N.G.-

OBSERVATIONS / NOTES:

Sample Volume acquired at 1142. Held in sealed plastic baggie until 1205. Sample transferred directly from baggie to sample container using plastic trowel.

MAP:



Circle if Applicable:

MS/MSD _____ Duplicate ID No.: _____

Signature(s):

S. Pollock



Project Site Name: NWIRP Bethpage
Project No.: 7576

Sample ID No.: TTNUS-20-SB-02-0305
Sample Location: ADL 20-SB02 (Dry Well)
Sampled By: S. Pelgok
C.O.C. No.: 06460, 06461

- Surface Soil
- Subsurface Soil
- Sediment
- Other: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

GRAB SAMPLE DATA:

Date:	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)
<u>06-29-99</u>	<u>3' - 5'</u>	<u>lt. brn</u>	<u>m. to c. sand + gravel, trace silt damp/dry</u>
Time: <u>1330</u>			
Method: <u>Grab</u>			
Monitor Reading (ppm): <u>0.0</u>			

COMPOSITE SAMPLE DATA:

Date:	Time	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)


SAMPLE COLLECTION INFORMATION:

Analysis	Container Requirements	Collected	Other
<u>8 RCRA Metals + Zinc</u>	<u>(1) 4oz Glass Jar</u>	<input checked="" type="checkbox"/>	<u>-N.A.-</u>

OBSERVATIONS / NOTES:

Sample Volume acquired at 1306. Held in sealed plastic baggie until 1330. Sample transferred directly from baggie to sample container using plastic trowel

MAP:



Circle if Applicable:

MS/MSD	Duplicate ID No.:
--------	-------------------

Signature(s):

Seth Pelgok



Project Site Name: NWIRP Bldg
Project No.: 7576

Sample ID No.: TTNUS-20-SB-02-0810
Sample Location: AOL 20-SB02 (Dry Well)
Sampled By: S. Pollock
C.O.C. No.: 06460, 06461

- Surface Soil
- Subsurface Soil
- Sediment
- Other: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

GRAB SAMPLE DATA:

Date:	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)
<u>06-24-99</u>	<u>8' - 10'</u>	<u>lt. brn to dk brn, brn-orange, orange</u>	<u>Silty clay + m. to c. sand + gravel, fr. silt mass; black clods, Fe staining damp dry to damp</u>
<u>Time: 1330</u>			
<u>Method: Grab</u>			
<u>Monitor Reading (ppm): 0.0</u>			

COMPOSITE SAMPLE DATA:

Date:	Time	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)


SAMPLE COLLECTION INFORMATION:

Analysis	Container Requirements	Collected	Other
<u>8 RCRA Metals + Zinc</u>	<u>(1) 4oz Glass Jar</u>	<input checked="" type="checkbox"/>	<u>- N.G. -</u>

OBSERVATIONS / NOTES:

Sample volume acquired at 1313. Held in sealed plastic baggie until 1330.
Sample transferred directly from baggie to sample container using plastic funnel.

MAP:



Circle if Applicable:

<input type="checkbox"/> MS/MSD	<input type="checkbox"/> Duplicate ID No.:
---------------------------------	--

Signature(s):

Seth Pollock



Project Site Name: NwIRP Belpage
Project No.: 7576

Sample ID No.: TNUS-20-SB-02-1317
Sample Location: A01 20-SB02 (Dry Well)
Sampled By: S. Pelgok
C.O.C. No.: 06460, 06461

- Surface Soil
- Subsurface Soil
- Sediment
- Other: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

GRAB SAMPLE DATA:

Date:	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)
06-29-99	13'-17'	lt. brn, brn-orange, orange, orange-brn	m. to c. sand + gravel, fr. silt dump
Time: 1330			
Method: Grab			
Monitor Reading (ppm): 0.0			

COMPOSITE SAMPLE DATA:

Date:	Time	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)


SAMPLE COLLECTION INFORMATION:

Analysis	Container Requirements	Collected	Other
8 RCRA Metals + Zinc	(1) 4oz Glass Jar	✓	-N.A.-

OBSERVATIONS / NOTES:

Sample volume acquired at 1320 and 1326.
Held in sealed plastic baggies until 1330.
Sample transferred directly from baggies to sample container using plastic trowel.

MAP:



Circle if Applicable:

MS/MSD Duplicate ID No.:

Signature(s):

Seth Pelgok



Project Site Name: NWIRP Bethesda
Project No.: 7576

Sample ID No.: TTNUS-20-SB-03-0305
Sample Location: AOL 20 SB03 (D14 Well)
Sampled By: S. Prigake
C.O.C. No.: 06460, 06461

- Surface Soil
- Subsurface Soil
- Sediment
- Other: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

GRAB SAMPLE DATA:

Date:	Time:	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)
06-29-99	1440	3' - 5'	lt. brn to brn	silty clay + m. to c. sand + gravel, tr. silt damp/dry to damp
Method:	Grab			
Monitor Reading (ppm):	0.0			

COMPOSITE SAMPLE DATA:

Date:	Time	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)

SAMPLE COLLECTION INFORMATION:


Analysis	Container Requirements	Collected	Other
8 RCRA Metals + Zinc	(1) 4oz Glass Jar	✓	-N.G.-

OBSERVATIONS / NOTES:

Sample volume acquired at 1414. Held in sealed plastic baggie until 1440.

Sample transferred directly from baggie to sample container using plastic trowel.

MAP:



Circle if Applicable:

MS/MSD	Duplicate ID No.:
--------	-------------------

Signature(s):
Seth Prigake



Project Site Name: NWRP Bldgays
Project No.: 7576

Sample ID No.: TTNUS-20-SB-03-0810
Sample Location: AOL 20, SB03 (Dry Well)
Sampled By: S. Peacock
C.O.C. No.: 06480, 06481

- Surface Soil
- Subsurface Soil
- Sediment
- Other: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

GRAB SAMPLE DATA:

Date:	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)
06-29-99	8' - 10'	lt. tan to dk brn, brownish, orange	silty/clayey sand + sandy/silty clay + m. to c. sand + gravel, trace silt, Fe staining, damp, lily to damp
Time: 1440			
Method: Grab			
Monitor Reading (ppm): 0.0			

COMPOSITE SAMPLE DATA:

Date:	Time	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)

SAMPLE COLLECTION INFORMATION:


Analysis	Container Requirements	Collected	Other
8 RCRA Metals + Zinc	(1) 4oz Glass Jar	✓	-N.A.-

OBSERVATIONS / NOTES:

Sample volume acquired at 1421. Held in sealed plastic baggie until 1440.

Sample transferred directly from baggie to sample container using plastic trowel.

MAP:



Circle if Applicable:

<input type="checkbox"/> MS/MSD	<input type="checkbox"/> Duplicate ID No.:
---------------------------------	--

Signature(s):

Seth Peacock



Project Site Name: NWIRP Bethesda
Project No.: 7576

Sample ID No.: TTNUS-20-SB-03-1517
Sample Location: ADL 20, SB03 (Dry Well)
Sampled By: S. Pelcacke
C.O.C. No.: 06460, 06461

- Surface Soil
- Subsurface Soil
- Sediment
- Other: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

GRAB SAMPLE DATA:

Date:	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)
06-29-99	15' - 17'	lt. to dk brn, brn-orange, orange	silty clay + m. to u.c. sand + gravel, tr. silt Fe staining damp/dry
Time: 1440			
Method: Grab			
Monitor Reading (ppm): 0.0			

COMPOSITE SAMPLE DATA:

Date:	Time	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)

SAMPLE COLLECTION INFORMATION:


Analysis	Container Requirements	Collected	Other
8 RCRA Metals + Zinc	(1) 4oz Glass Jar	✓	-N.G.-

OBSERVATIONS / NOTES:

Sample volume acquired at 1434. Held in sealed plastic baggie until 1440.

Sample transferred directly from baggie to sample container using plastic towel.

MAP:



Circle if Applicable:

MS/MSD	Duplicate ID No.:
--------	-------------------

Signature(s):

Seth Pelcacke



Project Site Name: NWIRP Bethpage
Project No.: 7576

Sample ID No.: TTNUS-20-SB-04-0305
Sample Location: AOL 20, SB04 (Dry Well)
Sampled By: S. Pollock
C.O.C. No.: 06460, 06461

- Surface Soil
- Subsurface Soil
- Sediment
- Other: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

GRAB SAMPLE DATA:

Date:	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)
06-29-99	3' - 5'	lt. to dk. bin, bin-orange, gray, bin-gray	clayey silt + silty clay + gravel poss. Fe staining damp
Time: 1540			
Method: Grab			
Monitor Reading (ppm): n.c.			

COMPOSITE SAMPLE DATA:

Date:	Time	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)

SAMPLE COLLECTION INFORMATION:


Analysis	Container Requirements	Collected	Other
8 RCRA Metals + Zinc	(1) 4oz Glass Jar	✓	-n.c.-

OBSERVATIONS / NOTES:

Sample volume acquired at 1502. Held in sealed plastic baggie until 1540.

Sample volume transferred directly from baggie to sample container using plastic funnel.

MAP:



Circle if Applicable:

MS/MSD	Duplicate ID No.:
--------	-------------------

Signature(s):

Sgt. Pollock



Project Site Name: NWIRP Bldg 400
Project No.: 7576

Sample ID No.: TTNUS-20-SB-04-0810
Sample Location: Bldg 20, SB04 (Dry Well)
Sampled By: S. Pollock
C.O.C. No.: 06460, 06461

- Surface Soil
- Subsurface Soil
- Sediment
- Other: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

GRAB SAMPLE DATA:

Date:	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)
06-29-99	8' - 10'	lt. to dk. brn, brn-orange, orange, brn-gray	clayey silt / silty clay + m. to v.c. Sand + gravel, trace silt Fe staining damp
Time: 1540			
Method: Grab			
Monitor Reading (ppm): C.C.			

COMPOSITE SAMPLE DATA:

Date:	Time	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)

SAMPLE COLLECTION INFORMATION:


Analysis	Container Requirements	Collected	Other
8 RCRA Metals + Zinc	(1) 4oz Glass Jar	✓	-N.A.-

OBSERVATIONS / NOTES:

Sample volume acquired at 1509. Held in sealed plastic baggie until 1540.

Sample volume transferred directly from baggie to sample container using plastic towel.

MAP:



Circle if Applicable:

<input type="checkbox"/> MS/MSD	Duplicate ID No.:
---------------------------------	-------------------

Signature(s):

S. Pollock



Project Site Name: NWIRP Bethesda
Project No.: 7576

Sample ID No.: TTNUS-20-SB-04-1315
Sample Location: ADL 20, SB04 (Dry Well)
Sampled By: S. Pollock
C.O.C. No.: 06460, 06461

- Surface Soil
- Subsurface Soil
- Sediment
- Other: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

GRAB SAMPLE DATA:

Date:	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)
<u>06-29-99</u>	<u>13' - 15'</u>	<u>lt. to dk. brn, brn-gray, brn-orange, orange</u>	<u>clayey silt / silty clay + m. falc. sand + gravel, trace silt dumped to dump</u>
<u>1540</u>			
<u>Grab</u>			
<u>0.0</u>			

COMPOSITE SAMPLE DATA:

Date:	Time	Depth	Color	Description (Sand, Silt, Clay, Moisture, etc.)

SAMPLE COLLECTION INFORMATION:


Analysis	Container Requirements	Collected	Other
<u>8 RCRA Metals + Zinc</u>	<u>(1) 4oz Glass Jar</u>	<input checked="" type="checkbox"/>	<u>-N.A.-</u>

OBSERVATIONS / NOTES:

Sample volume acquired at 1517. Held in sealed plastic baggie until 1540.

Sample volume transferred directly from baggie to sample container using plastic trowel.

MAP:



Circle if Applicable:

<input type="checkbox"/> MS/MSD	Duplicate ID No.:
---------------------------------	-------------------

Signature(s):

Seth Pollock



**APPENDIX A.3
CHAIN OF CUSTODY FORMS**





Chain of Custody Record

QUA-4124 0797
 Client: **TETRA TECH NUS**
 Address: **FOSTER PLAZA VIII, 661 ANDERSON DRIVE**
 City: **PITTSBURGH** State: **PA** Zip Code: **15220**
 Project Name: **MINI RP BETHANAGE**
 Contract/Purchase Order/Quote No.: **FEA EX/810817873155**


Project Manager: **DAVID BRAYACK**
 Telephone Number (Area Code)/Fax Number: **(412) 921-7090**
 Lab Contact: **VERONICA CURTET**
 Site Contact: **ALYSSA WILSON**
 Carrier/Waybill Number: **FEA EX/810817873155**

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix				Containers & Preservatives				Analysis (Attach list if more space is needed)	Special Instructions/ Conditions of Receipt	
			Aqueous	Sed.	Soil	Unpres.	H2SO4	HNO3	HCl	NaOH			ZnAc/NaOH
TTNUS-20-SB-01-0305	06-29-99	1205			X				1				
TTNUS-20-SB-01-0812	06-29-99	1205			X				3				
TTNUS-20-SB-01-1315	06-29-99	1205			X				1				
TTNUS-20-SB-01-4852	06-29-99	1205			X				1				
TTNUS-20-SB-02-0305	06-29-99	1330			X				1				
TTNUS-20-SB-02-0810	06-29-99	1330			X				1				
TTNUS-20-SB-02-1317	06-29-99	1330			X				1				
TTNUS-20-SB-03-0305	06-29-99	1440			X				1				
TTNUS-20-SB-03-0810	06-29-99	1440			X				1				
TTNUS-20-SB-03-1517	06-29-99	1440			X				1				
TTNUS-20-SB-04-0305	06-29-99	1540			X				1				
TTNUS-20-SB-04-0810	06-29-99	1540			X				1				

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B 7 Days 14 Days 21 Days Other
 Turn Around Time Required
 24 Hours 48 Hours 7 Days 14 Days 21 Days Other
 Sample Disposal
 Return To Client Disposal By Lab Archive For _____ Months (A fee may be assessed if samples are retained longer than 3 months)
 QC Requirements (Specify)
 * COMPLETE MS/MSD FOR TTNUS-20-SB-01-0812 (S RTRM M-TALS + ZINC)
 1. Relinquished By: Seth Loggins Date: 06-30-99 Time: 1830
 2. Relinquished By: _____ Date: _____ Time: _____
 3. Relinquished By: _____ Date: _____ Time: _____

Comments: **9.9. SA ADDITIONAL SAMPLE INFORMATION CONTINUED ON CHAIN OF CUSTODY 06481**
 DISTRIBUTION: WHITE - Stays with the Sample; CANARY - Returned to Client with Report; PINK - Field Copy

**APPENDIX B
DATA VALIDATION MEMORANDA**



MEMO TO: D. BRAYACK- PAGE 2
DATE: AUGUST 23, 1999

PITT-08-9-155

Field Blank Analyses

Field blank results for zinc exceeding the CRDL have been circled on the Form 1's. Soil sample results for zinc less than or equal to five (5) times the field blank values have been rejected, "R", due to field blank contamination.

Notes

Sample nomenclature and values reported in the Electronic Deliverable Data (EDD) were incorrect for sample TTNUS-20-SB-04-1315. The correct values were reported on the Form 1's. Changes to the EDD were made by the data reviewer.

The reporting limits in the EDD for sample FB063099 for cadmium, lead and silver were inconsistent with the Form 1's. The results reported for cadmium, lead and silver had been rounded on the EDD. The appropriate changes were made to the EDD by the data reviewer.

Executive Summary

Laboratory Performance: None

Other Factors Affecting Data Quality: The field blank results for zinc exceeded the CRDL.


MEMO TO: D. BRAYACK- PAGE 3
DATE: AUGUST 23, 1999

PITT-08-9-155


The data for these analyses were reviewed with reference to the "Evaluation of Metals Data for the Contract Laboratory Program" (January 1992 Revision) as amended for use within US EPA Region II.

The text of this report has been formulated to address only those problem areas affecting data quality.

"I attest that the data referenced herein were validated according to the agreed upon validation criteria as specified in the NFESC Guidelines and the Quality Assurance Project Plan (QAPP)."



Tetra Tech NUS
Jennifer Malle
Environmental Scientist



Tetra Tech NUS
Joseph A. Samchuck
Quality Assurance Officer

Attachments:

1. Appendix A - Qualified Analytical Results
2. Appendix B - Results as reported by the Laboratory
3. Appendix C - Support Documentation.

APPENDIX A
Qualified Analytical Results

Qualifier Codes:

- A = Lab Blank Contamination
- B = Field Blank Contamination
- C = Calibration (i.e., % RSDs, %Ds, ICVs, CCVs, RPDs, RRFs, etc.) Noncompliance
- D = MS/MSD Noncompliance
- E = LCS/LCSD Noncompliance
- F = Lab Duplicate Imprecision
- G = Field Duplicate Imprecision
- H = Holding Time Exceedance
- I = ICP Serial Dilution Noncompliance
- J = GFAA PDS - GFAA MSA's $r < 0.995$
- K = ICP Interference - include ICSAB % R's
- L = Instrument Calibration Range Exceedance
- M = Sample Preservation
- N = Internal Standard Noncompliance
- O = Poor Instrument Performance (i.e., base-time drifting)
- P = Uncertainty near detection limit ($< 2 \times$ IDL for inorganics and $<$ CRQL for organics)
- Q = Other problems (can encompass a number of issues)
- R = Surrogates Recovery Noncompliance
- S = Pesticide/PCB Resolution
- T = % Breakdown Noncompliance for DDT and Endrin
- U = Pest/PCB D% between columns for positive results
- V = Non-linear calibrations, tuning $r < 0.995$ (correlation coefficient)
- W = EMPC result
- X = Signal to noise response drop
- Y = % Solid content is less than 30%

**CTO283 - NWIRP BETHPAGE
SOIL DATA
QUANTERRA
SDG: BR498**

SAMPLE NUMBER: TTNUS-20-SB-01-0305
 SAMPLE DATE: 06/29/99
 LABORATORY ID: C9G010157001
 QC_TYPE: NORMAL
 % SOLIDS: 92.7 %
 UNITS: MG/KG
 FIELD DUPLICATE OF:

TTNUS-20-SB-01-0812
 06/29/99
 C9G010157002
 NORMAL
 96.3 %
 MG/KG

TTNUS-20-SB-01-1315
 06/29/99
 C9G010157003
 NORMAL
 97.0 %
 MG/KG

TTNUS-20-SB-01-4852
 06/29/99
 C9G010157004
 NORMAL
 95.9 %
 MG/KG

	RESULT	QUAL	CODE	RESULT	QUAL	CODE	RESULT	QUAL	CODE
INORGANICS									
ARSENIC	2.7			2.3			1.1		
BARIIUM	15.2			8.8			6.1		
CADMIUM	0.03			0.02	U		0.02	U	
CHROMIUM	16.1			7.6			3.6		
LEAD	4.3			2.7			2.0		
MERCURY	0.04			0.02	U		0.02	U	
SELENIUM	0.35			0.21			0.21	U	
SILVER	0.06	U		0.06	U		0.06	U	
ZINC	19.7	R	B	7.8	R	B	7.5	R	B
							10.9	R	B

