

New York State Department of Environmental Conservation
Facility DEC ID: 2600700259



Facility, also operates a spray paint booth, which is located in the garage where the vehicles are served. The spray booth is used for painting repaired parts of buses and vehicles for the Department of Correction. The maximum annual emissions of VOC from the painting process will be limited to 2.5 tons per year.

With this permit renewal application the facility is proposing to operate nineteen (19) internal combustion engines subject to the NOx emission 'cap' of 22.5 tons per year.

The Title V permit contains a complete listing of the applicable federal, state and compliance requirements for the facility.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: JOHN F CRYAN
 DIVISION OF ENVIRONMENTAL PERMITS
 ONE HUNTERS POINT PLAZA, 47-40 21ST STREET
 LONG ISLAND CITY, NY 11101-5407

Authorized Signature: _____ Date: ____ / ____ / _____



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

General Provisions

Facility Inspection by the Department

Relationship of this Permit to Other Department Orders and Determinations

Applications for permit renewals, modifications and transfers

Applications for Permit Renewals and Modifications

Permit modifications, suspensions or revocations by the Department

Permit Modifications, Suspensions and Revocations by the Department

Facility Level

Submission of Applications for Permit Modification or Renewal-REGION 2

HEADQUARTERS

Submission of application for permit modification or renewal-REGION 2

HEADQUARTERS



DEC GENERAL CONDITIONS

****** General Provisions ******

For the purpose of your Title V permit, the following section contains state-only enforceable terms and conditions

GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations
Applicable State Requirement: ECL 3-0301.2(m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for permit renewals, modifications and transfers
Applicable State Requirement: 6NYCRR 621.11

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 3.3:



New York State Department of Environmental Conservation
Facility DEC ID: 2600700259

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Condition 4: Applications for Permit Renewals and Modifications
Applicable State Requirement: 6NYCRR 621.13

Item 4.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 4.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 4.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Condition 5: Permit modifications, suspensions or revocations by the Department
Applicable State Requirement: 6NYCRR 621.13

Item 5.1:

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

Condition 6: Permit Modifications, Suspensions and Revocations by the Department
Applicable State Requirement: 6NYCRR 621.14

Item 6.1:

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;

New York State Department of Environmental Conservation
Facility DEC ID: 2600700259



- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

****** Facility Level ******

Condition 7: Submission of Applications for Permit Modification or Renewal-REGION 2 HEADQUARTERS

Applicable State Requirement: 6NYCRR 621.5(a)

Item 7.1:

Submission of applications for permit modification or renewal are to be submitted to:
NYSDEC Regional Permit Administrator
Region 2 Headquarters
Division of Environmental Permits
1 Hunters Point Plaza, 4740 21st Street
Long Island City, NY 11101-5407
(718) 482-4997

Condition 8: Submission of application for permit modification or renewal-REGION 2 HEADQUARTERS

Applicable State Requirement: 6NYCRR 621.6(a)

Item 8.1:

Submission of applications for permit modification or renewal are to be submitted to:
NYSDEC Regional Permit Administrator
Region 2 Headquarters
Division of Environmental Permits
1 Hunters Point Plaza, 4740 21st Street
Long Island City, NY 11101-5407
(718) 482-4997



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - TITLE V PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: NYC DEPT OF CORRECTION
60 HUDSON ST RM 719
NEW YORK, NY 10013-3001

Facility: NYC-DOC - RIKERS ISLAND
17-25 HAZEN ST
EAST ELMHURST, NY 11370

Authorized Activity By Standard Industrial Classification Code:
7532 - TOP AND BODY REPAIR AND PAINT SHOPS
9223 - CORRECTIONAL INSTITUTIONS

Permit Effective Date:

Permit Expiration Date:



LIST OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS

Facility Level

- 1 6NYCRR 200.6: Acceptable Ambient Air Quality
- 2 6NYCRR 201-6.5(a)(7): Fees
- 3 6NYCRR 201-6.5(c): Recordkeeping and reporting of compliance monitoring
- 4 6NYCRR 201-6.5(c)(2): Monitoring, Related Recordkeeping, and Reporting Requirements.
- 5 6NYCRR 201-6.5(c)(3)(ii): Compliance Certification
- 6 6NYCRR 201-6.5(e): Compliance Certification
- 7 6NYCRR 202-2.1: Compliance Certification
- 8 6NYCRR 202-2.5: Recordkeeping requirements
- 9 6NYCRR 215: Open Fires Prohibited at Industrial and Commercial Sites
- 10 6NYCRR 200.7: Maintenance of Equipment
- 11 6NYCRR 201-1.7: Recycling and Salvage
- 12 6NYCRR 201-1.8: Prohibition of Reintroduction of Collected Contaminants to the air
- 13 6NYCRR 201-3.2(a): Exempt Sources - Proof of Eligibility
- 14 6NYCRR 201-3.3(a): Trivial Sources - Proof of Eligibility
- 15 6NYCRR 201-6.5(a)(4): Standard Requirement - Provide Information
- 16 6NYCRR 201-6.5(a)(8): General Condition - Right to Inspect
- 17 6NYCRR 201-6.5(d)(5): Standard Requirements - Progress Reports
- 18 6NYCRR 201-6.5(f)(6): Off Permit Changes
- 19 6NYCRR 202-1.1: Required Emissions Tests
- 20 6NYCRR 211.3: Visible Emissions Limited
- 21 40CFR 68: Accidental release provisions.
- 22 40CFR 82, Subpart F: Recycling and Emissions Reduction
- 23 6NYCRR 201-6: Emission Unit Definition
- 24 6NYCRR 202-1: Compliance Certification
- 25 6NYCRR 225-1.7(e): Compliance Certification
- 26 6NYCRR 227-2.5(b): Compliance Certification
- 27 40CFR 60.7(a), NSPS Subpart A: Date of construction notification - If a COM is not used.
- 28 40CFR 60.7(a), NSPS Subpart A: Date of Construction Notification - if a COM is used
- 29 40CFR 60.7(c), NSPS Subpart A: Compliance Certification
- 30 40CFR 60.8(a), NSPS Subpart A: Performance testing timeline.
- 31 40CFR 60.8(b), NSPS Subpart A: Performance test methods.
- 32 40CFR 60.8(d), NSPS Subpart A: Prior notice.
- 33 40CFR 60.43c(c), NSPS Subpart Dc: Compliance Certification

Emission Unit Level

- 34 6NYCRR 201-6: Emission Point Definition By Emission Unit
- 35 6NYCRR 201-6: Process Definition By Emission Unit
- 36 6NYCRR 201-7: Emission Unit Permissible Emissions

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



37 6NYCRR 201-7: Process Permissible Emissions

EU=U-00001

38 40CFR 60.46c(d)(2), NSPS Subpart Dc: Compliance Certification

39 40CFR 60.48c, NSPS Subpart Dc: Recordkeeping and reporting.

EU=U-00001,Proc=001,ES=00001

40 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00001,Proc=001,ES=00002

41 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00001,Proc=001,ES=00003

42 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00001,Proc=001,ES=00004

43 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00001,Proc=002,ES=00001

44 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00001,Proc=002,ES=00002

45 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00001,Proc=002,ES=00003

46 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00001,Proc=002,ES=00004

47 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00001,EP=U0001

48 6NYCRR 227-1.4(b): Compliance Certification

49 40CFR 60.13, NSPS Subpart A: Monitoring requirements.

50 40CFR 60.13(c), NSPS Subpart A: Compliance Certification

51 40CFR 60.45c, NSPS Subpart Dc: Compliance methods for particulate matter.

EU=U-00001,EP=U0001,Proc=002

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



52 6NYCRR 227.2(b)(1): Compliance Certification

EU=U-00002

53 40CFR 60.46c(d)(2), NSPS Subpart Dc: Compliance Certification

54 40CFR 60.48c, NSPS Subpart Dc: Recordkeeping and reporting.

EU=U-00002,Proc=003,ES=00005

55 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00002,Proc=003,ES=00006

56 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00002,Proc=004,ES=00005

57 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00002,Proc=004,ES=00006

58 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00002,EP=U0002

59 40CFR 60.45c, NSPS Subpart Dc: Compliance methods for particulate matter.

EU=U-00002,EP=U0002,Proc=004

60 6NYCRR 227.2(b)(1): Compliance Certification

EU=U-00003

61 40CFR 60.46c(d)(2), NSPS Subpart Dc: Compliance Certification

62 40CFR 60.48c, NSPS Subpart Dc: Recordkeeping and reporting.

EU=U-00003,Proc=005,ES=00007

63 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00003,Proc=005,ES=00008

64 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00003,Proc=006,ES=00007

65 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00003,Proc=006,ES=00008



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

66 40CFR 60.40c, NSPS Subpart Dc: Applicability of this Subpart to this emission source

EU=U-00003,EP=U0003

67 40CFR 60.45c, NSPS Subpart Dc: Compliance methods for particulate matter.

EU=U-00003,EP=U0003,Proc=006

68 6NYCRR 227.2(b)(1): Compliance Certification

EU=U-00009

69 6NYCRR 231-2: Compliance Certification

EU=U-00009,Proc=00P,ES=0000P

70 6NYCRR 228.5: Compliance Certification

EU=U-00009,EP=00009,Proc=00P,ES=0000P

71 6NYCRR 228.8: Compliance Certification

72 6NYCRR 228.8: Compliance Certification

EU=U-00010

73 6NYCRR 227-2.6(c)(3): Compliance Certification

EU=U-00010,Proc=GEN

*74 6NYCRR 201-7: Capping Monitoring Condition

75 6NYCRR 227-2.4(f): Compliance Certification

EU=U-00010,EP=00010,Proc=GEN

76 6NYCRR 227.2(b)(1): Compliance Certification

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

77 ECL 19-0301: Contaminant List

78 6NYCRR 201-1.4: Unavoidable noncompliance and violations

79 6NYCRR 211.2: Air pollution prohibited

NOTE: * preceding the condition number indicates capping.



FEDERALLY ENFORCEABLE CONDITIONS

****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

The items listed below are not subject to the annual compliance certification requirements under Title V. Permittees may also have other obligations under regulations of general applicability.

Item A: Emergency Defense - 6NYCRR Part 201-1.5

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;

(2) The equipment at the permitted facility causing the emergency was at the time being properly operated;

(3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item B: Public Access to Recordkeeping for Title V Facilities - 6NYCRR Part 201-1.10(b)

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

Item C: Timely Application for the Renewal of Title V Permits - 6 NYCRR Part 201-6.3(a)(4)

Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Item D: Certification by a Responsible Official - 6 NYCRR Part 201-6.3(d)(12)

Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Item E: Requirement to Comply With All Conditions - 6 NYCRR Part 201-6.5(a)(2)

The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

Item F: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR Part 201-6.5(a)(3)

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Item G: Cessation or Reduction of Permitted Activity Not a Defense - 6NYCRR Part 201-6.5(a)(5)

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



order to maintain compliance with the conditions of this permit.

Item H: Property Rights - 6 NYCRR Part 201-6.5(a)(6)

This permit does not convey any property rights of any sort or any exclusive privilege.

Item I: Severability - 6 NYCRR Part 201-6.5(a)(9)

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Item J: Permit Shield - 6 NYCRR Part 201-6.5(g)

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii. The applicable requirements of Title IV of the

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Act;

iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Item K: Reopening for Cause - 6 NYCRR Part 201-6.5(i)

This Title V permit shall be reopened and revised under any of the following circumstances:

i. If additional applicable requirements under the Act become applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.

ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

Item L: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item M: Federally Enforceable Requirements - 40 CFR 70.6(b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS SUBJECT TO ANNUAL CERTIFICATIONS AT ALL TIMES

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements at all times.

**Condition 1: Acceptable Ambient Air Quality
Effective for entire length of Permit**

Applicable Federal Requirement: 6NYCRR 200.6

Item 1.1:

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Condition 2: Fees
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-6.5(a)(7)

Item 2.1:

The owner and/or operator of a stationary source shall pay fees to the Department consistent with the fee schedule authorized by ECL 72-0302.

Condition 3: Recordkeeping and reporting of compliance monitoring
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-6.5(c)

Item 3.1:

The following information must be included in any required compliance monitoring records and reports:

- (i) The date, place, and time of sampling or measurements;
- (ii) The date(s) analyses were performed;
- (iii) The company or entity that performed the analyses;
- (iv) The analytical techniques or methods used including quality assurance and quality control procedures if required;
- (v) The results of such analyses including quality assurance data where required; and
- (vi) The operating conditions as existing at the time of sampling or measurement.

Any deviation from permit requirements must be clearly identified in all records and reports. Reports must be certified by a responsible official, consistent with Section 201-6.3 of this Part 201.

Condition 4: Monitoring, Related Recordkeeping, and Reporting Requirements.
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-6.5(c)(2)

Item 4.1:

Compliance monitoring and recordkeeping shall be conducted according to the terms and conditions contained in this permit and shall follow all quality assurance requirements found in applicable



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

regulations. Records of all monitoring data and support information must be retained for a period of at least 5 years from the date of the monitoring, sampling, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

Condition 5: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-6.5(c)(3)(ii)

Item 5.1:

The Compliance Certification activity will be performed for the Facility.

Item 5.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

To meet the requirements of this facility permit with respect to reporting, the permittee must:

Submit reports of any required monitoring at a minimum frequency of every 6 months, based on a calendar year reporting schedule. These reports shall be submitted to the Department within 30 days after the end of a reporting period. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by the responsible official for this facility.

Notify the Department and report permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken. Where the underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations shall be submitted to the permitting authority based on the following schedule:

(1) For emissions of a hazardous air pollutant (as identified in an applicable regulation) that continue for more than an hour in excess of permit requirements, the report must be made within 24 hours of the occurrence.

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



(2) For emissions of any regulated air pollutant, excluding those listed in paragraph (1) of this section, that continue for more than two hours in excess of permit requirements, the report must be made within 48 hours.

(3) For all other deviations from permit requirements, the report shall be contained in the 6 month monitoring report required above.

(4) This permit may contain a more stringent reporting requirement than required by paragraphs (1), (2) or (3) above. If more stringent reporting requirements have been placed in this permit or exist in applicable requirements that apply to this facility, the more stringent reporting requirement shall apply.

If above paragraphs (1) or (2) are met, the source must notify the permitting authority by telephone during normal business hours at the Regional Office of jurisdiction for this permit, attention Regional Air Pollution Control Engineer (RAPCE) according to the timetable listed in paragraphs (1) and (2) of this section. For deviations and incidences that must be reported outside of normal business hours, on weekends, or holidays, the DEC Spill Hotline phone number at 1-800-457-7362 shall be used. A written notice, certified by a responsible official consistent with 6 NYCRR Part 201-6.3(d)(12), must be submitted within 10 working days of an occurrence for deviations reported under (1) and (2). All deviations reported under paragraphs (1) and (2) of this section must also be identified in the 6 month monitoring report required above.

The provisions of 6 NYCRR 201-1.4 shall apply if the permittee seeks to have a violation excused unless otherwise limited by regulation. In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets. Notwithstanding any recordkeeping and reporting requirements in 6 NYCRR 201-1.4, reports of any deviations shall not be on a less frequent basis than the reporting periods described in paragraphs (1) and (4) above.

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



In the case of any condition contained in this permit with a reporting requirement of "Upon request by regulatory agency" the permittee shall include in the semiannual report, a statement for each such condition that the monitoring or recordkeeping was performed as required or requested and a listing of all instances of deviations from these requirements.

In the case of any emission testing performed during the previous six month reporting period, either due to a request by the Department, EPA, or a regulatory requirement, the permittee shall include in the semiannual report a summary of the testing results and shall indicate whether or not the Department or EPA has approved the results.

All semiannual reports shall be submitted to the Administrator (or his or her representative) as well as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office). Mailing addresses for the above referenced persons are contained in the monitoring condition for 6 NYCRR Part 201-6.5(e), contained elsewhere in this permit.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
Subsequent reports are due every 6 calendar month(s).

Condition 6: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-6.5(e)

Item 6.1:

The Compliance Certification activity will be performed for the Facility.

Item 6.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Requirements for compliance certifications with terms and conditions contained in this facility permit include the following:

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



- i. Compliance certifications shall contain:
 - the identification of each term or condition of the permit that is the basis of the certification;
 - the compliance status;
 - whether compliance was continuous or intermittent;
 - the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
 - such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions;
 - and
 - such additional requirements as may be specified elsewhere in this permit related to compliance certification.

- ii. The responsible official must include in the annual certification report all terms and conditions contained in this permit which are identified as being subject to certification, including emission limitations, standards, or work practices. That is, the provisions labeled herein as "Compliance Certification" are not the only provisions of this permit for which an annual certification is required.

- iii. Compliance certifications shall be submitted annually. Certification reports are due 30 days after the anniversary date of four consecutive calendar quarters. The first report is due 30 days after the calendar quarter that occurs just prior to the permit anniversary date, unless another quarter has been acceptable by the Department.

- iv. All compliance certifications shall be submitted to the Administrator (or his or her representative) as well as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office). Please send annual compliance certifications to Chief of the Stationary Source Compliance Section, the Region 2 EPA representative for the Administrator, at the following address:

USEPA Region 2
Air Compliance Branch



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

290 Broadway
New York, NY 10007-1866

The address for the RAPCE is as follows:

Hunters Point Plaza
47-40 21st Street
Long Island City, NY 11101-5407

The address for the BQA is as follows:

NYSDEC
Bureau of Quality Assurance
625 Broadway
Albany, NY 12233-3258

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 10/30/2007.
Subsequent reports are due on the same day each year

Condition 7: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 202-2.1

Item 7.1:

The Compliance Certification activity will be performed for the Facility.

Item 7.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year. Statements are to be mailed to: New York State Department of Environmental Conservation, Division of Air Resources, Bureau of Air Quality Planning, 625 Broadway, Albany NY 12233-3251

Monitoring Frequency: ANNUALLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due by April 15th for previous calendar year

Condition 8: Recordkeeping requirements



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 202-2.5

Item 8.1:

(a) The following records shall be maintained for at least five years:

- (1) a copy of each emission statement submitted to the department; and
- (2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.

(b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.

Condition 9: Open Fires Prohibited at Industrial and Commercial Sites
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 215

Item 9.1:

No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, refuse, rubbish for salvage, or rubbish generated by industrial or commercial activities.

**MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS SUBJECT
TO ANNUAL CERTIFICATIONS ONLY IF APPLICABLE**

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements only if effectuated during the reporting period. [NOTE: The corresponding annual compliance certification for those conditions not effectuated during the reporting period shall be specified as "not applicable".]

Condition 10: Maintenance of Equipment
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 200.7

Item 10.1:

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

Condition 11: Recycling and Salvage

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-1.7

Item 11.1:

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of the ECL.

Condition 12: Prohibition of Reintroduction of Collected Contaminants to the air

Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-1.8

Item 12.1:

No person shall unnecessarily remove, handle or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Condition 13: Exempt Sources - Proof of Eligibility
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-3.2(a)

Item 13.1:

The owner and/or operator of an emission source or unit that is eligible to be exempt may be required to certify that it operates within the specific criteria described in this Subpart. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other State and Federal air pollution control requirements, regulations, or law.

Condition 14: Trivial Sources - Proof of Eligibility
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-3.3(a)

Item 14.1:

The owner and/or operator of an emission source or unit that is listed as being trivial in this Part may be required to certify that it operates within the specific criteria described in this Subpart. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other State and Federal air pollution control requirements, regulations, or law.



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Condition 15: Standard Requirement - Provide Information
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-6.5(a)(4)

Item 15.1:

The owner and/or operator shall furnish to the department, within a reasonable time, any information that the department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the department copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to the administrator along with a claim of confidentiality, if the administrator initiated the request for information or otherwise has need of it.

Condition 16: General Condition - Right to Inspect
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-6.5(a)(8)

Item 16.1:

The department or an authorized representative shall be allowed upon presentation of credentials and other documents as may be required by law to:

(i) enter upon the permittee's premises where a facility subject to the permitting requirements of this Subpart is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;

(ii) have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;

(iii) inspect at reasonable times any emission sources, equipment (including monitoring and air pollution control equipment), practices, and operations regulated or required under the permit; and

(iv) sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

Condition 17: Standard Requirements - Progress Reports
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-6.5(d)(5)

Item 17.1:

Progress reports consistent with an applicable schedule of compliance are to be submitted at least semiannually, or at a more frequent period if specified in the applicable requirement or by the department. Such progress reports shall contain the following:

(i) dates for achieving the activities, milestones, or compliance required in the schedule of compliance,



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

and dates when such activities, milestones or compliance were achieved; and

(ii) an explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

Condition 18: Off Permit Changes
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-6.5(f)(6)

Item 18.1:

No permit revision will be required for operating changes that contravene an express permit term, provided that such changes would not violate applicable requirements as defined under this Part or contravene federally enforceable monitoring (including test methods), recordkeeping, reporting, or compliance certification permit terms and conditions. Such changes may be made without requiring a permit revision, if the changes are not modifications under any provision of title I of the act and the changes do not exceed the emissions allowable under the permit (whether expressed therein as a rate of emissions or in terms of total emissions) provided that the facility provides the administrator and the department with written notification as required below in advance of the proposed changes within a minimum of seven days. The facility owner or operator, and the department shall attach each such notice to their copy of the relevant permit.

(i) For each such change, the written notification required above shall include a brief description of the change within the permitted facility, the date on which the change will occur, any change in emissions, and any permit term or condition that is no longer applicable as a result of the change.

(ii) The permit shield described in section 6 NYCRR 201-6.6 shall not apply to any change made pursuant to this paragraph.

Condition 19: Required Emissions Tests
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 202-1.1

Item 19.1:

For the purpose of ascertaining compliance or non-compliance with any air pollution control code, rule or regulation, the commissioner may require the person who owns such air contamination source to submit an acceptable report of measured emissions within a stated time. Such person shall bear the cost of measurement and preparing the report of measured emissions. Failure of such person to submit a report acceptable to the commissioner within the time stated shall be sufficient reason for the commissioner to suspend or deny a certificate to operate.

Condition 20: Visible Emissions Limited
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 211.3



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Item 20.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

**Condition 21: Accidental release provisions.
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 68

Item 21.1:

If a chemical is listed in Tables 1,2,3 or 4 of 40 CFR §68.130 is present in a process in quantities greater than the threshold quantity listed in Tables 1,2,3 or 4, the following requirements will apply:

- a) The owner or operator shall comply with the provisions of 40 CFR Part 68 and;
- b) The owner or operator shall submit at the time of permit issuance (if not previously submitted) one of the following, if such quantities are present:
 - 1) A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR §68.10(a) or,
 - 2) A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan. Information should be submitted to:

Risk Management Plan Reporting Center
C/O CSC
8400 Corporate Dr
Carrollton, Md. 20785

**Condition 22: Recycling and Emissions Reduction
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 82, Subpart F

Item 22.1:

The permittee shall comply with all applicable provisions of 40 CFR Part 82.

**The following conditions are subject to annual compliance certification requirements
for Title V permits only.**

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Condition 23: Emission Unit Definition
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-6

Item 23.1:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00001

Emission Unit Description:

This emission unit is comprised of 4 Keeler 96 mmbtu/hr boilers, each capable of producing 70,000 lb/hr of 150 psi steam. Each boiler is retrofitted with two low NOx burners. The four boilers discharge through a common stack. The four boilers fire with a total firing rate not to exceed 250 mmbtu/hr.

Emission sources listed under this emission unit 00001, 00002, 00003 and 00004 are the boilers numbered as 6,7,8 & 9 in the NOx RACT averaging compliance plan submitted on 10/5/01.

Building(s): 14

Item 23.2:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00002

Emission Unit Description:

This emission unit is comprised of 2 Keeler 96 mmbtu/hr boilers, each capable of producing 70,000 lb/hr of 150 psig steam. Each boiler is retrofitted with two low NOx burners. The two boilers discharge through a common stack.

Emission sources listed under this emission unit, 00005, 00006 are the boilers numbered as 2 & 3 in the NOx RACT averaging compliance plan submitted on 10/5/01.

Building(s): 14

Item 23.3:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00003

Emission Unit Description:

This emission unit is comprised of one Keeler 96 mmbtu/hr boiler, and one union iron works boiler, each capable of producing 70,000 lb/hr of 150 psig steam. Each boiler is retrofitted with two low nox burners. The two boilers discharge through a common stack.

Emission sources listed under this emission unit, 00007,



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

00008 are the boilers numbered as 4 & 5 in the NOx RACT averaging compliance plan submitted on 10/5/01.

Building(s): 14

Item 23.4:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00009

Emission Unit Description:

A spray paint booth has been installed in the garage for motor vehicle refinishing. The spray paint booth is used 4 hrs/day, 235 days/yr. Emission exhaust stack will be located above the roof of the garage.

Building(s): GARAGE

Item 23.5:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00010

Emission Unit Description:

This unit consists of nineteen (19) generators (four 1100 KW, two 800 KW, three 900KW, one 625 KW, and nine 1150 KW), which would participate in NYPA sponsored CDRP program during the power peak seasons.

Building(s): GRVC
OBCC
RMSC
WF

**Condition 24: Compliance Certification
Effective for entire length of Permit**

Applicable Federal Requirement: 6NYCRR 202-1

Item 24.1:

The Compliance Certification activity will be performed for the facility:

The Compliance Certification applies to:

Emission Unit: U-00001
Process: 001 Emission Source: 00001

Emission Unit: U-00001
Process: 001 Emission Source: 00002

Emission Unit: U-00001
Process: 001 Emission Source: 00003



Emission Unit: U-00001
Process: 001 Emission Source: 00004

Emission Unit: U-00001
Process: 002 Emission Source: 00001

Emission Unit: U-00001
Process: 002 Emission Source: 00002

Emission Unit: U-00001
Process: 002 Emission Source: 00003

Emission Unit: U-00001
Process: 002 Emission Source: 00004

Emission Unit: U-00002
Process: 003 Emission Source: 00005

Emission Unit: U-00002
Process: 003 Emission Source: 00006

Emission Unit: U-00002
Process: 004 Emission Source: 00005

Emission Unit: U-00002
Process: 004 Emission Source: 00006

Emission Unit: U-00003
Process: 005 Emission Source: 00007

Emission Unit: U-00003
Process: 005 Emission Source: 00008

Emission Unit: U-00003
Process: 006 Emission Source: 00007

Emission Unit: U-00003
Process: 006 Emission Source: 00008

Regulated Contaminant(s):
CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 24.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Monitoring Description:

Once during the term of the Title V permit, the facility must perform NO_x emission stack test, as per Department approved test protocol, to determine NO_x emission factors of the boilers. Results of the stack test must be submitted to the Department within 60 days after completion of the test. The most recent NO_x emission factors shall be used to determine compliance with 6NYCRR Subpart 227-2.5(b) System averaging plan of October 5, 2001 which is attached to this permit and is an enforceable part of this permit.

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 25: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 225-1.7(e)

Item 25.1:

The Compliance Certification activity will be performed for the Facility.

Item 25.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Facility must submit written report of the fuel sulfur content exceeding the applicable sulfur-in fuel limitation, the nature and cause of such excess if known, for each calendar quarter.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: DISTILLATES - NUMBER 1 AND NUMBER 2 OIL

Parameter Monitored: SULFUR CONTENT

Upper Permit Limit: 0.2 percent by weight

Monitoring Frequency: PER DELIVERY

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

Condition 26: Compliance Certification
Effective for entire length of Permit

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Applicable Federal Requirement: 6NYCRR 227-2.5(b)

Item 26.1:

The Compliance Certification activity will be performed for the Facility.

Item 26.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

System-wide averaging of NOx emissions from Rikers Island facility shall be in accordance with the October 5, 2001, Department approved averaging plan submitted by Keyspan. Compliance must be determined on an daily average basis, during ozone season(May 1 through September 30) and on monthly average basis during non ozone season (January 1 through April 30 and October 1 through December 31) . During the first year of the Title V permit, NOx Emission reports shall be submitted to the Department quarterly and semiannually thereafter.

Averaging plan is attached to this permit and constitutes an enforceable part of the permit.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 27: Date of construction notification - If a COM is not used. Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.7(a), NSPS Subpart A

Item 27.1:

Any owner or operator subject to this part shall furnish the Administrator with the following information:

- 1) a notification of the date construction or reconstruction commenced, post marked no later than 30 days after such date;
- 3) a notification of the actual date of initial start up, post marked within 15 days after such date;
- 4) a notification of any physical or operational change to an existing facility which may increase the emission rate of any air pollutant to which a standard applies, unless the change is specifically exempted under this part. The notice shall be post marked 60 days or as soon as practicable before the change is commenced and shall include information describing the precise nature of the change, present and



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

proposed emission control systems, productive capability of the facility before and after the change, and the expected completion date of the change. The Administrator may request additional information regarding the change;

5) a notification of the date upon which the demonstration of continuous monitoring system performance commences, post marked not less than 30 days prior to such date;

6) a notification of the anticipated date for conducting the opacity observations, post marked not less than 30 days prior to such date.

**Condition 28: Date of Construction Notification - if a COM is used
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.7(a), NSPS Subpart A

Item 28.1:

Any owner or operator subject to this part shall furnish the Administrator with the following information:

1) a notification of the date construction or reconstruction commenced, post marked no later than 30 days after such date;

3) a notification of the actual date of initial start up, post marked within 15 days after such date;

4) a notification of any physical or operational change to an existing facility which may increase the emission rate of any air pollutant to which a standard applies, unless the change is specifically exempted under this part. The notice shall be post marked 60 days or as soon as practicable before the change is commenced and shall include information describing the precise nature of the change, present and proposed emission control systems, productive capability of the facility before and after the change, and the expected completion date of the change. The Administrator may request additional information regarding the change;

5) a notification of the date upon which the demonstration of continuous monitoring system performance commences, post marked not less than 30 days prior to such date;

6) a notification of the anticipated date for conducting the opacity observations, post marked not less than 30 days prior to such date, if a continuous opacity monitor is not being used at the facility; and

7) a notification that continuous opacity monitoring system data results will be used to determine compliance with the applicable opacity standard during the performance test, post marked not less than 30 days prior to the performance test.

**Condition 29: Compliance Certification
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.7(c), NSPS Subpart A



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Item 29.1:

The Compliance Certification activity will be performed for the Facility.

Item 29.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Affected owners or operators shall submit an excess emissions report and/or a summary report form (as defined in 40 CFR 60.7(d)) semi-annually (or more frequently as required by the applicable Subpart or the Administrator), to the Administrator. These reports shall be post marked no later than 30 days after each calendar quarter (or as appropriate), and shall contain the following information:

- 1) the magnitude of excess emissions computed, any conversion factors used, the date and time of each occurrence, and the process operating time during the reporting period;
- 2) specific identification of each period of excess emissions that occur during startup, shutdown, or malfunction, where the nature, cause, and corrective action are provided for a malfunction;
- 3) the date and time identifying each period during which the continuous monitoring system was inoperative except for zero and span checks and the nature of the system repairs or adjustments; and
- 4) when no excess emissions have occurred or when the continuous monitoring system(s) have not been inoperative, repaired, or adjusted, such information shall be provided in the report.

Monitoring Frequency: CONTINUOUS

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

**Condition 30: Performance testing timeline.
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.8(a), NSPS Subpart A

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Item 30.1:

Within 60 days after achieving the maximum production rate, but not later than 180 days after initial startup of the facility, the owner or operator of the facility shall conduct performance testing and provide the results of such tests, in a written report, to the Administrator.

Condition 31: Performance test methods.
Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.8(b), NSPS Subpart A

Item 31.1:

Performance testing shall be conducted in accordance with the methods and procedures prescribed in 40 CFR 60 or by alternative methods and procedures approved by the Administrator.

Condition 32: Prior notice.
Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.8(d), NSPS Subpart A

Item 32.1:

The owner or operator shall provide the Administrator with prior notice of any performance test at least 30 days in advance of testing.

Condition 33: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.43c(c), NSPS Subpart Dc

Item 33.1:

The Compliance Certification activity will be performed for the Facility.

Item 33.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Boilers 00001, 00002, 00003, 00004, 00005, 00006, 00007
and 00008 are subject to this condition when burning
distillate oil.

No owner or operator of the facility shall cause
emissions from the sources that exhibit greater than 20
percent opacity (6-minute average), except for one
6-minute period per hour of not more than 27 percent
opacity. Visible emission method or continuous opacity
monitoring system shall be used for opacity monitoring.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

****** Emission Unit Level ******

**Condition 34: Emission Point Definition By Emission Unit
Effective for entire length of Permit**

Applicable Federal Requirement: 6NYCRR 201-6

Item 34.1:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00001

Emission Point: U0001

Height (ft.): 182

Diameter (in.): 123

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Item 34.2:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00002

Emission Point: U0002

Height (ft.): 185

Diameter (in.): 123

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Item 34.3:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00003

Emission Point: U0003

Height (ft.): 170

Diameter (in.): 84

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Item 34.4:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00009

Emission Point: 00009



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Height (ft.): 30

Diameter (in.): 48

Item 34.5:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00010

Emission Point: 00010

Height (ft.): 110

Diameter (in.): 10

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Building: GRVC

Emission Point: 00011

Height (ft.): 35

Diameter (in.): 10

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Building: GRVC

Emission Point: 00012

Height (ft.): 35

Diameter (in.): 12

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Building: RMSC

Emission Point: 00013

Height (ft.): 18

Diameter (in.): 10

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Building: OBCC

Emission Point: 00014

Height (ft.): 18

Diameter (in.): 10

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Building: OBCC

Emission Point: 00015

Height (ft.): 18

Diameter (in.): 10

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Building: OBCC

Emission Point: 00016

Height (ft.): 18

Diameter (in.): 12

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Building: WF

Emission Point: 00017

Height (ft.): 18

Diameter (in.): 12

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Building: WF

Emission Point: 00018

Height (ft.): 18

Diameter (in.): 12

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Building: WF

Emission Point: 00019

Height (ft.): 18

Diameter (in.): 12

NYTMN (km.): 4516.6

NYTME (km.): 593.6

Building: WF



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Emission Point: 00020
Height (ft.): 18 Diameter (in.): 12
NYTMN (km.): 4516.6 NYTME (km.): 593.6 Building: WF

Emission Point: 00021
Height (ft.): 18 Diameter (in.): 12
NYTMN (km.): 4516.6 NYTME (km.): 593.6 Building: WF

Emission Point: 00022
Height (ft.): 18 Diameter (in.): 12
NYTMN (km.): 4516.6 NYTME (km.): 593.6 Building: WF

Emission Point: 00023
Height (ft.): 18 Diameter (in.): 12
NYTMN (km.): 4516.6 NYTME (km.): 593.6 Building: WF

Emission Point: 00024
Height (ft.): 18 Diameter (in.): 12
NYTMN (km.): 4516.6 NYTME (km.): 593.6 Building: WF

**Condition 35: Process Definition By Emission Unit
Effective for entire length of Permit**

Applicable Federal Requirement: 6NYCRR 201-6

Item 35.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00001
Process: 001 Source Classification Code: 1-03-006-02
Process Description:
 Firing natural gas in each of the four boilers (001-004),
 each rated at 96 mmbtu/hr. Each boiler will be retrofitted
 with two low NOx burners. Backup fuel (only during gas
 interruption) is #2 fuel oil.

Emission Source/Control: 00001 - Combustion
Design Capacity: 96 million Btu per hour

Emission Source/Control: 00002 - Combustion
Design Capacity: 96 million Btu per hour

Emission Source/Control: 00003 - Combustion
Design Capacity: 96 million Btu per hour

Emission Source/Control: 00004 - Combustion
Design Capacity: 96 million Btu per hour

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Item 35.2:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00001

Process: 002

Source Classification Code: 1-03-005-02

Process Description:

Firing #2 fuel oil as a backup fuel in the four boilers
(see process 001) during natural gas interruption.

Emission Source/Control: 00001 - Combustion

Design Capacity: 96 million Btu per hour

Emission Source/Control: 00002 - Combustion

Design Capacity: 96 million Btu per hour

Emission Source/Control: 00003 - Combustion

Design Capacity: 96 million Btu per hour

Emission Source/Control: 00004 - Combustion

Design Capacity: 96 million Btu per hour

Item 35.3:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00002

Process: 003

Source Classification Code: 1-03-006-02

Process Description:

Firing natural gas in each of the two boilers (005-006),
each rated at 96 mmbtu/hr. Each boiler will be retrofitted
with two low NOx burners. Backup fuel (only during gas
interruption) is #2 fuel oil

Emission Source/Control: 00005 - Combustion

Design Capacity: 96 million Btu per hour

Emission Source/Control: 00006 - Combustion

Design Capacity: 96 million Btu per hour

Item 35.4:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00002

Process: 004

Source Classification Code: 1-03-005-02

Process Description:

Firing #2 fuel oil as a backup fuel in the two boilers
during natural gas interruption..

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Emission Source/Control: 00005 - Combustion
Design Capacity: 96 million Btu per hour

Emission Source/Control: 00006 - Combustion
Design Capacity: 96 million Btu per hour

Item 35.5:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00003
Process: 005
Process Description: Firing natural gas.
Source Classification Code: 1-03-006-02

Emission Source/Control: 00007 - Combustion
Design Capacity: 96 million Btu per hour

Emission Source/Control: 00008 - Combustion
Design Capacity: 96 million Btu per hour

Item 35.6:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00003
Process: 006
Process Description: Firing #2 fuel oil as a backup fuel.
Source Classification Code: 1-03-005-02

Emission Source/Control: 00007 - Combustion
Design Capacity: 96 million Btu per hour

Emission Source/Control: 00008 - Combustion
Design Capacity: 96 million Btu per hour

Item 35.7:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00009
Process: 00P
Process Description: Paint spay booth operation.
Source Classification Code: 4-02-001-10

Emission Source/Control: 0000P - Process

Item 35.8:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00010
Process: GEN
Source Classification Code: 1-02-005-02

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Process Description: Firing oil number 2.

Emission Source/Control: 00010 - Combustion
Design Capacity: 1,100 kilowatts

Emission Source/Control: 00011 - Combustion
Design Capacity: 1,100 kilowatts

Emission Source/Control: 00012 - Combustion
Design Capacity: 625 kilowatts

Emission Source/Control: 00013 - Combustion
Design Capacity: 900 kilowatts

Emission Source/Control: 00014 - Combustion
Design Capacity: 800 kilowatts

Emission Source/Control: 00015 - Combustion
Design Capacity: 800 kilowatts

Emission Source/Control: 00016 - Combustion
Design Capacity: 900 kilowatts

Emission Source/Control: 00017 - Combustion
Design Capacity: 900 kilowatts

Emission Source/Control: 00018 - Combustion
Design Capacity: 1,100 kilowatts

Emission Source/Control: 00019 - Combustion
Design Capacity: 1,100 kilowatts

Emission Source/Control: 00020 - Combustion
Design Capacity: 1,150 kilowatts

Emission Source/Control: 00021 - Combustion
Design Capacity: 1,150 kilowatts

Emission Source/Control: 00022 - Combustion
Design Capacity: 1,150 kilowatts

Emission Source/Control: 00023 - Combustion
Design Capacity: 1,150 kilowatts

Emission Source/Control: 00024 - Combustion
Design Capacity: 1,150 kilowatts

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Emission Source/Control: 00025 - Combustion
Design Capacity: 1,150 kilowatts

Emission Source/Control: 00026 - Combustion
Design Capacity: 1,150 kilowatts

Emission Source/Control: 00027 - Combustion
Design Capacity: 1,150 kilowatts

Emission Source/Control: 00028 - Combustion
Design Capacity: 1,150 kilowatts

**Condition 36: Emission Unit Permissible Emissions
Effective for entire length of Permit**

Applicable Federal Requirement: 6NYCRR 201-7

Item 36.1:

The sum of emissions from all regulated processes specified in this permit for the emission unit cited shall not exceed the following Potential to Emit (PTE) rates for each regulated contaminant:

Emission Unit: U-00010

CAS No: 0NY210-00-0

Name: OXIDES OF NITROGEN

PTE(s): 693 pounds per hour

45,200 pounds per year

**Condition 37: Process Permissible Emissions
Effective for entire length of Permit**

Applicable Federal Requirement: 6NYCRR 201-7

Item 37.1:

The sum of emissions from the regulated process cited shall not exceed the following Potential to Emit (PTE) rates for each regulated contaminant:

Emission Unit: U-00010 Process: GEN

CAS No: 0NY210-00-0

Name: OXIDES OF NITROGEN

PTE(s): 693 pounds per hour

42,500 pounds per year

**Condition 38: Compliance Certification
Effective for entire length of Permit**

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Applicable Federal Requirement: 40CFR 60.46c(d)(2), NSPS Subpart Dc

Item 38.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00001

Regulated Contaminant(s):

CAS No: 007446-09-5 SULFUR DIOXIDE

Item 38.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

As an alternative to operating a CEMs at the inlet to the SO₂ control device (or outlet of the steam generating unit if no SO₂ control device is used) as required under paragraph §60.46c (a), an owner or operator may elect to determine the average SO₂ emission rate by sampling fuel prior to combustion.

As an alternative fuel sampling procedure for affected facilities combusting oil, oil samples may be collected from the fuel tank for each steam generating unit immediately after the fuel tank is filled and before any oil is combusted.

Parameter Monitored: SULFUR CONTENT

Upper Permit Limit: 0.2 percent by weight

Reference Test Method: Method 19

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: 30-DAY ROLLING AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

**Condition 39: Recordkeeping and reporting.
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.48c, NSPS Subpart Dc

Item 39.1:

This Condition applies to Emission Unit: U-00001

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Item 39.2:

The facility shall maintain reports and records in accordance with the provisions of this section 40 CFR 60-Dc.48c.

**Condition 40: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 40.1:

This Condition applies to Emission Unit: U-00001
Process: 001 Emission Source: 00001

Item 40.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 41: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 41.1:

This Condition applies to Emission Unit: U-00001
Process: 001 Emission Source: 00002

Item 41.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 42: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 42.1:

This Condition applies to Emission Unit: U-00001
Process: 001 Emission Source: 00003

Item 42.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

**Condition 43: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 43.1:

This Condition applies to Emission Unit: U-00001
Process: 001 Emission Source: 00004

Item 43.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 44: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 44.1:

This Condition applies to Emission Unit: U-00001
Process: 002 Emission Source: 00001

Item 44.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 45: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 45.1:

This Condition applies to Emission Unit: U-00001
Process: 002 Emission Source: 00002

Item 45.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 46: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Item 46.1:

This Condition applies to Emission Unit: U-00001
Process: 002 Emission Source: 00003

Item 46.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 47: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 47.1:

This Condition applies to Emission Unit: U-00001
Process: 002 Emission Source: 00004

Item 47.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 48: Compliance Certification
Effective for entire length of Permit**

Applicable Federal Requirement: 6NYCRR 227-1.4(b)

Item 48.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00001 Emission Point: U0001

Item 48.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Each owner or operator required to operate a Continuous Opacity Monitoring System (COMS) in accordance with subdivision (a) of this section shall submit an accurate excess emissions and monitoring system performance report to the department for each calendar year quarter. All reports shall be certified by a responsible corporate official as true, accurate and complete and postmarked by the 60th day following the end of each calendar quarter.



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

The quarterly excess emissions report shall be submitted in a form acceptable to the department and shall include the following minimum information:

(1) the magnitude, date and time of each six minute block average during which the average opacity of emissions exceeds 20 percent, except for one six minute block average per hour not to exceed 27 percent;

(2) for each period of excess emission, specific identification of the cause and corrective action taken;

(3) identification of all periods of COMS downtime, including the date, time and duration of each inoperable period, and the cause and corrective action for each COMS downtime period;

(4) the total time in which the COMS are required to record data during the reporting period;

(5) the total number of exceedences and the duration of exceedences expressed as a percentage of the total time in which the COMS are required to record data; and

(6) such other things as the department may deem necessary, proper or desirable in order to enforce article 19 of the Environmental Conservation Law or the rules promulgated thereunder.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Monitoring Frequency: CONTINUOUS

Averaging Method: 6 MINUTE AVERAGE

Reporting Requirements: QUARTERLY (CALENDAR)

Reports due 60 days after the reporting period.

Subsequent reports are due every 3 calendar month(s).

**Condition 49: Monitoring requirements.
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.13, NSPS Subpart A

Item 49.1:

This Condition applies to Emission Unit: U-00001 Emission Point: U0001

Item 49.2:



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

All continuous monitoring systems and devices shall be installed, calibrated, maintained, and operated in accordance with the requirements of section 60.13.

Condition 50: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.13(c), NSPS Subpart A

Item 50.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00001 Emission Point: U0001

Item 50.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

If the owner or operator of an affected facility elects to submit continuous opacity monitoring system (COMS) data for compliance with the opacity standard as provided under §60.11(e)(5), he or she shall conduct a performance evaluation of the COMS as specified in Performance Specification 1, appendix B, of 40CFR 60 before the performance test required under §60.8 is conducted. Otherwise, the owner or operator of an affected facility shall conduct a performance evaluation of the COMS or continuous emission monitoring system (CEMS) during any performance test required under §60.8 or within 30 days thereafter in accordance with the applicable performance specification in appendix B of 40CFR 60. The owner or operator of an affected facility shall conduct COMS or CEMS performance evaluations at such other times as may be required by the Administrator under section 114 of the Act.

(1) The owner or operator of an affected facility using a COMS to determine opacity compliance during any performance test required under §60.8 and as described in §60.11(e)(5) shall furnish the Administrator two or, upon request, more copies of a written report of the results of the COMS performance evaluation described in 40CFR60.13(c) at least 10 days before the performance test required under §60.8 is conducted.

(2) Except as provided in paragraph 40CFR60.13(c)(1), the owner or operator of an affected facility shall furnish the Administrator within 60 days of completion two or, upon request, more copies of a written report of the

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



results of the performance evaluation.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

**Condition 51: Compliance methods for particulate matter.
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.45c, NSPS Subpart Dc

Item 51.1:

This Condition applies to Emission Unit: U-00001 Emission Point: U0001

Item 51.2:

The facility shall conduct compliance testing for particulate matter by the methods listed in this section 40 CFR 60-Dc.45c.

**Condition 52: Compliance Certification
Effective for entire length of Permit**

Applicable Federal Requirement: 6NYCRR 227.2(b)(1)

Item 52.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00001 Emission Point: U0001
Process: 002

Regulated Contaminant(s):
CAS No: 0NY075-00-0 PARTICULATES

Item 52.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

Particulate emission limit for stationary combustion
installation firing oil. The owner or operator shall
complete the following once per term of this permit:

1) Submit to the Department an acceptable protocol for
the testing of particulate emission limit cited in this
condition.

2) Perform a stack test, based upon the approved test
protocol, to determine compliance with the particulate

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



emission limit cited in this condition.

3) All records shall be maintained at the facility for a minimum of five years.

Parameter Monitored: PARTICULATES

Upper Permit Limit: 0.10 pounds per million Btus

Reference Test Method: Method 5

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

Condition 53: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.46c(d)(2), NSPS Subpart Dc

Item 53.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00002

Regulated Contaminant(s):

CAS No: 007446-09-5 SULFUR DIOXIDE

Item 53.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

As an alternative to operating a CEMs at the inlet to the SO₂ control device (or outlet of the steam generating unit if no SO₂ control device is used) as required under paragraph §60.46c (a), an owner or operator may elect to determine the average SO₂ emission rate by sampling fuel prior to combustion.

As an alternative fuel sampling procedure for affected facilities combusting oil, oil samples may be collected from the fuel tank for each steam generating unit immediately after the fuel tank is filled and before any oil is combusted.



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Parameter Monitored: SULFUR CONTENT
Upper Permit Limit: 0.2 percent by weight
Reference Test Method: Method 19
Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION
Averaging Method: 30-DAY ROLLING AVERAGE
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
Subsequent reports are due every 6 calendar month(s).

Condition 54: Recordkeeping and reporting.
Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.48c, NSPS Subpart Dc

Item 54.1:

This Condition applies to Emission Unit: U-00002

Item 54.2:

The facility shall maintain reports and records in accordance with the provisions of this section 40 CFR 60-Dc.48c.

Condition 55: Applicability of this Subpart to this emission source
Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 55.1:

This Condition applies to Emission Unit: U-00002
Process: 003 Emission Source: 00005

Item 55.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

Condition 56: Applicability of this Subpart to this emission source
Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 56.1:

This Condition applies to Emission Unit: U-00002
Process: 003 Emission Source: 00006

Item 56.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 57: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 57.1:

This Condition applies to Emission Unit: U-00002
Process: 004 Emission Source: 00005

Item 57.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 58: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 58.1:

This Condition applies to Emission Unit: U-00002
Process: 004 Emission Source: 00006

Item 58.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 59: Compliance methods for particulate matter.
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.45c, NSPS Subpart Dc

Item 59.1:

This Condition applies to Emission Unit: U-00002 Emission Point: U0002

Item 59.2:

The facility shall conduct compliance testing for particulate matter by the methods listed in this section 40 CFR 60-Dc.45c.

**Condition 60: Compliance Certification
Effective for entire length of Permit**

Applicable Federal Requirement: 6NYCRR 227.2(b)(1)

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Item 60.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00002 Emission Point: U0002
Process: 004

Regulated Contaminant(s):
CAS No: 0NY075-00-0 PARTICULATES

Item 60.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

Particulate emission limit for stationary combustion installation firing oil. The owner or operator shall complete the following once per term of this permit:

- 1) Submit to the Department an acceptable protocol for the testing of particulate emission limit cited in this condition.
- 2) Perform a stack test, based upon the approved test protocol, to determine compliance with the particulate emission limit cited in this condition.
- 3) All records shall be maintained at the facility for a minimum of five years.

Parameter Monitored: PARTICULATES

Upper Permit Limit: 0.10 pounds per million Btus

Reference Test Method: Method 5

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST
METHOD INDICATED

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

Condition 61: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.46c(d)(2), NSPS Subpart Dc

Item 61.1:

The Compliance Certification activity will be performed for:

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Emission Unit: U-00003

Regulated Contaminant(s):

CAS No: 007446-09-5 SULFUR DIOXIDE

Item 61.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

As an alternative to operating a CEMs at the inlet to the SO₂ control device (or outlet of the steam generating unit if no SO₂ control device is used) as required under paragraph §60.46c (a), an owner or operator may elect to determine the average SO₂ emission rate by sampling fuel prior to combustion.

As an alternative fuel sampling procedure for affected facilities combusting oil, oil samples may be collected from the fuel tank for each steam generating unit immediately after the fuel tank is filled and before any oil is combusted.

Parameter Monitored: SULFUR CONTENT

Upper Permit Limit: 0.2 percent by weight

Reference Test Method: Method 19

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: 30-DAY ROLLING AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

**Condition 62: Recordkeeping and reporting.
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.48c, NSPS Subpart Dc

Item 62.1:

This Condition applies to Emission Unit: U-00003

Item 62.2:

The facility shall maintain reports and records in accordance with the provisions of this section 40 CFR 60-Dc.48c.



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

**Condition 63: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 63.1:

This Condition applies to Emission Unit: U-00003
Process: 005 Emission Source: 00007

Item 63.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 64: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 64.1:

This Condition applies to Emission Unit: U-00003
Process: 005 Emission Source: 00008

Item 64.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 65: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc

Item 65.1:

This Condition applies to Emission Unit: U-00003
Process: 006 Emission Source: 00007

Item 65.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 66: Applicability of this Subpart to this emission source
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.40c, NSPS Subpart Dc



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Item 66.1:

This Condition applies to Emission Unit: U-00003
Process: 006 Emission Source: 00008

Item 66.2:

This emission source is subject to the applicable General Provisions of 40 CFR 60 Subpart Dc. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements.

**Condition 67: Compliance methods for particulate matter.
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.45c, NSPS Subpart Dc

Item 67.1:

This Condition applies to Emission Unit: U-00003 Emission Point: U0003

Item 67.2:

The facility shall conduct compliance testing for particulate matter by the methods listed in this section 40 CFR 60-Dc.45c.

**Condition 68: Compliance Certification
Effective for entire length of Permit**

Applicable Federal Requirement: 6NYCRR 227.2(b)(1)

Item 68.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00003 Emission Point: U0003
Process: 006

Regulated Contaminant(s):
CAS No: 0NY075-00-0 PARTICULATES

Item 68.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

Particulate emission limit for stationary combustion installation firing oil. The owner or operator shall complete the following once per term of this permit:

- 1) Submit to the Department an acceptable protocol for the testing of particulate emission limit cited in this condition.



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

2) Perform a stack test, based upon the approved test protocol, to determine compliance with the particulate emission limit cited in this condition.

3) All records shall be maintained at the facility for a minimum of five years.

Parameter Monitored: PARTICULATES

Upper Permit Limit: 0.10 pounds per million Btus

Reference Test Method: Method 5

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

Condition 69: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 231-2

Item 69.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00009

Regulated Contaminant(s):

CAS No: 0NY998-00-0 VOC

Item 69.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

The volatile organic compounds from the spray booth operation should be limited to 2.5 tons per year.

Records, including but not limited to purchase and usage records of paints and solvents should be kept at the facility to verify the compliance.

Work Practice Type: PROCESS MATERIAL THRUPUT

Process Material: COATING

Upper Permit Limit: 2.5 tons per year

Monitoring Frequency: MONTHLY



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
Subsequent reports are due every 6 calendar month(s).

Condition 70: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 228.5

Item 70.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00009

Process: 00P

Emission Source: 0000P

Item 70.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The owner or operator of any emission source subject to this Part must maintain and, upon request, provide the department with a certification from the coating supplier/manufacture which verifies the parameters used to determine the actual VOC content of each as applied coating, (VOC)_a, used at the facility. In addition, purchase, usage and/or production records of the coating material, including solvents, must be maintained in a format acceptable to the department and, upon request, these records must be submitted to the department.

The owner and operator of any emission source subject to this Part must, upon request by the department, use Method 311 or Method 24 as presented in Appendices A of both 40 CFR Parts 63 and 60, respectively (see table 1, section 200.9 of this Title, to measure the volatile content, water content, density, volume of solids and weight of solids in order to determine the actual VOC content of an applied coating during a compliance demonstration.

Representatives of the department must be permitted during reasonable business hours, to obtain coating samples for the purpose of determining compliance with this Part.



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Any additional information required to determine compliance with this Part must be provided to the department in a format acceptable to the department.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

Condition 71: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 228.8

Item 71.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00009 Emission Point: 00009
Process: 00P Emission Source: 0000P

Regulated Contaminant(s):
CAS No: 0NY998-00-0 VOC

Item 71.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Volatile organic compounds(VOC) content (as applied, minus water and exempt VOC) in automobile, truck or bus coating, including but not limited to: repair coats, repainting and touch-ups, shall not exceed the following;

Repair/touch ups 6.2 pounds per gallon
Overall (coating entire vehicle) 5 pounds/gallon

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

Condition 72: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 228.8

Item 72.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00009 Emission Point: 00009
Process: 00P Emission Source: 0000P

Regulated Contaminant(s):
CAS No: 0NY998-00-0 VOC

Item 72.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Pounds per gallon of Volatile organic compounds(VOC) content (as applied, minus water and exempt VOC) in mobile equipment repair and refinishing or color-matched coating line including repainting and repair coats, excluding automotive touch-up repair shall not exceed the following:

Automotive pretreatment primer 6.5
Automotive primer-surfacer 4.8
Automotive primer-sealer 4.6
Automotive topcoat: Single stage-topcoat 5.0
2 stage basecoat/clear coat 5.0
3 or 4-stage basecoat/clearcoat 5.2
Multi-colored 5.7
Automotive specialty 7.0

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

Condition 73: Compliance Certification
Effective for entire length of Permit

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Applicable Federal Requirement: 6NYCRR 227-2.6(c)(3)

Item 73.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00010

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 73.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

Subpart 227-2.4(f)(2)(ii)(b) limits the NO_x emissions from each engine under Emission Unit 00010 to 2.3 grams per brake horse power- hr. Compliance with this emission limit must be determined with a one hour average in accordance with section 227-2.6(a)(7).

Under §227-2.6(a)(7) the owner or operator of each source must verify NO_x emissions by performing the applicable testing procedure detailed in 227-2.6(c).

Under §227-2.6(c), Emission test requirements, the owner or operator of a source required to conduct an emission test under subdivision (a) of this section must:

(1) submit a compliance test protocol to the department for approval at least 30 days prior to emission testing. The conditions of the testing and the locations of the sampling devices must be acceptable to the department; and

(2) utilize the following procedures set forth in 40 CFR part 60, Appendix A or any other method acceptable to the department and the administrator for determining compliance with the appropriate NO_x limit in section 227-2.4 of this Subpart, and must, in addition, follow the procedures set forth in Part 202 of this Title:

For stationary internal combustion engines, utilize Method 7, 7E, or 19 from 40 CFR part 60, Appendix A or another

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



reference method approved by the department;

Upper Permit Limit: 2.3 grams per brake horsepower-hour
Reference Test Method: Method 7, 7E, or 19 from 40 CFR part 60, Appendix
Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT
Averaging Method: 1 HOUR ROLLING AVERAGE ROLLED EVERY 1
MINUTE
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
Subsequent reports are due every 6 calendar month(s).

Condition 74: Capping Monitoring Condition
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 201-7

Item 74.1:

Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

6NYCRR 231-2

Item 74.2:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

Item 74.3:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Item 74.4:

On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

Item 74.5:



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

Item 74.6:

The Compliance Certification activity will be performed for:

Emission Unit: U-00010

Process: GEN

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 74.7:

Compliance Certification shall include the following monitoring:

Capping: Yes

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The NO_x emissions for each engine must be monitored and based on the emission factors obtained from stack testing and the hours of operation.

Daily log must be maintained at the site which shows the starting time and the ending time of operation for each engine.

Parameter Monitored: OXIDES OF NITROGEN

Upper Permit Limit: 22.5 tons per year

Monitoring Frequency: CONTINUOUS

Averaging Method: 12 MONTH AVERAGE - ROLLED MONTHLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 12 calendar month(s).

Condition 75: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 227-2.4(f)

Item 75.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00010

Process: GEN

Regulated Contaminant(s):

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 75.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Each stationary internal combustion engine must comply
with the following NOx emission limit:

2.3 grams per brake horsepower-hour beginning April 1,
2005.

Compliance with this emission limit must be determined
with a one hour average stack testing, in accordance with
section 227-2.6(a)(7), testing, monitoring, and reporting
requirements.

Parameters to be monitored for compliance with the NOx
limit will be determined when the testing is performed.

Parameter Monitored: OXIDES OF NITROGEN

Upper Permit Limit: 2.3 grams per brake horsepower-hour

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: 1 HOUR MAXIMUM - NOT TO BE EXCEEDED AT
ANY TIME

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 12 calendar month(s).

Condition 76: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6NYCRR 227.2(b)(1)

Item 76.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-00010 Emission Point: 00010

Process: GEN

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

Item 76.2:

New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259



Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

Particulate emission limit for a stationary combustion installation firing oil. The owner or operator shall complete the following once per term of this permit:

- 1) submit, to the Department, an acceptable protocol for the testing of particulate emission limit cited in this condition,
- 2) perform a stack test, based upon the approved test protocol, to determine compliance with the particulate emission limit cited in this condition, and
- 3) all records shall be maintained at the facility for a minimum of five years.

Parameter Monitored: PARTICULATES

Upper Permit Limit: 0.10 pounds per million Btus

Reference Test Method: Method 5

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).



STATE ONLY ENFORCEABLE CONDITIONS

****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state applicable requirements and are not subject to compliance certification requirements unless otherwise noted or required under 6 NYCRR Part 201.

**Condition 77: Contaminant List
Effective for entire length of Permit**

Applicable State Requirement: ECL 19-0301

Item 77.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY210-00-0

Name: OXIDES OF NITROGEN

CAS No: 0NY075-00-0

Name: PARTICULATES

CAS No: 007446-09-5

Name: SULFUR DIOXIDE

CAS No: 0NY998-00-0

Name: VOC

**Condition 78: Unavoidable noncompliance and violations
Effective for entire length of Permit**

Applicable State Requirement: 6NYCRR 201-1.4

Item 78.1:

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

(a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit issued for the corresponding air contamination source except where conditions elsewhere in this permit which contain more stringent reporting and notification provisions for an applicable requirement, in which case they supercede those stated here. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.

(b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates. These reporting requirements are superceded by conditions elsewhere in this permit which contain reporting and notification provisions for applicable requirements more stringent than those above.



New York State Department of Environmental Conservation

Permit ID: 2-6007-00259/00033

Facility DEC ID: 2600700259

(c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air contaminants emitted.

(d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

(e) In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

Condition 79: Air pollution prohibited
Effective for entire length of Permit

Applicable State Requirement: 6NYCRR 211.2

Item 79.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.