

New York State Department of Environmental Conservation
Facility DEC ID: 2610100020



PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air Title V Facility
Permit ID: 2-6101-00020/00020
Effective Date: 12/05/2000 Expiration Date: 12/04/2005

Permit Issued To: ACME ARCHITECTURAL PRODUCTS INC
513 PORTER AVE
BROOKLYN, NY 11222-5312

Contact: ACME ARCHITECTURAL PRODUCTS INC
513 PORTER AVE
BROOKLYN, NY 11222-5312

Facility: ACME STEEL CO-513 PORTER AVE
513 PORTER AVENUE
BROOKLYN, NY 11222

Contact: ACME ARCHITECTURAL PRODUCTS INC
513 PORTER AVE
BROOKLYN, NY 11222-5312

Description:

PERMIT DESCRIPTION
ACME STEEL COMPANY
DEC ID # 2-6101-00020/00020

The facility, **Acme Architectural Products, Inc., located at 513 Porter Avenue, Brooklyn, New York 11222** is an existing manufacturing facility making various types of painted metal products, mainly steel doors and partitions. The surface coating is achieved by using Spray Booths and Dip Tanks. The primary Standard Industrial Classification (SIC) Code for this facility is **2542 - METAL PARTITIONS AND FIXTURES**.

This facility has applied for a Title V permit, which consists of operations at the following buildings:

Building 1 (513 Porter Avenue, Brooklyn, NY 11222): This consists of 5 Emission Units, which include two (2) Spray Booths; one (1) Wash Water Booth; one (1) Dip Tank; and one (1) Drain Board for Dip Tank.

Building 2 (72 Anthony Street, Brooklyn, NY 11222): This consists of two (2) Spray Booths; and one (1) Drying Oven.

Building 3 (60 Anthony Street, Brooklyn, NY 11222): This consists of one (1) spray Booth, one (1)



New York State Department of Environmental Conservation
Facility DEC ID: 2610100020

Drying Oven; and one (1) Filter Bank for sanding.

Building 5 (95 Lombardy Street, Brooklyn, NY 11222): This consists of one (1) Dip Tank and one (1) Drying Oven.

Under the "**Exempt**" category, the facility has 4 small boilers, each 1.25 Million Btu/Hr. or less, with a total heat input of 3.86 million Btu/Hr.

The coating operations are subject to the requirements of 6NYCRR Part 228. **The maximum permitted VOC (Volatile Organic Compound) content is 3.0 pounds of VOC per gallon (minus water and furniture coating.**

In order to demonstrate compliance with this requirement, the facility will maintain records of the VOC contents of all paints and solvents used at the facility and will sample on the request of this Department.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: JOHN F. CRYAN
 ONE HUNTERS POINT PLAZA
 47-40 21ST ST
 LONG ISLAND CITY, NY 11101-5407

Authorized Signature: _____ Date: ____ / ____ / _____



Notification of Other Permittee Obligations

Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, agents, and assigns for all claims, suits, actions, damages, and costs of every name and description, arising out of or resulting from the permittee's undertaking of activities or operation and maintenance of the facility or facilities authorized by the permit in compliance or non-compliance with the terms and conditions of the permit.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

General Provisions

Facility Inspection by the Department

Orders and Determinations

Applications for Permit Renewals and Modifications

Locations by the Department

Facility Level

Permit Renewal-REGION 2

HEADQUARTERS



DEC GENERAL CONDITIONS

****** General Provisions ******

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305.

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

ment Orders and Determinations

Applicable State Requirement: ECL 3-0301.2(m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for Permit Renewals and Modifications
Applicable State Requirement: 6NYCRR 621.13(a)

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

d Revocations by the Department

Applicable State Requirement: 6NYCRR 621.14

Item 4.1:

The Department reserves the right to modify, suspend, or revoke this permit. The grounds for

New York State Department of Environmental Conservation
Facility DEC ID: 2610100020



modification, suspension or revocation include:

- a) the scope of the permitted activity described in the application is exceeded or a violation of any condition of the permit or provisions of the ECL and pertinent regulations is found;
- b) the permit was obtained by misrepresentation or failure to disclose relevant facts;
- c) new material information is discovered; or
- d) environmental conditions, relevant technology, or applicable law or regulation have materially changed since the permit was issued.

****** Facility Level ******

Modification or Renewal-REGION 2

HEADQUARTERS

Applicable State Requirement: 6NYCRR 621.5(a)

Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator
Region 2 Headquarters
Division of Environmental Permits
1 Hunters Point Plaza, 4740 21st Street
Long Island City, NY 11101-5407
(718) 482-4997



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - TITLE V PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: ACME ARCHITECTURAL PRODUCTS INC
513 PORTER AVE
BROOKLYN, NY 11222-5312

Contact: ACME ARCHITECTURAL PRODUCTS INC
513 PORTER AVE
BROOKLYN, NY 11222-5312

Facility: ACME STEEL CO-513 PORTER AVE
513 PORTER AVENUE
BROOKLYN, NY 11222

Contact: ACME ARCHITECTURAL PRODUCTS INC
513 PORTER AVE
BROOKLYN, NY 11222-5312

Authorized Activity By Standard Industrial



LIST OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS

Facility Level

- 1 Sealing
- 2 Acceptable ambient air quality
- 3 Maintenance of equipment
- 4 Unpermitted Emission Sources
- 5 Unavoidable Noncompliance and Violations
- 6 Emergency Defense
- 7 Recycling and Salvage
- 8 Prohibition of Reintroduction of Collected Contaminants to the Air
- 9 Public Access to Recordkeeping for Title V facilities
- 10 Proof of Eligibility
- 11 Proof of Eligibility
- 12 Applicable Criteria, Limits, Terms, Conditions and Standards
- 13 Cessation or Reduction of Permitted Activity Not a Defense
- 14 Compliance Requirements
- 15 Federally-Enforceable Requirements
- 16 Fees
- 17 Monitoring, Related Recordkeeping and Reporting Requirements
- 18 Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements
- 19 Permit Shield
- 20 Property Rights
- 21 Reopening for Cause
- 22 Right to Inspect
- 23 Severability
- 24 Emission Unit Definition
- 25 Compliance Certification
- 26 Compliance Certification
- 27 Permit Exclusion Provisions
- 28 Non Applicable requirements
- 29 Required emissions tests
- 30 Compliance Certification
- 31 Recordkeeping requirements
- 32 Visible emissions limited.
- 33 Open Fires Prohibited at Industrial and Commercial Sites
- 34 Compliance Certification
- 35 Once in, always in
- 36 Compliance Certification
- 37 Storage and disposal of cloth or paper impregnated with VOC
- 38 Storage of spent or fresh VOC
- 39 Spray equipment cleanup
- 40 Requirements for storing and dispensing of surface coatings and inks

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



41 Storage and disposal of spent surface coatings, VOCs, and solvents

42 Recycling and Emissions Reduction

Emission Unit Level

43 Emission Point Definition By Emission Unit

44 Process Definition By Emission Unit

45 Compliance Certification (EU=0-00011)

46 Compliance Certification (EU=0-00011)

47 volatile organic compound emission control requirements

48 opacity - <20%

49 samples

50 prohibition of sale or specification

51 certification

52 Compliance Certification (EU=0-00012)

53 Compliance Certification (EU=0-00012)

54 volatile organic compound emission control requirements

55 opacity - <20%

56 samples

57 prohibition of sale or specification

58 certification

59 volatile organic compound emission control requirements

60 opacity - <20%

61 Compliance Certification (EU=0-00014)

62 Compliance Certification (EU=0-00014)

63 opacity - <20%

64 samples

65 prohibition of sale or specification

66 certification

67 opacity - <20%

68 opacity - <20%

69 Compliance Certification (EU=0-00022)

70 Compliance Certification (EU=0-00022)

71 volatile organic compound emission control requirements

72 opacity - <20%

73 samples

74 prohibition of sale or specification

75 certification

76 Compliance Certification (EU=0-00023)

77 Compliance Certification (EU=0-00023)

78 volatile organic compound emission control requirements

79 opacity - <20%

80 samples

81 prohibition of sale or specification

82 certification

83 samples

84 prohibition of sale or specification

85 Compliance Certification (EU=0-00031)

86 Compliance Certification (EU=0-00031)

87 samples



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

- 88 prohibition of sale or specification
- 89 certification
- 90 Compliance Certification (EU=0-00052)
- 91 Compliance Certification (EU=0-00052)
- 92 samples
- 93 prohibition of sale or specification
- 94 certification

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

- 95 General Provisions
- 96 Contaminant List
- 97 Air pollution prohibited

Classification Code:

2542 - METAL PARTITIONS AND FIXTURES

3479 - METAL COATING AND ALLIED SERVICES,NEC

Permit Effective Date: 12/05/2000

Permit Expiration Date: 12/04/2005



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

FEDERALLY ENFORCEABLE CONDITIONS

****** Facility Level ******

Condition 1: Sealing

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 200.5

Item 1.1:

(a) The commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the commissioner issued in the case of the violation. Sealing means labelling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

(b) No person shall operate any air contamination source sealed by the commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

(c) Unless authorized by the commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section

Condition 2: Acceptable ambient air quality

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 200.6

Item 2.1:

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the commissioner shall specify the degree and/or method of emission control required.

Condition 3: Maintenance of equipment

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 200.7

Item 3.1:

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Condition 4: Unpermitted Emission Sources
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-1.2

Item 4.1:

If an existing emission source was subject to the permitting requirements of 6NYCRR Part 201 at the time of construction or modification, and the owner and/or operator failed to apply for a permit for such emission source then the following provisions apply:

- (a) The owner and/or operator must apply for a permit for such emission source or register the facility in accordance with the provisions of Part 201.
- (b) The emission source or facility is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing sources or facilities.

Condition 5: Unavoidable Noncompliance and Violations
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-1.4

Item 5.1:

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

- (a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit or certificate issued for the corresponding air contamination source. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.
- (b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates.



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

(c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air _____emissions depending on the deviation of the malfunction and the air contaminants emitted.

(d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

Condition 6: Emergency Defense
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-1.5

Item 6.1:

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;

(2) The equipment at the permitted facility causing the emergency was at the time being properly operated;

(3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Condition 7: Recycling and Salvage
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-1.7

Item 7.1:



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

Condition 8: Prohibition of Reintroduction of Collected Contaminants to the Air

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-1.8

Item 8.1:

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Condition 9: Public Access to Recordkeeping for Title V facilities

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-1.10(b)

Item 9.1:

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

Condition 10: Proof of Eligibility

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-3.2(a)

Item 10.1:

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Condition 11: Proof of Eligibility

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-3.3(a)

Item 11.1:

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Condition 12: Applicable Criteria, Limits, Terms, Conditions and Standards
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 12.1:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in the permit. This shall include:

- i. Any reporting requirements and operations under an accidental release plan, response plan, and compliance plan as approved as of the date of the permit issuance, or
- ii. Any support documents submitted as a part of the permit application for this facility as accepted and approved as of the date of permit issuance.

Any noncompliance with the federally-enforceable portions of this permit constitutes a violation of the federal Clean Air Act and will be grounds for enforcement action, for permit termination, revocation and reissuance, or modification, or for denial of a permit renewal application.

Item 12.2:

Any document, including reports, required by the federally-enforceable portions of this permit shall contain a certification by the responsible official for this facility as set forth in Section 201-6.3 that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.

Condition 13: Cessation or Reduction of Permitted Activity Not a Defense
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 13.1:

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

Condition 14: Compliance Requirements
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 14.1:



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

The following information must be included in any required compliance monitoring records and reports:

- i. The date, place and time of sampling or measurements;
- ii. The date(s) analyses were performed;
- iii. The company or entity that performed the analyses;
- iv. The analytical techniques or methods used including quality assurance and quality control procedures if required;
- v. The results of such analyses including quality assurance data where required; and
- vi. The operating conditions as existing at the time of sampling or measurement;

Any deviation from permit requirements must be clearly identified in all records and reports. Reports must be certified by the responsible official, consistent with Section 201-6.3 of Part 201.

Item 14.2:

The permittee shall comply with the approved compliance schedule for this permit if such a schedule is a part of this permit. Risk management plans must be submitted to the Administrator if required by Section 112(r) of the Clean Air Act for this facility.

Item 14.3:

Progress reports consistent with an applicable schedule of compliance must be submitted at least semiannually on a calendar year basis, or at a more frequent period if specified in the applicable requirement or by the Department elsewhere in this permit. These reports shall be submitted to the Department within 30 days after the end of a reporting period. Such progress reports shall contain the following:

- i. Dates for achieving the activities, milestones, or compliance required in the schedule of compliance, and dates when such activities, milestones or compliance were achieved; and
- ii. An explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

Condition 15: Federally-Enforceable Requirements
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 15.1:

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Condition 16: Fees

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 16.1:

The permittee shall pay the required fees associated with this permit.

Condition 17: Monitoring, Related Recordkeeping and Reporting Requirements

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 17.1:

Compliance monitoring and recordkeeping shall be conducted according to the terms and conditions contained in this permit and shall follow all quality assurance requirements. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

Condition 18: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 18.1:

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not relieve the permittee from the requirement to comply with any condition contained in this permit.

The permittee shall furnish to the Department, within a reasonable time, any information that the Department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. The permittee shall also, on request, furnish the Department with copies of records required to be kept by the permit. Where information is claimed to be confidential, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

Condition 19: Permit Shield

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 19.1:



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield. For those facilities for which a permit shield has been granted, compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii. The applicable requirements of Title IV of the Act;
- iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Condition 20: Property Rights
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 20.1:

This permit does not convey any property rights of any sort or any exclusive privilege.

Condition 21: Reopening for Cause
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 21.1:

This Title V permit shall be reopened and revised under any of the following circumstances:

- i. If additional applicable requirements under the Act become applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.
- ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Item 21.2:

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Item 21.3:

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

Condition 22: Right to Inspect

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 22.1:

Upon presentation of credentials and other documents, as may be required by law, the permittee shall allow the Department or an authorized representative to perform the following:

i. Enter upon the permittee's premises where the permitted facility is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;

ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;

iii. Inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and

iv. As authorized by the Act, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

Condition 23: Severability

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 23.1:

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



Condition 24: Emission Unit Definition
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 24.1:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00011

Emission Unit Description:

SPRAY BOOTH USED TO SPRAY STEEL DOOR
FRAMES.

Building(s): 1
2
3
5

Item 24.2:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00012

Emission Unit Description:

SPRAY BOOTH USED TO SPRAY METAL DOOR
FRAMES.

Item 24.3:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00013

Emission Unit Description:

WASH WATER BOOTH USED TO SPRAY CLEAN STEEL
DOOR FRAMES.

Building(s): 1

Item 24.4:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00014

Emission Unit Description:

DIP TANK FOR STEEL DOOR FRAMES.

Building(s): 1

Item 24.5:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00015

Emission Unit Description:

DRAIN BOARD FOR DIP TANK.



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Building(s): 1

Item 24.6:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00021

Emission Unit Description:

DRYING OVEN USED TO DRY DOORS AFTER SPRAY
PAINTING.

Building(s): 2

Item 24.7:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00022

Emission Unit Description:

PAINT SPRAY BOOTH USED TO PAINT METAL
DOORS.

Building(s): 2

Item 24.8:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00023

Emission Unit Description:

PAINT SPRAY BOOTH USED TO PAINT METAL
DOORS.

Building(s): 2

Item 24.9:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00024

Emission Unit Description:

METAL TANK CONTAINING METAL PARTS CLEANING
SOLUTION

Building(s): 2

Item 24.10:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00031

Emission Unit Description:

PAINT SPRAY BOOTH USED TO PAINT METAL
DOORS.

Building(s): 3

Item 24.11:



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00032

Emission Unit Description:

DRYING OVEN USED TO DRY METAL DOORS AFTER
PAINTING.

Building(s): 3

Item 24.12:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00033

Emission Unit Description:

FILTER BANK FOR SANDING OPERATIONS.

Building(s): 3

Item 24.13:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00052

Emission Unit Description:

DIP TANK FOR DIPPING METAL DOOR FRAMES.

Building(s): 5

Item 24.14:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00053

Emission Unit Description:

DRYING OVEN FOR PARTS DIPPED IN DIP TANK.

Building(s): 5

Condition 25: Compliance Certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.5(c)(3)

Item 25.1:

The Compliance Certification activity will be performed for the Facility.

Item 25.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

To meet the requirements of this facility permit with
respect to reporting, the permittee must:

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



Submit reports of any required monitoring at a minimum frequency of every 6 months, based on a calendar year reporting schedule. These reports shall be submitted to the Department within 30 days after the end of a reporting period. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by the responsible official for this facility.

In the case of any condition contained in this permit with a reporting requirement of "Upon request by regulatory agency" the permittee shall include in the semiannual report, a statement for each such condition that the monitoring or recordkeeping was performed as required or requested and a listing of all instances of deviations from these requirements.

In the case of any emission testing performed during the previous six month reporting period, either due to a request by the Department, EPA, or a regulatory requirement, the permittee shall include in the semiannual report a summary of the testing results and shall indicate whether or not the Department or EPA has approved the results.

All semiannual reports shall be submitted to the Administrator (or his or her representative) as well as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Compliance Monitoring and Enforcement (BCME) in the DEC central office). Mailing addresses for the above referenced persons are contained in the monitoring condition for 6 NYCRR Part 201-6.5(e), contained elsewhere in this permit.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR YEAR)

Reports due 30 days after every 6 calendar months (January - June, July - December)

Condition 26: Compliance Certification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.5(e)

Item 26.1:

The Compliance Certification activity will be performed for the Facility.

Item 26.2:

Compliance Certification shall include the following monitoring:

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Compliance certifications shall contain the following information:

- the identification of each term or condition of the permit that is the basis of the certification;
- the compliance status;
- whether compliance was continuous or intermittent;
- the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
- such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions;
- and
- such additional requirements as may be specified elsewhere in this permit related to compliance certification.

Compliance certifications shall be submitted annually. Certification reports are due 30 days after the end of the calendar year.

All compliance certifications shall be submitted to the Administrator (or his or her representative) as well as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Compliance Monitoring and Enforcement (BCME) in the DEC central office). Please send annual compliance certifications to Chief of the Stationary Source Compliance Section, the Region 2 EPA representative for the Administrator, at the following address:

USEPA Region 2
Air Compliance Branch
290 Broadway
New York, NY 10007-1866

The address for the RAPCE is as follows:

Hunters Point Plaza
47-40 21st Street
Long Island City, NY 11101-5407

The address for the BCME is as follows:

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



NYSDEC
Bureau of Compliance Monitoring
and Enforcement
50 Wolf Road
Albany, NY 12233-3258

Reporting Requirements: ANNUALLY (CALENDAR YEAR)
Reports due by January 30th for previous calendar year

Condition 27: Permit Exclusion Provisions
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.5(g)

Item 27.1:

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any currently pending or future legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR), and particularly any such enforcement action as may be authorized pursuant to 6 NYCRR 201-1.2 and 6 NYCRR 201-6.5(g).

The issuance of this permit by the Department and the receipt thereof by the Applicant does not supercede, revoke or rescind an order or modification thereof on consent or determination by the Commissioner issued heretofore by the Department or any of the terms, conditions or requirements contained in such order or modification thereof unless specifically intended by this permit.

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting the right of the Department to bring any future action, or pursue any pending action, either administrative or judicial, to required remediation, contribution for costs incurred or funds expended, for any violations, past, present or future, known or unknown, of applicable federal law, the ECL, or the rules and regulations promulgated thereunder, or conditions contained in any other licenses or permits issued to the Applicant and not addressed in this permit.

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting the right of the Department to pursue any claims for natural resource damages against the Applicant.

Condition 28: Non Applicable requirements
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.5(g)

Item 28.1:



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

This section contains a summary of those requirements that have been specifically identified as being not applicable to this facility and/or emission units, emission points, processes and/or emission sources within this facility. The summary also includes a justification for classifying any such requirements as non-applicable.

Condition 29: Required emissions tests
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 202-1.1

Item 29.1:

An acceptable report of measured emissions shall be submitted, as may be required by the commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the commissioner within the time stated shall be sufficient reason for the commissioner to suspend or deny an operating 20permit. Notification and acceptable procedures are specified in 6NYCRR Part 202-1.

Condition 30: Compliance Certification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 202-2.1

Item 30.1:

The Compliance Certification activity will be performed for the Facility.

Item 30.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year.

Monitoring Frequency: ANNUALLY

Reporting Requirements: ANNUALLY (CALENDAR YEAR)

Reports due by April 15th for previous calendar year

Condition 31: Recordkeeping requirements
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 202-2.5

Item 31.1:

(a) The following records shall be maintained for at least five years:

- (1) a copy of each emission statement submitted to the department; and



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

(2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.

(b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.

Condition 32: Visible emissions limited.

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 211.3

Item 32.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Condition 33: Open Fires Prohibited at Industrial and Commercial Sites

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 215.

Item 33.1:

No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, rubbish for salvage, or rubbish generated by industrial or commercial activities.

Condition 34: Compliance Certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.5(a)

Item 34.1:

The Compliance Certification activity will be performed for the Facility.

Item 34.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Certification from the coating supplier/manufacturer which verifies the parameters used to determine the actual VOC content of the as applied coating, for each coating used at the facility, must be maintained and, upon request, be provided to the departments representative. In addition, purchase, usage and/or production records of the coating material, including solvents, must be maintained and, upon request, be submitted to the department. Records must be maintained at the facility

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



for a period of five years.

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 35: Once in, always in
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.1(g)

Item 35.1:

Any coating line subject to the provisions of this Part, will remain subject to these provisions even if the facility annual potential to emit VOC later falls below applicability criteria.

Condition 36: Compliance Certification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.10

Item 36.1:

The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant:
CAS No: 0NY998-00-0
Name: VOC

Item 36.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility shall be inspected daily to determine if there are any open containers present. Open containers, if found, shall be covered.

Monitoring Frequency: DAILY

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 37: Storage and disposal of cloth or paper impregnated with VOC
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.10(a)

Item 37.1:

No owner or operator of a facility subject to 6NYCRR Part 228 shall use open containers to store or dispose of cloth or paper impregnated with VOC and/or solvents that are used for surface preparation, cleanup or coating removal.



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Condition 38: Storage of spent or fresh VOC
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.10(b)

Item 38.1:

No owner or operator of a facility subject to 6NYCRR Part 228 shall store in open containers spent or fresh VOC and/or solvents to be used for surface preparation, cleanup or coating removal.

Condition 39: Spray equipment cleanup
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.10(c)

Item 39.1:

No owner or operator of a facility subject to 6NYCRR Part 228 shall use VOC and/or solvents to cleanup spray equipment unless equipment is used to collect the cleaning compounds and to minimize their evaporation to the atmosphere.

Condition 40: Requirements for storing and dispensing of surface coatings and inks
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.10(d)

Item 40.1:

No owner or operator of a facility subject to 6NYCRR Part 228 shall use open containers to store or dispense surface coatings and/or inks unless production, sampling, maintenance or inspection procedures require operational access. This provision does not apply to the actual device or equipment designed for the purpose of applying a coating material to a substrate.

Condition 41: Storage and disposal of spent surface coatings, VOCs, and solvents
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.10(e)

Item 41.1:

No owner or operator of a facility subject to 6NYCRR Part 228 shall use open containers to store or dispose of spent surface coatings, spent VOCs and/or solvents.

Condition 42: Recycling and Emissions Reduction
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 40CFR 82, Subpart F

Item 42.1:

The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Part 82, Subpart F, except as provided for MVAC's in Subpart B:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR Part 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR Part 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR Part 82.161.
- d. Persons disposing of small appliances, MVAC's, and MVAC-like appliances must comply with recordkeeping requirements pursuant to 40 CFR Part 82.166. ("MVAC-like appliance as defined at 40 CFR Part 82.152)
- e. Persons owning commercial or industrial process refrigeration equipment must comply with the leak repair requirements pursuant to 40 CFR Part 82.156.
- f. Owners/operators of appliances normally containing 50 or more pounds of refrigerant must keep records of refrigerant purchased and added to such appliances pursuant to 40 CFR Part 82.166.

****** Emission Unit Level ******

**Condition 43: Emission Point Definition By Emission Unit
Effective between the dates of 12/05/2000 and 12/04/2005**

Applicable Federal Requirement: 6NYCRR 201-6.

Item 43.1:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00011

Emission Point: 00011

Height (ft.): 23

Diameter (in.): 34

NYTMN (km.): 4508.4

NYTME (km.): 589.9

Building: 1

Item 43.2:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00012

Emission Point: 00012

Height (ft.): 23

Diameter (in.): 34

NYTMN (km.): 4508.4

NYTME (km.): 589.9

Building: 1

Item 43.3:



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00013

Emission Point: 60013

Height (ft.): 23

Diameter (in.): 34

NYTMN (km.): 4508.03

NYTME (km.): 589.6

Building: 1

Item 43.4:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00014

Emission Point: 00014

Height (ft.): 23

Diameter (in.): 11

NYTMN (km.): 4508.4

NYTME (km.): 589.9

Building: 1

Item 43.5:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00015

Emission Point: 00015

Height (ft.): 23

Diameter (in.): 8

NYTMN (km.): 4508.4

NYTME (km.): 589.9

Building: 1

Item 43.6:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00021

Emission Point: 00021

Height (ft.): 23

Diameter (in.): 29

NYTMN (km.): 4508.3

NYTME (km.): 589.6

Building: 2

Item 43.7:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00022

Emission Point: 00022

Height (ft.): 21

Diameter (in.): 34

NYTMN (km.): 4508.3

NYTME (km.): 589.6

Building: 2

Item 43.8:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00023



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Emission Point: 00023
Height (ft.): 21 Diameter (in.): 34
NYTMN (km.): 4508.3 NYTME (km.): 589.6 Building: 2

Item 43.9:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00024

Emission Point: 00024
Height (ft.): 12 Diameter (in.): 24
NYTMN (km.): 4508.4 NYTME (km.): 589.6 Building: 2

Item 43.10:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00031

Emission Point: 00031
Height (ft.): 21 Diameter (in.): 42
NYTMN (km.): 4508.4 NYTME (km.): 589.6 Building: 3

Item 43.11:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00032

Emission Point: 00032
Height (ft.): 21 Diameter (in.): 12
NYTMN (km.): 4508.4 NYTME (km.): 589.9 Building: 3

Item 43.12:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00033

Emission Point: 00033
Height (ft.): 21 Diameter (in.): 24
NYTMN (km.): 4508.3 NYTME (km.): 589.6 Building: 3

Item 43.13:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00052

Emission Point: 00052
Height (ft.): 40 Diameter (in.): 25



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

NYTMN (km.): 4508.3 NYTME (km.): 589.6 Building: 5

Item 43.14:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00053

Emission Point: 00053

Height (ft.): 40

Diameter (in.): 25

NYTMN (km.): 4508.3 NYTME (km.): 589.6 Building: 5

Condition 44: Process Definition By Emission Unit
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 201-6.

Item 44.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00011

Process: 011

Source Classification Code: 4-02-002-01

Process Description:

Paint Spray Booth. Steel doors painted with water based paint.

Emission Source/Control: 00A11 - Control

Control Type: FABRIC FILTER

Emission Source/Control: 00011 - Process

Item 44.2:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00012

Process: 012

Source Classification Code: 4-02-002-01

Process Description:

Paint spray booth. Steel doors painted with water based paint.

Emission Source/Control: 00A12 - Control

Control Type: FABRIC FILTER

Emission Source/Control: 00012 - Process

Item 44.3:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00013



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Process: 013

Source Classification Code: 4-02-888-24

Process Description:

Wash Water booth used to spray clean steel door frames.

Emission Source/Control: 00013 - Process

Item 44.4:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00014

Process: 014

Source Classification Code: 4-02-025-44

Process Description: Dip Tank for Steel door frames

Emission Source/Control: 00014 - Process

Item 44.5:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00015

Process: 015

Source Classification Code: 4-02-025-44

Process Description: Drain board for Dip Tank

Emission Source/Control: 00015 - Process

Item 44.6:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00021

Process: 021

Source Classification Code: 4-02-025-37

Process Description:

Gas heated drying oven used to dry metal doors after painting.

Emission Source/Control: 00021 - Process

Item 44.7:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00022

Process: 022

Source Classification Code: 4-02-002-01

Process Description: Paint spray booth used to spray paint metal doors.

Emission Source/Control: 00A22 - Control

Control Type: FABRIC FILTER

Emission Source/Control: 00022 - Process

Item 44.8:

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00023
Process: 023 Source Classification Code: 4-02-002-01
Process Description: Paint Spray booth used to paint metal doors.

Emission Source/Control: 00A23 - Control
Control Type: FABRIC FILTER

Emission Source/Control: 00023 - Process

Item 44.9:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00024
Process: 024 Source Classification Code: 4-02-025-02
Process Description:
Parts cleaning tank containing petroleum distillates used
to clean metal parts at room temp.

Emission Source/Control: 00024 - Process

Item 44.10:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00031
Process: 031 Source Classification Code: 4-02-002-01
Process Description:
Paint spray Booth using water based paint to spray metal
doors.

Emission Source/Control: 00A31 - Control
Control Type: FABRIC FILTER

Emission Source/Control: 00031 - Process

Item 44.11:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00032
Process: 032 Source Classification Code: 4-02-025-37
Process Description:
Gas final drying oven used to dry metal doors after spray
painting.

Emission Source/Control: 00032 - Process

Item 44.12:

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00033

Process: 033

Source Classification Code: 4-02-022-70

Process Description:

Filter bank used to filter exhaust from sanding of steel doors.

Emission Source/Control: 00A33 - Control

Control Type: FABRIC FILTER

Emission Source/Control: 00033 - Process

Item 44.13:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00052

Process: 052

Source Classification Code: 4-02-025-44

Process Description: Dip tank for dipping metal door frames.

Emission Source/Control: 00052 - Process

Item 44.14:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00053

Process: 053

Source Classification Code: 4-02-025-37

Process Description:

Gas final drying oven used to dry parts dipped in dip tank.

Emission Source/Control: 00053 - Process

Condition 45: Compliance Certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.2

Item 45.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00011

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 45.2:

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

For all surface coatings subject to 6NYCRR Part 228, the VOC content (as applied, minus water and exempt VOC), must be less than or equal to the limit specified in Table 1 or Table 2 for the respective surface that is coated.

The VOC content of a coating, as applied, is calculated as follows:

$$(VOC)_a = (Dc)_a \{ [(Wv)_a - (Ww)_a - (We)_a] / [1 - [(Vw)_a + (Ve)_a]] \}$$

Where:

(VOC)_a = VOC content of "as applied" coating, expressed as a mass of VOC in pounds, per gallon of coating, in gallons, minus water and exempt VOC

(Dc)_a = Coating density as applied, in pounds per gallon

(Wv)_a = The weight fraction of total volatiles in the coating, as applied

(Ww)_a = The weight fraction of water in the coating, as applied

(Vw)_a = The volume fraction of water in the coating, as applied

(We)_a = The weight fraction of exempt VOCs in the coating, as applied

(Ve)_a = The volume fraction of exempt VOCs in the coating, as applied

Reference Test Method: Method 24 (40CFR60)

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 46: Compliance Certification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.7

Item 46.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00011



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 46.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Coatings used to coat metal furniture may contain no more than 3.0 pounds of VOC per gallon of coating, (minus water and excluded VOC) as applied.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: PAINT

Parameter Monitored: VOC CONTENT

Upper Limit of Monitoring: 3.0 pounds per gallon

Reference Test Method: Method 24 (40CFR60)

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 47: volatile organic compound emission control requirements
Effective between the dates of 12/05/2000 and 12/04/2005**

Applicable Federal Requirement: 6NYCRR 228.3(a)

Item 47.1:

This Condition applies to Emission Unit: 0-00011

Process: 011

Item 47.2:

No person shall cause or allow the usage of coatings that exceed the allowable pounds of volatile organic compounds per gallon, minus water and excluded VOC at application, as specified in table 1 and table 2 of Part 228, unless an approved coating system or approved control equipment is utilized or a variance has been granted.

Condition 48: opacity - <20%

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.4

Item 48.1:

This Condition applies to Emission Unit: 0-00011

Process: 011



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Item 48.2:

The average opacity of emissions to the outdoor atmosphere shall not equal or exceed 20 percent for any consecutive six-minute period.

Condition 49: samples

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.5(d)

Item 49.1:

This Condition applies to Emission Unit: 0-00011
Process: 011

Item 49.2:

Representatives of the department shall be permitted, during reasonable business hours, to obtain coating samples for the purpose of determining compliance.

Condition 50: prohibition of sale or specification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(a)

Item 50.1:

This Condition applies to Emission Unit: 0-00011
Process: 011

Item 50.2:

No person shall sell, specify, or require for use the application of a coating on a part or product at a facility with a coating line described in table 1 or 2 of 6NYCRR Part 228 if such use is prohibited. This prohibition shall apply to all written or oral contracts under the terms of which any coating is to be applied to any part or product at an affected facility. This prohibition shall not apply to the following:

- (1) coatings utilized at surface coating lines where control equipment has been installed to meet the allowable VOC content limitations specified in tables 1 and 2 of Part 228;
- (2) coatings utilized at surface coating lines where a coating system is used which meets the requirements specified in Part 228; and
- (3) coatings utilized at surface coating lines that have been granted variances for reasons of technological and economic feasibility.

Condition 51: certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(b)

Item 51.1:

This Condition applies to Emission Unit: 0-00011

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



Process: 011

Item 51.2:

Any person selling a coating for use in a coating line subject to 6NYCRR Part 228 must, upon request, provide the user with certification of the volatile organic compound content of the coating supplied.

Condition 52: Compliance Certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.2

Item 52.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00012

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 52.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

For all surface coatings subject to 6NYCRR Part 228, the VOC content (as applied, minus water and exempt VOC), must be less than or equal to the limit specified in Table 1 or Table 2 for the respective surface that is coated.

The VOC content of a coating, as applied, is calculated as follows:

$$(VOC)_a = (Dc)_a \left\{ \frac{[(Wv)_a - (Ww)_a - (We)_a]}{[1 - [(Vw)_a + (Ve)_a]]} \right\}$$

Where:

(VOC)_a = VOC content of "as applied" coating, expressed as a mass of VOC in pounds, per gallon of coating, in gallons, minus water and exempt VOC

(Dc)_a = Coating density as applied, in pounds per gallon

(Wv)_a = The weight fraction of total volatiles in the coating, as applied

(Ww)_a = The weight fraction of water in the coating, as applied

(Vw)_a = The volume fraction of water in the coating, as applied

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



(We)_a= The weight fraction of exempt VOCs in the coating,
as applied

(Ve)_a= The volume fraction of exempt VOCs in the coating,
as applied

Reference Test Method: Method 24 (40CFR60)

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY
TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 53: Compliance Certification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.7

Item 53.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00012

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 53.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC
OPERATIONS

Monitoring Description:

Coatings used to coat metal furniture may contain no more
than 3.0 pounds of VOC per gallon of coating, (minus water
and excluded VOC) as applied.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: PAINT

Parameter Monitored: VOC CONTENT

Upper Limit of Monitoring: 3.0 pounds per gallon

Reference Test Method: Method 24 (40CFR60)

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY
TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 54: volatile organic compound emission control requirements
Effective between the dates of 12/05/2000 and 12/04/2005



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

No person shall sell, specify, or require for use the application of a coating on a part or product at a facility with a coating line described in table 1 or 2 of 6NYCRR Part 228 if such use is prohibited. This prohibition shall apply to all written or oral contracts under the terms of which any coating is to be applied to any part or product at an affected facility. This prohibition shall not apply to the following:

- (1) coatings utilized at surface coating lines where control equipment has been installed to meet the allowable VOC content limitations specified in tables 1 and 2 of Part 228;
- (2) coatings utilized at surface coating lines where a coating system is used which meets the requirements specified in Part 228; and
- (3) coatings utilized at surface coating lines that have been granted variances for reasons of technological and economic feasibility.

Condition 58: certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(b)

Item 58.1:

This Condition applies to Emission Unit: 0-00012

Process: 012

Item 58.2:

Any person selling a coating for use in a coating line subject to 6NYCRR Part 228 must, upon request, provide the user with certification of the volatile organic compound content of the coating supplied.

Condition 59: volatile organic compound emission control requirements

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.3(a)

Item 59.1:

This Condition applies to Emission Unit: 0-00013

Process: 013

Item 59.2:

No person shall cause or allow the usage of coatings that exceed the allowable pounds of volatile organic compounds per gallon, minus water and excluded VOC at application, as specified in table 1 and table 2 of Part 228, unless an approved coating system or approved control equipment is utilized or a variance has been granted.

Condition 60: opacity - <20%

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.4

Item 60.1:



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

This Condition applies to Emission Unit: 0-00013
Process: 013

Item 60.2:

The average opacity of emissions to the outdoor atmosphere shall not equal or exceed 20 percent for any consecutive six-minute period.

Condition 61: Compliance Certification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.2

Item 61.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00014

Regulated Contaminant:
CAS No: 0NY998-00-0
Name: VOC

Item 61.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

For all surface coatings subject to 6NYCRR Part 228, the VOC content (as applied, minus water and exempt VOC), must be less than or equal to the limit specified in Table 1 or Table 2 for the respective surface that is coated.

The VOC content of a coating, as applied, is calculated as follows:

$$(VOC)_a = (Dc)_a \{ [(Wv)_a - (Ww)_a - (We)_a] / [1 - [(Vw)_a + (Ve)_a]] \}$$

Where:

(VOC)_a = VOC content of "as applied" coating, expressed as a mass of VOC in pounds, per gallon of coating, in gallons, minus water and exempt VOC

(Dc)_a = Coating density as applied, in pounds per gallon

(Wv)_a = The weight fraction of total volatiles in the coating, as applied

(Ww)_a = The weight fraction of water in the coating, as applied

(Vw)_a = The volume fraction of water in the coating, as



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

applied

(We)_a= The weight fraction of exempt VOCs in the coating,
as applied

(Ve)_a= The volume fraction of exempt VOCs in the coating,
as applied

0

Reference Test Method: Method 24 (40CFR60)

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY
TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 62: Compliance Certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.7

Item 62.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00014

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 62.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC
OPERATIONS

Monitoring Description:

Coatings used to coat metal furniture may contain no more
than 3.0 pounds of VOC per gallon of coating, (minus water
and excluded VOC) as applied.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: PAINT

Parameter Monitored: VOC CONTENT

Upper Limit of Monitoring: 3.0 pounds per gallon

Reference Test Method: Method 24 (40CFR60)

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY
TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 63: opacity - <20%



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.4

Item 63.1:

This Condition applies to Emission Unit: 0-00014
Process: 014

Item 63.2:

The average opacity of emissions to the outdoor atmosphere shall not equal or exceed 20 percent for any consecutive six-minute period.

Condition 64: samples

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.5(d)

Item 64.1:

This Condition applies to Emission Unit: 0-00014
Process: 014

Item 64.2:

Representatives of the department shall be permitted, during reasonable business hours, to obtain coating samples for the purpose of determining compliance.

Condition 65: prohibition of sale or specification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(a)

Item 65.1:

This Condition applies to Emission Unit: 0-00014
Process: 014

Item 65.2:

No person shall sell, specify, or require for use the application of a coating on a part or product at a facility with a coating line described in table 1 or 2 of 6NYCRR Part 228 if such use is prohibited. This prohibition shall apply to all written or oral contracts under the terms of which any coating is to be applied to any part or product at an affected facility. This prohibition shall not apply to the following:

- (1) coatings utilized at surface coating lines where control equipment has been installed to meet the allowable VOC content limitations specified in tables 1 and 2 of Part 228;
- (2) coatings utilized at surface coating lines where a coating system is used which meets the requirements specified in Part 228; and
- (3) coatings utilized at surface coating lines that have been granted variances for reasons of technological and economic feasibility.

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



Condition 66: certification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(b)

Item 66.1:

This Condition applies to Emission Unit: 0-00014
Process: 014

Item 66.2:

Any person selling a coating for use in a coating line subject to 6NYCRR Part 228 must, upon request, provide the user with certification of the volatile organic compound content of the coating supplied.

Condition 67: opacity - <20%
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.4

Item 67.1:

This Condition applies to Emission Unit: 0-00015
Process: 015

Item 67.2:

The average opacity of emissions to the outdoor atmosphere shall not equal or exceed 20 percent for any consecutive six-minute period.

Condition 68: opacity - <20%
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.4

Item 68.1:

This Condition applies to Emission Unit: 0-00021
Process: 021

Item 68.2:

The average opacity of emissions to the outdoor atmosphere shall not equal or exceed 20 percent for any consecutive six-minute period.

Condition 69: Compliance Certification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.2

d

Item 69.1:

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



The Compliance Certification activity will be performed for:

Emission Unit: 0-00022

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 69.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

For all surface coatings subject to 6NYCRR Part 228, the VOC content (as applied, minus water and exempt VOC), must be less than or equal to the limit specified in Table 1 or Table 2 for the respective surface that is coated.

The VOC content of a coating, as applied, is calculated as follows:

$$(VOC)_a = (Dc)_a \{ [(Wv)_a - (Ww)_a - (We)_a] / [1 - [(Vw)_a + (Ve)_a]] \}$$

Where:

(VOC)_a = VOC content of "as applied" coating, expressed as a mass of VOC in pounds, per gallon of coating, in gallons, minus water and exempt VOC

(Dc)_a = Coating density as applied, in pounds per gallon

(Wv)_a = The weight fraction of total volatiles in the coating, as applied

(Ww)_a = The weight fraction of water in the coating, as applied

(Vw)_a = The volume fraction of water in the coating, as applied

(We)_a = The weight fraction of exempt VOCs in the coating, as applied

(Ve)_a = The volume fraction of exempt VOCs in the coating, as applied

Reference Test Method: Method 24 (40CFR60)

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 70: Compliance Certification



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.7

Item 70.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00022

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 70.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Coatings used to coat metal furniture may contain no more than 3.0 pounds of VOC per gallon of coating, (minus water and excluded VOC) as applied.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: PAINT

Parameter Monitored: VOC CONTENT

Upper Limit of Monitoring: 3.0 pounds per gallon

Reference Test Method: Method 24 (40CFR60)

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 71: volatile organic compound emission control requirements

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.3(a)

Item 71.1:

This Condition applies to Emission Unit: 0-00022

Process: 022

Item 71.2:

No person shall cause or allow the usage of coatings that exceed the allowable pounds of volatile organic compounds per gallon, minus water and excluded VOC at application, as specified in table 1 and table 2 of Part 228, unless an approved coating system or approved control equipment is utilized or a variance has been granted.



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Condition 72: opacity - <20%
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.4

Item 72.1:

This Condition applies to Emission Unit: 0-00022
Process: 022

Item 72.2:

The average opacity of emissions to the outdoor atmosphere shall not equal or exceed 20 percent for any consecutive six-minute period.

Condition 73: samples
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.5(d)

Item 73.1:

This Condition applies to Emission Unit: 0-00022
Process: 022

Item 73.2:

Representatives of the department shall be permitted, during reasonable business hours, to obtain coating samples for the purpose of determining compliance.

Condition 74: prohibition of sale or specification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(a)

Item 74.1:

This Condition applies to Emission Unit: 0-00022
Process: 022

Item 74.2:

No person shall sell, specify, or require for use the application of a coating on a part or product at a facility with a coating line described in table 1 or 2 of 6NYCRR Part 228 if such use is prohibited. This prohibition shall apply to all written or oral contracts under the terms of which any coating is to be applied to any part or product at an affected facility. This prohibition shall not apply to the following:

- (1) coatings utilized at surface coating lines where control equipment has been installed to meet the allowable VOC content limitations specified in tables 1 and 2 of Part 228;
- (2) coatings utilized at surface coating lines where a coating system is used which meets the requirements specified in Part 228; and
- (3) coatings utilized at surface coating lines that have been granted variances for reasons of

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



technological and economic feasibility.

Condition 75: certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(b)

Item 75.1:

This Condition applies to Emission Unit: 0-00022
Process: 022

Item 75.2:

Any person selling a coating for use in a coating line subject to 6NYCRR Part 228 must, upon request, provide the user with certification of the volatile organic compound content of the coating supplied.

Condition 76: Compliance Certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.2

Item 76.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00023

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 76.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

For all surface coatings subject to 6NYCRR Part 228, the VOC content (as applied, minus water and exempt VOC), must be less than or equal to the limit specified in Table 1 or Table 2 for the respective surface that is coated.

The VOC content of a coating, as applied, is calculated as follows:

$$(VOC)_a = (Dc)_a \{ [(Wv)_a - (Ww)_a - (We)_a] / [1 - [(Vw)_a + (Ve)_a]] \}$$

Where:

(VOC)_a = VOC content of "as applied" coating, expressed as a mass of VOC in pounds, per gallon of coating, in

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



gallons, minus water and exempt VOC
(Dc)_a= Coating density as applied, in pounds per gallon
(Wv)_a= The weight fraction of total volatiles in the coating, as applied
(Ww)_a= The weight fraction of water in the coating, as applied
(Vw)_a= The volume fraction of water in the coating, as applied
(We)_a= The weight fraction of exempt VOCs in the coating, as applied
(Ve)_a= The volume fraction of exempt VOCs in the coating, as applied

Reference Test Method: Method 24 (40CFR60)

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 77: Compliance Certification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.7

Item 77.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00023

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 77.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Coatings used to coat metal furniture may contain no more than 3.0 pounds of VOC per gallon of coating, (minus water and excluded VOC) as applied.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: PAINT

Parameter Monitored: VOC CONTENT

Upper Limit of Monitoring: 3.0 pounds per gallon



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Reference Test Method: Method 24 (40CFR60)

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY
TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 78: volatile organic compound emission control requirements
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.3(a)

Item 78.1:

This Condition applies to Emission Unit: 0-00023
Process: 023

Item 78.2:

No person shall cause or allow the usage of coatings that exceed the allowable pounds of volatile organic compounds per gallon, minus water and excluded VOC at application, as specified in table 1 and table 2 of Part 228, unless an approved coating system or approved control equipment is utilized or a variance has been granted.

Condition 79: opacity - <20%
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.4

Item 79.1:

This Condition applies to Emission Unit: 0-00023
Process: 023

Item 79.2:

The average opacity of emissions to the outdoor atmosphere shall not equal or exceed 20 percent for any consecutive six-minute period.

Condition 80: samples
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.5(d)

Item 80.1:

This Condition applies to Emission Unit: 0-00023
Process: 023

Item 80.2:

Representatives of the department shall be permitted, during reasonable business hours, to obtain coating samples for the purpose of determining compliance.

Condition 81: prohibition of sale or specification



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(a)

Item 81.1:

This Condition applies to Emission Unit: 0-00023
Process: 023

Item 81.2:

No person shall sell, specify, or require for use the application of a coating on a part or product at a facility with a coating line described in table 1 or 2 of 6NYCRR Part 228 if such use is prohibited. This prohibition shall apply to all written or oral contracts under the terms of which any coating is to be applied to any part or product at an affected facility. This prohibition shall not apply to the following:

- (1) coatings utilized at surface coating lines where control equipment has been installed to meet the allowable VOC content limitations specified in tables 1 and 2 of Part 228;
- (2) coatings utilized at surface coating lines where a coating system is used which meets the requirements specified in Part 228; and
- (3) coatings utilized at surface coating lines that have been granted variances for reasons of technological and economic feasibility.

Condition 82: certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(b)

Item 82.1:

This Condition applies to Emission Unit: 0-00023
Process: 023

Item 82.2:

Any person selling a coating for use in a coating line subject to 6NYCRR Part 228 must, upon request, provide the user with certification of the volatile organic compound content of the coating supplied.

Condition 83: samples

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.5(d)

Item 83.1:

This Condition applies to Emission Unit: 0-00024
Process: 024

Item 83.2:

Representatives of the department shall be permitted, during reasonable business hours, to obtain coating samples for the purpose of determining compliance.

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



Condition 84: prohibition of sale or specification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(a)

Item 84.1:

This Condition applies to Emission Unit: 0-00024
Process: 024

Item 84.2:

No person shall sell, specify, or require for use the application of a coating on a part or product at a facility with a coating line described in table 1 or 2 of 6NYCRR Part 228 if such use is prohibited. This prohibition shall apply to all written or oral contracts under the terms of which any coating is to be applied to any part or product at an affected facility. This prohibition shall not apply to the following:

- (1) coatings utilized at surface coating lines where control equipment has been installed to meet the allowable VOC content limitations specified in tables 1 and 2 of Part 228;
- (2) coatings utilized at surface coating lines where a coating system is used which meets the requirements specified in Part 228; and
- (3) coatings utilized at surface coating lines that have been granted variances for reasons of technological and economic feasibility.

Condition 85: Compliance Certification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.2

Item 85.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00031

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 85.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

For all surface coatings subject to 6NYCRR Part 228, the VOC content (as applied, minus water and exempt VOC), must be less than or equal to the limit specified in Table 1 or Table 2 for the respective surface that is coated.

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



The VOC content of a coating, as applied, is calculated as follows:

$$(\text{VOC})_a = (\text{Dc})_a \left\{ \frac{[(\text{Wv})_a - (\text{Ww})_a - (\text{We})_a]}{[1 - [(\text{Vw})_a + (\text{Ve})_a]]} \right\}$$

Where:

(VOC)_a = VOC content of "as applied" coating, expressed as a mass of VOC in pounds, per gallon of coating, in gallons, minus water and exempt VOC

(Dc)_a = Coating density as applied, in pounds per gallon

(Wv)_a = The weight fraction of total volatiles in the coating, as applied

(Ww)_a = The weight fraction of water in the coating, as applied

(Vw)_a = The volume fraction of water in the coating, as applied

(We)_a = The weight fraction of exempt VOCs in the coating, as applied

(Ve)_a = The volume fraction of exempt VOCs in the coating, as applied

Reference Test Method: Method 24 (40CFR60)

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 86: Compliance Certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.7

Item 86.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00031

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 86.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



OPERATIONS

Monitoring Description:

Coatings used to coat metal furniture may contain no more than 3.0 pounds of VOC per gallon of coating, (minus water and excluded VOC) as applied.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: PAINT

Parameter Monitored: VOC CONTENT

Upper Limit of Monitoring: 3.0 pounds per gallon

Reference Test Method: Method 24 (40CFR60)

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 87: samples

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.5(d)

Item 87.1:

This Condition applies to Emission Unit: 0-00031

Process: 031

Item 87.2:

Representatives of the department shall be permitted, during reasonable business hours, to obtain coating samples for the purpose of determining compliance.

Condition 88: prohibition of sale or specification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(a)

Item 88.1:

This Condition applies to Emission Unit: 0-00031

Process: 031

Item 88.2:

No person shall sell, specify, or require for use the application of a coating on a part or product at a facility with a coating line described in table 1 or 2 of 6NYCRR Part 228 if such use is prohibited. This prohibition shall apply to all written or oral contracts under the terms of which any coating is to be applied to any part or product at an affected facility. This prohibition shall not apply to the following:

- (1) coatings utilized at surface coating lines where control equipment has been installed to meet the allowable VOC content limitations specified in tables 1 and 2 of Part 228;
- (2) coatings utilized at surface coating lines where a coating system is used which meets the

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



requirements specified in Part 228; and

- (3) coatings utilized at surface coating lines that have been granted variances for reasons of technological and economic feasibility.

Condition 89: certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(b)

Item 89.1:

This Condition applies to Emission Unit: 0-00031
Process: 031

Item 89.2:

Any person selling a coating for use in a coating line subject to 6NYCRR Part 228 must, upon request, provide the user with certification of the volatile organic compound content of the coating supplied.

Condition 90: Compliance Certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.2

Item 90.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00052

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 90.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

For all surface coatings subject to 6NYCRR Part 228, the VOC content (as applied, minus water and exempt VOC), must be less than or equal to the limit specified in Table 1 or Table 2 for the respective surface that is coated.

The VOC content of a coating, as applied, is calculated as follows:

$$(\text{VOC})_a = (\text{Dc})_a \left\{ \frac{[(\text{Wv})_a - (\text{Ww})_a - (\text{We})_a]}{[1 - [(\text{Vw})_a + (\text{Ve})_a]]} \right\}$$

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



Where:

(VOC)_a = VOC content of "as applied" coating, expressed as a mass of VOC in pounds, per gallon of coating, in gallons, minus water and exempt VOC

(Dc)_a = Coating density as applied, in pounds per gallon

(Wv)_a = The weight fraction of total volatiles in the coating, as applied

(Ww)_a = The weight fraction of water in the coating, as applied

(Vw)_a = The volume fraction of water in the coating, as applied

(We)_a = The weight fraction of exempt VOCs in the coating, as applied

(Ve)_a = The volume fraction of exempt VOCs in the coating, as applied

Reference Test Method: Method 24 (40CFR60)

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 91: Compliance Certification

Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.7

Item 91.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00052

Regulated Contaminant:

CAS No: 0NY998-00-0

Name: VOC

Item 91.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Coatings used to coat metal furniture may contain no more than 3.0 pounds of VOC per gallon of coating, (minus water and excluded VOC) as applied.

Work Practice Type: PARAMETER OF PROCESS MATERIAL



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

Process Material: PAINT
Parameter Monitored: VOC CONTENT
Upper Limit of Monitoring: 3.0 pounds per gallon
Reference Test Method: Method 24 (40CFR60)
Monitoring Frequency: SINGLE OCCURRENCE
Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY
TIME (INSTANTANEOUS/DISCRETE OR GRAB)
Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 92: samples
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.5(d)

Item 92.1:

This Condition applies to Emission Unit: 0-00052
Process: 052

Item 92.2:

Representatives of the department shall be permitted, during reasonable business hours, to obtain coating samples for the purpose of determining compliance.

Condition 93: prohibition of sale or specification
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable Federal Requirement: 6NYCRR 228.6(a)

Item 93.1:

This Condition applies to Emission Unit: 0-00052
Process: 052

Item 93.2:

No person shall sell, specify, or require for use the application of a coating on a part or product at a facility with a coating line described in table 1 or 2 of 6NYCRR Part 228 if such use is prohibited. This prohibition shall apply to all written or oral contracts under the terms of which any coating is to be applied to any part or product at an affected facility. This prohibition shall not apply to the following:

- (1) coatings utilized at surface coating lines where control equipment has been installed to meet the allowable VOC content limitations specified in tables 1 and 2 of Part 228;
- (2) coatings utilized at surface coating lines where a coating system is used which meets the requirements specified in Part 228; and
- (3) coatings utilized at surface coating lines that have been granted variances for reasons of technological and economic feasibility.

Condition 94: certification
Effective between the dates of 12/05/2000 and 12/04/2005



Applicable Federal Requirement: 6NYCRR 228.6(b)

Item 94.1:

This Condition applies to Emission Unit: 0-00052
Process: 052

Item 94.2:

Any person selling a coating for use in a coating line subject to 6NYCRR Part 228 must, upon request, provide the user with certification of the volatile organic compound content of the coating supplied.

New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020



STATE ONLY ENFORCEABLE CONDITIONS

****** Facility Level ******

Condition 95: General Provisions
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable State Requirement: 6NYCRR 201-5.

Item 95.1:

This section contains terms and conditions that are not federally enforceable and are not required under the Act or under any of its applicable requirements. Terms and conditions so designated are not subject to the requirements of Section 201-6.4 of Part 201.

Item 95.2:

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

Item 95.3:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Condition 96: Contaminant List
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable State Requirement: 6NYCRR 201-5.3(b)

Item 96.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit (emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY998-00-0

Name: VOC

Condition 97: Air pollution prohibited
Effective between the dates of 12/05/2000 and 12/04/2005

Applicable State Requirement: 6NYCRR 211.2

Item 97.1:



New York State Department of Environmental Conservation

Permit ID: 2-6101-00020/00020

Facility DEC ID: 2610100020

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.