

New York State Department of Environmental Conservation
Facility DEC ID: 3133000179



PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air State Facility
Permit ID: 3-1330-00179/00001
Mod 0 Effective Date: 12/05/2005 Expiration Date: No expiration date.
Mod 1 Effective Date: 04/06/2007 Expiration Date: No expiration date.

Permit Issued To: RAINBOW RIDGE PET CEMETERY & CREMATORY INC
32 BEACH RD
OSSINING, NY 10562

Contact: KATHERINE GRIFFIN
RAINBOW RIDGE PET CEMETERY
32 BEACH RD
OSSINING, NY 10562
(914) 961-1300

Facility: RAINBOW RIDGE PET CEMETERY
146 OLD RTE 9
FISHKILL, NY 12524

Description:
Rainbow Ridge Pet Cemetery is located in the Town of Fishkill, Dutchess County, New York. The facility operates a natural gas fired cremation unit for the disposal of animal remains. This unit is subject to 6NYCRR Part 219-4 which include operating, monitoring, and recording keeping requirements.

Modification 1

Department initiated administrative changes which include revisions to the emission unit and process descriptions. Also the revision of the annual reporting condition.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: KENNETH R GRZYB
NYSDEC REGION 3
21 SOUTH PUTT CORNERS RD
NEW PALTZ, NY 12561

Authorized Signature: _____ Date: ___ / ___ / ____



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

General Provisions

Facility Inspection by the Department
Relationship of this Permit to Other Department Orders and Determinations
Applications for permit renewals, modifications and transfers
Applications for Permit Renewals and Modifications
Permit modifications, suspensions or revocations by the Department
Permit Modifications, Suspensions and Revocations by the Department

Facility Level

Submission of Applications for Permit Modification or Renewal-REGION 3
HEADQUARTERS
Submission of application for permit modification or renewal-REGION 3
HEADQUARTERS



DEC GENERAL CONDITIONS
****** General Provisions ******
GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations
Applicable State Requirement: ECL 3-0301.2(m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 1-1: Applications for permit renewals, modifications and transfers
Applicable State Requirement: 6NYCRR 621.11

Item 1-1.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 1-1.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 1-1.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to



New York State Department of Environmental Conservation
Facility DEC ID: 3133000179

actual transfer of ownership.

Condition 3: Applications for Permit Renewals and Modifications
Applicable State Requirement: 6NYCRR 621.13

Expired by Mod No: 1

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 3.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Condition 1-2: Permit modifications, suspensions or revocations by the Department
Applicable State Requirement: 6NYCRR 621.13

Item 1-2.1:

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

Condition 4: Permit Modifications, Suspensions and Revocations by the Department
Applicable State Requirement: 6NYCRR 621.14

Item 4.1:

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;

New York State Department of Environmental Conservation
Facility DEC ID: 3133000179



- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

****** Facility Level ******

Condition 5: Submission of Applications for Permit Modification or Renewal-REGION 3 HEADQUARTERS
Applicable State Requirement: 6NYCRR 621.5(a)

Expired by Mod No: 1

Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:
NYSDEC Regional Permit Administrator
Region 3 Headquarters
Division of Environmental Permits
21 South Putt Corners Road
New Paltz, NY 12561-1696
(845) 256-3054

Condition 1-3: Submission of application for permit modification or renewal-REGION 3 HEADQUARTERS
Applicable State Requirement: 6NYCRR 621.6(a)

Item 1-3.1:

Submission of applications for permit modification or renewal are to be submitted to:
NYSDEC Regional Permit Administrator
Region 3 Headquarters
Division of Environmental Permits
21 South Putt Corners Road
New Paltz, NY 12561-1696
(845) 256-3054



New York State Department of Environmental Conservation

Permit ID: 3-1330-00179/00001

Facility DEC ID: 3133000179

Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: RAINBOW RIDGE PET CEMETERY & CREMATORY INC
32 BEACH RD
OSSINING, NY 10562

Facility: RAINBOW RIDGE PET CEMETERY
146 OLD RTE 9
FISHKILL, NY 12524

Authorized Activity By Standard Industrial Classification Code:
6553 - CEMETERY SUBDIVIDERS AND DEVELOPERS

Mod 0 Permit Effective Date: 12/05/2005

Permit Expiration Date: No expiration date.

Mod 1 Permit Effective Date: 04/06/2007

Permit Expiration Date: No expiration date.



LIST OF CONDITIONS

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

- 1 ECL 19-0301: Contaminant List
- 2 6NYCRR 201-1.4: Unavoidable noncompliance and violations
- 3 6NYCRR 201-5: Emission Unit Definition
- 4 6NYCRR 211.2: Air pollution prohibited
- 1-1 6NYCRR 219-4.11: Compliance Demonstration

Emission Unit Level

- 5 6NYCRR 201-5: Emission Point Definition By Emission Unit
- 6 6NYCRR 201-5: Process Definition By Emission Unit

EU=1-0CREM

- 8 6NYCRR 219-4.3: Compliance Demonstration
- 11 6NYCRR 219-4.4: This section describes design requirements for crematories and pathological incinerators.
- 12 6NYCRR 219-4.5: Notification requirements for crematories and pathological incinerators.
- 10 6NYCRR 219-4.5(a): Compliance Demonstration
- 13 6NYCRR 219-4.6: This section describes other wastes that can and can not be burned in a crematory.
- 9 6NYCRR 219-4.7: Compliance Demonstration
- 7 6NYCRR 219-4.8: Compliance Demonstration



STATE ONLY ENFORCEABLE CONDITIONS

****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Public Access to Recordkeeping for Facilities With State Facility Permits - 6NYCRR Part 201-1.10(a)

Where emission source owners and/or operators keep records pursuant to compliance with the operational flexibility requirements of 6 NYCRR Subpart 201-5.4(b)(1) , and/or the emission capping requirements of 6 NYCRR Subparts 201-7.2(d), 201-7.3(f), 201-7.3(g), 201-7.3(h)(5), 201-7.3(i) and 201-7.3(j), the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Emission source owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department of receipt of the request.

Item B: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or

New York State Department of Environmental Conservation

Permit ID: 3-1330-00179/00001

Facility DEC ID: 3133000179



law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state only enforceable.

Condition 1: Contaminant List

Effective between the dates of 12/05/2005 and Permit Expiration Date

Applicable State Requirement: ECL 19-0301

Item 1.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY075-00-0

Name: PARTICULATES

Condition 2: Unavoidable noncompliance and violations

Effective between the dates of 12/05/2005 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-1.4

Item 2.1:

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

(a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit issued for the corresponding air contamination source except where conditions elsewhere in this permit which contain more stringent reporting and notification provisions for an applicable requirement, in which case they supercede those stated here. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.

(b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the



New York State Department of Environmental Conservation

Permit ID: 3-1330-00179/00001

Facility DEC ID: 3133000179

facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates. These reporting requirements are superceded by conditions elsewhere in this permit which contain reporting and notification provisions for applicable requirements more stringent than those above.

(c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air contaminants emitted.

(d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

(e) In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

Condition 3: Emission Unit Definition
Effective between the dates of 12/05/2005 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5

Item 3.1(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 1-0CREM

Emission Unit Description:

The emission unit is a natural gas fired multi-chambered crematory manufactured by Crawford Industrial Group. The unit is capable of a charge rate of 75 lbs/hr or 200 lb batch. The primary chamber heat input is 1.5 MMBTU/hr and is equipped with a temperature recording device. The secondary chamber heat has an input of 1.0 MMBTU/hr and is designed to provide a one second residence time of 1800F. The design also includes fully automatic PLC based controls, independent fuel/air systems, preheated combustion air, secondary chamber temperature monitor and recorder, primary burner temperature interlock (prevents primary burner from firing prior to the secondary burner reaching it's set point temperature), UV continuous scanning flame detectors on burners, and an opacity sensor which can temporarily suspend operation of the primary chamber burner. A two-pencil circular chart is used to record the primary and secondary chambers.

New York State Department of Environmental Conservation

Permit ID: 3-1330-00179/00001

Facility DEC ID: 3133000179



Building(s): CREMATORY

Condition 4: Air pollution prohibited
Effective between the dates of 12/05/2005 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 211.2

Item 4.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 1-1: Compliance Demonstration
Effective between the dates of 04/06/2007 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.11

Replaces Condition(s) 14

Item 1-1.1:

The Compliance Demonstration activity will be performed for the facility:
The Compliance Demonstration applies to:

Emission Unit: 1-OCREM

Item 1-1.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Rainbow Ridge Pet Cemetery and Crematory Inc is required to conduct an annual inspection to certify that the condition and operation of the crematory, including calibration of all instrumentation, meet manufacturer's specifications. An annual report due at the beginning of the calendar year shall be submitted to the Department stating compliance status.

Monitoring Frequency: ANNUALLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2008.

Subsequent reports are due every 12 calendar month(s).

New York State Department of Environmental Conservation

Permit ID: 3-1330-00179/00001

Facility DEC ID: 3133000179



****** Emission Unit Level ******

Condition 5: Emission Point Definition By Emission Unit
Effective between the dates of 12/05/2005 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5

Item 5.1(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 1-0CREM

Emission Point: 00001

Height (ft.): 12

Diameter (in.): 16

Condition 6: Process Definition By Emission Unit
Effective between the dates of 12/05/2005 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5

Item 6.1(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 1-0CREM

Process: 001

Source Classification Code: 5-03-001-01

Process Description:

Combustion of natural gas within the animal cremator unit.

Emission Source/Control: 00001 - Incinerator

Design Capacity: 75 pounds per hour

Waste Feed Method: MANUAL DIRECT FEED

Waste Type: CREMATORY WASTE (INCLUDING HUMAN
AND/OR ANIMAL BODY PARTS AND
ASSOCIATED ANIMAL BEDDING) ONLY

Condition 8: Compliance Demonstration
Effective between the dates of 12/05/2005 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.3

Item 8.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 1-0CREM



New York State Department of Environmental Conservation

Permit ID: 3-1330-00179/00001

Facility DEC ID: 3133000179

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

Item 8.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

Particulate emissions are limited to 0.08 grains per dry standard cubic foot of flue gas, corrected to seven percent oxygen.

The facility has provided stack test data with the November 2005 permit application indicating a three run test average of 0.0345 grains per dry standard cubic foot at 7% oxygen.

The NYSDEC reserves the right to request additional performance testing to determine future compliance.

Upper Permit Limit: 0.08 grains per dry standard cubic foot (corrected to 7% O₂)

Reference Test Method: Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 1 HOUR MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 11: This section describes design requirements for crematories and pathological incinerators. Effective between the dates of 12/05/2005 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.4

Item 11.1:

This Condition applies to Emission Unit: 1-OCREM

Item 11.2:

(a) Furnace design must provide for a residence time for combustion gas of at least one second at no less than 1800F. For a multichamber incinerator, these parameters must be met after the primary combustion chamber and the primary combustion chamber temperature must be maintained at no less than 1400F.

(b) Auxiliary burners must be designed to provide combustion chamber temperatures as described in subdivision (a) of this section by means of automatic modulating controls.



New York State Department of Environmental Conservation

Permit ID: 3-1330-00179/00001

Facility DEC ID: 3133000179

(c) Mechanically fed crematories must incorporate an air lock system to prevent opening the crematory to the room environment. The volume of the loading system must be designed so as to prevent overcharging to assure complete combustion of the charge.

**Condition 12: Notification requirements for crematories and pathological incinerators.
Effective between the dates of 12/05/2005 and Permit Expiration Date**

Applicable State Requirement: 6NYCRR 219-4.5

Item 12.1:

This Condition applies to Emission Unit: 1-0CREM

Item 12.2:

(1) The commissioner must be notified in writing at least 10 days prior to the commencement of operation of the crematory.

**Condition 10: Compliance Demonstration
Effective between the dates of 12/05/2005 and Permit Expiration Date**

Applicable State Requirement: 6NYCRR 219-4.5(a)

Item 10.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 1-0CREM

Item 10.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

Six minute average opacity is limited to less than 10% opacity.

The facility has provided stack test data with the November 2005 permit application indicating compliance with this requirement.

The NYSDEC reserves the right to perform or request a Method 9 opacity evaluation.

Parameter Monitored: OPACITY

Upper Permit Limit: 10 percent

Reference Test Method: Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION



New York State Department of Environmental Conservation

Permit ID: 3-1330-00179/00001

Facility DEC ID: 3133000179

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 13: This section describes other wastes that can and can not be burned in a crematory. Effective between the dates of 12/05/2005 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.6

Item 13.1:

This Condition applies to Emission Unit: 1-0CREM

Item 13.2:

(a) Municipal solid waste may not be burned in a crematory.

(b) Infectious waste (other than pathological waste and animal bedding) in excess of five percent of the total permitted hourly charging rate may not be burned in a crematory.

(c) Radioactive waste may not be burned in a crematory unless that crematory is exempt from or has been issued a permit pursuant to Part 380 of this Title.

(d) Hazardous waste may not be burned in a crematory unless that crematory is exempt from or has been issued a permit pursuant to Part 373 of this Title.

Condition 9: Compliance Demonstration Effective between the dates of 12/05/2005 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.7

Item 9.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 1-0CREM

Item 9.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility shall monitor and record the temperature of both the Primary and Secondary Chambers. The temperatures shall be recorded on a continuous strip or dial chart during the operation of the crematory.

Monitoring Frequency: CONTINUOUS

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY



New York State Department of Environmental Conservation

Permit ID: 3-1330-00179/00001

Facility DEC ID: 3133000179

Condition 7: Compliance Demonstration

Effective between the dates of 12/05/2005 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.8

Item 7.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 1-0CREM

Item 7.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility has submitted stack test information with the November 2005 permit application. A summary of the three run test average results are as follows:

Particulate emissions averaged 0.0345 grains per standard cubic foot corrected to a flue gas oxygen content of 7%.

Emissions of Carbon Monoxide averaged 26.0 parts per million on a dry basis corrected to 7% oxygen.

Visible emissions averaged 0.0 percent for the entire test period.

The applicant may be required to conduct future performance testing upon request by the department.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION