

New York State Department of Environmental Conservation
Facility DEC ID: 3334600010



PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air State Facility
Permit ID: 3-3346-00010/00003
Mod 0 Effective Date: 05/15/2000 Expiration Date: No expiration date.
Mod 1 Effective Date: 01/14/2004 Expiration Date: No expiration date.

Permit Issued To: CEDAR CEMETERY ASSOC
5468 RTE 9W NORTH
NEWBURGH, NY 12550

Contact: CEDAR CEMETERY ASSOC
5468 RTE 9W NORTH
NEWBURGH, NY 12550
(845) 562-0505

Facility: CEDAR HILL CEMETERY ASSOCIATION
5468 ROUTE 9W NORTH
NEWBURGH, NY 12550

Contact: CEDAR CEMETERY ASSOC
5468 RTE 9W NORTH
NEWBURGH, NY 12550
(845) 562-0505

Description:

The Cedar Hill Cemetery Association is located in the Town of Newburgh, Orange County, New York. It is a non for profit privately owned cemetery with two crematories for human remains. The multiple chamber crematories will be fired on natural gas and each will be exhausted through an exclusive stack. The Standard Industrial Classification code (SIC) representative of the facility is 7261 - Funeral Service and Crematories.

The facility is subject to the monitoring and recordkeeping requirements of 6 NYCRR 219 Incinerators, Crematories.

New York State Department of Environmental Conservation
Facility DEC ID: 3334600010



By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: ROBERT J STANTON
 NYS DEC DIVISION OF AIR RESOURCES
 21 SOUTH PUTT CORNERS RD
 NEW PALTZ, NY 12561-1696

Authorized Signature: _____ Date: ____ / ____ / ____



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

General Provisions

Facility Inspection by the Department

Relationship of this Permit to Other Department Orders and Determinations

Applications for Permit Renewals and Modifications

Applications for Permit Renewals and Modifications

Permit Modifications, Suspensions and Revocations by the Department

Permit Modifications, Suspensions, and Revocations by the Department

Facility Level

Submission of Applications for Permit Modification or Renewal-REGION 3
HEADQUARTERS



DEC GENERAL CONDITIONS
****** General Provisions ******
GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations
Applicable State Requirement: ECL 3-0301.2(m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 1-1: Applications for Permit Renewals and Modifications
Applicable State Requirement: 6NYCRR 621.13

Item 1-1.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 1-1.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 1-1.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual

New York State Department of Environmental Conservation
Facility DEC ID: 3334600010



transfer of ownership.

Condition 3: Applications for Permit Renewals and Modifications
Applicable State Requirement: 6NYCRR 621.13(a)

Expired by Mod No: 1

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Condition 1-2: Permit Modifications, Suspensions and Revocations by the Department
Applicable State Requirement: 6NYCRR 621.14

Item 1-2.1:

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

Condition 4: Permit Modifications, Suspensions, and Revocations by the Department
Applicable State Requirement: 6NYCRR 621.14

Item 4.1:

The Department reserves the right to modify, suspend, or revoke this permit. The grounds for modification, suspension or revocation include:

- a) the scope of the permitted activity is exceeded or a violation of any condition of the permit or provisions of the ECL and pertinent regulations is found;
- b) the permit was obtained by misrepresentation or failure to disclose relevant facts;
- c) new material information is discovered; or
- d) environmental conditions, relevant technology, or applicable law or regulation have materially changed since the permit was issued.



****** Facility Level ******

Condition 5: Submission of Applications for Permit Modification or Renewal-REGION 3 HEADQUARTERS
Applicable State Requirement: 6NYCRR 621.5(a)

Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:
NYSDEC Regional Permit Administrator
Region 3 Headquarters
Division of Environmental Permits
21 South Putt Corners Road
New Paltz, NY 12561-1696
(914) 256-3054



New York State Department of Environmental Conservation

Permit ID: 3-3346-00010/00003

Facility DEC ID: 3334600010

Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: CEDAR CEMETERY ASSOC
5468 RTE 9W NORTH
NEWBURGH, NY 12550

Facility: CEDAR HILL CEMETERY ASSOCIATION
5468 ROUTE 9W NORTH
NEWBURGH, NY 12550

Authorized Activity By Standard Industrial Classification Code:
7261 - FUNERAL SERVICE AND CREMATORIES



LIST OF CONDITIONS

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

- 1-1 ECL 19-0301: Contaminant List
- 1-2 6NYCRR 201-1.4: Unavoidable noncompliance and violations
- 17 6NYCRR 201-5: Emission Unit Definition
- 19 6NYCRR 211.2: Air pollution prohibited

Emission Unit Level

- 20 6NYCRR 201-5: Emission Point Definition By Emission Unit
- 21 6NYCRR 201-5: Process Definition By Emission Unit

EU=E-UNIT2

- 1-3 6NYCRR 219-4.3: Compliance Demonstration
- 22 6NYCRR 219-4.4: This section describes design requirements for crematories and pathological incinerators.
- 1-4 6NYCRR 219-4.5(a): Compliance Demonstration
- 25 6NYCRR 219-4.6: This section describes other wastes that can and can not be burned in a crematory.
- 1-5 6NYCRR 219-4.8: Compliance Demonstration
- 27 6NYCRR 219-4.10: Operator training and certification requirements.
- 28 6NYCRR 219-4.11: Inspection and Reporting requirements.

EU=E-UNIT2,EP=STCK1,Proc=PS2,ES=0SRC1

- 1-6 6NYCRR 219-4.7: Compliance Demonstration

EU=E-UNIT2,EP=STCK2,Proc=PS2,ES=0SRC2

- 29 6NYCRR 219-4.7: Compliance Demonstration

Mod 0 Permit Effective Date: 05/15/2000 Permit Expiration Date: No expiration date.

Mod 1 Permit Effective Date: 01/14/2004 Permit Expiration Date: No expiration date.



STATE ONLY ENFORCEABLE CONDITIONS

****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Public Access to Recordkeeping for Facilities With State Facility Permits - 6NYCRR Part 201-1.10(a)

Where emission source owners and/or operators keep records pursuant to compliance with the operational flexibility requirements of 6 NYCRR Subpart 201-5.4(b)(1) , and/or the emission capping requirements of 6 NYCRR Subparts 201-7.2(d), 201-7.3(f), 201-7.3(g), 201-7.3(h)(5), 201-7.3(i) and 201-7.3(j), the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Emission source owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department of receipt of the request.

Item B: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or



law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state only enforceable.

Condition 1-1: Contaminant List

Effective between the dates of 01/14/2004 and Permit Expiration Date

Applicable State Requirement: ECL 19-0301

Item 1-1.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY075-00-0

Name: PARTICULATES

Condition 1-2: Unavoidable noncompliance and violations

Effective between the dates of 01/14/2004 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-1.4

Item 1-2.1:

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

(a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit issued for the corresponding air contamination source except where conditions elsewhere in this permit which contain more stringent reporting and notification provisions for an applicable requirement, in which case they supercede those stated here. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.

(b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction



New York State Department of Environmental Conservation

Permit ID: 3-3346-00010/00003

Facility DEC ID: 3334600010

occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates. These reporting requirements are superceded by conditions elsewhere in this permit which contain reporting and notification provisions for applicable requirements more stringent than those above.

(c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air contaminants emitted.

(d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

(e) In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

Condition 17: Emission Unit Definition
Effective between the dates of 05/15/2000 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5

Item 17.1(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: E-UNIT2

Emission Unit Description:

TWO MULTIPLE CHAMBER CREMATORS FIRED WITH
NATURAL GAS.

Building(s): CREMATORY

Condition 19: Air pollution prohibited
Effective between the dates of 05/15/2000 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 211.2

Item 19.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in



New York State Department of Environmental Conservation

Permit ID: 3-3346-00010/00003

Facility DEC ID: 3334600010

combination with others.

****** Emission Unit Level ******

Condition 20: Emission Point Definition By Emission Unit
Effective between the dates of 05/15/2000 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5

Item 20.1(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: E-UNIT2

Emission Point: STCK1

Height (ft.): 17

Diameter (in.): 20

Building: CREMATORY

Emission Point: STCK2

Height (ft.): 17

Diameter (in.): 20

Building: CREMATORY

Condition 21: Process Definition By Emission Unit
Effective between the dates of 05/15/2000 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5

Item 21.1(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: E-UNIT2

Process: PS2

Source Classification Code: 3-15-021-01

Process Description:

CREMATORY INCINERATOR FIRED ON NATURAL GAS
USED FOR THE CREMATION OF HUMAN REMAINS.

Emission Source/Control: 0SRC1 - Incinerator

Design Capacity: 300 pounds per hour

Waste Feed Method: MANUAL DIRECT FEED

Waste Type: CREMATORY WASTE (INCLUDING HUMAN
AND/OR ANIMAL BODY PARTS AND
ASSOCIATED ANIMAL BEDDING) ONLY

Emission Source/Control: 0SRC2 - Incinerator

Design Capacity: 300 pounds per hour



New York State Department of Environmental Conservation

Permit ID: 3-3346-00010/00003

Facility DEC ID: 3334600010

Waste Feed Method: MANUAL DIRECT FEED
Waste Type: CREMATORY WASTE (INCLUDING HUMAN
AND/OR ANIMAL BODY PARTS AND
ASSOCIATED ANIMAL BEDDING) ONLY

Condition 1-3: Compliance Demonstration
Effective between the dates of 01/14/2004 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.3

Item 1-3.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: E-UNIT2

Regulated Contaminant(s):
CAS No: 0NY075-00-0 PARTICULATES

Item 1-3.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING
Monitoring Description:

Particulate emissions are limited 0.08 grains per dry standard cubic foot of flue gas, corrected to seven percent oxygen.

The facility has provided stack test data with the permit application indicating a three run test average of 0.031 grains per dry standard cubic foot at 7% O₂.

The NYSDEC reserves the right to request additional performance testing to determine future compliance.

Upper Permit Limit: 0.080 grains per dry standard cubic foot (corrected to 7% O₂)

Reference Test Method: Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 1 HOUR MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 22: This section describes design requirements for crematories and pathological incinerators.
Effective between the dates of 05/15/2000 and Permit Expiration Date



New York State Department of Environmental Conservation

Permit ID: 3-3346-00010/00003

Facility DEC ID: 3334600010

Applicable State Requirement: 6NYCRR 219-4.4

Item 22.1:

This Condition applies to Emission Unit: E-UNIT2

Item 22.2:

(a) Furnace design must provide for a residence time for combustion gas of at least one second at no less than 1800F. For a multichamber incinerator, these parameters must be met after the primary combustion chamber and the primary combustion chamber temperature must be maintained at no less than 1400F.

(b) Auxiliary burners must be designed to provide combustion chamber temperatures as described in subdivision (a) of this section by means of automatic modulating controls.

(c) Mechanically fed crematories must incorporate an air lock system to prevent opening the crematory to the room environment. The volume of the loading system must be designed so as to prevent overcharging to assure complete combustion of the charge.

Condition 1-4: Compliance Demonstration

Effective between the dates of 01/14/2004 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.5(a)

Item 1-4.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: E-UNIT2

Item 1-4.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

Six minute average opacity is limited to less than 10% opacity.

The facility has provided stack test data with the permit application indicating compliance with this requirement.

The NYSDEC reserves the right to perform or request a method 9 opacity evaluation.

Parameter Monitored: OPACITY

Upper Permit Limit: 10 percent

Reference Test Method: Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION



New York State Department of Environmental Conservation

Permit ID: 3-3346-00010/00003

Facility DEC ID: 3334600010

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 25: This section describes other wastes that can and can not be burned in a crematory. Effective between the dates of 05/15/2000 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.6

Item 25.1:

This Condition applies to Emission Unit: E-UNIT2

Item 25.2:

(a) Municipal solid waste may not be burned in a crematory.

(b) Infectious waste (other than pathological waste and animal bedding) in excess of five percent of the total permitted hourly charging rate may not be burned in a crematory.

(c) Radioactive waste may not be burned in a crematory unless that crematory is exempt from or has been issued a permit pursuant to Part 380 of this Title.

(d) Hazardous waste may not be burned in a crematory unless that crematory is exempt from or has been issued a permit pursuant to Part 373 of this Title.

Condition 1-5: Compliance Demonstration Effective between the dates of 01/14/2004 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.8

Item 1-5.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: E-UNIT2

Item 1-5.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility has submitted stack test information with the permit application. A summary of results is as follows:

Particulate emissions concentration 0.031 grains per dry standard cubic foot corrected to 7% O₂.

Carbon Monoxide emissions concentration 10.7 parts per



New York State Department of Environmental Conservation

Permit ID: 3-3346-00010/00003

Facility DEC ID: 3334600010

million by volume corrected to 7% O₂.

Total HAP potential to emit less than 300
lbs/yr.

Maximum three minute average opacity 0 %.

The applicant may be required to conduct future
performance testing upon request by the department.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 27: Operator training and certification requirements.
Effective between the dates of 05/15/2000 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.10

Item 27.1:

This Condition applies to Emission Unit: E-UNIT2

Item 27.2:

(a) This facility may not operate except under the onsite direction of a person possessing an appropriate incinerator operator certification issued by the commissioner.

(b) Persons operating this facility must be certified in writing by the holder of an incinerator operator certification, relative to:

(1) proper operation and maintenance of equipment at that facility; and

(2) knowledge of environmental permit conditions and the impact of plant operation on emissions for that facility.

Condition 28: Inspection and Reporting requirements.
Effective between the dates of 05/15/2000 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.11

Item 28.1:

This Condition applies to Emission Unit: E-UNIT2

Item 28.2:

Each owner or operator of a permitted crematory facility must annually inspect that facility and submit a



New York State Department of Environmental Conservation

Permit ID: 3-3346-00010/00003

Facility DEC ID: 3334600010

report to the commissioner, certifying that the condition and operation of that facility, including the calibration of all instrumentation, meet manufacturer's specifications.

Condition 1-6: Compliance Demonstration

Effective between the dates of 01/14/2004 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.7

Item 1-6.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: E-UNIT2 Emission Point: STCK1
Process: PS2 Emission Source: 0SRC1

Regulated Contaminant(s):
CAS No: 0NY075-00-0 PARTICULATES

Item 1-6.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The Cedar Hill Cemetery Association will monitor and record the temperature of both the Primary and Secondary Chambers. The temperatures shall be recorded on a continuous strip or dille chart during the operation on the crematories.

Manufacturer Name/Model Number: HONEYWELL DR4500

Monitoring Frequency: CONTINUOUS

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 29: Compliance Demonstration

Effective between the dates of 05/15/2000 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 219-4.7

Item 29.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: E-UNIT2 Emission Point: STCK2
Process: PS2 Emission Source: 0SRC2

Regulated Contaminant(s):
CAS No: 0NY075-00-0 PARTICULATES

Item 29.2:

New York State Department of Environmental Conservation

Permit ID: 3-3346-00010/00003

Facility DEC ID: 3334600010



Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The Cedar Hill Cemetery Association will monitor and record the temperature of both the Primary and Secondary Chambers. The temperatures shall be recorded on a continuous strip or dila chart during the operation on the crematories.

Manufacturer Name/Model Number: HONEYWELL DR4500

Monitoring Frequency: CONTINUOUS

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY