

### PERMIT Under the Environmental Conservation Law (ECL)

### **IDENTIFICATION INFORMATION**

Permit Type: Air State Facility
Permit ID: 4-1922-00049/00004

Mod 0 Effective Date: 11/01/2002 Expiration Date: No expiration date.

Mod 1 Effective Date: 06/24/2004 Expiration Date: No expiration date.

Mod 2 Effective Date: 10/28/2004 Expiration Date: No expiration date.

Mod 3 Effective Date: 05/17/2005 Expiration Date: No expiration date.

AS TRANSMISSION SYSTEM INC

ONE CORPORATE DR STE 606 SHELTON, CT 06484-6208

Contact: IROQUOIS GAS TRANSMISSION SYSTEM INC

ONE CORPORATE DR STE 606

SHELTON, CT 06484-6208

(203) 944-7023

Facility: ATHENS COMPRESSOR STATION

915 SCHOHARIE TPK CR 28

ATHENS, NY 12015

Description:

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions part of this permit.

Permit Administrator:	MICHAEL T HIGGINS
	DIVISION OF ENVIRONMENTAL PERMITS
	1150 NORTH WESTCOTT RD
	SCHENECTADY, NY 12306-2014

A (1 ' 10'	D	/	/
Authorized Signature:	Date:	/ /	/



### New York State Department of Environmental Conservation

LID: 4192200049

### **Notification of Other State Permittee Obligations**

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

### Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

### Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

### Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a on not a party to the permit.



### LIST OF CONDITIONS

### **DEC GENERAL CONDITIONS**

**HEADQUARTERS** 

**General Provisions** 

Facility Inspection by the Department
Relationship of this Permit to Other Department Orders and Determinations
Applications for Permit Renewals and Modifications
Permit Modifications, Suspensions and Revocations by the Department
Facility Level
Submission of Applications for Permit Modification or Renewal -REGION 4

DEC Permit Conditions Page 1 of 3



# DEC GENERAL CONDITIONS \*\*\*\* General Provisions \*\*\*\* GENERAL CONDITIONS - Apply to ALL Authorized Permits.

**Condition 1:** Facility Inspection by the Department

**Applicable State Requirement: ECL 19-0305** 

### Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

#### **Item 1.2:**

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

#### Item 1 3.

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations
Applicable State Requirement: ECL 3-0301.2(m)

### Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for Permit Renewals and Modifications
Applicable State Requirement: 6NYCRR 621.13

### Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

### Item 3.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

### Item 3.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual



transfer of ownership.

Condition 4: Permit Modifications, Suspensions and Revocations by the Department

Applicable State Requirement: 6NYCRR 621.14

#### **Item 4.1:**

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

### \*\*\*\* Facility Level \*\*\*\*

Condition 5: Submission of Applications for Permit Modification or Renewal -REGION 4

**HEADOUARTERS** 

**Applicable State Requirement:** 6NYCRR 621.5(a)

### Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator Region 4 Headquarters Division of Environmental Permits 1150 North Westcott Rd. Schenectady, NY 12306-2014 (518) 357-2069



Permit Under the Environmental Conservation Law (ECL)

### ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

### **IDENTIFICATION INFORMATION**

Permit Issued To: IROQUOIS GAS TRANSMISSION SYSTEM INC ONE CORPORATE DR STE 606 SHELTON, CT 06484-6208

THENS COMPRESSOR STATION

915 SCHOHARIE TPK CR 28 ATHENS, NY 12015

Authorized Activity By Standard Industrial Classification Code: 4922 - NATURAL GAS TRANSMISSION

Mod 0 Permit Effective Date: 11/01/2002 Permit Expiration Date: No expiration date.

Date: 06/24/2004 Permit Expiration Date: No expiration date.



### LIST OF CONDITIONS

### CEABLE CONDITIONS

### **Facility Level**

- 3-1 6NYCRR 201-3.2(a): Exempt Sources Proof of Eligibility
- 1 6NYCRR 201-3.2(a): Compliance Demonstration
- 2 6NYCRR 201-3.2(b): Exempt Activities Maintenance of Control Equipment
- 1-1 6NYCRR 227-1.3: Compliance Demonstration
- 3 6NYCRR 227-1.6(a): Corrective action.
- 1-2 40CFR 60.4, NSPS Subpart A: EPA Region 2 address.
- 5 40CFR 60.7(a), NSPS Subpart A: Date of construction notification If a COM is not used.

### **Emission Unit Level**

### EU=3-00001

- 7 40CFR 60.7(b), NSPS Subpart A: Recordkeeping requirements.
- 8 40CFR 60.7(f), NSPS Subpart A: Facility files for subject sources.
- 9 40CFR 60.9, NSPS Subpart A: Availability of information.
- 10 40CFR 60.12, NSPS Subpart A: Circumvention.
- 2-1 40CFR 60.334(h)(3), NSPS Subpart GG: Compliance Demonstration

### EU=3-00001,Proc=001

- 11 40CFR 60.8(a), NSPS Subpart A: Performance testing timeline.
- 12 40CFR 60.8(b), NSPS Subpart A: Performance test methods.
- 13 40CFR 60.8(c), NSPS Subpart A: Required performance test information.
- 14 40CFR 60.8(d), NSPS Subpart A: Prior notice.
- 15 40CFR 60.8(e), NSPS Subpart A: Performance testing facilities.
- 16 40CFR 60.8(f), NSPS Subpart A: Number of required tests.
- 17 40CFR 60.14, NSPS Subpart A: Modifications.
- 18 40CFR 60.15, NSPS Subpart A: Reconstruction.
- 19 40CFR 60.332(a)(2), NSPS Subpart GG: Compliance Demonstration

### CEABLE CONDITIONS

### **Facility Level**

- 25 ECL 19-0301: Contaminant List
- 26 6NYCRR 201-1.4: Unavoidable noncompliance and violations
- 27 6NYCRR 201-5: Emission Unit Definition
- 28 6NYCRR 211.2: Air pollution prohibited

### **Emission Unit Level**

- 29 6NYCRR 201-5: Emission Point Definition By Emission Unit
- 30 6NYCRR 201-5: Process Definition By Emission Unit

### EU=3-00001,EP=00001,Proc=001,ES=00001

- 1-3 6NYCRR 201-5.3(b): Compliance Demonstration
- 1-4 6NYCRR 201-5.3(b): Compliance Demonstration



1-5 6NYCRR 201-5.3(b): Compliance Demonstration1-6 6NYCRR 201-5.3(b): Compliance Demonstration

### EU=3-00001,EP=00002,Proc=001,ES=00002

1-7 6NYCRR 201-5.3(b): Compliance Demonstration
1-8 6NYCRR 201-5.3(b): Compliance Demonstration
1-9 6NYCRR 201-5.3(b): Compliance Demonstration
1-10 6NYCRR 201-5.3(b): Compliance Demonstration

Date: 10/28/2004 Permit Expiration Date: No expiration date.

Mod 3 Permit Effective Date: 05/17/2005 Permit Expiration Date: No expiration date.



### FEDERALLY ENFORCEABLE CONDITIONS

\*\*\*\* Facility Level \*\*\*\*

### NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are federally enforceable. Permittees may also have other obligations under regulations of general applicability

### Item A: Sealing - 6NYCRR Part 200.5

The Commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the Commissioner issued in the case of the violation. Sealing means labeling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

No person shall operate any air contamination source sealed by the Commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

Unless authorized by the Commissioner, no person shall remove or alter any seal affixed to any contamination

ource in accordance with this section.

### Item B: Acceptable Ambient Air Quality - 6NYCRR Part 200.6

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

### Item C: Maintenance of Equipment - 6NYCRR Part 200.7

Any person who owns or operates an air contamination

Air Pollution Control Permit Conditions Page 4 of 29 FINAL



source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

### Item D: Unpermitted Emission Sources - 6NYCRR Part 201-1.2

If an existing emission source was subject to the permitting requirements of 6NYCRR Part 201 at the time of construction or modification, and the owner and/or operator failed to apply for a permit for such emission source then the following provisions apply:

- (a) The owner and/or operator must apply for a permit for such emission source or register the facility in accordance with the provisions of Part 201.
- (b) The emission source or facility is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing sources or facilities.

### Item E: Emergency Defense - 6NYCRR Part 201-1.5

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

- (a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:
- (1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;
- (2) The equipment at the permitted facility causing the emergency was at the time being properly operated;
- (3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
- (4) The facility owner and/or operator notified the Department within two working days after the event



occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

- (b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.
- (c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

### Item F: Recycling and Salvage - 6NYCRR Part 201-1.7

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according

to the requirements of 6 NYCRR.

### Item G: Prohibition of Reintroduction of Collected Contaminants to the Air - 6NYCRR Part 201-1.8

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

### Item H: Proof of Eligibility for Sources Defined as Exempt Activities - 6 NYCRR Part 201-3.2(a)

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

## Item I: Proof of Eligibility for Sources Defined as Trivial livities - 6 NYCRR Part 201-3.3(a)

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific



criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

### Item J: Required Emission Tests - 6 NYCRR Part 202-1.1

An acceptable report of measured emissions shall be submitted, as may be required by the Commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the Commissioner within the time stated shall be sufficient reason for the Commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6NYCRR Part 202-1.

### Item K: Visible Emissions Limited - 6 NYCRR Part 211.3

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

### Fires - 6 NYCRR Part 215

No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, rubbish for salvage, or rubbish generated by industrial or commercial activities.

### Item M: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not



limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

### Item N: Federally Enforceable Requirements - 40 CFR 70.6(b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

### FEDERAL APPLICABLE REQUIREMENTS The following conditions are federally enforceable.

cempt Sources - Proof of Eligibility

Effective between the dates of 05/17/2005 and Permit Expiration Date

**Applicable Federal Requirement: 6NYCRR 201-3.2(a)** 

### Item 3-1.1:

The owner and/or operator of an emission source or unit that is eligible to be exempt may be required to certify that it operates within the specific criteria described in this Subpart. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other State and Federal air pollution control requirements, regulations, or law.

**Condition 1: Compliance Demonstration** 

Effective between the dates of 11/01/2002 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 201-3.2(a)

#### Item 1.1:

The Compliance Demonstration activity will be performed for the Facility.

Air Pollution Control Permit Conditions Page 8 of 29 FINAL

#### Item 1.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

As proof of exempt eligibility for the emergency generators, the facility must maintain monthly records which demonstrate that each engine is operated less than 500 hours per year, on a 12-month rolling total basis.

Monitoring Frequency: MONTHLY

Averaging Method: ANNUAL MINIMUM ROLLED MONTHLY

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 2: Exempt Activities - Maintenance of Control Equipment

Effective between the dates of 11/01/2002 and Permit Expiration Date

### **Applicable Federal Requirement:**

6NYCRR 201-3.2(b)

### Item 2.1:

Owner of any emission source or unit that is listed as eligible to be exempt in 6 NYCRR Part 201-3.2(c), on the basis of the use of appropriate emission control device shall operate and maintain such device in a manner consistent with good engineering practices.

**Condition 1-1: Compliance Demonstration** 

Effective between the dates of 06/24/2004 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 227-1.3

### Item 1-1.1:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

### Item 1-1.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No owner or operator of a combustion installation shall emit greater

than 20 percent opacity (on a six minute block period)

except for one

six minute block period per hour, not to exceed 27

Air Pollution Control Permit Conditions Page 9 of 29 FINAL



percent, based upon the six minute average in reference test method 9 in Appendix A of 40 CFR 60.

Operators of air contamination sources that are not exempt from

permitting and where a continuous opacity monitor is not utilized for

measuring smoke emissions, shall be required to perform the

following:

1) Observe the stack(s) or vent(s) once per manned day for visible emissions.

This observation(s) must be conducted during daylight hours except during adverse weather conditions (fog, rain, or snow).

2) The results of each observation must be recorded in a bound logbook or other format acceptable to the Department. The following data must

be recorded for each stack:

- weather condition
- was a plume observed?

This logbook must be retained at the facility for five (5) years after the date of the last entry.

3) If the operator observes any visible emissions (other than steam -

see below) two consecutive days, then the Method 9 analysis (based

upon a 6-minute mean) of the affected emission point(s) must be

conducted within two (2) business days of such occurrence.

results of the Method 9 analysis must be recorded in the logbook. The

operator must contact the Regional Air Pollution Control Engineer

within one (1) business day of performing the Method 9 analysis if the



opacity standard is contravened. Upon notification, any corrective

actions or future compliance schedules shall be presented to the

Department for acceptance.

\*\* NOTE \*\* Steam plumes generally form after leaving the top of the

stack (this is known as a detached plume). The distance

between the

stack and the beginning of the detached plume may vary,

however, there

is (normally) a distinctive distance between the plume and

stack.

Steam plumes are white in color and have a billowy

consistency. Steam

plumes dissipate within a short distance of the stack (the

colder the

air the longer the steam plume will last) and leave no

dispersion

trail downwind of the stack.

### neter Monitored: OPACITY

Upper Permit Limit: 20 percent Reference Test Method: Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

### **Condition 3:** Corrective action.

Effective between the dates of 11/01/2002 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 227-1.6(a)

### Item 3.1:

Any facility found in violation of the provisions of this Part shall not cause, permit, or allow the operation of the affected stationary combustion installation unless:

- (1) it is equipped with approved emission control equipment;
- (2) it is rehabilitated or upgraded in an approved manner; or
- (3) the fuel is changed to an acceptable type.

### EPA Region 2 address.

Effective between the dates of 06/24/2004 and Permit Expiration Date



### Applicable Federal Requirement: 40CFR 60.4, NSPS Subpart A

### Replaces Condition(s) 4

### Item 1-2.1:

All requests, reports, applications, submittals, and other communications to the Administrator pursuant to this part shall be submitted in duplicate to the following address:

Director, Division of Enforcement and Compliance Assistance USEPA Region 2 290 Broadway, 21st Floor New York, NY 10007-1886

Copies of all correspondence to the administrator pursuant to this part shall also be submitted to the NYSDEC Regional Office issuing this permit (see address at the beginning of this permit) and to the following address:

NYSDEC Bureau of Quality Assurance 625 Broadway

Albany, NY 12233-3258

Condition 5: Date of construction notification - If a COM is not used.

Effective between the dates of 11/01/2002 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.7(a), NSPS Subpart A

### Item 5.1:

Any owner or operator subject to this part shall furnish the Administrator with the following information:

- 1) a notification of the date construction or reconstruction commenced, post marked no later than 30 days after such date;
- 3) a notification of the actual date of initial start up, post marked within 15 days after such date;
- 4) a notification of any physical or operational change to an existing facility which may increase the emission rate of any air pollutant to which a standard applies, unless the change is specifically exempted under this part. The notice shall be post marked 60 days or as soon as practicable before the change is commenced and shall include information describing the precise nature of the change, present and proposed emission control systems, productive capability of the facility before and after the change, and the expected completion date of the change. The Administrator may request additional information

arding the change;

5) a notification of the date upon which the demonstration of continuous monitoring system performance



commences, post marked not less than 30 days prior to such date;

6) a notification of the anticipated date for conducting the opacity observations, post marked not less than 30 days prior to such date.

\*\*\*\* Emission Unit Level \*\*\*\*

Condition 7: Recordkeeping requirements.

Effective between the dates of 11/01/2002 and Permit Expiration Date

**Applicable Federal Requirement:** 

40CFR 60.7(b), NSPS Subpart A

Item 7.1:

This Condition applies to Emission Unit: 3-00001

**Item 7.2:** 

Affected owners or operators shall maintain records of occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility; any malfunction of the air pollution control equipment; or any periods during which a continuous monitoring system or monitoring device is inoperative.

Facility files for subject sources.

Effective between the dates of 11/01/2002 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.7(f), NSPS Subpart A

Item 8.1:

ThiEmission Unit: 3-00001

Item 8.2:

The following files shall be maintained at the facility for all affected sources: all measurements, including continuous monitoring systems, monitoring device, and performance testing measurements; all continuous monitoring system or monitoring device calibration checks; adjustments and maintenance performed on these systems or devices; and all other information required by this part, recorded in permanent form suitable for inspection. The file shall be maintained for at least two years following the date of such measurements, reports, and records.

**Condition 9:** Availability of information.

Effective between the dates of 11/01/2002 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.9, NSPS Subpart A

**Item 9.1:** 

ondition applies to Emission Unit: 3-00001

Item 9.2:

Air Pollution Control Permit Conditions Page 13 of 29 FINAL

Mod 3/Active



The availability to the public of information provided to, or otherwise obtained by, the Administrator under this part shall be governed by part 2 of this chapter.

**Condition 10: Circumvention.** 

Effective between the dates of 11/01/2002 and Permit Expiration Date

Ap40CFR 60.12, NSPS Subpart A

Item 10.1:

This Condition applies to Emission Unit: 3-00001

#### Item 10.2:

No owner or operator subject to the provisions of this part shall build, erect, install, or use any article, machine, equipment or process, the use of which conceals an emission which would otherwise constitute a violation of an applicable standard. Such concealment includes, but is not limited to, the use of gaseous diluents to achieve compliance with an opacity standard or with a standard which is based on the concentration of a pollutant in the gases discharged to the atmosphere.

Condition 2-1: Compliance Demonstration

Effective between the dates of 10/28/2004 and Permit Expiration Date

### **Applicable Federal Requirement:**

40CFR 60.334(h)(3), NSPS Subpart GG

### Item 2-1.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 3-00001

### Item 2-1.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Notwithstanding the provisions of paragraph (h)(1) of 40 CFR 60.334(h), the owner or operator may elect not to monitor the total sulfur content of the gaseous fuel combusted in the turbine, if the gaseous fuel is demonstrated to meet the definition of natural gas in §60.331(u), regardless of whether an existing custom schedule approved by the administrator for subpart GG requires such monitoring. The owner or operator shall use one of the following sources of information to make the

required demonstration:

(i) The gas quality characteristics in a current, valid purchase contract, tariff sheet or transportation contract for the gaseous fuel, specifying that the maximum total

> Air Pollution Control Permit Conditions Page 14 of 29 FINAL



sulfur content of the fuel is 20.0 grains/100 scf or less; or

(ii) Representative fuel sampling data which show that the sulfur content of the gaseous fuel does not exceed 20 grains/100 scf. At a minimum, the amount of fuel sampling data specified in section 2.3.1.4 or 2.3.2.4 of appendix D to 40 CFR part 75 of this chapter is required.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

### Performance testing timeline.

Effective between the dates of 11/01/2002 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.8(a), NSPS Subpart A

Item 11.1:

ThiEmission Unit: 3-00001

Process: 001

### Item 11.2:

Within 60 days after achieving the maximum production rate, but not later than 180 days after initial startup of the facility, the owner or operator of the facility shall conduct performance testing and provide the results of such tests, in a written report, to the Administrator.

**Condition 12: Performance test methods.** 

Effective between the dates of 11/01/2002 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.8(b), NSPS Subpart A

Item 12.1:

ondition applies to

Emission Unit: 3-00001

Process: 001

### Item 12.2:

Performance testing shall be conducted in accordance with the methods and procedures prescribed in this part or by alternative methods and procedures approved by the Administrator.

**Condition 13:** Required performance test information.

Effective between the dates of 11/01/2002 and Permit Expiration Date

A40CFR 60.8(c), NSPS Subpart A

Item 13.1:

This Condition applies to Emission Unit: 3-00001

Air Pollution Control Permit Conditions Page 15 of 29 FINAL

Mod 3/Active



Process: 001

#### Item 13.2:

Performance tests shall be conducted under such conditions specified by the Administrator, based upon representative performance data supplied by the owner or operate of the facility.

**Condition 14:** Prior notice.

Effective between the dates of 11/01/2002 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.8(d), NSPS Subpart A

Item 14.1:

ThiEmission Unit: 3-00001

Process: 001

Item 14.2:

The owner or operator shall provide the Administrator with prior notice of any performance test at least 30 days in advance of testing.

Condition 15: Performance testing facilities.

Effective between the dates of 11/01/2002 and Permit Expiration Date

A40CFR 60.8(e), NSPS Subpart A

Item 15.1:

This Condition applies to Emission Unit: 3-00001

Process: 001

### Item 15.2:

The following performance testing facilities shall be provided during all tests:

- 1) sampling ports adequate for tests methods applicable to such facility;
- 2) a safe sampling platform;
- 3) a safe access to the sampling platform; and
- 4) utilities for sampling and testing equipment.

### Number of required tests.

Effective between the dates of 11/01/2002 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.8(f), NSPS Subpart A

Item 16.1:

ThiEmission Unit: 3-00001

Process: 001



### Item 16.2:

Each performance test shall consist of three separate runs, at the specified duration required in the applicable test method. Compliance with all applicable standards shall be determined by using the arithmetic means of the results of the three runs.

**Condition 17: Modifications.** 

Effective between the dates of 11/01/2002 and Permit Expiration Date

Ap40CFR 60.14, NSPS Subpart A

Item 17.1:

This Condition applies to Emission Unit: 3-00001

Process: 001

Item 17.2:

Within 180 days of the completion of any physical or operational change (as defined in section 60.14), compliance with the applicable standards must be achieved.

Condition 18: Reconstruction.

Effective between the dates of 11/01/2002 and Permit Expiration Date

Ap40CFR 60.15, NSPS Subpart A

Item 18.1:

This Condition applies to Emission Unit: 3-00001

Process: 001

### Item 18.2:

The following shall be submitted to the Administrator prior to reconstruction (as defined in section 60.15):

- 1) a notice of intent to reconstruct 60 days prior to the action;
- 2) name and address of the owner or operator;
- 3) the location of the existing facility;
- 4) a brief description of the existing facility and the components to be replaced;
- 5) a description of the existing air pollution control equipment and the proposed air pollution control equipment;
- 6) an estimate of the fixed capital cost of the replacements and of constructing a comparable entirely new facility;
- 7) the estimated life of the facility after the replacements; and

8) a discussion of any economic or technical limitations the facility may have in complying with the applicable standards of performance after the proposed replacements.

**Condition 19: Compliance Demonstration** 

Effective between the dates of 11/01/2002 and Permit Expiration Date

### **Applicable Federal Requirement:**

40CFR 60.332(a)(2), NSPS Subpart GG

#### Item 19.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 3-00001

Process: 001

Regulated Contaminant(s):

CAS No: 0NY210-00-0

OXIDES OF NITROGEN

#### Item 19.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

No owner or operator shall discharge to the atmosphere from a stationary gas turbine, emissions of nitrogen oxides in excess of the following:

$$STD = 0.0150 * [(14.4) / Y] + F$$

Where: STD = allowable nitrogen oxide emissions in percent volume at 15% excess oxygen on a dry basis,

Y = manufacturer's rated heat rate at manufacturer's rated peak load (kilojoules per watt hour) or the actual measured heat rate based on the lower heating value of the fuel as measured at actual peak load of the facility. The value of Y shall not exceed 14.4 kilojoules per watt hour,

F = nitrogen oxide emission allowance for fuel bound nitrogen:

Fuel bound nitrogen % by weight, where F equals NOx % by volume

 $N \le 0.015 : F = 0$ 

 $0.015 < N \le 0.1 : 0.04(N)$ 

 $0.1 < N \le 0.25 : 0.004 + 0.0067(N - 0.1)$ 

Air Pollution Control Permit Conditions Page 18 of 29 FINAL



N > 0.25 : 0.005

: OXIDES OF NITROGEN

Upper Permit Limit: 150 parts per million by volume (dry, corrected to 15% O2) Reference Test Method: EPA RM 20 Monitoring Frequency: SINGLE OCCURRENCE

thod: 1-HOUR AVERAGE

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE



#### E ONLY ENFORCEABLE CONDITIONS

\*\*\*\* Facility Level \*\*\*\*

### NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

### Item A: Public Access to Recordkeeping for Facilities With State Facility Permits - 6NYCRR Part 201-1.10(a)

Where emission source owners and/or operators keep records pursuant to compliance with the operational flexibility requirements of 6 NYCRR Subpart 201-5.4(b)(1), and/or the emission capping requirements of 6 NYCRR Subparts 201-7.2(d), 201-7.3(f), 201-7.3(g), 201-7.3(h)(5), 201-7.3(i) and 201-7.3(j), the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Emission source owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department of receipt of the request.

### Item B: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or



law.

### STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state only enforceable.

**Condition 25:** Contaminant List

Effective between the dates of 11/01/2002 and Permit Expiration Date

**Applicable State Requirement:** 

ECL 19-0301

Item 25.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 000630-08-0

Name: CARBON MONOXIDE

CAS No: 0NY210-00-0

: OXIDES OF NITROGEN

CAS No: 0NY075-00-0 Name: PARTICULATES

**Condition 26:** Unavoidable noncompliance and violations

Effective between the dates of 11/01/2002 and Permit Expiration Date

**Applicable State Requirement:** 6NYCRR 201-1.4

Item 26.1:

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

(a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit issued for the corresponding air contamination source except where conditions elsewhere in this permit which contain more stringent reporting and notification provisions for an applicable requirement, in which case they supercede those stated here. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports



for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.

- (b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates. These reporting requirements are superceded by conditions elsewhere in this permit which contain reporting and notification provisions for applicable requirements more stringent than those above.
- (c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air taminants emitted.
  - (d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.
  - (e) In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

**Condition 27:** Emission Unit Definition

Effective between the dates of 11/01/2002 and Permit Expiration Date

**Applicable State Requirement:** 6NYCRR 201-5

### **Item 27.1(From Mod 3):**

The facility is authorized to perform regulated processes under this permit for: Emission Unit: 3-00001

Emission Unit Description:

THE EXISTING NATURAL GAS PIPELINE
COMPRESSOR STATION TO BE MODIFIED IS THE
EMISSION UNIT PER DEC REGULATIONS. IT
WOULD INCLUDE TWO TURBINES AND COMPRESSION
FACILITIES TO BOOST NATURAL GAS PRESSURE IN

RAL GAS PIPELINE SYSTEM TO

DELIVER NATUR AL GAS TO ITS CUSTOMERS. THE FACILITY INCLUDES AN EXISTING 11,000 HP TURBINE (PREVIOUSLY PERMITTED) AND AN EMERGENCY GENERATOR AND OTHER SMALL



OURCES (HEATERS) THAT ARE

EXEMPT FROM PERMITTING. THE ONLY EMISSION POINTS REQUIRING PERMITS ARE THE EXISTING TURBINE AND THE PROPOSED APPROXIMATELY 11.000 HORSEPOWER AND APPROXIMATELY 96

YCLE NATURAL GAS TURBINE.

Building(s): 1

2

Condition 28: Air pollution prohibited

Effective between the dates of 11/01/2002 and Permit Expiration Date

**Applicable State Requirement: 6NYCRR 211.2** 

### Item 28.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

\*\*\*\* Emission Unit Level \*\*\*\*

**Condition 29:** Emission Point Definition By Emission Unit

Effective between the dates of 11/01/2002 and Permit Expiration Date

**Applicable State Requirement: 6NYCRR 201-5** 

### **Item 29.1(From Mod 3):**

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 3-00001

Emission Point: 00001

Height (ft.): 60 Length (in.): 126 Width (in.): 64

Building: 1

Emission Point: 00002

Height (ft.): 60 Length (in.): 126 Width (in.): 64

Building: 2

rocess Definition By Emission Unit

Effective between the dates of 11/01/2002 and Permit Expiration Date



**Applicable State Requirement: 6NYCRR 201-5** 

**Item 30.1(From Mod 3):** 

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 3-00001

Process: 001 Source Classification Code: 2-02-002-01

Process Description:

THE "PROCESS" INVOLVES THE TWO

SIMPLE-CYCLE NATURAL GAS-FUELED TURBINES TO

DRIVE NATURAL GAS PIPELINE

COMPRESSORS. THE EXISTING AND PROPOSED TURBINES' MAXIMUM NOX CONCENTRATION IS 25

PARTS PER MILLION BY VOLUME ON A DRY

BASIS.

Emission Source/Control: 00001 - Combustion

Design Capacity: 96 million Btu per hour

Emission Source/Control: 00002 - Combustion Design Capacity: 96 million Btu per hour

**Compliance Demonstration** 

Effective between the dates of 06/24/2004 and Permit Expiration Date

**Applicable State Requirement:** 6NYCRR 201-5.3(b)

Item 1-3.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 3-00001 Emission Point: 00001

PrcEmission Source: 00001

Regulated Contaminant(s):

CAS No: 000630-08-0 CARBON MONOXIDE

Item 1-3.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

CO emission limit to be demonstrated once during the first year of the term permit term. Test results will be sent to the Department within 30 days following the calendar quarter in which testing is completed.



Upper Permit Limit: 50 parts per million by volume (dry, corrected to 15% O2)

Method: App. A, Method 10

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

**Condition 1-4: Compliance Demonstration** 

Effective between the dates of 06/24/2004 and Permit Expiration Date

**Applicable State Requirement:** 6NYCRR 201-5.3(b)

Item 1-4.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 3-00001 Emission Point: 00001

Process: 001 Emission Source: 00001

Regulated Contaminant(s):

CAS No: 000630-08-0 CARBON MONOXIDE

Item 1-4.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

CO emission limit to be demonstrated once during the first year of the term permit term. Test results will be sent to the Department within 30 days following the calendar quarter in which testing is completed.

Upper Permit Limit: 10.93 pounds per hour Reference Test Method: App. A, Method 10

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

**Compliance Demonstration** 

Effective between the dates of 06/24/2004 and Permit Expiration Date

**Applicable State Requirement:** 6NYCRR 201-5.3(b)

Item 1-5.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 3-00001 Emission Point: 00001

Air Pollution Control Permit Conditions Page 25 of 29 FINAL

Mod 3/Active



PrcEmission Source: 00001

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

### Item 1-5.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

NOx emission limit to be demonstrated once during the first year of the term permit term. Test results will be sent to the Department within 30 days following the calendar quarter in which testing is completed.

imit: 8.97 pounds per hour

Reference Test Method: App. A, Method 20

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

**Condition 1-6: Compliance Demonstration** 

Effective between the dates of 06/24/2004 and Permit Expiration Date

### **Applicable State Requirement:**

6NYCRR 201-5.3(b)

### Item 1-6.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 3-00001 Emission Point: 00001 Process: 001 Emission Source: 00001

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

### Item 1-6.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

NOX EMISSION LIMIT TO BE DEMONSTRATED

IE TERM OF THE PERMIT. TEST

RESULTS WILL BE SENT TO THE DEPARTMENT WITHIN 30 DAYS FOLLOWING THE CALENDAR QUARTER IN WHICH THE TESTING IS COMPLETED.



Upper Permit Limit: 25 parts per million by volume (dry,

corrected to 15% O2)

Reference Test Method: APPX., METHOD 20

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

**Condition 1-7: Compliance Demonstration** 

Effective between the dates of 06/24/2004 and Permit Expiration Date

**Applicable State Requirement:** 

6NYCRR 201-5.3(b)

Item 1-7.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 3-00001 Emission Point: 00002 Process: 001 Emission Source: 00002

Regulated Contaminant(s):

CAS No: 000630-08-0 CARBON MONOXIDE

Item 1-7.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

CO emission limit to be demonstrated once during the first year of the term permit term. Test results will be sent to the Department within 30 days following the calendar quarter in which testing is completed.

Upper Permit Limit: 10.93 pounds per hour Reference Test Method: App. A, Method 10

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

thod: 1-HOUR AVERAGE

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

**Condition 1-8: Compliance Demonstration** 

Effective between the dates of 06/24/2004 and Permit Expiration Date

**Applicable State Requirement:** 6NYCRR 201-5.3(b)

Item 1-8.1:

The Compliance Demonstration activity will be performed for:

EmisEmission Point: 00002

Process: 001 Emission Source: 00002

Air Pollution Control Permit Conditions Page 27 of 29 FINAL

Mod 3/Active



Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 1-8.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

NOX EMISSION LIMIT TO BE DEMONSTRATED

HE TERM OF THE PERMIT. TEST

RESULTS WILL BE SENT TO THE DEPARTMENT WITHIN 30 DAYS FOLLOWING THE CALENDAR QUARTER IN WHICH TESTING IS COMPLETED.

Upper Permit Limit: 25 parts per million by volume (dry, corrected to 15% O2)

Reference Test Method: Appx. A, METHOD 20

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 1-9: Compliance Demonstration

Effective between the dates of 06/24/2004 and Permit Expiration Date

### **Applicable State Requirement:**

6NYCRR 201-5.3(b)

### Item 1-9.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 3-00001 Emission Point: 00002 Process: 001 Emission Source: 00002

Regulated Contaminant(s):

CAS No: 000630-08-0 CARBON MONOXIDE

### Item 1-9.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

CO emission limit to be demonstrated once during the first year of the term permit term. Test results will be sent to the Department within 30 days following the calendar quarter in which testing is completed.

Upper Permit Limit: 50 parts per million by volume (dry,

Air Pollution Control Permit Conditions Page 28 of 29 FINAL



corrected to 15% O2)

Reference Test Method: App. A, Method 10

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

**Condition 1-10: Compliance Demonstration** 

Effective between the dates of 06/24/2004 and Permit Expiration Date

### **Applicable State Requirement:**

6NYCRR 201-5.3(b)

Item 1-10.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 3-00001 Emission Point: 00002 Process: 001 Emission Source: 00002

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 1-10.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

NOX EMISSION LIMIT TO BE DEMONSTRATED

IE TERM OF THE PERMIT. TEST

RESULTS WILL BE SENT TO THE DEPARTMENT WITHIN 30 DAYS FOLLOWING THE CALENDAR QUARTER IN WHICH TESTING IS COMPLETED.

imit: 8.97 pounds per hour

Reference Test Method: APPX. A, METHOD 20

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION