PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air State Facility
Permit ID: 4-4228-00076/00121
Effective Date: 01/01/2015 Expiration Date: 12/31/2024

Permit Issued To: VON ROLL USA INC
200 VON ROLL DR
SCHENECTADY, NY 12306-2496

Contact: COLLEEN TURCOTTE
VON ROLL USA, INC
200 VON ROLL DR
SCHENECTADY, NY 12306
(518) 344-7226

Facility: VON ROLL USA INC
200 VON ROLL DR
SCHENECTADY, NY 12306

Contact: SANTINO M CARDELLA
200 VON ROLL DR
SCHENECTADY, NY 12306
(518) 344-7145

Description:

This permit authorizes the operation of 8 new vertical chemical storage tanks for the storage of solvents used for resin manufacturing at the facility. The tanks have a design capacity of approximately 8,000 to 9,550 gallons each and will be fitted with nitrogen blankets and conservation vents.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: ANGELO A MARCUCCIO
NYSDEC - REGION 4
1130 N WESTCOTT RD
SCHENECTADY, NY 12306-2014

Authorized Signature: _____ Date: ___ / ___ / _____

Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.

LIST OF CONDITIONS

DEC GENERAL CONDITIONS
General Provisions
Facility Inspection by the Department
Relationship of this Permit to Other Department Orders and Determinations
Applications for permit renewals, modifications and transfers
Permit modifications, suspensions or revocations by the Department
Facility Level
Submission of application for permit modification or renewal-REGION 4 HEADQUARTERS

DEC GENERAL CONDITIONS
****** General Provisions ******
GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305

Item 1.1:
The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:
The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:
A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations
Applicable State Requirement: ECL 3-0301 (2) (m)

Item 2.1:
Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for permit renewals, modifications and transfers
Applicable State Requirement: 6 NYCRR 621.11

Item 3.1:
The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:
The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 3.3:
Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Condition 4: Permit modifications, suspensions or revocations by the Department
Applicable State Requirement: 6 NYCRR 621.13

Item 4.1:
The Department reserves the right to exercise all available authority to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

a) materially false or inaccurate statements in the permit application or supporting papers;
b) failure by the permittee to comply with any terms or conditions of the permit;
c) exceeding the scope of the project as described in the permit application;
d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

****** Facility Level ******

Condition 5: Submission of application for permit modification or renewal-REGION 4 HEADQUARTERS
Applicable State Requirement: 6 NYCRR 621.6 (a)

Item 5.1:
Submission of applications for permit modification or renewal are to be submitted to:
NYSDEC Regional Permit Administrator
Region 4 Headquarters
Division of Environmental Permits
1130 North Westcott Rd.
Schenectady, NY 12306-2014
(518) 357-2069

Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

IDENTIFICATION INFORMATION

Permit Issued To:VON ROLL USA INC
200 VON ROLL DR
SCHENECTADY, NY 12306-2496

Facility: VON ROLL USA INC
200 VON ROLL DR
SCHENECTADY, NY 12306

Authorized Activity By Standard Industrial Classification Code:
2821 - PLASTICS MATERIALS AND RESINS
2851 - PAINTS AND ALLIED PRODUCTS
3299 - NONMETALLIC MINERAL PRODUCTS
2295 - COATED FABRICS, NOT RUBBERIZED

Permit Effective Date: 01/01/2015 Permit Expiration Date: 12/31/2024

LIST OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS
Facility Level

1 6 NYCRR 201-6.4 (e): Compliance Demonstration
2 6 NYCRR 202-2.1: Compliance Demonstration
3 6 NYCRR 202-2.5: Recordkeeping requirements
4 6 NYCRR 215.2: Open Fires - Prohibitions
5 6 NYCRR 201-1.7: Recycling and Salvage
6 6 NYCRR 201-1.8: Prohibition of Reintroduction of Collected Contaminants to the air
7 6 NYCRR 201-3.2 (a): Exempt Sources - Proof of Eligibility
8 6 NYCRR 201-3.3 (a): Trivial Sources - Proof of Eligibility
9 40CFR 82, Subpart F: Recycling and Emissions Reduction
10 6 NYCRR 201-3.2 (b): Exempt Activities - Maintenance of Control Equipment
11 6 NYCRR 201-3.3 (b): Trivial Activities - Maintenance of Control Equipment
12 6 NYCRR 211.1: Air pollution prohibited
13 6 NYCRR 229.3 (e) (2) (v): VOL storage tanks less than 10000 gallons
14 40CFR 63.10, Subpart A: § 63.10(b) General Recordkeeping Requirements
15 40CFR 63.10, Subpart A: §63.10(d) General Reporting Requirements
16 40CFR 63.10(b)(2), Subpart A: Compliance Demonstration
17 40CFR 63, Subpart DDDDD: Applicability
18 40CFR 63.3350(f), Subpart JJJJ: Compliance Demonstration

Emission Unit Level

EU=2-TANKS,Proc=TK3

19 40CFR 63.424(a), Subpart R: Compliance Demonstration
20 40CFR 63.424(b), Subpart R: Compliance Demonstration
21 40CFR 63.424(c), Subpart R: Compliance Demonstration
22 40CFR 63.424(d), Subpart R: Compliance Demonstration
23 40CFR 63.428(e), Subpart R: Compliance Demonstration
24 40CFR 63.428(f), Subpart R: Compliance Demonstration
25 40CFR 63.428(h)(4), Subpart R: Compliance Demonstration
26 40CFR 63.998(d), Subpart SS: Compliance Demonstration
27 40CFR 63.8075(e), Subpart HHHHH: Compliance Demonstration

STATE ONLY ENFORCEABLE CONDITIONS
Facility Level

28 ECL 19-0301: Contaminant List
29 6 NYCRR 201-1.4: Malfunctions and start-up/shutdown activities
30 6 NYCRR Subpart 201-5: Emission Unit Definition
31 6 NYCRR 201-5.2 (c): Renewal deadlines for state facility permits
32 6 NYCRR 201-5.3 (c): Compliance Demonstration
33 6 NYCRR 211.2: Visible Emissions Limited

Emission Unit Level

34 6 NYCRR Subpart 201-5: Emission Point Definition By Emission Unit
35 6 NYCRR Subpart 201-5: Process Definition By Emission Unit

FEDERALLY ENFORCEABLE CONDITIONS
****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS
This section contains terms and conditions which are federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: **Sealing - 6 NYCRR 200.5**

The Commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the Commissioner issued in the case of the violation.
Sealing means labeling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

No person shall operate any air contamination source sealed by the Commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

Unless authorized by the Commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section.

Item B: **Acceptable Ambient Air Quality - 6 NYCRR 200.6**

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Item C: **Maintenance of Equipment - 6 NYCRR 200.7**

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications,

required to operate such device effectively.

Item D: **Unpermitted Emission Sources - 6 NYCRR 201-1.2**

If an existing emission source was subject to the permitting requirements of 6 NYCRR Part 201 at the time of construction or modification, and the owner and/or operator failed to apply for a permit for such emission source then the following provisions apply:

(a) The owner and/or operator must apply for a permit for such emission source or register the facility in accordance with the provisions of Part 201.

(b) The emission source or facility is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing sources or facilities.

Item E: **Emergency Defense - 6 NYCRR 201-1.5**

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;

(2) The equipment at the permitted facility causing the emergency was at the time being properly operated;

(3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item F: **Recycling and Salvage - 6 NYCRR 201-1.7**

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

Item G: **Prohibition of Reintroduction of Collected Contaminants to the Air - 6 NYCRR 201-1.8**

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Item H: **Proof of Eligibility for Sources Defined as Exempt Activities - 6 NYCRR 201-3.2 (a)**

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item I: **Proof of Eligibility for Sources Defined as Trivial Activities - 6 NYCRR 201-3.3 (a)**

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item J: **Required Emission Tests - 6 NYCRR 202-1.1**

An acceptable report of measured emissions shall be submitted, as may be required by the Commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the Commissioner within the time stated shall be sufficient reason for the Commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6 NYCRR Subpart 202-1.

Item K: **Open Fires Prohibitions - 6 NYCRR 215.2**
Except as allowed by section 215.3 of 6 NYCRR Part 215, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.

Item L: **Permit Exclusion - ECL 19-0305**
The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item M: **Federally Enforceable Requirements - 40 CFR 70.6 (b)**
All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

FEDERAL APPLICABLE REQUIREMENTS
The following conditions are federally enforceable.

Condition 1: **Compliance Demonstration**

Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:6 NYCRR 201-6.4 (e)

Item 1.1:
The Compliance Demonstration activity will be performed for the Facility.

Item 1.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

Requirements for compliance certifications with terms and conditions contained in this facility permit include the following:

i. Compliance certifications shall contain:
- the identification of each term or condition of the permit that is the basis of the certification;
- the compliance status;
- whether compliance was continuous or intermittent;
- the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
- such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions; and
- such additional requirements as may be specified elsewhere in this permit related to compliance certification.

ii. The responsible official must include in the annual certification report all terms and conditions contained in this permit which are identified as being subject to certification, including emission limitations, standards, or work practices. That is, the provisions labeled herein as "Compliance Certification" are not the only provisions of this permit for which an annual certification is required.

iii. Compliance certifications shall be submitted annually. Certification reports are due 30 days after the anniversary date of four consecutive calendar quarters. The first report is due 30 days after the calendar quarter that occurs just prior to the permit anniversary date, unless another quarter has been acceptable by the Department.

iv. All annual compliance certifications may be submitted electronically or physically. Electronic reports shall be

submitted using the Department's Air Compliance and Emissions Electronic-Reporting system (ACE). If the facility owner or operator elects to send physical copies instead, two copies shall be sent to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office) and one copy shall be sent to the Administrator (or his or her representative). The mailing addresses for the above referenced persons are:

Chief – Stationary Source Compliance Section
USEPA Region 2
Air Compliance Branch
290 Broadway
New York, NY 10007-1866

The address for the RAPCE is as follows:

Regional Air Pollution Control Engineer
NYSDEC Region 4 Headquarters
1130 North Westcott Road
Schenectady, NY 12306-2014

The address for the BQA is as follows:

NYSDEC
Bureau of Quality Assurance
625 Broadway
Albany, NY 12233-3258

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2015.
Subsequent reports are due on the same day each year

Condition 2: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:6 NYCRR 202-2.1

Item 2.1:
The Compliance Demonstration activity will be performed for the Facility.

Item 2.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
Emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar

year. Statements are to be mailed to: New York State Department of Environmental Conservation, Division of Air Resources, Bureau of Air Quality Planning, 625 Broadway, Albany NY 12233-3251

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due by April 15th for previous calendar year

Condition 3: Recordkeeping requirements
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:6 NYCRR 202-2.5

Item 3.1:
(a) The following records shall be maintained for at least five years:

(1) a copy of each emission statement submitted to the department; and

(2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.

(b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.

Condition 4: Open Fires - Prohibitions
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:6 NYCRR 215.2

Item 4.1:
Except as allowed by Title 6 NYCRR Section 215.3, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.

Item 4.2
Per Section 215.3, burning in an open fire, provided it is not contrary to other law or regulation, will be allowed as follows:
(a) On-site burning in any town with a total population less than 20,000 of downed limbs and branches (including branches with attached leaves or needles) less than six inches in diameter and eight feet in length between May 15th and the following March 15th. For the purposes of this subdivision, the total population of a town shall include the population of any village or portion thereof located within the town. However, this subdivision shall not be construed to allow burning within any village.
(b) Barbecue grills, maple sugar arches and similar outdoor cooking devices when actually used for cooking or processing food.
(c) Small fires used for cooking and camp fires provided that only charcoal or untreated wood is used as fuel and the fire is not left unattended until extinguished.
(d) On-site burning of agricultural wastes as part of a valid agricultural operation on contiguous agricultural lands larger than five acres actively devoted to agricultural or horticultural use, provided such waste is actually grown or generated on those lands and such waste is capable of being fully burned within a 24-hour period.
(e) The use of liquid petroleum fueled smudge pots to prevent frost damage to crops.

(f) Ceremonial or celebratory bonfires where not otherwise prohibited by law, provided that only untreated wood or other agricultural products are used as fuel and the fire is not left unattended until extinguished.
(g) Small fires that are used to dispose of a flag or religious item, and small fires or other smoke producing process where not otherwise prohibited by law that are used in connection with a religious ceremony.
(h) Burning on an emergency basis of explosive or other dangerous or contraband materials by police or other public safety organization.
(i) Prescribed burns performed according to Part 194 of this Title.
(j) Fire training, including firefighting, fire rescue, and fire/arson investigation training, performed under applicable rules and guidelines of the New York State Department of State's Office of Fire Prevention and Control. For fire training performed on acquired structures, the structures must be emptied and stripped of any material that is toxic, hazardous or likely to emit toxic smoke (such as asbestos, asphalt shingles and vinyl siding or other vinyl products) prior to burning and must be at least 300 feet from other occupied structures. No more than one structure per lot or within a 300 foot radius (whichever is bigger) may be burned in a training exercise.
(k) Individual open fires as approved by the Director of the Division of Air Resources as may be required in response to an outbreak of a plant or animal disease upon request by the commissioner of the Department of Agriculture and Markets, or for the destruction of invasive plant and insect species.
(l) Individual open fires that are otherwise authorized under the environmental conservation law, or by rule or regulation of the Department.

Condition 5: Recycling and Salvage
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:6 NYCRR 201-1.7

Item 5.1:
Where practical, the owner or operator of an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of the ECL.

Condition 6: Prohibition of Reintroduction of Collected Contaminants to the air
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:6 NYCRR 201-1.8

Item 6.1:
No person shall unnecessarily remove, handle or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Condition 7: Exempt Sources - Proof of Eligibility
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:6 NYCRR 201-3.2 (a)

Item 7.1:
The owner or operator of an emission source or activity that is listed as being exempt may be required to certify that it is operated within the specific criteria described in this Subpart. The owner or operator of any such emission source or activity must maintain all records necessary

for demonstrating compliance with this Subpart on-site for a period of five years, and make them available to representatives of the department upon request.

Condition 8: Trivial Sources - Proof of Eligibility
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:6 NYCRR 201-3.3 (a)

Item 8.1:
The owner or operator of an emission source or activity that is listed as being trivial in this Section may be required to certify that it is operated within the specific criteria described in this Subpart. The owner or operator of any such emission source or activity must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request.

Condition 9: Recycling and Emissions Reduction
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 82, Subpart F

Item 9.1:
The permittee shall comply with all applicable provisions of 40 CFR Part 82.

Condition 10: Exempt Activities - Maintenance of Control Equipment
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:6 NYCRR 201-3.2 (b)

Item 10.1:
The owner or operator of any emission source or activity that is listed as being exempt in 6 NYCRR Part 201-3.2(c), on the basis of the use of appropriate emission controls shall operate and maintain those controls in a manner consistent with manufacturer's specifications and good engineering practices.

Condition 11: Trivial Activities - Maintenance of Control Equipment
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:6 NYCRR 201-3.3 (b)

Item 11.1:
The owner or operator of any emission source or activity that is listed as eligible to be trivial in 6 NYCRR Part 201-3.3(c), on the basis of the use of appropriate emission controls shall operate and maintain those controls in a manner consistent with manufacturer's specifications and good engineering practices.

Condition 12: Air pollution prohibited
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:6 NYCRR 211.1

Item 12.1:
No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such

quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 13: VOL storage tanks less than 10000 gallons
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:6 NYCRR 229.3 (e) (2) (v)

Item 13.1:
Volatile organic liquid tanks with a capacity of less than 10,000 gallons must be equipped with a conservation vent.

Condition 14: § 63.10(b) General Recordkeeping Requirements
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.10, Subpart A

Item 14.1:
The owner or operator of an affected source subject to the provisions of this part shall maintain files of all information (including all reports and notifications) required by this part recorded in a form suitable and readily available for expeditious inspection and review. The files shall be retained for at least 5 years following the date of each occurrence, measurement, maintenance, corrective action, report or record. At a minimum the most recent 2 years of data shall be retained on site. The owner or operator of an affected source subject to the provisions of this part shall maintain relevant records for such source as described in 40 CFR 63.10 (b)(2).

Condition 15: §63.10(d) General Reporting Requirements
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.10, Subpart A

Item 15.1:
The owner of operator of an affected source subject to the reporting requirements under the general provisions shall submit reports to the Department in accordance with the reporting requirements in the relevant standards as described in 40 CFR 63.10 (d).

Condition 16: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.10(b)(2), Subpart A

Item 16.1:
The Compliance Demonstration activity will be performed for the Facility.

Item 16.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
Von Roll is subject to all monitoring and reporting requirements applicable under 40 CFR 63.10(b)(2) Subpart A.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 17: Applicability
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63, Subpart DDDDD

Item 17.1:
Facilities that are major sources of HAP with industrial, commercial, or institutional boilers and/or process heaters must comply with applicable portions of 40 CFR 63 DDDDD.

Condition 18: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.3350(f), Subpart JJJJ

Item 18.1:
The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):
CAS No: 0NY100-00-0 TOTAL HAP

Item 18.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
If the facility is complying with the emission limits in §63.3320 through the use of a capture system and control device for one or more coating lines, the facility must develop a site-specific monitoring plan containing the following information for these capture systems:

1) The monitoring plan must identify the operating parameter to be monitored to ensure that the capture efficiency determined during the initial compliance test is maintained.

2) The monitoring plan must explain why this parameter is appropriate for demonstrating ongoing compliance.
3) The monitoring plan must identify the specific monitoring procedures
4) The monitoring plan must specify the operating parameter value or range of values that demonstrate compliance with the emission standards in §63.3320. The specified operating parameter value or range of values must represent the conditions present when the capture system is being properly operated and maintained.

The facility must monitor the capture system in accordance with the site-specific monitoring plan. Any deviation from the operating parameter value or range of values will be considered a deviation from the emission limit. The facility must review and update the capture system monitoring plan at least annually and make the plan available for inspection by the NYSDEC upon request.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2015.
Subsequent reports are due every 6 calendar month(s).

****** Emission Unit Level ******

Condition 19: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.424(a), Subpart R

Item 19.1:
The Compliance Demonstration activity will be performed for:

Emission Unit: 2-TANKS
Process: TK3

Item 19.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
Each owner or operator of a miscellaneous coating manufacturing affected source subject to 40 CFR part 63, subpart HHHHH shall perform a monthly leak inspection of all equipment in organic HAP service. For this inspection, detection methods incorporating sight, sound, and smell are acceptable. Each piece of equipment must be inspected when it is operating in organic HAP service.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2015.
Subsequent reports are due every 6 calendar month(s).

Condition 20: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.424(b), Subpart R

Item 20.1:
The Compliance Demonstration activity will be performed for:

Emission Unit: 2-TANKS
Process: TK3

Item 20.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
A log book shall be used and shall be signed by the owner or operator at the completion of each inspection. A section of the log shall contain a list, summary description, or diagram(s) showing the location of all equipment in organic HAP service at the facility.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 21: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.424(c), Subpart R

Item 21.1:
The Compliance Demonstration activity will be performed for:

Emission Unit: 2-TANKS
Process: TK3

Item 21.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
Each detection of a liquid or vapor leak shall be recorded in the log book. When a leak is detected, an

initial attempt at repair shall be made as soon as practicable, but no later than 5 calendar days after the leak is detected. Repair or replacement of leaking equipment shall be completed within 15 calendar days after detection of each leak, except as provided in paragraph (d) of this section.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2015.
Subsequent reports are due every 6 calendar month(s).

Condition 22: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.424(d), Subpart R

Item 22.1:
The Compliance Demonstration activity will be performed for:

Emission Unit: 2-TANKS
Process: TK3

Item 22.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
Delay of repair of leaking equipment will be allowed upon a demonstration to the Administrator that repair within 15 days is not feasible. The owner or operator shall provide the reason(s) a delay is needed and the date by which each repair is expected to be completed.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2015.
Subsequent reports are due every 6 calendar month(s).

Condition 23: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.428(e), Subpart R

Item 23.1:
The Compliance Demonstration activity will be performed for:

Emission Unit: 2-TANKS
Process: TK3

Item 23.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

Each owner or operator complying with the provisions of §63.424 (a) through (d) shall record the following information in the log book for each leak that is detected:

(1) The equipment type and identification number;

(2) The nature of the leak (i.e., vapor or liquid) and the method of detection (i.e., sight, sound, or smell);

(3) The date the leak was detected and the date of each attempt to repair the leak;

(4) Repair methods applied in each attempt to repair the leak;

(5) “Repair delayed” and the reason for the delay if the leak is not repaired within 15 calendar days after discovery of the leak;

(6) The expected date of successful repair of the leak if the leak is not repaired within 15 days; and

(7) The date of successful repair of the leak.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 24: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.428(f), Subpart R

Item 24.1:
The Compliance Demonstration activity will be performed for:

Emission Unit: 2-TANKS
Process: TK3

Item 24.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

Each owner or operator subject to the provisions of §63.424 shall report to the Administrator a description of the types, identification numbers, and locations of all equipment in organic HAP service. For facilities electing to implement an instrument program under §63.424(f), the report shall contain a full description of the program. This report shall be submitted once per permit or as additional equipmet becomes subject to the provisions.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 25: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.428(h)(4), Subpart R

Item 25.1:
The Compliance Demonstration activity will be performed for:

Emission Unit: 2-TANKS
Process: TK3

Item 25.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

Each owner or operator of a miscellaneous coating manufacturing affected source subject to 40 CFR part 63, subpart HHHHH shall submit an excess emissions report to the Administrator in accordance with §63.10(e)(3), whether or not a CMS is installed at the facility. The following occurrences are excess emissions events under this subpart, and the following information shall be included in the excess emissions report, as applicable:

For each occurrence of an equipment leak for which no repair attempt was made within 5 days or for which repair was not completed within 15 days after detection:

(i) The date on which the leak was detected;

(ii) The date of each attempt to repair the leak;

(iii) The reasons for the delay of repair; and

(iv) The date of successful repair.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 26: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.998(d), Subpart SS

Item 26.1:
The Compliance Demonstration activity will be performed for:

Emission Unit: 2-TANKS
Process: TK3

Item 26.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

Regulated source and control equipment start-up, shutdown and malfunction records. (i) Records of the occurrence and duration of each start-up, shutdown, and malfunction of operation of process equipment or of air pollution control equipment used to comply with this part during which excess emissions (as defined in a referencing subpart) occur.

(ii) For each start-up, shutdown, and malfunction during which excess emissions occur, records that the procedures specified in the source's start-up, shutdown, and malfunction plan were followed, and documentation of actions taken that are not consistent with the plan. For example, if a start-up, shutdown, and malfunction plan includes procedures for routing control device emissions to a backup control device (e.g., the incinerator for a halogenated stream could be routed to a flare during periods when the primary control device is out of service), records must be kept of whether the plan was followed. These records may take the form of a “checklist,” or other form of recordkeeping that confirms conformance with the start-up, shutdown, and malfunction plan for the event.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 27: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable Federal Requirement:40CFR 63.8075(e), Subpart HHHHH

Item 27.1:
The Compliance Demonstration activity will be performed for:

Emission Unit: 2-TANKS
Process: TK3

Regulated Contaminant(s):
CAS No: 0NY100-00-0 TOTAL HAP

Item 27.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
The compliance report shall contain the following items:

1) Company name and address

2) Statement by a responsible official with that official's name, title, and signature, certifying the accuracy of the content of the report.

3) Date of report and beginning and ending dates of the reporting period.

4) Applicable records and information for periodic reports as specified in referenced subparts F, SS, TT, UU, and WW of Part 63.

5) For each startup, shutdown, and malfunction (SSM) during which excess emissions occur, the compliance report must include the following information:
- records that the procedures specified in the SSM plan were followed or documentation of actions taken that are not consistent with the SSM plan.
- a description of each malfunction.

6) Information on deviations, as defined in §63.8015, as follows:

i- If there are no deviations from any emission limit, operating limit, or work practice standard specified in subpart HHHHH, include a statement that there were no deviations from the emission limits, operating limits, or work practice standards during the reporting

period.

ii- For each deviation from an emission limit, operating limit, or work practice standard that occurs at an affected source where the facility is not using a continuous monitoring system (CMS) to comply with the emission limit or work practice standard, the facility must include:
a- The total operating time of each affected source during the reporting period.
b- Information on the number, duration, and cause of deviations (including unknown cause, if applicable), as applicable, and the corrective actions taken.
c- Operating logs for the day(s) during which the deviation occurred, except operating logs are not required for deviations of the work practice standards for equipment leaks.

iii- For each deviation from an emission limit or operating limit occurring at an affected source where the facility is using a CMS to comply with the emission limit, the facility must include the following:
a- The date and time that each CMS was inoperative, except for two zero (low-level) and high-level checks
b- The date, time, and duration that each CEMS was out of control, including the information in §63.8(c)(8)
c- The date and time that each deviation started and stopped, and whether each deviation occurred during a period of startup, shutdown, or malfunction or during another period
d- A summary of the total duration of the deviation during the reporting period, and the total duration as a percent of the total source operating time during that reporting period
e- A breakdown of the total duration of the deviations during the reporting period into those that are due to startup, shutdown, control equipment problems, process problems, other known causes, and other unknown causes
f- A summary of the total duration of CMS downtime during the reporting period, and the total duration of CMS downtime as a percent of the total source operating time during that reporting period
g- An identification of each HAP that is known to be in the emission stream or wastewater stream, as applicable
h- A description of the product being produced
i- Identification of the CMS
j- The date of the latest CMS certification of audit
k- The operating day or operating block average values of monitored parameters for each day(s) during which the deviation occurred

7) If the facility uses a CEMS, and there were no periods during which it was out-of-control as specified in §63.8(c)(7), include a statement that there were no periods during which the CEMS was out-of-control during the reporting period.

8) Except as specified below, whenever the facility changes any of the information submitted in either the notification of compliance status report or any previously reported change to the notification of compliance status report, the facility must document the change in the compliance report. The notification must include all of the following information:

- Revisions to any of the information reported in the original notification of compliance status report under §63.8075(d)
- Information required by the notification of compliance status report under §63.8075(d) for changes involving the addition of processes or equipment at the affected source

The facility must submit a report 60 days before the scheduled implementation date of any of the changes identified below:

- Any change to the information contained in either the precompliance report or any previously reported change to the precompliance report.
- A change in the status of a control device from small to large.
- A change in compliance status.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2015.
Subsequent reports are due every 6 calendar month(s).

STATE ONLY ENFORCEABLE CONDITIONS
****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS
This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: **Public Access to Recordkeeping for Facilities With State Facility Permits - 6 NYCRR 201-1.10 (a)**
Where facility owners and/or operators keep records pursuant to compliance with the requirements of 6 NYCRR Subpart 201-5.4, and/or the emission capping requirements of 6 NYCRR Subpart 201-7, the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Facility owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department.

Item B: **General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5**
Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS
The following conditions are state only enforceable.

Condition 28: **Contaminant List**
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable State Requirement:ECL 19-0301

Item 28.1:
Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY100-00-0
Name: TOTAL HAP

Condition 29: Malfunctions and start-up/shutdown activities
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable State Requirement:6 NYCRR 201-1.4

Item 29.1:
(a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.

(b) The facility owner or operator shall compile and maintain records of all equipment malfunctions, maintenance, or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when requested to do so, or when so required by a condition of a permit issued for the corresponding air contamination source. Such reports shall state whether any violations occurred and, if so, whether they were unavoidable, include the time, frequency and duration of the maintenance and/or start-up/shutdown activities, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous stack monitoring and quarterly reporting requirements need not submit additional reports for equipment maintenance or start-up/shutdown activities for the facility to the department.

(c) In the event that emissions of air contaminants in excess of any emission standard in this Subchapter occur due to a malfunction, the facility owner or operator shall compile and maintain records of the malfunction and notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates.

(d) The department may also require the owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions.

(e) A violation of any applicable emission standard resulting from start-up, shutdown, or malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

Condition 30: Emission Unit Definition
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable State Requirement:6 NYCRR Subpart 201-5

Item 30.1:
The facility is authorized to perform regulated processes under this permit for:
Emission Unit: 2-TANKS
Emission Unit Description:
This emission unit includes eight proposed vertical solvent storage tanks (TNK14, TNK15, TNK16, TNK17, TNK18, TNK19, TNK20, and TNK21) that will operate with nitrogen blankets and be equipped with conservation vents. TNK14 (9,550 gallons), TNK17 (8,000 gallons), TNK19 (8,000 gallons) and TNK20 (8,000 gallons) will be used to store solvents that contain HAP. Due to the tanks' anticipated predominant use, they will be regulated under the MCM NESHAP and meet the definition of Group 2 Storage tank. TNK15 (9,550 gallons), TNK16 (8,000 gallons), TNK18 (8,000 gallons)and TNK21 (8,000 gallons) will be used to store solvents that do not contain HAP and, therefore, will not be regulated under a NESHAP.

Building(s): TANKFARM

Condition 31: Renewal deadlines for state facility permits
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable State Requirement:6 NYCRR 201-5.2 (c)

Item 31.1:
The owner or operator of a facility having an issued state facility permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Condition 32: Compliance Demonstration
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable State Requirement:6 NYCRR 201-5.3 (c)

Item 32.1:
The Compliance Demonstration activity will be performed for the Facility.

Item 32.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
Any reports or submissions required by this permit shall be submitted to the Regional Air Pollution Control Engineer (RAPCE) at the following address:

Division of Air Resources
NYS Dept. of Environmental Conservation
Region 4
1130 N. Westcott Rd.
Schenectady, NY 12306

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2015.
Subsequent reports are due every 6 calendar month(s).

Condition 33: Visible Emissions Limited
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable State Requirement:6 NYCRR 211.2

Item 33.1:
Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

****** Emission Unit Level ******

Condition 34: Emission Point Definition By Emission Unit
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable State Requirement:6 NYCRR Subpart 201-5

Item 34.1:
The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 2-TANKS

Emission Point: 12165
Height (ft.): 20 Diameter (in.): 2
NYTMN (km.): 4739.514 NYTME (km.): 583.101 Building: TANKFARM

Emission Point: 12166
Height (ft.): 20 Diameter (in.): 2
NYTMN (km.): 4739.514 NYTME (km.): 583.101 Building: TANKFARM

Emission Point: 12167
Height (ft.): 20 Diameter (in.): 2
NYTMN (km.): 4739.514 NYTME (km.): 583.101 Building: TANKFARM

Emission Point: 12168
Height (ft.): 20 Diameter (in.): 2
NYTMN (km.): 4739.514 NYTME (km.): 583.101 Building: TANKFARM

Emission Point: 12169
Height (ft.): 20 Diameter (in.): 2
NYTMN (km.): 4739.514 NYTME (km.): 583.101 Building: TANKFARM

Emission Point: 12170
Height (ft.): 20 Diameter (in.): 2
NYTMN (km.): 4739.514 NYTME (km.): 583.101 Building: TANKFARM

Emission Point: 12171
Height (ft.): 20 Diameter (in.): 2
NYTMN (km.): 4739.514 NYTME (km.): 583.101 Building: TANKFARM

Emission Point: 12172
Height (ft.): 20 Diameter (in.): 2
NYTMN (km.): 4739.514 NYTME (km.): 583.101 Building: TANKFARM

Condition 35: Process Definition By Emission Unit
Effective between the dates of 01/01/2015 and 12/31/2024

Applicable State Requirement:6 NYCRR Subpart 201-5

Item 35.1:
This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 2-TANKS
Process: TK3 Source Classification Code: 4-07-999-97
Process Description:
Vertical storage tanks containing HAP and subject to the MCM or MON regulation, to be determined based on predominant use.

Emission Source/Control: CV014 - Control
Control Type: CONSERVATION VENT

Emission Source/Control: CV017 - Control
Control Type: CONSERVATION VENT

Emission Source/Control: CV019 - Control
Control Type: CONSERVATION VENT

Emission Source/Control: CV020 - Control
Control Type: CONSERVATION VENT

Emission Source/Control: TNK14 - Process
Design Capacity: 9,550 gallons

Emission Source/Control: TNK17 - Process
Design Capacity: 8,000 gallons

Emission Source/Control: TNK19 - Process
Design Capacity: 8,000 gallons

Emission Source/Control: TNK20 - Process
Design Capacity: 8,000 gallons

Item 35.2:
This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 2-TANKS
Process: TK4 Source Classification Code: 4-07-999-97
Process Description: Vertical storage tanks containing VOC (no HAP)

Emission Source/Control: CV015 - Control
Control Type: CONSERVATION VENT

Emission Source/Control: CV016 - Control
Control Type: CONSERVATION VENT

Emission Source/Control: CV018 - Control
Control Type: CONSERVATION VENT

Emission Source/Control: CV021 - Control
Control Type: CONSERVATION VENT

Emission Source/Control: TNK15 - Process
Design Capacity: 9,550 gallons

Emission Source/Control: TNK16 - Process
Design Capacity: 8,000 gallons

Emission Source/Control: TNK18 - Process
Design Capacity: 8,000 gallons

Emission Source/Control: TNK21 - Process
Design Capacity: 8,000 gallons