



PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air Title V Facility
Permit ID: 5-1728-00005/00006
Effective Date: 07/13/2009 Expiration Date: 07/12/2014

Permit Issued To: FULTON COUNTY
COUNTY OFFICE BLDG
223 WEST MAIN ST
JOHNSTOWN, NY 12095

Contact: JEFFREY W BOUCHARD
FULTON COUNTY DEPT OF SOLID WASTE
847 MUD RD PO BOX 28
JOHNSTOWN, NY 12095-0028
(518) 736-5501

Facility: FULTON COUNTY MUD RD SANITARY LANDFILL
847 MUD RD (ST RTE 67)
JOHNSTOWN, NY 12095

Description:

The facility voluntarily operates a landfill gas collection and control system to combust landfill gas and destroy methane to reduce greenhouse gas emissions. Permitted emission units include 1-LFGAS. Existing permitted control devices include an active open utility flare and three (3) portable passive candlestick flares. Landfill gas will also be emitted as a fugitive emission, if it bypasses the landfill gas collection and control system. The County is in the process of the sale of its landfill gas for use as a fuel source for a separately owned and operated landfill gas to energy (LFGTE) facility. The LFGTE facility will be permitted under its own air facility permit. Once the LFGTE plant comes on line, the landfill's control devices are expected to be used as backup control devices only, as all landfill gas collected will be sold to the LFGTE facility.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: MARC S MIGLIORE
NYSDEC
232 GOLF COURSE RD PO BOX 220
WARRENSBURG, NY 12885-0220

Authorized Signature: _____ Date: ___ / ___ / ____



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

General Provisions

Facility Inspection by the Department
Relationship of this Permit to Other Department Orders and
Determinations
Applications for permit renewals, modifications and transfers
Permit modifications, suspensions or revocations by the Department

Facility Level

Submission of application for permit modification or renewal-REGION 5
SUBOFFICE - WARRENSBURG



DEC GENERAL CONDITIONS

**** General Provisions ****

For the purpose of your Title V permit, the following section contains state-only enforceable terms and conditions.

GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department

Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations

Applicable State Requirement: ECL 3-0301.2(m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for permit renewals, modifications and transfers

Applicable State Requirement: 6NYCRR 621.11

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 3.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.



Condition 4: Permit modifications, suspensions or revocations by the Department
Applicable State Requirement: 6NYCRR 621.13

Item 4.1:

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

****** Facility Level ******

Condition 5: Submission of application for permit modification or renewal-REGION 5
SUBOFFICE - WARRENSBURG
Applicable State Requirement: 6NYCRR 621.6(a)

Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator
Region 5 Sub-office
Division of Environmental Permits
232 Golf Course Road, PO Box 220
Warrensburg, NY 12885-0220
(518) 623-1281



Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - TITLE V PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: FULTON COUNTY
COUNTY OFFICE BLDG
223 WEST MAIN ST
JOHNSTOWN, NY 12095

Facility: FULTON COUNTY MUD RD SANITARY LANDFILL
847 MUD RD (ST RTE 67)
JOHNSTOWN, NY 12095

Authorized Activity By Standard Industrial Classification Code:
4953 - REFUSE SYSTEMS

Permit Effective Date: 07/13/2009

Permit Expiration Date: 07/12/2014



LIST OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS

Facility Level

- 1 6NYCRR 200.6: Acceptable Ambient Air Quality
- 2 6NYCRR 201-6.5(a)(7): Fees
- 3 6NYCRR 201-6.5(c): Recordkeeping and reporting of compliance monitoring
- 4 6NYCRR 201-6.5(c)(2): Monitoring, Related Recordkeeping, and Reporting Requirements.
- 5 6NYCRR 201-6.5(c)(3)(ii): Compliance Certification
- 6 6NYCRR 202-2.1: Compliance Certification
- 7 6NYCRR 202-2.5: Recordkeeping requirements
- 8 6NYCRR 215: Open Fires Prohibited at Industrial and Commercial Sites
- 9 6NYCRR 200.7: Maintenance of Equipment
- 10 6NYCRR 201-1.7: Recycling and Salvage
- 11 6NYCRR 201-1.8: Prohibition of Reintroduction of Collected Contaminants to the air
- 12 6NYCRR 201-3.2(a): Exempt Sources - Proof of Eligibility
- 13 6NYCRR 201-3.3(a): Trivial Sources - Proof of Eligibility
- 14 6NYCRR 201-6.5(a)(4): Standard Requirement - Provide Information
- 15 6NYCRR 201-6.5(a)(8): General Condition - Right to Inspect
- 16 6NYCRR 201-6.5(d)(5): Standard Requirements - Progress Reports
- 17 6NYCRR 201-6.5(f)(6): Off Permit Changes
- 18 6NYCRR 202-1.1: Required Emissions Tests
- 19 6NYCRR 211.3: Visible Emissions Limited
- 20 40CFR 68: Accidental release provisions.
- 21 40CFR 82, Subpart F: Recycling and Emissions Reduction
- 22 6NYCRR 201-6: Emission Unit Definition
- 23 6NYCRR 201-6.5(e): Compliance Certification
- 24 6NYCRR 208.9(a): Compliance Certification
- 25 40CFR 60.4, NSPS Subpart A: EPA Region 2 address.
- 26 40CFR 60.7(b), NSPS Subpart A: Recordkeeping requirements.
- 27 40CFR 60.7(f), NSPS Subpart A: Facility files for subject sources.
- 28 40CFR 60.9, NSPS Subpart A: Availability of information.
- 29 40CFR 60.11(d), NSPS Subpart A: Compliance with Standards and Maintenance Requirements
- 30 40CFR 60.12, NSPS Subpart A: Circumvention.
- 31 40CFR 60.752(b)(1), NSPS Subpart WWW: Standards for air emissions from MSW landfills
- 32 40CFR 60.754(a)(1), NSPS Subpart WWW: Calculation of Non-Methane Organic Carbon (NMOC) Emissions
- 33 40CFR 60.754(a)(2), NSPS Subpart WWW: NMOC Calculation - Tier 1
- 34 40CFR 60.754(a)(3), NSPS Subpart WWW: NMOC Calculation - Tier 2
- 35 40CFR 60.754(a)(4), NSPS Subpart WWW: NMOC Calculation - Tier 3
- 36 40CFR 60.754(a)(5), NSPS Subpart WWW: NMOC Calculation - Alternative Methods
- 37 40CFR 60.757(b), NSPS Subpart WWW: Reporting requirements - NMOC emission rate
- 38 40CFR 60.757(c), NSPS Subpart WWW: Reporting Requirements - Collection and Control System Design Plan
- 39 40CFR 61.154, NESHAP Subpart M: Asbestos-containing waste material



standard for active waste disposal sites

Emission Unit Level

40 6NYCRR 201-6: Emission Point Definition By Emission Unit

41 6NYCRR 201-6: Process Definition By Emission Unit

EU=1-LFGAS

42 40CFR 60.7(a), NSPS Subpart A: Date of construction notification -
If a COM is not used.

EU=1-LFGAS,Proc=001

43 6NYCRR 212.6(a): Compliance Certification

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

44 ECL 19-0301: Contaminant List

45 6NYCRR 201-1.4: Unavoidable noncompliance and violations

46 6NYCRR 211.2: Air pollution prohibited



FEDERALLY ENFORCEABLE CONDITIONS

****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

The items listed below are not subject to the annual compliance certification requirements under Title V. Permittees may also have other obligations under regulations of general applicability.

Item A: Emergency Defense - 6NYCRR Part 201-1.5

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) An emergency occurred and that the facility owner and/or

operator can identify the cause(s) of the emergency;

(2) The equipment at the permitted facility causing the emergency was at the time being properly operated;

(3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) The facility owner and/or operator notified the Department

within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item B: Public Access to Recordkeeping for Title V Facilities - 6NYCRR Part 201-1.10(b)

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.



- Item C: Timely Application for the Renewal of Title V Permits - 6 NYCRR Part 201-6.3(a)(4)**
Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.
- Item D: Certification by a Responsible Official - 6 NYCRR Part 201-6.3(d)(12)**
Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- Item E: Requirement to Comply With All Conditions - 6 NYCRR Part 201-6.5(a)(2)**
The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.
- Item F: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR Part 201-6.5(a)(3)**
This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.
- Item G: Cessation or Reduction of Permitted Activity Not a Defense - 6 NYCRR Part 201-6.5(a)(5)**
It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.
- Item H: Property Rights - 6 NYCRR Part 201-6.5(a)(6)**
This permit does not convey any property rights of any sort or any exclusive privilege.
- Item I: Severability - 6 NYCRR Part 201-6.5(a)(9)**



If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Item J: Permit Shield - 6 NYCRR Part 201-6.5(g)

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii. The applicable requirements of Title IV of the Act;
- iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Item K: Reopening for Cause - 6 NYCRR Part 201-6.5(i)

This Title V permit shall be reopened and revised under any of the following circumstances:

- i. If additional applicable requirements under the Act become applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the



effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.

ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

Item L: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.



(ii) The date(s) analyses were performed;

(iii) The company or entity that performed the analyses;

(iv) The analytical techniques or methods used including quality assurance and quality control procedures if required;

(v) The results of such analyses including quality assurance data where required; and

(vi) The operating conditions as existing at the time of sampling or measurement.

Any deviation from permit requirements must be clearly identified in all records and reports. Reports must be certified by a responsible official, consistent with Section 201-6.3 of this Part 201.

Condition 4: Monitoring, Related Recordkeeping, and Reporting Requirements.

Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement: 6NYCRR 201-6.5(c)(2)

Item 4.1:

Compliance monitoring and recordkeeping shall be conducted according to the terms and conditions contained in this permit and shall follow all quality assurance requirements found in applicable regulations. Records of all monitoring data and support information must be retained for a period of at least 5 years from the date of the monitoring, sampling, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

Condition 5: Compliance Certification

Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement: 6NYCRR 201-6.5(c)(3)(ii)

Item 5.1:

The Compliance Certification activity will be performed for the Facility.

Item 5.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

To meet the requirements of this facility permit with respect to reporting, the permittee must:

Submit reports of any required monitoring at a minimum frequency of every 6 months, based on a calendar year reporting schedule. These reports shall be submitted to the Department within 30 days after the end of a reporting period. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by the responsible



official for this facility.

Notify the Department and report permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken. Where the underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations shall be submitted to the permitting authority based on the following schedule:

(1) For emissions of a hazardous air pollutant (as identified in an applicable regulation) that continue for more than an hour in excess of permit requirements, the report must be made within 24 hours of the occurrence.

(2) For emissions of any regulated air pollutant, excluding those listed in paragraph (1) of this section, that continue for more than two hours in excess of permit requirements, the report must be made within 48 hours.

(3) For all other deviations from permit requirements, the report shall be contained in the 6 month monitoring report required above.

(4) This permit may contain a more stringent reporting requirement than required by paragraphs (1), (2) or (3) above. If more stringent reporting requirements have been placed in this permit or exist in applicable requirements that apply to this facility, the more stringent reporting requirement shall apply.

If above paragraphs (1) or (2) are met, the source must notify the permitting authority by telephone during normal business hours at the Regional Office of jurisdiction for this permit, attention Regional Air Pollution Control Engineer (RAPCE) according to the timetable listed in paragraphs (1) and (2) of this section. For deviations and incidences that must be reported outside of normal business hours, on weekends, or holidays, the DEC Spill Hotline phone number at 1-800-457-7362 shall be used. A written notice, certified by a responsible official consistent with 6 NYCRR Part 201-6.3(d)(12), must be submitted within 10 working days of an occurrence for deviations reported under (1) and (2). All deviations reported under paragraphs (1) and (2) of this section must also be identified in the 6 month monitoring report required above.



The provisions of 6 NYCRR 201-1.4 shall apply if the permittee seeks to have a violation excused unless otherwise limited by regulation. In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets. Notwithstanding any recordkeeping and reporting requirements in 6 NYCRR 201-1.4, reports of any deviations shall not be on a less frequent basis than the reporting periods described in paragraphs (1) and (4) above.

In the case of any condition contained in this permit with a reporting requirement of "Upon request by regulatory agency" the permittee shall include in the semiannual report, a statement for each such condition that the monitoring or recordkeeping was performed as required or requested and a listing of all instances of deviations from these requirements.

In the case of any emission testing performed during the previous six month reporting period, either due to a request by the Department, EPA, or a regulatory requirement, the permittee shall include in the semiannual report a summary of the testing results and shall indicate whether or not the Department or EPA has approved the results.

All semiannual reports shall be submitted to the Administrator (or his or her representative) as well as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office). Mailing addresses for the above referenced persons are contained in the monitoring condition for 6 NYCRR Part 201-6.5(e), contained elsewhere in this permit.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.

Subsequent reports are due every 6 calendar month(s).

Condition 6: Compliance Certification
Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement:6NYCRR 202-2.1

Item 6.1:



The Compliance Certification activity will be performed for the Facility.

Item 6.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year.

Monitoring Frequency: ANNUALLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due by April 15th for previous calendar year

Condition 7: Recordkeeping requirements
Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement:6NYCRR 202-2.5

Item 7.1:

(a) The following records shall be maintained for at least five years:

- (1) a copy of each emission statement submitted to the department; and
- (2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.

(b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.

Condition 8: Open Fires Prohibited at Industrial and Commercial Sites
Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement:6NYCRR 215

Item 8.1:

No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, refuse, rubbish for salvage, or rubbish generated by industrial or commercial activities.

MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS
SUBJECT TO ANNUAL CERTIFICATIONS ONLY IF APPLICABLE

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements only if effectuated during the reporting period.

[NOTE: The corresponding annual compliance certification for those conditions not effectuated during the reporting period shall be specified as "not applicable".]

Condition 9: Maintenance of Equipment



least semiannually, or at a more frequent period if specified in the applicable requirement or by the department. Such progress reports shall contain the following:

(i) dates for achieving the activities, milestones, or compliance required in the schedule of compliance, and dates when such activities, milestones or compliance were achieved; and

(ii) an explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

Condition 17: Off Permit Changes

Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement:6NYCRR 201-6.5(f)(6)

Item 17.1:

No permit revision will be required for operating changes that contravene an express permit term, provided that such changes would not violate applicable requirements as defined under this Part or contravene federally enforceable monitoring (including test methods), recordkeeping, reporting, or compliance certification permit terms and conditions. Such changes may be made without requiring a permit revision, if the changes are not modifications under any provision of title I of the act and the changes do not exceed the emissions allowable under the permit (whether expressed therein as a rate of emissions or in terms of total emissions) provided that the facility provides the administrator and the department with written notification as required below in advance of the proposed changes within a minimum of seven days. The facility owner or operator, and the department shall attach each such notice to their copy of the relevant permit.

(i) For each such change, the written notification required above shall include a brief description of the change within the permitted facility, the date on which the change will occur, any change in emissions, and any permit term or condition that is no longer applicable as a result of the change.

(ii) The permit shield described in section 6 NYCRR 201-6.6 shall not apply to any change made pursuant to this paragraph.

Condition 18: Required Emissions Tests

Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement:6NYCRR 202-1.1

Item 18.1:

For the purpose of ascertaining compliance or non-compliance with any air pollution control code, rule or regulation, the commissioner may require the person who owns such air contamination source to submit an acceptable report of measured emissions within a stated time. Such person shall bear the cost of measurement and preparing the report of measured emissions. Failure of such person to submit a report acceptable to the commissioner within the time stated shall be sufficient reason for the commissioner to suspend or deny a certificate to operate.

Condition 19: Visible Emissions Limited

Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement:6NYCRR 211.3

Item 19.1:



The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 1-LFGAS

Emission Unit Description:

This unit consists of landfilled waste generating landfill gas by decomposition. The emission unit consists of one (1) large active candlestick flare and three (3) small portable passive candlestick flares as defined emission points. Landfill gas will also be emitted as a fugitive emission, if it bypasses the landfill gas collection and control system. The County is in the process of the sale of its landfill gas for use as a fuel source for a separately owned and operated landfill gas to energy (LFGTE) facility. The LFGTE facility will be permitted under its own air facility permit. Once the LFGTE plant comes on line, the landfill's control devices are expected to be used as backup control devices only, as all landfill gas collected will be sold to the LFGTE facility.

Condition 23: Compliance Certification
Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement: 6NYCRR 201-6.5(e)

Item 23.1:

The Compliance Certification activity will be performed for the Facility.

Item 23.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Requirements for compliance certifications with terms and conditions contained in this facility permit include the following:

- i. Compliance certifications shall contain:
 - the identification of each term or condition of the permit that is the basis of the certification;
 - the compliance status;
 - whether compliance was continuous or intermittent;
 - the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
 - such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions;
 - and
 - such additional requirements as may be specified elsewhere in this permit related to compliance certification.



Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement:6NYCRR 208.9(a)

Item 24.1:

The Compliance Certification activity will be performed for the Facility.

Item 24.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Upon triggering 40 CFR 60.752(b)(1); Fulton County Mud Rd Sanitary Landfill shall keep for at least 7 years up-to-date, readily accessible, on-site records of the maximum design capacity report, the current amount of solid waste in-place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. Either paper copy or electronic formats are acceptable.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 25: EPA Region 2 address.

Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement:40CFR 60.4, NSPS Subpart A

Item 25.1:

All requests, reports, applications, submittals, and other communications to the Administrator pursuant to this part shall be submitted in duplicate to the following address:

Director, Division of Enforcement and Compliance Assistance
USEPA Region 2
290 Broadway, 21st Floor
New York, NY 10007-1886

Copies of all correspondence to the administrator pursuant to this part shall also be submitted to the NYSDEC Regional Office issuing this permit (see address at the beginning of this permit) and to the following address:

NYSDEC
Bureau of Quality Assurance
625 Broadway
Albany, NY 12233-3258

Condition 26: Recordkeeping requirements.

Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement:40CFR 60.7(b), NSPS Subpart A



limited to, the use of gaseous diluents to achieve compliance with an opacity standard or with a standard which is based on the concentration of a pollutant in the gases discharged to the atmosphere.

**Condition 31: Standards for air emissions from MSW landfills
Effective between the dates of 07/13/2009 and 07/12/2014**

Applicable Federal Requirement:40CFR 60.752(b)(1), NSPS Subpart

WWW

Item 31.1:

Owner or operator of a municipal solid waste (MSW) landfill having a design capacity equal to or greater than 2.5 million megagrams and 2.5 million cubic meters, shall either comply with 40 CFR Part 60.752(b)(2) or calculate a non-methane organic compound (NMOC) emission rate for the landfill using the procedures specified in 40 CFR Part 60.754. The NMOC emission rate shall be recalculated annually, except as provided in 40 CFR Part 60.757(b)(1)(ii).

1) If the calculated NMOC emission rate is less than 50 megagrams per year, the owner or operator shall:

i) Submit an annual emission report to the Administrator, except as provided for in 40 CFR Part 60.757(b)(1)(ii); and

ii) Recalculate the NMOC emission rate annually using the procedures specified in 40 CFR Part 60.754(a)(1) until such time as the calculated NMOC emission rate is equal to or greater than 50 megagrams per year. If upon recalculation the NMOC emission rate is equal to or greater than 50 megagrams per year, the owner or operator shall install a collection and control system in compliance with 40 CFR Part 60.752(b)(2).

**Condition 32: Calculation of Non-Methane Organic Carbon (NMOC) Emissions
Effective between the dates of 07/13/2009 and 07/12/2014**

Applicable Federal Requirement:40CFR 60.754(a)(1), NSPS Subpart

WWW

Item 32.1:

The landfill owner or operator shall calculate the NMOC emission rate using the equation provided below. The values to be used in the equation are 0.05 per year for k, 170 cubic meters per megagram for Lo and 4,000 parts per million by volume as hexane for CNMOC.

i) The following equation shall be used:

$$MNMOC = S \sum kLoMi(e^{-kti})(CNMOC)(3.6 \times 10^{-9})$$

where,

MNMOC = Total NMOC emission rate from the landfill,
megagrams per year

k = methane generation rate constant, year⁻¹

Lo = methane generation potential, cubic meters per megagram

solid waste

Mi = mass of solid waste in the ith section, megagrams

ti = age of the ith section, years



CNMOC = concentration of NMOC, parts per million by volume as
hexane
 3.6×10^{-9} = conversion factor.

The mass of the nondegradable waste may be subtracted from the total mass of solid waste in a particular section of the landfill when calculating the value for M_i if the documentation provisions of 40 CFR Part 60.758(d)(2) are followed.

Condition 33: NMOC Calculation - Tier 1
Effective between the dates of 07/13/2009 and 07/12/2014

**Applicable Federal Requirement: 40CFR 60.754(a)(2), NSPS Subpart
WWW**

Item 33.1:

The owner or operator shall compare the calculated NMOC mass emission rate to the standard of 50 megagrams per year.

1) If the NMOC mass emission rate calculated in 40 CFR Part 60.754(a)(1) is less than 50 megagrams per year, then the landfill owner shall submit a mass emission rate report as provided in 40 CFR Part 60.757(b)(1), and shall recalculate the NMOC mass emission rate annually as required under 40 CFR Part 60.752(b)(1).

2) If the calculated NMOC mass emission rate is equal to or greater than 50 megagrams per year, then the landfill owner shall either comply with 40 CFR Part 60.752(b)(2), or determine the site-specific NMOC concentration and recalculate the NMOC mass emission rate using the procedures provided in 40 CFR Part 60.754(a)(3).

Condition 34: NMOC Calculation - Tier 2
Effective between the dates of 07/13/2009 and 07/12/2014

**Applicable Federal Requirement: 40CFR 60.754(a)(3), NSPS Subpart
WWW**

Item 34.1:

The landfill owner or operator shall determine the NMOC concentration using the following sampling procedure. The landfill owner or operator shall install at least two sample probes per hectare of landfill surface that has retained waste for at least 2 years. If the landfill is larger than 25 hectares in area, only 50 samples are required. The sample probes should be located to avoid known areas of nondegradable solid waste. The owner or operator shall collect and analyze one sample of landfill gas from each probe to determine the NMOC concentration using either, Method 25 or 25C of 40 CFR Part 60 Appendix A. Method 18 of Appendix A may be used to analyze the samples collected by the Method 25 or 25C sampling procedure. Taking composite samples from different probes into a single cylinder is allowed; however, equal sample volumes must be taken from each probe. For each composite, the sampling rate, collection times, beginning and ending cylinder vacuums, or alternative volume measurements must be recorded to verify that composite volumes are equal. Composite sample volumes should not be less than one liter unless evidence can be provided to substantiate the accuracy of smaller volumes. Terminate compositing before the cylinder approaches ambient pressure where measurement accuracy diminishes. If using Method 18, the owner or operator must identify all compounds in the sample and, as a minimum, test for those compounds published in the most recent Compilation of Air Pollutant Emission Factors (AP-42), minus carbon monoxide, hydrogen



sulfide, and mercury. As a minimum, the instrument must be calibrated for each of the compounds on the list. Convert the concentration of each Method 18 compound to CNMOC as hexane by multiplying by the ratio of its carbon atoms divided by six. If more than the required number of samples are taken, all samples must be used in the analysis. The landfill owner or operator must divide the NMOC concentration from Method 25 or 25C of Appendix A of this part by six to convert from CNMOC as carbon to CNMOC as hexane. If the landfill has an active or passive gas removal system in place, Method 25 or 25C samples may be collected from these systems instead of surface probes provided the removal system can be shown to provide sampling as representative as the two sampling probe per hectare requirement. For active collection systems, samples may be collected from the common header pipe before the gas moving or condensate removal equipment. For these systems, a minimum of three samples must be collected from the header pipe.

1) The landfill owner or operator shall recalculate the NMOC mass emission rate using the equations provided in 40 CFR Part 60.754(a)(1)(i) or (ii) and using the average NMOC concentration from the collected samples instead of the default value in the equation provided in 40 CFR Part 60.754(a)(1).

2) If the resulting mass emission rate calculated using the site-specific NMOC concentration is equal to or greater than 50 megagrams per year, then the landfill owner or operator shall either comply with 40 CFR Part 60.752(b)(2), or determine the site-specific methane gas generation rate constant and recalculate the NMOC emission rate using the site-specific methane generation rate using the procedure specified in 40 CFR Part 60.754(a)(4).

3) If the resulting NMOC mass emission rate is less than 50 megagrams per year, the owner or operator shall submit a periodic estimate of the emission rate report as provided in 40 CFR Part 60.757(b)(1) and retest the site-specific NMOC concentration every 5 years using the methods specified in this condition.

Condition 35: NMOC Calculation - Tier 3
Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement: 40CFR 60.754(a)(4), NSPS Subpart

WWW

Item 35.1:

The site-specific methane generation rate constant shall be determined using the procedures provided in Method 2E of 40 CFR Part 60 Appendix A. The landfill owner or operator shall estimate the NMOC mass emission rate using equation in 40 CFR Part 60.754(a)(1)(i) and using the site-specific methane generation rate constant k , and the site-specific NMOC concentration as determined in 40 CFR Part 60.754(a)(3) instead of the default values provided in 40 CFR Part 60.754(a)(1). The landfill owner or operator shall compare the resulting NMOC mass emission rate to the standard of 50 megagrams per year.

i) If the NMOC mass emission rate as calculated using the site-specific methane generation rate and concentration of NMOC, is equal to or greater than 50 megagrams per year, the owner or operator shall comply with 40 CFR Part 60.752(b)(2).

ii) If the NMOC mass emission rate is less than 50 megagrams per year, then the owner or operator shall submit a periodic emission rate report as provided in 40 CFR Part 60.757(b)(1) and shall recalculate the NMOC mass emission rate annually, as provided in 40



CFR Part 60.757(b)(1) using the equation in 40 CFR Part 60.754(a)(1)(i) and using the site-specific methane generation rate constant and NMOC concentration obtained in 40 CFR Part 60.754(a)(3). The calculation of the methane generation rate constant is performed only once, and the value obtained from this test shall be used in all subsequent annual NMOC emission rate calculations.

Condition 36: NMOC Calculation - Alternative Methods
Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement: 40CFR 60.754(a)(5), NSPS Subpart

WWW

Item 36.1:

The owner or operator may use other methods to determine the NMOC concentration or a site-specific methane generation rate constant as an alternative to the methods required in 40 CFR Part 60.754(a)(3) and (a)(4) if the method has been approved by the Administrator.

Condition 37: Reporting requirements - NMOC emission rate
Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement: 40CFR 60.757(b), NSPS Subpart

WWW

Item 37.1:

Owner or operator shall submit an NMOC emission rate report to the Administrator initially and annually thereafter, except as provided in (1)(ii) or (3) below. The Administrator may request such additional information as may be necessary to verify the reported NMOC emission rate.

1) The NMOC emission rate report shall contain an annual or 5-year estimate of the NMOC emission rate, calculated using the formula and procedures provided in 40 CFR Part 60.754(a) or (b), as applicable.

i) The initial NMOC emission rate report may be combined with the initial design capacity report required by 40 CFR Part 60.757(a) and shall be submitted no later than 90 days after the date of commenced construction. Subsequent NMOC emission rate reports shall be submitted annually thereafter, except as provided for in (1)(ii) and (3) below.

ii) If the estimated NMOC emission rate as reported in the annual report to the Administrator is less than 50 megagrams per year in each of the next 5 consecutive years, the owner or operator may elect to submit an estimate of the NMOC emission rate for the next 5-year period in lieu of the annual report. This estimate shall include the current amount of solid waste-in-place and the estimated waste acceptance rate for each year of the 5 years for which an NMOC emission rate is estimated. All data and calculations upon which this estimate is based shall be provided to the Administrator. This estimate shall be revised at least once every 5 years. If the actual waste acceptance rate exceeds the estimated waste acceptance rate in any year reported in the 5-year estimate, a revised 5-year estimate shall be submitted to the Administrator. The revised estimate shall cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate.

2) The NMOC emission rate report shall include all data, calculations, sample reports and measurements used to estimate the annual or 5-year emissions.



3) Owner or operator is exempted from the requirements in paragraphs (1) and (2) above, after installation of a collection and control system in compliance with 40 CFR Part 60.752(b)(2), during such time as the collection and control system is in operation and in compliance with 40 CFR Part 60.753 and Part 60.755

Condition 38: Reporting Requirements - Collection and Control System Design Plan
Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement:40CFR 60.757(c), NSPS Subpart

WWW

Item 38.1:

Each owner or operator subject to the provisions of 40 CFR Part 60.752(b)(2)(i) shall submit a collection and control system design plan to the Administrator within 1 year of the first report, required under 40 CFR Part 60.757(b), in which the emission rate exceeds 50 megagrams per year, except as follows:

(1) If the owner or operator elects to recalculate the NMOC emission rate after Tier 2 NMOC sampling and analysis as provided in 40 CFR Part 60.754(a)(3) and the resulting rate is less than 50 megagrams per year, annual periodic reporting shall be resumed, using the Tier 2 determined site-specific NMOC concentration, until the calculated emission rate is equal to or greater than 50 megagrams per year or the landfill is closed. The revised NMOC emission rate report, with the recalculated emission rate based on NMOC sampling and analysis, shall be submitted within 180 days of the first calculated exceedance of 50 megagrams per year.

(2) If the owner or operator elects to recalculate the NMOC emission rate after determining a site-specific methane generation rate constant (k), as provided in Tier 3 in 40 CFR Part 60.754(a)(4), and the resulting NMOC emission rate is less than 50 Mg/yr, annual periodic reporting shall be resumed. The resulting site-specific methane generation rate constant (k) shall be used in the emission rate calculation until such time as the emissions rate calculation results in an exceedance. The revised NMOC emission rate report based on the provisions of 40 CFR Part 60.754(a)(4) and the resulting site-specific methane generation rate constant (k) shall be submitted to the Administrator within 1 year of the first calculated emission rate exceeding 50 megagrams per year.

Condition 39: Asbestos-containing waste material standard for active waste disposal sites
Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement:40CFR 61.154, NESHAP Subpart M

Item 39.1:

Owner or operator shall comply with the requirements of 40 CFR Part 61.154 when accepting asbestos-containing waste material from any source required to comply with 40 CFR Part 61.149, 61.150, or 61.155.

****** Emission Unit Level ******

Condition 40: Emission Point Definition By Emission Unit
Effective between the dates of 07/13/2009 and 07/12/2014



Applicable Federal Requirement:6NYCRR 201-6

Item 40.1:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 1-LFGAS

Emission Point: 00002

Height (ft.): 10 Diameter (in.): 8
NYTMN (km.): 4762.311 NYTME (km.): 542.811

Emission Point: 00003

Height (ft.): 10 Diameter (in.): 8
NYTMN (km.): 4762.243 NYTME (km.): 542.724

Emission Point: 00004

Height (ft.): 10 Diameter (in.): 8
NYTMN (km.): 4762.319 NYTME (km.): 542.755

Emission Point: 0001A

Height (ft.): 24 Diameter (in.): 8
NYTMN (km.): 4762.266 NYTME (km.): 542.851

Condition 41: Process Definition By Emission Unit
Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement:6NYCRR 201-6

Item 41.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 1-LFGAS

Process: 001

Source Classification Code: 5-01-004-10

Process Description:

This process consists of landfilled waste generating landfill gas by decomposition and the collection and control of landfill gas emissions by flaring. The County is currently in negotiations for the sale of its landfill gas to a landfill gas to energy (LFGTE) facility. The separately owned and operated facility will use landfill gas generated at the landfill as a fuel source for internal combustion engine generators used for power generation. Once the LFGTE plant comes online, the landfill's flares will be used as backup control devices only.

Emission Source/Control: F0001 - Control

Control Type: FLARING

Emission Source/Control: F0002 - Control

Control Type: FLARING



Emission Source/Control: F0003 - Control
Control Type: FLARING

Emission Source/Control: F0004 - Control
Control Type: FLARING

Emission Source/Control: LFGFE - Process
Design Capacity: 6.085 Megagrams (10**6 grams)

Item 41.2:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 1-LFGAS
Process: 002 Source Classification Code: 5-01-004-02

Process Description:

This process consists of landfill gas by decomposition and the fugitive emission of landfill gas to the atmosphere.

Emission Source/Control: LFGFE - Process
Design Capacity: 6.085 Megagrams (10**6 grams)

**Condition 42: Date of construction notification - If a COM is not used.
Effective between the dates of 07/13/2009 and 07/12/2014**

Applicable Federal Requirement:40CFR 60.7(a), NSPS Subpart A

Item 42.1:

This Condition applies to Emission Unit: 1-LFGAS

Item 42.2:

Any owner or operator subject to this part shall furnish the Administrator with the following information:

- 1) a notification of the date construction or reconstruction commenced, post marked no later than 30 days after such date;
- 3) a notification of the actual date of initial start up, post marked within 15 days after such date;
- 4) a notification of any physical or operational change to an existing facility which may increase the emission rate of any air pollutant to which a standard applies, unless the change is specifically exempted under this part. The notice shall be post marked 60 days or as soon as practicable before the change is commenced and shall include information describing the precise nature of the change, present and proposed emission control systems, productive capability of the facility before and after the change, and the expected completion date of the change. The Administrator may request additional information regarding the change;
- 5) a notification of the date upon which the demonstration of continuous monitoring system performance commences, post marked not less than 30 days prior to such date;



6) a notification of the anticipated date for conducting the opacity observations, post marked not less than 30 days prior to such date.

Condition 43: Compliance Certification
Effective between the dates of 07/13/2009 and 07/12/2014

Applicable Federal Requirement: 6NYCRR 212.6(a)

Item 43.1:

The Compliance Certification activity will be performed for:

Emission Unit: 1-LFGAS
Process: 001

Item 43.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

No person shall cause or allow emissions having an average opacity during any six consecutive minutes of 20 percent or greater from any process emission source, except only the emission of uncombined water. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation at any time during facility operation.

The permittee will conduct observations of visible emissions from the emission unit, process, etc. to which this condition applies at the monitoring frequency stated below while the process is in operation. The permittee will investigate, in a timely manner, any instance where there is cause to believe that visible emissions have the potential to exceed the opacity standard.

The permittee shall investigate the cause, make any necessary corrections, and verify that the excess visible emissions problem has been corrected. If visible emissions with the potential to exceed the standard continue, the permittee will conduct a Method 9 assessment within the next operating day of the sources associated with the potential noncompliance to determine the degree of opacity and will notify the NYSDEC if the method 9 test indicates that the opacity standard is not met.

Records of visible emissions observations (or any follow-up method 9 tests), investigations and corrective actions will be kept on-site. Should the Department determine that permittee's record keeping format is inadequate to demonstrate compliance with this condition, it shall provide written notice to the permittee stating the inadequacies, and permittee shall have 90 days to



revise its prospective record keeping format in a manner acceptable to the Department.

Monitoring Frequency: WEEKLY

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION



STATE ONLY ENFORCEABLE CONDITIONS

****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state applicable requirements and are not subject to compliance certification requirements unless otherwise noted or required under 6 NYCRR Part 201.

Condition 44: Contaminant List
Effective between the dates of 07/13/2009 and 07/12/2014

Applicable State Requirement:ECL 19-0301

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

No contaminants.

Condition 45: Unavoidable noncompliance and violations
Effective between the dates of 07/13/2009 and 07/12/2014



Applicable State Requirement:6NYCRR 201-1.4

Item 45.1:

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

(a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit issued for the corresponding air contamination source except where conditions elsewhere in this permit which contain more stringent reporting and notification provisions for an applicable requirement, in which case they supercede those stated here. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.

(b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates. These reporting requirements are superceded by conditions elsewhere in this permit which contain reporting and notification provisions for applicable requirements more stringent than those above.

(c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air contaminants emitted.

(d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

(e) In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

Condition 46: Air pollution prohibited
Effective between the dates of 07/13/2009 and 07/12/2014



Applicable State Requirement:6NYCRR 211.2

Item 46.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

New York State Department of Environmental Conservation

Permit ID: 5-1728-00005/00006

Facility DEC ID: 5172800005

