

New York State Department of Environmental Conservation
Facility DEC ID: 5522400010



PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air State Facility
Permit ID: 5-5224-00010/00013
Mod 0 Effective Date: 08/06/1998 Expiration Date: No expiration date.
Mod 1 Effective Date: 04/01/2003 Expiration Date: No expiration date.
Mod 2 Effective Date: 06/19/2006 Expiration Date: No expiration date.

Permit Issued To: PECKHAM MATERIALS CORP
20 HAARLEM AVE
WHITE PLAINS, NY 10603-2223

Contact: ROBERT YAREMKO
PECKHAM MATERIALS CORP
20 HAARLEM AVE
WHITE PLAINS, NY 10603
(914) 949-2000

Facility: PECKHAM CHESTERTOWN PLT
RT 9
CHESTERTOWN, NY 12817

Description:

Peckham Materials Corporation's Chestertown Plant is a manufacturer of crushed stone, sand, and hot mix asphalt (HMA). The plant is located in the Town of Chester, Warren County. At the facility, stone is quarried and processed (crushed and screened) to produce construction aggregate and sand. The construction aggregate and sand is either stored on site in stockpiles for later use or is loaded directly into trucks. In addition to the quarry, there are two HMA plants located at the facility where liquid asphalt, various sizes of aggregate, sand and possibly reclaimed HMA (RAP) are heated in a rotary dryer and then blended to produce HMA. The HMA is transferred to storage silos or loaded directly into trucks. The rotary dryer can be fired with #2 fuel oil, #4 fuel oil or on-specification waste oil (i.e. Waste Fuel A). Particulate emissions from the rotary dryer are controlled by the baghouse.

This facility contains a 360 tph Batch HMA plant and a 325 tph Drum HMA plant (EU/Process 0-AS100/AS1 and EU/Process 0-AS200/AS2, respectively) which are both subject to New Source Performance Standards (NSPS). Non-NSPS crushing and screening sources include: two secondary crushers, one double deck screen, two triple deck screens, nine 24" conveyors, and nine 30" conveyors (EU/Process 0-ST100/ST1). NSPS crushing and screening sources include: one primary crusher, one secondary crusher, two triple deck screens, two 24" conveyors, six 36" conveyors and two 42" conveyors (EU/Process 0-ST100/ST2). In addition, there are three generators associated with this facility (EU/Process 0-GN100/GN1, 0-GN200/GN2 and 0-GN300/GN3).

New York State Department of Environmental Conservation
Facility DEC ID: 5522400010



Sources at this facility are regulated primarily under 40CFR 60 Parts A, I and OOO, as well as 6NYCRR Parts 200, 201, 202, 211, 212, 215, 227 and Subpart 225-1 and 2. Caps on fuel usage, asphalt and aggregate production will allow the facility to cap out of Title V permitting requirements contained in Subpart 201-6 of 6NYCRR 201, as well as Reasonably Available Control Technology (RACT) requirements for oxides of nitrogen (NOx) contained in 6NYCRR 212 and 227-2. The fuel usage, asphalt and aggregate production caps are 251, 728 gallons/year, 400, 000 tons/year and 1, 824,760 tons/year, respectively. These caps limit PM-10, NOx, CO and SO2 emissions to 91, 96.4, 95.9 and 66.7 tons/year, respectively, below major source thresholds.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: WALTER L HAYNES
 DIVISION OF ENVIRONMENTAL PERMITS
 232 GOLF COURSE RD PO BOX 220
 WARRENSBURG, NY 12885-0220

Authorized Signature: _____ Date: ____ / ____ / ____



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

General Provisions

Facility Inspection by the Department

Facility Inspection by the Department

Relationship of this Permit to Other Department Orders and Determinations

Applications for Permit Renewals and Modifications

Applications for Permit Renewals and Modifications

Permit Modifications, Suspensions and Revocations by the Department

Permit Modifications, Suspensions, and Revocations by the Department

Facility Level

Submission of Applications for Permit Modification or Renewal -REGION 5
SUBOFFICE

Submission of Applications for Permit Modification or Renewal -REGION 5
SUBOFFICE



DEC GENERAL CONDITIONS
****** General Provisions ******
GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1-2: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305

Item 1-2.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1-2.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1-2.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 3-0301.2(g)

Expired by Mod No: 1

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when written or verbal notification is provided by the Department at least 24 hours prior to such inspection.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations
Applicable State Requirement: ECL 3-0301.2(m)

Item 2.1:



New York State Department of Environmental Conservation
Facility DEC ID: 5522400010

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 1-1: Applications for Permit Renewals and Modifications
Applicable State Requirement: 6NYCRR 621.13

Item 1-1.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 1-1.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 1-1.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Condition 3: Applications for Permit Renewals and Modifications
Applicable State Requirement: 6NYCRR 621.13(a)

Expired by Mod No: 1

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Condition 1-3: Permit Modifications, Suspensions and Revocations by the Department
Applicable State Requirement: 6NYCRR 621.14

Item 1-3.1:

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions,



New York State Department of Environmental Conservation
Facility DEC ID: 5522400010

relevant technology or applicable law or regulations since the issuance of the existing permit;
e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

Condition 4: Permit Modifications, Suspensions, and Revocations by the Department
Applicable State Requirement: 6NYCRR 621.14

Expired by Mod No: 1

Item 4.1:

The Department reserves the right to modify, suspend, or revoke this permit. The grounds for modification, suspension or revocation include:

- a) the scope of the permitted activity is exceeded or a violation of any condition of the permit or provisions of the ECL and pertinent regulations is found;
- b) the permit was obtained by misrepresentation or failure to disclose relevant facts;
- c) new material information is discovered; or
- d) environmental conditions, relevant technology, or applicable law or regulation have materially changed since the permit was issued.

****** Facility Level ******

Condition 2-1: Submission of Applications for Permit Modification or Renewal -REGION 5
SUBOFFICE
Applicable State Requirement: 6NYCRR 621.5(a)

Replaces Condition(s) 5

Item 2-1.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator
Region 5 Sub-office
Division of Environmental Permits
232 Golf Course Road, PO Box 220
Warrensburg, NY 12885-0220
(518) 623-1281

Condition 5: Submission of Applications for Permit Modification or Renewal -REGION 5
SUBOFFICE
Applicable State Requirement: 6NYCRR 621.5(a)

Replaced by Condition(s) 2-1

Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator
Region 5 Sub-office

New York State Department of Environmental Conservation
Facility DEC ID: 5522400010



Division of Environmental Permits
232 Hudson St, PO Box 220
Warrensburg, NY 12885-0220
(518) 623-1281



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: PECKHAM MATERIALS CORP
20 HAARLEM AVE
WHITE PLAINS, NY 10603-2223

Facility: PECKHAM CHESTERTOWN PLT
RT 9
CHESTERTOWN, NY 12817

Authorized Activity By Standard Industrial Classification Code:
1429 - CRUSHED AND BROKEN STONE NEC
2951 - PAVING MIXTURES AND BLOCKS

Mod 0 Permit Effective Date: 08/06/1998

Permit Expiration Date: No expiration date.

Mod 1 Permit Effective Date: 04/01/2003

Permit Expiration Date: No expiration date.

Mod 2 Permit Effective Date: 06/19/2006

Permit Expiration Date: No expiration date.



LIST OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS

Facility Level

- 2-1 6NYCRR 201-7: Facility Permissible Emissions
- *2-2 6NYCRR 201-7: Capping Monitoring Condition
- *2-3 6NYCRR 201-7: Capping Monitoring Condition
- *2-4 6NYCRR 201-7: Capping Monitoring Condition
- 2-5 6NYCRR 211.4: VOC prohibited
- 2-6 6NYCRR 211.4(b): Compliance Demonstration
- 2-7 6NYCRR 211.4(b): Compliance Demonstration
- 2-8 6NYCRR 211.4(b): Compliance Demonstration
- 2-9 6NYCRR 211.4(b): Compliance Demonstration
- 23 6NYCRR 225-2.3(b)(3): Requirements for firing waste fuel A.
- 2-10 6NYCRR 225-2.3(b)(3): Compliance Demonstration
- 2-11 6NYCRR 225-2.4(b): Compliance Demonstration
- 1-5 6NYCRR 227-1.3(a): Compliance Demonstration
- 1-6 6NYCRR 227.2(b)(1): Compliance Demonstration
- 2-12 40CFR 60.7(a), NSPS Subpart A: Date of construction notification -
If a COM is not used.
- 2-13 40CFR 60.8, NSPS Subpart A: Compliance Demonstration
- 2-14 40CFR 60.8(a), NSPS Subpart A: Compliance Demonstration
- 2-15 40CFR 60.8(c), NSPS Subpart A: Compliance Demonstration
- 2-16 40CFR 60.8(f), NSPS Subpart A: Compliance Demonstration
- 2-17 40CFR 60.11(d), NSPS Subpart A: Compliance Demonstration
- 1-9 40CFR 60.90, NSPS Subpart I: Compliance Demonstration
- 1-10 40CFR 60.90, NSPS Subpart I: Compliance Demonstration

Emission Unit Level

EU=0-ST100,Proc=ST1

- 2-18 6NYCRR 212.6(a): Compliance Demonstration
- 2-19 40CFR 60.676(a), NSPS Subpart OOO: Reporting and Recordkeeping for
Replacement of Equipment

EU=0-ST100,Proc=ST2

- 1-19 40CFR 60.672(b), NSPS Subpart OOO: Compliance Demonstration
- 1-18 40CFR 60.672(c), NSPS Subpart OOO: Compliance Demonstration
- 2-20 40CFR 60.675, NSPS Subpart OOO: Test methods and procedures.

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

- 1-24 ECL 19-0301: Contaminant List
- 1-25 6NYCRR 201-1.4: Unavoidable noncompliance and violations
- 38 6NYCRR 201-5: Emission Unit Definition
- 39 6NYCRR 201-5.3(b): Equipment Malfunction Provision



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

- 40 6NYCRR 201-5.3(b): Exceedance of a Facility Cap
- 19 6NYCRR 211.2: Air pollution prohibited
- 2-21 6NYCRR 211.2: Compliance Demonstration
- 43 6NYCRR 225-1.2(a)(2): Compliance Demonstration

Emission Unit Level

- 49 6NYCRR 201-5: Emission Point Definition By Emission Unit
- 50 6NYCRR 201-5: Process Definition By Emission Unit

NOTE: * preceding the condition number indicates capping.



FEDERALLY ENFORCEABLE CONDITIONS

****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Sealing - 6NYCRR Part 200.5

The Commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the Commissioner issued in the case of the violation.

Sealing means labeling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

No person shall operate any air contamination source sealed by the Commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

Unless authorized by the Commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section.

Item B: Acceptable Ambient Air Quality - 6NYCRR Part 200.6

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Item C: Maintenance of Equipment - 6NYCRR Part 200.7

Any person who owns or operates an air contamination

New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010



source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

Item D: Unpermitted Emission Sources - 6NYCRR Part 201-1.2

If an existing emission source was subject to the permitting requirements of 6NYCRR Part 201 at the time of construction or modification, and the owner and/or operator failed to apply for a permit for such emission source then the following provisions apply:

(a) The owner and/or operator must apply for a permit for such emission source or register the facility in accordance with the provisions of Part 201.

(b) The emission source or facility is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing sources or facilities.

Item E: Emergency Defense - 6NYCRR Part 201-1.5

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;

(2) The equipment at the permitted facility causing the emergency was at the time being properly operated;

(3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) The facility owner and/or operator notified the Department within two working days after the event



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item F: Recycling and Salvage - 6NYCRR Part 201-1.7

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

Item G: Prohibition of Reintroduction of Collected Contaminants to the Air - 6NYCRR Part 201-1.8

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Item H: Proof of Eligibility for Sources Defined as Exempt Activities - 6 NYCRR Part 201-3.2(a)

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item I: Proof of Eligibility for Sources Defined as Trivial Activities - 6 NYCRR Part 201-3.3(a)

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item J: Required Emission Tests - 6 NYCRR Part 202-1.1

An acceptable report of measured emissions shall be submitted, as may be required by the Commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the Commissioner within the time stated shall be sufficient reason for the Commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6NYCRR Part 202-1.

Item K: Visible Emissions Limited - 6 NYCRR Part 211.3

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Item L: Open Fires - 6 NYCRR Part 215

No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, rubbish for salvage, or rubbish generated by industrial or commercial activities.

Item M: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item N: Federally Enforceable Requirements - 40 CFR 70.6(b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

FEDERAL APPLICABLE REQUIREMENTS

The following conditions are federally enforceable.

Condition 2-1: Facility Permissible Emissions

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 201-7

Item 2-1.1:

The sum of emissions from the emission units specified in this permit shall not equal or exceed the following Potential To Emit (PTE) rate for each regulated contaminant:

CAS No: 000630-08-0 (From Mod 2) PTE: 191,716 pounds per year
Name: CARBON MONOXIDE

CAS No: 007446-09-5 (From Mod 2) PTE: 133,400 pounds per year
Name: SULFUR DIOXIDE

CAS No: 0NY075-00-5 (From Mod 2) PTE: 181,914 pounds per year
Name: PM-10

CAS No: 0NY100-00-0 (From Mod 2) PTE: 5,158 pounds per year
Name: HAP



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

CAS No: 0NY210-00-0 (From Mod 2) PTE: 192,710 pounds per year
Name: OXIDES OF NITROGEN

CAS No: 0NY998-00-0 (From Mod 2) PTE: 24,116 pounds per year
Name: VOC

Condition 2-2: Capping Monitoring Condition
Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 201-7

Item 2-2.1:

Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

6NYCRR 201-6.1(a)

Item 2-2.2:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

Item 2-2.3:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Item 2-2.4:

On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

Item 2-2.5:

The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

Item 2-2.6:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):
CAS No: 0NY075-00-5 PM-10



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Item 2-2.7:

Compliance Demonstration shall include the following monitoring:

Capping: Yes

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

The facility shall not exceed a stone processing rate of 1,824,760 tons per year, on a 12-month rolling total basis. The emission caps contained in this permit limit the facility-wide potentials to emit for PM-10 below major source thresholds.

Work Practice Type: PROCESS MATERIAL THRUPUT

Process Material: STONE

Upper Permit Limit: 1824760 tons per year

Monitoring Frequency: MONTHLY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2007.

Subsequent reports are due every 12 calendar month(s).

Condition 2-3: Capping Monitoring Condition

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 201-7

Item 2-3.1:

Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

6NYCRR 201-6.1(a)

6NYCRR 212.10

6NYCRR 227-2.1

Item 2-3.2:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

Item 2-3.3:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010



Item 2-3.4:

On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

Item 2-3.5:

The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

Item 2-3.6:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 000630-08-0 CARBON MONOXIDE
CAS No: 007446-09-5 SULFUR DIOXIDE
CAS No: 0NY075-00-5 PM-10
CAS No: 0NY998-00-0 VOC
CAS No: 0NY100-00-0 HAP
CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 2-3.7:

Compliance Demonstration shall include the following monitoring:

Capping: Yes

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

The facility shall not exceed an asphalt production rate of 400,000 tons per year, on a 12-month rolling total basis. The emission caps contained in this permit limit the facility-wide potentials to emit for NO_x, SO₂, CO, VOC, HAPs and PM-10 below the major source thresholds.

Work Practice Type: PROCESS MATERIAL THRUPUT

Process Material: ASPHALTIC CONCRETE

Upper Permit Limit: 400000.0 tons per year

Monitoring Frequency: MONTHLY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2007.

Subsequent reports are due every 12 calendar month(s).

Condition 2-4: Capping Monitoring Condition



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 201-7

Item 2-4.1:

Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

6NYCRR 201-6.1(a)

6NYCRR 212.10

6NYCRR 227-2.1

Item 2-4.2:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

Item 2-4.3:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Item 2-4.4:

On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

Item 2-4.5:

The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

Item 2-4.6:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 000630-08-0 CARBON MONOXIDE

CAS No: 007446-09-5 SULFUR DIOXIDE

CAS No: 0NY075-00-5 PM-10

CAS No: 0NY998-00-0 VOC

CAS No: 0NY100-00-0 HAP

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 2-4.7:



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Compliance Demonstration shall include the following monitoring:

Capping: Yes

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

The facility shall not exceed a diesel fuel usage rate of 251,728 gallons per year, on a 12-month rolling total basis. The emission caps contained in this permit limit the facility-wide potentials to emit for NO_x, SO₂, CO, VOC, HAPs, and PM-10 below major source thresholds.

Work Practice Type: PROCESS MATERIAL THRUPUT

Process Material: NUMBER 2 OIL

Upper Permit Limit: 251728 gallons per year

Monitoring Frequency: MONTHLY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2007.

Subsequent reports are due every 12 calendar month(s).

Condition 2-5: VOC prohibited

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 211.4

Item 2-5.1:

The use of Volatile Organic Compounds to liquefy asphalt used for paving is prohibited, except for:

- (1) asphalt used in the production of long-life stockpile material for pavement patching and repair;
- (2) asphalt applied at low ambient temperature from October 16th to May 1st; and
- (3) asphalt used as a penetrating prime coat for the purpose of preparing an untreated absorbent surface to receive an asphalt surface.

Condition 2-6: Compliance Demonstration

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 211.4(b)

Item 2-6.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 2-6.2:

Compliance Demonstration shall include the following monitoring:

New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010



Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

The maximum VOC content in emulsified asphalt shall not exceed 12% for ASTM grades CMS-2 or CMS-2h. Monitoring shall occur upon request from the Department.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: ASPHALT

Parameter Monitored: VOC

Upper Permit Limit: 12 percent

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 2-7: Compliance Demonstration

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 211.4(b)

Item 2-7.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 2-7.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

The maximum VOC content in emulsified asphalt shall not exceed 10% for ASTM grades MS-2 and HFMS-2. Monitoring shall occur upon request from the Department.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: ASPHALT

Parameter Monitored: VOC

Upper Permit Limit: 10 percent

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 2-8: Compliance Demonstration



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 211.4(b)

Item 2-8.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 2-8.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

The maximum VOC content in emulsified asphalt shall not exceed 2% for ASTM grades RS-1, SS-1, SS-1h, CSS-1, or CSS-1h. Monitoring shall occur upon request from the Department.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: ASPHALT

Parameter Monitored: VOC

Upper Permit Limit: 2 percent

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 2-9: Compliance Demonstration

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 211.4(b)

Item 2-9.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 2-9.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

The maximum VOC content in emulsified asphalt shall not exceed 3% for ASTM grades RS-2, CRS-1, CRS-2, HFRS-2 and HFMS-2h. Monitoring shall occur upon request from the Department.



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: ASPHALT

Parameter Monitored: VOC

Upper Permit Limit: 3 percent

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY
TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 23: Requirements for firing waste fuel A.
Effective between the dates of 08/06/1998 and Permit Expiration Date**

Applicable Federal Requirement: 6NYCRR 225-2.3(b)(3)

Item 23.1:

The process source must demonstrate and maintain a combustion efficiency of at least 99%, while firing waste fuel A.

**Condition 2-10: Compliance Demonstration
Effective between the dates of 06/19/2006 and Permit Expiration Date**

Applicable Federal Requirement: 6NYCRR 225-2.3(b)(3)

Item 2-10.1:

The Compliance Demonstration activity will be performed for the facility:
The Compliance Demonstration applies to:

Emission Unit: 0-AS100

Emission Unit: 0-AS200

Item 2-10.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The combustion efficiency of the units while burning waste oil shall be at least 99%. The units shall be tested following the first delivery of Waste Fuel A to the facility, and upon request by the Administrator thereafter, to document compliance with this requirement. Testing shall be conducted in accordance with 6NCYRR Subpart 202.

Parameter Monitored: COMBUSTION EFFICIENCY

Lower Permit Limit: 99 percent



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Reference Test Method: EPA Method 3A & 10

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST
METHOD INDICATED

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 2-11: Compliance Demonstration

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 225-2.4(b)

Replaces Condition(s) 1-1, 1-2, 1-3, 1-4, 44

Item 2-11.1:

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: 0-AS100

Emission Unit: 0-AS200

Item 2-11.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Waste fuel A may be burned as fuel in the aggregate
dryers associated with these emission units subject to the
following provisions:

1. Source owner shall comply with all New York State and Federal regulatory requirements concerning the combustion of waste oil.
2. To ensure that the waste oil burned meets the definition of Waste Fuel A, as set forth in paragraph 225-2.2(b)(9) of 6NYCRR 225-2, source owner shall maintain a record of the analyses, certified by the supplier, of all waste oil burned. Each analysis shall include the following parameters:
 - a. Concentration of total halogens [in ppm, by weight (water free basis) of fuel];
 - b. Concentration of PCBs [in ppm, by weight (water free basis) of fuel];
 - c. Concentration of lead [in ppm, by weight (water free basis) of fuel];



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

- d. Sulfur Content (in % by weight);
- e. Gross Heat Content (in Btu/gallon).

3. The above parameters, for all waste oil burned, shall meet the following criteria:

- a. total halogens content shall not exceed 1,000 ppm;
- b. PCB content shall not exceed 50 ppm;
- c. lead content shall not exceed 250 ppm;
- d. Sulfur content shall not exceed 1.5% by weight;
- e. heat content shall be at least 125,000 Btu/gallon.

These records shall be kept on site for a period of at least five (5) years.

Monitoring Frequency: PER DELIVERY

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 1-5: Compliance Demonstration

Effective between the dates of 04/01/2003 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 227-1.3(a)

Replaces Condition(s) 29, 30, 31, 32, 33, 34

Item 1-5.1:

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: 0-GN100 Emission Point: AS003

Emission Unit: 0-GN200 Emission Point: AS004

Emission Unit: 0-GN300 Emission Point: ST005

Item 1-5.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

No owner or operator of a combustion installation shall emit greater than 20 percent opacity except for one six minute period per hour, not to exceed 27 percent, based upon the six minute average referenced in test Method 9 in Appendix A of 40 CFR 60. The Department reserves the right to perform or require the performance of Method 9 opacity evaluation at any time during the facility

New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010



operations.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Reference Test Method: Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 1-6: Compliance Demonstration

Effective between the dates of 04/01/2003 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 227.2(b)(1)

Item 1-6.1:

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: 0-GN100 Emission Point: AS003

Emission Unit: 0-GN200 Emission Point: AS004

Emission Unit: 0-GN300 Emission Point: ST005

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

Item 1-6.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

Emissions of solid particulates are limited to less than
0.10 grains of particulate per cubic foot of exhaust gas,
expressed at standard conditions on a dry basis.

Compliance testing will be conducted at the discretion of
the Department.

Parameter Monitored: PARTICULATES

Upper Permit Limit: 0.10 grains per dscf

Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST
METHOD INDICATED

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Condition 2-12: Date of construction notification - If a COM is not used.
Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.7(a), NSPS Subpart A

Item 2-12.1:

Any owner or operator subject to this part shall furnish the Administrator with the following information:

- 1) a notification of the date construction or reconstruction commenced, post marked no later than 30 days after such date;
- 3) a notification of the actual date of initial start up, post marked within 15 days after such date;
- 4) a notification of any physical or operational change to an existing facility which may increase the emission rate of any air pollutant to which a standard applies, unless the change is specifically exempted under this part. The notice shall be post marked 60 days or as soon as practicable before the change is commenced and shall include information describing the precise nature of the change, present and proposed emission control systems, productive capability of the facility before and after the change, and the expected completion date of the change. The Administrator may request additional information regarding the change;
- 5) a notification of the date upon which the demonstration of continuous monitoring system performance commences, post marked not less than 30 days prior to such date;
- 6) a notification of the anticipated date for conducting the opacity observations, post marked not less than 30 days prior to such date.

Condition 2-13: Compliance Demonstration
Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.8, NSPS Subpart A

Item 2-13.1:

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: 0-ST100
Process: ST2 Emission Source: 00027

Emission Unit: 0-ST100
Process: ST2 Emission Source: 00030

Item 2-13.2:

Compliance Demonstration shall include the following monitoring:

New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010



Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

Within 60 days after achieving the maximum production rate, but not later than 180 days after initial startup of the facility, the owner or operator of the facility shall conduct performance testing and provide the results of such tests, in a written report, to the Administrator.

Initial performance testing shall be conducted in accordance with the methods and procedures prescribed in section 60.8 or by alternate methods and procedures approved by the Administrator.

Initial performance tests shall be conducted under such conditions specified by the Administrator, based upon representative performance data supplied by the owner or operator of the facility.

The owner operator shall provide the Administrator with prior notice of any performance test at least 30 days in advance of testing.

Each performance test shall consist of three separate runs (except as provided for in Subpart 000), at the specified duration required in the applicable test method. Compliance with all applicable standards shall be determined by using the arithmetic mean of all three runs.

Parameter Monitored: OPACITY

Upper Permit Limit: 10 percent

Reference Test Method: Method 9

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 2-14: Compliance Demonstration

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.8(a), NSPS Subpart A

Item 2-14.1:

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: 0-AS100



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Process: AS1

Emission Unit: 0-AS200

Process: AS2

Emission Unit: 0-ST100

Process: ST2

Item 2-14.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Within 60 days after achieving the maximum production rate, but not later than 180 days after initial startup of the facility and at such other times as may be required by the Administrator under section 114 of the Act, the owner or operator of the facility shall conduct performance testing and provide the results of such tests, in a written report, to the Administrator.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 2-15: Compliance Demonstration

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.8(c), NSPS Subpart A

Item 2-15.1:

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: 0-AS100

Process: AS1

Emission Unit: 0-AS200

Process: AS2

Emission Unit: 0-ST100

Process: ST2

Item 2-15.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Monitoring Description:

Performance tests shall be conducted under such conditions specified by the Administrator, based upon representative performance data supplied by the owner or operator of the facility.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 2-16: Compliance Demonstration

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.8(f), NSPS Subpart A

Item 2-16.1:

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: 0-AS100

Process: AS1

Emission Unit: 0-AS200

Process: AS2

Emission Unit: 0-ST100

Process: ST2

Item 2-16.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Each performance test shall consist of three separate runs, at the specified duration required in the applicable test method. Compliance with all applicable standards shall be determined by using the arithmetic means of the results of the three runs.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 2-17: Compliance Demonstration

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.11(d), NSPS Subpart A

New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010



Replaces Condition(s) 1-12, 1-14, 1-17

Item 2-17.1:

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: 0-AS100

Emission Unit: 0-AS200

Emission Unit: 0-ST100

Process: ST2

Item 2-17.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

At all times, including periods of startup, shutdown, and malfunction, owners and operators of this facility shall, to the extent practicable, maintain and operate any affected facility including associated air pollution control equipment in a manner consistent with good air pollution control practice for minimizing emissions. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the Department and the Administrator which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 1-9: Compliance Demonstration

Effective between the dates of 04/01/2003 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.90, NSPS Subpart I

Replaces Condition(s) 25, 27

Item 1-9.1:

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: 0-AS100

New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010



Emission Unit: 0-AS200

Item 1-9.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The opacity from an affected hot mix asphalt plant must not exceed 20% based on a 6 minute average. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation at any time during the facility is operations.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Reference Test Method: Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 1-10: Compliance Demonstration

Effective between the dates of 04/01/2003 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.90, NSPS Subpart I

Replaces Condition(s) 26, 28

Item 1-10.1:

The Compliance Demonstration activity will be performed for the facility:

The Compliance Demonstration applies to:

Emission Unit: 0-AS100

Emission Unit: 0-AS200

Item 1-10.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The particulate matter emissions from an affected hot mix asphalt plant must not exceed 0.04 grains per dscf. Testing shall be conducted at the discretion of the Department.

Parameter Monitored: OPACITY



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Upper Permit Limit: 0.04 grains per dscf

Reference Test Method: Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST
METHOD INDICATED

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

****** Emission Unit Level ******

Condition 2-18: Compliance Demonstration

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 212.6(a)

Replaces Condition(s) 1-15

Item 2-18.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-ST100

Process: ST1

Item 2-18.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall cause or allow emissions having an average opacity during any six consecutive minutes of 20 percent or greater from any process emission source, except only the emission of uncombined water. Compliance with this requirement shall be determined by the facility owner/operator conducting a daily survey of visible emissions when the process is in operation. If any visible emissions are identified, corrective action is required. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Reference Test Method: EPA Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

**Condition 2-19: Reporting and Recordkeeping for Replacement of Equipment
Effective between the dates of 06/19/2006 and Permit Expiration Date**

Applicable Federal Requirement: 40CFR 60.676(a), NSPS Subpart OOO

Item 2-19.1:

This Condition applies to Emission Unit: 0-ST100
Process: ST1

Item 2-19.2:

Each owner or operator seeking to comply with 40 CFR Part 60.670(d) shall submit to the Administrator the following information about the existing facility being replaced and the replacement piece of equipment.

(1) For a crusher, grinding mill, bucket elevator, bagging operation, or enclosed truck or railcar loading station:

(i) The rated capacity in megagrams or tons per hour of the existing facility being replaced and

(ii) The rated capacity in tons per hour of the replacement equipment.

(2) For a screening operation:

(i) The total surface area of the top screen of the existing screening operation being replaced and

(ii) The total surface area of the top screen of the replacement screening operation.

(3) For a conveyor belt:

(i) The width of the existing belt being replaced and

(ii) The width of the replacement conveyor belt.

(4) For a storage bin:

(i) The rated capacity in megagrams or tons of the existing storage bin being replaced and

(ii) The rated capacity in megagrams or tons of replacement storage bins.

**Condition 1-19: Compliance Demonstration
Effective between the dates of 04/01/2003 and Permit Expiration Date**

New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010



Applicable Federal Requirement: 40CFR 60.672(b), NSPS Subpart OOO

Item 1-19.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-ST100

Process: ST2

Item 1-19.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

On or after the 60th day after achieving the maximum production rate, but not later than 180 days after the initial startup as required by 60.11 the owner shall not cause to be discharged into the atmosphere from any transfer point on the belt conveyors or from any affected facility any fugitive emissions which exhibit greater than 10% opacity accept as provided in paragraphs (c), (d) and (e) of section 60.672. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation at any time during the facility operations.

Parameter Monitored: OPACITY

Upper Permit Limit: 10 percent

Reference Test Method: Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 1-18: Compliance Demonstration

Effective between the dates of 04/01/2003 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.672(c), NSPS Subpart OOO

Item 1-18.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-ST100

Process: ST2

Item 1-18.2:

Compliance Demonstration shall include the following monitoring:

New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010



Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

On or after the 60th day after achieving the maximum production rate, but not later than 180 days after the initial startup as required by 60.11 the owner shall not cause to be discharged into the atmosphere from any crusher, at which a capture system is not used, fugitive emissions which exhibit emissions greater than 15% opacity. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation at any time during the facility operations.

Parameter Monitored: OPACITY

Upper Permit Limit: 15 percent

Reference Test Method: Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 2-20: Test methods and procedures.

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 60.675, NSPS Subpart OOO

Item 2-20.1:

This Condition applies to Emission Unit: 0-ST100
Process: ST2

Item 2-20.2:

The owner or operator shall determine initial compliance using the test methods and procedures as required in section 40 CFR 60-000.675 and 40 CFR 60 Appendix A.



STATE ONLY ENFORCEABLE CONDITIONS

****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Public Access to Recordkeeping for Facilities With State Facility Permits - 6NYCRR Part 201-1.10(a)

Where emission source owners and/or operators keep records pursuant to compliance with the operational flexibility requirements of 6 NYCRR Subpart 201-5.4(b)(1) , and/or the emission capping requirements of 6 NYCRR Subparts 201-7.2(d), 201-7.3(f), 201-7.3(g), 201-7.3(h)(5), 201-7.3(i) and 201-7.3(j), the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Emission source owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department of receipt of the request.

Item B: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or

New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010



law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state only enforceable.

Condition 1-24: Contaminant List

Effective between the dates of 04/01/2003 and Permit Expiration Date

Applicable State Requirement: ECL 19-0301

Item 1-24.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 000630-08-0

Name: CARBON MONOXIDE

CAS No: 0NY100-00-0

Name: HAP

CAS No: 0NY210-00-0

Name: OXIDES OF NITROGEN

CAS No: 0NY075-00-0

Name: PARTICULATES

CAS No: 0NY075-00-5

Name: PM-10

CAS No: 007446-09-5

Name: SULFUR DIOXIDE

CAS No: 0NY998-00-0

Name: VOC

Condition 1-25: Unavoidable noncompliance and violations

Effective between the dates of 04/01/2003 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-1.4

Item 1-25.1:

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

(a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit issued for the corresponding air contamination source except where conditions elsewhere in this permit which contain more stringent reporting and notification provisions for an applicable requirement, in which case they supercede those stated here. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.

(b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates. These reporting requirements are superceded by conditions elsewhere in this permit which contain reporting and notification provisions for applicable requirements more stringent than those above.

(c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air contaminants emitted.

(d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

(e) In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

Condition 38: Emission Unit Definition

Effective between the dates of 08/06/1998 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5

Item 38.1(From Mod 2):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-AS100



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Emission Unit Description:

360 tph batch hot-mix stationary asphaltic concrete plant. Crushed stone is conveyed to rotating stone dryer which dries aggregate. Aggregate then screened into hot storage bins, fed to a weigh hopper and transferred to a pug mill and mixed with asphaltic concrete. Note: plant powered by Cat. generator set model no. 3512 (1135 kw) [0-GN200], a separate emission unit. Plant may also be powered by utility-supplied electric.

Item 38.2(From Mod 2):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-AS200

Emission Unit Description:

325 tph drum portable hot-mix asphaltic concrete plant. Crushed stone is conveyed to rotating stone dryer which dries the aggregate. Aggregate then mixes with asphalt. This emission unit is permitted to operate at either this site or the peckham vaughn road hudson falls site. Note: plant powered by Cat. generator set model no. 3512 (1250 kw) [o-GN100]; a separate emission unit. Plant may also be powered via utility-supplied electric

Item 38.3(From Mod 2):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-ST100

Emission Unit Description:

Stone crushing, washing and screening plant. Emission sources consist of: 500 tph primary crusher, 410 tph secondary crusher, 145 tph secondary crusher, 105 tph secondary crusher, 475 double deck screen, 475 triple deck screen, 350 tph triple deck screen, two (2) 250 tph triple deck screens with spray bar, 11 - 24" conveyors, 9 - 30" conveyors, 6 - 36" conveyors and 2 - 42" conveyors. All crushers and screens are fitted with spray bars. The plant is currently powered by a CAT generator model #3512, 1135 KW, Emission Unit 0-GN200. The plant may also be powered by utility-supplied electricity.

Item 38.4(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-GN100

Emission Unit Description:

CATERPILLAR GENERATOR SET MODEL NO. 3512 (1250 KW) INTERNAL COMBUSTION ENGINE BURNING DIESEL FUEL POWERING A GENERATOR. GENERATOR POWERS PORTABLE ASPHALT PLANT.



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

THIS EMISSION UNIT IS PERMITTED TO OPERATE
AT EITHER THIS SITE OR THE PECKHAM VAUGHN
ROAD HUDSON FALLS SITE.

Item 38.5(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-GN200

Emission Unit Description:

CATERPILLAR GENERATOR SET MODEL NO. 3512
(1135 KW) INTERNAL COMBUSTION ENGINE
BURNING DIESEL FUEL POWERING A GENERATOR.
GENERATOR POWERS STATIONARY ASPHALT PLANT.

Item 38.6(From Mod 1):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-GN300

Emission Unit Description:

CATERPILLAR GENERATOR SET MODEL NO. 3512
(1135 KW) INTERNAL COMBUSTION ENGINE
BURNING DIESEL FUEL POWERING A GENERATOR.
GENERATOR POWERS STONE PLANT.

Condition 39: Equipment Malfunction Provision

Effective between the dates of 08/06/1998 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5.3(b)

Item 39.1:

In the event of an emissions control equipment failure, the associated process equipment must shut down immediately and remain shut down until the emissions control equipment is fully operational.

Item 39.2:

In the event that emissions of air contaminants in excess of any emission limit occur due to a malfunction, the permittee shall report such malfunction to the Department within two working days after becoming aware that the malfunction occurred, as required in 6NYCRR 201-1.4(b).

Condition 40: Exceedance of a Facility Cap

Effective between the dates of 08/06/1998 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5.3(b)

Item 40.1:

Any exceedance of the rolling annual limits contained in the capping conditions must be reported to the Department in writing within thirty (30) days of the occurrence.

Condition 19: Air pollution prohibited

Effective between the dates of 08/06/1998 and Permit Expiration Date



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Applicable State Requirement: 6NYCRR 211.2

Item 19.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 2-21: Compliance Demonstration

Effective between the dates of 06/19/2006 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 211.2

Item 2-21.1:

The Compliance Demonstration activity will be performed for the Facility.

Item 2-21.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

No waste oil is to be used for fugitive dust control.
Plant roadways and stockpiles must be watered and/or treated with an approved dust suppressant, as appropriate, and speed limited to preclude emissions of dust which is determined to be in violation of 6 NYCRR 211.2 which states:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits.

If complaints of current excess dust are received, then the facility must immediately apply corrective measure, as necessary to comply with the requirements of 6 NYCRR 211.2 as noted above. A log of any complaints received must be kept in a bound logbook or other format acceptable to the Department.

The following data must be recorded for each

New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010



observation:

The date and time of the complaint,
The name, address and phone # of the complainant (if given),
The complainants description of the complaint,
The facility's evaluation of the complaint, and
The corrective measures taken.

This logbook must be retained at the facility for five (5) years after the date of the last entry.

If complaints are received on more than one day per seven day period, then the owner or facility representative shall notify the Department by the next business day (Monday thru Friday) of these complaints.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 43: Compliance Demonstration
Effective between the dates of 08/06/1998 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 225-1.2(a)(2)

Item 43.1:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):
CAS No: 007446-09-5 SULFUR DIOXIDE

Item 43.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

The sulfur content of Number 4 oil fired at the facility shall not exceed 1.5 percent by weight. Compliance with the fuel sulfur limitation shall be determined by the fuel supplier certification in accordance with 6NYCRR Subpart 225-1.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: NUMBER 4 OIL

Parameter Monitored: SULFUR CONTENT



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Upper Permit Limit: 1.5 percent by weight
Monitoring Frequency: PER DELIVERY
Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY
TIME (INSTANTANEOUS/DISCRETE OR GRAB)
Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

****** Emission Unit Level ******

Condition 49: Emission Point Definition By Emission Unit
Effective between the dates of 08/06/1998 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5

Item 49.1(From Mod 0):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-AS100

Emission Point: AS001
Height (ft.): 36 Diameter (in.): 48

Item 49.2(From Mod 0):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-AS200

Emission Point: AS002
Height (ft.): 35 Length (in.): 48 Width (in.): 48

Item 49.3(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-GN100

Emission Point: AS003
Height (ft.): 18 Diameter (in.): 10

Item 49.4(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-GN200

Emission Point: AS004
Height (ft.): 18 Diameter (in.): 10



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Item 49.5(From Mod 1):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-GN300

Emission Point: ST005

Height (ft.): 18

Diameter (in.): 10

Condition 50: Process Definition By Emission Unit

Effective between the dates of 08/06/1998 and Permit Expiration Date

Applicable State Requirement: 6NYCRR 201-5

Item 50.1(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-AS100

Process: AS1

Process Description:

360 tph batch hot-mix stationary asphaltic concrete plant crushed stone is conveyed to rotating stone dryer which dries aggregate. Aggregate is then screened into storage bins, fed to a weigh hopper and transferred to a pug mill and mixed with asphaltic concrete. Oil-fired dryer. (No. 4 fuel oil or waste oil). Plant powered via diesel engine-generator set or utility-supplied electric

Emission Source/Control: 00001 - Control

Control Type: FABRIC FILTER

Emission Source/Control: 00002 - Control

Control Type: GRAVITY COLLECTOR

Emission Source/Control: PLNT1 - Process

Design Capacity: 360 tons per hour

Item 50.2(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-AS200

Process: AS2

Process Description:

325 tph drum hot-mix portable asphaltic concrete plant. Crushed stone is conveyed to rotating stone dryer which dries aggregate and mixes it with asphalt. This process, and the associated emission source/control, is permitted to operate at either this site or the Peckham Vaughn Road



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Hudson Falls site. Plant may be powered via diesel engine-generator set or utility-supplied electric.

Emission Source/Control: 00003 - Control
Control Type: HIGH EFFICIENCY PARTICULATE AIR FILTER

Emission Source/Control: PLNT2 - Process
Design Capacity: 325 tons per hour

Item 50.3(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-ST100

Process: ST1

Process Description:

Non-NSPS stone crushing, washing, and screening sources. Process consists of:
2 - secondary crushers (ES 00014 & 00015),
1 - double deck screen (ES 00016), 2 -
triple deck screens (ES 00017 & 00019), 9 -
24" conveyors (ES 00020), and 9 - 30"
conveyors (ES 00021).

Emission Source/Control: 00007 - Control
Control Type: DUST SUPPRESSION BY WATER SPRAY

Emission Source/Control: 00008 - Control
Control Type: DUST SUPPRESSION BY WATER SPRAY

Emission Source/Control: 00009 - Control
Control Type: DUST SUPPRESSION BY WATER SPRAY

Emission Source/Control: 00010 - Control
Control Type: DUST SUPPRESSION BY WATER SPRAY

Emission Source/Control: 00011 - Control
Control Type: DUST SUPPRESSION BY WATER SPRAY

Emission Source/Control: 00014 - Process
Design Capacity: 145 tons per hour

Emission Source/Control: 00015 - Process
Design Capacity: 105 tons per hour

Emission Source/Control: 00016 - Process
Design Capacity: 475 tons per hour



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Emission Source/Control: 00017 - Process
Design Capacity: 350 tons per hour

Emission Source/Control: 00019 - Process
Design Capacity: 475 tons per hour

Emission Source/Control: 00020 - Process
Design Capacity: 290 tons per hour

Emission Source/Control: 00021 - Process
Design Capacity: 400 tons per hour

Item 50.4(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-ST100

Process: ST2

Process Description:

NSPS stone crushing, washing and screening sources. Process consists of: 1 - primary crusher (ES 00022), 1 - secondary crusher (ES 00023), 2 - triple deck screens (ES 00024 & 00025), 2 - 24" conveyors (ES 00027), 6 - 36" conveyors (ES 00029) and 2 - 42" conveyors (ES 00030).

Emission Source/Control: 00031 - Control
Control Type: DUST SUPPRESSION BY WATER SPRAY

Emission Source/Control: 00032 - Control
Control Type: DUST SUPPRESSION BY WATER SPRAY

Emission Source/Control: 00033 - Control
Control Type: DUST SUPPRESSION BY WATER SPRAY

Emission Source/Control: 00034 - Control
Control Type: DUST SUPPRESSION BY WATER SPRAY

Emission Source/Control: 00022 - Process
Design Capacity: 500 tons per hour

Emission Source/Control: 00023 - Process
Design Capacity: 410 tons per hour

Emission Source/Control: 00024 - Process
Design Capacity: 250 tons per hour



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Emission Source/Control: 00025 - Process
Design Capacity: 250 tons per hour

Emission Source/Control: 00027 - Process
Design Capacity: 24 inches

Emission Source/Control: 00029 - Process
Design Capacity: 36 inches

Emission Source/Control: 00030 - Process
Design Capacity: 42 inches

Item 50.5(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-GN100

Process: GN1

Process Description:

CATERPILLAR GENERATOR SET MODEL NO. 3512
(1250 KW) INTERNAL COMBUSTION ENGINE
BURNING DIESEL FUEL POWERING A GENERATOR.
GENERATOR POWERS PORTABLE ASPHALT PLANT.
THIS PROCESS, AND THE ASSOCIATED EMISSION
SOURCE/CONTROL, IS PERMITTED TO OPERATE AT
EITHER THIS SITE OR THE PECKHAM VAUGHN ROAD
HUDSON FALLS SITE.

Emission Source/Control: 00004 - Combustion

Design Capacity: 1,250 kilowatts

Item 50.6(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-GN200

Process: GN2

Process Description:

CATERPILLAR GENERATOR SET MODEL NO. 3512
(1250 KW) INTERNAL COMBUSTION ENGINE
BURNING DIESEL FUEL POWERING A GENERATOR.
GENERATOR POWERS STATIONARY ASPHALT PLANT.

Emission Source/Control: 00005 - Combustion

Design Capacity: 1,135 kilowatts

Item 50.7(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:



New York State Department of Environmental Conservation

Permit ID: 5-5224-00010/00013

Facility DEC ID: 5522400010

Emission Unit: 0-GN300

Process: GN3

Process Description:

CATERPILLAR GENERATOR SET MODEL NO. 3512
(1135 KW) INTERNAL COMBUSTION ENGINE
BURNING DIESEL FUEL POWERING A GENERATOR.
GENERATOR POWERS THE STONE PLANT.

Emission Source/Control: 00006 - Combustion

Design Capacity: 1,135 kilowatts