

## PERMIT Under the Environmental Conservation Law (ECL)

#### **IDENTIFICATION INFORMATION**

Permit Type: Air State Facility
Permit ID: 6-3013-00221/00003

Effective Date: 01/27/1999 Expiration Date: No expiration date

Permit Issued To: SERWAY BROS INC

**ROME INDUSTRIAL CENTER - PLT 2** 

ROME, NY 13440

Contact: ALEC C SERWAY

PLANT #2 ROME INDUSTRIAL CENTER

ROME, NY 13440 (315) 337-0601

Facility: SERWAY BROS MANUFACTURING INC

PLANT #2 ROME INDUSTRIAL CENTER

ROME, NY 13440

#### Description:

THIS FACILITY MANUFACTURES WOODEN FACED CABINENTS. FOUR SPRAY BOOTHS ARE UTILIZED TO APPLY STAINS, COATINGS AND ADHESIVES. THERE ARE TWO DUST COLLECTORS, ONE SOLVENT RECOVERY STILL, AND AN ADHESIVE DRYING BOOTH. THERE IS ALSO A WOOD CHIPPER. THE FACILITY IS CAPPING EMISSIONS BELOW APPLICABLE THRESHOLDS AND WILL REQUIRE RECORDS MUST BE KEPT TO DOCUMENT COMPLIANCE WITH THESE CONDITIONS

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator:	C RANDY VAAS STATE OFFICE BLDG				
	317 WASHINGTON ST WATERTOWN, NY 13601-3787				
Authorized Signature	WAILKIOWN, IVI 13001-3707	Date:	/	/	



### **Notification of Other State Permittee Obligations**

#### Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

#### Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

### Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

#### Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



## LIST OF CONDITIONS

## DEC GENERAL CONDITIONS

**SUBOFFICE** 

#### **General Provisions**

Facility Inspection by the Department
Relationship of this Permit to Other Department Orders and Determinations
Applications for Permit Renewals and Modifications
Permit Modifications, Suspensions, and Revocations by the Department
Facility Level
Submission of Applications for Permit Modification or Renewal -REGION 6

DEC Permit Conditions Page 1 of 3



# DEC GENERAL CONDITIONS \*\*\*\* General Provisions \*\*\*\* GENERAL CONDITIONS - Apply to ALL Authorized Permits.

**Condition 1:** Facility Inspection by the Department

Applicable State Requirement: ECL 3-0301.2(g)

#### Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

#### Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when written or verbal notification is provided by the Department at least 24 hours prior to such inspection.

#### Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations
Applicable State Requirement: ECL 3-0301.2(m)

#### Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for Permit Renewals and Modifications
Applicable State Requirement: 6NYCRR 621.13(a)

#### Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

#### **Item 3.2:**

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Condition 4: Permit Modifications, Suspensions, and Revocations by the Department Applicable State Requirement: 6NYCRR 621.14



#### Item 4.1:

The Department reserves the right to modify, suspend, or revoke this permit. The grounds for modification, suspension or revocation include:

- a) the scope of the permitted activity is exceeded or a violation of any condition of the permit or provisions of the ECL and pertinent regulations is found;
  - b) the permit was obtained by misrepresentation or failure to disclose relevant facts;
  - c) new material information is discovered; or
- d) environmental conditions, relevant technology, or applicable law or regulation have materially changed since the permit was issued.

## \*\*\*\* Facility Level \*\*\*\*

Condition 5: Submission of Applications for Permit Modification or Renewal -REGION 6

**SUBOFFICE** 

**Applicable State Requirement:** 6NYCRR 621.5(a)

#### Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator Region 6 Sub-office Division of Environmental Permits State Office Building, 207 Genesee Street Utica, NY 13501-2885 (315) 793-2555



Permit Under the Environmental Conservation Law (ECL)

## ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

## **IDENTIFICATION INFORMATION**

Permit Issued To: SERWAY BROS INC

ROME INDUSTRIAL CENTER - PLT 2

ROME, NY 13440

Facility: SERWAY BROS MANUFACTURING INC

PLANT #2 ROME INDUSTRIAL CENTER

ROME, NY 13440

Authorized Activity By Standard Industrial Classification Code:

2434 - WOOD KITCHEN CABINETS



#### LIST OF CONDITIONS

#### FEDERALLY ENFORCEABLE CONDITIONS

#### **Facility Level**

- 17 6NYCRR 215: Open Fires Prohibited at Industrial and Commercial Sites
- 3 6NYCRR 200.7: Maintenance of equipment
- 8 6NYCRR 201-1.7: Recycling and Salvage
- 9 6NYCRR 201-1.8: Prohibition of Reintroduction of Collected

Contaminants to the Air

- 11 6NYCRR 201-3.2(a): Proof of Eligibility
- 12 6NYCRR 201-3.3(a): Proof of Eligibility
- 14 6NYCRR 202-1.1: Required emissions tests
- 16 6NYCRR 211.3: Visible emissions limited.
- 1 6NYCRR 200.5: Sealing
- 2 6NYCRR 200.6: Acceptable ambient air quality
- 4 6NYCRR 201-1.1(a): Contaminant List
- 5 6NYCRR 201-1.2: Unpermitted Emission Sources
- 6 6NYCRR 201-1.4: Unavoidable Noncompliance and Violations
- 7 6NYCRR 201-1.5: Emergency Defense
- 10 6NYCRR 201-1.10(a): Public Access to Recordkeeping
- 13 6NYCRR 201-7.2: Synthetic minor facility capping provisions.
- 18 6NYCRR 228.3: Facility Permissible Emissions
- \*19 6NYCRR 228.3: Compliance Demonstration
- 20 40CFR 63.800, Subpart JJ: Facility Permissible Emissions
- \*21 40CFR 63.800, Subpart JJ: Compliance Demonstration
- \*22 40CFR 63.800, Subpart JJ: Compliance Demonstration

#### **Emission Unit Level**

## EU=0-00001

23 6NYCRR 212.6(a): Compliance Demonstration

#### EU=0-00001,EP=00001,Proc=001,ES=00A01

24 6NYCRR 212.3(b): Compliance Demonstration

#### EU=0-00001,EP=00009,Proc=001,ES=00A02

25 6NYCRR 212.3(b): Compliance Demonstration

## EU=0-00001,EP=00010,Proc=001,ES=00A03

26 6NYCRR 212.3(b): Compliance Demonstration

## EU=0-00001,EP=00011,Proc=001,ES=00A04

27 6NYCRR 212.3(b): Compliance Demonstration

#### EU=0-00002

28 6NYCRR 212.6(a): Compliance Demonstration

Air Pollution Control Permit Conditions Page 2 of 27 FINAL



## EU=0-00002,EP=00005,Proc=002,ES=00A05

29 6NYCRR 212.3(b): Compliance Demonstration

#### EU=0-00003

30 6NYCRR 212.6(a): Compliance Demonstration

#### EU=0-00003,EP=00006,Proc=006,ES=00A06

31 6NYCRR 212.3(b): Compliance Demonstration

#### EU=0-00003,EP=00007,Proc=006,ES=00A07

32 6NYCRR 212.3(b): Compliance Demonstration

#### EU=0-00004

33 6NYCRR 212.6(a): Compliance Demonstration

#### EU=0-00004,EP=00008,Proc=004,ES=00A08

34 6NYCRR 212.3(b): Compliance Demonstration

#### STATE ONLY ENFORCEABLE CONDITIONS

## **Facility Level**

35 6NYCRR 201-5: General Provisions: Facilities Subject to Subparts 201-5 and 201-6

36 6NYCRR 201-5: Emission Unit Definition

15 6NYCRR 211.2: Air pollution prohibited

37 6NYCRR 217-3.2(a): Diesel truck opacity limitation

38 6NYCRR 217-3.2(b): Idling of diesel trucks limited

#### **Emission Unit Level**

39 6NYCRR 201-5: Emission Point Definition By Emission Unit

40 6NYCRR 201-5: Process Definition By Emission Unit

NOTE: \* preceding the condition number indicates capping.

Permit Effective Date: 01/27/1999 Permit Expiration Date: No expiration date.



## FEDERALLY ENFORCEABLE CONDITIONS \*\*\*\* Facility Level \*\*\*\*

Condition 17: Open Fires Prohibited at Industrial and Commercial Sites

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable Federal Requirement: 6NYCRR 215** 

#### Item 17.1:

No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, rubbish for salvage, or rubbish generated by industrial or commercial activities.

**Condition 3:** Maintenance of equipment

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable Federal Requirement: 6NYCRR 200.7** 

#### **Item 3.1:**

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

Condition 8: Recycling and Salvage

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 201-1.7

#### **Item 8.1:**

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

Condition 9: Prohibition of Reintroduction of Collected Contaminants to

the Air

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 201-1.8

### Item 9.1:

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

**Condition 11:** Proof of Eligibility

Effective between the dates of 01/27/1999 and Permit Expiration Date



Applicable Federal Requirement: 6NYCRR 201-3.2(a)

#### Item 11.1:

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

**Condition 12:** Proof of Eligibility

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 201-3.3(a)

#### Item 12.1:

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

**Condition 14: Required emissions tests** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 202-1.1

#### Item 14.1:

An acceptable report of measured emissions shall be submitted, as may be required by the commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the commissioner within the time stated shall be sufficient reason for the commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6NYCRR Part 202-1.

Condition 16: Visible emissions limited.

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable Federal Requirement: 6NYCRR 211.3** 

#### Item 16.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-



minute period per hour of not more than 57 percent opacity.

**Condition 1:** Sealing

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 200.5

#### Item 1.1:

- (a) The commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the commissioner issued in the case of the violation. Sealing means labelling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.
- (b) No person shall operate any air contamination source sealed by the commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.
- (c) Unless authorized by the commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section

Condition 2: Acceptable ambient air quality

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 200.6

#### Item 2.1:

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the commissioner shall specify the degree and/or method of emission control required.

**Condition 4:** Contaminant List

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable Federal Requirement: 6NYCRR 201-1.1(a)** 

#### Item 4.1:

Emissions of the following contaminants are allowed under this permit.

CAS No: 000050-00-0 Name: FORMALDEHYDE

CAS No: 000078-93-3



Name: METHYL ETHYL KETONE

CAS No: 000100-41-4 Name: ETHYLBENZENE

CAS No: 000105-08-8

Name: METHANOL, 1,4-CYCLOHEXANEDI-

CAS No: 000108-10-1

Name: 2-PENTANONE, 4-METHYL

CAS No: 000108-88-3 Name: TOLUENE

CAS No: 000110-54-3 Name: HEXANE

CAS No: 000630-08-0

Name: CARBON MONOXIDE

CAS No: 001330-20-7

Name: XYLENE, M, O & P MIXT.

CAS No: 007439-92-1

Name: LEAD

CAS No: 007446-09-5 Name: SULFUR DIOXIDE

CAS No: 016111-62-9

Name: BIS(2-ETHYLHEXYL) PEROXYDICARBONATE

CAS No: 0NY075-00-0 Name: PARTICULATES

CAS No: 0NY075-00-5

Name: PM-10

CAS No: 0NY100-00-0

Name: HAP

CAS No: 0NY210-00-0

Name: OXIDES OF NITROGEN

CAS No: 0NY998-00-0

Name: VOC



#### Item 4.2:

The Facility is authorized to emit the regulated contaminants cited in Item 4.1 from the emission units specified in this permit.

**Condition 5: Unpermitted Emission Sources** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 201-1.2

#### Item 5.1:

If an existing emission source was subject to the permitting requirements of 6NYCRR Part 201 at the time of construction or modification, and the owner and/or operator failed to apply for a permit for such emission source then the following provisions apply:

- (a) The owner and/or operator must apply for a permit for such emission source or register the facility in accordance with the provisions of Part 201.
- (b) The emission source or facility is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing sources or facilities.

Condition 6: Unavoidable Noncompliance and Violations

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 201-1.4

#### Item 6.1:

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

- (a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit or certificate issued for the corresponding air contamination source. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.
- (b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction



occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates.

- (c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air contaminants emitted.
- (d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

## **Condition 7:** Emergency Defense

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 201-1.5

#### Item 7.1:

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

- (a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:
- (1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;
- (2) The equipment at the permitted facility causing the emergency was at the time being properly operated;
- (3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
- (4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.
- (b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.
- (c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.



Condition 10: Public Access to Recordkeeping

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 201-1.10(a)

#### Item 10.1:

Where emission source owners and/or operators keep records pursuant to compliance with the operational flexibility requirements of 6 NYCRR Subpart 201-5.4(b)(1), and/or the emission capping requirements of 6 NYCRR Subparts 201-7.2(d), 201-7.3(f), 201-7.3(g), 201-7.3(h)(5), 201-7.3(i) and 201-7.3(j), the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Emission source owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department of receipt of the request.

Condition 13: Synthetic minor facility capping provisions.

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable Federal Requirement: 6NYCRR 201-7.2** 

#### Item 13.1:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

#### Item 13.2:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

#### Item 13.3:

On an annual basis, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to those threshold levels that would require the submission of an application for a Title V facility permit, or compliance with an applicable requirement.

#### Item 13.4:

The emission of pollutants in exceedance of the applicability thresholds for obtaining a Title V facility permit or other applicable requirements constitutes a violation of Part 201 and of the Act.

**Condition 18:** Facility Permissible Emissions

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable Federal Requirement: 6NYCRR 228.3** 



#### Item 18.1:

The sum of emissions from the emission units specified in this permit shall not equal or exceed the following

Potential To Emit (PTE) rate for each regulated contaminant:

CAS No: 0NY998-00-0 PTE: 99,800 pounds per year

Name: VOC

**Condition 19: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 228.3

#### Item 19.1:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 0NY998-00-0 VOC

#### Item 19.2:

Compliance Demonstration shall include the following monitoring:

Capping: Yes

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Total VOC emissions, from this facility, shall not exceed 50 tons during any consecutive 12 month period. Records on material usage will be maintained at the facility. Certification of monthly total VOC emission will be determined via calculations using materials usage times the VOC contents of the individual materials. Facility shall provide a report, with the required calculations and demonstration of compliance with total VOC limit, to the NYSDEC Region 6 office each year.

Monitoring Frequency: MONTHLY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY

Reporting Requirements: ANNUALLY (ANNIVERSARY)

Initial Report Due: 02/25/2000 for the period 01/27/1999 through 01/26/2000

**Condition 20:** Facility Permissible Emissions

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 63.800, Subpart JJ

#### Item 20.1:



The sum of emissions from the emission units specified in this permit shall not equal or exceed the following

Potential To Emit (PTE) rate for each regulated contaminant:

CAS No: 0NY100-00-0 PTE: 49,800 pounds per year

Name: HAP

**Condition 21: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 63.800, Subpart JJ

#### Item 21.1:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):
CAS No: 0NY100-00-0 HAP

#### Item 21.2:

Compliance Demonstration shall include the following monitoring:

Capping: Yes

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Total HAP emission, from this facility, shall not exceed 25 tons during any cosecutive 12 month period. Records on material usage will be maintained at the facility. Certification of monthly total HAP emissions will be determined via calculations using emissions factors acceptable to this Department. Facility shall provide a report, with the required calculations and dmonstration of compliance with this total HAP limit, to the NYSDEC Region 6 office each year

Monitoring Frequency: MONTHLY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY

Reporting Requirements: ANNUALLY (ANNIVERSARY)

Initial Report Due: 02/25/2000 for the period 01/27/1999 through 01/26/2000

**Condition 22: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 40CFR 63.800, Subpart JJ

#### Item 22.1:

The Compliance Demonstration activity will be performed for the Facility.

Air Pollution Control Permit Conditions Page 12 of 27 FINAL



Regulated Contaminant(s):
CAS No: 0NY100-00-0 HAP

#### Item 22.2:

Compliance Demonstration shall include the following monitoring:

Capping: Yes

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Each of each individual HAP, from this facility, shall not exceed 10 tons during any consecutive 12 month period. Records on material usage will be maintained at the facility. Certification of monthly individual HAP emissions will be determined by calculations using emissions factors acceptable to this Department. Facility shall provide a report, with the required calculations and a demostrations of compliance with this limit for each individual HAP, to the NYSDEC Region 6 office each year

Monitoring Frequency: MONTHLY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY

Reporting Requirements: ANNUALLY (ANNIVERSARY)

Initial Report Due: 02/25/2000 for the period 01/27/1999 through 01/26/2000

\*\*\*\* Emission Unit Level \*\*\*\*

**Condition 23: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 212.6(a)

### Item 23.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00001

#### Item 23.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The average opacity during any six consecutive minutes shall not equal or exceed 20%. This limitation applies to

Air Pollution Control Permit Conditions Page 13 of 27 FINAL



every emission point at the emission unit.

Parameter Monitored: OPACITY Upper Permit Limit: 20.0 percent Reference Test Method: EPA Method 9

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 24: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable Federal Requirement: 6NYCRR 212.3(b)** 

#### Item 24.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00001 Emission Point: 00001 Process: 001 Emission Source: 00A01

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

## Item 24.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

Emissions of solid particulates are limited to less than 0.150 grains of particulates per cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis. Compliance testing will be conducted at the discretion of

the Department.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.15 grains per dscf Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

**DESCRIPTION** 

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 25: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable Federal Requirement: 6NYCRR 212.3(b)** 

Air Pollution Control Permit Conditions Page 14 of 27 FINAL



#### Item 25.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00001 Emission Point: 00009 Process: 001 Emission Source: 00A02

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

#### Item 25.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

Emissions of solid particulates are limited to less than 0.150 grains of particulates per cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis. Compliance testing will be conducted at the discretion of the Department.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.15 grains per dscf Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 26: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 212.3(b)

#### Item 26.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00001 Emission Point: 00010 Process: 001 Emission Source: 00A03

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

## Item 26.2:

Compliance Demonstration shall include the following monitoring:



Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

Emissions of solid particulates are limited to less than 0.150 grains of particulates per cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis. Compliance testing will be conducted at the discretion of the Department.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.15 grains per dscf Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

**DESCRIPTION** 

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 27: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable Federal Requirement: 6NYCRR 212.3(b)** 

#### Item 27.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00001 Emission Point: 00011 Process: 001 Emission Source: 00A04

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

#### Item 27.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

Emissions of solid particulates are limited to less than 0.150 grains of particulates per cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis. Compliance testing will be conducted at the discretion of the Department.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.15 grains per dscf

Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Air Pollution Control Permit Conditions Page 16 of 27 FINAL



Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 28: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 212.6(a)

#### Item 28.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00002

#### Item 28.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The average opacity during any six consecutive minutes shall not equal or exceed 20%. This limitation applies to every emission point at the emission unit.

Parameter Monitored: OPACITY Upper Permit Limit: 20.0 percent Reference Test Method: EPA Method 9

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 29: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable Federal Requirement: 6NYCRR 212.3(b)** 

#### Item 29.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00002 Emission Point: 00005 Process: 002 Emission Source: 00A05

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

#### Item 29.2:

Compliance Demonstration shall include the following monitoring:

Air Pollution Control Permit Conditions Page 17 of 27 FINAL



Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

Emissions of solid particulates are limited to less than 0.150 grains of particulates per cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis. Compliance testing will be conducted at the discretion of the Department.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.15 grains per dscf Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

**DESCRIPTION** 

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 30: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 212.6(a)

#### Item 30.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00003

### Item 30.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The average opacity during any six consecutive minutes shall not equal or exceed 20%. This limitation applies to every emission point at the emission unit.

Parameter Monitored: OPACITY Upper Permit Limit: 20.0 percent Reference Test Method: EPA Method 9

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

## **Condition 31: Compliance Demonstration**

Effective between the dates of 01/27/1999 and Permit Expiration Date



Applicable Federal Requirement: 6NYCRR 212.3(b)

#### Item 31.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00003 Emission Point: 00006 Process: 006 Emission Source: 00A06

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

#### Item 31.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

Emissions of solid particulates are limited to less than 0.150 grains of particulates per cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis. Compliance testing will be conducted at the discretion of the Department.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.15 grains per dscf Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

**DESCRIPTION** 

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 32: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 212.3(b)

#### Item 32.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00003 Emission Point: 00007 Process: 006 Emission Source: 00A07

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

#### Item 32.2:

Air Pollution Control Permit Conditions Page 19 of 27 FINAL



Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

Emissions of solid particulates are limited to less than 0.150 grains of particulates per cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis. Compliance testing will be conducted at the discretion of the Department.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.15 grains per dscf Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

**DESCRIPTION** 

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 33: Compliance Demonstration** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 212.6(a)

### Item 33.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00004

#### Item 33.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The average opacity during any six consecutive minutes shall not equal or exceed 20%. This limitation applies to every emission point at the emission unit.

Parameter Monitored: OPACITY Upper Permit Limit: 20.0 percent Reference Test Method: EPA Method 9

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

## **Condition 34: Compliance Demonstration**



## Effective between the dates of 01/27/1999 and Permit Expiration Date

Applicable Federal Requirement: 6NYCRR 212.3(b)

#### Item 34.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00004 Emission Point: 00008 Process: 004 Emission Source: 00A08

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

#### Item 34.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

Emissions of solid particulates are limited to less than 0.150 grains of particulates per cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis. Compliance testing will be conducted at the discretion of the Department.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.15 grains per dscf Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

**DESCRIPTION** 

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY



## STATE ONLY ENFORCEABLE CONDITIONS \*\*\*\* Facility Level \*\*\*\*

Condition 35: General Provisions: Facilities Subject to Subparts 201-5

and 201-6

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable State Requirement:** 6NYCRR 201-5

#### Item 35.1:

This section contains terms and conditions that are not federally enforceable and are not required under the Act or under any of its applicable requirements. Terms and conditions so designated are not subject to the requirements of Section 201-6.4 of Part 201.

#### Item 35.2:

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

#### Item 35.3:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

#### Item 35.4:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

**Condition 36:** Emission Unit Definition

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable State Requirement:** 6NYCRR 201-5

#### Item 36.1:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00001 Emission Unit Description: 4 Paint Spray Booths

Building(s): 2



#### Item 36.2:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00002 Emission Unit Description:

Solvent recovery still used to recycle clean up solvent. Ventilation fan used to keep air clean in recovery area. Very low fumes.

•

Building(s): 2

#### Item 36.3:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00003 Emission Unit Description:

2 Dust collectors one main unit used to collect dust and shavings from the wood chipper and one auxilliary unit used for the same purpose.

Building(s): 1

#### Item 36.4:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00004 Emission Unit Description:

Adhesive drying booth for drying of contact adhesive.

Building(s): 1

**Condition 15:** Air pollution prohibited

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable State Requirement:** 6NYCRR 211.2

### Item 15.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 37: Diesel truck opacity limitation

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable State Requirement:** 6NYCRR 217-3.2(a)



#### Item 37.1:

No person who owns, operates or leases a vehicle propelled by a diesel engine or who owns, leases or occupies land and has actual or apparent dominion or control over the operation of a vehicle propelled by a diesel engine which is present on said land, shall operate said vehicle or allow or permit it to be operated, in such a manner that exhaust emissions of a shade of blue, black, or gray equal to or greater than No. 1 on the Ringelmann chart (20 percent opacity) or equivalent standard acceptable to the commissioner are produced for a continuous period of more than five seconds when the vehicle is in motion.

**Condition 38:** Idling of diesel trucks limited

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable State Requirement: 6NYCRR 217-3.2(b)** 

#### Item 38.1:

No person who owns, operates or leases a bus or truck, the motive power for which is provided by a diesel engine or who owns, leases or occupies land and has the actual or apparent dominion or control over the operation of a bus or truck present on such land, the motive power for which said bus or truck is provided by a diesel engine, shall allow or permit the diesel engine of such bus or truck to idle for more than five consecutive minutes when the bus or truck is not in motion, except as otherwise permitted by 6 NYCRR Subpart 217-3.3.

## \*\*\*\* Emission Unit Level \*\*\*\*

Condition 39: Emission Point Definition By Emission Unit

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable State Requirement: 6NYCRR 201-5** 

#### Item 39.1:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00001

Emission Point: 00001

Height (ft.): 32 Diameter (in.): 32

NYTMN (km.): 4787.423 NYTME (km.): 463.532 Building: 2

Emission Point: 00009

Height (ft.): 30 Diameter (in.): 32

NYTMN (km.): 4784.423 NYTME (km.): 463.532 Building: 2

Emission Point: 00010

Height (ft.): 32 Diameter (in.): 34

NYTMN (km.): 4787.423 NYTME (km.): 463.532 Building: 2

Emission Point: 00011



Height (ft.): 32 Diameter (in.): 32

NYTMN (km.): 4787.423 NYTME (km.): 463.532 Building: 2

#### Item 39.2:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00002

Emission Point: 00005

Height (ft.): 22 Diameter (in.): 17

NYTMN (km.): 4787.423 NYTME (km.): 463.532 Building: 2

#### Item 39.3:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00003

Emission Point: 00006

Height (ft.): 33 Diameter (in.): 30

NYTMN (km.): 4787.423 NYTME (km.): 463.532 Building: 1

Emission Point: 00007

Height (ft.): 20 Diameter (in.): 20

NYTMN (km.): 4787.423 NYTME (km.): 463.532 Building: 1

#### Item 39.4:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00004

Emission Point: 00008

Height (ft.): 22 Diameter (in.): 12

NYTMN (km.): 4787.423 NYTME (km.): 463.532 Building: 1

**Condition 40: Process Definition By Emission Unit** 

Effective between the dates of 01/27/1999 and Permit Expiration Date

**Applicable State Requirement:** 6NYCRR 201-5

#### Item 40.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00001

Process: 001 Source Classification Code: 3-01-014-01

Process Description:

4 Paint Spray booths to apply coatings, stains and adhesives.

Air Pollution Control Permit Conditions Page 25 of 27 FINAL



Emission Source/Control: 00A01 - Control

Control Type: BAFFLE

Emission Source/Control: 00A02 - Control

Control Type: BAFFLE

Emission Source/Control: 00A03 - Control

Control Type: BAFFLE

Emission Source/Control: 00A04 - Control

Control Type: BAFFLE

#### Item 40.2:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00002

Process: 002 Source Classification Code: 3-01-018-19

Process Description:

Solvent recovery still used to recycle clean up solvent.

Ventilation

Emission Source/Control: 00A05 - Process

## Item 40.3:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00003

Process: 006 Source Classification Code: 3-07-020-98

Process Description:

Two dust collectors one unit to collect dust and shavings from a wood chipper; an auxiliary unit used for same

purpose.

Emission Source/Control: 00A06 - Control

Control Type: CENTRIFUGAL

Emission Source/Control: 00A07 - Control

Control Type: CENTRIFUGAL

### Item 40.4:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00004

Process: 004 Source Classification Code: 4-02-007-01

Process Description: Adhesive drying booth for drying contact cement.



Emission Source/Control: 00A08 - Control

Control Type: BAFFLE