



PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air Title V Facility
Permit ID: 7-0501-00044/00007
Effective Date: 10/23/2015 Expiration Date: 10/22/2020

Permit Issued To: NUCOR STEEL AUBURN INC
25 QUARRY RD
PO BOX 2008
AUBURN, NY 13021

Contact: GORDON ELWELL
NUCOR STEEL AUBURN
25 QUARRY RD
AUBURN, NY 13021
(315) 258-4239

Facility: NUCOR STEEL AUBURN INC
25 QUARRY ROAD
AUBURN, NY 13021

Contact: GORDON ELWELL
NUCOR STEEL AUBURN
25 QUARRY RD
AUBURN, NY 13021
(315) 258-4239

Description:

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: ELIZABETH A TRACY
615 ERIE BLVD WEST
SYRACUSE, NY 13204-2400

Authorized Signature: _____ Date: ____ / ____ / ____



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

General Provisions

- Facility Inspection by the Department
- Relationship of this Permit to Other Department Orders and Determinations
- Applications for permit renewals, modifications and transfers
- Permit modifications, suspensions or revocations by the Department

Facility Level

- Submission of application for permit modification or renewal-REGION 7 HEADQUARTERS



DEC GENERAL CONDITIONS

****** General Provisions ******

For the purpose of your Title V permit, the following section contains state-only enforceable terms and conditions.

GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department

Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations

Applicable State Requirement: ECL 3-0301 (2) (m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for permit renewals, modifications and transfers

Applicable State Requirement: 6 NYCRR 621.11

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 3.3:

Permits are transferrable with the approval of the department unless specifically prohibited by



the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Condition 4: Permit modifications, suspensions or revocations by the Department
Applicable State Requirement: 6 NYCRR 621.13

Item 4.1:

The Department reserves the right to exercise all available authority to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

****** Facility Level ******

Condition 5: Submission of application for permit modification or renewal-REGION 7 HEADQUARTERS
Applicable State Requirement: 6 NYCRR 621.6 (a)

Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:
NYSDEC Regional Permit Administrator
Region 7 Headquarters
Division of Environmental Permits
615 Erie Blvd West
Syracuse, NY 13204-2400
(315) 426-7400

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - TITLE V PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: NUCOR STEEL AUBURN INC
25 QUARRY RD
PO BOX 2008
AUBURN, NY 13021

Facility: NUCOR STEEL AUBURN INC
25 QUARRY ROAD
AUBURN, NY 13021

Authorized Activity By Standard Industrial Classification Code:
3312 - BLAST FURNACES AND STEEL MILLS

Permit Effective Date: 10/23/2015

Permit Expiration Date: 10/22/2020



LIST OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS

Facility Level

- 1 6 NYCRR 200.6: Acceptable Ambient Air Quality
 - 2 6 NYCRR 201-6.4 (a) (7): Fees
 - 3 6 NYCRR 201-6.4 (c): Recordkeeping and Reporting of Compliance Monitoring
 - 4 6 NYCRR 201-6.4 (c) (2): Records of Monitoring, Sampling, and Measurement
 - 5 6 NYCRR 201-6.4 (c) (3) (ii): Compliance Certification
 - 6 6 NYCRR 201-6.4 (e): Compliance Certification
 - 7 6 NYCRR 202-2.1: Compliance Certification
 - 8 6 NYCRR 202-2.5: Recordkeeping requirements
 - 9 6 NYCRR 215.2: Open Fires - Prohibitions
 - 10 6 NYCRR 200.7: Maintenance of Equipment
 - 11 6 NYCRR 201-1.7: Recycling and Salvage
 - 12 6 NYCRR 201-1.8: Prohibition of Reintroduction of Collected Contaminants to the air
 - 13 6 NYCRR 201-3.2 (a): Exempt Sources - Proof of Eligibility
 - 14 6 NYCRR 201-3.3 (a): Trivial Sources - Proof of Eligibility
 - 15 6 NYCRR 201-6.4 (a) (4): Requirement to Provide Information
 - 16 6 NYCRR 201-6.4 (a) (8): Right to Inspect
 - 17 6 NYCRR 201-6.4 (f) (6): Off Permit Changes
 - 18 6 NYCRR 202-1.1: Required Emissions Tests
 - 19 40 CFR Part 68: Accidental release provisions.
 - 20 40CFR 82, Subpart F: Recycling and Emissions Reduction
 - 21 6 NYCRR Subpart 201-6: Emission Unit Definition
 - 22 6 NYCRR 201-6.4 (d) (4): Progress Reports Due Semiannually
 - 23 6 NYCRR Subpart 201-7: Facility Permissible Emissions
 - 24 6 NYCRR 201-7.1: Facility Permissible Emissions
 - *25 6 NYCRR 201-7.1: Capping Monitoring Condition
 - 26 6 NYCRR 202-1.1: Required Emissions Tests - Facility Level
 - 27 6 NYCRR 211.1: Air pollution prohibited
 - 28 6 NYCRR 216.3: Particulate emission limit
 - 29 40CFR 52.21, Subpart A: Compliance Certification
 - 30 40CFR 52.21, Subpart A: Compliance Certification
 - 31 40CFR 52.21, Subpart A: Compliance Certification
 - 32 40CFR 63.10685(a)(1), Subpart YYYYY: Compliance Certification
 - 33 40CFR 63.10685(b)(1), Subpart YYYYY: Compliance Certification
- #### Emission Unit Level
- 34 6 NYCRR Subpart 201-6: Emission Point Definition By Emission Unit
 - 35 6 NYCRR Subpart 201-6: Process Definition By Emission Unit

EU=U-0001B

- *36 6 NYCRR Subpart 201-7: Capping Monitoring Condition
- 37 6 NYCRR 212.6: Compliance Certification
- 38 40CFR 52.21, Subpart A: Compliance Certification
- 39 40CFR 52.21, Subpart A: Compliance Certification
- 40 40CFR 52.21, Subpart A: Compliance Certification

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



- 41 40CFR 52.21, Subpart A: Compliance Certification
- 42 40CFR 52.21, Subpart A: Compliance Certification
- 43 40CFR 52.21, Subpart A: Compliance Certification
- 44 40CFR 52.21, Subpart A: Compliance Certification
- 45 40CFR 52.21, Subpart A: Compliance Certification
- 46 40CFR 52.21, Subpart A: Compliance Certification
- 47 40CFR 60.275a(e), NSPS Subpart AA: Compliance Certification

EU=U-0001B,Proc=001

- 48 40CFR 60.272a(a)(3), NSPS Subpart AA: Compliance Certification
- 49 40CFR 60.272a(b), NSPS Subpart AA: Compliance Certification
- 50 40CFR 60.274a(b), NSPS Subpart AA: Compliance Certification
- 51 40CFR 60.274a(h), NSPS Subpart AA: Compliance Certification

EU=U-0001B,Proc=001,ES=00001

- 52 40CFR 60.274a(d), NSPS Subpart AA: Compliance Certification
- 53 40CFR 60.276a(a), NSPS Subpart AA: Compliance Certification

EU=U-0001B,EP=0001B

- 54 6 NYCRR 216.5: Compliance Certification

EU=U-0001B,EP=0001B,Proc=001

- 55 6 NYCRR 231-2.9 (a): Compliance Certification
- 56 40CFR 60.272a(a)(2), NSPS Subpart AA: Compliance Certification

EU=U-0RBF1,EP=0RBF2

- 57 6 NYCRR 227-1.3 (a): Compliance Certification
- 58 40CFR 52.21, Subpart A: Compliance Certification
- 59 40CFR 52.21, Subpart A: Compliance Certification
- 60 40CFR 52.21, Subpart A: Compliance Certification
- 61 40CFR 52.21, Subpart A: Compliance Certification
- 62 40CFR 52.21, Subpart A: Compliance Certification
- 63 40CFR 52.21, Subpart A: Compliance Certification

EU=U-0RBF1,EP=0RBF2,Proc=002,ES=00006

- 64 6 NYCRR 231-2.9 (a): Compliance Certification

EU=U-SCALE

- 65 6 NYCRR 212.6 (a): Compliance Certification

EU=U-TOWER

- 66 6 NYCRR 212.6 (a): Compliance Certification

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

- 67 ECL 19-0301: Contaminant List
- 68 6 NYCRR 201-1.4: Malfunctions and start-up/shutdown activities

NOTE: * preceding the condition number indicates capping.



FEDERALLY ENFORCEABLE CONDITIONS
****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS
The items listed below are not subject to the annual compliance certification requirements under Title V. Permittees may also have other obligations under regulations of general applicability.

Item A: Emergency Defense - 6 NYCRR 201-1.5

An emergency, as defined by subpart 201-2, constitutes an affirmative defense to penalties sought in an enforcement action brought by the Department for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) An emergency occurred and that the facility owner or operator can identify the cause(s) of the emergency;

(2) The equipment at the permitted facility causing the emergency was at the time being properly operated and maintained;

(3) During the period of the emergency the facility owner or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) The facility owner or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item B: Public Access to Recordkeeping for Title V Facilities - 6 NYCRR 201-1.10 (b)

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6 NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.



Item C: Timely Application for the Renewal of Title V Permits - 6 NYCRR 201-6.2 (a) (4)

Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Item D: Certification by a Responsible Official - 6 NYCRR 201-6.2 (d) (12)

Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Item E: Requirement to Comply With All Conditions - 6 NYCRR 201-6.4 (a) (2)

The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

Item F: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR 201-6.4 (a) (3)

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Item G: Cessation or Reduction of Permitted Activity Not a Defense - 6 NYCRR 201-6.4 (a) (5)

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

Item H: Property Rights - 6 NYCRR 201-6.4 (a) (6)

This permit does not convey any property rights of any sort or any exclusive privilege.



Item I: Severability - 6 NYCRR 201-6.4 (a) (9)

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Item J: Permit Shield - 6 NYCRR 201-6.4 (g)

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii. The applicable requirements of Title IV of the Act;
- iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Item K: Reopening for Cause - 6 NYCRR 201-6.4 (i)

This Title V permit shall be reopened and revised under any of the following circumstances:

- i. If additional applicable requirements under the Act become applicable where this permit's remaining term is



three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.

ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

Item L: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York



(NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item M: Federally Enforceable Requirements - 40 CFR 70.6 (b)
All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

**MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS
SUBJECT TO ANNUAL CERTIFICATIONS AT ALL TIMES**

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements at all times.

Condition 1: Acceptable Ambient Air Quality
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 200.6

Item 1.1:
Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Condition 2: Fees
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 201-6.4 (a) (7)

Item 2.1:
The owner and/or operator of a stationary source shall pay fees to the Department consistent with the fee schedule authorized by ECL 72-0303.

Condition 3: Recordkeeping and Reporting of Compliance Monitoring
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 201-6.4 (c)



Item 3.1:

The following information must be included in any required compliance monitoring records and reports:

- (i) The date, place, and time of sampling or measurements;
- (ii) The date(s) analyses were performed;
- (iii) The company or entity that performed the analyses;
- (iv) The analytical techniques or methods used including quality assurance and quality control procedures if required;
- (v) The results of such analyses including quality assurance data where required; and
- (vi) The operating conditions as existing at the time of sampling or measurement.

Any deviation from permit requirements must be clearly identified in all records and reports. Reports must be certified by a responsible official, consistent with Section 201-6.2 of Part 201.

**Condition 4: Records of Monitoring, Sampling, and Measurement
Effective between the dates of 10/23/2015 and 10/22/2020**

Applicable Federal Requirement: 6 NYCRR 201-6.4 (c) (2)

Item 4.1:

Compliance monitoring and recordkeeping shall be conducted according to the terms and conditions contained in this permit and shall follow all quality assurance requirements found in applicable regulations. Records of all monitoring data and support information must be retained for a period of at least 5 years from the date of the monitoring, sampling, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

**Condition 5: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020**

Applicable Federal Requirement: 6 NYCRR 201-6.4 (c) (3) (ii)

Item 5.1:

The Compliance Certification activity will be performed for the Facility.

Item 5.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

To meet the requirements of this facility permit with respect to reporting, the permittee must:



Submit reports of any required monitoring at a minimum frequency of every 6 months, based on a calendar year reporting schedule. These reports shall be submitted to the Department within 30 days after the end of a reporting period. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by the responsible official for this facility.

Notify the Department and report permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken. Where the underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations shall be submitted to the permitting authority based on the following schedule:

- (1) For emissions of a hazardous air pollutant (as identified in an applicable regulation) that continue for more than an hour in excess of permit requirements, the report must be made within 24 hours of the occurrence.
- (2) For emissions of any regulated air pollutant, excluding those listed in paragraph (1) of this section, that continue for more than two hours in excess of permit requirements, the report must be made within 48 hours.
- (3) For all other deviations from permit requirements, the report shall be contained in the 6 month monitoring report required above.
- (4) This permit may contain a more stringent reporting requirement than required by paragraphs (1), (2) or (3) above. If more stringent reporting requirements have been placed in this permit or exist in applicable requirements that apply to this facility, the more stringent reporting requirement shall apply.

If above paragraphs (1) or (2) are met, the source must notify the permitting authority by telephone during normal business hours at the Regional Office of jurisdiction for this permit, attention Regional Air Pollution Control Engineer (RAPCE) according to the timetable listed in paragraphs (1) and (2) of this section. For deviations and incidences that must be reported outside of normal business hours, on weekends, or holidays, the DEC Spill



Hotline phone number at 1-800-457-7362 shall be used. A written notice, certified by a responsible official consistent with 6 NYCRR Part 201-6.2(d)(12), must be submitted within 10 working days of an occurrence for deviations reported under (1) and (2). All deviations reported under paragraphs (1) and (2) of this section must also be identified in the 6 month monitoring report required above.

The provisions of 6 NYCRR 201-1.4 shall apply if the permittee seeks to have a violation excused unless otherwise limited by regulation. In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets. Notwithstanding any recordkeeping and reporting requirements in 6 NYCRR 201-1.4, reports of any deviations shall not be on a less frequent basis than the reporting periods described in paragraphs (1) and (4) above.

In the case of any condition contained in this permit with a reporting requirement of "Upon request by regulatory agency" the permittee shall include in the semiannual report, a statement for each such condition that the monitoring or recordkeeping was performed as required or requested and a listing of all instances of deviations from these requirements.

In the case of any emission testing performed during the previous six month reporting period, either due to a request by the Department, EPA, or a regulatory requirement, the permittee shall include in the semiannual report a summary of the testing results and shall indicate whether or not the Department or EPA has approved the results.

All semiannual reports may be submitted electronically or physically. Electronic reports shall be submitted using the Department's Air Compliance and Emissions Electronic-Reporting system (ACE). If the facility owner or operator elects to send physical copies instead, two copies shall be sent to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office) and one copy shall be sent to the Administrator (or his or her representative). Mailing addresses for the above referenced persons are contained in the monitoring condition for 6 NYCRR Part 201-6.4(e), contained elsewhere in this permit.



Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2016.
Subsequent reports are due every 6 calendar month(s).

Condition 6: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 6 NYCRR 201-6.4 (e)

Item 6.1:

The Compliance Certification activity will be performed for the Facility.

Item 6.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Requirements for compliance certifications with terms and conditions contained in this facility permit include the following:

- i. Compliance certifications shall contain:
 - the identification of each term or condition of the permit that is the basis of the certification;
 - the compliance status;
 - whether compliance was continuous or intermittent;
 - the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
 - such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions; and
 - such additional requirements as may be specified elsewhere in this permit related to compliance certification.
- ii. The responsible official must include in the annual certification report all terms and conditions contained in this permit which are identified as being subject to certification, including emission limitations, standards, or work practices. That is, the provisions labeled herein as "Compliance Certification" are not the only provisions of this permit for which an annual certification is required.
- iii. Compliance certifications shall be submitted annually. Certification reports are due 30 days after the anniversary date of four consecutive calendar quarters.

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



The first report is due 30 days after the calendar quarter that occurs just prior to the permit anniversary date, unless another quarter has been acceptable by the Department.

iv. All annual compliance certifications may be submitted electronically or physically. Electronic reports shall be submitted using the Department's Air Compliance and Emissions Electronic-Reporting system (ACE). If the facility owner or operator elects to send physical copies instead, two copies shall be sent to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office) and one copy shall be sent to the Administrator (or his or her representative). The mailing addresses for the above referenced persons are:

Chief – Stationary Source Compliance Section
USEPA Region 2
Air Compliance Branch
290 Broadway
New York, NY 10007-1866

The address for the RAPCE is as follows:

Regional Air Pollution Control Engineer
NYSDEC Region 7 Headquarters
615 Erie Boulevard, West
Syracuse, NY 13204-2400

The address for the BQA is as follows:

NYSDEC
Bureau of Quality Assurance
625 Broadway
Albany, NY 12233-3258

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2016.
Subsequent reports are due on the same day each year

Condition 7: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 202-2.1

Item 7.1:

The Compliance Certification activity will be performed for the Facility.

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Item 7.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year.

Monitoring Frequency: ANNUALLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due by April 15th for previous calendar year

**Condition 8: Recordkeeping requirements
Effective between the dates of 10/23/2015 and 10/22/2020**

Applicable Federal Requirement:6 NYCRR 202-2.5

Item 8.1:

(a) The following records shall be maintained for at least five years:

- (1) a copy of each emission statement submitted to the department; and
- (2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.

(b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.

**Condition 9: Open Fires - Prohibitions
Effective between the dates of 10/23/2015 and 10/22/2020**

Applicable Federal Requirement:6 NYCRR 215.2

Item 9.1:

Except as allowed by Title 6 NYCRR Section 215.3, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.

Item 9.2

Per Section 215.3, burning in an open fire, provided it is not contrary to other law or regulation, will be allowed as follows:

- (a) On-site burning in any town with a total population less than 20,000 of downed limbs and branches (including branches with attached leaves or needles) less than six inches in diameter and eight feet in length between May 15th and the following March 15th. For the purposes of this subdivision, the total population of a town shall include the population of any village or portion thereof located within the town. However, this subdivision shall not be construed to allow burning within any village.
- (b) Barbecue grills, maple sugar arches and similar outdoor cooking devices when actually used for cooking or processing food.
- (c) Small fires used for cooking and camp fires provided that only charcoal or untreated wood is used as fuel and the fire is not left unattended until extinguished.
- (d) On-site burning of agricultural wastes as part of a valid agricultural operation on contiguous



agricultural lands larger than five acres actively devoted to agricultural or horticultural use, provided such waste is actually grown or generated on those lands and such waste is capable of being fully burned within a 24-hour period.

- (e) The use of liquid petroleum fueled smudge pots to prevent frost damage to crops.
- (f) Ceremonial or celebratory bonfires where not otherwise prohibited by law, provided that only untreated wood or other agricultural products are used as fuel and the fire is not left unattended until extinguished.
- (g) Small fires that are used to dispose of a flag or religious item, and small fires or other smoke producing process where not otherwise prohibited by law that are used in connection with a religious ceremony.
- (h) Burning on an emergency basis of explosive or other dangerous or contraband materials by police or other public safety organization.
- (i) Prescribed burns performed according to Part 194 of this Title.
- (j) Fire training, including firefighting, fire rescue, and fire/arson investigation training, performed under applicable rules and guidelines of the New York State Department of State's Office of Fire Prevention and Control. For fire training performed on acquired structures, the structures must be emptied and stripped of any material that is toxic, hazardous or likely to emit toxic smoke (such as asbestos, asphalt shingles and vinyl siding or other vinyl products) prior to burning and must be at least 300 feet from other occupied structures. No more than one structure per lot or within a 300 foot radius (whichever is bigger) may be burned in a training exercise.
- (k) Individual open fires as approved by the Director of the Division of Air Resources as may be required in response to an outbreak of a plant or animal disease upon request by the commissioner of the Department of Agriculture and Markets, or for the destruction of invasive plant and insect species.
- (l) Individual open fires that are otherwise authorized under the environmental conservation law, or by rule or regulation of the Department.

**MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS
SUBJECT TO ANNUAL CERTIFICATIONS ONLY IF APPLICABLE**

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements only if effectuated during the reporting period.

[NOTE: The corresponding annual compliance certification for those conditions not effectuated during the reporting period shall be specified as "not applicable".]

**Condition 10: Maintenance of Equipment
Effective between the dates of 10/23/2015 and 10/22/2020**

Applicable Federal Requirement: 6 NYCRR 200.7

Item 10.1:

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.



Condition 11: Recycling and Salvage
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 201-1.7

Item 11.1:

Where practical, the owner or operator of an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of the ECL.

Condition 12: Prohibition of Reintroduction of Collected Contaminants to the air
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 201-1.8

Item 12.1:

No person shall unnecessarily remove, handle or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Condition 13: Exempt Sources - Proof of Eligibility
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 201-3.2 (a)

Item 13.1:

The owner or operator of an emission source or activity that is listed as being exempt may be required to certify that it is operated within the specific criteria described in this Subpart. The owner or operator of any such emission source or activity must maintain all records necessary for demonstrating compliance with this Subpart on-site for a period of five years, and make them available to representatives of the department upon request.

Condition 14: Trivial Sources - Proof of Eligibility
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 201-3.3 (a)

Item 14.1:

The owner or operator of an emission source or activity that is listed as being trivial in this Section may be required to certify that it is operated within the specific criteria described in this Subpart. The owner or operator of any such emission source or activity must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request.

Condition 15: Requirement to Provide Information
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 201-6.4 (a) (4)

Item 15.1:

The owner and/or operator shall furnish to the department, within a reasonable time, any



information that the department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the department copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to the administrator along with a claim of confidentiality, if the administrator initiated the request for information or otherwise has need of it.

Condition 16: Right to Inspect
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 201-6.4 (a) (8)

Item 16.1:

The department or an authorized representative shall be allowed upon presentation of credentials and other documents as may be required by law to:

(i) enter upon the permittee's premises where a facility subject to the permitting requirements of this Subpart is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;

(ii) have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;

(iii) inspect at reasonable times any emission sources, equipment (including monitoring and air pollution control equipment), practices, and operations regulated or required under the permit; and

(iv) sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

Condition 17: Off Permit Changes
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 201-6.4 (f) (6)

Item 17.1:

No permit revision will be required for operating changes that contravene an express permit term, provided that such changes would not violate applicable requirements as defined under this Part or contravene federally enforceable monitoring (including test methods), recordkeeping, reporting, or compliance certification permit terms and conditions. Such changes may be made without requiring a permit revision, if the changes are not modifications under any provision of title I of the act and the changes do not exceed the emissions allowable under the permit (whether expressed therein as a rate of emissions or in terms of total emissions) provided that the facility provides the administrator and the department with written notification as required below in advance of the proposed changes within a minimum of seven days. The facility owner or operator, and the department shall attach each such notice to their copy of the relevant permit.

(i) For each such change, the written notification required above shall include a brief description of the change within the permitted facility, the date on which the change will occur, any change in emissions, and any permit term or condition that is no longer applicable as a result of the



The following conditions are subject to annual compliance certification requirements for Title V permits only.

Condition 21: Emission Unit Definition
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 6 NYCRR Subpart 201-6

Item 21.1:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-0001B

Emission Unit Description:

Electric Arc Furnace (EAF) emissions are controlled by direct shell evacuation, canopy hood and closed building roof. Particulate emissions are recovered in a fabric filter baghouse.

Building(s): BH
CA
MS
SH

Item 21.2:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-ORBF1

Emission Unit Description:

Billet reheat furnace heats billets to rolling temperature prior to rolling into finished products.

Building(s): BS
RF
RM1

Item 21.3:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-SCALE

Emission Unit Description:

Millscale separating, screening and handling operations.

Item 21.4:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-TOWER

Emission Unit Description:

This emission unit consists of three contact cooling towers. The current cooling tower (COOL1) provides cooling water for both the caster and the rolling mill. It will be replaced by two individual cooling towers which

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



will provide cooling water for the caster (COOL2) and rolling mill (COOL3) separately.

Building(s): CA
RM3

Condition 22: Progress Reports Due Semiannually
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 201-6.4 (d) (4)

Item 22.1:

Progress reports consistent with an applicable schedule of compliance are to be submitted at least semiannually, or at a more frequent period if specified in the applicable requirement or by the department. Such progress reports shall contain the following:

(i) dates for achieving the activities, milestones, or compliance required in the schedule of compliance, and dates when such activities, milestones or compliance were achieved; and

(ii) an explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

Condition 23: Facility Permissible Emissions
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR Subpart 201-7

Item 23.1:

The sum of emissions from the emission units specified in this permit shall not equal or exceed the following

Potential To Emit (PTE) rate for each regulated contaminant:

CAS No: 007439-92-1
Name: LEAD

PTE: 1,200 pounds per year

Condition 24: Facility Permissible Emissions
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 201-7.1

Item 24.1:

The sum of emissions from the emission units specified in this permit shall not equal or exceed the following

Potential To Emit (PTE) rate for each regulated contaminant:

CAS No: 0NY998-00-0
Name: VOC

PTE: 98,000 pounds per year

Condition 25: Capping Monitoring Condition



Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 201-7.1

Item 25.1:

Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

6 NYCRR 216.5 (a) (2)

Item 25.2:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

Item 25.3:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Item 25.4:

On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

Item 25.5:

The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

Item 25.6:

The Compliance Certification activity will be performed for the facility:
The Compliance Certification applies to:

Emission Unit: U-0001B

Emission Unit: U-ORBF1

Regulated Contaminant(s):
CAS No: 0NY998-00-0 VOC

Item 25.7:

Compliance Certification shall include the following monitoring:

Capping: Yes

Monitoring Type: INTERMITTENT EMISSION TESTING

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Monitoring Description:

Facility-wide emissions of volatile organic compounds shall not exceed 49 tons/year, based on a 12 month rolling average. Emissions will be calculated using site-specific emissions factors based on the most recent stack test for the electric arc furnace which must be conducted once during the term of the permit. VOC emissions will be calculated for the reheat furnace using an AP-42 factor and natural gas consumption. Rolling mill emissions will be calculated using a department approved emissions factor along with oil purchase records. The facility must also account for 1.2 tons per year VOC emissions from miscellaneous sources.

Parameter Monitored: VOC

Upper Permit Limit: 49 tons per year

Reference Test Method: EPA Reference Method 25A

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 12-MONTH TOTAL, ROLLED MONTHLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 12 calendar month(s).

Condition 26: Required Emissions Tests - Facility Level
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 202-1.1

Item 26.1:

An acceptable report of measured emissions shall be submitted, as required by the commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation.

Condition 27: Air pollution prohibited
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 211.1

Item 27.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 28: Particulate emission limit
Effective between the dates of 10/23/2015 and 10/22/2020



Applicable Federal Requirement:6 NYCRR 216.3

Item 28.1:

Any iron and/or steel process must not cause or allow emissions of particulates from any confined process to exceed the limits contained in Table 1 of Part 216 or as listed in this permit.

Condition 29: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 52.21, Subpart A

Item 29.1:

The Compliance Certification activity will be performed for the Facility.

Item 29.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

A system to calculate and record exhaust gas volumetric flow rates shall be implemented. The system shall be utilized through a programmable logic controller (PLC) algorithm with input from the CEM for calculating hourly rates of CO, NO_x and SO₂. External QA shall be verification of the volumetric calculation and shall be conducted during initial startup, and on a yearly basis thereafter, employing EPA standard flow traverse methodology. Internal QA shall include calibration and accuracy check of monitoring equipment taking into account the manufacturer's specifications and recommended internals. Nucor must submit a detailed proposed methodology to EPA and obtain EPA approval prior to the date of the performance test.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 30: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 52.21, Subpart A

Item 30.1:

The Compliance Certification activity will be performed for the Facility.

Item 30.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:



Emission limitations in the June 22, 2004 EPA PSD permit issued to Nucor Steel, for the modification to the facility to increase EAF production (Attachment A) and incorporated by reference into this Title V permit shall be increased by 25% during periods of startup and shutdown of the EAF and the reheat furnace.

a. Startup and shutdown periods of one (1) hour each shall be recognized for the EAF (normally once a week).

i. Startup shall be defined as those periods beginning with restoration of power to the furnace after any such shutdown or delay.

ii. Shutdown shall be defined as those periods beginning with any calls for a shutdown or delay of 60 minutes or more when there is no power to the furnace. The shutdown period of one (1) hour begins with the beginning of the delay or shutdown.

b. Startup and shutdown periods of four (4) hours each shall be recognized for the reheat furnace. This allows for a gradual heating/cooling of the refractory.

i. Startup shall be defined as those periods following a shutdown when the burners are turned back on.

ii. Shutdown shall be defined as those periods preceding times when all burners are eventually off.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 31: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 52.21, Subpart A

Item 31.1:

The Compliance Certification activity will be performed for the Facility.

Item 31.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:



The June 22, 2004 EPA PSD permit issued to Nucor Steel, for the modification to the facility to add a new rehear furnace and increase EAF production, is attached (as Attachment A) and incorporated by reference into this Title V permit. Nucor Steel must comply with all terms and conditions of the Federal PSD permit. If there are any discrepancies between the PSD and Title V permit conditions, Nucor shall comply with the most stringent of the two. Any violation of the terms or conditions of the Federal PSD permit may be addressed by NYSDEC through enforcement of this Title V operating permit.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 32: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 63.10685(a)(1), Subpart

YYYYY

Item 32.1:

The Compliance Certification activity will be performed for the Facility.

Item 32.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

For the production of steel other than leaded steel, you must maintain compliance with the department approved pollution prevention plan for metallic scrap selection and inspection to minimize the amount of chlorinated plastics, lead, and free organic liquids that is charged to the furnace. You must operate according to the plan as submitted during the review and approval process, operate according to the approved plan at all times after approval, and address any deficiency identified by the permitting authority within 60 days following disapproval of a plan. You may request approval to revise the plan and may operate according to the revised plan unless and until the revision is disapproved by the permitting authority.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 33: Compliance Certification

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 63.10685(b)(1), Subpart

YYYYY

Item 33.1:

The Compliance Certification activity will be performed for the Facility.

Item 33.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility must follow the procedures for removal of mercury switches in accordance with the department approved site-specific plan for mercury switches and the provisions of 40 CFR 63.10685(b): Mercury requirements.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

****** Emission Unit Level ******

Condition 34: Emission Point Definition By Emission Unit

Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 34.1:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-0001B

Emission Point: 0001B

Height (ft.): 93

Length (in.): 1116

Width (in.): 156

NYTMN (km.): 4756.624

NYTME (km.): 371.8

Building: BH

Item 34.2:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-0RBF1

Emission Point: 0RBF2

Height (ft.): 147

Diameter (in.): 76

NYTMN (km.): 4756.7

NYTME (km.): 371.6

Building: BS



Item 34.3:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-TOWER

Emission Point: 0004A
Height (ft.): 30 Diameter (in.): 94
NYTMN (km.): 4756.751 NYTME (km.): 371.585 Building: RM1

Emission Point: 0004B
Height (ft.): 30 Diameter (in.): 94
NYTMN (km.): 4756.756 NYTME (km.): 371.584 Building: RM1

Emission Point: 0005A
Height (ft.): 23 Diameter (in.): 162
NYTMN (km.): 4756.673 NYTME (km.): 371.573 Building: RM3

Emission Point: 0005B
Height (ft.): 23 Diameter (in.): 162
NYTMN (km.): 4756.673 NYTME (km.): 371.573 Building: RM3

Emission Point: 0006A
Height (ft.): 30 Diameter (in.): 94
NYTMN (km.): 4756.751 NYTME (km.): 371.585 Building: CA

Emission Point: 0006B
Height (ft.): 30 Diameter (in.): 94
NYTMN (km.): 4756.756 NYTME (km.): 371.584 Building: CA

**Condition 35: Process Definition By Emission Unit
Effective between the dates of 10/23/2015 and 10/22/2020**

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 35.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-0001B
Process: 001 Source Classification Code: 3-03-009-04

Process Description:

Scrap steel is melted in the Electric Arc Furnace. Molten steel is tapped from the furnace and continuously cast into billets. Melting and refining emissions are controlled by Direct Shell Evacuation, and charging, melting, refining, slagging, and tapping emissions are controlled by canopy hood and closed building roof. The Direct Shell Evacuation and canopy hood convey emissions to a fabric filter baghouse. Tires are added to the EAF as a source of coal in lieu of carbon

Emission Source/Control: 00001 - Control
Control Type: FABRIC FILTER



Emission Source/Control: 00002 - Process

Item 35.2:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-ORBF1
Process: 002 Source Classification Code: 3-03-009-33
Process Description:
Steel billets are reheated in a natural gas fired furnace
prior to rolling into finished products.

Emission Source/Control: 00006 - Combustion
Design Capacity: 179 million Btu per hour

Emission Source/Control: 00003 - Control
Control Type: LOW NOX BURNERS, FLUE GAS
RECIRCULATION

Item 35.3:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-SCALE
Process: 004 Source Classification Code: 3-03-009-98
Process Description:
Mill scale handling-material through a grizzly then
transferred to screened or unscreened piles. Particulate
emissions are generated from millscale handling and
storage pile wind erosion.

Emission Source/Control: SCALE - Process
Design Capacity: 6,500 tons per year

Item 35.4:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-TOWER
Process: 003 Source Classification Code: 3-85-001-01
Process Description:
Contact cooling towers provide cooling water for both the
caster and rolling mill.

Emission Source/Control: COOL2 - Process
Design Capacity: 3,153,600,000 gallons per year

Emission Source/Control: COOL3 - Process
Design Capacity: 2,365,200,000 gallons per year

Condition 36: Capping Monitoring Condition
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR Subpart 201-7

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Item 36.1:

Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

40 CFR 52.21

Item 36.2:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

Item 36.3:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Item 36.4:

On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

Item 36.5:

The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

Item 36.6:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Regulated Contaminant(s):

CAS No: 007439-92-1 LEAD

Item 36.7:

Compliance Certification shall include the following monitoring:

Capping: Yes

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

In order to demonstrate that lead (Pb) emissions are below the PSD threshold of 0.6 ton/yr, the permitted particulate emission rate for the EAF shall not exceed 0.002 grains per dry standard cubic foot.

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



This limit is more stringent than and thus supercedes the NSPS EAF particulate limit established in 40 CFR 60.272a and of 0.0052 gr/dscf.

Parameter Monitored: PARTICULATES
Upper Permit Limit: 0.002 grains per dscf
Reference Test Method: EPA RM 5D
Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT
Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED
Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 37: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 212.6

Item 37.1:
The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Item 37.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:
Visible emissions from slag handling and transport systems shall not equal or exceed 20 % with the exception of uncombined water. Daily opacity observations must be performed on the slag handling and transport systems by a certified observer. A summary of excess emissions must be included in the semiannual report to the department.

Parameter Monitored: OPACITY
Upper Permit Limit: 20 percent
Reference Test Method: EPA RM 9
Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Averaging Method: 6-MINUTE AVERAGE (METHOD 9)
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2016.
Subsequent reports are due every 6 calendar month(s).

Condition 38: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 52.21, Subpart A

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Item 38.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Regulated Contaminant(s):

CAS No: 007446-09-5 SULFUR DIOXIDE

Item 38.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)

Monitoring Description:

Emissions of sulfur dioxide shall not exceed 25.3 pounds per hour on a 24-hour average basis, calculated hourly.

The following formula shall be used to convert SO₂ ppm CEM values from the EAF into lb/hour values:

$$\text{SO}_2 \text{ (lb/hr)} = (\text{SO}_2 \text{ ppm})(\text{Flow scfmd}) (60 \text{ minutes/hour})(64)/385.1 \times 10^6$$

where:

SO₂ ppm = from CEM as volume/volume basis

Flow scfmd = volumetric flow rate in standard cubic feet per minute dry

64= molecular weight for SO₂

385.1 = conversion from ppm volume basis to ppm weight basis

10⁶ = conversion of ppm

Manufacturer Name/Model Number: Thermo Environmental Instruments (TEI) Model 43i

Upper Permit Limit: 25.3 pounds per hour

Reference Test Method: 40 CFR 60 Appendix B PS 2 & Appendix F

Monitoring Frequency: CONTINUOUS

Averaging Method: AVERAGING METHOD - SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 39: Compliance Certification

Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 52.21, Subpart A

Item 39.1:

The Compliance Certification activity will be performed for:



Emission Unit: U-0001B

Regulated Contaminant(s):
CAS No: 007446-09-5 SULFUR DIOXIDE

Item 39.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)

Monitoring Description:

Emissions of sulfur dioxide shall not exceed 0.25 pounds per ton of steel produced on a 30-day rolling average basis, calculated daily.

Manufacturer Name/Model Number: Thermo Environmental Instruments (TEI) Model 43i

Upper Permit Limit: 0.25 pounds per ton

Reference Test Method: 40 CFR 60 Appendix B PS 2 & Appendix F

Monitoring Frequency: CONTINUOUS

Averaging Method: 30 DAY ROLLING AVERAGE, ROLLED DAILY

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 40: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 40CFR 52.21, Subpart A

Item 40.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Regulated Contaminant(s):
CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 40.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)

Monitoring Description:

Emissions of nitrogen oxides must not exceed 27.32 pounds per hour on a 24-hour rolling average basis, calculated hourly.

The following formula shall be used to convert NO_x ppm CEM values from the EAF into lb/hour values:

$$\text{NO}_x \text{ (lb/hr)} = (\text{NO}_x \text{ ppm})(\text{Flow scfmd}) \left(\frac{60 \text{ minutes/hour}}{46} \right) / 385.1 \times 10^6$$

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



where:

NOx ppm = from CEM as volume/volume basis
Flow scfmd = volumetric flow rate in standard cubic feet
per minute dry
46= molecular weight for NOx
385.1 = conversion from ppm volume basis to ppm weight
basis
10^6 = conversion of ppm

This limit is the same as the limit established in the
LAER analysis required in 6 NYCRR 231.

Manufacturer Name/Model Number: Thermo Environmental Instruments (TEI) Model 42i
Upper Permit Limit: 27.32 pounds per hour
Reference Test Method: 40 CFR 60 Appendix B PS 2 & Appendix F
Monitoring Frequency: CONTINUOUS
Averaging Method: AVERAGING METHOD - SEE MONITORING
DESCRIPTION
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2016.
Subsequent reports are due every 6 calendar month(s).

Condition 41: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 52.21, Subpart A

Item 41.1:
The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Regulated Contaminant(s):
CAS No: 000630-08-0 CARBON MONOXIDE

Item 41.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)
Monitoring Description:
Carbon monoxide emissions shall not exceed 2.0 lbs/ton
steel produced on a 30-day rolling average basis
calculated daily.

Manufacturer Name/Model Number: Thermo Environmental Instruments (TEI) Model 48C/48i
Upper Permit Limit: 2.0 pounds per ton
Reference Test Method: 40 CFR 60 Appendix B PS 4 & Appendix F
Monitoring Frequency: CONTINUOUS
Averaging Method: 30 DAY ROLLING AVERAGE, ROLLED DAILY
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Reports due 30 days after the reporting period.
The initial report is due 1/30/2016.
Subsequent reports are due every 6 calendar month(s).

Condition 42: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 52.21, Subpart A

Item 42.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 42.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)

Monitoring Description:

Nitrogen Oxide emissions shall not exceed 0.27 pounds per ton of steel produced on a 30-day rolling average basis calculated daily.

This limit is the same as the limit established in the LAER analysis required in 6 NYCRR 231.

Manufacturer Name/Model Number: Thermo Environmental Instruments (TEI) Model 42i

Upper Permit Limit: 0.27 pounds per ton

Reference Test Method: 40 CFR 60 Appendix B PS 2 & Appendix F

Monitoring Frequency: CONTINUOUS

Averaging Method: 30-DAY ROLLING AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 43: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 52.21, Subpart A

Item 43.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Regulated Contaminant(s):



CAS No: 000630-08-0 CARBON MONOXIDE

Item 43.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)

Monitoring Description:

Emissions of carbon monoxide shall not exceed 202.4 lb/hr on an eight-hour average basis, calculated hourly.

The following formula shall be used to convert CO ppm CEM values from the EAF into lb/hour values:

$$\text{CO (lb/hr)} = (\text{CO ppm})(\text{Flow scfmd}) \left(\frac{60 \text{ minutes/hour}}{28} \right) / 385.1 \times 10^6$$

where:

CO ppm = from CEM as volume/volume basis

Flow scfmd = volumetric flow rate in standard cubic feet per minute dry

28 = molecular weight for CO

385.1 = conversion from ppm volume basis to ppm weight basis

10^6 = conversion of ppm

Manufacturer Name/Model Number: Thermo Environmental Instruments (TEI) Model 48C/48i

Upper Permit Limit: 202.4 pounds per hour

Reference Test Method: 40 CFR 60 Appendix B PS 4 & Appendix F

Monitoring Frequency: CONTINUOUS

Averaging Method: 8-HOUR RUNNING AVERAGE ROLLED HOURLY

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 44: Compliance Certification

Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 40CFR 52.21, Subpart A

Item 44.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Item 44.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



The facility shall only charge scrap to the electric arc furnace at a rate not to exceed 110 tons per hour for each batch.

Work Practice Type: PROCESS MATERIAL THRUPUT

Upper Permit Limit: 110 tons per hour

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE - SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 45: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 52.21, Subpart A

Item 45.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Regulated Contaminant(s):

CAS No: 000630-08-0 CARBON MONOXIDE

Item 45.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)

Monitoring Description:

PSD limit for Carbon Monoxide, 1 hour average. Carbon monoxide must be continuously monitored in accordance with the PSD permit dated September 27, 1983.

Manufacturer Name/Model Number: Thermo Environmental Instruments (TEI) Model 48C/48i

Upper Permit Limit: 450 parts per million (by volume)

Reference Test Method: 40 CFR 60 Appendix B PS 2 & Appendix F

Monitoring Frequency: CONTINUOUS

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 46: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 52.21, Subpart A

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Item 46.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Regulated Contaminant(s):

CAS No: 000630-08-0 CARBON MONOXIDE

Item 46.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)

Monitoring Description:

EAF carbon monoxide limit (30 day rolling average) from 1983 PSD permit.

Manufacturer Name/Model Number: Thermo Environmental Instruments (TEI) Model 48C/48i

Upper Permit Limit: 150 parts per million (by volume)

Reference Test Method: 40 CFR 60 Appendix B PS 4 & Appendix F

Monitoring Frequency: CONTINUOUS

Averaging Method: 30-DAY ROLLING AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 47: Compliance Certification

Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 40CFR 60.275a(e), NSPS Subpart AA

Item 47.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Item 47.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Method 5 shall be used for negative-pressure fabric filters and other types of control devices and Method 5D shall be used for positive-pressure fabric filters to determine the particulate matter concentration and volumetric flow rate of the effluent gas. The sampling time and sample volume for each run shall be at least 4 hours and 4.50 dscm (160 dscf) and, when a single EAF or AOD vessel is sampled, the sampling time shall include an integral number of heats.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 48: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 60.272a(a)(3), NSPS Subpart

AAa

Item 48.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Process: 001

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

Item 48.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Opacity of emissions exiting the EAF shop, due solely to the operation of any affected EAF, shall not equal or exceed 6% opacity. Visible emission observations shall be conducted at least once per day by an EPA RM 9 certified individual when the furnace is operating in the meltdown and refining period. These observations shall be taken in accordance with EPA RM 9 for at least one 6-minute period. The opacity shall be recorded for any point(s) where visible emissions are observed.

Where it is possible to determine that a number of visible emissions sites relate to only one incident of the visible emissions, only one set of three 6-minute observations will be required. In this case, Method 9 observations must be made for the site of highest opacity that directly relates to the cause (or location) of visible emissions observed during a single incident.

The facility must retain records of daily opacity observations on site for at least 2 years following the date of each measurement. The facility must submit a written report of opacity exceedences to DEC Region 7 and EPA semi-annually. Exceedences are defined as all 6-minute periods during which the average opacity is 6 percent or greater.

Parameter Monitored: OPACITY

Upper Permit Limit: 6 percent

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Reference Test Method: EPA RM 9
Monitoring Frequency: DAILY
Averaging Method: 6-MINUTE AVERAGE (METHOD 9)
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2016.
Subsequent reports are due every 6 calendar month(s).

Condition 49: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 40CFR 60.272a(b), NSPS Subpart AAa

Item 49.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B
Process: 001

Regulated Contaminant(s):
CAS No: 0NY075-00-0 PARTICULATES

Item 49.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Opacity from the baghouse dust handling system shall not equal or exceed 10% opacity. The dust handling system includes the dust hoppers, dust conveying equipment, dust storage equipment, dust treating equipment, dust transfer equipment (from storage to truck), and any secondary control devices used with the dust transfer equipment.

At least one 6-minute average opacity observation shall be performed weekly at the point of highest opacity from the dust handling system. A written log shall be maintained at the facility of each weekly inspection identifying the name of the inspector, date and time of the inspection, and the results of the EPA RM 9 observation.

The facility shall identify in the semi-annual compliance monitoring report any periods of excess opacity (6-minute average greater than or equal to 10%) observed during weekly inspection of the dust handling facility.

Parameter Monitored: OPACITY
Upper Permit Limit: 10 percent
Reference Test Method: EPA RM 9
Monitoring Frequency: WEEKLY

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Averaging Method: 6-MINUTE AVERAGE (METHOD 9)
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2016.
Subsequent reports are due every 6 calendar month(s).

Condition 50: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 60.274a(b), NSPS Subpart AAa

Item 50.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B
Process: 001

Item 50.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Nucor shall check and record the amperes for both baghouse fan motors and the fan damper positions on a once-per-shift basis. Nucor shall operate the fans such that the motor amperes and damper positions are maintained at the levels documented during the most recent compliant particulate stack test. Operation of either baghouse fan motor amperes at values exceeding +/-15% of the levels established during the most recent compliant particulate stack test may be considered unacceptable operation and maintenance of the facility. Operation at such values shall be reported to the Department and EPA semiannually.

Parameter Monitored: CURRENT/CURRENT DRAW

Lower Permit Limit: -15 percent

Upper Permit Limit: +15 percent

Monitoring Frequency: PER SHIFT

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED PER
OCCURRENCE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 51: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 60.274a(h), NSPS Subpart AAa

Item 51.1:



The Compliance Certification activity will be performed for:

Emission Unit: U-0001B
Process: 001

Item 51.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

During any performance test required under 40CFR60.8 and for any report thereof required by 40CFR60.275a(d), or to determine compliance with 40CFR60.272a(a)(3), the owner or operator shall monitor the following information for all heats covered by the test: (1) Charge weights and materials, and tap weights and materials: (2) Heat times, including start and stop times, and a log of process operation, including periods of no operation during testing and the pressure inside the EAF when the direct-shell evacuation control systems are used: (3) Control device operation log: (4) Continuous monitor or Reference Method 9 data.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: AVERAGING METHOD - SEE MONITORING DESCRIPTION

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 52: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 40CFR 60.274a(d), NSPS Subpart AAa

Item 52.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B
Process: 001 Emission Source: 00001

Item 52.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The owner or operator shall perform monthly operational status inspections of the equipment that is important to the performance of the total capture system (i.e., pressure sensors, dampers and damper switches). This inspection shall include observations of the physical appearance of the equipment (e.g., presence of holes in duct-work or hoods, flow constrictions caused by dents or

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



accumulated dust in ductwork and fan erosion). Any deficiencies shall be noted and proper maintenance performed.

Monitoring Frequency: MONTHLY
Averaging Method: AVERAGING METHOD - SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 53: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 60.276a(a), NSPS Subpart AAa

Item 53.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Process: 001

Emission Source: 00001

Item 53.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Records of measurements required in Section 60.274a must be retained for at least 2 years following the date of the measurement.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 54: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 216.5

Item 54.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B

Emission Point: 0001B

Regulated Contaminant(s):

CAS No: 0NY210-00-0

OXIDES OF NITROGEN

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Item 54.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility is a major NO_x emission source since facility annual PTE for NO_x emissions is greater than 100 tons/year. Therefore, the facility is subject to the Part 216.5 NO_x RACT requirements for the Electric Arc Furnace (EAF). However, EAF NO_x emissions are currently limited by more stringent PSD/LAER requirements contained in this permit.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 55: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 6 NYCRR 231-2.9 (a)

Item 55.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B
Process: 001

Emission Point: 0001B

Item 55.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Annual billet ton production limit for the EAF to limit annual NO_x potential emissions for determining ERCs required for offsets for the source project. Billet ton production from the EAF shall be recorded daily. Daily records shall be used to calculate the monthly rolling totals.

Work Practice Type: PROCESS MATERIAL THRUPUT

Process Material: BILLETS

Upper Permit Limit: 665000 tons per year

Monitoring Frequency: DAILY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).



Condition 56: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 40CFR 60.272a(a)(2), NSPS Subpart

AAa

Item 56.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-0001B Emission Point: 0001B
Process: 001

Regulated Contaminant(s):
CAS No: 0NY075-00-0 PARTICULATES

Item 56.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Opacity of emissions exiting the baghouse shall not equal or exceed 3% opacity. Visible emission observations shall be conducted at least once per day by an EPA RM 9 certified individual when the furnace is operating in the meltdown and refining period. These observations shall be taken in accordance with EPA RM 9, and, for at least three 6-minute periods, the opacity shall be recorded for any point(s) where visible emissions are observed.

Where it is possible to determine that a number of visible emissions sites relate to only one incident of the visible emissions, only one set of three 6-minute observations will be required. In this case, Method 9 observations must be made for the site of highest opacity that directly relates to the cause (or location) of visible emissions observed during a single incident.

The facility must retain records of daily opacity observations on site for at least 2 years following the date of each measurement. The facility must submit a written report of opacity exceedences to DEC Region 7 and EPA semi-annually. Exceedences are defined as all 6-minute periods during which the average opacity is 3 percent or greater.

Parameter Monitored: OPACITY
Upper Permit Limit: 3 percent
Reference Test Method: EPA RM 9
Monitoring Frequency: DAILY
Averaging Method: 6-MINUTE AVERAGE (METHOD 9)
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)



Reports due 30 days after the reporting period.
The initial report is due 1/30/2016.
Subsequent reports are due every 6 calendar month(s).

Condition 57: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:6 NYCRR 227-1.3 (a)

Item 57.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-ORBF1 Emission Point: 0RBF2

Item 57.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No owner or operator of a combustion installation shall operate the installation in such a way to emit greater than 20 percent opacity except for one six minute period per hour, not to exceed 27 percent, based upon the six minute average in reference test Method 9 in Appendix A of 40 CFR 60.

Parameter Monitored: OPACITY
Upper Permit Limit: 20 percent
Reference Test Method: Method 9
Monitoring Frequency: SEMI-ANNUALLY
Averaging Method: 6-MINUTE AVERAGE (METHOD 9)
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2016.
Subsequent reports are due every 6 calendar month(s).

Condition 58: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 52.21, Subpart A

Item 58.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-ORBF1 Emission Point: 0RBF2

Regulated Contaminant(s):
CAS No: 007446-09-5 SULFUR DIOXIDE

Item 58.2:

Compliance Certification shall include the following monitoring:



Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Emissions of sulfur dioxide shall not exceed 0.11 lb/hr on a 24-hour average basis, calculated hourly.

SO2 emissions are to be calculated using AP-42 emission factors (Table 1.4-2) along with natural gas consumption for the reheat furnace.

Reference Test Method: AP-42

Monitoring Frequency: CONTINUOUS

Averaging Method: AVERAGING METHOD - SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 59: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement:40CFR 52.21, Subpart A

Item 59.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-ORBF1

Emission Point: ORBF2

Regulated Contaminant(s):

CAS No: 007446-09-5

SULFUR DIOXIDE

Item 59.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Emissions of sulfur dioxide shall not exceed 0.0006 lb/MMBTU on a 24-hour rolling average basis.

SO2 emissions are to be calculated using AP-42 emission factors (Table 1.4-2) along with natural gas consumption for the reheat furnace.

Reference Test Method: AP-42

Monitoring Frequency: CONTINUOUS

Averaging Method: AVERAGING METHOD - SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)



Reports due 30 days after the reporting period.
The initial report is due 1/30/2016.
Subsequent reports are due every 6 calendar month(s).

Condition 60: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 40CFR 52.21, Subpart A

Item 60.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-ORBF1 Emission Point: ORBF2

Regulated Contaminant(s):
CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 60.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)

Monitoring Description:

Emissions of nitrogen oxides shall not exceed 9.85 lbs/hr
on a 24-hour rolling average basis, calculated hourly.
The following formula shall be used to convert NO_x ppm CEM
values from the reheat furnace into lb/hr values:

$$\text{NO}_x \text{ (lb/hr)} = (\text{KCF} \times 20.9 / (20.9 - \text{O}_2)) \times (\text{NG consumption}) \times (1020)$$

where:

(KCF x 20.9 / (20.9 - O₂) = mass emissions of nitrogen oxides
(lb/mmBtu)

K = conversion factor for nitrogen oxides = 1.194 x 10⁻⁷
([lb/scf]/ppm)

C = concentration of nitrogen oxides (NO_x) (ppm by volume,
dry basis)

F = F-factor for natural gas (dscf/MMBTU)

O₂ = exhaust gas oxygen concentration (percent by volume,
dry basis)

NG consumption = standard cubic feet of natural gas
consumed per hour

1020 = Btu per cubic foot of natural gas (from
AP-42)

This limit is the same as the limit established in the
LAER analysis required in 6 NYCRR 231.

Manufacturer Name/Model Number: Thermo Environmental Instruments (TEI) Model 42i

Upper Permit Limit: 9.85 pounds per hour

Reference Test Method: 40 CFR 60 Appendix B PS 2 & Appendix F

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Monitoring Frequency: CONTINUOUS
Averaging Method: AVERAGING METHOD - SEE MONITORING
DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2016.
Subsequent reports are due every 6 calendar month(s).

Condition 61: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 40CFR 52.21, Subpart A

Item 61.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-ORBF1 Emission Point: ORBF2

Regulated Contaminant(s):
CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 61.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)

Monitoring Description:

Emissions of nitrogen oxides shall not exceed 0.075
lb/MMBTU on a 24-hour rolling average basis.

NOx lb/mmbtu shall be calculated using the formula:

$$\text{NOx lb/mmBtu} = \text{KCF} \times 20.9 / (20.9 - \text{O}_2)$$

where:

K = conversion factor for nitrogen oxides = 1.194×10^{-7}
([lb/scf]/ppm)

C = concentration of nitrogen oxides (NOx) (ppmvd)

F = F-factor for natural gas (dscf/mmBtu)

This limit is the same as the limit established in the
LAER analysis required in 6 NYCRR 231.

Manufacturer Name/Model Number: Thermo Environmental Instruments (TEI) Model 42i

Upper Permit Limit: 0.075 pounds per million Btus

Reference Test Method: 40 CFR 60 Appendix B PS2 & Appendix F

Monitoring Frequency: CONTINUOUS

Averaging Method: AVERAGING METHOD - SEE MONITORING
DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.



Subsequent reports are due every 6 calendar month(s).

Condition 62: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 40CFR 52.21, Subpart A

Item 62.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-ORBF1 Emission Point: ORBF2

Regulated Contaminant(s):
CAS No: 000630-08-0 CARBON MONOXIDE

Item 62.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)

Monitoring Description:

Emissions of CO shall not exceed 15.0 pounds per hour on an eight-hour average basis, calculated hourly.

The following formula shall be used to convert CO ppm CEM values from the reheat furnace into lb/hour values:

$$\text{CO (lb/hr)} = (\text{KCF} * 20.9 / (20.9 - \text{O}_2)) (\text{NG consumption}) (1020)$$

where:

$(\text{KCF} * 20.9 / (20.9 - \text{O}_2))$ = mass emissions of CO (lb/MMBTU)
K = conversion factor for CO = 7.2678×10^{-8} (lb/scf)/ppm
C = concentration of CO (ppm by volume, dry basis)
F = F-factor for natural gas (dscf/MMBTU)
O₂ = exhaust gas oxygen concentration (percent by volume, dry basis)
NG consumption = standard cubic feet of natural gas consumed per hour.
1020 = Btu per cubic foot of natural gas (AP-42).

Manufacturer Name/Model Number: Thermo Environmental Instruments (TEI) Model 48C/48i

Upper Permit Limit: 15.0 pounds per hour

Reference Test Method: 40 CFR 60 Appendix B PS 4 & Appendix F

Monitoring Frequency: CONTINUOUS

Averaging Method: 8-HOUR RUNNING AVERAGE ROLLED HOURLY

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).



Condition 63: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 40CFR 52.21, Subpart A

Item 63.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-ORBF1 Emission Point: ORBF2

Regulated Contaminant(s):
CAS No: 000630-08-0 CARBON MONOXIDE

Item 63.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)

Monitoring Description:

Emissions of CO shall not exceed 0.084 lb/MMBTU on a 24-hour rolling average basis.

CO lb/mmbtu shall be calculated using the formula:

$$\text{CO lb/mmBtu} = \text{KCF} \times 20.9 / (20.9 - \text{O}_2)$$

where:

K = conversion factor for carbon monoxide = 7.2678×10^{-8}
([lb/scf]/ppm)

C = concentration of carbon monoxide (CO_x) (ppm by volume,
dry basis)

F = F-factor for natural gas (dscf/mmBtu)

Manufacturer Name/Model Number: Thermo Environmental Instruments (TEI) Model 48C/48i

Upper Permit Limit: 0.084 pounds per million Btus

Reference Test Method: 40 CFR 60 Appendix B PS 4 & Appendix F

Monitoring Frequency: CONTINUOUS

Averaging Method: AVERAGING METHOD - SEE MONITORING
DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 64: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 6 NYCRR 231-2.9 (a)

Item 64.1:

The Compliance Certification activity will be performed for:

New York State Department of Environmental Conservation
Permit ID: 7-0501-00044/00007 Facility DEC ID: 7050100044



Emission Unit: U-ORBF1
Process: 002

Emission Point: ORBF2
Emission Source: 00006

Item 64.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Maximum annual production limit for the rolling mill to limit annual NOx potential emissions for determining ERCs required for offsets for the source project.

Work Practice Type: PROCESS MATERIAL THRUPUT

Process Material: METAL

Upper Permit Limit: 575000 tons per year

Monitoring Frequency: DAILY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 65: Compliance Certification

Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 6 NYCRR 212.6 (a)

Item 65.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-SCALE

Item 65.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall cause or allow emissions having an average opacity during any six consecutive minutes of 20 percent or greater from any process emission source, except only the emission of uncombined water. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation at any time during facility operation.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Reference Test Method: EPA RM 9

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 66: Compliance Certification
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable Federal Requirement: 6 NYCRR 212.6 (a)

Item 66.1:

The Compliance Certification activity will be performed for:

Emission Unit: U-TOWER

Item 66.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall cause or allow emissions having an average opacity during any six consecutive minutes of 20 percent or greater from any process emission source, except only the emission of uncombined water. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation at any time during facility operation.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Reference Test Method: EPA RM 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE



STATE ONLY ENFORCEABLE CONDITIONS
****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS
This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS
The following conditions are state applicable requirements and are not subject to compliance certification requirements unless otherwise noted or required under 6 NYCRR Part 201.

Condition 67: Contaminant List
Effective between the dates of 10/23/2015 and 10/22/2020

Applicable State Requirement:ECL 19-0301

Item 67.1:
Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 000630-08-0
Name: CARBON MONOXIDE



CAS No: 007439-92-1
Name: LEAD

CAS No: 007446-09-5
Name: SULFUR DIOXIDE

CAS No: 0NY075-00-0
Name: PARTICULATES

CAS No: 0NY210-00-0
Name: OXIDES OF NITROGEN

CAS No: 0NY998-00-0
Name: VOC

**Condition 68: Malfunctions and start-up/shutdown activities
Effective between the dates of 10/23/2015 and 10/22/2020**

Applicable State Requirement:6 NYCRR 201-1.4

Item 68.1:

- (a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.
- (b) The facility owner or operator shall compile and maintain records of all equipment malfunctions, maintenance, or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when requested to do so, or when so required by a condition of a permit issued for the corresponding air contamination source. Such reports shall state whether any violations occurred and, if so, whether they were unavoidable, include the time, frequency and duration of the maintenance and/or start-up/shutdown activities, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous stack monitoring and quarterly reporting requirements need not submit additional reports for equipment maintenance or start-up/shutdown activities for the facility to the department.
- (c) In the event that emissions of air contaminants in excess of any emission standard in this Subchapter occur due to a malfunction, the facility owner or operator shall compile and maintain records of the malfunction and notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates.
- (d) The department may also require the owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions.
- (e) A violation of any applicable emission standard resulting from start-up, shutdown, or

New York State Department of Environmental Conservation

Permit ID: 7-0501-00044/00007

Facility DEC ID: 7050100044



malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

