New York State Department of Environmental Conservation
Facility DEC ID: 7083000037

PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air Title V Facility
Permit ID: 7-0830-00037/00025
Effective Date: 10/03/2006 Expiration Date: 10/02/2011

Permit Issued To: RAYMOND CORP
PO BOX 130
SOUTH CANAL ST
GREENE, NY 13778-0130

Contact: DAVID MINERLEY
THE RAYMOND CORPORATION
PO BOX 130 SOUTH CANAL ST
GREENE, NY 13778-0130
(607) 656-2311

Facility: RAYMOND CORPORATION
WHEELER STREET
GREENE, NY 13778

Description:
Title V Permit renewal.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: MICHAEL K BARYLSKI
DIVISION OF ENVIRONMENTAL PERMITS
1285 FISHER AVE
CORTLAND, NY 13045-1090

Authorized Signature: _____ Date: ___ / ___ / _____

New York State Department of Environmental Conservation
Facility DEC ID: 7083000037

Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.

New York State Department of Environmental Conservation
Facility DEC ID: 7083000037

LIST OF CONDITIONS

DEC GENERAL CONDITIONS
General Provisions
Facility Inspection by the Department
Relationship of this Permit to Other Department Orders and Determinations
Applications for Permit Renewals and Modifications
Permit Modifications, Suspensions and Revocations by the Department
Facility Level
Submission of Applications for Permit Modification or Renewal -REGION 7 HEADQUARTERS

DEC GENERAL CONDITIONS
****** General Provisions ******
For the purpose of your Title V permit, the following section contains state-only enforceable terms and conditions
GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305

Item 1.1:
The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:
The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:
A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations
Applicable State Requirement: ECL 3-0301.2(m)

Item 2.1:
Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for Permit Renewals and Modifications
Applicable State Requirement: 6NYCRR 621.13

Item 3.1:
The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:
The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 3.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Condition 4: Permit Modifications, Suspensions and Revocations by the Department
Applicable State Requirement: 6NYCRR 621.14

Item 4.1:
The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

a) materially false or inaccurate statements in the permit application or supporting papers;
b) failure by the permittee to comply with any terms or conditions of the permit;
c) exceeding the scope of the project as described in the permit application;
d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

****** Facility Level ******

Condition 5: Submission of Applications for Permit Modification or Renewal -REGION 7 HEADQUARTERS
Applicable State Requirement: 6NYCRR 621.5(a)

Item 5.1:
Submission of applications for permit modification or renewal are to be submitted to:
NYSDEC Regional Permit Administrator
Region 7 Headquarters
Division of Environmental Permits
615 Erie Blvd West
Syracuse, NY 13204-2400
(315) 426-7400

New York State Department of Environmental Conservation
Permit ID: 7-0830-00037/00025 Facility DEC ID: 7083000037

Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - TITLE V PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: RAYMOND CORP
PO BOX 130
SOUTH CANAL ST
GREENE, NY 13778-0130

Facility: RAYMOND CORPORATION
WHEELER STREET
GREENE, NY 13778

Authorized Activity By Standard Industrial Classification Code:
3537 - INDUSTRIAL TRUCKS AND TRACTORS

Permit Effective Date: 10/03/2006 Permit Expiration Date: 10/02/2011

LIST OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS

Facility Level

1 6NYCRR 200.6: Acceptable Ambient Air Quality
2 6NYCRR 201-6.5(a)(7): Fees
3 6NYCRR 201-6.5(c): Recordkeeping and reporting of compliance monitoring
4 6NYCRR 201-6.5(c)(2): Monitoring, Related Recordkeeping, and Reporting Requirements.
5 6NYCRR 201-6.5(c)(3)(ii): Compliance Certification
6 6NYCRR 201-6.5(e): Compliance Certification
7 6NYCRR 202-2.1: Compliance Certification
8 6NYCRR 202-2.5: Recordkeeping requirements
9 6NYCRR 215: Open Fires Prohibited at Industrial and Commercial Sites
10 6NYCRR 200.7: Maintenance of Equipment
11 6NYCRR 201-1.7: Recycling and Salvage
12 6NYCRR 201-1.8: Prohibition of Reintroduction of Collected Contaminants to the air
13 6NYCRR 201-3.2(a): Exempt Sources - Proof of Eligibility
14 6NYCRR 201-3.3(a): Trivial Sources - Proof of Eligibility
15 6NYCRR 201-6.5(a)(4): Standard Requirement - Provide Information
16 6NYCRR 201-6.5(a)(8): General Condition - Right to Inspect
17 6NYCRR 201-6.5(d)(5): Standard Requirements - Progress Reports
18 6NYCRR 201-6.5(f)(6): Off Permit Changes
19 6NYCRR 202-1.1: Required Emissions Tests
20 6NYCRR 211.3: Visible Emissions Limited
21 40CFR 68: Accidental release provisions.
22 40CFR 82, Subpart F: Recycling and Emissions Reduction
23 6NYCRR 201-6: Emission Unit Definition
24 6NYCRR 201-6.5(g): Non Applicable requirements
25 6NYCRR 201-7: Facility Permissible Emissions
*26 6NYCRR 201-7: Capping Monitoring Condition
*27 6NYCRR 201-7: Capping Monitoring Condition
*28 6NYCRR 201-7: Capping Monitoring Condition
29 6NYCRR 212.3(a): Compliance Certification
30 6NYCRR 212.4(a): Compliance Certification
31 6NYCRR 212.4(c): Compliance Certification
32 6NYCRR 225-1.2(a)(2): Compliance Certification
33 6NYCRR 227-1.3(a)(1): Compliance Certification

Emission Unit Level

34 6NYCRR 201-6: Emission Point Definition By Emission Unit
35 6NYCRR 201-6: Process Definition By Emission Unit

EU=U-00002

36 6NYCRR 201-6.5(f): Compliance Certification

37 6NYCRR 228.3(a): Compliance Certification
38 6NYCRR 228.4: Compliance Certification
39 6NYCRR 228.5(a): Compliance Certification
40 6NYCRR 228.10: Compliance Certification

EU=U-00002,Proc=PNT,ES=PNT01
41 6NYCRR 212.3(b): Compliance Certification

STATE ONLY ENFORCEABLE CONDITIONS
Facility Level
42 ECL 19-0301: Contaminant List
43 6NYCRR 201-1.4: Unavoidable noncompliance and violations
44 6NYCRR 211.2: Air pollution prohibited
45 6NYCRR 212.3(a): Compliance Demonstration
46 6NYCRR 212.4(a): Compliance Demonstration

NOTE: * preceding the condition number indicates capping.

FEDERALLY ENFORCEABLE CONDITIONS
****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS
The items listed below are not subject to the annual compliance certification requirements under Title V. Permittees may also have other obligations under regulations of general applicability.

Item A: Emergency Defense - 6NYCRR Part 201-1.5

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;
(2) The equipment at the permitted facility causing the emergency was at the time being properly operated;
(3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
(4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item B: Public Access to Recordkeeping for Title V Facilities - 6NYCRR Part 201-1.10(b)
The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to

Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

Item C: **Timely Application for the Renewal of Title V Permits - 6 NYCRR Part 201-6.3(a)(4)**
Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Item D: **Certification by a Responsible Official - 6 NYCRR Part 201-6.3(d)(12)**
Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Item E: **Requirement to Comply With All Conditions - 6 NYCRR Part 201-6.5(a)(2)**
The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

Item F: **Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR Part 201-6.5(a)(3)**
This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Item G: **Cessation or Reduction of Permitted Activity Not a Defense - 6NYCRR Part 201-6.5(a)(5)**
It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in

order to maintain compliance with the conditions of this permit.

Item H: Property Rights - 6 NYCRR Part 201-6.5(a)(6)

This permit does not convey any property rights of any sort or any exclusive privilege.

Item I: Severability - 6 NYCRR Part 201-6.5(a)(9)

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Item J: Permit Shield - 6 NYCRR Part 201-6.5(g)

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;

ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;

iii. The applicable requirements of Title IV of the

Act;

iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Item K: Reopening for Cause - 6 NYCRR Part 201-6.5(i)

This Title V permit shall be reopened and revised under any of the following circumstances:

i. If additional applicable requirements under the Act become applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.

ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit

is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

Item L: **Permit Exclusion - ECL 19-0305**
The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item M: **Federally Enforceable Requirements - 40 CFR 70.6(b)**
All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS SUBJECT TO ANNUAL CERTIFICATIONS AT ALL TIMES

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements at all times.

Condition 1: **Acceptable Ambient Air Quality**
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 200.6

Item 1.1:
Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit

any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Condition 2: Fees
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6.5(a)(7)

Item 2.1:
The owner and/or operator of a stationary source shall pay fees to the Department consistent with the fee schedule authorized by ECL 72-0302.

Condition 3: Recordkeeping and reporting of compliance monitoring
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6.5(c)

Item 3.1:
The following information must be included in any required compliance monitoring records and reports:

(i) The date, place, and time of sampling or measurements;

(ii) The date(s) analyses were performed;

(iii)The company or entity that performed the analyses;

(iv) The analytical techniques or methods used including quality assurance and quality control procedures if required;

(v) The results of such analyses including quality assurance data where required; and

(vi) The operating conditions as existing at the time of sampling or measurement.

Any deviation from permit requirements must be clearly identified in all records and reports. Reports must be certified by a responsible official, consistent with Section 201-6.3 of this Part 201.

Condition 4: Monitoring, Related Recordkeeping, and Reporting Requirements.
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6.5(c)(2)

Item 4.1:
Compliance monitoring and recordkeeping shall be conducted according to the terms and conditions contained in this permit and shall follow all quality assurance requirements found in applicable

regulations. Records of all monitoring data and support information must be retained for a period of at least 5 years from the date of the monitoring, sampling, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

Condition 5: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6.5(c)(3)(ii)

Item 5.1:
The Compliance Certification activity will be performed for the Facility.

Item 5.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
To meet the requirements of this facility permit with respect to reporting, the permittee must:

Submit reports of any required monitoring at a minimum frequency of every 6 months, based on a calendar year reporting schedule. These reports shall be submitted to the Department within 30 days after the end of a reporting period. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by the responsible official for this facility.

Notify the Department and report permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken. Where the underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations shall be submitted to the permitting authority based on the following schedule:

(1) For emissions of a hazardous air pollutant (as identified in an applicable regulation) that continue for more than an hour in excess of permit requirements, the report must be made within 24 hours of the occurrence.

(2) For emissions of any regulated air pollutant, excluding those listed in paragraph (1) of this section, that continue for more than two hours in excess of permit requirements, the report must be made within 48 hours.

(3) For all other deviations from permit requirements, the report shall be contained in the 6 month monitoring report required above.

(4) This permit may contain a more stringent reporting requirement than required by paragraphs (1), (2) or (3) above. If more stringent reporting requirements have been placed in this permit or exist in applicable requirements that apply to this facility, the more stringent reporting requirement shall apply.

If above paragraphs (1) or (2) are met, the source must notify the permitting authority by telephone during normal business hours at the Regional Office of jurisdiction for this permit, attention Regional Air Pollution Control Engineer (RAPCE) according to the timetable listed in paragraphs (1) and (2) of this section. For deviations and incidences that must be reported outside of normal business hours, on weekends, or holidays, the DEC Spill Hotline phone number at 1-800-457-7362 shall be used. A written notice, certified by a responsible official consistent with 6 NYCRR Part 201-6.3(d)(12), must be submitted within 10 working days of an occurrence for deviations reported under (1) and (2). All deviations reported under paragraphs (1) and (2) of this section must also be identified in the 6 month monitoring report required above.

The provisions of 6 NYCRR 201-1.4 shall apply if the permittee seeks to have a violation excused unless otherwise limited by regulation. In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets. Notwithstanding any recordkeeping and reporting requirements in 6 NYCRR 201-1.4, reports of any deviations shall not be on a less frequent basis than the reporting periods described in paragraphs (1) and (4) above.

In the case of any condition contained in this permit with a reporting requirement of "Upon request by regulatory agency" the permittee shall include in the semiannual report, a statement for each such condition that the monitoring or recordkeeping was performed as required or requested and a listing of all instances of deviations from these requirements.

In the case of any emission testing performed during the previous six month reporting period, either due to a request by the Department, EPA, or a regulatory requirement, the permittee shall include in the semiannual report a summary of the testing results and shall indicate whether or not the Department or EPA has approved the results.

All semiannual reports shall be submitted to the Administrator (or his or her representative) as well as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Compliance Monitoring and Enforcement (BCME) in the DEC central office). Mailing addresses for the above referenced persons are contained in the monitoring condition for 6 NYCRR Part 201-6.5(e), contained elsewhere in this permit.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).

Condition 6: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6.5(e)

Item 6.1:
The Compliance Certification activity will be performed for the Facility.

Item 6.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
Requirements for compliance certifications with terms and conditions contained in this facility permit include the

following:

i. Compliance certifications shall contain:
- the identification of each term or condition of the permit that is the basis of the certification;
- the compliance status;
- whether compliance was continuous or intermittent;
- the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
- such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions; and
- such additional requirements as may be specified elsewhere in this permit related to compliance certification.

ii. The responsible official must include in the annual certification report all terms and conditions contained in this permit which are identified as being subject to certification, including emission limitations, standards, or work practices. That is, the provisions labeled herein as "Compliance Certification" are not the only provisions of this permit for which an annual certification is required.

iii. Compliance certifications shall be submitted annually. Certification reports are due 30 days after the anniversary date of four consecutive calendar quarters. The first report is due 30 days after the calendar quarter that occurs just prior to the permit anniversary date, unless another quarter has been acceptable by the Department.

iv. All compliance certifications shall be submitted to the Administrator (or his or her representative) as well as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Compliance Monitoring and Enforcement (BCME) in the DEC central office). Please send annual compliance certifications to Chief of the Stationary Source Compliance Section, the Region 2 EPA representative for the Administrator, at the following address:

USEPA Region 2
Air Compliance Branch
290 Broadway
New York, NY 10007-1866

The address for the RAPCE is as follows:

615 Erie Boulevard, West
Syracuse, NY 13204-2400

The address for the BCME is as follows:

NYSDEC
Bureau of Compliance Monitoring
and Enforcement
625 Broadway
Albany, NY 12233-3258

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due on the same day each year

Condition 7: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 202-2.1

Item 7.1:
The Compliance Certification activity will be performed for the Facility.

Item 7.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
Emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year.

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due by April 15th for previous calendar year

Condition 8: Recordkeeping requirements
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 202-2.5

Item 8.1:
(a) The following records shall be maintained for at least five years:

(1) a copy of each emission statement submitted to the department; and

(2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.

(b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.

Condition 9: Open Fires Prohibited at Industrial and Commercial Sites
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 215

Item 9.1:
No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, refuse, rubbish for salvage, or rubbish generated by industrial or commercial activities.

MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS SUBJECT TO ANNUAL CERTIFICATIONS ONLY IF APPLICABLE

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements only if effectuated during the reporting period. [NOTE: The corresponding annual compliance certification for those conditions not effectuated during the reporting period shall be specified as "not applicable".]

Condition 10: Maintenance of Equipment
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 200.7

Item 10.1:
Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

Condition 11: Recycling and Salvage
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-1.7

Item 11.1:
Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of the ECL.

Condition 12: Prohibition of Reintroduction of Collected Contaminants to the air
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-1.8

Item 12.1:
No person shall remove, handle or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Condition 13: Exempt Sources - Proof of Eligibility
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-3.2(a)

Item 13.1:
The owner and/or operator of an emission source or unit that is eligible to be exempt may be required to certify that it operates within the specific criteria described in this Subpart. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other State and Federal air pollution control requirements, regulations, or law.

Condition 14: Trivial Sources - Proof of Eligibility
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-3.3(a)

Item 14.1:
The owner and/or operator of an emission source or unit that is listed as being trivial in this Part may be required to certify that it operates within the specific criteria described in this Subpart. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other State and Federal air pollution control requirements, regulations, or law.

Condition 15: Standard Requirement - Provide Information

Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6.5(a)(4)

Item 15.1:
The owner and/or operator shall furnish to the department, within a reasonable time, any information that the department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the department copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to the administrator along with a claim of confidentiality, if the administrator initiated the request for information or otherwise has need of it.

Condition 16: General Condition - Right to Inspect
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6.5(a)(8)

Item 16.1:
The department or an authorized representative shall be allowed upon presentation of credentials and other documents as may be required by law to:

(i) enter upon the permittee's premises where a facility subject to the permitting requirements of this Subpart is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;

(ii) have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;

(iii) inspect at reasonable times any emission sources, equipment (including monitoring and air pollution control equipment), practices, and operations regulated or required under the permit; and

(iv) sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

Condition 17: Standard Requirements - Progress Reports
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6.5(d)(5)

Item 17.1:
Progress reports consistent with an applicable schedule of compliance are to be submitted at least semiannually, or at a more frequent period if specified in the applicable requirement or by the department. Such progress reports shall contain the following:

(i) dates for achieving the activities, milestones, or compliance required in the schedule of compliance, and dates when such activities, milestones or compliance were achieved; and

(ii) an explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

Condition 18: Off Permit Changes
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6.5(f)(6)

Item 18.1:
No permit revision will be required for operating changes that contravene an express permit term, provided that such changes would not violate applicable requirements as defined under this Part or contravene federally enforceable monitoring (including test methods), recordkeeping, reporting, or compliance certification permit terms and conditions. Such changes may be made without requiring a permit revision, if the changes are not modifications under any provision of title I of the act and the changes do not exceed the emissions allowable under the permit (whether expressed therein as a rate of emissions or in terms of total emissions) provided that the facility provides the administrator and the department with written notification as required below in advance of the proposed changes within a minimum of seven days. The facility owner or operator, and the department shall attach each such notice to their copy of the relevant permit.

(i) For each such change, the written notification required above shall include a brief description of the change within the permitted facility, the date on which the change will occur, any change in emissions, and any permit term or condition that is no longer applicable as a result of the change.

(ii) The permit shield described in section 6 NYCRR 201-6.6 shall not apply to any change made pursuant to this paragraph.

Condition 19: Required Emissions Tests
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 202-1.1

Item 19.1:
For the purpose of ascertaining compliance or non-compliance with any air pollution control code, rule or regulation, the commissioner may require the person who owns such air contamination source to submit an acceptable report of measured emissions within a stated time. Such person shall bear the cost of measurement and preparing the report of measured emissions. Failure of such person to submit a report acceptable to the commissioner within the time stated shall be sufficient reason for the commissioner to suspend or deny a certificate to operate.

Condition 20: Visible Emissions Limited
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 211.3

Item 20.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Condition 21: Accidental release provisions.
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 40CFR 68

Item 21.1:
If a chemical is listed in Tables 1,2,3 or 4 of 40 CFR §68.130 is present in a process in quantities greater than the threshold quantity listed in Tables 1,2,3 or 4, the following requirements will apply:

a) The owner or operator shall comply with the provisions of 40 CFR Part 68 and;

b) The owner or operator shall submit at the time of permit issuance (if not previously submitted) one of the following, if such quantities are present:

1) A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR §68.10(a) or,

2) A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan. Information should be submitted to:

Risk Management Plan Reporting Center
C/O CSC
8400 Corporate Dr
Carrollton, Md. 20785

Condition 22: Recycling and Emissions Reduction
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 40CFR 82, Subpart F

Item 22.1:
The permittee shall comply with all applicable provisions of 40 CFR Part 82.

The following conditions are subject to annual compliance certification requirements for Title V permits only.

Condition 23: Emission Unit Definition

Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6

Item 23.1:
The facility is authorized to perform regulated processes under this permit for:
Emission Unit: U-00001
Emission Unit Description:
THIS EMISSION UNIT CONSISTS OF (1) EMISSION SOURCE AND (1) EMISSION POINT. THE EMISSION SOURCE IS DEPARTMENT 8, A MANUFACTURING DEPARTMENT WHERE THE ACTIVITIES INCLUDE WIRE HARNESS ASSEMBLY, HYDRAULIC HOSE ASSEMBLY AND HAND SOLDERING. WORK IS COMPLETED AT WORK BENCHES. SEVERAL "BENCH TOP" OPERATIONS ARE PERFORMED. SOME OF THESE OPERATIONS REQUIRE LOCAL EXHAUST VENTILATION. EACH OF THE "LOCAL" EXHAUSTS CONVEY CONTAMINANTS TO A CENTRAL EXHAUST WHICH EMITS TO THE OUTSIDE AIR.

Building(s): MFG

Item 23.2:
The facility is authorized to perform regulated processes under this permit for:
Emission Unit: U-00002
Emission Unit Description:
THIS EMISSION UNIT CONSISTS OF A TOTAL OF (4) PAINT SPRAY BOOTHS. ONE OF THE PAINT SPRAY BOOTHS IS A DOWNDRAFT SPRAY BOOTH ASSOCIATED WITH A SEMI-AUTOMATIC, CONVEYORIZED, PAINT SYSTEM. ONE OF THE PAINT SPRAY BOOTHS IS A REAR DRAFT PAINT BOOTH USED FOR FINISHING LOW VOLUME PARTS AND ASSEMBLIES THAT ARE UNSUITABLE FOR FINISHING VIA THE SEMI-AUTOMATED PAINT SYSTEM. TWO (2) OF THE SPRAY BOOTHS ARE TALL, DOWNDRAFT, "TOWER BOOTHS" USED MAINLY FOR THE "TOUCH-UP" PAINTING OF ASSEMBLED FORKLIFT TRUCKS. THERE ARE A TOTAL OF SIX (6) EMISSION POINTS ASSOCIATED WITH THIS EMISSION UNIT.

Building(s): MFG

Condition 24: Non Applicable requirements

Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6.5(g)

Item 24.1:
This section contains a summary of those requirements that have been specifically identified as being not applicable to this facility and/or emission units, emission points, processes and/or emission sources within this facility. The summary also includes a justification for classifying any such requirements as non-applicable.

Condition 25: Facility Permissible Emissions
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-7

Item 25.1:
The sum of emissions from the emission units specified in this permit shall not equal or exceed the following
Potential To Emit (PTE) rate for each regulated contaminant:

CAS No: 0NY100-00-0 PTE: 48,000 pounds per year
Name: HAP

CAS No: 0NY998-00-0 PTE: 180,000 pounds per year
Name: VOC

Condition 26: Capping Monitoring Condition
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-7

Item 26.1:
Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

6NYCRR 231-2

Item 26.2:
Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

Item 26.3:
The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating

hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Item 26.4:
On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

Item 26.5:
The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

Item 26.6:
The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):
CAS No: 0NY998-00-0 VOC

Item 26.7:
Compliance Certification shall include the following monitoring:

Capping: Yes
Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS
Monitoring Description:

The facility shall not emit in excess of 90 tons of volatile organic compounds per rolling 12 month period. Monthly emissions shall be calculated from the use of solvents, coatings, and other materials that contain VOCs. The owner shall keep a list of VOC solvents and VOC coatings used that includes the following information: the manufacturer, product name or code, VOC content in pounds per gallon, and the amount used per month. The owner shall keep a log of the consumption of all solvents (including solvents used in cleanup), coatings, and any other VOC containing raw materials and calculations showing that emissions are less than 90 tons per rolling 12 month period. The owner shall keep records of all purchase orders, invoices, and other documents to support the information in the monthly logs.

The owner or operator shall submit to the Department, on an annual basis beginning one year after issuance of this permit, and on a calendar year basis ending December 31 thereafter, a certification that the facility has operated

within the limits imposed by this emissions cap. This certification shall include a report of the emissions for each rolling annual period in the reporting period and a comparison to allowable emissions. Such reports shall be due (postmarked) no later than 30 days after the end of each reporting period. Additionally, if the owner or operator exceeds the rolling annual emissions limit for any period, the owner shall submit to the Department a notice of such excess emissions no later than 30 days after the last day in that annual period.

Work Practice Type: PARAMETER OF PROCESS MATERIAL
Process Material: VOC's
Parameter Monitored: VOC
Upper Permit Limit: 90 tons per year
Monitoring Frequency: MONTHLY
Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 12 calendar month(s).

Condition 27: Capping Monitoring Condition
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-7

Item 27.1:
Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

40CFR 63-MMMM

Item 27.2:
Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

Item 27.3:
The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Item 27.4:
On an annual basis, unless otherwise specified below, beginning one year after the granting of an

emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

Item 27.5:
The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

Item 27.6:
The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):
CAS No: 0NY100-00-0 HAP

Item 27.7:
Compliance Certification shall include the following monitoring:

Capping: Yes
Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

Facility-wide emissions of all hazardous air pollutants (HAPs), combined, shall not exceed 24 tons per rolling 12 month period. Monthly HAP emissions shall be calculated from solvents, coatings and other HAP-containing materials used. Records that include the manufacturer, product name or code, HAP content, and the amount used per calendar month shall be kept for HAP-containing materials used at the facility. The owner shall maintain calculations showing that the sum of all HAP emissions are less than 24 tons per 12 month rolling period. Appropriate records (purchase orders, invoices, and other documentation) shall be maintained to support the data.

Pursuant to 6 NYCRR 201-7.2(e), on an annual basis beginning one year after issuance of this permit, and on a calendar year basis ending December 31 thereafter, the owner or operator shall provide to the DEC a certification that the facility has operated within the limits proposed by this emissions cap. This certification shall include a report of the emissions for each rolling annual period and a comparison to the allowable emissions. Additionally, if the owner or operator exceeds the rolling annual emissions limit for any period, the owner or operator shall subnmit to the DEC a notice of such excess emission no later than 30 days after the last day in that annual period.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 12 calendar month(s).

Condition 28: Capping Monitoring Condition
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-7

Item 28.1:
Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

40CFR 63-MMMM

Item 28.2:
Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

Item 28.3:
The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Item 28.4:
On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

Item 28.5:
The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

Item 28.6:
The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):
CAS No: 000050-00-0 FORMALDEHYDE

CAS No: 000067-56-1	METHYL ALCOHOL
CAS No: 000071-43-2	BENZENE
CAS No: 000071-55-6	ETHANE, 1,1,1-TRICHLORO
CAS No: 000075-09-2	DICHLOROMETHANE
CAS No: 000078-93-3	METHYL ETHYL KETONE
CAS No: 000079-01-6	TRICHLOROETHYLENE
CAS No: 000079-10-7	2-PROPENOIC ACID
CAS No: 000091-20-3	NAPHTHALENE
CAS No: 000098-82-8	BENZENE, (1-METHYLETHYL)
CAS No: 000100-41-4	ETHYLBENZENE
CAS No: 000100-42-5	STYRENE
CAS No: 000107-21-1	1,2-ETHANEDIOL
CAS No: 000108-10-1	2-PENTANONE, 4-METHYL
CAS No: 000108-88-3	TOLUENE
CAS No: 000111-42-2	ETHANOL, 2,2'-IMINOBIS-
CAS No: 000111-76-2	ETHANOL, 2-BUTOXY-
CAS No: 000123-31-9	1,4-BENZENEDIOL
CAS No: 000127-18-4	PERCHLOROETHYLENE
CAS No: 000822-06-0	HEXANE, 1,6-DIISOCYANATO-
CAS No: 001330-20-7	XYLENE, M, O & P MIXT.
CAS No: 007439-92-1	LEAD
CAS No: 007439-96-5	MANGANESE
CAS No: 007440-47-3	CHROMIUM
CAS No: 0NY059-28-0	NICKEL (NI 059)
CAS No: 0NY100-00-0	HAP

Item 28.7:
Compliance Certification shall include the following monitoring:

Capping: Yes
Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

Facility-wide emissions of any single hazardous air pollutant (HAP) shall not exceed 9 tons per rolling 12 month period. Monthly HAP emissions shall be calculated from solvents, coatings and other HAP-containing materials used. Records that include the manufacturer, product name or code, HAP content, and the amount used per calendar month shall be kept for HAP-containing materials used at the facility. The owner shall maintain calculations showing that emissions are less than 9 tons per rolling 12 month period for each individual HAP. Appropriate records (purchase orders, invoices, and other documentation) shall be maintained to support the data.

Pursuant to 6 NYCRR 201-7.2(e), on an annual basis

beginning one year after issuance of this permit, and on a calendar year basis ending December 31 thereafter, the owner or operator shall provide to the DEC a certification that the facility has operated within the limits proposed by this emissions cap. This certification shall include a report of the emissions for each rolling annual period and a comparison to the allowable emissions. Additionally, if the owner or operator exceeds the rolling annual emissions limit for any period, the owner or operator shall submit to the DEC a notice of such excess emission no later than 30 days after the last day in that annual period.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 12 calendar month(s).

Condition 29: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 212.3(a)

Item 29.1:
The Compliance Certification activity will be performed for the facility:
The Compliance Certification applies to:

Emission Unit: U-00002 Emission Point: 20001

Item 29.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

This condition applies to all pollutants that are criteria pollutants (such as volatile organic compounds) and is federally-enforceable.

This condition applies to the North Tower, Emission Source PNT01.

Emission unit U-00002 results in the emission of air contaminants that are regulated by 6 NYCRR 212.3 and 212.4. These provisions require that no person shall cause or allow emissions that violate the requirements

specified in Tables 2, 3 or 4 of 6 NYCRR 212.9 for the environmental rating assigned by the Department. For pollutants emitted with an emission rate potential (defined in 6 NYCRR 200) less than 1.0 pound per hour, the degree of control is specified by DEC. This condition implements 212.3(a).

1. The owner or operator may not cause or allow the emission of any pollutant that results in a predicted or actual ambient concentration in excess of annual guideline concentration (AGC) or short term guideline concentration (SGC), as specified in the most recent DAR 1 (formerly Air Guide 1) guideline document, and as determined through modeling conducted in accordance with a protocol approved by the DEC.

2. The owner or operator shall not emit any A-rated contaminant with an emission rate potential in excess of 1.0 pound per hour.

An A-rated contaminant is any contaminant listed with a "high" toxicity in the most recent DAR-1 AGC/SGC list.

3. Plant-wide annual emissions of hexamethylene diisocyanate (HDI, CAS# 822-06-0) shall not exceed 28 pounds per year in any 12 month rolling period. The owner shall maintain records of HDI emissions calculations for each month.

4. Hourly emissions of xylene (CAS # 1330-20-7) shall not exceed 3.3 pounds per hour.

5. For any and all pollutants for which an AGC or SGC is exceeded at full capacity operation, the owner or operator shall be in violation of 6 NYCRR 212, unless such AGC or SGC is not exceeded during restricted operation (as determined through modeling), and in such cases the hourly operating restrictions shall be enforceable by the DEC.

The owner or operator shall not make changes to the operation of the facility that would result in predicted increases in ambient concentrations. On a calendar year basis, the owner shall provide to the DEC a statement of whether physical changes have been made that would result in predicted increases in ambient concentrations of any

pollutant.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).

Condition 30: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 212.4(a)

Item 30.1:
The Compliance Certification activity will be performed for the facility:
The Compliance Certification applies to:

Emission Unit: U-00002 Emission Point: 20004

Emission Unit: U-00002 Emission Point: 20005

Emission Unit: U-00002 Emission Point: 20006

Item 30.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

This condition applies to all pollutants that are criteria pollutants (such as volatile organic compounds) and is federally-enforceable.

This condition applies to the South Tower (emission source PNT02), the conveyorized paint system paint booth (emission source PNT03), and the off-line booth (emission source PNT04).

Emission unit U-00002 results in the emission of air contaminants that are regulated by 6 NYCRR 212.3 and 212.4. These provisions require that no person shall cause or allow emissions that violate the requirements specified in Tables 2, 3 or 4 of 6 NYCRR 212.9 for the environmental rating assigned by the Department. For pollutants emitted with an emission rate potential (defined in 6 NYCRR 200) less than 1.0 pound per hour, the

degree of control is specified by DEC. This condition implements 212.4(a)

1. The owner or operator may not cause or allow the emission of any pollutant that results in a predicted or actual ambient concentration in excess of annual guideline concentration (AGC) or short term guideline concentration (SGC), as specified in the most recent DAR 1 (formerly Air Guide 1) guideline document, and as determined through modeling conducted in accordance with a protocol approved by the DEC.

2. The owner or operator shall not emit any A-rated contaminant with an emission rate potential in excess of 1.0 pound per hour.

An A-rated contaminant is any contaminant listed with a "high" toxicity in the most recent DAR-1 AGC/SGC list.

3. Annual emissions of hexamethylene diisocyanate (HDI, CAS# 822-06-0) shall not exceed 28 pounds per year in any 12 month rolling period. The owner shall maintain records of HDI emissions calculations for each month.

4. Hourly emissions of xylene (CAS # 1330-20-7) shall not exceed 3.3 pounds per hour.

5. For any and all pollutants for which an AGC or SGC is exceeded at full capacity operation, the owner or operator shall be in violation of 6 NYCRR 212, unless such AGC or SGC is not exceeded during restricted operation (as determined through modeling), and in such cases the hourly operating restrictions shall be enforceable by the DEC.

The owner or operator shall not make changes to the operation of the facility that would result in predicted increases in ambient concentrations. On a calendar year basis, the owner shall provide to the DEC a statement of whether physical changes have been made that would result in predicted increases in ambient concentrations of any pollutant.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).

Condition 31: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 212.4(c)

Item 31.1:
The Compliance Certification activity will be performed for the facility:
The Compliance Certification applies to:

Emission Unit: U-00002 Emission Point: 20004

Emission Unit: U-00002 Emission Point: 20005

Emission Unit: U-00002 Emission Point: 20006

Regulated Contaminant(s):
CAS No: 0NY075-00-0 PARTICULATES

Item 31.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING
Monitoring Description:
This condition is applicable to the South Tower (Emission Source PNT02), The conveyorized paint system (Emission Source PNT03), and the Off-line Booth (Emission Source PNT04).

The owner or operator shall not cause or allow emissions of solid particulate in excess of 0.05 grains of particulate per cubic foot of exhaust gas, corrected for dilution air and expressed at standard conditions on a dry gas basis.

Compliance will be determined using a stack test conducted, upon the request of the Department, according to 40 CFR Part 60, Appendix A, Method 5.

The owner shall submit to the Department, on a semiannual calendar basis, a report stating whether any changes were made to the operations of these emissions sources or the

control equipment. Reports shall be due 30 days after the end of each semiannual period.

Parameter Monitored: PARTICULATES
Upper Permit Limit: 0.05 grains per dscf
Reference Test Method: EPA Method 5
Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).

Condition 32: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 225-1.2(a)(2)

Item 32.1:
The Compliance Certification activity will be performed for the Facility.

Item 32.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

Raymond operates fuel oil-fired combustion devices, subject to 6 NYCRR 225-1, that otherwise would be exempt from permitting under 6 NYCRR 201-3.2. Raymond shall not sell, offer for sale, purchase or use any fuel oil which contains sulfur in a quantity exceeding 1.5 percent sulfur, by weight, not to be exceeded at any time. Compliance shall be determined by sampling and analysis of the fuel oil, using ASTM methods. Sampling and analysis may be conducted by either Raymond Corporation or the fuel oil supplier. One oil sample shall be obtained per delivery or lot size.

Raymond shall submit to the DEC, on a semi-annual basis, the results of any and all analyses in excess of 1.5%, or otherwise state the compliance status.

Monitoring Frequency: PER DELIVERY
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).

Condition 33: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 227-1.3(a)(1)

Item 33.1:
The Compliance Certification activity will be performed for the Facility.

Item 33.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE
Monitoring Description:

Raymond operates oil-fired combustion devices, subject to 6 NYCRR 227-1.3, that otherwise would be exempt from permitting under 6 NYCRR 201-3.2.

No person shall operate a stationary combustion installation which exhibits greater than 20 percent opacity (six minute average), except for one six-minute period per hour of not more than 27 percent opacity. Compliance shall be determined in accordance with 40 CFR Part 60, Appendix A, Method 9. Raymond shall conduct opacity observations according to EPA Method 9 upon request from the DEC.

At least once per semiannual calendar basis, the owner or operator shall observe the emissions from these emissions points while the devices are in operation. The owner or operator shall record the date, the time, the weather conditions (rain, snow, fog, cloudy, clear, windy), and whether there is any visible plume. To the extent possible, the observer shall position him or herself with the sun behind his or her back.

In the event that visible emissions are observed (other than condensed water vapor), the owner or operator shall contact the Department by phone as soon as practical, but in no event no later than two business days after conducting the observation. Within 30 days, when requested by the Department in writing, the owner or operator must submit to the Department a report describing

the emissions.

In the event that a condensed water vapor plume is emitted, such plume shall be noted and opacity readings shall be made after the condensed plume dissipates.

All records of observations must be maintained at the facility for a period of five years.

A report must be submitted to the Department semiannually (calendar basis) stating whether the monitoring has been conducted. Reports must be submitted no later than 30 days after the end of each semiannual period.

Parameter Monitored: OPACITY
Upper Permit Limit: 20 percent
Reference Test Method: 40 CFR PT60, APP A,
Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).

****** Emission Unit Level ******

Condition 34: Emission Point Definition By Emission Unit
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6

Item 34.1:
The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00001

Emission Point: 10001
Height (ft.): 29 Diameter (in.): 10
NYTMN (km.): 4686.3 NYTME (km.): 436. Building: MFG

Item 34.2:
The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00002

Emission Point: 20001
Height (ft.): 60 Diameter (in.): 18
NYTMN (km.): 4686.3 NYTME (km.): 436. Building: MFG

Emission Point: 20004
Height (ft.): 42 Diameter (in.): 48
NYTMN (km.): 4686.3 NYTME (km.): 436. Building: MFG

Emission Point: 20005
Height (ft.): 60 Diameter (in.): 24
NYTMN (km.): 4686.3 NYTME (km.): 436. Building: MFG

Emission Point: 20006
Height (ft.): 30 Diameter (in.): 24
NYTMN (km.): 4686.3 NYTME (km.): 436. Building: MFG

Condition 35: Process Definition By Emission Unit
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6

Item 35.1:
This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00001
Process: 008 Source Classification Code: 4-02-025-10
Process Description:
AN AGGREGATE OF A NUMBER OF "BENCH OPERATIONS" ARE PERFORMED IN DEPARTMENT 8. MANY OF THESE ARE EXEMPT FROM PERMITTING PER 201-3.2 AND 201-3.3, INCLUDING HAND SOLDERING, HAND CLEANING, AND THE APPLICATION OF MISCELLANEOUS ADHESIVES AND/OR COATING PRODUCTS BY HAND. SOME OF THE PROCESSES ARE NOT SPECIFICALLY EXEMPT, SUCH AS THE USE OF A VOC-CONTAINING CLEANING SOLUTION DISPENSED FROM A CONTAINER WITH A PUMP. TAKEN INDIVIDUALLY, EACH OF THE PROCESSES WOULD RESULT IN THE EMISSION OF REGULATED POLLUTANTS AT "INSIGNIFICANT QUANTITIES."

Emission Source/Control: DEPT8 - Process

Item 35.2:
This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00002
Process: FLU Source Classification Code: 4-02-025-02
Process Description:
CLEANING OF SPRAY GUNS AND RELATED SPRAYING EQUIPMENT WITH FLUSHING SOLVENT. THIS PROCESS IS PERFORMED PRIOR TO MAKING COLOR CHANGES, PRIOR TO SPRAY GUN "IDLE TIME," AND DURING PREVENTIVE MAINTENANCE ACTIVITIES.

Emission Source/Control: PNT01 - Process

Emission Source/Control: PNT02 - Process

Emission Source/Control: PNT03 - Process

Emission Source/Control: PNT04 - Process

Item 35.3:
This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00002
Process: PLC Source Classification Code: 4-02-025-02
Process Description:
HAND WIPE CLEANING OF PLASTIC SUBSTRATES AND METAL PARTS PRIOR TO FINISHING WITH 6 NYCRR PART 228 COMPLIANT COATINGS, AND/OR AEROSOL TOUCH-UP PAINTS.

Emission Source/Control: PNT01 - Process

Emission Source/Control: PNT02 - Process

Emission Source/Control: PNT04 - Process

Item 35.4:
This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00002
Process: PNT Source Classification Code: 4-02-025-10
Process Description:
SPRAY PAINTING OF METAL PARTS AND ASSEMBLIES USED IN THE MANUFACTURING OF FORKLIFT TRUCKS AND RELATED MATERIAL

HANDLING EQUIPMENT WITH 6NYCRR PART 228
COMPLIANT COATINGS.

Emission Source/Control: PNT01 - Process

Emission Source/Control: PNT02 - Process

Emission Source/Control: PNT03 - Process

Emission Source/Control: PNT04 - Process

Condition 36: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 201-6.5(f)

Item 36.1:
The Compliance Certification activity will be performed for:

Emission Unit: U-00002

Item 36.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
The owner or operator may use alternative coating formulations provided that pollutants contained in such coating, for which an annual guideline concentration (AGC) and/or a short term guideline concentration (SGC) exist, meet all of the following conditions:

(1) The coating is compliant with 6 NYCRR Part 228.7, Table 1; for surface coating of miscellaneous metal parts and products, coatings shall contain no more than 3.5 pounds VOC per gallon of coating, less water and exempt VOC, as applied;

(2) The owner or operator identifies all potential A-rated contaminants, hazardous air pollutants, VOCs, and non-VOC pollutants. A-rated contaminants are those contaminants listed with a "high" toxicity in the most recent Air Guide 1 AGC/SGC list unless otherwise specified by the DEC;

(3) Application of the coating will not result in the emission of any A-rated contaminant with an emission rate

potential equal to or greater than 1.0 pound/hr from any emission source in the emission unit. The owner shall maintain recors (MSDS or formula sheets) to verify compliance with this provision;

(4) A facility wide Air Guide 1 analysis must be completed using DEC's Air Guide 1 screening software or another modeling protocol approved by the Department. The results must show that there are no predicted off-site ambient concentrations in excess of the AGC/SGC for each contaminant. This analysis shall include all emissions of such pollutant, facility wide. A copy of the analysis shall be maintained at the facility.

An Air Guide 1 analysis is not required for new coatings for which the emission rate potential of each contaminant in that coating is less than the emission rate potential of that contaminant in other coatings for which prior modeling has been conducted, provided that such modeling has predicted no off-site ambient concemtrations in excess of the AGC/SGC for each contaminant;

The facility may use a completed modeling study to determine impacts of new contaminants, subject to the review of the DEC.

(5) If the use of the coating results in the emission of any pollutant not previously authorized or emitted in accordance with this permit, the owner or operator shall submit to the DEC a notice of the intention to use such coating. Such notice shall be submitted no later than 30 days prior to the use of the coating.

(6) The DEC reserves the right to require a permit modification to impose special conditions if DEC determines the proposed changes may have a significant air quality impact. In such cases, upon receipt of any notice submitted by the owner or operator to the DEC as required in this permit, the DEC will respond within 15 days of receipt of such notice, and may require that the owner or operator not undertake the proposed change without a permit modification.

(7) No physical changes shall be made to the coating device stack height, stack diameter, exhaust temperature, or exhaust velocity or to the building height, length or width without a permit modification being filed with the

Department;

(8) No facility-wide emissions cap, stated in this permit, shall be exceeded; and

(9) The facility does not become subject to any additional regulations or requirements.

(10) On an annual basis, the owner or operator shall submit to the DEC a summary report of all activity undertaken pursuant to this condition.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 37: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 228.3(a)

Item 37.1:
The Compliance Certification activity will be performed for:

Emission Unit: U-00002

Item 37.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE
Monitoring Description:
Pursuant to 6 NYCRR Part 228.3 and 228.7, the owner or operator shall not cause or allow the usage of coatings that contain VOC in excess of 3.5 pounds VOC per gallon of coating, minus water and excluded VOC, on as as-applied basis as defined in 6 NYCRR 228.2(b). The owner or operator shall maintain records of coating formulations and, for each coating, records of the pounds of VOC per gallon of coating, less water. Acceptable test methods for determining the volatile content, water content, density, volume of solids and weight of solids of surface coatings are presented in Appendix A, Method 24, of 40 CFR Part 60. Where Method 24 is not applicable, coating formulation data shall be used to demonstrate compliance.

Pursuant to 6 NYCRR 228.5(d), Representatives of the Department shall be permitted, during reasonable business hours, to obtain coating samples for the purpose of determining compliance.

The owner or operator shall submit to the Department, on a semiannual calendar basis, a statement whether all coatings used complied with this emission limitation. Such reports are due no later than 30 days after the end of the semiannual period.

Work Practice Type: PARAMETER OF PROCESS MATERIAL
Process Material: COATING
Parameter Monitored: VOC CONTENT
Upper Permit Limit: 3.5 pounds per gallon
Reference Test Method: EPA Method 24
Monitoring Frequency: PER BATCH OF PRODUCT/RAW MATERIAL CHANGE
Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY TIME (INSTANTANEOUS/DISCRETE OR GRAB)
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).

Condition 38: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 228.4

Item 38.1:
The Compliance Certification activity will be performed for:

Emission Unit: U-00002

Item 38.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE
Monitoring Description:
No person shall cause or allow emissions to the outdoor atmosphere having an average opacity of 20 percent or greater for any consecutive six minute period.

Raymond shall conduct opacity observations according to EPA Method 9 upon request from the DEC.

At least once per semiannual calendar basis, the owner or operator shall observe the emissions from these emissions points while the devices are in operation. The owner or operator shall record the date, the time, the weather conditions (rain, snow, cloudy, clear, windy), and whether there is any visible plume. To the extent possible, the observer shall position him or herself with the sun behind his or her back.

In the event that visible emissions are observed, the owner or operator shall contact the Department by phone as soon as practical, but in no event no later than two business days after conducting the observation. Within 30 days, when requested by the Department in writing, the owner or operator must submit to the Department a report describing the emissions.

All records of observations must be maintained at the facility for a period of five years.

A report must be submitted to the Department semiannually (calendar basis) stating whether the monitoring has been conducted. Reports must be submitted no later than 30 days after the end of each semiannual period.

Parameter Monitored: OPACITY
Upper Permit Limit: 20 percent
Reference Test Method: EPA Method 9
Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Averaging Method: 6-MINUTE AVERAGE (METHOD 9)
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).

Condition 39: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 228.5(a)

Item 39.1:
The Compliance Certification activity will be performed for:

Emission Unit: U-00002

Item 39.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
The owner or operator must maintain and, upon request, provide to the DEC certification from the coating supplier/manufacturer which verifies the parameters used to determine the actual VOC content of the as-applied coating, (VOC)a, as defined in 6 NYCRR 228.2(b) for each coating used at the facility. In addition, purchase, usage and/or production records of the coating material, including solvents, must be maintained in a format acceptable to the DEC and, upon request, these records must be submitted to the DEC.

On a semi-annual basis, the owner or operator must submit to the DEC a statement of compliance with the requirements of this condition.

Monitoring Frequency: PER BATCH OF PRODUCT/RAW MATERIAL CHANGE
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).

Condition 40: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 228.10

Item 40.1:
The Compliance Certification activity will be performed for:

Emission Unit: U-00002

Item 40.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:
Within the work area(s) associated with a coating line, the owner or operator of a facility subject to this Part must:

(a) use closed, non-leaking containers to store or dispose

of cloth or other absorbent applicators impregnated with VOC solvents that are used for surface preparation, cleanup or coating removal;

(b) store in closed, non-leaking containers spent or fresh VOC solvents to be used for surface preparation, cleanup or coating removal;

(c) not use VOC solvents to cleanup spray equipment unless equipment is used to collect the cleaning compounds and to minimize VOC evaporation;

(d) not use open containers to store or dispense surface coatings and/or inks unless production, sampling, maintenance or inspection procedures require operational access. This provision does not apply to the actual device or equipment designed for the purpose of applying a coating material to a substrate. These devices may include, but are not limited to: spray guns, flow coaters, dip tanks, rollers, knife coaters, and extrusion coaters;

(e) not use open containers to store or dispose of spent surface coatings, or spent VOC solvents; and

(f) minimize spills during the handling and transfer of coatings and VOC solvents.

All associated coating line work area(s) within the facility shall be inspected once a week to determine if there are any open containers present. A log book shall be maintained to record these inspections and their results. The log book shall include the following information:

- date and time of inspection
- items or areas observed
- corrective measures taken, if necessary

The owner or operator shall submit to the DEC, on a calendar year basis, a report stating whether he or she has complied with this requirement.

Monitoring Frequency: WEEKLY
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).

Condition 41: Compliance Certification
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable Federal Requirement: 6NYCRR 212.3(b)

Item 41.1:
The Compliance Certification activity will be performed for:

Emission Unit: U-00002
Process: PNT Emission Source: PNT01

Regulated Contaminant(s):
CAS No: 0NY075-00-0 PARTICULATES

Item 41.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING
Monitoring Description:

Process PNT01 designates spray painting in the North Spray Tower. This was installed in 1965. The owner or operator shall not cause or allow emissions of solid particulates that exceed 0.15 grains of particulate per cubic foot of exhaust gas, corrected for dilution air and expressed at standard conditions on a dry gas basis.

Compliance will be determined using a stack test conducted, upon request of the Department, according to 40 CFR Part 60, Appendix A, Method 5.

The owner shall submit to the Department, on a semiannual calendar basis, a report stating whether any changes were made to the operations of these emissions sources, or the control equipment. Reports shall be due 30 days after the end of each semiannual period.

Parameter Monitored: PARTICULATES
Upper Permit Limit: 0.15 grains per dscf
Reference Test Method: EPA Method 5
Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).

STATE ONLY ENFORCEABLE CONDITIONS
****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS
This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: **General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5**

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS
The following conditions are state applicable requirements and are not subject to compliance certification requirements unless otherwise noted or required under 6 NYCRR Part 201.

Condition 42: **Contaminant List**
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable State Requirement: ECL 19-0301

Item 42.1:
Emissions of the following contaminants are subject to contaminant specific requirements in this

permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 000107-21-1
Name: 1,2-ETHANEDIOL

CAS No: 000123-31-9
Name: 1,4-BENZENEDIOL

CAS No: 000108-10-1
Name: 2-PENTANONE, 4-METHYL

CAS No: 000079-10-7
Name: 2-PROPENOIC ACID

CAS No: 000071-43-2
Name: BENZENE

CAS No: 000098-82-8
Name: BENZENE, (1-METHYLETHYL)

CAS No: 007440-47-3
Name: CHROMIUM

CAS No: 000075-09-2
Name: DICHLOROMETHANE

CAS No: 000071-55-6
Name: ETHANE, 1,1,1-TRICHLORO

CAS No: 000111-42-2
Name: ETHANOL, 2,2'-IMINOBIS-

CAS No: 000111-76-2
Name: ETHANOL, 2-BUTOXY-

CAS No: 000100-41-4
Name: ETHYLBENZENE

CAS No: 000050-00-0
Name: FORMALDEHYDE

CAS No: 0NY100-00-0
Name: HAP

CAS No: 000822-06-0
Name: HEXANE, 1,6-DIISOCYANATO-

CAS No: 007439-92-1
Name: LEAD

CAS No: 007439-96-5
Name: MANGANESE

CAS No: 000067-56-1
Name: METHYL ALCOHOL

CAS No: 000078-93-3
Name: METHYL ETHYL KETONE

CAS No: 000091-20-3
Name: NAPHTHALENE

CAS No: 0NY059-28-0
Name: NICKEL (NI 059)

CAS No: 0NY075-00-0
Name: PARTICULATES

CAS No: 000127-18-4
Name: PERCHLOROETHYLENE

CAS No: 000100-42-5
Name: STYRENE

CAS No: 000108-88-3
Name: TOLUENE

CAS No: 000079-01-6
Name: TRICHLOROETHYLENE

CAS No: 0NY998-00-0
Name: VOC

CAS No: 001330-20-7
Name: XYLENE, M, O & P MIXT.

Condition 43: Unavoidable noncompliance and violations
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable State Requirement: 6NYCRR 201-1.4

Item 43.1:
At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be

excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

(a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit issued for the corresponding air contamination source except where conditions elsewhere in this permit which contain more stringent reporting and notification provisions for an applicable requirement, in which case they supercede those stated here. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.

(b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates. These reporting requirements are superceded by conditions elsewhere in this permit which contain reporting and notification provisions for applicable requirements more stringent than those above.

(c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air contaminants emitted.

(d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

(e) In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

Condition 44: Air pollution prohibited
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable State Requirement: 6NYCRR 211.2

Item 44.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 45: Compliance Demonstration
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable State Requirement: 6NYCRR 212.3(a)

Item 45.1:
The Compliance Demonstration activity will be performed for the facility:
The Compliance Demonstration applies to:

Emission Unit: U-00002 Emission Point: 20001

Item 45.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

This condition applies to all pollutants that are not criteria pollutants and is state-enforceable.

This condition applies to the North Tower, Emission Source PNT01.

Emission unit U-00002 results in the emission of air contaminants that are regulated by 6 NYCRR 212.3 and 212.4. These provisions require that no person shall cause or allow emissions that violate the requirements specified in Tables 2, 3 or 4 of 6 NYCRR 212.9 for the environmental rating assigned by the Department. For pollutants emitted with an emission rate potential (defined in 6 NYCRR 200) less than 1.0 pound per hour, the degree of control is specified by DEC. This condition implements 212.4(a)

1. The owner or operator may not cause or allow the emission of any pollutant that results in a predicted or actual ambient concentration in excess of annual guideline concentration (AGC) or short term guideline concentration (SGC), as specified in the most recent DAR 1 (formerly Air Guide 1) guideline document, and as determined through

modeling conducted in accordance with a protocol approved by the DEC.

2. The owner or operator shall not emit any A-rated contaminant with an emission rate potential in excess of 1.0 pound per hour.

An A-rated contaminant is any contaminant listed with a "high" toxicity in the most recent DAR-1 AGC/SGC list.

3. For any and all pollutants for which an AGC or SGC is exceeded at full capacity operation, the owner or operator shall be in violation of 6 NYCRR 212, unless such AGC or SGC is not exceeded during restricted operation (as determined through modeling), and in such cases the hourly operating restrictions shall be enforceable by the DEC.

The owner or operator shall not make changes to the operation of the facility that would result in predicted increases in ambient concentrations. On a calendar year basis, the owner shall provide to the DEC a statement of whether physical changes have been made that would result in predicted increases in ambient concentrations of any pollutant.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).

Condition 46: Compliance Demonstration
Effective between the dates of 10/03/2006 and 10/02/2011

Applicable State Requirement: 6NYCRR 212.4(a)

Item 46.1:
The Compliance Demonstration activity will be performed for the facility:
The Compliance Demonstration applies to:

Emission Unit: U-00002 Emission Point: 20004

Emission Unit: U-00002 Emission Point: 20005

Emission Unit: U-00002 Emission Point: 20006

Item 46.2:
Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

This condition applies to all pollutants that are not criteria pollutants and is state-enforceable.

This condition applies to the South Tower (emission source PNT02), the conveyorized paint system paint booth (emission source PNT03), and the off-line booth (emission source PNT04).

Emission unit U-00002 results in the emission of air contaminants that are regulated by 6 NYCRR 212.3 and 212.4. These provisions require that no person shall cause or allow emissions that violate the requirements specified in Tables 2, 3 or 4 of 6 NYCRR 212.9 for the environmental rating assigned by the Department. For pollutants emitted with an emission rate potential (defined in 6 NYCRR 200) less than 1.0 pound per hour, the degree of control is specified by DEC. This condition implements 212.4(a)

1. The owner or operator may not cause or allow the emission of any pollutant that results in a predicted or actual ambient concentration in excess of annual guideline concentration (AGC) or short term guideline concentration (SGC), as specified in the most recent DAR 1 (formerly Air Guide 1) guideline document, and as determined through modeling conducted in accordance with a protocol approved by the DEC.

2. The owner or operator shall not emit any A-rated contaminant with an emission rate potential in excess of 1.0 pound per hour.

An A-rated contaminant is any contaminant listed with a "high" toxicity in the most recent DAR-1 AGC/SGC list.

3. For any and all pollutants for which an AGC or SGC is exceeded at full capacity operation, the owner or

operator shall be in violation of 6 NYCRR 212, unless such AGC or SGC is not exceeded during restricted operation (as determined through modeling), and in such cases the hourly operating restrictions shall be enforceable by the DEC.

The owner or operator shall not make changes to the operation of the facility that would result in predicted increases in ambient concentrations. On a calendar year basis, the owner shall provide to the DEC a statement of whether physical changes have been made that would result in predicted increases in ambient concentrations of any pollutant.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2007.
Subsequent reports are due every 6 calendar month(s).