

New York State Department of Environmental Conservation
Facility DEC ID: 7502400007



PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air Title V Facility
Permit ID: 7-5024-00007/00004
Effective Date: 12/07/2001 Expiration Date: 12/07/2006

Permit Issued To: DOMINION TRANSMISSION INC
445 WEST MAIN ST
CLARKSBURG, WV 26302-2450

Contact: J DARRELL BOWEN
DOMINION RESOURCES
625 LIBERTY AVE
PITTSBURGH, PA 15222-3199
(412) 690-1950

Facility: CONSOLIDATED GAS BORGER STATION
219 ELLIS HOLLOW CK RD
ITHACA, NY 14850

Description:

This facility is a natural gas transmission facility consisting of three (3) permitted natural gas compressor turbines along with the following exempt sources: two (2) auxiliary generators, two (2) boilers, three (3) hot water heaters, one (1) air compressor, four (4) heaters, one (1) parts washer, and two (2) storage tanks.

The facility obtained a PSD (40 CFR 52.21) permit from the US EPA for initial construction of the facility. The gas turbines are subject to 6 NYCRR Part 227-2 (NO_x RACT), for which the facility received an alternate emission limit (AEL) pursuant to 6 NYCRR Part 227-2.5(c). In addition, the gas turbines are subject to the Federal New Source Performance Standards (NSPS) 40 CFR 60.GG.

The facility also applied for a permit operating limit for a PSD non-applicability determination for gas turbine #2.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: MICHAEL K. BARYLSKI
1285 FISHER AVE
CORTLAND, NY 13045-1090

Authorized Signature: _____ Date: ___ / ___ / ____



Notification of Other Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, agents, and assigns for all claims, suits, actions, damages, and costs of every name and description, arising out of or resulting from the permittee's undertaking of activities or operation and maintenance of the facility or facilities authorized by the permit in compliance or non-compliance with the terms and conditions of the permit.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

General Provisions

Facility Inspection by the Department

Permit Modifications, Suspensions, and Revocations by the Department

Relationship of this Permit to Other Department Orders and Determinations

Applications for Permit Renewals and Modifications

Permit Modifications, Suspensions, and Revocations by the Department

Facility Level

Submission of Applications for Permit Modification or Renewal -REGION 7
SUBOFFICE



DEC GENERAL CONDITIONS

****** General Provisions ******

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305.

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Permit Modifications, Suspensions, and Revocations by the Department
Applicable State Requirement: 6NYCRR 621.14

Item 2.1:

The Department reserves the right to modify, suspend, or revoke this permit. The grounds for modification, suspension or revocation include:

- a) the scope of the permitted activity described in the application is exceeded or a violation of any condition of the permit or provisions of the ECL and pertinent regulations is found;
- b) the permit was obtained by misrepresentation or failure to disclose relevant facts;
- c) new material information is discovered; or
- d) environmental conditions, relevant technology, or applicable law or regulation have materially changed since the permit was issued.

Condition 3: Relationship of this Permit to Other Department Orders and Determinations
Applicable State Requirement: ECL 3-0301.2(m)

Item 3.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 4: Applications for Permit Renewals and Modifications
Applicable State Requirement: 6NYCRR 621.13(a)

Item 4.1:



New York State Department of Environmental Conservation

Facility DEC ID: 7502400007

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 4.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Condition 5: Permit Modifications, Suspensions, and Revocations by the Department
Applicable State Requirement: 6NYCRR 621.14

Item 5.1:

The Department reserves the right to modify, suspend, or revoke this permit. The grounds for modification, suspension or revocation include:

- a) the scope of the permitted activity is exceeded or a violation of any condition of the permit or provisions of the ECL and pertinent regulations is found;
- b) the permit was obtained by misrepresentation or failure to disclose relevant facts;
- c) new material information is discovered; or
- d) environmental conditions, relevant technology, or applicable law or regulation have materially changed since the permit was issued.

****** Facility Level ******

Condition 6: Submission of Applications for Permit Modification or Renewal -REGION 7 SUBOFFICE

Applicable State Requirement: 6NYCRR 621.5(a)

Item 6.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator
Region 7 Sub-office
Division of Environmental Permits
1285 Fisher Avenue
Cortland, NY 13045-1090
(607) 753-3095



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - TITLE V PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: DOMINION TRANSMISSION INC
445 WEST MAIN ST
CLARKSBURG, WV 26302-2450

Contact: J DARRELL BOWEN
DOMINION RESOURCES
625 LIBERTY AVE
PITTSBURGH, PA 15222-3199
(412) 690-1950

Facility: CONSOLIDATED GAS BORGER STATION
219 ELLIS HOLLOW CK RD
ITHACA, NY 14850

Authorized Activity By Standard Industrial



LIST OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS

Facility Level

- 1 Sealing
- 2 Acceptable ambient air quality
- 3 Maintenance of equipment
- 4 Unpermitted Emission Sources
- 5 Emergency Defense
- 6 Recycling and Salvage
- 7 Prohibition of Reintroduction of Collected Contaminants to the Air
- 8 Public Access to Recordkeeping for Title V facilities
- 9 Proof of Eligibility
- 10 Proof of Eligibility
- 11 Applicable Criteria, Limits, Terms, Conditions and Standards
- 12 Cessation or Reduction of Permitted Activity Not a Defense
- 13 Compliance Requirements
- 14 Federally-Enforceable Requirements
- 15 Fees
- 16 Monitoring, Related Recordkeeping and Reporting Requirements
- 17 Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements
- 18 Permit Shield
- 19 Property Rights
- 20 Reopening for Cause
- 21 Right to Inspect
- 22 Severability
- 23 Emission Unit Definition
- 24 Compliance Certification
- 25 Compliance Certification
- 26 Permit Exclusion Provisions
- 27 Required emissions tests
- 28 Compliance Certification
- 29 Recordkeeping requirements
- 30 Visible emissions limited.
- 31 Open Fires Prohibited at Industrial and Commercial Sites
- 32 Recycling and Emissions Reduction

Emission Unit Level

- 33 Emission Point Definition By Emission Unit
- 34 Process Definition By Emission Unit
- 35 Process Permissible Emissions
- 36 Compliance Certification (EU=0-0000A)
- 37 Compliance Certification (EU=0-0000A)
- 38 Compliance Certification (EU=0-0000A)
- 39 Compliance Certification (EU=0-0000A,Proc=T01,ES=TUR01)



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

- 40 Compliance Certification (EU=0-0000A,Proc=T02,ES=TUR02)
- 41 Compliance Certification (EU=0-0000A,Proc=T03,ES=TUR03)
- 42 Compliance Certification (EU=0-0000A,EP=00001)
- 43 Compliance Certification (EU=0-0000A,EP=00002)
- 44 Compliance Certification (EU=0-0000A,EP=00002,Proc=T02,ES=TUR02)
- 45 Compliance Certification (EU=0-0000A,EP=00003)

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

- 46 General Provisions
- 47 Contaminant List
- 48 Air pollution prohibited

Classification Code:

4922 - NATURAL GAS TRANSMISSION

Permit Effective Date: 12/07/2001

Permit Expiration Date: 12/07/2006



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

FEDERALLY ENFORCEABLE CONDITIONS

****** Facility Level ******

Condition 1: Sealing

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 200.5

Item 1.1:

(a) The commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the commissioner issued in the case of the violation. Sealing means labelling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

(b) No person shall operate any air contamination source sealed by the commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

(c) Unless authorized by the commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section

Condition 2: Acceptable ambient air quality

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 200.6

Item 2.1:

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the commissioner shall specify the degree and/or method of emission control required.

Condition 3: Maintenance of equipment

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 200.7

Item 3.1:

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

Condition 4: Unpermitted Emission Sources
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-1.2

Item 4.1:

If an existing emission source was subject to the permitting requirements of 6NYCRR Part 201 at the time of construction or modification, and the owner and/or operator failed to apply for a permit for such emission source then the following provisions apply:

- (a) The owner and/or operator must apply for a permit for such emission source or register the facility in accordance with the provisions of Part 201.
- (b) The emission source or facility is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing sources or facilities.

Condition 5: Emergency Defense
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-1.5

Item 5.1:

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

- (a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:
 - (1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;
 - (2) The equipment at the permitted facility causing the emergency was at the time being properly operated;
 - (3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
 - (4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.
- (b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.
- (c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

Condition 6: Recycling and Salvage
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-1.7

Item 6.1:

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

Condition 7: Prohibition of Reintroduction of Collected Contaminants to the Air
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-1.8

Item 7.1:

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Condition 8: Public Access to Recordkeeping for Title V facilities
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-1.10(b)

Item 8.1:

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

Condition 9: Proof of Eligibility
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-3.2(a)

Item 9.1:

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Condition 10: Proof of Eligibility
Effective between the dates of 12/07/2001 and 12/07/2006



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

Applicable Federal Requirement: 6NYCRR 201-3.3(a)

Item 10.1:

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Condition 11: Applicable Criteria, Limits, Terms, Conditions and Standards

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.

Item 11.1:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in the permit. This shall include:

- i. Any reporting requirements and operations under an accidental release plan, response plan, and compliance plan as approved as of the date of the permit issuance, or
- ii. Any support documents submitted as a part of the permit application for this facility as accepted and approved as of the date of permit issuance.

Any noncompliance with the federally-enforceable portions of this permit constitutes a violation of the federal Clean Air Act and will be grounds for enforcement action, for permit termination, revocation and reissuance, or modification, or for denial of a permit renewal application.

Item 11.2:

Any document, including reports, required by the federally-enforceable portions of this permit shall contain a certification by the responsible official for this facility as set forth in Section 201-6.3 that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.

Condition 12: Cessation or Reduction of Permitted Activity Not a Defense
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.

Item 12.1:

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

Condition 13: Compliance Requirements
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.

Item 13.1:

The following information must be included in any required compliance monitoring records and reports:

- i. The date, place and time of sampling or measurements;
- ii. The date(s) analyses were performed;
- iii. The company or entity that performed the analyses;
- iv. The analytical techniques or methods used including quality assurance and quality control procedures if required;
- v. The results of such analyses including quality assurance data where required; and
- vi. The operating conditions as existing at the time of sampling or measurement;

Any deviation from permit requirements must be clearly identified in all records and reports. Reports must be certified by the responsible official, consistent with Section 201-6.3 of Part 201.

Item 13.2:

The permittee shall comply with the approved compliance schedule for this permit if such a schedule is a part of this permit. Risk management plans must be submitted to the Administrator if required by Section 112(r) of the Clean Air Act for this facility.

Item 13.3:

Progress reports consistent with an applicable schedule of compliance must be submitted at least semiannually on a calendar year basis, or at a more frequent period if specified in the applicable requirement or by the Department elsewhere in this permit. These reports shall be submitted to the Department within 30 days after the end of a reporting period. Such progress reports shall contain the following:

- i. Dates for achieving the activities, milestones, or compliance required in the schedule of compliance, and dates when such activities, milestones or compliance were achieved; and
- ii. An explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

Condition 14: Federally-Enforceable Requirements
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

Item 14.1:

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

Condition 15: Fees

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.

Item 15.1:

The permittee shall pay the required fees associated with this permit.

Condition 16: Monitoring, Related Recordkeeping and Reporting Requirements

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.

Item 16.1:

Compliance monitoring and recordkeeping shall be conducted according to the terms and conditions contained in this permit and shall follow all quality assurance requirements. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

Condition 17: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.

Item 17.1:

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not relieve the permittee from the requirement to comply with any condition contained in this permit.

The permittee shall furnish to the Department, within a reasonable time, any information that the Department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. The permittee shall also, on request, furnish the Department with copies of records required to be kept by the permit. Where information is claimed to be confidential, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

Condition 18: Permit Shield

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.

Item 18.1:

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield. For those facilities for which a permit shield has been granted, compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii. The applicable requirements of Title IV of the Act;
- iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Condition 19: Property Rights

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.

Item 19.1:

This permit does not convey any property rights of any sort or any exclusive privilege.

Condition 20: Reopening for Cause

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.

Item 20.1:

This Title V permit shall be reopened and revised under any of the following circumstances:

- i. If additional applicable requirements under the Act become applicable where this permit's remaining



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.

ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Item 20.2:

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Item 20.3:

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

Condition 21: Right to Inspect

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.

Item 21.1:

Upon presentation of credentials and other documents, as may be required by law, the permittee shall allow the Department or an authorized representative to perform the following:

i. Enter upon the permittee's premises where the permitted facility is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;

ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;

iii. Inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and

iv. As authorized by the Act, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

Condition 22: Severability



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.

Item 22.1:

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Condition 23: Emission Unit Definition

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.

Item 23.1:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-0000A

Emission Unit Description:

TUR01 - TUR03: THREE (3) DRESSER CLARK
DC990 5800 HP NATURAL GAS FIRED STATIONARY
COMPRESSOR TURBINES.

Building(s): 01

Condition 24: Compliance Certification

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.5(c)(3)(ii)

Item 24.1:

The Compliance Certification activity will be performed for the Facility.

Item 24.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

To meet the requirements of this facility permit with respect to reporting, the permittee must:

Submit reports of any required monitoring at a minimum frequency of every 6 months, based on a calendar year reporting schedule. These reports shall be submitted to the Department within 30 days after the end of a reporting period. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by the responsible official for this facility.

New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007



Notify the Department and report permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken. Where the underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations shall be submitted to the permitting authority based on the following schedule:

(1) For emissions of a hazardous air pollutant or a toxic air pollutant (as identified in an applicable regulation) that continue for more than an hour in excess of permit requirements, the report must be made within 24 hours of the occurrence.

(2) For emissions of any regulated air pollutant, excluding those listed in paragraph (1) of this section, that continue for more than two hours in excess of permit requirements, the report must be made within 48 hours.

(3) For all other deviations from permit requirements, the report shall be contained in the 6 month monitoring report required above.

(4) This permit may contain a more stringent reporting requirement than required by paragraphs (1), (2) or (3) above. If more stringent reporting requirements have been placed in this permit or exist in applicable requirements that apply to this facility, the more stringent reporting requirement shall apply.

If any of the above conditions are met, the source must notify the permitting authority by telephone or facsimile based on the timetable listed in paragraphs (1) through (4) of this section. A written notice, certified by a responsible official consistent with 6 NYCRR Part 201-6.3(d)(12), must be submitted within 10 working days of the occurrence. All deviations reported under paragraph (1) through (4) of this section must also be identified in the 6 month monitoring report required above.

If the permittee seeks to have a violation excused as provided in 201-1.4, the permittee shall report such



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

violations as required under 201-1.4(b). However, in no case may reports of any deviation be on a less frequent basis than those described in paragraphs (1) through (4) above. In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

In the case of any condition contained in this permit with a reporting requirement of "Upon request by regulatory agency" the permittee shall include in the semiannual report, a statement for each such condition that the monitoring or recordkeeping was performed as required or requested and a listing of all instances of deviations from these requirements.

In the case of any emission testing performed during the previous six month reporting period, either due to a request by the Department, EPA, or a regulatory requirement, the permittee shall include in the semiannual report a summary of the testing results and shall indicate whether or not the Department or EPA has approved the results.

All semiannual reports shall be submitted to the Administrator (or his or her representative) as well as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Compliance Monitoring and Enforcement (BCME) in the DEC central office). Mailing addresses for the above referenced persons are contained in the monitoring condition for 6 NYCRR Part 201-6.5(e), contained elsewhere in this permit.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 5/30/02.

Subsequent reports are due every 6 calendar month(s).

Condition 25: Compliance Certification
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.5(e)

Item 25.1:

The Compliance Certification activity will be performed for the Facility.

New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007



Item 25.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Requirements for compliance certifications with terms and conditions contained in this facility permit include the following:

- i. Compliance certifications shall contain:
 - the identification of each term or condition of the permit that is the basis of the certification;
 - the compliance status;
 - whether compliance was continuous or intermittent;
 - the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
 - such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions;
 - and
 - such additional requirements as may be specified elsewhere in this permit related to compliance certification.
- ii. The responsible official must include in the annual certification report all terms and conditions contained in this permit, including emission limitations, standards, or work practices. That is, the provisions labeled herein as "Compliance Certification" are not the only provisions of this permit for which an annual certification is required.
- iii. Compliance certifications shall be submitted annually. Certification reports are due 30 days after the anniversary date of four consecutive calendar quarters. The first report is due 30 days after the calendar quarter that occurs just prior to the permit anniversary date, unless another quarter has been acceptable by the Department.
- iv. All compliance certifications shall be submitted to the Administrator (or his or her representative) as well as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Compliance Monitoring



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

and Enforcement (BCME) in the DEC central office). Please send annual compliance certifications to Chief of the Stationary Source Compliance Section, the Region 2 EPA representative for the Administrator, at the following address:

USEPA Region 2
Air Compliance Branch
290 Broadway
New York, NY 10007-1866

The address for the RAPCE is as follows:

615 Erie Boulevard, West
Syracuse, NY 13204-2400

The address for the BCME is as follows:

NYSDEC
Bureau of Compliance Monitoring
and Enforcement
625 Broadway
Albany, NY 12233-3258

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 11/14/02.
Subsequent reports are due on the same day each year

Condition 26: Permit Exclusion Provisions
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 201-6.5(g)

Item 26.1:

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any currently pending or future legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR), and particularly any such enforcement action as may be authorized pursuant to 6 NYCRR 201-1.2 and 6 NYCRR 201-6.5(g).

The issuance of this permit by the Department and the receipt thereof by the Applicant does not supercede, revoke or rescind an order or modification thereof on consent or determination by the Commissioner issued heretofore by the Department or any of the terms, conditions or requirements



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

contained in such order or modification thereof unless specifically intended by this permit.

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting the right of the Department to bring any future action, or pursue any pending action, either administrative or judicial, to required remediation, contribution for costs incurred or funds expended, for any violations, past, present or future, known or unknown, of applicable federal law, the ECL, or the rules and regulations promulgated thereunder, or conditions contained in any other licenses or permits issued to the Applicant and not addressed in this permit.

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting the right of the Department to pursue any claims for natural resource damages against the Applicant.

Condition 27: Required emissions tests
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 202-1.1

Item 27.1:

An acceptable report of measured emissions shall be submitted, as may be required by the commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the commissioner within the time stated shall be sufficient reason for the commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6NYCRR Part 202-1.

Condition 28: Compliance Certification
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 202-2.1

Item 28.1:

The Compliance Certification activity will be performed for the Facility.

Item 28.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year.

Monitoring Frequency: ANNUALLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due by April 15th for previous calendar year

Condition 29: Recordkeeping requirements



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 202-2.5

Item 29.1:

(a) The following records shall be maintained for at least five years:

- (1) a copy of each emission statement submitted to the department; and
- (2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.

(b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.

Condition 30: Visible emissions limited.

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 211.3

Item 30.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Condition 31: Open Fires Prohibited at Industrial and Commercial Sites

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 215.

Item 31.1:

No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, rubbish for salvage, or rubbish generated by industrial or commercial activities.

Condition 32: Recycling and Emissions Reduction

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 40CFR 82, Subpart F

Item 32.1:

The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR Part 82, Subpart F, except as provided for MVAC's in Subpart B:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR Part 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

the standards for recycling and recovery equipment pursuant to 40 CFR Part 82.158.

c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR Part 82.161.

d. Persons disposing of small appliances, MVAC's, and MVAC-like appliances must comply with recordkeeping requirements pursuant to 40 CFR Part 82.166. ("MVAC-like appliance as defined at 40 CFR Part 82.152)

e. Persons owning commercial or industrial process refrigeration equipment must comply with the leak repair requirements pursuant to 40 CFR Part 82.156.

f. Owners/operators of appliances normally containing 50 or more pounds of refrigerant must keep records of refrigerant purchased and added to such appliances pursuant to 40 CFR Part 82.166.

****** Emission Unit Level ******

**Condition 33: Emission Point Definition By Emission Unit
Effective between the dates of 12/07/2001 and 12/07/2006**

Applicable Federal Requirement: 6NYCRR 201-6.

Item 33.1:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-0000A

Emission Point: 00001

Height (ft.): 30 Diameter (in.): 48
NYTMN (km.): 4699.5 NYTME (km.): 383.7 Building: 01

Emission Point: 00002

Height (ft.): 30 Diameter (in.): 48
NYTMN (km.): 4699.5 NYTME (km.): 383.7 Building: 01

Emission Point: 00003

Height (ft.): 30 Diameter (in.): 48
NYTMN (km.): 4699.5 NYTME (km.): 383.7 Building: 01

**Condition 34: Process Definition By Emission Unit
Effective between the dates of 12/07/2001 and 12/07/2006**

Applicable Federal Requirement: 6NYCRR 201-6.

Item 34.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007



Emission Unit: 0-0000A

Process: T01

Source Classification Code: 2-03-002-02

Process Description:

TUR01: ONE (1) DRESSER CLARK DC 990 5800
HP NATURAL GAS FIRED STATIONARY COMPRESSOR
TURBINE.

Emission Source/Control: TUR01 - Combustion

Design Capacity: 5,800 horsepower (mechanical)

Item 34.2:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-0000A

Process: T02

Source Classification Code: 2-03-002-02

Process Description:

TUR02: ONE (1) DRESSER CLARK DC 990 5800
HP NATURAL GAS FIRED STATIONARY COMPRESSOR
TURBINE.

Emission Source/Control: TUR02 - Combustion

Design Capacity: 5,800 horsepower (mechanical)

Item 34.3:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-0000A

Process: T03

Source Classification Code: 2-03-002-02

Process Description:

TUR01: ONE (1) DRESSER CLARK DC 990 5800
HP NATURAL GAS FIRED STATIONARY COMPRESSOR
TURBINE.

Emission Source/Control: TUR03 - Combustion

Design Capacity: 5,800 horsepower (mechanical)

Condition 35: Process Permissible Emissions

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 40CFR 52.21(i)(2), Subpart A

Item 35.1:

The sum of emissions from the regulated process cited shall not exceed the following Potential to Emit (PTE) rates for each regulated contaminant:

Emission Unit: 0-0000A

Process: T01



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

CAS No: 0NY210-00-0
Name: OXIDES OF NITROGEN
PTE(s): 28 pounds per hour
245,280 pounds per year

Emission Unit: 0-0000A Process: T02

CAS No: 0NY210-00-0
Name: OXIDES OF NITROGEN
PTE(s): 28 pounds per hour
245,280 pounds per year

Emission Unit: 0-0000A Process: T03

CAS No: 0NY210-00-0
Name: OXIDES OF NITROGEN
PTE(s): 28 pounds per hour
245,280 pounds per year

Condition 36: Compliance Certification
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 227-2.5(c)

Item 36.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-0000A

Regulated Contaminant(s):
CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 36.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The facility applied for and received an alternative emission limit for Gas Turbine Units #1, #2 and #3 at the plant. The combined NOx emissions from these turbines shall not exceed 84.0 lbs/hour. Compliance shall be determined based on stack testing all three gas turbine units operating at maximum load and summing the corresponding NOx emission rates.

Parameter Monitored: OXIDES OF NITROGEN
Upper Permit Limit: 84.0 pounds per hour



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

Reference Test Method: EPA RM 20

Monitoring Frequency: UPON PERMIT RENEWAL

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 37: Compliance Certification

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 40CFR 52.21(j), Subpart A

Item 37.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-0000A

Item 37.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Permittee shall maintain records of the annual hours of operation of each emission unit at Borger Station. Such records shall be provided to the EPA or NYSDEC upon request.

Monitoring Frequency: AS REQUIRED - SEE MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 38: Compliance Certification

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 40CFR 60.334(b)(2), NSPS Subpart GG

Item 38.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-0000A

Item 38.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The custom fuel monitoring requirements for sulfur are outlined in a US EPA letter dated April 2, 1997 to CNG Transmission Corporation. EPA has waived the requirement



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

to monitor fuel nitrogen content.

Parameter Monitored: SULFUR

Upper Permit Limit: 0.8 percent by weight

Reference Test Method: ASTM

Monitoring Frequency: SEMI-ANNUALLY

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY
TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 39: Compliance Certification

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 40CFR 60.332(a)(2), NSPS Subpart GG

Item 39.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-0000A

Process: T01

Emission Source: TUR01

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 39.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

No owner or operator shall discharge to the atmosphere from a stationary gas turbine, emissions of nitrogen oxides in excess of the following:

$$STD = 0.0150 * [(14.4) / Y] + F$$

Where: STD = allowable nitrogen oxide emissions in percent volume at 15% excess oxygen on a dry basis,

Y = manufacturer's rated heat rate at manufacturer's rated peak load (kilojoules per watt hour) or the actual measured heat rate based on the lower heating value of the fuel as measured at actual peak load of the facility. The value of Y shall not exceed 14.4 kilojoules per watt hour,

F = nitrogen oxide emission allowance for fuel bound nitrogen:

New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007



Fuel bound nitrogen % by weight, where F equals NOx % by volume

$N \leq 0.015 : F = 0$

$0.015 < N \leq 0.1 : 0.04(N)$

$0.1 < N \leq 0.25 : 0.004 + 0.0067(N - 0.1)$

$N > 0.25 : 0.005$

Parameter Monitored: OXIDES OF NITROGEN

Upper Permit Limit: 150 parts per million by volume
(dry, corrected to 15% O₂)

Reference Test Method: EPA RM 20

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 40: Compliance Certification
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 40CFR 60.332(a)(2), NSPS Subpart GG

Item 40.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-0000A

Process: T02 Emission Source: TUR02

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 40.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

No owner or operator shall discharge to the atmosphere from a stationary gas turbine, emissions of nitrogen oxides in excess of the following:

$$STD = 0.0150 * [(14.4) / Y] + F$$

Where: STD = allowable nitrogen oxide emissions in percent volume at 15% excess oxygen on a dry basis,

Y = manufacturer's rated heat rate at manufacturer's rated peak load (kilojoules per watt hour) or the actual measured heat rate based on the lower heating value of the

0



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

fuel as measured at actual peak load of the facility. The value of Y shall not exceed 14.4 kilojoules per watt hour,

F = nitrogen oxide emission allowance for fuel bound nitrogen:

Fuel bound nitrogen % by weight, where F equals NOx % by volume

$N \leq 0.015 : F = 0$

$0.015 < N \leq 0.1 : 0.04(N)$

$0.1 < N \leq 0.25 : 0.004 + 0.0067(N - 0.1)$

$N > 0.25 : 0.005$

Parameter Monitored: OXIDES OF NITROGEN

Upper Permit Limit: 150 parts per million by volume

(dry, corrected to 15% O₂)

Reference Test Method: EPA RM 20

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 41: Compliance Certification

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 40CFR 60.332(a)(2), NSPS Subpart GG

Item 41.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-0000A

Process: T03

Emission Source: TUR03

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 41.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

No owner or operator shall discharge to the atmosphere from a stationary gas turbine, emissions of nitrogen oxides in excess of the following:

$$STD = 0.0150 * [(14.4) / Y] + F$$



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

Where: STD = allowable nitrogen oxide emissions in percent volume at 15% excess oxygen on a dry basis,

Y = manufacturer's rated heat rate at manufacturer's rated peak load (kilojoules per watt hour) or the actual measured heat rate based on the lower heating value of the fuel as measured at actual peak load of the facility. The value of Y shall not exceed 14.4 kilojoules per watt hour,

F = nitrogen oxide emission allowance for fuel bound nitrogen:

Fuel bound nitrogen % by weight, where F equals NOx % by volume

$N \leq 0.015 : F = 0$

$0.015 < N \leq 0.1 : 0.04(N)$

$0.1 < N \leq 0.25 : 0.004 + 0.0067(N - 0.1)$

$N > 0.25 : 0.005$

Parameter Monitored: OXIDES OF NITROGEN

Upper Permit Limit: 150 parts per million by volume
(dry, corrected to 15% O₂)

Reference Test Method: EPA RM 20

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 42: Compliance Certification

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 227-1.3(a)

Item 42.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-0000A Emission Point: 00001

Item 42.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No owner or operator of a combustion installation shall emit greater than 20 percent opacity except for one six minute period per hour, not to exceed 27 percent, based



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

upon the six minute average in reference test method 9 in Appendix A of 40 CFR 60.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Monitoring Frequency: AS REQUIRED - SEE MONITORING

DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 43: Compliance Certification

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 227-1.3(a)

Item 43.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-0000A Emission Point: 00002

Item 43.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No owner or operator of a combustion installation shall emit greater than 20 percent opacity except for one six minute period per hour, not to exceed 27 percent, based upon the six minute average in reference test method 9 in Appendix A of 40 CFR 60.

d

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Monitoring Frequency: AS REQUIRED - SEE MONITORING

DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 44: Compliance Certification

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 40CFR 52.21(i)(2), Subpart A

Item 44.1:

The Compliance Certification activity will be performed for:



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

Emission Unit: 0-0000A Emission Point: 00002
Process: T02 Emission Source: TUR02

Regulated Contaminant(s):
CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 44.2:

Compliance Certification shall include the following monitoring:

Capping: Yes

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC
OPERATIONS

Monitoring Description:

This condition limits potential annual NOx emissions from
gas turbine unit #2 for PSD non applicability for a
modification that occurred on December 13, 1999.

Work Practice Type: HOURS PER YEAR OPERATION

Upper Permit Limit: 4474 hours

Monitoring Frequency: AS REQUIRED - SEE MONITORING
DESCRIPTION

Averaging Method: ANNUAL MINIMUM ROLLED MONTHLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 11/30/02.

Subsequent reports are due every 12 calendar month(s).

Condition 45: Compliance Certification

Effective between the dates of 12/07/2001 and 12/07/2006

Applicable Federal Requirement: 6NYCRR 227-1.3(a)

Item 45.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-0000A Emission Point: 00003

Item 45.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No owner or operator of a combustion installation shall
emit greater than 20 percent opacity except for one six
minute period per hour, not to exceed 27 percent, based
upon the six minute average in reference test method 9 in

New York State Department of Environmental Conservation
Permit ID: 7-5024-00007/00004 Facility DEC ID: 7502400007



Appendix A of 40 CFR 60.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Monitoring Frequency: AS REQUIRED - SEE MONITORING

DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE



STATE ONLY ENFORCEABLE CONDITIONS
****** Facility Level ******

Condition 46: General Provisions
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable State Requirement: 6NYCRR 201-5.

Item 46.1:

This section contains terms and conditions that are not federally enforceable and are not required under the Act or under any of its applicable requirements. Terms and conditions so designated are not subject to the requirements of Section 201-6.4 of Part 201.

Item 46.2:

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

Item 46.3:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Condition 47: Contaminant List
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable State Requirement: 6NYCRR 201-5.3(b)

Item 47.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit (emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY210-00-0
Name: OXIDES OF NITROGEN

Condition 48: Air pollution prohibited
Effective between the dates of 12/07/2001 and 12/07/2006

Applicable State Requirement: 6NYCRR 211.2

Item 48.1:



New York State Department of Environmental Conservation

Permit ID: 7-5024-00007/00004

Facility DEC ID: 7502400007

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.