



PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air Title V Facility
Permit ID: 8-0728-00004/00017
Effective Date: 06/02/2016 Expiration Date: 06/01/2021

Permit Issued To: CHEMUNG COUNTY
PO BOX 588
ELMIRA, NY 14902-0588

Contact: MICHAEL KRUSEN
203 LAKE STREET
ELMIRA, NY 14902
(607) 737-2031

Facility: CHEMUNG COUNTY LANDFILL
1488 CO RTE 60
ELMIRA, NY 14901

Description:

Renewal and modification of the Title V Facility Permit for all air pollution processes at the Chemung County Landfill facility associated with the existing landfill and the proposed landfill expansion to allow for the construction of the proposed landfill expansion and the continued operation of the gas collection and control system to reduce emissions and limit odors at the facility.

The Title V Permit includes air pollutant emission limitations, compliance schedules, and periodic monitoring requirements to ensure and verify compliance with the applicable requirements.

Existing previously permitted emission points at the Landfill included 8 candlestick flares, a 793 cfm open flare, a 1,200 cfm open flare (authorized under Operational Flexibility provisions), and fugitive emissions from the Landfill and the leachate collection pond.

Although the landfill is not yet subject to the gas collection and control requirements of 40 CFR 60 Subpart WWW, the landfill has installed an active gas collection system. The facility remains subject to Title V permitting requirements due to the applicability of 40 CFR 60 Subpart WWW and remains a minor source pursuant to Non-Attainment New Source Review with the exception of greenhouse gases (GHGs), for which the facility will become a major source due to the expansion.

This Title V permit modification is based on the new Potential to Emit (PTE), which includes fugitive emissions from approximately 8,154,588 cubic yards of additional air space from the Cell V expansion, the previously permitted air space (from Cells I-IV),



and the flare (FLR) process which includes the existing LTI-CF-5 candlestick flares (FL001-FL008); the existing 793 cfm open flare (01FLG); the permitted 1,200 cfm open flare (FLR01); a new 2,040 cfm enclosed flare (EXPFL), and other miscellaneous and exempt sources.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: SCOTT SHEELEY
 NYSDEC - REGION 8
 6274 E AVON-LIMA RD
 AVON, NY 14414

Authorized Signature: _____ Date: ___ / ___ / _____



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

General Provisions

- Facility Inspection by the Department
- Relationship of this Permit to Other Department Orders and Determinations
- Applications for permit renewals, modifications and transfers
- Permit modifications, suspensions or revocations by the Department

Facility Level

- Submission of application for permit modification or renewal-REGION 8 HEADQUARTERS



DEC GENERAL CONDITIONS
****** General Provisions ******

For the purpose of your Title V permit, the following section contains state-only enforceable terms and conditions.
GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department

Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations

Applicable State Requirement: ECL 3-0301 (2) (m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for permit renewals, modifications and transfers

Applicable State Requirement: 6 NYCRR 621.11

Item 3.1:

The permittee must submit a renewal application at least 180 days before expiration of permits for both Title V and State Facility Permits.

Item 3.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Condition 4: Permit modifications, suspensions or revocations by the Department

Applicable State Requirement: 6 NYCRR 621.13

Item 4.1:



The Department reserves the right to exercise all available authority to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

****** Facility Level ******

Condition 5: Submission of application for permit modification or renewal-REGION 8 HEADQUARTERS

Applicable State Requirement: 6 NYCRR 621.6 (a)

Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:
NYSDEC Regional Permit Administrator
Region 8 Headquarters
Division of Environmental Permits
6274 Avon-Lima Road
Avon, NY 14414-9519
(585) 226-2466

New York State Department of Environmental Conservation

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004



Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - TITLE V PERMIT

IDENTIFICATION INFORMATION

Permit Issued To:CHEMUNG COUNTY
PO BOX 588
ELMIRA, NY 14902-0588

Facility: CHEMUNG COUNTY LANDFILL
1488 CO RTE 60
ELMIRA, NY 14901

Authorized Activity By Standard Industrial Classification Code:
4953 - REFUSE SYSTEMS

Permit Effective Date: 06/02/2016

Permit Expiration Date: 06/01/2021



LIST OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS

Facility Level

- 1 6 NYCRR 200.6: Acceptable Ambient Air Quality
- 2 6 NYCRR 201-6.4 (a) (7): Fees
- 3 6 NYCRR 201-6.4 (c): Recordkeeping and Reporting of Compliance Monitoring
- 4 6 NYCRR 201-6.4 (c) (2): Records of Monitoring, Sampling, and Measurement
- 5 6 NYCRR 201-6.4 (c) (3) (ii): Compliance Certification
- 6 6 NYCRR 201-6.4 (e): Compliance Certification
- 7 6 NYCRR 202-2.1: Compliance Certification
- 8 6 NYCRR 202-2.5: Recordkeeping requirements
- 9 6 NYCRR 215.2: Open Fires - Prohibitions
- 10 6 NYCRR 200.7: Maintenance of Equipment
- 11 6 NYCRR 201-1.7: Recycling and Salvage
- 12 6 NYCRR 201-1.8: Prohibition of Reintroduction of Collected Contaminants to the air
- 13 6 NYCRR 201-3.2 (a): Exempt Sources - Proof of Eligibility
- 14 6 NYCRR 201-3.3 (a): Trivial Sources - Proof of Eligibility
- 15 6 NYCRR 201-6.4 (a) (4): Requirement to Provide Information
- 16 6 NYCRR 201-6.4 (a) (8): Right to Inspect
- 17 6 NYCRR 201-6.4 (f) (6): Off Permit Changes
- 18 6 NYCRR 202-1.1: Required Emissions Tests
- 19 40 CFR Part 68: Accidental release provisions.
- 20 40CFR 82, Subpart F: Recycling and Emissions Reduction
- 21 6 NYCRR Subpart 201-6: Emission Unit Definition
- 22 6 NYCRR Subpart 201-6: Compliance Certification
- 23 6 NYCRR 201-6.4 (d) (4): Progress Reports Due Semiannually
- 24 6 NYCRR 201-6.4 (f): Compliance Certification
- 25 6 NYCRR 211.1: Air pollution prohibited
- 26 40CFR 60.4, NSPS Subpart A: EPA Region 2 address.
- 27 40CFR 60.7(a), NSPS Subpart A: Modification Notification
- 28 40CFR 60.7(b), NSPS Subpart A: Recordkeeping requirements.
- 29 40CFR 60.7(f), NSPS Subpart A: Facility files for subject sources.
- 30 40CFR 60.7(g), NSPS Subpart A: Notification Similar to State or Local Agency
- 31 40CFR 60.9, NSPS Subpart A: Availability of information.
- 32 40CFR 60.11(d), NSPS Subpart A: Compliance with Standards and Maintenance Requirements
- 33 40CFR 60.12, NSPS Subpart A: Circumvention.
- 34 40CFR 60.14, NSPS Subpart A: Modifications.
- 35 40CFR 60.15, NSPS Subpart A: Reconstruction
- 36 40CFR 60.752(b)(1), NSPS Subpart WWW: Standards for air emissions from MSW landfills
- 37 40CFR 60.752(b)(2), NSPS Subpart WWW: Standards for air emissions from MSW landfills
- 38 40CFR 60.754(a)(1), NSPS Subpart WWW: Calculation of Non-Methane Organic Carbon (NMOC) Emissions



- 39 40CFR 60.754(a)(2), NSPS Subpart WWW: NMOC Calculation - Tier 1
- 40 40CFR 60.754(a)(3), NSPS Subpart WWW: NMOC Calculation - Tier 2
- 41 40CFR 60.757(a), NSPS Subpart WWW: Reporting requirements - Initial design capacity
- 42 40CFR 60.757(b), NSPS Subpart WWW: Reporting requirements - NMOC emission rate
- 43 40CFR 60.758(a), NSPS Subpart WWW: Compliance Certification
- 44 40CFR 61.154, NESHAP Subpart M: Asbestos-containing waste material standard for active waste disposal sites

Emission Unit Level

- 45 6 NYCRR Subpart 201-6: Emission Point Definition By Emission Unit
- 46 6 NYCRR Subpart 201-6: Process Definition By Emission Unit

EU=1-CHMNG

- 47 40CFR 60.18(e), NSPS Subpart A: General Control Device Requirements - Flares

EU=1-CHMNG,Proc=FLR

- 48 6 NYCRR 212.6 (a): Compliance Certification

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

- 49 ECL 19-0301: Contaminant List
- 50 6 NYCRR 201-1.4: Malfunctions and start-up/shutdown activities

Emission Unit Level

EU=1-CHMNG,Proc=FLR

- 51 6 NYCRR 212.4 (a): Emissions from new emission sources and/or modifications

EU=1-CHMNG,Proc=LDF

- 52 6 NYCRR 212.4 (a): Emissions from new emission sources and/or modifications



FEDERALLY ENFORCEABLE CONDITIONS

****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

The items listed below are not subject to the annual compliance certification requirements under Title V. Permittees may also have other obligations under regulations of general applicability.

Item A: Public Access to Recordkeeping for Title V Facilities - 6 NYCRR 201-1.10 (b)

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6 NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

Item B: Timely Application for the Renewal of Title V Permits - 6 NYCRR 201-6.2 (a) (4)

Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Item C: Certification by a Responsible Official - 6 NYCRR 201-6.2 (d) (12)

Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Item D: Requirement to Comply With All Conditions - 6 NYCRR 201-6.4 (a) (2)

The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

Item E: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR 201-6.4 (a) (3)

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and



reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Item F: Cessation or Reduction of Permitted Activity Not a Defense - 6 NYCRR 201-6.4 (a) (5)

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

Item G: Property Rights - 6 NYCRR 201-6.4 (a) (6)

This permit does not convey any property rights of any sort or any exclusive privilege.

Item H: Severability - 6 NYCRR 201-6.4 (a) (9)

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Item I: Permit Shield - 6 NYCRR 201-6.4 (g)

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;

ii. The liability of a permittee of the Title V



facility for any violation of applicable requirements prior to or at the time of permit issuance;

iii. The applicable requirements of Title IV of the Act;

iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Item J: Reopening for Cause - 6 NYCRR 201-6.4 (i)

This Title V permit shall be reopened and revised under any of the following circumstances:

i. If additional applicable requirements under the Act become applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.

ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide



a shorter time period in the case of an emergency.

Item K: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item L: Federally Enforceable Requirements - 40 CFR 70.6 (b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

**MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS
SUBJECT TO ANNUAL CERTIFICATIONS AT ALL TIMES**

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements at all times.

**Condition 1: Acceptable Ambient Air Quality
Effective between the dates of 06/02/2016 and 06/01/2021**

Applicable Federal Requirement: 6 NYCRR 200.6

Item 1.1:

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of



Condition 5: Compliance Certification
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement: 6 NYCRR 201-6.4 (c) (3) (ii)

Item 5.1:

The Compliance Certification activity will be performed for the Facility.

Item 5.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

To meet the requirements of this facility permit with respect to reporting, the permittee must:

Submit reports of any required monitoring at a minimum frequency of every 6 months, based on a calendar year reporting schedule. These reports shall be submitted to the Department within 30 days after the end of a reporting period. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by the responsible official for this facility.

Notify the Department and report permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken. Where the underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations shall be submitted to the permitting authority based on the following schedule:

- (1) For emissions of a hazardous air pollutant (as identified in an applicable regulation) that continue for more than an hour in excess of permit requirements, the report must be made within 24 hours of the occurrence.
- (2) For emissions of any regulated air pollutant, excluding those listed in paragraph (1) of this section, that continue for more than two hours in excess of permit requirements, the report must be made within 48 hours.
- (3) For all other deviations from permit requirements, the report shall be contained in the 6 month monitoring



report required above.

(4) This permit may contain a more stringent reporting requirement than required by paragraphs (1), (2) or (3) above. If more stringent reporting requirements have been placed in this permit or exist in applicable requirements that apply to this facility, the more stringent reporting requirement shall apply.

If above paragraphs (1) or (2) are met, the source must notify the permitting authority by telephone during normal business hours at the Regional Office of jurisdiction for this permit, attention Regional Air Pollution Control Engineer (RAPCE) according to the timetable listed in paragraphs (1) and (2) of this section. For deviations and incidences that must be reported outside of normal business hours, on weekends, or holidays, the DEC Spill Hotline phone number at 1-800-457-7362 shall be used. A written notice, certified by a responsible official consistent with 6 NYCRR Part 201-6.2(d)(12), must be submitted within 10 working days of an occurrence for deviations reported under (1) and (2). All deviations reported under paragraphs (1) and (2) of this section must also be identified in the 6 month monitoring report required above.

The provisions of 6 NYCRR 201-1.4 shall apply if the permittee seeks to have a violation excused unless otherwise limited by regulation. In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets. Notwithstanding any recordkeeping and reporting requirements in 6 NYCRR 201-1.4, reports of any deviations shall not be on a less frequent basis than the reporting periods described in paragraphs (1) and (4) above.

In the case of any condition contained in this permit with a reporting requirement of "Upon request by regulatory agency" the permittee shall include in the semiannual report, a statement for each such condition that the monitoring or recordkeeping was performed as required or requested and a listing of all instances of deviations from these requirements.

In the case of any emission testing performed during the previous six month reporting period, either due to a request by the Department, EPA, or a regulatory requirement, the permittee shall include in the semiannual report a summary of the testing results and shall indicate



whether or not the Department or EPA has approved the results.

All semiannual reports may be submitted electronically or physically. Electronic reports shall be submitted using the Department's Air Compliance and Emissions Electronic-Reporting system (ACE). If the facility owner or operator elects to send physical copies instead, two copies shall be sent to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office) and one copy shall be sent to the Administrator (or his or her representative). Mailing addresses for the above referenced persons are contained in the monitoring condition for 6 NYCRR Part 201-6.4(e), contained elsewhere in this permit.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 6: Compliance Certification
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement: 6 NYCRR 201-6.4 (e)

Item 6.1:

The Compliance Certification activity will be performed for the Facility.

Item 6.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Requirements for compliance certifications with terms and conditions contained in this facility permit include the following:

- i. Compliance certifications shall contain:
 - the identification of each term or condition of the permit that is the basis of the certification;
 - the compliance status;
 - whether compliance was continuous or intermittent;
 - the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
 - such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions;



and

- such additional requirements as may be specified elsewhere in this permit related to compliance certification.

ii. The responsible official must include in the annual certification report all terms and conditions contained in this permit which are identified as being subject to certification, including emission limitations, standards, or work practices. That is, the provisions labeled herein as "Compliance Certification" are not the only provisions of this permit for which an annual certification is required.

iii. Compliance certifications shall be submitted annually. Certification reports are due 30 days after the anniversary date of four consecutive calendar quarters. The first report is due 30 days after the calendar quarter that occurs just prior to the permit anniversary date, unless another quarter has been acceptable by the Department.

iv. All annual compliance certifications may be submitted electronically or physically. Electronic reports shall be submitted using the Department's Air Compliance and Emissions Electronic-Reporting system (ACE). If the facility owner or operator elects to send physical copies instead, two copies shall be sent to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office) and one copy shall be sent to the Administrator (or his or her representative). The mailing addresses for the above referenced persons are:

Chief – Stationary Source Compliance Section
USEPA Region 2
Air Compliance Branch
290 Broadway
New York, NY 10007-1866

The address for the RAPCE is as follows:

Regional Air Pollution Control Engineer
NYSDEC Region 8 Headquarters
6274 East Avon-Lima Road
Avon, NY 14414-9519

The address for the BQA is as follows:

NYSDEC
Bureau of Quality Assurance

New York State Department of Environmental Conservation

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004



625 Broadway
Albany, NY 12233-3258

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2017.
Subsequent reports are due on the same day each year

Condition 7: Compliance Certification
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:6 NYCRR 202-2.1

Item 7.1:

The Compliance Certification activity will be performed for the Facility.

Item 7.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year.

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due by April 15th for previous calendar year

Condition 8: Recordkeeping requirements
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:6 NYCRR 202-2.5

Item 8.1:

(a) The following records shall be maintained for at least five years:

(1) a copy of each emission statement submitted to the department; and

(2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.

(b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.

Condition 9: Open Fires - Prohibitions
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:6 NYCRR 215.2

Item 9.1:



requirements only if effectuated during the reporting period.
[NOTE: The corresponding annual compliance certification for those conditions not effectuated during the reporting period shall be specified as "not applicable".]

Condition 10: Maintenance of Equipment
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:6 NYCRR 200.7

Item 10.1:

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

Condition 11: Recycling and Salvage
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:6 NYCRR 201-1.7

Item 11.1:

Where practical, the owner or operator of an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of the ECL.

Condition 12: Prohibition of Reintroduction of Collected Contaminants to the air
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:6 NYCRR 201-1.8

Item 12.1:

No person shall unnecessarily remove, handle or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Condition 13: Exempt Sources - Proof of Eligibility
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:6 NYCRR 201-3.2 (a)

Item 13.1:

The owner or operator of an emission source or activity that is listed as being exempt may be required to certify that it is operated within the specific criteria described in this Subpart. The owner or operator of any such emission source or activity must maintain all records necessary for demonstrating compliance with this Subpart on-site for a period of five years, and make them available to representatives of the department upon request.

Condition 14: Trivial Sources - Proof of Eligibility
Effective between the dates of 06/02/2016 and 06/01/2021

New York State Department of Environmental Conservation

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004



2) A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan. Information should be submitted to:

Risk Management Plan Reporting Center
C/O CSC
8400 Corporate Dr
Carrollton, Md. 20785

Condition 20: Recycling and Emissions Reduction
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:40CFR 82, Subpart F

Item 20.1:

The permittee shall comply with all applicable provisions of 40 CFR Part 82.

The following conditions are subject to annual compliance certification requirements for Title V permits only.

Condition 21: Emission Unit Definition
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 21.1:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 1-CHMNG

Emission Unit Description:

This unit consists of landfilled waste from 6 landfills (1 active MSW, CELL V expansion, 2 closed MSW, 1 active C&D, and 1 closed C&D) generating landfill gas and the flares used to combust gas from the landfill. Landfill gas will also be released as fugitive emissions from the landfill and the leachate storage lagoon.

Condition 22: Compliance Certification
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 22.1:

The Compliance Certification activity will be performed for the Facility.

Item 22.2:

Compliance Certification shall include the following monitoring:

New York State Department of Environmental Conservation

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004



Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

In order to demonstrate that the landfill gas collection system is operating properly, the pressure at each horizontal collector and vertical well shall be monitored on a monthly basis. If positive pressure exists, corrective action shall be taken within 5 days (exceptions for monthly pressure monitoring include: i. fire or increased well temperature; ii. use of a geomembrane or synthetic cover; or iii. a decommissioned well).

If negative pressure cannot be achieved within 30 days of the initial exceedance, a proposed corrective action plan and schedule shall be submitted to the Department within 30 days of the initial exceedance. Providing the specified corrective measures are taken, an exceedance is not a violation of this condition.

The facility shall maintain records of the monthly monitoring and corrective actions on site.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 23: Progress Reports Due Semiannually
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement: 6 NYCRR 201-6.4 (d) (4)

Item 23.1:

Progress reports consistent with an applicable schedule of compliance are to be submitted at least semiannually, or at a more frequent period if specified in the applicable requirement or by the department. Such progress reports shall contain the following:

(i) dates for achieving the activities, milestones, or compliance required in the schedule of compliance, and dates when such activities, milestones or compliance were achieved; and

(ii) an explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

Condition 24: Compliance Certification
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement: 6 NYCRR 201-6.4 (f)

Item 24.1:

The Compliance Certification activity will be performed for the Facility.



Item 24.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Operational Flexibility Plan

I. Protocol Objective

The objective of this condition is to maximize operational flexibility at the facility by building into the Title V permit the capability to make certain changes using a protocol. As provided under 6 NYCRR Part 201-6.4(f)(2), changes made under an approved protocol are not subject to the Title V permit modification provisions under 6 NYCRR Part 201-6.6.

II. Protocol

A. Criteria

1. Changes reviewed under this protocol shall be evaluated in accordance with the following criteria:

a. All underlying federal and state requirements with which the new or changed emission source must comply must exist in the Title V permit. Existing permit conditions may be amended to reference or include the new or changed emission source and any related information, and/or subject to DEC approval, new conditions proposed, to provide the appropriate monitoring parameters.

b. Any new or changed emission source shall not be part of a source project that results in a significant net emissions increase that exceeds the New Source Review (NSR) thresholds identified in 6 NYCRR Part 231.

c. The facility shall not use the protocol to make physical changes or changes in the method of operation of existing emissions sources that would require a new or modified federally enforceable cap either to avoid major NSR requirements or to address and comply with other Clean Air Act requirements, such as RACT. Such changes must be addressed via the significant permit modification provisions.

B. Notification Requirements for Changes Reviewed under the Protocol

1. The facility shall notify the Department in writing of



the proposed change.

2. Notifications made in accordance with this protocol will include the following documentation:

a. Identification of the Title V permit emission unit, process(es), emission sources and emission points affected by the proposed change with applicable revisions to the Emission Unit structure;

b. Description of the proposed change, including operating parameters;

c. Identification and description of emissions control technology;

d. Documentation of the project's, or emission source's, compliance with respect to all state and/or federally applicable requirements, including the following steps:

i. Calculate the emission rate potential and maximum projected actual annual emission rates for all contaminants affected by the change.

ii. Submit documentation of major NSR program non-applicability for NYSDEC review and approval.

iii. Identify and evaluate the applicability of all regulations likely to be triggered by the new or changed emission source.

iv. Propose any operating and record keeping procedures necessary to ensure compliance.

e. Any other relevant information used for the evaluation of the proposed project or emission source under the Protocol.

C. Review and Approval of Changes

1. The Department shall respond to the permittee in writing with a determination within 15 days of receipt of the notification of the permittee.

2. The Department may require a permit modification, in order to impose new applicable requirements or additional permit conditions if it determines that changes proposed pursuant to notification do not meet the criteria under II. A above or that the changes may have a significant air quality impact or be otherwise potentially significant



under SEQRA (6 NYCRR Part 617).

3. The Department may require that the permittee not undertake the proposed change until it completes a more detailed review of the proposed change, which may include potential air quality impacts and/or applicable requirements. The Department's determination shall include a listing of information required for further review, if necessary.

D. Additional Compliance Obligations for Changes Made Under this Protocol

1. Upon commencement of the change, the facility shall comply with all applicable requirements and permit conditions, including any amended or proposed in accordance with II.A.1.a above.

2. The facility shall provide with the semi-annual monitoring report, a summary of the changes made in accordance with this protocol and a statement of the compliance status of each. Changes reported should include all those made during the corresponding period and any earlier changes that have not yet been incorporated into the permit.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 25: Air pollution prohibited
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:6 NYCRR 211.1

Item 25.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 26: EPA Region 2 address.
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:40CFR 60.4, NSPS Subpart A

New York State Department of Environmental Conservation

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004



Item 26.1:

All requests, reports, applications, submittals, and other communications to the Administrator pursuant to this part shall be submitted in duplicate to the following address:

Director, Division of Enforcement and Compliance Assistance
USEPA Region 2
290 Broadway, 21st Floor
New York, NY 10007-1886

Copies of all correspondence to the administrator pursuant to this part shall also be submitted to the NYSDEC Regional Office issuing this permit (see address at the beginning of this permit) and to the following address:

NYSDEC
Bureau of Quality Assurance
625 Broadway
Albany, NY 12233-3258

Condition 27: Modification Notification
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:40CFR 60.7(a), NSPS Subpart A

Item 27.1:

Any owner or operator subject to 40 CFR Part 60 shall furnish the Administrator and this office with the following information:

- a notification of any physical or operational change to an existing facility which may increase the emission rate of any air pollutant to which a standard applies, unless the change is specifically exempted under 40 CFR Part 60. The notice shall be post marked 60 days or as soon as practicable before the change is commenced and shall include information describing the precise nature of the change, present and proposed emission control systems, productivity capability of the facility before and after the change, and the expected completion date of the change. The Administrator and/or this Department may request additional information regarding the change.

Condition 28: Recordkeeping requirements.
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:40CFR 60.7(b), NSPS Subpart A

Item 28.1:

Affected owners or operators shall maintain records of occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility; any malfunction of the air pollution control equipment; or any periods during which a continuous monitoring system or monitoring device is inoperative.

Condition 29: Facility files for subject sources.
Effective between the dates of 06/02/2016 and 06/01/2021

New York State Department of Environmental Conservation

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004



the landfill using the procedures specified in 40 CFR Part 60.754. The NMOC emission rate shall be recalculated annually, except as provided in 40 CFR Part 60.757(b)(1)(ii).

1) If the calculated NMOC emission rate is less than 50 megagrams per year, the owner or operator shall:

i) Submit an annual emission report to the Administrator, except as provided for in 40 CFR Part 60.757(b)(1)(ii); and

ii) Recalculate the NMOC emission rate annually using the procedures specified in 40 CFR Part 60.754(a)(1) until such time as the calculated NMOC emission rate is equal to or greater than 50 megagrams per year. If upon recalculation the NMOC emission rate is equal to or greater than 50 megagrams per year, the owner or operator shall install a collection and control system in compliance with 40 CFR Part 60.752(b)(2).

**Condition 37: Standards for air emissions from MSW landfills
Effective between the dates of 06/02/2016 and 06/01/2021**

Applicable Federal Requirement:40CFR 60.752(b)(2), NSPS Subpart

WWW

Item 37.1:

If the calculated NMOC emission rate is equal to or greater than 50 megagrams per year, the owner or operator shall:

i) Submit a collection and control system design plan prepared by a professional engineer to the Administrator within 1 year:

A) The collection and control system as described in the plan shall meet the design requirements of paragraph (ii)below.

B) The collection and control system design plan shall include any alternatives to the operational standards, test methods, procedures, compliance measures, monitoring, recordkeeping or reporting provisions of 40 CFR Part 60.753 through 60.758 proposed by the owner or operator.

C) The collection and control system design plan shall either conform with specifications for active collection systems in 40 CFR Part 60.759 or include a demonstration to the Administrator's satisfaction of the sufficiency of the alternative provisions to 40 CFR Part 60.759.

D) The Administrator shall review the information submitted under paragraphs (i)(A), (B) and (C) above and either approve it, disapprove it, or request that additional information be submitted. Because of the many site-specific factors involved with landfill gas system design, alternative systems may be necessary. A wide variety of system designs are possible, such as vertical wells, combination horizontal and vertical collection systems, or horizontal trenches only, leachate collection components, and passive systems.

ii) Install a collection and control system that captures the gas generated within the landfill as required by paragraphs (ii)(A) or (B) and (iii) below, within 30 months after the first annual report in which the emission rate equals or exceeds 50 megagrams per year, unless Tier 2

New York State Department of Environmental Conservation

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004



or Tier 3 sampling demonstrates that the emission rate is less than 50 megagrams per year, as specified in 40 CFR Part 60.757(c)(1) or (2).

A) An active gas collection system shall:

1) be designed to handle the maximum expected gas flow rate from the entire area of the landfill that warrants control over the intended use period of the gas control or treatment system equipment;

2) collect gas from each area, cell or group of cells in the landfill in which the initial solid waste has been placed for a period of 5 years (if active) or 2 years (if closed or at final grade);

3) collect gas at a sufficient extraction rate; and

4) be designed to minimize off-site migration of subsurface gas.

(B) A passive collection system shall:

(1) Comply with the provisions specified in paragraphs (A)(1),(2), and (4) above.

(2) Be installed with liners on the bottom and all sides in all areas in which gas is to be collected. The liners shall be installed as required under 40 CFR Part 258.40 of this title.

iii) Route all the collected gas to a control system that complies with either of the following:

A) is an open flare designed and operated in accordance with 40 CFR 60.18; or

B) is a control system designed and operated to reduce NMOC by 98% (by weight) or, when an enclosed combustion device is used for control, to either reduce NMOC by 98% weight or reduce the NMOC outlet concentration to less than 20 parts per million by volume, dry basis as hexane at 3% oxygen. The reduction efficiency or parts per million by volume shall be established by an initial performance test to be completed no later than 180 days after the initial startup of the approved control system using the test methods specified in 40 CFR Part 60.754(d).

(1) If a boiler or process heater is used as the control device, the landfill gas stream shall be introduced into the flame zone.

(2) The control device shall be operated within the parameter ranges established during the initial or most recent performance test. The operating parameters to be monitored are specified in 40 CFR Part 60.756;

(C) Route the collected gas to a treatment system that processes the collected gas for subsequent sale or use. All emissions from any atmospheric vent from the gas treatment system shall be subject to the requirements of paragraph (iii)(A) or (B) above.

**Condition 38: Calculation of Non-Methane Organic Carbon (NMOC) Emissions
Effective between the dates of 06/02/2016 and 06/01/2021**



Applicable Federal Requirement:40CFR 60.754(a)(1), NSPS Subpart

WWW

Item 38.1:

The landfill owner or operator shall calculate the NMOC emission rate using the equation provided below. The values to be used in the equation are 0.05 per year for k, 170 cubic meters per megagram for Lo and 4,000 parts per million by volume as hexane for CNMOC.

i) The following equation shall be used:

$$MNMOC = S \cdot 2kLoMi(e^{-kti})(CNMOC)(3.6 \times 10^{-9})$$

where,

- MNMOC = Total NMOC emission rate from the landfill, megagrams per year
- k = methane generation rate constant, year⁻¹
- Lo = methane generation potential, cubic meters per megagram solid waste
- Mi = mass of solid waste in the ith section, megagrams
- ti = age of the ith section, years
- CNMOC = concentration of NMOC, parts per million by volume as hexane
- 3.6 x 10⁻⁹ = conversion factor.

The mass of the nondegradable waste may be subtracted from the total mass of solid waste in a particular section of the landfill when calculating the value for Mi if the documentation provisions of 40 CFR Part 60.758(d)(2) are followed.

Condition 39: NMOC Calculation - Tier 1
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:40CFR 60.754(a)(2), NSPS Subpart

WWW

Item 39.1:

The owner or operator shall compare the calculated NMOC mass emission rate to the standard of 50 megagrams per year.

1) If the NMOC mass emission rate calculated in 40 CFR Part 60.754(a)(1) is less than 50 megagrams per year, then the landfill owner shall submit a mass emission rate report as provided in 40 CFR Part 60.757(b)(1), and shall recalculate the NMOC mass emission rate annually as required under 40 CFR Part 60.752(b)(1).

2) If the calculated NMOC mass emission rate is equal to or greater than 50 megagrams per year, then the landfill owner shall either comply with 40 CFR Part 60.752(b)(2), or determine the site-specific NMOC concentration and recalculate the NMOC mass emission rate using the procedures provided in 40 CFR Part 60.754(a)(3).

Condition 40: NMOC Calculation - Tier 2
Effective between the dates of 06/02/2016 and 06/01/2021



Applicable Federal Requirement: 40CFR 60.754(a)(3), NSPS Subpart

WWW

Item 40.1:

The landfill owner or operator shall determine the NMOC concentration using the following sampling procedure. The landfill owner or operator shall install at least two sample probes per hectare of landfill surface that has retained waste for at least 2 years. If the landfill is larger than 25 hectares in area, only 50 samples are required. The sample probes should be located to avoid known areas of nondegradable solid waste. The owner or operator shall collect and analyze one sample of landfill gas from each probe to determine the NMOC concentration using either, Method 25 or 25C of 40 CFR Part 60 Appendix A. Method 18 of Appendix A may be used to analyze the samples collected by the Method 25 or 25C sampling procedure. Taking composite samples from different probes into a single cylinder is allowed; however, equal sample volumes must be taken from each probe. For each composite, the sampling rate, collection times, beginning and ending cylinder vacuums, or alternative volume measurements must be recorded to verify that composite volumes are equal. Composite sample volumes should not be less than one liter unless evidence can be provided to substantiate the accuracy of smaller volumes. Terminate compositing before the cylinder approaches ambient pressure where measurement accuracy diminishes. If using Method 18, the owner or operator must identify all compounds in the sample and, as a minimum, test for those compounds published in the most recent Compilation of Air Pollutant Emission Factors (AP-42), minus carbon monoxide, hydrogen sulfide, and mercury. As a minimum, the instrument must be calibrated for each of the compounds on the list. Convert the concentration of each Method 18 compound to CNMOC as hexane by multiplying by the ratio of its carbon atoms divided by six. If more than the required number of samples are taken, all samples must be used in the analysis. The landfill owner or operator must divide the NMOC concentration from Method 25 or 25C of Appendix A of this part by six to convert from CNMOC as carbon to CNMOC as hexane. If the landfill has an active or passive gas removal system in place, Method 25 or 25C samples may be collected from these systems instead of surface probes provided the removal system can be shown to provide sampling as representative as the two sampling probe per hectare requirement. For active collection systems, samples may be collected from the common header pipe before the gas moving or condensate removal equipment. For these systems, a minimum of three samples must be collected from the header pipe.

1) The landfill owner or operator shall recalculate the NMOC mass emission rate using the equations provided in 40 CFR Part 60.754(a)(1)(i) or (ii) and using the average NMOC concentration from the collected samples instead of the default value in the equation provided in 40 CFR Part 60.754(a)(1).

2) If the resulting mass emission rate calculated using the site-specific NMOC concentration is equal to or greater than 50 megagrams per year, then the landfill owner or operator shall either comply with 40 CFR Part 60.752(b)(2), or determine the site-specific methane gas generation rate constant and recalculate the NMOC emission rate using the site-specific methane generation rate using the procedure specified in 40 CFR Part 60.754(a)(4).

3) If the resulting NMOC mass emission rate is less than 50 megagrams per year, the owner or operator shall submit a periodic estimate of the emission rate report as provided in 40 CFR Part 60.757(b)(1) and retest the site-specific NMOC concentration every 5 years using the methods specified in this condition.



Condition 41: Reporting requirements - Initial design capacity
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:40CFR 60.757(a), NSPS Subpart

WWW

Item 41.1:

Owner or operator shall submit an initial design capacity report to the Administrator.

1) The initial design capacity report shall fulfill the requirements of the notification of the date construction is commenced as required under 40 CFR Part 60.7(a)(1) and shall be submitted no later than 90 days after the date of commenced construction.

2) The initial design capacity report shall contain the following information:

i) A map or plot of the landfill, providing the size and location of the landfill, and identifying all areas where solid waste may be landfilled according to the permit issued by NYSDEC;

ii) The maximum design capacity of the landfill. Where the maximum design capacity is specified in the permit issued by NYSDEC, a copy of the permit specifying the maximum design capacity may be submitted as part of the report. If the maximum design capacity of the landfill is not specified in the permit, the maximum design capacity shall be calculated using good engineering practices. The calculations shall be provided, along with the relevant parameters as part of the report. The State or Administrator may request other reasonable information as may be necessary to verify the maximum design capacity of the landfill.

Condition 42: Reporting requirements - NMOC emission rate
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:40CFR 60.757(b), NSPS Subpart

WWW

Item 42.1:

Owner or operator shall submit an NMOC emission rate report to the Administrator initially and annually thereafter, except as provided in (1)(ii) or (3) below. The Administrator may request such additional information as may be necessary to verify the reported NMOC emission rate.

1) The NMOC emission rate report shall contain an annual or 5-year estimate of the NMOC emission rate, calculated using the formula and procedures provided in 40 CFR Part 60.754(a) or (b), as applicable.

i) The initial NMOC emission rate report may be combined with the initial design capacity report required by 40 CFR Part 60.757(a) and shall be submitted no later than 90 days after the date of commenced construction. Subsequent NMOC emission rate reports shall be submitted annually thereafter, except as provided for in (1)(ii) and (3) below.

ii) If the estimated NMOC emission rate as reported in the annual report to the Administrator is less than 50 megagrams per year in each of the next 5 consecutive years, the owner or operator may elect to submit an estimate of the NMOC emission rate for the



next 5-year period in lieu of the annual report. This estimate shall include the current amount of solid waste-in-place and the estimated waste acceptance rate for each year of the 5 years for which an NMOC emission rate is estimated. All data and calculations upon which this estimate is based shall be provided to the Administrator. This estimate shall be revised at least once every 5 years. If the actual waste acceptance rate exceeds the estimated waste acceptance rate in any year reported in the 5-year estimate, a revised 5-year estimate shall be submitted to the Administrator. The revised estimate shall cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate.

2) The NMOC emission rate report shall include all data, calculations, sample reports and measurements used to estimate the annual or 5-year emissions.

3) Owner or operator is exempted from the requirements in paragraphs (1) and (2) above, after installation of a collection and control system in compliance with 40 CFR Part 60.752(b)(2), during such time as the collection and control system is in operation and in compliance with 40 CFR Part 60.753 and Part 60.755

Condition 43: Compliance Certification
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:40CFR 60.758(a), NSPS Subpart

WWW

Item 43.1:

The Compliance Certification activity will be performed for the Facility.

Item 43.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), each owner or operator of an MSW landfill subject to the provisions of 40 CFR Part 60.752(b) shall keep for at least 5 years up-to-date, readily accessible, on-site records of the maximum design capacity report which triggered 40 CFR Part 60.752(b), the current amount of solid waste in-place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. Either paper copy or electronic formats are acceptable.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2016.

Subsequent reports are due every 6 calendar month(s).

Condition 44: Asbestos-containing waste material standard for active waste disposal sites
Effective between the dates of 06/02/2016 and 06/01/2021



Applicable Federal Requirement:40CFR 61.154, NESHAP Subpart M

Item 44.1:

Owner or operator shall comply with the requirements of 40 CFR Part 61.154 when accepting asbestos-containing waste material from any source required to comply with 40 CFR Part 61.149, 61.150, or 61.155.

****** Emission Unit Level ******

**Condition 45: Emission Point Definition By Emission Unit
Effective between the dates of 06/02/2016 and 06/01/2021**

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 45.1:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 1-CHMNG

Emission Point: EP001

Height (ft.): 10 Diameter (in.): 2
NYTMN (km.): 4654.8 NYTME (km.): 361.

Emission Point: EP002

Height (ft.): 10 Diameter (in.): 2
NYTMN (km.): 4654.8 NYTME (km.): 361.

Emission Point: EP003

Height (ft.): 10 Diameter (in.): 2
NYTMN (km.): 4654.8 NYTME (km.): 361.

Emission Point: EP004

Height (ft.): 10 Diameter (in.): 2
NYTMN (km.): 4654.8 NYTME (km.): 361.

Emission Point: EP005

Height (ft.): 10 Diameter (in.): 2
NYTMN (km.): 4654.8 NYTME (km.): 361.

Emission Point: EP006

Height (ft.): 10 Diameter (in.): 2
NYTMN (km.): 4654.8 NYTME (km.): 361.

Emission Point: EP007

Height (ft.): 10 Diameter (in.): 2
NYTMN (km.): 4654.8 NYTME (km.): 361.

Emission Point: EP008

Height (ft.): 10 Diameter (in.): 2



NYTMN (km.): 4654.8 NYTME (km.): 361.

Emission Point: FLARE
Height (ft.): 28 Diameter (in.): 8
NYTMN (km.): 4654.8 NYTME (km.): 361.

Emission Point: LFG01
Height (ft.): 22 Diameter (in.): 6
NYTMN (km.): 4654.8 NYTME (km.): 361.

Emission Point: VFL01
Height (ft.): 40 Length (in.): Width (in.):
NYTMN (km.): 4654.8 NYTME (km.): 361.

Condition 46: Process Definition By Emission Unit
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 46.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 1-CHMNG
Process: FLR Source Classification Code: 5-01-004-10
Process Description:
This process consists of the flaring of landfill gas generated by the decomposition of landfilled waste.

Emission Source/Control: 01LFG - Control
Control Type: FLARING

Emission Source/Control: EXPFL - Control
Control Type: FLARING

Emission Source/Control: FL001 - Control
Control Type: FLARING

Emission Source/Control: FL002 - Control
Control Type: FLARING

Emission Source/Control: FL003 - Control
Control Type: FLARING

Emission Source/Control: FL004 - Control
Control Type: FLARING

Emission Source/Control: FL005 - Control
Control Type: FLARING

Emission Source/Control: FL006 - Control
Control Type: FLARING



Item 48.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

No person shall cause or allow emissions having an average opacity during any six consecutive minutes of 20 percent or greater from any process emission source, except only the emission of uncombined water.

The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation at any time during facility operation.

The permittee will conduct observations of visible emissions from the emission unit, process, etc. to which this condition applies daily during facility operations, while the process is in operation. The permittee will immediately investigate any instance where there is cause to believe that visible emissions above those that are normal and in compliance are occurring or have occurred from a process source.

If visible emissions above those that are normal (this may be zero percent opacity for many or all emission sources) and in compliance with section 212.6(a) are detected, the permittee shall determine the cause, make the necessary correction, and verify that the excess visible emissions problem has been corrected.

If visible emissions above those that are normal and in compliance continue to be present after corrections are made, the permittee will immediately notify the Department and conduct a Method 9 assessment within 24 hours to determine the degree of opacity.

Records of these observations, investigations and corrective actions will be kept on-site in a format acceptable to the Department and the semiannual progress report and annual certifications required of all permittees subject to Title V must include a summary of these instances.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2016.

Subsequent reports are due every 6 calendar month(s).





STATE ONLY ENFORCEABLE CONDITIONS
****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS
This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Emergency Defense - 6 NYCRR 201-1.5

An emergency, as defined by subpart 201-2, constitutes an affirmative defense to penalties sought in an enforcement action brought by the Department for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) An emergency occurred and that the facility owner or operator can identify the cause(s) of the emergency;

(2) The equipment at the permitted facility causing the emergency was at the time being properly operated and maintained;

(3) During the period of the emergency the facility owner or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) The facility owner or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item B: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and



standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state applicable requirements and are not subject to compliance certification requirements unless otherwise noted or required under 6 NYCRR Part 201.

Condition 49: Contaminant List
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable State Requirement:ECL 19-0301

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

No contaminants.

Condition 50: Malfunctions and start-up/shutdown activities
Effective between the dates of 06/02/2016 and 06/01/2021

Applicable State Requirement:6 NYCRR 201-1.4

Item 50.1:

(a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.

(b) The facility owner or operator shall compile and maintain records of all equipment malfunctions, maintenance, or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when requested to do so, or when so required by a condition of a permit issued for the corresponding air contamination source. Such reports shall state whether any violations occurred and, if so, whether they were unavoidable, include the time, frequency and duration of the maintenance and/or start-up/shutdown activities, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years

New York State Department of Environmental Conservation

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004



and made available for review to department representatives upon request. Facility owners or operators subject to continuous stack monitoring and quarterly reporting requirements need not submit additional reports for equipment maintenance or start-up/shutdown activities for the facility to the department.

(c) In the event that emissions of air contaminants in excess of any emission standard in this Subchapter occur due to a malfunction, the facility owner or operator shall compile and maintain records of the malfunction and notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates.

(d) The department may also require the owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions.

(e) A violation of any applicable emission standard resulting from start-up, shutdown, or malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

****** Emission Unit Level ******

**Condition 51: Emissions from new emission sources and/or modifications
Effective between the dates of 06/02/2016 and 06/01/2021**

Applicable State Requirement:6 NYCRR 212.4 (a)

Item 51.1:

This Condition applies to Emission Unit: 1-CHMNG
Process: FLR

Item 51.2:

No person shall cause or allow emissions that exceed the applicable permissible emission rate as determined from Table 2, Table 3, or Table 4 of 6 NYCRR Part 212 for the environmental rating issued by the commissioner.

**Condition 52: Emissions from new emission sources and/or modifications
Effective between the dates of 06/02/2016 and 06/01/2021**

Applicable State Requirement:6 NYCRR 212.4 (a)

Item 52.1:

This Condition applies to Emission Unit: 1-CHMNG
Process: LDF

New York State Department of Environmental Conservation

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004



Item 52.2:

No person shall cause or allow emissions that exceed the applicable permissible emission rate as determined from Table 2, Table 3, or Table 4 of 6 NYCRR Part 212 for the environmental rating issued by the commissioner.

