

**New York State Department of Environmental Conservation**  
**Facility DEC ID: 8261400227**



**PERMIT**  
**Under the Environmental Conservation Law (ECL)**

**IDENTIFICATION INFORMATION**

Permit Type: Air State Facility  
Permit ID: 8-2614-00227/00005  
Expiration Date: No expiration date

Permit Issued To: FLOWER CITY TISSUE MILLS CO  
700 DRIVING PK AVE  
ROCHESTER, NY 14613-1506

Contact: WILLIAM SHAFER, IV  
700 DRIVING PARK AVE  
ROCHESTER, NY 14613  
(585) 458-9200

Facility: FLOWER CITY TISSUE MILLS CO  
700 DRIVING PK AVE  
ROCHESTER, NY 14613

**Description:**

Initial State Facility Air Permit for a tissue paper manufacturing facility that uses two 10.2 MMBtu/hr coal fired boilers to provide steam to the paper press, identified as Emission Unit U-00001. The permit contains federally enforceable permit conditions which will limit the facility's emissions of Sulfur Dioxide (SO<sub>2</sub>) to 99 tons per year by regulating the quantity of coal burned based on the mass and percent sulfur of the coal used, based on a 12 month rolling average.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: PETER A LENT  
DIVISION OF ENVIRONMENTAL PERMITS  
6274 EAST AVON LIMA RD  
AVON, NY 14414-9519

Authorized Signature: \_\_\_\_\_ Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_



**ation of Other State Permittee Obligations**

**Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification**

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

**ctors to Comply with Permit**

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

**Item C: Permittee Responsible for Obtaining Other Required Permits**

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

**Item D: No Right to Trespass or Interfere with Riparian Rights**

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



**LIST OF CONDITIONS**

**DEC GENERAL CONDITIONS**

**General Provisions**

Facility Inspection by the Department

Relationship of this Permit to Other Department Orders and Determinations

Renewals and Modifications

Permit Modifications, Suspensions, and Revocations by the Department

**Facility Level**

Submission of Applications for Permit Modification or Renewal -REGION 8  
HEADQUARTERS



**DEC GENERAL CONDITIONS**

\*\*\*\* General Provisions \*\*\*\*

**GENERAL CONDITIONS - Apply to ALL Authorized Permits.**

**Condition 1: Facility Inspection by the Department**  
**Applicable State Requirement: ECL 19-0305**

**Item 1.1:**

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

**Item 1.2:**

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

**Item 1.3:**

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

**Condition 2: Relationship of this Permit to Other Department Orders and Determinations**  
**Applicable State Requirement: ECL 3-0301.2(m)**

**Item 2.1:**

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

**Permit Renewals and Modifications**

**Applicable State Requirement: 6NYCRR 621.13(a)**

**Item 3.1:**

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

**Item 3.2:**

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

**Condition 4: Permit Modifications, Suspensions, and Revocations by the Department**  
**Applicable State Requirement: 6NYCRR 621.14**



**New York State Department of Environmental Conservation**  
**Facility DEC ID: 8261400227**

**Item 4.1:**

The Department reserves the right to modify, suspend, or revoke this permit. The grounds for modification, suspension or revocation include:

- a) the scope of the permitted activity is exceeded or a violation of any condition of the permit or provisions of the ECL and pertinent regulations is found;
- b) the permit was obtained by misrepresentation or failure to disclose relevant facts; information is discovered; or
- d) environmental conditions, relevant technology, or applicable law or regulation have materially changed since the permit was issued.

**\*\*\*\* Facility Level \*\*\*\***

**Condition 5: Submission of Applications for Permit Modification or Renewal -REGION 8 HEADQUARTERS**  
**Applicable State Requirement: 6NYCRR 621.5(a)**

**Item 5.1:**

Submission of applications for permit modification or renewal are to be submitted to:  
Regional Permit Administrator

Region 8 Headquarters  
Division of Environmental Permits  
6274 Avon-Lima Road  
Avon, NY 14414-9519  
(716) 226-2466



**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**

**Permit Under the Environmental Conservation Law (ECL)**

**ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT**

**IDENTIFICATION INFORMATION**

Permit Issued To: FLOWER CITY TISSUE MILLS CO  
700 DRIVING PK AVE  
ROCHESTER, NY 14613-1506

Facility: FLOWER CITY TISSUE MILLS CO  
700 DRIVING PK AVE  
ROCHESTER, NY 14613

Authorized Activity By Standard Industrial Classification Code:  
2621 - PAPER MILLS EXC BUILDING PAPER

Permit Effective Date: 08/30/1999

Permit Expiration Date: No expiration date.



**LIST OF CONDITIONS**

**FEDERALLY ENFORCEABLE CONDITIONS**

**Facility Level**

- 1 6NYCRR 200.1: Definitions Applicable To This Permit
- 2 6NYCRR 200.5: Sealing
- 3 6NYCRR 200.6: Acceptable ambient air quality
- 4 6NYCRR 200.7: Maintenance of equipment
- 5 6NYCRR 201-1.1(a): Contaminant List
- 6 6NYCRR 201-1.2: Unpermitted Emission Sources
- 7 6NYCRR 201-1.4: Unavoidable Noncompliance and Violations
- 8 6NYCRR 201-1.5: Emergency Defense
- 9 6NYCRR 201-1.7: Recycling and Salvage
- 10 6NYCRR 201-1.8: Prohibition of Reintroduction of Collected Contaminants to the Air
- 11 6NYCRR 201-1.10(a): Public Access to Recordkeeping
- 12 6NYCRR 201-3.2(a): Proof of Eligibility
- 13 6NYCRR 201-3.3(a): Proof of Eligibility
- 14 6NYCRR 201-6.2(c): Facility Permissible Emissions
- \*15 6NYCRR 201-6.2(c): Compliance Demonstration
- 16 6NYCRR 201-7.2: Synthetic minor facility capping provisions.
- 17 6NYCRR 202-1.1: Required emissions tests
- 18 6NYCRR 211.3: Visible emissions limited.
- 19 6NYCRR 215: Open Fires Prohibited at Industrial and Commercial Sites
- 20 6NYCRR 225-1.2(d): Facility Permissible Emissions
- 21 6NYCRR 227-1.7(b): Emissions data requirements.

**Emission Unit Level**

**EU=U-00001**

- \*22 6NYCRR 225-1.2(d): Compliance Demonstration
- 23 6NYCRR 227-1.2(a)(4): Compliance Demonstration

**EU=U-00001,EP=00001**

- 24 6NYCRR 227-1.2(b): Multiple combustion sources.
- 25 6NYCRR 227-1.3(a)(2): Compliance Demonstration

**STATE ONLY ENFORCEABLE CONDITIONS**

**Facility Level**

- 26 6NYCRR 201-5: General Provisions
- 27 6NYCRR 201-5: Emission Unit Definition
- 28 6NYCRR 211.2: Air pollution prohibited

**Emission Unit Level**

- 29 6NYCRR 201-5: Emission Point Definition By Emission Unit
- 30 6NYCRR 201-5: Process Definition By Emission Unit

**New York State Department of Environmental Conservation**  
**Permit ID: 8-2614-00227/00005      Facility DEC ID: 8261400227**



NOTE: \* preceding the condition number indicates capping.



**New York State Department of Environmental Conservation**

Permit ID: 8-2614-00227/00005

Facility DEC ID: 8261400227

**FEDERALLY ENFORCEABLE CONDITIONS**

**\*\*\*\* Facility Level \*\*\*\***

**Condition 1: Definitions Applicable To This Permit**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 200.1**

**Item 1.1:**

The definitions found in Parts 200 and 201 apply throughout this permit. Specific definitions used in this permit and their meanings include:

1. "Act" refers to the Federal Clean Air Act, 42 U.S.C. Section 7401, et seq., as amended by Public Law 101-549, November 15, 1990.
2. "Administrator" refers to the Administrator of the United States Environmental Protection Agency or designee.
3. "Department" refers to the New York State Department of Environmental Conservation.

**Condition 2: Sealing**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 200.5**

**Item 2.1:**

(a) The commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the commissioner issued in the case of the violation. Sealing means labelling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

(b) No person shall operate any air contamination source sealed by the commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

(c) Unless authorized by the commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section

**Condition 3: Acceptable ambient air quality**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 200.6**



**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**

**Item 3.1:**

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the commissioner shall specify the degree and/or method of emission control required.

**Condition 4: Maintenance of equipment**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 200.7**

**Item 4.1:**

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

**Condition 5: Contaminant List**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 201-1.1(a)**

**Item 5.1:**

Emissions of the following contaminants are allowed under this permit.

CAS No: 000630-08-0  
Name: CARBON MONOXIDE

CAS No: 007439-96-5  
Name: MANGANESE

CAS No: 007439-97-6  
Name: MERCURY

CAS No: 007440-41-7  
Name: BERYLLIUM

CAS No: 007440-47-3  
Name: CHROMIUM

CAS No: 007446-09-5  
Name: SULFUR DIOXIDE

CAS No: 0NY059-28-0  
Name: NICKEL (NI 059)



**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**

CAS No: 0NY075-00-0  
Name: PARTICULATES

CAS No: 0NY075-00-5  
Name: PM-10

CAS No: 0NY210-00-0  
Name: OXIDES OF NITROGEN

CAS No: 0NY998-00-0  
Name: VOC

**Item 5.2:**

The Facility is authorized to emit the regulated contaminants cited in Item 5.1 from the emission units specified in this permit.

**Condition 6: Unpermitted Emission Sources**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 201-1.2**

**Item 6.1:**

If an existing emission source was subject to the permitting requirements of 6NYCRR Part 201 at the time of construction or modification, and the owner and/or operator failed to apply for a permit for such emission source then the following provisions apply:

- (a) The owner and/or operator must apply for a permit for such emission source or register the facility in accordance with the provisions of Part 201.
- (b) The emission source or facility is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing sources or facilities.

**Condition 7: Unavoidable Noncompliance and Violations**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 201-1.4**

**Item 7.1:**

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

- (a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's



**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**

representative when requested to do so in writing or when so required by a condition of a permit or certificate issued for the corresponding air contamination source. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.

(b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates.

(c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air contaminants emitted.

(d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

**Condition 8: Emergency Defense**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 201-1.5**

**Item 8.1:**

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;

(2) The equipment at the permitted facility causing the emergency was at the time being properly operated;

(3) During the period of the emergency the facility owner and/or operator took all



**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**

reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

**Condition 9: Recycling and Salvage**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 201-1.7**

**Item 9.1:**

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

**Condition 10: Prohibition of Reintroduction of Collected Contaminants to the Air**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 201-1.8**

**Item 10.1:**

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

**Condition 11: Public Access to Recordkeeping**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 201-1.10(a)**

**Item 11.1:**

Where emission source owners and/or operators keep records pursuant to compliance with the operational flexibility requirements of 6 NYCRR Subpart 201-5.4(b)(1), and/or the emission capping requirements of 6 NYCRR Subparts 201-7.2(d), 201-7.3(f), 201-7.3(g), 201-7.3(h)(5), 201-7.3(i) and 201-7.3(j), the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Emission source owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department of receipt of the request.



**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**

**Condition 12: Proof of Eligibility**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 201-3.2(a)**

**Item 12.1:**

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

**Condition 13: Proof of Eligibility**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 201-3.3(a)**

**Item 13.1:**

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

**Condition 14: Facility Permissible Emissions**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 201-6.2(c)**

**Item 14.1:**

The sum of emissions from the emission units specified in this permit shall not equal or exceed the following

Potential To Emit (PTE) rate for each regulated contaminant:

CAS No: 007446-09-5

PTE: 198,000 pounds per year

Name: SULFUR DIOXIDE

**Condition 15: Compliance Demonstration**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 201-6.2(c)**

**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**



**Item 15.1:**

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 007446-09-5      SULFUR DIOXIDE

**Item 15.2:**

Compliance Demonstration shall include the following monitoring:

Capping: Yes

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

THE FACILITY IS RESTRICTED TO EMITTING 99 TONS/YR OF SULFUR DIOXIDE. THE FACILITY WILL DEMONSTRATE COMPLIANCE WITH THIS RESTRICTION BY MONITORING THE MASS OF COAL USED & SULFUR % OF COAL USED BY THE FACILITY THROUGHOUT THE YEAR. SULFUR DIOXIDE PRODUCTION FROM COMBUSTION WILL BE CALCULATED FROM MONITORED PARAMETERS.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: BITUMINOUS COAL

Parameter Monitored: SULFUR CONTENT

Upper Permit Limit: 99 tons per year

Monitoring Frequency: PER DELIVERY

Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY

Reporting Requirements: ANNUALLY (ANNIVERSARY)

Initial Report Due: 09/28/2000 for the period 08/30/1999 through 08/29/2000

**Condition 16: Synthetic minor facility capping provisions.**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 201-7.2**

**Item 16.1:**

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

**Item 16.2:**

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution



**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**

control requirements, regulations or law.

**Item 16.3:**

On an annual basis, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to those threshold levels that would require the submission of an application for a Title V facility permit, or compliance with an applicable requirement.

**Item 16.4:**

The emission of pollutants in exceedance of the applicability thresholds for obtaining a Title V facility permit or other applicable requirements constitutes a violation of Part 201 and of the Act.

**Condition 17: Required emissions tests**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 202-1.1**

**Item 17.1:**

An acceptable report of measured emissions shall be submitted, as may be required by the commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the commissioner within the time stated shall be sufficient reason for the commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6NYCRR Part 202-1.

**Condition 18: Visible emissions limited.**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 211.3**

**Item 18.1:**

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

**Condition 19: Open Fires Prohibited at Industrial and Commercial Sites**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 215**

**Item 19.1:**

No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, rubbish for salvage, or rubbish generated by industrial or commercial activities.

**Condition 20: Facility Permissible Emissions**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**



**Applicable Federal Requirement: 6NYCRR 225-1.2(d)**

**Item 20.1:**

The sum of emissions from the emission units specified in this permit shall not equal or exceed the following

Potential To Emit (PTE) rate for each regulated contaminant:

CAS No: 007446-09-5

PTE: 198,000 pounds per year

Name: SULFUR DIOXIDE

**Condition 21: Emissions data requirements.**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 227-1.7(b)**

**Item 21.1:**

Sampling, compositing, and analysis of fuel samples shall be conducted in accordance with methods acceptable to the commissioner.

**\*\*\*\* Emission Unit Level \*\*\*\***

**Condition 22: Compliance Demonstration**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 225-1.2(d)**

**Item 22.1:**

The Compliance Demonstration activity will be performed for:

Emission Unit: U-00001

Regulated Contaminant(s):

CAS No: 007446-09-5 SULFUR DIOXIDE

**Item 22.2:**

Compliance Demonstration shall include the following monitoring:

Capping: Yes

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

SULFUR CONTENT OF THE BITUMINOUS COAL FIRED AT THE FACILITY IS LIMITED TO A

**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**



MAXIMUM OF 2.5 POUNDS PER MILLION BTU's.  
IT IS ALSO LIMITED TO AN AVERAGE OF 1.9  
LBS/MMBTU DURING ANY CONSECUTIVE THREE  
MONTH PERIOD ROLLED MONTHLY AND AN  
AVERAGE OF 1.7 LBS/MMBTU DURING ANY  
CONSECUTIVE 12 MONTH PERIOD ROLLED  
MONTHLY.

Work Practice Type: PARAMETER OF PROCESS MATERIAL  
Process Material: BITUMINOUS COAL  
Parameter Monitored: SULFUR CONTENT  
Upper Permit Limit: 2.5 pounds per million Btus  
Monitoring Frequency: PER DELIVERY  
Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY  
Reporting Requirements: ANNUALLY (ANNIVERSARY)  
Initial Report Due: 09/28/2000 for the period 08/30/1999 through 08/29/2000

**Condition 23: Compliance Demonstration**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 227-1.2(a)(4)**

**Item 23.1:**

The Compliance Demonstration activity will be performed for:

Emission Unit: U-00001

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

**Item 23.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

Any stationary combustion installation that is not  
subject to 6NYCRR section 227-1.2(b)(3), and is burning  
any of the following three fuels:

1. coal and/or wood;
2. coke;
3. or any solid fuel derived from coal

must limit particulate emissions into the outdoor  
atmosphere to meet the permissible emission rates  
specified in Table 1 of 6NYCRR Subpart 227-1.2(b).

Parameter Monitored: PARTICULATES



**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**

Upper Permit Limit: .60 pounds per million Btus

Reference Test Method: Method 5 (40CFR60)

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

**DESCRIPTION**

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 24: Multiple combustion sources.**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 227-1.2(b)**

**Item 24.1:**

This Condition applies to Emission Unit: U-00001 Emission Point: 00001

**Item 24.2:**

The total heat input of all furnaces connected to the same stack or pollution control device shall be used to calculate the permissible particulate emission rate.

**Condition 25: Compliance Demonstration**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable Federal Requirement: 6NYCRR 227-1.3(a)(2)**

**Item 25.1:**

The Compliance Demonstration activity will be performed for:

Emission Unit: U-00001 Emission Point: 00001

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

**Item 25.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: CONTINUOUS EMISSION MONITORING (CEM)

Monitoring Description:

Opacity monitored by CEM limited to twenty percent on a six minute average.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Reference Test Method: 40CFR60 ApA Me9

Monitoring Frequency: CONTINUOUS

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: QUARTERLY (ANNIVERSARY)

Initial Report Due: 12/29/1999 for the period 08/30/1999 through 11/29/1999

**New York State Department of Environmental Conservation**  
Permit ID: 8-2614-00227/00005      Facility DEC ID: 8261400227



**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**



**STATE ONLY ENFORCEABLE CONDITIONS**

**\*\*\*\* Facility Level \*\*\*\***

**Condition 26: General Provisions**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable State Requirement: 6NYCRR 201-5**

**Item 26.1:**

This section contains terms and conditions that are not federally enforceable and are not required under the Act or under any of its applicable requirements. Terms and conditions so designated are not subject to the requirements of Section 201-6.4 of Part 201.

**Item 26.2:**

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

**Item 26.3:**

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

**Condition 27: Emission Unit Definition**

**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable State Requirement: 6NYCRR 201-5**

**Item 27.1:**

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: U-00001

Emission Unit Description:

THIS EMISSION UNIT CONSISTS OF TWO 10.4  
MMBTU/HR COAL-FIRED BOILERS INSTALLED IN  
1959. THE BOILERS ARE CONNECTED TO A COMMON  
STACK. A MULTICLONE COLLECTS PARTICULATE  
MATTER ENTRAINED IN THE BOILER EXHAUST.

Building(s): 1

2

**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**



3

**Condition 28: Air pollution prohibited**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable State Requirement: 6NYCRR 211.2**

**Item 28.1:**

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

**\*\*\*\* Emission Unit Level \*\*\*\***

**Condition 29: Emission Point Definition By Emission Unit**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable State Requirement: 6NYCRR 201-5**

**Item 29.1:**

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: U-00001

Emission Point: 00001

Height (ft.): 80

Diameter (in.): 66

**Condition 30: Process Definition By Emission Unit**  
**Effective between the dates of 08/30/1999 and Permit Expiration Date**

**Applicable State Requirement: 6NYCRR 201-5**

**Item 30.1:**

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: U-00001

Process: 001

Source Classification Code: 1-03-002-08

Process Description:

THE PROCESS CONSISTS OF TWO 10.2 MMBTU/HR  
COAL-FIRED BOILERS CONNECTED TO A COMMON  
STACK. THE BOILERS PROVIDE STEAM TO THE  
PAPER PRESS AND SOME GENERAL BUILDING

**New York State Department of Environmental Conservation**

**Permit ID: 8-2614-00227/00005**

**Facility DEC ID: 8261400227**



HEATING APPLICATIONS. THE BOILERS ARE BOTH UNDERFEED STOKER BOILERS. A CONTINUOUS OPACITY MONITOR RECORDS THE OPACITY ON A CIRCULAR CHART. MONITORING REPORTS ARE SENT TO THE DEPARTMENT OF ENVIRONMENTAL CONSERVATION TO DEMONSTRATE COMPLIANCE WITH OPACITY REQUIREMENTS. PARTICULATE MATTER EXHAUSTED BY THE COMBUSTION OF COAL IS CONTROLLED WITH A MULTI CLONE PARTICULATE COLLECTOR.

Emission Source/Control: 00001 - Combustion

Design Capacity: 20.4 million Btu per hour

Emission Source/Control: 0001A - Control

Control Type: MULTIPLE CYCLONE W/O FLY ASH INJECTION