

PERMIT Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air Title V Facility
Permit ID: 9-1464-00031/00292

Mod 0 Effective Date: 08/13/2007 Expiration Date: 08/12/2012

Mod 1 Effective Date: 07/30/2009 Expiration Date: 08/12/2012

Mod 2 Effective Date: 11/17/2009 Expiration Date: 08/12/2012

Permit Issued To:E I DUPONT DE NEMOURS & CO

1007 MARKET ST

WILMINGTON, DE 19898

Facility: E I DUPONT YERKES PLANT

3115 RIVER RD

BUFFALO, NY 14207

Contact: KATHLEEN D MOGUEL

E I DUPONT YERKES PLANT

3115 RIVER RD BUFFALO, NY 14207 (716) 879-4525

Description:

This permit was modified to include the requirements of 40 CFR 63.2430, subpart FFFF, National Emission Standards for Hazardous Air Pollutants: Miscellaneous Organic Chemical Manufacturing. This regulation covers emissions of Methyl Methacrylate, a listed hazardous air pollutant (HAP), which is used in the manufacture of Corian. The facility as well as EPA and this Department initially believed that the rule was not applicable to DuPont Yerkes because their Standard Industrial Classification Code (SIC), Corian-3088 and Tedlar-3081, was not listed in the applicability section of the rule. In late 2007, EPA Region 1 made a determination at a similar facility that concluded the rule was not limited in applicability by SIC but was applicable to any major HAP facility that polymerized a subject HAP.

On February 21, 2008 DuPont submitted a notification of Applicability to subpart FFFF after being informed of the EPA Region 1 determination. DuPont also requested an extension of one year of the compliance date, May 10, 2008. On March 28, 2008 this office granted the one year extension as allowed under 40 cfr 63.9(c). On May 8, 2009 DuPont entered into a consent order agreement with the Department allowing additional time to permit, construct and operate



control equipment. The subject HAP is Methyl Methacrylate (MMA) and is used in the manufacture of Corian. Two continuous process vents in Corian identified as 0007A and 00256, casting pool vents on sheet line 1 and 2, respectively, must be controlled.

A leak detection and repair (LDAR) monitoring program is required for all leak components in "HAP" service at the facility. An analysis performed by DuPont determined that no controls or monitoring are required for storage tank vents, transfer racks, wastewater streams, or heat exchange systems. This analysis is included in the Initial Notice of Compliance Report Dated September 25, 2009. The facility is meeting the requirements of LDAR currently.

Additional changes to the permit include removal of the batch vapor degreaser identified in Process 3, Emission Unit 3 and related conditions. Minor corrections to source identifiers and building identifications were also made.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

| Permit Administrator: | DOUGLAS E BORSCHEL 270 MICHIGAN AVE BUFFALO, NY 14203-2999 | | | | |
|-----------------------|--|-------|---|---|--|
| Authorized Signature | | Date: | / | / | |



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

General Provisions

Facility Inspection by the Department Relationship of this Permit to Other Department Orders and Determinations

Applications for permit renewals, modifications and transfers
Permit modifications, suspensions or revocations by the Department
Permit modifications, suspensions or revocations by the Department
Facility Level

Submission of application for permit modification or renewal-REGION 9 HEADQUARTERS

Submission of application for permit modification or renewal-REGION 9 HEADQUARTERS



DEC GENERAL CONDITIONS

**** General Provisions ****

For the purpose of your Title V permit, the following section contains state-only enforceable terms and conditions.

GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department
Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations Applicable State Requirement: ECL 3-0301 (2) (m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for permit renewals, modifications and transfers Applicable State Requirement: 6 NYCRR 621.11

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

Item 3.3:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be

submitted prior to actual transfer of ownership.

Condition 1-1: Permit modifications, suspensions or revocations by the

Department

Applicable State Requirement: 6 NYCRR 621.13

Item 1-1.1:

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

Condition 5: Permit modifications, suspensions or revocations by the Department Applicable State Requirement: 6 NYCRR 621.13

Expired by Mod No: 2

Item 5.1:

papers;

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting
 - b) failure by the permittee to comply with any terms or conditions of the permit;
 - c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the

commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

**** Facility Level ****

Condition 1-2: Submission of application for permit modification or renewal-REGION 9

HEADQUARTERS

Applicable State Requirement: 6 NYCRR 621.6 (a)

Item 1-2.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator Region 9 Headquarters Division of Environmental Permits 270 Michigan Avenue

> DEC Permit Conditions Renewal 1/Mod 2/FINAL



Buffalo, NY 14203-2915 (716) 851-7165

Condition 7: Submission of application for permit modification or renewal-REGION 9

HEADQUARTERS

Applicable State Requirement: 6 NYCRR 621.6 (a)

Expired by Mod No: 2

Item 7.1:

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator Region 9 Headquarters Division of Environmental Permits 270 Michigan Avenue Buffalo, NY 14203-2999 (716) 851-7165

> DEC Permit Conditions Renewal 1/Mod 2/FINAL



Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - TITLE V PERMIT

IDENTIFICATION INFORMATION

Permit Issued To:E I DUPONT DE NEMOURS & CO 1007 MARKET ST WILMINGTON, DE 19898

Facility: E I DUPONT YERKES PLANT

3115 RIVER RD BUFFALO, NY 14207

Authorized Activity By Standard Industrial Classification Code:

3081 - UNSUPPORTED PLASTICS FILM AND SHEET

3088 - PLASTICS PLUMBING FIXTURES

Mod 0 Permit Effective Date: 08/13/2007 Permit Expiration Date: 08/12/2012

Mod 1 Permit Effective Date: 07/30/2009 Permit Expiration Date: 08/12/2012

Mod 2 Permit Effective Date: 11/17/2009 Permit Expiration Date: 08/12/2012



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

LIST OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS Facility Level

- 1 6 NYCRR 200.6: Acceptable Ambient Air Quality
- 2 6 NYCRR 201-6.5 (a) (7): Fees
- 3 6 NYCRR 201-6.5 (c): Recordkeeping and reporting of compliance monitoring
- 4 6 NYCRR 201-6.5 (c) (2): Monitoring, Related Recordkeeping, and Reporting Requirements.
- 5 6 NYCRR 201-6.5 (c) (3) (ii): Compliance Certification
- 6 6 NYCRR 201-6.5 (e): Compliance Certification
- 7 6 NYCRR 202-2.1: Compliance Certification
- 8 6 NYCRR 202-2.5: Recordkeeping requirements
- 9 6 NYCRR Part 215: Open Fires Prohibited at Industrial and Commercial Sites
- 10 6 NYCRR 200.7: Maintenance of Equipment
- 11 6 NYCRR 201-1.7: Recycling and Salvage
- 12 6 NYCRR 201-1.8: Prohibition of Reintroduction of Collected Contaminants to the air
- 13 6 NYCRR 201-3.2 (a): Exempt Sources Proof of Eligibility
- 14 6 NYCRR 201-3.3 (a): Trivial Sources Proof of Eligibility
- 15 6 NYCRR 201-6.5 (a) (4): Standard Requirement Provide Information
- 16 6 NYCRR 201-6.5 (a) (8): General Condition Right to Inspect
- 17 6 NYCRR 201-6.5 (d) (5): Standard Requirements Progress Reports
- 18 6 NYCRR 201-6.5 (f) (6): Off Permit Changes
- 19 6 NYCRR 202-1.1: Required Emissions Tests
- 20 6 NYCRR 211.3: Visible Emissions Limited
- 21 40 CFR Part 68: Accidental release provisions.
- 22 40CFR 82, Subpart F: Recycling and Emissions Reduction
- 23 6 NYCRR 200.3: False statement
- 24 6 NYCRR Subpart 201-6: Emission Unit Definition
- 25 6 NYCRR 201-6.5 (f): Compliance Certification
- 1-1 6 NYCRR 212.4 (c): Compliance Certification
- 26 6 NYCRR 212.4 (c): Compliance Certification
- 27 6 NYCRR 212.4 (c): Compliance Certification
- 2-1 6 NYCRR 212.6 (a): Compliance Certification
- 29 6 NYCRR 212.10: Compliance Certification
- 30 6 NYCRR 229.3 (e) (2) (iv): Compliance Certification
- 31 6 NYCRR 229.3 (e) (2) (v): Compliance Certification
- 1-3 40CFR 63.7, Subpart A: Performance Testing New Facility
- 2-2 40CFR 63, Subpart FFFF: Compliance Certification
- 2-3 40CFR 63.2450(c)(2), Subpart FFFF: Compliance Certification
- 2-4 40CFR 63.2480, Subpart FFFF: Compliance Certification **Emission Unit Level**
- 32 6 NYCRR Subpart 201-6: Emission Point Definition By Emission Unit
- 33 6 NYCRR Subpart 201-6: Process Definition By Emission Unit
- 2-5 40CFR 63.2520, Subpart FFFF: Compliance Certification

EU=0-00003,EP=00058,Proc=003,ES=S0058



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

- 43 40CFR 63.462(a)(2), Subpart T: Compliance Certification
- 44 40CFR 63.468(c), Subpart T: Reporting requirements for batch cold degreasers

EU=0-00009,EP=0002A,Proc=009,ES=K002A

45 6 NYCRR 212.11 (b) (5): Compliance Certification

EU=0-00009,EP=0002A,Proc=009,ES=K002B

46 6 NYCRR 212.11 (b) (4): Compliance Certification

EU=0-00009,EP=0004A,Proc=009,ES=K004A

47 6 NYCRR 212.11 (b) (5): Compliance Certification

EU=0-00010

- 48 40CFR 63.3330(a), Subpart JJJJ: Compliance date for existing affected sources.
- 49 40CFR 63.3350(e), Subpart JJJJ: Compliance Certification
- 50 40CFR 63.3350(f), Subpart JJJJ: Compliance Certification
- 52 40CFR 63.3360(e)(3)(ii)('D'), Subpart JJJJ: Compliance Certification
- 2-6 40CFR 63.3370(k)(1), Subpart JJJJ: Compliance Certification
- 58 40CFR 63.3400(c), Subpart JJJJ: Compliance Certification
- 59 40CFR 63.3400(g), Subpart JJJJ: Compliance Certification

EU=0-00010,Proc=010,ES=S0258

2-7 40CFR 63.3370(g), Subpart JJJJ: Compliance Certification

EU=0-00010,EP=00027,Proc=010,ES=S0027

*60 6 NYCRR Subpart 201-7: Capping Monitoring Condition

EU=0-00010,EP=00258

- 1-4 40CFR 63.3350(e), Subpart JJJJ: Compliance Certification
- 1-5 40CFR 63.3360(e), Subpart JJJJ: Compliance Certification
- 1-7 40CFR 63.3360(f), Subpart JJJJ: Compliance Certification
- 1-8 40CFR 63.3370(e), Subpart JJJJ: Compliance Certification

STATE ONLY ENFORCEABLE CONDITIONS Facility Level

- 61 ECL 19-0301: Contaminant List
- 1-9 6 NYCRR 201-1.4: Unavoidable noncompliance and violations
- 62 6 NYCRR 201-1.4: Unavoidable noncompliance and violations
- 1-10 6 NYCRR 211.2: Air pollution prohibited
- 63 6 NYCRR 211.2: Air pollution prohibited

NOTE: * preceding the condition number indicates capping.



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

FEDERALLY ENFORCEABLE CONDITIONS **** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

The items listed below are not subject to the annual compliance certification requirements under Title V. Permittees may also have other obligations under regulations of general applicability.

Item A: **Emergency Defense - 6 NYCRR 201-1.5**

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

- (a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:
- (1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;
- (2) The equipment at the permitted facility causing the emergency was at the time being properly operated;
- (3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
 - (4) The facility owner and/or operator notified the

Department

within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

- (b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.
- (c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item B: Public Access to Recordkeeping for Title V Facilities - 6 NYCRR 201-1.10 (b)

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6 NYCRR Part 616 -Public Access to records and Section 114(c) of the Act.



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Item C: Timely Application for the Renewal of Title V Permits - 6 NYCRR 201-6.3 (a) (4)

Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Item D: Certification by a Responsible Official - 6 NYCRR 201-6.3 (d) (12)

Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Item E: Requirement to Comply With All Conditions - 6 NYCRR 201-6.5 (a) (2)

The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

Item F: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR 201-6.5 (a) (3)

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Item G: Cessation or Reduction of Permitted Activity Not a Defense - 6 NYCRR 201-6.5 (a) (5)

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

Item H: Property Rights - 6 NYCRR 201-6.5 (a) (6)

This permit does not convey any property rights of any sort or any exclusive privilege.



Item I: Severability - 6 NYCRR 201-6.5 (a) (9)

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Item J: Permit Shield - 6 NYCRR 201-6.5 (g)

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii. The applicable requirements of Title IV of the Act:
- iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Item K: Reopening for Cause - 6 NYCRR 201-6.5 (i)

This Title V permit shall be reopened and revised under any of the following circumstances:

i. If additional applicable requirements under the Act become applicable where this permit's remaining term is



three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.

- ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.
- iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.
- iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

Item L: Permit Exclusion - ECL 19-0305

Renewal 1/Mod 2/Active

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

(NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item M: Federally Enforceable Requirements - 40 CFR 70.6 (b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS SUBJECT TO ANNUAL CERTIFICATIONS AT ALL TIMES

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements at all times.

Condition 1: Acceptable Ambient Air Quality

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 200.6

Item 1.1:

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Condition 2: Fees

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 201-6.5 (a) (7)

Item 2.1:

The owner and/or operator of a stationary source shall pay fees to the Department consistent with the fee schedule authorized by ECL 72-0302.

Condition 3: Recordkeeping and reporting of compliance monitoring

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 201-6.5 (c)

Item 3.1:



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

The following information must be included in any required compliance monitoring records and reports:

- (i) The date, place, and time of sampling or measurements;
- (ii) The date(s) analyses were performed;
- (iii)The company or entity that performed the analyses;
- (iv) The analytical techniques or methods used including quality assurance and quality control procedures if required;
- (v) The results of such analyses including quality assurance data where required; and
- (vi) The operating conditions as existing at the time of sampling or measurement.

Any deviation from permit requirements must be clearly identified in all records and reports. Reports must be certified by a responsible official, consistent with Section 201-6.3 of this Part 201.

Condition 4: Monitoring, Related Recordkeeping, and Reporting Requirements.

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement:6 NYCRR 201-6.5 (c) (2)

Item 4.1:

Compliance monitoring and recordkeeping shall be conducted according to the terms and conditions contained in this permit and shall follow all quality assurance requirements found in applicable regulations. Records of all monitoring data and support information must be retained for a period of at least 5 years from the date of the monitoring, sampling, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

Condition 5: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement:6 NYCRR 201-6.5 (c) (3) (ii)

Item 5.1:

The Compliance Certification activity will be performed for the Facility.

Item 5.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

To meet the requirements of this facility permit with respect to reporting, the permittee must:

Submit reports of any required monitoring at a minimum



frequency of every 6 months, based on a calendar year reporting schedule. These reports shall be submitted to the Department within 30 days after the end of a reporting period. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by the responsible official for this facility.

Notify the Department and report permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken. Where the underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations shall be submitted to the permitting authority based on the following schedule:

- (1) For emissions of a hazardous air pollutant or a toxic air pollutant (as identified in an applicable regulation) that continue for more than an hour in excess of permit requirements, the report must be made within 24 hours of the occurrence.
- (2) For emissions of any regulated air pollutant, excluding those listed in paragraph (1) of this section, that continue for more than two hours in excess of permit requirements, the report must be made within 48 hours.
- (3) For all other deviations from permit requirements, the report shall be contained in the 6 month monitoring report required above.
- (4) This permit may contain a more stringent reporting requirement than required by paragraphs (1), (2) or (3) above. If more stringent reporting requirements have been placed in this permit or exist in applicable requirements that apply to this facility, the more stringent reporting requirement shall apply.

If any of the above conditions are met, the source must notify the permitting authority by telephone during normal business hours at the Regional Office of jurisdiction for this permit, attention Regional Air Pollution Control Engineer (RAPCE) according to the timetable listed in paragraphs (1) through (4) of this section. For deviations and incidences that must be reported outside of normal business hours, on weekends, or holidays, the DEC Spill Hotline phone number at 1-800-457-7362 shall be



used. A written notice, certified by a responsible official consistent with 6 NYCRR Part 201-6.3(d)(12), must be submitted within 10 working days of an occurrence for deviations reported under (1) and (2). All deviations reported under paragraph (1) through (4) of this section must also be identified in the 6 month monitoring report required above.

If the permittee seeks to have a violation excused as provided in 201-1.4, the permittee shall report such violations as required under 201-1.4(b). However, in no case may reports of any deviation be on a less frequent basis than those described in paragraphs (1) though (4) above. In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

In the case of any condition contained in this permit with a reporting requirement of "Upon request by regulatory agency" the permittee shall include in the semiannual report, a statement for each such condition that the monitoring or recordkeeping was performed as required or requested and a listing of all instances of deviations from these requirements.

In the case of any emission testing performed during the previous six month reporting period, either due to a request by the Department, EPA, or a regulatory requirement, the permittee shall include in the semiannual report a summary of the testing results and shall indicate whether or not the Department or EPA has approved the results.

All semiannual reports shall be submitted to the Administrator (or his or her representative) as well as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Compliance Monitoring and Enforcement (BCME) in the DEC central office). Mailing addresses for the above referenced persons are contained in the monitoring condition for 6 NYCRR Part 201-6.5(e), contained elsewhere in this permit.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR) Reports due 30 days after the reporting period. The initial report is due 1/30/2008. Subsequent reports are due every 6 calendar month(s).

Condition 6: Compliance Certification



Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 201-6.5 (e)

Item 6.1:

The Compliance Certification activity will be performed for the Facility.

Item 6.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Requirements for compliance certifications with terms and conditions contained in this facility permit include the following:

- i. Compliance certifications shall contain:
- the identification of each term or condition of the permit that is the basis of the certification;
- the compliance status;
- whether compliance was continuous or intermittent;
- the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
- such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions; and
- such additional requirements as may be specified elsewhere in this permit related to compliance certification.
- ii. The responsible official must include in the annual certification report all terms and conditions contained in this permit which are identified as being subject to certification, including emission limitations, standards, or work practices. That is, the provisions labeled herein as "Compliance Certification" are not the only provisions of this permit for which an annual certification is required.
- iii. Compliance certifications shall be submitted annually. Certification reports are due 30 days after the anniversary date of four consecutive calendar quarters. The first report is due 30 days after the calendar quarter that occurs just prior to the permit anniversary date, unless another quarter has been acceptable by the Department.
- iv. All compliance certifications shall be submitted to the Administrator (or his or her representative) as well



as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Compliance Monitoring and Enforcement (BCME) in the DEC central office). Please send annual compliance certifications to Chief of the Stationary Source Compliance Section, the Region 2 EPA representative for the Administrator, at the following address:

USEPA Region 2 Air Compliance Branch 290 Broadway New York, NY 10007-1866

The address for the RAPCE is as follows:

270 Michigan Avenue Buffalo, NY 14203-2999

The address for the BCME is as follows:

NYSDEC Bureau of Compliance Monitoring and Enforcement 625 Broadway Albany, NY 12233-3258

Monitoring Frequency: ANNUALLY Reporting Requirements: ANNUALLY (CALENDAR) Reports due 30 days after the reporting period. The initial report is due 1/30/2008. Subsequent reports are due on the same day each year

Condition 7: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 202-2.1

Item 7.1:

The Compliance Certification activity will be performed for the Facility.

Item 7.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year.

Monitoring Frequency: ANNUALLY

Reporting Requirements: ANNUALLY (CALENDAR)



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Reports due by April 15th for previous calendar year

Condition 8: Recordkeeping requirements

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 202-2.5

Item 8.1:

- (a) The following records shall be maintained for at least five years:
 - (1) a copy of each emission statement submitted to the department; and
- (2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.
- (b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.
- Condition 9: Open Fires Prohibited at Industrial and Commercial Sites

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR Part 215

Item 9.1:

No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, refuse, rubbish for salvage, or rubbish generated by industrial or commercial activities.

MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS SUBJECT TO ANNUAL CERTIFICATIONS ONLY IF APPLICABLE

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements only if effectuated during the reporting period.

[NOTE: The corresponding annual compliance certification for those conditions not effectuated during the reporting period shall be specified as "not applicable".]

Condition 10: Maintenance of Equipment

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 200.7

Item 10.1:

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

Condition 11: Recycling and Salvage



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 201-1.7

Item 11.1:

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of the ECL.

Condition 12: Prohibition of Reintroduction of Collected Contaminants to the air

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 201-1.8

Item 12.1:

No person shall unnecessarily remove, handle or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Condition 13: Exempt Sources - Proof of Eligibility
Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 201-3.2 (a)

Item 13.1:

The owner and/or operator of an emission source or unit that is eligible to be exempt may be required to certify that it operates within the specific criteria described in this Subpart. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other State and Federal air pollution control requirements, regulations, or law.

Condition 14: Trivial Sources - Proof of Eligibility
Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 201-3.3 (a)

Item 14.1:

The owner and/or operator of an emission source or unit that is listed as being trivial in this Part may be required to certify that it operates within the specific criteria described in this Subpart. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other State and Federal air pollution control requirements, regulations, or law.

Condition 15: Standard Requirement - Provide Information Effective between the dates of 08/13/2007 and 08/12/2012



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Applicable Federal Requirement: 6 NYCRR 201-6.5 (a) (4)

Item 15.1:

The owner and/or operator shall furnish to the department, within a reasonable time, any information that the department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the department copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to the administrator along with a claim of confidentiality, if the administrator initiated the request for information or otherwise has need of it.

Condition 16: General Condition - Right to Inspect

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 201-6.5 (a) (8)

Item 16.1:

The department or an authorized representative shall be allowed upon presentation of credentials and other documents as may be required by law to:

- (i) enter upon the permittee's premises where a facility subject to the permitting requirements of this Subpart is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;
- (ii) have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
- (iii) inspect at reasonable times any emission sources, equipment (including monitoring and air pollution control equipment), practices, and operations regulated or required under the permit; and
- (iv) sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

Condition 17: **Standard Requirements - Progress Reports** Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 201-6.5 (d) (5)

Item 17.1:

Progress reports consistent with an applicable schedule of compliance are to be submitted at least semiannually, or at a more frequent period if specified in the applicable requirement or by the department. Such progress reports shall contain the following:

- (i) dates for achieving the activities, milestones, or compliance required in the schedule of compliance, and dates when such activities, milestones or compliance were achieved; and
- (ii) an explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

Condition 18: Off Permit Changes



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 201-6.5 (f) (6)

Item 18.1:

No permit revision will be required for operating changes that contravene an express permit term, provided that such changes would not violate applicable requirements as defined under this Part or contravene federally enforceable monitoring (including test methods), recordkeeping, reporting, or compliance certification permit terms and conditions. Such changes may be made without requiring a permit revision, if the changes are not modifications under any provision of title I of the act and the changes do not exceed the emissions allowable under the permit (whether expressed therein as a rate of emissions or in terms of total emissions) provided that the facility provides the administrator and the department with written notification as required below in advance of the proposed changes within a minimum of seven days. The facility owner or operator, and the department shall attach each such notice to their copy of the relevant permit.

- (i) For each such change, the written notification required above shall include a brief description of the change within the permitted facility, the date on which the change will occur, any change in emissions, and any permit term or condition that is no longer applicable as a result of the change.
- (ii) The permit shield described in section 6 NYCRR 201-6.6 shall not apply to any change made pursuant to this paragraph.

Condition 19: **Required Emissions Tests**

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 202-1.1

Item 19.1:

For the purpose of ascertaining compliance or non-compliance with any air pollution control code, rule or regulation, the commissioner may require the person who owns such air contamination source to submit an acceptable report of measured emissions within a stated time. Such person shall bear the cost of measurement and preparing the report of measured emissions. Failure of such person to submit a report acceptable to the commissioner within the time stated shall be sufficient reason for the commissioner to suspend or deny a certificate to operate.

Condition 20: Visible Emissions Limited

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 211.3

Item 20.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Condition 21: Accidental release provisions.

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 40 CFR Part 68



Item 21.1:

If a chemical is listed in Tables 1,2,3 or 4 of 40 CFR §68.130 is present in a process in quantities greater than the threshold quantity listed in Tables 1,2,3 or 4, the following requirements will apply:

- a) The owner or operator shall comply with the provisions of 40 CFR Part 68 and;
- b) The owner or operator shall submit at the time of permit issuance (if not previously submitted) one of the following, if such quantities are present:
- 1) A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR §68.10(a) or,
- 2) A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan. Information should be submitted to:

Risk Management Plan Reporting Center C/O CSC 8400 Corporate Dr Carrollton, Md. 20785

Condition 22: Recycling and Emissions Reduction

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 40CFR 82, Subpart F

Item 22.1:

The permittee shall comply with all applicable provisions of 40 CFR Part 82.

The following conditions are subject to annual compliance certification requirements for Title V permits only.

Condition 23: False statement

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 200.3

Item 23.1:

No person shall make a false statement in connection with applications, plans, specifications and/or reports submitted pursuant to this Subchapter.

Condition 24: Emission Unit Definition

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR Subpart 201-6



Item 24.1(From Mod 2):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00001 Emission Unit Description:

Emission Unit 0-00001 includes a mold injection line for the production of Corian(R) shape products. The mold injection line is identified as Corian(R) Closed Mold Casting (CCMC). Molds are conditioned in a pre-conditioning tunnel. After filling, the molds move through a heat tunnel and then to an unload station. The mold is opened and the product removed. The product is sent to a finishing area. There are four processes associated with this emission unit. The processes include: 001- Manufacture of Corian(R) Closed Mold Casting (VOC sources); 01A- Insignificant activities involved in the manufacture of Corian(R) Closed Mold Castings; 01B-VOC process vessels greater than 750 gallons; and 01C-Manufacture of Corian(R) Closed Mold Casting (particulate sources).

Building(s): 300

Item 24.2(From Mod 2):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00002 Emission Unit Description:

Emission unit 0-00002 is identified as Corian(R) Sheet Line #1. Corian is cast as a sheet. The sheet is trimmed, cut, and finished. There are four processes associated with this emission unit: 002- Manufacture of Corian(R) Sheet Line #1 (VOC Sources); 02A- Insignificant activities associated with Corian(R) Sheet Line #1; 02B-VOC process vessels greater than 750 gallons capacity; and, 02C - Manufacture of Corian(R) Sheet Line #1 (particulate sources).

Building(s): 200

Item 24.3(From Mod 2):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00003

Emission Unit Description:

Emission unit 0-00003 is identified as Corian(R) Sheet Line #2. Corian is cast as a sheet. The sheet is trimmed, cut, and finished. There are four processes associated with this emission unit: 003- Manufacture of Corian(R) Sheet Line #2 (VOC Sources); 03A- Insignificant activities associated with Corian(R) Sheet Line #2; 03B-VOC process vessels greater than 750 gallons; and, 03C - Manufacture of Corian(R) Sheet Line #2 (particulate sources).



Building(s): 100

Item 24.4(From Mod 2):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00005 Emission Unit Description:

Emission unit 0-00005 is identified as Corian(R) Raw Materials. This emission unit includes the storage of materials for the manufacturing process. There are two processes associated with this emission unit: - 05B- VOC storage tanks associated with the Corian(R) Raw Materials Area, and 05C - particulate sources.

Building(s): RAW MAT.

Item 24.5(From Mod 2):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00006 Emission Unit Description:

Emission unit 0-00006 includes: (1) Research & Development, (2) Maintenance, and (3) Quality Laboratory Testing activities. These activites may be classified as exempt sources under 6 NYCRR Part 201-3.3; however, some sources may have an applicable requirement and associated monitoring. Thus, only the sources which are subject to an applicable requirement have been identified in the permit. However, emissions from all the exempt activities are included in the facility emission calculations.

There are three processes associated with this emission unit including: 06A-insignificant activities, 06B - storage tanks, and 06C- particulate sources.

Building(s): 100

Item 24.6(From Mod 2):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00008 Emission Unit Description:

Emission unit 0-00008 is identified as Tedlar(R) Polymer. Vinyl fluoride, produced off-site, is polymerized and the polymer is decanted, filtered, and dried. There are three processes associated with this emission unit including: 008- VOC sources, 08A- insignificant activities, and 08C-particulate sources.

Building(s): 4140

Item 24.7(From Mod 2):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00009 Emission Unit Description:



Emission unit 0-00009 is identified as Tedlar(R) Oriented Line #1. Polymerized vinyl flouride is combined with dimethyl acetamide (cas # 127-19-5) and additives. The mixture is extruded through a die and stretched to form a film as the dimethyl acetamide is removed. The film is wound onto mill rolls. There are four processes associated with this emission unit: - 009- Manufacture of Tedlar(R) - Oriented Line #1 which includes mix tanks; - 09A- Insignificant activities associated with Tedlar(R) - Oriented Line #1; 09B- VOC storage tanks associated with the Manufacture of Tedlar(R) - Oriented Line #1, and 09C - particulate sources.

Building(s): TEDLAR(R)

Item 24.8(From Mod 2):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00010 Emission Unit Description:

Emission unit 0-00010 is identified as the Tedlar(R) SP Line. A mixture of polymerized vinyl fluoride and additives are coated onto a continuous carrier web. The film is cured and the web may, or may not, be removed. There is one process associated with this emission unit: -010- Manufacture of Tedlar(R) - SP Line.

Building(s): TEDLAR(R)

Item 24.9(From Mod 0):

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00004 Emission Unit Description:

Emission unit 0-00004 is identified as the Corian(R) Sirup Process. During this process methyl methacrylate (cas # 80-62-6) is partially polymerized to polymethyl methacrylate (cas # 9011-14-7) in a continuous reactor. The sirup is stored for use in storage tanks. There is one process associated with this emission unit: - 04A-Insignificant activities associated with Corian(R) Sirup.

Building(s): 200

Condition 25: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 201-6.5 (f)

Item 25.1:

The Compliance Certification activity will be performed for the Facility.

Item 25.2:

Compliance Certification shall include the following monitoring:



Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

In accordance with 6NYCRR201-6.5(f), E.I. duPont de Nemours & Company. Inc. (hereinafter DuPont) has the ability to maintain operational flexibility. This permit condition shall specify the conditions under which operational flexibility can be performed at the facility.

Operational flexibility within the facility shall include the ability to:

- 1. move equipment and/or exhaust points;
- 2. modify and/or replace existing equipment and/or exhaust points; and
- 3. install new equipment and/or exhaust points,

PROVIDED THAT the above resulting action:

- 1. is deemed either an exempt or trivial activity as per 6NYCRR Part 201-3.2 or the actual emission levels are insignificant as specified in 6NYCRR Part 201-6.3(d)(7);
- 2. does not violate any applicable regulation; and
- 3. does not cause the facility to become subject to any additional regulations or requirements.

All other actions are deemed significant and require Department approval for a Minor or Major Modification as stated in 6NYCRR Part 201-6.7(c) and (d), respectively.

The details of any operational flexibility action that is completed must be recorded in the site inventory and an update provided to the Department in the annual compliance report. The records shall indicate the date and description of the changes. In addition, appropriate documentation to demonstrate the above three criteria are satisfied shall be provided. These records shall be maintained on-site for a period of five years and shall be available for review by the Department and/or Administrator upon request.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR) Reports due 30 days after the reporting period. The initial report is due 1/30/2008.



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Subsequent reports are due every 6 calendar month(s).

Condition 1-1: Compliance Certification

Effective between the dates of 07/30/2009 and 08/12/2012

Applicable Federal Requirement:6 NYCRR 212.4 (c)

Item 1-1.1:

The Compliance Certification activity will be performed for the facility: The Compliance Certification applies to:

Emission Unit: 0-00002 Emission Point: 00210

Emission Unit: 0-00002 Emission Point: 00243

Emission Unit: 0-00002 Emission Point: 00254

Emission Unit: 0-00002 Emission Point: 00255

Emission Unit: 0-00003 Emission Point: 00059

Emission Unit: 0-00003 Emission Point: 00253

Emission Unit: 0-00006 Emission Point: 00215

Emission Unit: 0-00008 Emission Point: 00106

Emission Unit: 0-00008 Emission Point: 00107

Emission Unit: 0-00009 Emission Point: 0004A

Emission Unit: 0-00009 Emission Point: 0004B

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

Item 1-1.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Emissions of solid particulates from all emission points shall not exceed 0.05 grains of particulates per cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis (gr/dscf). Compliance testing shall be conducted at the discretion of the Department.

The solid particulate emission sources at DuPont can be categorized into two general categories. These categories are identified as: (1) Direct Discharge Process Equipment, and (2) Particulate Control Equipment. DuPont shall



comply with the following procedures regarding the emissions from PARTICULATE CONTROL EQUIPMENT:

- 1. Particulate control equipment can be defined as the equipment which is not considered part of the process but controls waste particulates. The particulate control equipment generally consists of baghouses and in-line filters and is not monitored by the process computer tracking system. The equipment shall be used at all times the associated process is in operation. To ensure optimum performance and control efficiency, the control equipment shall be operated in accordance with design specifications and shall be maintained according to the manufacturer's specifications or utilizing good maintenance practices.
- 2. An ANNUAL preventative maintenance schedule shall be implemented and maintained to prevent bag "blowouts", plugged filters, and other catastrophic operational problems.
- 3. A MONTHLY equipment inspection shall be implemented that consists of the following activities:
- (a) Where gauges are available, check and record differential pressure, when unit is operating;
- (b) Inspect for dust leaks at doors, hatches, and seams;
- (c) Inspect for dust at dust collector outlet and clean surrounding area;
- (d) Inspect exterior duct work to and from the collector for damage or leaks. Repair as needed.
- 4. For verification purposes, all inspections, observations and maintenance performed on the particulate control equipment shall be documented. The documentation shall include: a description of the problem, corrective action, identification of air contaminant(s), and an estimate of emissions. All records shall be maintained on-site for a minimum of five (5) years and be made available to the Department upon request.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.05 grains per dscf Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED

Reporting Requirements: SEMI-ANNUALLY (CALENDAR) Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Subsequent reports are due every 6 calendar month(s).

Condition 26: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement:6 NYCRR 212.4 (c)

Item 26.1:

The Compliance Certification activity will be performed for the facility: The Compliance Certification applies to:

Emission Unit: 0-00002

Process: 02C Emission Source: K0210

Emission Unit: 0-00002

Process: 02C Emission Source: KO243

Emission Unit: 0-00003

Process: 03C Emission Source: K0059

Emission Unit: 0-00006

Process: 06C Emission Source: K0215

Emission Unit: 0-00008

Process: 08C Emission Source: K0106

Emission Unit: 0-00008

Process: 08C Emission Source: K0107

Emission Unit: 0-00009

Process: 09C Emission Source: C004A

Emission Unit: 0-00009

Process: 09C Emission Source: K004B

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

Item 26.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Emissions of solid particulates from all emission points shall not exceed 0.05 grains of particulates per cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis (gr/dscf). Compliance testing shall be conducted at the discretion of the Department.

The solid particulate emission sources at DuPont can be categorized into two general categories. These categories



are identified as: (1) Direct Discharge Process Equipment, and (2) Particulate Control Equipment. DuPont shall comply with the following procedures regarding the emissions from PARTICULATE CONTROL EQUIPMENT:

- 1. Particulate control equipment can be defined as the equipment which is not considered part of the process but controls waste particulates. The particulate control equipment generally consists of baghouses and in-line filters and is not monitored by the process computer tracking system. The equipment shall be used at all times the associated process is in operation. To ensure optimum performance and control efficiency, the control equipment shall be operated in accordance with design specifications and shall be maintained according to the manufacturer's specifications or utilizing good maintenance practices.
- 2. An ANNUAL preventative maintenance schedule shall be implemented and maintained to prevent bag "blowouts", plugged filters, and other catastrophic operational problems.
- 3. A MONTHLY equipment inspection shall be implemented that consists of the following activities:
- (a) Where gauges are available, check and record differential pressure, when unit is operating;
- (b) Inspect for dust leaks at doors, hatches, and seams;
- (c) Inspect for dust at dust collector outlet and clean surrounding area;
- (d) Inspect exterior duct work to and from the collector for damage or leaks. Repair as needed.
- 4. For verification purposes, all inspections, observations and maintenance performed on the particulate control equipment shall be documented. The documentation shall include: a description of the problem, corrective action, identification of air contaminant(s), and an estimate of emissions. All records shall be maintained on-site for a minimum of five (5) years and be made available to the Department upon request.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.05 grains per dscf Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)



Reports due 30 days after the reporting period. The initial report is due 1/30/2008. Subsequent reports are due every 6 calendar month(s).

Condition 27: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 212.4 (c)

Item 27.1:

The Compliance Certification activity will be performed for the facility: The Compliance Certification applies to:

Compliance Certification applies to

Emission Unit: 0-00001

Process: 01C Emission Source: K0097

Emission Unit: 0-00001

Process: 01C Emission Source: K0099

Emission Unit: 0-00002

Process: 02C Emission Source: K0008

Emission Unit: 0-00002

Process: 02C Emission Source: K0130

Emission Unit: 0-00002

Process: 02C Emission Source: K0203

Emission Unit: 0-00002

Process: 02C Emission Source: K0204

Emission Unit: 0-00002

Process: 02C Emission Source: K0206

Emission Unit: 0-00002

Process: 02C Emission Source: K0209

Emission Unit: 0-00002

Process: 02C Emission Source: K0211

Emission Unit: 0-00003

Process: 03C Emission Source: K0054

Emission Unit: 0-00003

Process: 03C Emission Source: K0100

Emission Unit: 0-00003

Process: 03C Emission Source: K0167

Emission Unit: 0-00005

Process: 05C Emission Source: K0015



Emission Unit: 0-00005

Process: 05C Emission Source: K0024

Emission Unit: 0-00005

Process: 05C Emission Source: K0053

Emission Unit: 0-00005

Process: 05C Emission Source: K0133

Emission Unit: 0-00008

Process: 08C Emission Source: K0020

Emission Unit: 0-00008

Process: 08C Emission Source: K0105

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

Item 27.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Emissions of solid particulates from all emission points shall not exceed 0.05 grains of particulates per cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis (gr/dscf). Compliance testing shall be conducted at the discretion of the Department.

The solid particulate emission sources at DuPont can be categorized into two general categories. These categories are identified as: (1) Direct Discharge Process Equipment, and (2) Particulate Control Equipment. DuPont shall comply with the following procedures regarding the particulate emission from DIRECT DISCHARGE PROCESS EQUIPMENT:

- 1. Direct discharge process equipment can be defined as equipment that conveys raw material particulates within the process equipment using air pressure. The transport air is discharged via emission point.
- 2. An annual preventative maintenance schedule shall be implemented and maintained to prevent bag "blowouts", and other catastrophic operational problems.
- 3. For verification purposes, all maintenance and repairs performed on the process control equipment shall be documented. The documentation shall include: a description of the problem, corrective action, identification of air contaminant(s), and an estimate of the emissions. All records shall be maintained on-site



for a minimum of five (5) years and be made available to the Department upon request.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.05 grains per dscf Reference Test Method: EPA Method 5

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST

METHOD INDICATED

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2008.

Subsequent reports are due every 6 calendar month(s).

Condition 2-1: Compliance Certification

Effective between the dates of 11/17/2009 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 212.6 (a)

Item 2-1.1:

The Compliance Certification activity will be performed for the facility: The Compliance Certification applies to:

Emission Unit: 0-00001

Process: 01C Emission Source: K0097

Emission Unit: 0-00001

Process: 01C Emission Source: K0099

Emission Unit: 0-00002

Process: 02C Emission Source: 00254

Emission Unit: 0-00002

Process: 02C Emission Source: K0008

Emission Unit: 0-00002

Process: 02C Emission Source: K0130

Emission Unit: 0-00002

Process: 02C Emission Source: K0203

Emission Unit: 0-00002

Process: 02C Emission Source: K0204

Emission Unit: 0-00002

Process: 02C Emission Source: K0210

Emission Unit: 0-00002

Process: 02C Emission Source: KO243

Air Pollution Control Permit Conditions

Renewal 1/Mod 2/Active Page 29 FINAL



Emission Unit: 0-00002

Process: 02C Emission Source: S0206

Emission Unit: 0-00002

Process: 02C Emission Source: S0209

Emission Unit: 0-00002

Process: 02C Emission Source: S0211

Emission Unit: 0-00003

Process: 03C Emission Source: K0054

Emission Unit: 0-00003

Process: 03C Emission Source: K0059

Emission Unit: 0-00003

Process: 03C Emission Source: K0100

Emission Unit: 0-00003

Process: 03C Emission Source: K0167

Emission Unit: 0-00005

Process: 05C Emission Source: K0015

Emission Unit: 0-00005

Process: 05C Emission Source: K0024

Emission Unit: 0-00005

Emission Source: K0053 Process: 05C

Emission Unit: 0-00005

Process: 05C Emission Source: K0133

Emission Unit: 0-00006

Process: 06C Emission Source: K0215

Emission Unit: 0-00008

Emission Source: K0020 Process: 08C

Emission Unit: 0-00008

Process: 08C Emission Source: K0105

Emission Unit: 0-00008

Process: 08C Emission Source: K0106

Emission Unit: 0-00008

Process: 08C Emission Source: K0107

Emission Unit: 0-00009

Process: 09C Emission Source: C004A



Emission Unit: 0-00009

Process: 09C Emission Source: K004B

Emission Unit: 0-00010

Process: 010 Emission Source: S0258

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

Item 2-1.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person will cause or allow emissions having an average opacity during any six consecutive minutes of 20 percent or greater from any process emission source, except only the emission of uncombined water. The Department reserves the right to perform or require the performance of an EPA Method 9 opacity evaluation at any time during facility operation.

The monitoring procedure to determine compliance with the opacity requirements under section 212.6(a) for the DIRECT DISCHARGE PROCESS EQUIPMENT and PARTICULATE CONTROL EQUIPMENT will include the following:

- 1. DuPont shall conduct a WEEKLY survey of visible emissions from the listed emission points to determine the presence of particulate material due to bag deterioration or other gradual operational problems. The visible emission survey shall be completed during daylight hours, except during conditions of extreme weather (i.e., fog, snow, rain), to determine the presence of particulate material due to bag deterioration or other gradual operational problems. If visible emissions above those that are normal (i.e., normal may be zero percent opacity) and in compliance with section 212.6(a) are detected, then DuPont shall determine the cause and immediately make the necessary correction. A report of the abnormal observations including date, time, weather conditions and observer's name shall be recorded and made available to the Department upon request. Records shall be maintained for a period of at least five years.
- 2. If visible emissions above those that are normal and in compliance continue to be present after corrections are made, then DuPont shall conduct a Method 9 assessment to determine the degree of opacity.
- 3. If the opacity is determined to exceed the limits of



section 212.6(a), then DuPont will remedy the problem and will contact the Department. The provisions of Part 201-1.4 shall apply.

Parameter Monitored: OPACITY Upper Permit Limit: 20 percent

Reference Test Method: EPA Method 22 and 9

Monitoring Frequency: WEEKLY

Averaging Method: 6 MINUTE AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.

Subsequent reports are due every 6 calendar month(s).

Condition 29: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR 212.10

Item 29.1:

The Compliance Certification activity will be performed for the facility: The Compliance Certification applies to:

Emission Unit: 0-00001 Emission Point: 00200

Emission Unit: 0-00002 Emission Point: 00221

Emission Unit: 0-00003 Emission Point: 00055

Emission Unit: 0-00008 Emission Point: 00005

Emission Unit: 0-00008 Emission Point: 00125

Emission Unit: 0-00008 Emission Point: 00126

Emission Unit: 0-00009 Emission Point: 00003

Emission Unit: 0-00010 Emission Point: 00157

Regulated Contaminant(s):

CAS No: 0NY998-00-0 VOC

Item 29.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Owners and/or operators of facilities located outside of the lower Orange County and New York City metropolitan areas with an annual potential to emit of 100 tons or more of nitrogen oxides or 50 tons or more of volatile organic compounds must submit a compliance plan to the department



by October 20, 1994. The compliance plan must either include a reasonably available control technology (RACT) analysis or a plan to limit the annual potential to emit below the applicability levels. A RACT analysis is not required for emission points with volatile organic compound emission rate potentials less than 3.0 pounds per hour at facilities located outside of the lower Orange County and New York City metropolitan areas. Reasonably available control technology as approved by the department must be implemented on each emission point subject to this section by May 31, 1995.

DuPont submitted an initial compliance plan, dated February 9, 1995, a second compliance plan on January 31, 2001 and a third dated November 8, 2006. The latest compliance plan included a reasonably available control technology analysis for each emission point which emits volatile organic compounds greater than 3.0 pounds per hour. The 2006 compliance plan identified eight (8) emission points with volatile organic compound emissions greater than 3.0 pounds per hour. The RACT analyses demonstrated it was not economically feasible to install control equipment and no modifications are required.

The Department has reviewed and determined that there is sufficient evidence to accept a lesser degree of control. These process specific RACT demonstrations which are acceptable to the department will be submitted to the United States Environmental Protection Agency for approval as a revision to the State Implementation Plan by the department. This permit condition shall document the Department's acceptance and approval of a RACT variance.

DuPont will be required to reevaluate the RACT demonstration of the affected emission points prior to the permit renewal date. The RACT demonstration shall be submitted to the Department 60 days prior to the permit renewal date.

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 30: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement:6 NYCRR 229.3 (e) (2) (iv)

Item 30.1:

The Compliance Certification activity will be performed for the facility: The Compliance Certification applies to:



Emission Unit: 0-00005

Process: 05B Emission Source: S0152

Emission Unit: 0-00009

Process: 09B Emission Source: S0016

Emission Unit: 0-00009

Process: 09B Emission Source: S234A

Emission Unit: 0-00009

Process: 09B Emission Source: S234B

Regulated Contaminant(s):

CAS No: 0NY998-00-0 VOC

Item 30.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The owner or operator of any volatile organic liquid storage tank with a capacity greater than or equal to 10,000 gallons but less than 20,000 gallons located at a facility with an annual potential to emit volatile organic compounds from all sources of 50 tons or more must meet the control requirements of section 229.3(e)(2)(iv) by 6/1/95.

Storage tanks subject to this requirement with a capacity of greater than or equal to 10,000 gallons but less than 20,000 gallons must be equipped with submerged fill. The permittee shall insure proper operation of the submerged fill line on annual basis. Inspection records must be maintained on site for a period of 5 years. Records shall contain the date(s) of all inspections, inspection findings, and a listing of all equipment repairs or replacements.

Monitoring Frequency: ANNUALLY

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2008.

Subsequent reports are due every 6 calendar month(s).

Condition 31: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement:6 NYCRR 229.3 (e) (2) (v)

Item 31.1:

The Compliance Certification activity will be performed for the facility:



The Compliance Certification applies to:

Emission Unit: 0-00001

Process: 01B

Emission Unit: 0-00002

Process: 02B

Emission Unit: 0-00003

Process: 03B

Emission Unit: 0-00005

Process: 05B

Emission Unit: 0-00009

Process: 09B

Regulated Contaminant(s):

CAS No: 0NY998-00-0 VOC

Item 31.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The owner or operator of any volatile organic liquid storage tank with a capacity less than 10,000 gallons located at a facility with an annual potential to emit volatile organic compounds from all sources of 50 tons or more must meet the control requirements of section 229.3(e)(2)(v) by 6/1/95.

Storage tanks subject to this requirement with a capacity of less than 10,000 gallons must be equipped with a conservation vent. The permittee shall visually inspect the conservation vent once every three years to ensure proper operation. Annual inspections under the previous permit have not identified any issues with the operation of these vents. Inspection records must be maintained on site for a period of 5 years. Records shall contain the date(s) of all inspections, inspection findings, and a listing of all equipment repairs or replacements.

DuPont requested a variance on June 9, 1995 for five storage tanks each with a capacity of less than 10,000 gallons. The Department has indicated the variance will be granted. As such, the five storage tanks have not been listed with this regulation. The five storage tanks are identified as emission sources: S0019, S0018, S0122, S0123, S0124.



New York State Department of Environmental Conservation

Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING **DESCRIPTION**

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2008.

Subsequent reports are due every 6 calendar month(s).

Condition 1-3: **Performance Testing - New Facility** Effective between the dates of 07/30/2009 and 08/12/2012

Applicable Federal Requirement: 40CFR 63.7, Subpart A

Item 1-3.1:

If required to do performance testing by a relevant standard, the owner or operator of the affected source shall perform such testing within 180 days after the effective date of a relevant standard for a new source that has an initial startup date before the effective date of the 112(d) standard or within 180 days after the initial startup date for a new source that has an initial startup after the effective date of a relevant standard.

Condition 2-2: **Compliance Certification** Effective between the dates of 11/17/2009 and 08/12/2012

Applicable Federal Requirement: 40CFR 63, Subpart FFFF

Item 2-2.1:

The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 0NY100-00-0 **HAP**

Item 2-2.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

> The facility is subject to the requirements of 40 CFR Part 63, Subpart FFFF, NESHAP for Miscellaneous Organic Chemical Manufacturing. The facility owns or operates miscellaneous organic chemical manufacturing process units (MCPU's) and is a major source of hazardous air pollutant (HAP) emissions. MCPU's are defined in Subpart FFFF as a unit which includes any equipment necessary to operate a miscellaneous organic chemical manufacturing process as defined in §63.2550, that satisfies all of the conditions listed in §63.2435(b)(1)-(3).

For the purpose of the Miscellaneous Organic NESHAP (MON) assessment, DuPont-Yerkes Corian manufacturing is divided into four chemical manufacturing process units (MCPU); Sirup (MCPU #1 -receipt of raw materials and partially polymerized MMA), Sheetline #1 (MCPU #2, standalone casting line for sheet), Sheetline # 2 (MCPU #3,



standalone casting line for sheet) and Shape (MCPU # 4, casting of sinks).

The subject HAP is Methyl Methacrylate (MMA) and is used in the manufacture of Corian. Two continuous process vents in Corian identified as 0007A and 256, casting pool vents on sheet line 1 and 2, respectively, must be controlled.

A leak detection and repair (LDAR) monitoring program is required for all leak components in "HAP" service at the facility. An analysis performed by Dupont determined that no controls or monitoring are required for storage tank vents, transfer racks, wastewater streams, or heat exchange systems. This analysis is included in the Initial Notice of Compliance Report Dated September 25, 2009.

Appropriate records shall be maintained that demonstrate non applicability of the control requirements for storage tank vents, transfer racks, waste water streams and heat exchange systems as well as applicable requirements to the facility.

You must meet the reporting, notification, and recordkeeping requirements specified in sections 63.2515, 63.2520, and 63.2525

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.

Subsequent reports are due every 6 calendar month(s).

Condition 2-3: Compliance Certification Effective between the dates of 11/17/2009 and 08/12/2012

Applicable Federal Requirement:40CFR 63.2450(c)(2), Subpart FFFF

Item 2-3.1:

The Compliance Certification activity will be performed for the facility: The Compliance Certification applies to:

Emission Unit: 0-00002

Emission Unit: 0-00003 Emission Point: 00257

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP



Item 2-3.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

1)The Corian sheet lines # 1 and #2, casting pool vents 7A and 256, defined as group 1 continuous process vents, will be vented to a regenerative thermal oxidizer (RTO) and exit new emission point # 257. The compliance date specified is 40 CFR 63.2445 has been extended to October 15, 2010 under Executive Consent Order, # R9-20090506-28, with NYSDEC.

2)The RTO must meet the requirements in this section of the regulation which includes: A minimum destruction efficiency of 98%.

The RTO must be stack tested within 180 days of operation to determine destruction efficiency using the methods specified in 40 CFR 63.2450 (g)(3) or (4) and to determine appropriate operating temperature. A stack test protocol must be submitted for approval 60 days prior to the test, opportunity given to a state representative for stack test witnessing and a final report submitted to NYSDEC within 45 days after the test is completed.

3)Temperature of the RTO outlet will be continuously monitored and recorded. A temperature monitoring device shall be installed in the fire box or in the ductwork immediately downstream of the fire box in a position before any substantial heat exchange occurs. Compliance will be based on a one hour average temperature not less than 1500 Degrees F recorded and calculated as follows: A record of values measured at least once every 15 minutes or each measured value for systems which measure more frequently than once every 15 minutes.

An automated CPMS records the measured data and calculates the hourly averages through the use of a computerized data acquisition system.

4)The operations identified above must be in compliance with the emission limits and work practice standards in Table 1 and 7 to this subpart at all times, except during start up, shutdown and malfunction (SSM).

A copy of the SSM plan shall be submitted to this office prior to operation of the RTO.

All records shall be kept for 5 years. Compliance reports are required semi annually and must include the information specified in 40 CFR 63.2520(e).

Parameter Monitored: TEMPERATURE



Lower Permit Limit: 1500 degrees Fahrenheit Monitoring Frequency: CONTINUOUS Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.

Subsequent reports are due every 6 calendar month(s).

Condition 2-4: Compliance Certification

Effective between the dates of 11/17/2009 and 08/12/2012

Applicable Federal Requirement: 40CFR 63.2480, Subpart FFFF

Item 2-4.1:

The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 2-4.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

This section of the rule requires Leak Detection And Repair (LDAR) monitoring for all equipment leak components in "HAP" service. Dupont was granted a one year extension for compliance with this rule. Therefore the initial compliance status report was due 150 days after May 10, 2009 which is October 7, 2009.

The initial compliance report received September 29, 2009 addresses the requirements of 40 cfr 63.2520(d).

The facility must meet the work practice requirements specified in Table 6 of the subpart. All equipment identified in the compliance status report is subject to routine monitoring and repair per 40 cfr 63 subpart UU. The 9/29/2009 initial compliance report identifies the affected process units, number of each equipment type, method of compliance with the standard, and planned schedule per 40 cfr 63.1039(a)(1)(i) thru (iv).

Compliance reports due semi annually.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.



New York State Department of Environmental Conservation

Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Subsequent reports are due every 6 calendar month(s).

**** Emission Unit Level ****

Condition 32: Emission Point Definition By Emission Unit

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR Subpart 201-6

Item 32.1(From Mod 2):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00003

Emission Point: 00257

Height (ft.): 50 Length (in.): 18 Width (in.): 39

NYTMN (km.): 4764.32 NYTME (km.): 180.429

Item 32.2(From Mod 2):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00006

Emission Point: 00215

Height (ft.): 13 Diameter (in.): 22 NYTMN (km.): 4764.299 NYTME (km.): 180.593

Item 32.3(From Mod 0):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00001

Emission Point: 00032

Height (ft.): 24 Length (in.): 44 Width (in.): 17

NYTMN (km.): 4764.351 NYTME (km.): 180.597

Emission Point: 00097

Height (ft.): 4 Diameter (in.): 6

NYTMN (km.): 4764.339 NYTME (km.): 180.592

Emission Point: 00099

Height (ft.): 4 Diameter (in.): 4

NYTMN (km.): 4764.341 NYTME (km.): 180.587

Emission Point: 00121

Height (ft.): 55 Diameter (in.): 2

NYTMN (km.): 4764.32 NYTME (km.): 180.429 Building: 300

Emission Point: 00163

Height (ft.): 36 Diameter (in.): 33

Air Pollution Control Permit Conditions
Renewal 1/Mod 2/Active Page 40 FINAL



NYTMN (km.): 4764.326 NYTME (km.): 180.575

Emission Point: 00165

Height (ft.): 22 Length (in.): 20 Width (in.): 16

NYTMN (km.): 4764.32 NYTME (km.): 180.429

Emission Point: 00200

Height (ft.): 29 Diameter (in.): 18

NYTMN (km.): 4764.318 NYTME (km.): 180.57 Building: 300

Emission Point: 0031A

Height (ft.): 36 Length (in.): 50 Width (in.): 60 NYTMN (km.): 4764.32 NYTME (km.): 180.429 Building: 300

Item 32.4(From Mod 0):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00002

Emission Point: 00007

Height (ft.): 35 Length (in.): 30 Width (in.): 48

NYTMN (km.): 4764.397 NYTME (km.): 180.49

Emission Point: 00008

Height (ft.): 56 Diameter (in.): 6

NYTMN (km.): 4764.416 NYTME (km.): 180.507

Emission Point: 0007A

Height (ft.): 23 Length (in.): 13 Width (in.): 18

NYTMN (km.): 4764.404 NYTME (km.): 180.493

Emission Point: 00120

Height (ft.): 18 Diameter (in.): 1

NYTMN (km.): 4764.413 NYTME (km.): 180.509

Emission Point: 00130

Height (ft.): 80 Diameter (in.): 4

NYTMN (km.): 4764.42 NYTME (km.): 180.514

Emission Point: 00134

Height (ft.): 80 Diameter (in.): 4 NYTMN (km.): 4764.418 NYTME (km.): 180.53

Emission Point: 00135

Height (ft.): 30 Length (in.): 14 Width (in.): 18 NYTMN (km.): 4764.411 NYTME (km.): 180.535 Building: 200

Emission Point: 00137

Height (ft.): 68 Length (in.): 22 Width (in.): 15

NYTMN (km.): 4764.62 NYTME (km.): 180.729

Emission Point: 00139



Height (ft.): 30 Diameter (in.): 1

NYTMN (km.): 4764.411 NYTME (km.): 180.512 Building: 200

Emission Point: 00172

Height (ft.): 37 Diameter (in.): 12

NYTMN (km.): 4764.394 NYTME (km.): 180.517 Building: 200

Emission Point: 00180

Height (ft.): 10 Diameter (in.): 14

Emission Point: 00198

Height (ft.): 33 Length (in.): 12 Width (in.): 20

NYTMN (km.): 4764.377 NYTME (km.): 180.45

Emission Point: 00202

Height (ft.): 14 Diameter (in.): 24 NYTMN (km.): 4764.426 NYTME (km.): 180.523

Emission Point: 00203

Height (ft.): 8 Diameter (in.): 4

NYTMN (km.): 4764.4 NYTME (km.): 180.512

Emission Point: 00204

Height (ft.): 120 Diameter (in.): 6

NYTMN (km.): 4764.4 NYTME (km.): 180.506

Emission Point: 00205

Height (ft.): 50 Diameter (in.): 1

NYTMN (km.): 4764.405 NYTME (km.): 180.518

Emission Point: 00206

Height (ft.): 97 Diameter (in.): 4

NYTMN (km.): 4764.392 NYTME (km.): 180.499

Emission Point: 00207

Height (ft.): 56 Diameter (in.): 54

NYTMN (km.): 4764.387 NYTME (km.): 180.498

Emission Point: 00208

Height (ft.): 42 Diameter (in.): 30

NYTMN (km.): 4764.388 NYTME (km.): 180.493

Emission Point: 00209

Height (ft.): 5 Diameter (in.): 8

NYTMN (km.): 4764.315 NYTME (km.): 180.481

Emission Point: 00210

Height (ft.): 25 Diameter (in.): 6

NYTMN (km.): 4764.404 NYTME (km.): 180.47 Building: 200

Emission Point: 00211

Height (ft.): 5 Diameter (in.): 8



Emission Point: 00221

Height (ft.): 35 Length (in.): 30 Width (in.): 48

Emission Point: 00243

Height (ft.): 4 Diameter (in.): 4

Building: 200

Emission Point: 00254

Height (ft.): 53 Diameter (in.): 6

NYTMN (km.): 4764.32 NYTME (km.): 180.429 Building: 200

Emission Point: 00255

Height (ft.): 41 Diameter (in.): 4

NYTMN (km.): 4764.32 NYTME (km.): 180.429 Building: 200

Item 32.5(From Mod 0):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00003

Emission Point: 00054

Height (ft.): 108 Diameter (in.): 4

NYTMN (km.): 4764.32 NYTME (km.): 180.429

Emission Point: 00055

Height (ft.): 50 Diameter (in.): 38

NYTMN (km.): 4764.32 NYTME (km.): 180.429

Emission Point: 00056

Height (ft.): 30 Diameter (in.): 4

NYTMN (km.): 4764.462 NYTME (km.): 180.488

Emission Point: 00057

Height (ft.): 50 Diameter (in.): 26

NYTMN (km.): 4765.12 NYTME (km.): 180.429

Emission Point: 00058

Height (ft.): 30 Diameter (in.): 11

NYTMN (km.): 4764.46 NYTME (km.): 180.478 Building: 100

Emission Point: 00059

Height (ft.): 25 Diameter (in.): 6

NYTMN (km.): 4764.32 NYTME (km.): 180.429 Building: 100

Emission Point: 00100

Height (ft.): 100 Diameter (in.): 6

NYTMN (km.): 4764.62 NYTME (km.): 180.729

Emission Point: 00109

Height (ft.): 30 Diameter (in.): 11

NYTMN (km.): 4764.458 NYTME (km.): 180.491

Renewal 1/Mod 2/Active Page 43 FINAL



Emission Point: 00115

Height (ft.): 45 Diameter (in.): 1

NYTMN (km.): 4764.32 NYTME (km.): 180.429 Building: 100

Emission Point: 00116

Height (ft.): 45 Diameter (in.): 1

NYTMN (km.): 4764.32 NYTME (km.): 180.429 Building: 100

Emission Point: 00140

Height (ft.): 33 Length (in.): 12 Width (in.): 20 NYTMN (km.): 4764.447 NYTME (km.): 180.47 Building: 100

Emission Point: 00141

Height (ft.): 33 Diameter (in.): 4

NYTMN (km.): 4764.454 NYTME (km.): 180.495 Building: 100

Emission Point: 00158

Height (ft.): 50 Diameter (in.): 19 NYTMN (km.): 4764.32 NYTME (km.): 180.429

Emission Point: 00159

Height (ft.): 50 Diameter (in.): 20 NYTMN (km.): 4764.32 NYTME (km.): 180.429

Emission Point: 00160

Height (ft.): 50 Diameter (in.): 29 NYTMN (km.): 4764.32 NYTME (km.): 180.429

Emission Point: 00167

Height (ft.): 87 Diameter (in.): 5

NYTMN (km.): 4764.32 NYTME (km.): 180.429 Building: 100

Emission Point: 00253

Height (ft.): 65 Diameter (in.): 6

NYTMN (km.): 4764.32 NYTME (km.): 180.429 Building: 100

Item 32.6(From Mod 0):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00004

Emission Point: 00136

Height (ft.): 70 Diameter (in.): 6

NYTMN (km.): 4764.414 NYTME (km.): 180.487 Building: 200

Emission Point: 00161

Height (ft.): 70 Diameter (in.): 6 NYTMN (km.): 4764.42 NYTME (km.): 180.493

Item 32.7(From Mod 0):

The following emission points are included in this permit for the cited Emission Unit:



Emission Unit: 0-00005

Emission Point: 00015

Height (ft.): 50 Length (in.): 12 Width (in.): 18

NYTMN (km.): 4764.62 NYTME (km.): 180.729

Emission Point: 00021

Height (ft.): 10 Length (in.): 12 Width (in.): 19

NYTMN (km.): 4764.62 NYTME (km.): 180.729

Emission Point: 00024

Height (ft.): 64 Length (in.): 12 Width (in.): 18

NYTMN (km.): 4764.62 NYTME (km.): 180.729

Emission Point: 00053

Height (ft.): 10 Length (in.): 36 Width (in.): 66

NYTMN (km.): 4764.62 NYTME (km.): 180.729

Emission Point: 00133

Height (ft.): 6 Diameter (in.): 4

NYTMN (km.): 4764.398 NYTME (km.): 180.468 Building: RAW MAT.

Emission Point: 00149

Height (ft.): 30 Diameter (in.): 4

NYTMN (km.): 4764.62 NYTME (km.): 180.729

Emission Point: 00150

Height (ft.): 31 Diameter (in.): 4

NYTMN (km.): 4764.62 NYTME (km.): 180.729

Emission Point: 00151

Height (ft.): 31 Diameter (in.): 4

NYTMN (km.): 4764.62 NYTME (km.): 180.729

Emission Point: 00152

Height (ft.): 23 Diameter (in.): 4

NYTMN (km.): 4764.62 NYTME (km.): 180.729

Item 32.8(From Mod 0):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00006

Emission Point: 00114

Height (ft.): 21 Diameter (in.): 16

NYTMN (km.): 4764.393 NYTME (km.): 180.403

Emission Point: 00144

Height (ft.): 10 Diameter (in.): 4

NYTMN (km.): 4764.299 NYTME (km.): 180.592



Emission Point: 00199

Height (ft.): 10 Diameter (in.): 4

Item 32.9(From Mod 0):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00008

Emission Point: 00005

Height (ft.): 24 Diameter (in.): 4

NYTMN (km.): 4764.677 NYTME (km.): 180.818

Emission Point: 00020

Height (ft.): 30 Length (in.): 19 Width (in.): 24

NYTMN (km.): 4764.679 NYTME (km.): 180.807

Emission Point: 00030

Height (ft.): 27 Diameter (in.): 1

NYTMN (km.): 4764.7 NYTME (km.): 180.815

Emission Point: 00105

Height (ft.): 37 Diameter (in.): 3

NYTMN (km.): 4764.674 NYTME (km.): 180.789

Emission Point: 00106

Height (ft.): 18 Length (in.): 9 Width (in.): 13

NYTMN (km.): 4764.676 NYTME (km.): 180.789

Emission Point: 00107

Height (ft.): 11 Diameter (in.): 3

NYTMN (km.): 4764.667 NYTME (km.): 180.81

Emission Point: 00125

Height (ft.): 23 Diameter (in.): 2

NYTMN (km.): 4764.693 NYTME (km.): 180.83 Building: 4140

Emission Point: 00126

Height (ft.): 60 Diameter (in.): 10

NYTMN (km.): 4764.704 NYTME (km.): 180.819 Building: 4140

Emission Point: 00127

Height (ft.): 1 Diameter (in.): 2

NYTMN (km.): 4764.675 NYTME (km.): 180.824

Emission Point: 00183

Height (ft.): 9 Length (in.): 20 Width (in.): 20

NYTMN (km.): 4764.705 NYTME (km.): 180.822 Building: 4140

Emission Point: 00184

Height (ft.): 9 Length (in.): 20 Width (in.): 20

NYTMN (km.): 4764.7 NYTME (km.): 180.826 Building: 4140

FINAL



Emission Point: 00185

Height (ft.): 9 Length (in.): 20 Width (in.): 20

NYTMN (km.): 4764.697 NYTME (km.): 180.829 Building: 4140

Emission Point: 00186

Height (ft.): 9 Length (in.): 20 Width (in.): 20

NYTMN (km.): 4764.69 NYTME (km.): 180.834 Building: 4140

Item 32.10(From Mod 0):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00009

Emission Point: 00002

Height (ft.): 37 Diameter (in.): 36 NYTMN (km.): 4764.644 NYTME (km.): 180.76

Emission Point: 00003

Height (ft.): 29 Length (in.): 36 Width (in.): 54

NYTMN (km.): 4764.32 NYTME (km.): 180.429

Emission Point: 00011

Height (ft.): 53 Length (in.): 37 Width (in.): 55

NYTMN (km.): 4764.65 NYTME (km.): 180.765

Emission Point: 00016

Height (ft.): 10 Length (in.): 12 Width (in.): 18

NYTMN (km.): 4764.683 NYTME (km.): 180.744

Emission Point: 00017

Height (ft.): 10 Length (in.): 12 Width (in.): 18

NYTMN (km.): 4764.695 NYTME (km.): 180.743

Emission Point: 00018

Height (ft.): 10 Length (in.): 12 Width (in.): 18

NYTMN (km.): 4764.676 NYTME (km.): 180.736

Emission Point: 00019

Height (ft.): 10 Length (in.): 12 Width (in.): 18

NYTMN (km.): 4764.679 NYTME (km.): 180.74

Emission Point: 00022

Height (ft.): 7 Diameter (in.): 12

NYTMN (km.): 4764.665 NYTME (km.): 180.775

Emission Point: 00023

Height (ft.): 26 Length (in.): 16 Width (in.): 12

NYTMN (km.): 4764.643 NYTME (km.): 180.771

Emission Point: 0002A

Height (ft.): 48 Length (in.): 11 Width (in.): 13

NYTMN (km.): 4764.653 NYTME (km.): 180.761

Renewal 1/Mod 2/Active Page 47 FINAL



Emission Point: 0003A

Height (ft.): 37 Length (in.): 36 Width (in.): 54

NYTMN (km.): 4764.62 NYTME (km.): 180.726

Emission Point: 0004A

Height (ft.): 45 Diameter (in.): 10 NYTMN (km.): 4764.583 NYTME (km.): 180.73

Emission Point: 0004B

Height (ft.): 45 Diameter (in.): 6

NYTMN (km.): 4764.585 NYTME (km.): 180.732

Emission Point: 00110

Height (ft.): 28 Diameter (in.): 42 NYTMN (km.): 4764.582 NYTME (km.): 180.726

Emission Point: 00112

Height (ft.): 51 Length (in.): 32 Width (in.): 40

NYTMN (km.): 4764.673 NYTME (km.): 180.784

Emission Point: 00117

Height (ft.): 3 Diameter (in.): 4

NYTMN (km.): 4764.701 NYTME (km.): 180.749

Emission Point: 00122

Height (ft.): 1 Diameter (in.): 2

NYTMN (km.): 4764.668 NYTME (km.): 180.724

Emission Point: 00123

Height (ft.): 3 Diameter (in.): 2

NYTMN (km.): 4764.67 NYTME (km.): 180.716

Emission Point: 00124

Height (ft.): 3 Diameter (in.): 2

NYTMN (km.): 4764.667 NYTME (km.): 180.721

Emission Point: 00128

Height (ft.): 10 Diameter (in.): 4

NYTMN (km.): 4764.671 NYTME (km.): 180.719

Emission Point: 00129

Height (ft.): 28 Length (in.): 8 Width (in.): 9

NYTMN (km.): 4764.551 NYTME (km.): 180.668 Building: TEDLAR(R)

Emission Point: 00147

Height (ft.): 52 Length (in.): 46 Width (in.): 67

NYTMN (km.): 4764.663 NYTME (km.): 180.788

Emission Point: 00148

Height (ft.): 35 Length (in.): 36 Width (in.): 49

NYTMN (km.): 4764.587 NYTME (km.): 180.728 Building: TEDLAR(R)



New York State Department of Environmental Conservation

Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Item 32.11(From Mod 0):

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00010

Emission Point: 00027

Height (ft.): 75 Diameter (in.): 48 NYTMN (km.): 4764.616 NYTME (km.): 180.77

Emission Point: 00157

Height (ft.): 5 Length (in.): 28 Width (in.): 14

NYTMN (km.): 4764.64 NYTME (km.): 180.771 Building: TEDLAR SP

Emission Point: 00166

Height (ft.): 10 Diameter (in.): 10 NYTMN (km.): 4764.606 NYTME (km.): 180.754

Emission Point: 00258

Height (ft.): 75 Diameter (in.): 52

NYTMN (km.): 4764.32 NYTME (km.): 180.429 Building: TEDLAR SP

Condition 33: Process Definition By Emission Unit

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR Subpart 201-6

Item 33.1(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00001

Process: 01C Source Classification Code: 3-08-010-07

Process Description:

Process 01C includes sources which emit particulate

emissions during the manufacture of Corian(R) Closed Mold

Casting (CCMC).

Emission Source/Control: K0097 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0099 - Control

Control Type: FABRIC FILTER

Emission Source/Control: S0097 - Process

Emission Source/Control: S0099 - Process

Item 33.2(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00002

Process: 002 Source Classification Code: 3-01-018-22

Air Pollution Control Permit Conditions

Renewal 1/Mod 2/Active Page 49 FINAL



Process Description:

Process 002 includes the sources which result in volatile organic compound (VOC) emissions during the manufacturing of Corian(R) Sheet Line #1. The manufacturing process consists of combining methyl methacrylate with an inorganic filler, pigment and initiator. The mixture is spread on the casting belt where the continuous sheet is allowed to polymerize and cool.

Emission Source/Control: S0257 - Process

Item 33.3(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00002

Process: 02C Source Classification Code: 3-01-018-22

Process Description:

Process 02C includes sources which emit particulate emissions during the manufacture of Corian(R) Sheet Line

#1.

Emission Source/Control: 00254 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0008 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0130 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0203 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0204 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0206 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0209 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0210 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0211 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K206A - Control

Control Type: FABRIC FILTER



Emission Source/Control: K206B - Control

Control Type: FABRIC FILTER

Emission Source/Control: K209A - Control

Control Type: FABRIC FILTER

Emission Source/Control: K209B - Control

Control Type: FABRIC FILTER

Emission Source/Control: K211A - Control

Control Type: FABRIC FILTER

Emission Source/Control: K211B - Control

Control Type: FABRIC FILTER

Emission Source/Control: KO243 - Control

Control Type: FABRIC FILTER

Emission Source/Control: KO253 - Control

Control Type: FABRIC FILTER

Emission Source/Control: S0008 - Process

Emission Source/Control: S0130 - Process

Emission Source/Control: S0203 - Process

Emission Source/Control: S0204 - Process

Emission Source/Control: S0206 - Process

Emission Source/Control: S0209 - Process

Emission Source/Control: S0210 - Process

Emission Source/Control: S0211 - Process

Emission Source/Control: S0253 - Process

Emission Source/Control: SO243 - Process

Item 33.4(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00003

Process: 003 Source Classification Code: 3-01-018-22

Process Description:

Process 003 includes the sources which result in volatile organic compound (VOC) emissions during the manufacturing of Corian(R) Sheet Line #2. The manufacturing process consists of combining methyl methacrylate with an inorganic filler, pigment and initiator. The mixture is



spread on the casting belt where the continuous sheet is allowed to polymerize and cool. This process also includes a batch cold degreaser and associated methylene chloride emissions.

Emission Source/Control: S0058 - Process

Item 33.5(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00003

Process: 03C Source Classification Code: 3-01-018-22

Process Description:

Process 03C includes sources which emit particulate emissions during the manufacture of Corian(R) Sheet Line

#2.

Emission Source/Control: K0054 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0059 - Control

Control Type: CENTRIFUGAL

Emission Source/Control: K0100 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0167 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0254 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0255 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K167A - Control

Control Type: CENTRIFUGAL

Emission Source/Control: K167B - Control

Control Type: FABRIC FILTER

Emission Source/Control: S0054 - Process

Emission Source/Control: S0059 - Process

Emission Source/Control: S0100 - Process

Emission Source/Control: S0167 - Process

Item 33.6(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:



Emission Unit: 0-00005

Process: 05C Source Classification Code: 3-01-018-08

Process Description:

Process 05C includes sources which emit particulate emissions from the Corian Raw Materials Area.

Emission Source/Control: K0015 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0024 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0053 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0133 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K133A - Control

Control Type: FABRIC FILTER

Emission Source/Control: K133B - Control

Control Type: FABRIC FILTER

Emission Source/Control: S0015 - Process

Emission Source/Control: S0024 - Process

Emission Source/Control: S0053 - Process

Emission Source/Control: S0133 - Process

Item 33.7(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00006

Process: 06B Source Classification Code: 3-01-018-18

Process Description:

Process 06B includes VOC storage tanks associated with the Corian Research & Development Activities. This process includes two (2) VOC tanks with a capacity of greater than

750 gallons which are listed below.

Emission Source/Control: S0182 - Process

Emission Source/Control: S0213 - Process

Item 33.8(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00006



Process: 06C Source Classification Code: 3-01-018-17

Process Description:

Process 06C includes sources which emit particulate emissions from: (1) Research & Development, (2) Maintenance, and (3) Quality Laboratories.

Emission Source/Control: K0215 - Control

Control Type: FABRIC FILTER

Emission Source/Control: S0192 - Process

Emission Source/Control: S0215 - Process

Item 33.9(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00008

Process: 08C Source Classification Code: 3-01-018-18

Process Description:

Process 08C includes sources which emit particulate emissions during the Tedlar Polymer Process.

Emission Source/Control: K0020 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0105 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0106 - Control

Control Type: FABRIC FILTER

Emission Source/Control: K0107 - Control

Control Type: FABRIC FILTER

Emission Source/Control: S0020 - Process

Emission Source/Control: S0105 - Process

Emission Source/Control: S0106 - Process

Emission Source/Control: S0107 - Process

Item 33.10(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00009

Process: 009 Source Classification Code: 3-01-018-09

Process Description:

Process 009 includes the sources which result in volatile organic compound (VOC) emissions during the manufacturing of Tedlar(R) - Oriented Line #1. The Tedlar mixture

of Tedlar(R) - Oriented Line #1. The Tedlar mixture (dimethylacetamide, pigments and additives) is extruded



through a die to produce a sheet of Tedlar film. The film is cooled in a quench tank and enters a five zone oven to be heated, cooled, and upon exit is wound on rollers.

Emission Source/Control: K002A - Control

Control Type: WET SCRUBBER

Emission Source/Control: K002B - Control Control Type: VAPOR RECOVERY SYS(INCL.

CONDENSERS, HOODING, OTHER ENCLOSURES)

Emission Source/Control: K004A - Control

Control Type: WET SCRUBBER

Emission Source/Control: S0002 - Process

Emission Source/Control: S0003 - Process

Emission Source/Control: S0022 - Process

Emission Source/Control: S002A - Process

Emission Source/Control: S003A - Process

Emission Source/Control: S004A - Process

Item 33.11(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00009

Process: 09C Source Classification Code: 3-01-018-14

Process Description:

Process 09C includes sources which emit particulate

emissions during the Tedlar Process.

Emission Source/Control: C004A - Control

Control Type: FABRIC FILTER

Emission Source/Control: K004B - Control

Control Type: FABRIC FILTER

Emission Source/Control: S004A - Process

Emission Source/Control: S004B - Process

Item 33.12(From Mod 2):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00010

Process: 010 Source Classification Code: 3-01-018-10

Process Description:

Process 010 includes the sources which result in volatile



organic compound (VOC) emissions from the manufacture of Tedlar(R) - SP Line. A variety of film products may be produced by this coating process. Additionally, this process may use a variety of raw materials that have the same applicable requirements. The emission rate potential and potential to emit information for this process was determined on a compound by compound basis. This was determined by taking the product with the largest potential to emit a given compound and then the potential to emit was estimated assuming the product was produced 8760 hours per year.

Emission Source/Control: K0027 - Control Control Type: CATALYTIC OXIDATION

Emission Source/Control: S0258 - Control Control Type: THERMAL OXIDATION

Emission Source/Control: S0027 - Process

Emission Source/Control: S0157 - Process

Emission Source/Control: S0166 - Process

Emission Source/Control: S0254 - Process

Item 33.13(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00001

Process: 001 Source Classification Code: 3-08-010-07

Process Description:

Process 001 includes the sources which result in volatile organic compound (VOC) emissions during the manufacturing of Corian(R) Closed Mold Casting (CCMC). The manufacturing process consists of combining methyl methacrylate with an inorganic filler and minor amounts of other chemicals. The material is then injected into molds and allowed to harden. The molds are opened, the sinks removed and sent to the finishing area.

Emission Source/Control: S0200 - Process

Emission Source/Control: S031A - Process

Item 33.14(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00001

Process: 01A Source Classification Code: 3-08-010-07

Process Description:

Process 01A includes the insignificant activities



associated with the manufacturing of Corian(R) Closed Mold Casting (CCMC). The sources include the preheat tunnel, curing tunnel, and other maintenance and storage areas.

In addition, this process includes "process vessels" which are used primarily for pigments. DuPont utilizes many small (i.e., less than 750 gallon) "process vessels" in the production process. The quantity and location of the small process vessels is continuously changing. As such, the small vessels have not been listed below. Instead, as per 6NYCRR Part 201-6.5(f), DuPont is required to maintain a site inventory to identify the number and location of the small process vessels.

Emission Source/Control: S0032 - Process

Emission Source/Control: S0121 - Process

Emission Source/Control: S0163 - Process

Emission Source/Control: S0165 - Process

Item 33.15(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00001

Process: 01B Source Classification Code: 4-07-999-97

Process Description:

VOC storage tanks associated with the Manufacture of Corian(R) Closed Mold Casting (CCMC)

Emission Source/Control: S0040 - Process

Design Capacity: 850 gallons

Item 33.16(From Mod 1):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00002

Process: 020 Source Classification Code: 4-02-021-40

Process Description:

Baghouse associated with the Sheetline #1. It is a source

of particulate emissions.

Emission Source/Control: KO243 - Control

Control Type: FABRIC FILTER

Emission Source/Control: SO243 - Process

Item 33.17(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:



Emission Unit: 0-00002

Process: 02A Source Classification Code: 3-01-018-22

Process Description:

Process 02A includes the insignificant activities associated with the manufacturing of Corian(R) Sheet Line #1.

In addition, this process includes "process vessels" which are used primarily for pigments, additives and chemicals. DuPont utilizes many small (i.e., less than 750 gallon) "process vessels" in the production process. The quantity and location of the small process vessels is continuously changing. As such, the small vessels have not been listed below. Instead, as per 6NYCRR Part 201-6.5(f), DuPont is required to maintain a site inventory to identify the number and location of the small process vessels.

Emission Source/Control: S0013 - Process

Emission Source/Control: S0120 - Process

Emission Source/Control: S0134 - Process

Emission Source/Control: S0135 - Process

Emission Source/Control: S0137 - Process

Emission Source/Control: S0139 - Process

Emission Source/Control: S0172 - Process

Emission Source/Control: S0180 - Process

Emission Source/Control: S0198 - Process

Emission Source/Control: S0205 - Process

Emission Source/Control: S0207 - Process

Emission Source/Control: S0208 - Process

Item 33.18(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00002

Process: 02B Source Classification Code: 4-07-999-97

Process Description:

VOC storage tanks associated with the Manufacture of

Corian(R) Sheet Line #1

Emission Source/Control: S0238 - Process



Item 33.19(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00003

Process: 03A Source Classification Code: 3-01-018-22

Process Description:

Process 03A includes the insignificant activities associated with the manufacturing of Corian(R) Sheet Line #2. The sources include: 2nd floor additives, tower, procedyne, essiential materials, PMA, and in-line trim

saw.

In addition, this process includes "process vessels" which are used primarily for pigments, additives and chemicals. DuPont utilizes many small (i.e., less than 750 gallon) "process vessels" in the production process. The quantity and location of the small process vessels is continuously changing. As such, the small vessels have not been listed below. Instead, as per 6NYCRR Part 201-6.5(f), DuPont is required to maintain a site inventory to identify the number and location of the small process vessels.

Emission Source/Control: S0109 - Process

Emission Source/Control: S0115 - Process

Emission Source/Control: S0116 - Process

Emission Source/Control: S0140 - Process

Emission Source/Control: S0158 - Process

Emission Source/Control: S0159 - Process

Emission Source/Control: S0160 - Process

Item 33.20(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00003

Process: 03B Source Classification Code: 4-07-999-97

Process Description:

VOC storage tanks associated with the Manufacture of

Corian(R) Sheet Line #2

Emission Source/Control: S0060 - Process

Design Capacity: 1,000 gallons

Item 33.21(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:



Emission Unit: 0-00004

Process: 04A Source Classification Code: 3-01-018-18

Process Description:

Process 04A includes the insignificant activities associated with the manufacturing of Corian(R) Sirup. The sources include the sirup tower.

In addition, this process includes "process vessels" which are used primarily for pigments. DuPont utilizes many small (i.e., less than 750 gallon) "process vessels" in the production process. The quantity and location of the small process vessels is continuously changing. As such, the small vessels have not been listed below. Instead, as per 6NYCRR Part 201-6.5(f), DuPont is required to maintain a site inventory to identify the number and location of the small process vessels.

Emission Source/Control: S0136 - Process

Emission Source/Control: S0161 - Process

Item 33.22(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00005

Process: 05A Source Classification Code: 3-01-018-18

Process Description:

Process 05A includes the insignificant activities associated with the manufacturing of Corian(R) Raw

Materials Area.

Emission Source/Control: S0153 - Process

Emission Source/Control: S0154 - Process

Item 33.23(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00005

Process: 05B Source Classification Code: 3-01-018-08

Process Description:

Process 05B includes VOC storage tanks associated with the manufacture of Corian(R) Raw Materials Area. This process includes five (5) VOC tanks with a capacity greater than 750 gallons which have been listed below in

this permit.

Emission Source/Control: S0021 - Process

Design Capacity: 34,000 gallons

Emission Source/Control: S0149 - Process

Design Capacity: 20,000 gallons



Emission Source/Control: S0150 - Process

Design Capacity: 20,000 gallons

Emission Source/Control: S0151 - Process

Design Capacity: 20,000 gallons

Emission Source/Control: S0152 - Process

Design Capacity: 10,000 gallons

Item 33.24(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00006

Process: 06A Source Classification Code: 3-01-018-17

Process Description:

Process 06A includes the insignificant activities associated with the activities in: (1) Research & Development, (2) Maintenance, and (3) Quality

Laboratories.

Emission Source/Control: K0144 - Control

Control Type: FABRIC FILTER

Emission Source/Control: S0114 - Process

Emission Source/Control: S0144 - Process

Emission Source/Control: S0199 - Process

Emission Source/Control: S0222 - Process

Item 33.25(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00008

Process: 008 Source Classification Code: 3-01-018-18

Process Description:

Process 008 includes the sources which result in volatile organic compound (VOC) emissions during the Tedlar(R) Polymer Process. This polymerization process begins with vinyl fluoride and uses a reactor to convert it to a slurry of polyvinyl fluoride, vinyl fluoride, and water. The slurry passes to high and low pressure separators and a flash tank. The slurry is then filtered, mixed with air, and heated in dryers. A baghouse separates the entrained air and water vapor from the polyvinyl fluoride. The polyvinyl fluoride is packaged for distribution or stored.

FINAL

1 0

Emission Source/Control: S0005 - Process



Emission Source/Control: S0125 - Process

Emission Source/Control: S0126 - Process

Emission Source/Control: S0183 - Process

Emission Source/Control: S0184 - Process

Emission Source/Control: S0185 - Process

Emission Source/Control: S0186 - Process

Item 33.26(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00008

Process: 08A Source Classification Code: 3-01-018-18

Process Description:

Process 08A includes the insignificant activities

associated with the manufacturing of Tedlar(R) Polymer.

Emission Source/Control: S0030 - Process

Emission Source/Control: S127A - Process

Design Capacity: 10,800 gallons

Emission Source/Control: S127B - Process

Design Capacity: 10,800 gallons

Emission Source/Control: S127C - Process

Design Capacity: 10,800 gallons

Item 33.27(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00009

Process: 09A Source Classification Code: 3-01-018-09

Process Description:

Process 09A includes the insignificant activities associated with Tedlar(R) - Oriented Line #1. The activities include a chipper, the chip room exhaust, the mix room exhaust, and the corona treating discharge.

Emission Source/Control: S0011 - Process

Emission Source/Control: S0023 - Process

Emission Source/Control: S004B - Process

Emission Source/Control: S0110 - Process

Emission Source/Control: S0112 - Process

Renewal 1/Mod 2/Active Page 62 FINAL



Emission Source/Control: S0129 - Process

Emission Source/Control: S0147 - Process

Emission Source/Control: S0148 - Process

Item 33.28(From Mod 0):

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00009

Process: 09B Source Classification Code: 3-01-018-08

Process Description:

Process 09B includes VOC storage tanks associated with the manufacture of Tedlar(R) - Oriented Line #1. This process includes eight (8) VOC tanks with a capacity of greater than 750 gallons which have been listed in the

permit.

Emission Source/Control: S0016 - Process

Design Capacity: 10,077 gallons

Emission Source/Control: S0017 - Process

Design Capacity: 27,165 gallons

Emission Source/Control: S0018 - Process

Design Capacity: 9,880 gallons

Emission Source/Control: S0019 - Process

Design Capacity: 9,880 gallons

Emission Source/Control: S0117 - Process

Design Capacity: 27,165 gallons

Emission Source/Control: S0122 - Process

Design Capacity: 1,650 gallons

Emission Source/Control: S0123 - Process

Design Capacity: 3,384 gallons

Emission Source/Control: S0124 - Process

Design Capacity: 3,384 gallons

Emission Source/Control: S234A - Process

Design Capacity: 10,000 gallons

Emission Source/Control: S234B - Process

Design Capacity: 10,000 gallons

Condition 2-5: Compliance Certification

Effective between the dates of 11/17/2009 and 08/12/2012



New York State Department of Environmental Conservation

Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Applicable Federal Requirement: 40CFR 63.2520, Subpart FFFF

Item 2-5.1:

The Compliance Certification activity will be performed for the facility: The Compliance Certification applies to:

Emission Unit: 0-00002

Emission Unit: 0-00003

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 2-5.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility must submit compliance reports which contain the information listed in §63.2520(e)(1)-(10) semiannually according to the schedule listed in §63.2520(b).

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.

Subsequent reports are due every 6 calendar month(s).

Condition 43: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement:40CFR 63.462(a)(2), Subpart T

Item 43.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00003 Emission Point: 00058 Process: 003 Emission Source: S0058

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 43.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Each owner/operator of an immersion batch cold cleaning machine shall employ a tightly fitting cover that shall be closed at all times except during parts entry and removal and have a freeboard ratio of 0.75 of

greater.



Owner/operator shall also comply with the following work practice standards:

- 1) All waste solvent shall be collected and stored in closed containers.
- 2) If a flexible hose or flushing device is used, flushing shall be performed only within the freeboard area of the solvent cleaning machine.
- 3) Owner/operator shall drain solvent cleaned parts for 15 seconds or until dripping has stopped, whichever is longer. Parts having holes or cavities shall be tipped or rotated during drainage.
- 4) Owner/operator shall ensure that the solvent level does not exceed the fill line.
- 5) Spills during solvent transfer shall be wiped up immediately. The wipe rags shall be stored in covered containers.
- 6) When an air- or pump-agitated solvent bath is used, owner/operator shall ensure that the agitator is operated to produce a rolling motion of the solvent but not observable splashing against the tank walls or parts being cleaned.
- 7) Owner/operator shall ensure that, when the cover is open, the cold cleaning machine is not exposed to drafts greater than 40 meters/minute (132 ft/min), as measured between 1 and 2 meters upwind and at the same elevation as the tank lip.
- 8) Sponges, fabrics, wood, and paper products shall not be cleaned.

Each owner/operator of a batch cold cleaning machine shall submit an initial notification report as described in 40CFR63.468(a) or (b) and a compliance report as described in 40CFR63.468(c).

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 44: Reporting requirements for batch cold degreasers

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 40CFR 63.468(c), Subpart T

Item 44.1:

This Condition applies to Emission Unit: 0-00003 Emission Point: 00058

Process: 003 Emission Source: S0058

Item 44.2:

Each owner/operator of a batch cold solvent cleaning machine shall submit a compliance report. This report shall be submitted no later than 150 days after startup. This report shall include the following items:



- 1) The name and address of the owner/operator
- 2) The address (physical location) of the solvent cleaning machine
- 3) A statement, signed by the owner/operator of the solvent cleaning machine, stating that the solvent cleaning machine for which the report is being submitted is in compliance with the provisions of Subpart T
- 4) The compliance approach for each solvent cleaning machine

Condition 45: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement:6 NYCRR 212.11 (b) (5)

Item 45.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00009 Emission Point: 0002A Process: 009 Emission Source: K002A

Regulated Contaminant(s):

CAS No: 0NY998-00-0 VOC

Item 45.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

A wet scrubber system is used to remove dimethyacetamide from the air stream. The system is designed and operated to obtain an overall removal efficiency of at least 81 percent and is, therefore, equipped with reasonably available control technology. A control system is used to monitor the scrubber water flow. Alarms are used to indicate when a low water flow condition is present. DuPont shall maintain a control efficiency greater than 81 percent computed on a monthly average. The monthly average shall be calculated using the operating hours and a removal efficiency based on water flow rates. DuPont shall maintain monthly records of the emission calculations and control efficiency determinations to demonstrate compliance.

Parameter Monitored: VOC Lower Permit Limit: 81 percent Monitoring Frequency: CONTINUOUS

Averaging Method: CALENDAR MONTH AVERAGE Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2008.

Subsequent reports are due every 6 calendar month(s).



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Condition 46: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement:6 NYCRR 212.11 (b) (4)

Item 46.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00009 Emission Point: 0002A Process: 009 Emission Source: K002B

Regulated Contaminant(s):

CAS No: 0NY998-00-0 VOC

Item 46.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Owners and/or operators of any source equipped with refrigerated condensers shall install continuous temperature monitors and data recorders for the outlet gas temperature by June 1, 1995. Continuous monitors must be operated at all times when the associated process equipment is operating except during any quality assurance and routine maintenance activities.

The process is electrically interlocked to the cooler condenser to monitor for a temperature in excess of 38 degrees Centigrade. If a temperature of greater than 38 degrees is obtained then the system automatically shuts down.

Parameter Monitored: TEMPERATURE

Upper Permit Limit: 38 degrees Centigrade (or Celsius)

Monitoring Frequency: CONTINUOUS

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED AT ANY

TIME (INSTANTANEOUS/DISCRETE OR GRAB)

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2008.

Subsequent reports are due every 6 calendar month(s).

Condition 47: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement:6 NYCRR 212.11 (b) (5)

Item 47.1:

The Compliance Certification activity will be performed for:



Emission Unit: 0-00009 Emission Point: 0004A Process: 009 Emission Source: K004A

Regulated Contaminant(s):

CAS No: 0NY998-00-0 VOC

Item 47.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

A wet scrubber system is used to remove excess dimethyacetamide from the chipping of Tedlar film. The system is designed and operated to obtain an overall removal efficiency of at least 81 percent and is, therefore, equipped with reasonably available control technology. A control system is used to monitor the scrubber water flow. Alarms are used to indicate when a low water flow condition is present. DuPont shall maintain a control efficiency in excess of 81 percent computed on a monthly average. The monthly average shall be calculated using the operating hours and a removal efficiency based on water flow rates. DuPont shall maintain monthly records of the emission calculations and control efficiency determinations to demonstrate compliance.

Parameter Monitored: VOC Lower Permit Limit: 81 percent Monitoring Frequency: CONTINUOUS

Averaging Method: CALENDAR MONTH AVERAGE Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2008.

Subsequent reports are due every 6 calendar month(s).

Condition 48: Compliance date for existing affected sources.

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 40CFR 63.3330(a), Subpart JJJJ

Item 48.1:

This Condition applies to Emission Unit: 0-00010

Item 48.2:

An existing affected source subject to the provisions of this subpart, must comply by December 5, 2005. Facility must complete any performance test required in § 63.3360 within the time limits specified in § 63.7(a)(2).



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Condition 49: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement:40CFR 63.3350(e), Subpart JJJJ

Item 49.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00010

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 49.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

If the facility is using a catalytic oxidizer to comply with the emission limits in §63.3320, the facility must install, calibrate, maintain, and operate temperature monitoring equipment according to the manufacturer's specifications. The calibration of the chart recorder, data logger, or temperature indicator must be verified every 3 months or the chart records, data logger, or temperature indicator must be replaced. The facility must replace the equipment whether the facility chooses not to perform the calibration or the equipment cannot be calibrated properly.

The facility must install, calibrate, operate, and maintain a temperature monitoring device equipped with a continuous recorder. The device must have an accuracy of +/-1% of the temperature being monitored in degrees Celsius, or +/-1 degree Celsius, whichever is greater. The thermocouple or temperature sensor must be installed in the vent stream at the nearest feasible point to the inlet and outlet of the catalyst bed. Calculate the temperature rise across the catalyst.

The continuous temperature monitoring system must meet the requirements in §63.3350(e)(1)-(8).

Parameter Monitored: TEMPERATURE CHANGE Lower Permit Limit: 260 degrees Centigrade (or Celsius)

Monitoring Frequency: CONTINUOUS

Averaging Method: AVERAGING METHOD - SEE MONITORING

DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2008.



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Subsequent reports are due every 6 calendar month(s).

Condition 50: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 40CFR 63.3350(f), Subpart JJJJ

Item 50.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00010

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 50.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

If the facility is complying with the emission limits in §63.3320 through the use of a capture system and control device for one or more coating lines, the facility must develop a site-specific monitoring plan containing the following information for these capture systems:

- 1) The monitoring plan must identify the operating parameter to be monitored to ensure that the capture efficiency determined during the initial compliance test is maintained.
- 2) The monitoring plan must explain why this parameter is appropriate for demonstrating ongoing compliance.
- 3) The monitoring plan must identify the specific monitoring procedures
- 4) The monitoring plan must specify the operating parameter value or range of values that demonstrate compliance with the emission standards in §63.3320. The specified operating parameter value or range of values must represent the conditions present when the capture system is being properly operated and maintained.

The facility must monitor the capture system in accordance with the site-specific monitoring plan. Any deviation from the operating parameter value or range of values will be considered a deviation from the emission limit. The facility must review and update the capture system monitoring plan at least annually and make the plan available for inspection by the NYSDEC upon request.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Reports due 30 days after the reporting period. The initial report is due 1/30/2008. Subsequent reports are due every 6 calendar month(s).

Condition 52: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement:40CFR 63.3360(e)(3)(ii)('D'), Subpart

JJJJ

Item 52.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00010

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 52.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

If the facility is using a catalytic oxidizer to comply with the emission standards in §63.3320, then the facility must develop and implement a facility-specific inspection and maintenance (I&M) plan for any catalytic oxidizer for which the facility elects to monitor the temperature at the inlet of the catalyst bed as specified in §63.3360(e)(3)(ii)(C).

The I&M plan must address, at a minimum, the following elements:

- 1) Annual sampling and analysis of the catalyst activity (i.e., conversion efficiency) following the manufacturer's or catalyst supplier's recommended procedures,
- 2) Monthly inspection of the oxidizer system including the burner assembly and fuel supply lines for problems, and
- 3) Annual internal and monthly external visual inspection of the catalyst bed to check for channeling, abrasion, and settling. If problems are found, the facility must take corrective action consistent with the manufacturer's recommendations and conduct a new performance test to determine destruction efficiency in accordance with this condition.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION



Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2008.

Subsequent reports are due every 6 calendar month(s).

Condition 2-6: Compliance Certification

Effective between the dates of 11/17/2009 and 08/12/2012

Applicable Federal Requirement:40CFR 63.3370(k)(1), Subpart JJJJ

Item 2-6.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00010

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 2-6.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description:

Facility must demonstrate initial compliance through performance tests of capture efficiency and control device efficiency and continuing compliance through continuous monitoring of capture system and control device operating parameters as specified in paragraphs (i) through (iii)

below:

- (i) Determine the oxidizer destruction efficiency using the procedure in § 63.3360(e).
- (ii) Determine the capture system capture efficiency in accordance with § 63.3360(f).
- (iii) Capture and control efficiency monitoring. Whenever a web coating line is operated, continuously monitor the operating parameters established in accordance with § 63.3350(e) and (f) to ensure capture and control efficiency.

Lower Permit Limit: 95 percent

Reference Test Method: EPA approved methods

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: AVERAGING METHOD - SEE MONITORING DESCRIPTION

amanta CEMI ANNIIIA

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.

Subsequent reports are due every 6 calendar month(s).

Condition 58: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

Applicable Federal Requirement: 40CFR 63.3400(c), Subpart JJJJ

Item 58.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00010

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 58.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

> The facility must submit a semiannual compliance report according to the following schedule:

> The first compliance report must cover the period beginning on the compliance date that is specified for the affected source in §63.3330 and ending on June 30 or December 31, whichever date is the first date following the end of the calendar half immediately following the compliance date. The first compliance report must be postmarked or delivered no later than July 31 or January 31, whichever date follows the end of the calendar half immediately following the compliance date.

Each subsequent compliance report must cover the semiannual reporting period from January 1 through June 30 or the semiannual period from July 1 to December 31. Each subsequent compliance report must be postmarked or delivered no later than July 31 or January 31, whichever date is the first date following the end of the semiannual reporting period.

The semiannual compliance report shall contain the following information:

- company name and address
- statement by a responsible official with the official's name, title, and signature certifying the accuracy of the content of the report
- date of report and beginning and ending dates of the reporting period
- if there were no deviations from any emission limitations (emission limit or operating limit) that apply to the facility, a statement that there were no deviations from the emission limitations during the reporting period, and that no continuous monitoring system was inoperative, inactive, malfunctioning, out-of-control, repaired, or



adjusted.

- for each deviation from an emission limitation (emission limit or operating limit) that applied to the facility and that occurs at an affected source where the facility is not using a continuous emission monitoring system to comply with the emission limitations, the compliance report must contain the total operating time of each affected source during the reporting period, information on the number, duration, and cause of deviations (including known causes), if applicable, and the corrective action taken, information on the number, duration, and cause for CPMS downtime incidents, if applicable, other than downtime associated with zero and span and other calibration checks.

- for each deviation from an emission limit occurring at an affected source where a CEMS is used, the information in §63.3370(c)(2)(vi)(A)-(J) shall be submitted.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR) Reports due 30 days after the reporting period. The initial report is due 1/30/2008.

Subsequent reports are due every 6 calendar month(s).

Condition 59: Compliance Certification

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 40CFR 63.3400(g), Subpart JJJJ

Item 59.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00010

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 59.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The facility must submit startup, shutdown, and malfunction reports as specified in §63.10(d)(5), except that the provisions in subpart A of this part pertaining to startups, shutdowns, and malfunctions do not apply unless a control device is used to comply with this subpart.

(1) If actions taken by an owner or operator during a startup, shutdown, or malfunction of an affected source (including actions taken to correct a malfunction) are not consistent with the procedures specified in the affected



source's SSMP required by \$63.6(e)(3), the owner or operator must state such information in the report. The startup, shutdown, or malfunction report must consist of a letter containing the name, title, and signature of the responsible official who is certifying its accuracy and must be submitted to the Administrator.

(2) Separate startup, shutdown, and malfunction reports are not required if the information is included in the report specified in paragraph (c)(2)(vi) of this section.

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 2-7: Compliance Certification

Effective between the dates of 11/17/2009 and 08/12/2012

Applicable Federal Requirement: 40CFR 63.3370(g), Subpart JJJJ

Item 2-7.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00010

Process: 010 Emission Source: S0258

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 2-7.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

If the facility chooses to comply with the 0.04 kg organic HAP emitted/kg coating material applied limit as listed in §63.3320(b)(2), the facility must operate a capture system and control device to meet the limit on a monthly average as-applied basis.

If the affected source operates more than one capture system, more than one control device, one or more never-controlled work station, or one or more intermittently-controlled work stations, then the facility must demonstrate compliance in accordance with the provisions in §63.3370(n).

Otherwise, the facility must demonstrate compliance following the procedure in §63.3370(i) when emissions from the affected source are controlled by a solvent recovery device or §63.3370(k) when emissions are controlled by an oxidizer.



Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: AVERAGING METHOD - SEE MONITORING

DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.

Subsequent reports are due every 6 calendar month(s).

Condition 60: Capping Monitoring Condition

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable Federal Requirement: 6 NYCRR Subpart 201-7

Item 60.1:

Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

6 NYCRR Subpart 231-1

Item 60.2:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

Item 60.3:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Item 60.4:

On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

Item 60.5:

The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

Item 60.6:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00010 Emission Point: 00027 Process: 010 Emission Source: S0027



Regulated Contaminant(s):

CAS No: 0NY998-00-0 VOC

Item 60.7:

Compliance Certification shall include the following monitoring:

Capping: Yes

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

Total VOC emissions from the Tedlar(R) SP coating process including stack and fugitive emissions, shall not exceed 80,000 lbs/calendar yr. Compliance based on properly operating control equipment and recordkeeping, as follows:

Maintain a daily operating log containing: hours of operation, amount of coating used; total amount of VOC used; calculated amount of stack and fugitive emissions.

Parameter Monitored: VOC

Upper Permit Limit: 80000 pounds per year

Monitoring Frequency: DAILY

Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE -

SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2008.

Subsequent reports are due every 6 calendar month(s).

Condition 1-4: Compliance Certification

Effective between the dates of 07/30/2009 and 08/12/2012

Applicable Federal Requirement: 40CFR 63.3350(e), Subpart JJJJ

Item 1-4.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00010 Emission Point: 00258

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 1-4.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

If the facility is using a non-catalytic oxidizer to comply with the emission limits in §63.3320, the facility



must install, calibrate, maintain, and operate temperature monitoring equipment according to the manufacturer's specifications. The calibration of the chart recorder, data logger, or temperature indicator must be verified every 3 months or the chart records, data logger, or temperature indicator must be replaced. The facility must replace the equipment whether the facility chooses not to perform the calibration or the equipment cannot be calibrated properly.

The facility must install, calibrate, operate, and maintain a temperature monitoring device equipped with a continuous recorder. The device must have an accuracy of +/-1% of the temperature being monitored in degrees Celsius, or +/-1 degree Celsius, whichever is greater. The thermocouple or temperature sensor must be installed in the combustion chamber at a location in the combustion zone.

The continuous temperature monitoring system must meet the requirements in §63.3350(e)(1)-(8).

Parameter Monitored: TEMPERATURE

Lower Permit Limit: 800 degrees Centigrade (or Celsius)

Monitoring Frequency: CONTINUOUS

Averaging Method: AVERAGING METHOD - SEE MONITORING

DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.

Subsequent reports are due every 6 calendar month(s).

Condition 1-5: Compliance Certification

Effective between the dates of 07/30/2009 and 08/12/2012

Applicable Federal Requirement: 40CFR 63.3360(e), Subpart JJJJ

Item 1-5.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00010 Emission Point: 00258

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 1-5.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

If the facility is using an add-on control device other than solvent recovery, such as an oxidizer, to comply with



the emission standards in §63.3320, the facility must conduct a performance test to establish the destruction or removal efficiency of the control device according to the methods and procedures in §63.3360(e)(1) and (2).

If the facility is using one or more add-on control devices other than a solvent recovery system for which the facility conducts a liquid-liquid material balance to comply with the emission standards in §63.3320, the facility must establish the applicable operating limits required by §63.3321 during the performance test. These operating limits apply to each add-on control device.

For a thermal oxidizer, the facility must establish the operating limits according to the provisions listed in §63.3360(e)(3)(i).

For a catalytic oxidizer, the facility must establish the operating limits according to the provisions listed in §63.3360(e)(3)(ii).

Reference Test Method: see description

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

DESCRIPTION

Averaging Method: AVERAGING METHOD - SEE MONITORING

DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.

Subsequent reports are due every 6 calendar month(s).

Condition 1-7: Compliance Certification

Effective between the dates of 07/30/2009 and 08/12/2012

Applicable Federal Requirement:40CFR 63.3360(f), Subpart JJJJ

Item 1-7.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00010 Emission Point: 00258

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 1-7.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

If the facility is demonstrating compliance by meeting the requirements in § 63.3370(e), (f), (g), (h), (i)(2),



(k), (n)(2), or (3), or (p), the facility must determine capture efficiency using the following procedures:

- 1) The facility may assume the capture efficiency equals 100% if the capture system is a permanent total enclosure (PTE). The facility must confirm that the capture system is a PTE by demonstrating that it meets the requirements of section 6 of EPA Method 204 of 40CFR51, appendix M, and that all exhaust gases from the enclosure are delivered to a control device.
- 2) The facility may determine capture efficiency according to the protocols for testing with temporary total enclosures that are specified in Methods 204 and 204A-F of 40CFR51, appendix M. The facility may exclude never-controlled work stations from such capture efficiency determinations.
- 3) The facility may use any capture efficiency protocol and test methods that satisfy the criteria of either the Data Quality Objective or the Lower Confidence Limit approach as described in appendix A of subpart KK of Part 63. The facility may exclude never-controlled work stations from such capture efficiency determinations.

Monitoring Frequency: SINGLE OCCURRENCE

Averaging Method: AVERAGING METHOD - SEE MONITORING

DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.

Subsequent reports are due every 6 calendar month(s).

Condition 1-8: Compliance Certification

Effective between the dates of 07/30/2009 and 08/12/2012

Applicable Federal Requirement: 40CFR 63.3370(e), Subpart JJJJ

Item 1-8.1:

The Compliance Certification activity will be performed for:

Emission Unit: 0-00010 Emission Point: 00258

Regulated Contaminant(s):

CAS No: 0NY100-00-0 HAP

Item 1-8.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The facility must operate a capture system and control



device and demonstrate an overall organic HAP control efficiency of at least 95% for each month, or operate a capture system and oxidizer so that an outlet organic HAP concentration of no greater than 20 ppmv by compound on a dry basis is achieved as long as the capture efficiency is 100% as detailed in §63.3320(b)(4).

The facility must demonstrate compliance in accordance with §63.3370(i) when emissions from the affected source are controlled by a solvent recovery device.

The facility must demonstrate compliance in accordance with §63.3370(j) when emissions from the affected source are controlled by a control device with a continuous parameter monitoring system (CPMS).

The facility must demonstrate compliance in accordance with §63.3370(k) when emissions from the affected source are controlled by an oxidizer.

If the affected source has only always-controlled work stations and operates more than one capture system or more than one control device, the facility must demonstrate compliance in accordance with the provisions of §63.3370(n) or (p).

If the affected source operates one or more never-controlled work stations or one or more intermittently-controlled work stations, the facility must demonstrate compliance in accordance with the provisions in §63.3370(n).

Monitoring Frequency: MONTHLY

Averaging Method: AVERAGING METHOD - SEE MONITORING DESCRIPTION

DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2010.

Subsequent reports are due every 6 calendar month(s).



Permit ID: 9-1464-00031/00292 Facility DEC ID: 9146400031

STATE ONLY ENFORCEABLE CONDITIONS **** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state applicable requirements and are not subject to compliance certification requirements unless otherwise noted or required under 6 NYCRR Part 201.

Condition 61: Contaminant List

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable State Requirement: ECL 19-0301

Item 61.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY075-00-0 Name: PARTICULATES



CAS No: 0NY100-00-0

Name: HAP

CAS No: 0NY998-00-0

Name: VOC

Condition 1-9: Unavoidable noncompliance and violations

Effective between the dates of 07/30/2009 and 08/12/2012

Applicable State Requirement: 6 NYCRR 201-1.4

Item 1-9.1:

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

- (a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit issued for the corresponding air contamination source except where conditions elsewhere in this permit which contain more stringent reporting and notification provisions for an applicable requirement, in which case they supercede those stated here. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.
- (b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates. These reporting requirements are superceded by conditions elsewhere in this permit which contain reporting and notification provisions for applicable requirements more stringent than those above.
- (c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air contaminants emitted.
- (d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as



determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

(e) In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

Condition 62: Unavoidable noncompliance and violations

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable State Requirement: 6 NYCRR 201-1.4

Item 62.1:

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

- (a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit issued for the corresponding air contamination source except where conditions elsewhere in this permit which contain more stringent reporting and notification provisions for an applicable requirement, in which case they supercede those stated here. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.
- (b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates. These reporting requirements are superceded by conditions elsewhere in this permit which contain reporting and notification provisions for applicable requirements more stringent than those above.
- (c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air contaminants emitted.
- (d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or



operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

(e) In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

Condition 1-10: Air pollution prohibited

Effective between the dates of 07/30/2009 and 08/12/2012

Applicable State Requirement: 6 NYCRR 211.2

Item 1-10.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 63: Air pollution prohibited

Effective between the dates of 08/13/2007 and 08/12/2012

Applicable State Requirement: 6 NYCRR 211.2

Item 63.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

