

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1



11/22/2005

Facility Identification Data

Name: BROOKHAVEN LANDFILL GAS RECOVERY FACILITY
Address: 350 HORSEBLOCK RD
YAPHANK, NY 11980

Owner/Firm

Name: WEHRAN ENERGY CORP
Address: 730 ROUTE 202
MAHWAH, NJ 07430-2405, USA
Owner Classification: Corporation/Partnership

Permit Contacts

Division of Environmental Permits:
Name: ROGER EVANS
Address: DIVISION OF ENVIRONMENTAL PERMITS
SUNY CAMPUS, LOOP ROAD, BUILDING 40
STONY BROOK, NY 11790-2356

Division of Air Resources:
Name: SHAUN SNEE
Address: NYSDEC - DIVISION OF AIR RESOURCES
SUNY - BLDG 40
STONY BROOK, NY 11790-2356
Phone:6314440214

Air Permitting Facility Owner Contact:
Name: WEHRAN ENERGY CORP
Address: 730 ROUTE 202
MAHWAH, NJ 07430-2405

Permit Description

Introduction

The Title V operating air permit is intended to be a document containing only enforceable terms and conditions as well as any additional information, such as the identification of emission units, emission points, emission sources and processes, that makes the terms meaningful. 40 CFR Part 70.7(a)(5) requires that each Title V permit have an accompanying "...statement that sets forth the legal and factual basis for the draft permit conditions". The purpose for this permit review report is to satisfy the above requirement by providing pertinent details regarding the permit/application data and permit conditions in a more easily understandable format. This report will also include background narrative and explanations of regulatory decisions made by the reviewer. It should be emphasized that this permit review report, while based on information contained in the permit, is a separate document and is not itself an enforceable term and condition of the permit.

Summary Description of Proposed Project

This is an application for a modification of the initial Title V Permit in order to incorporate conditions memorializing the certification of Emission Reduction Credits resulting in the replacement of four

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1

11/22/2005



gensets. The existing Title V permit is for an existing landfill gas (LFG) to energy facility. Electric power is generated with four Deutz internal combustion engine/generator sets; which were installed in 1997 to replace existing Caterpillar engine. Any excess LFG is combusted in an enclosed flare owned by the Town of Brookhaven.

Attainment Status

BROOKHAVEN LANDFILL GAS RECOVERY FACILITY is located in the town of BROOKHAVEN in the county of SUFFOLK.

The attainment status for this location is provided below. (Areas classified as attainment are those that meet all ambient air quality standards for a designated criteria air pollutant.)

Criteria Pollutant	Attainment Status
Particulate Matter (PM)	ATTAINMENT
Particulate Matter < 10µ in diameter (PM10)	ATTAINMENT
Sulfur Dioxide (SO2)	ATTAINMENT
Ozone*	SEVERE NON-ATTAINMENT
Oxides of Nitrogen (NOx)**	ATTAINMENT
Carbon Monoxide (CO)	ATTAINMENT

* Ozone is regulated in terms of the emissions of volatile organic compounds (VOC) and/or oxides of nitrogen (NOx) which are ozone precursors.

** NOx has a separate ambient air quality standard in addition to being an ozone precursor

Facility Description

The Brookhaven Landfill Gas Recovery (BLGR) facility uses landfill gas in four (4) Deutz engine/generator sets to produce electricity for commercial sale; and any excess LFG is combusted in an enclosed flare owned by the Town of Brookhaven. The Deutz engines are lean-burn, 4 stroke spark ignition engines that were installed in 1997 to replace existing Caterpillar engines which were damaged in a fire.

Permit Structure and Description of Operations

The Title V permit for BROOKHAVEN LANDFILL GAS RECOVERY FACILITY is structured in terms of the following hierarchy: facility, emission unit, emission point, emission source and process.

A facility is defined as all emission sources located at one or more adjacent or contiguous properties owned or operated by the same person or persons under common



New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1

11/22/2005

control. The facility is subdivided into one or more emission units (EU). Emission units are defined as any part or activity of a stationary facility that emits or has the potential to emit any federal or state regulated air pollutant. An emission unit is represented as a grouping of processes (defined as any activity involving one or more emission sources (ES) that emits or has the potential to emit any federal or state regulated air pollutant). An emission source is defined as any apparatus, contrivance or machine capable of causing emissions of any air contaminant to the outdoor atmosphere, including any appurtenant exhaust system or air cleaning device.

[NOTE: Indirect sources of air contamination as defined in 6 NYCRR Part 203 (i.e. parking lots) are excluded from this definition]. The applicant is required to identify the principal piece of equipment (i.e., emission source) that directly results in or controls the emission of federal or state regulated air pollutants from an activity (i.e., process). Emission sources are categorized by the following types:

- combustion - devices which burn fuel to generate heat, steam or power
- incinerator - devices which burn waste material for disposal
- control - emission control devices
- process - any device or contrivance which may emit air contaminants that is not included in the above categories.

BROOKHAVEN LANDFILL GAS RECOVERY FACILITY is defined by the following emission unit(s):

Emission unit U00001 - FOUR DEUTZ ENGINE/GENERATOR SETS FUELED WITH LFG. ENGINES ARE HOUSED IN THE GENERATOR BUILDING. FUEL RATE IS APPROXIMATELY 450 CFM FOR EACH ENGINE.

Emission unit U00001 is associated with the following emission points (EP): A0001, A0002, B0003, B0004

It is further defined by the following process(es):

Process: P01 is located at GROUND FLOOR, Building B01 - COMBUSTION OF LFG IN INTERNAL COMBUSTION ENGINE/GENERATOR SETS. THE ENGINES ARE SPARK-IGNITED, FOUR STROKE, LEAN BURN ENGINES. THE POWER RATING OF EACH GENERATOR SET IS 1330 KILOWATTS.

Title V/Major Source Status

BROOKHAVEN LANDFILL GAS RECOVERY FACILITY is subject to Title V requirements. This determination is based on the following information:

This facility is subject to TitleV requirements because it is a major source for NOx. The potential to emit NOx is between 100 and 250 tons per year.

Program Applicability

The following chart summarizes the applicability of BROOKHAVEN LANDFILL GAS RECOVERY FACILITY with regards to the principal air pollution regulatory programs:

Regulatory Program	Applicability
--------------------	---------------

**New York State Department of Environmental Conservation
Permit Review Report**



Permit ID: 1-4722-00799/00013 Modification Number: 1

11/22/2005

PSD	NO
NSR (non-attainment)	YES
NESHAP (40 CFR Part 61)	NO
NESHAP (MACT - 40 CFR Part 63)	NO
NSPS	NO
TITLE IV	NO
TITLE V	YES
TITLE VI	NO
RACT	YES
SIP	YES

NOTES:

PSD Prevention of Significant Deterioration (40 CFR 52) - requirements which pertain to major stationary sources located in areas which are in attainment of National Ambient Air Quality Standards (NAAQS) for specified pollutants.

NSR New Source Review (6 NYCRR Part 231) - requirements which pertain to major stationary sources located in areas which are in non-attainment of National Ambient Air Quality Standards (NAAQS) for specified pollutants.

NESHAP National Emission Standards for Hazardous Air Pollutants (40 CFR 61) - contaminant and source specific emission standards established prior to the Clean Air Act Amendments of 1990 (CAAA) which were developed for 9 air contaminants (inorganic arsenic, radon, benzene, vinyl chloride, asbestos, mercury, beryllium, radionuclides, and volatile HAP's)

MACT Maximum Achievable Control Technology (40 CFR 63) - contaminant and source specific emission standards established by the 1990 CAAA. Under Section 112 of the CAAA, the US EPA is required to develop and promulgate emissions standards for new and existing sources. The standards are to be based on the best demonstrated control technology and practices in the regulated industry, otherwise known as MACT. The corresponding regulations apply to specific source types and contaminants.

NSPS New Source Performance Standards (40 CFR 60) - standards of performance for specific stationary source categories developed by the US EPA under Section 111 of the CAAA. The standards apply only to those stationary sources which have been constructed or modified after the



New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1

11/22/2005

regulations have been proposed by publication in the Federal Register and only to the specific contaminant(s) listed in the regulation.

Title IV Acid Rain Control Program (40 CFR 72 thru 78) - regulations which mandate the implementation of the acid rain control program for large stationary combustion facilities.

Title VI Stratospheric Ozone Protection (40 CFR 82, Subparts A thru G) - federal requirements that apply to sources which use a minimum quantity of CFC's (chlorofluorocarbons), HCFC's(hydrofluorocarbons)or other ozone depleting substances or regulated substitute substances in equipment such as air conditioners, refrigeration equipment or motor vehicle air conditioners or appliances.

RACT Reasonably Available Control Technology (6 NYCRR Parts 212.10, 226, 227-2, 228, 229, 230, 232, 233, 234, 235, 236) - the lowest emission limit that a specific source is capable of meeting by application of control technology that is reasonably available, considering technological and economic feasibility. RACT is a control strategy used to limit emissions of VOC's and NOx for the purpose of attaining the air quality standard for ozone. The term as it is used in the above table refers to those state air pollution control regulations which specifically regulate VOC and NOx emissions.

SIP State Implementation Plan (40 CFR 52, Subpart HH) - as per the CAAA, all states are empowered and required to devise the specific combination of controls that, when implemented, will bring about attainment of ambient air quality standards established by the federal government and the individual state. This specific combination of measures is referred to as the SIP. The term here refers to those state regulations that are approved to be included in the SIP and thus are considered federally enforceable.

Compliance Status

Facility is in compliance with all requirements

SIC Codes

SIC or Standard Industrial Classification code is an industrial code developed by the federal Office of Management and Budget for use, among other things, in the classification of establishments by the type of activity in which they are engaged. Each operating establishment is assigned an industry code on the basis of its primary activity, which is determined by its principal product or group of products produced or distributed, or services rendered. Larger facilities typically have more than one SIC code.

SIC Code	Description
4911	ELECTRIC SERVICES

SCC Codes

SCC or Source Classification Code is a code developed and used by the USEPA to categorize

New York State Department of Environmental Conservation



Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1

11/22/2005

processes which result in air emissions for the purpose of assessing emission factor information. Each SCC represents a unique process or function within a source category logically associated with a point of air pollution emissions. Any operation that causes air pollution can be represented by one or more SCC's.

SCC Code	Description
2-01-008-02	INTERNAL COMBUSTION ENGINES - ELECTRIC GENERATION ELECTRIC UTILITY INTERNAL COMBUSTION ENGINE - LANDFILL GAS Reciprocating

Facility Emissions Summary

In the following table, the CAS No. or Chemical Abstract Series code is an identifier assigned to every chemical compound. [NOTE: Certain CAS No.'s contain a 'NY' designation within them. These are not true CAS No.'s but rather an identification which has been developed by the department to identify groups of contaminants which ordinary CAS No.'s do not do. As an example, volatile organic compounds or VOC's are identified collectively by the NY CAS No. 0NY998-00-0.] The PTE refers to the Potential to Emit. This is defined as the maximum capacity of a facility or air contaminant source to emit any air contaminant under its physical and operational design. Any physical or operational limitation on the capacity of the facility or air contamination source to emit any air contaminant, including air pollution control equipment and/or restrictions on the hours of operation, or on the type or amount or material combusted, stored, or processed, shall be treated as part of the design only if the limitation is contained in federally enforceable permit conditions. The PTE Range represents an emission range for a contaminant. Any PTE quantity that is displayed represents a facility-wide emission cap or limitation for that contaminant. If no PTE quantity is displayed, the PTE Range is provided to indicate the approximate magnitude of facility-wide emissions for the specified contaminant in terms of tons per year (tpy). The term 'HAP' refers to any of the hazardous air pollutants listed in section 112(b) of the Clean Air Act Amendments of 1990. Total emissions of all hazardous air pollutants are listed under the special NY CAS No. 0NY100-00-0. In addition, each individual hazardous air pollutant is also listed under its own specific CAS No. and is identified in the list below by the (HAP) designation.

Cas No.	Contaminant Name	PTE	
		lbs/yr	Range
000630-08-0	CARBON MONOXIDE	>= 50	tpy but < 100 tpy
0NY100-00-0	HAP	>= 10	tpy but < 25 tpy
007647-01-0	HYDROGEN CHLORIDE (HAP)	> 0	but < 10 tpy
0NY998-20-0	NMOC - LANDFILL USE ONLY	>= 10	tpy but < 25 tpy
0NY210-00-0	OXIDES OF NITROGEN	>= 100	tpy but < 250 tpy
0NY075-00-0	PARTICULATES	>= 10	tpy but < 25 tpy
0NY075-00-5	PM-10	>= 10	tpy but < 25 tpy
007446-09-5	SULFUR DIOXIDE	>= 50	tpy but < 100 tpy
0NY998-00-0	VOC	>= 10	tpy but < 25 tpy

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

Item A: Emergency Defense - 6NYCRR Part 201-1.5

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1



11/22/2005

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;

(2) The equipment at the permitted facility causing the emergency was at the time being properly operated;

(3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item B: Public Access to Recordkeeping for Title V Facilities - 6NYCRR Part 201-1.10(b)

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

Item C: Timely Application for the Renewal of Title V Permits - 6 NYCRR Part 201-6.3(a)(4)

Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Item D: Certification by a Responsible Official - 6 NYCRR Part 201-6.3(d)(12)

Any application, form, report or compliance certification required to

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1



11/22/2005

be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Item E: Requirement to Comply With All Conditions - 6 NYCRR Part 201-6.5(a)(2)

The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

Item F: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR Part 201-6.5(a)(3)

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Item G: Cessation or Reduction of Permitted Activity Not a Defense - 6 NYCRR Part 201-6.5(a)(5)

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

Item H: Property Rights - 6 NYCRR Part 201-6.5(a)(6)

This permit does not convey any property rights of any sort or any exclusive privilege.

Item I: Severability - 6 NYCRR Part 201-6.5(a)(9)

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Item J: Permit Shield - 6 NYCRR Part 201-6.5(g)

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1



11/22/2005

NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii. The applicable requirements of Title IV of the Act;
- iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Item K: Reopening for Cause - 6 NYCRR Part 201-6.5(i)

This Title V permit shall be reopened and revised under any of the following circumstances:

- i. If additional applicable requirements under the Act become applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.
- ii. The Department or the Administrator determines that the permit

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1



11/22/2005

contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

Item L:

Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item M:

Federally Enforceable Requirements - 40 CFR 70.6(b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and

**New York State Department of Environmental Conservation
Permit Review Report**



Permit ID: 1-4722-00799/00013 Modification Number: 1

11/22/2005

citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

Item A: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Regulatory Analysis

Location Facility/EU/EP/Process/ES	Regulation	Short Description	Condition
FACILITY	ECL 19-0301	Powers and Duties of the Department with respect to air pollution control	1-22
FACILITY	40CFR 68	Chemical accident prevention provisions	1-17
FACILITY	40CFR 82-F	Protection of Stratospheric Ozone - recycling and emissions reduction	1-18
FACILITY	6NYCRR 200.6	Acceptable ambient air quality.	1-1
FACILITY	6NYCRR 200.7	Maintenance of equipment.	1-6
FACILITY	6NYCRR 201-1.4	Unavoidable noncompliance and violations	45
FACILITY	6NYCRR 201-1.7	Recycling and Salvage	1-7
FACILITY	6NYCRR 201-1.8	Prohibition of reintroduction of collected contaminants to	1-8

New York State Department of Environmental Conservation



Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1

11/22/2005

FACILITY	6NYCRR 201-3.2(a)	the air Exempt Activities - Proof of eligibility	1-9
FACILITY	6NYCRR 201-3.3(a)	Trivial Activities - proof of eligibility	1-10
FACILITY	6NYCRR 201-5	State Facility Permit General Provisions	46, 47
FACILITY	6NYCRR 201-6	Title V Permits and the Associated Permit Conditions	11, 12, 13, 14, 17, 21, 23, 40, 41
FACILITY	6NYCRR 201-6.5(a) (4)	General conditions	1-11
FACILITY	6NYCRR 201-6.5(a) (7)	General conditions	
Fees 1-2			
FACILITY	6NYCRR 201-6.5(a) (8)	General conditions	1-12
FACILITY	6NYCRR 201-6.5(c)	Permit conditions for Recordkeeping and Reporting of Compliance Monitoring	1-3
FACILITY	6NYCRR 201-6.5(c) (2)	Permit conditions for Recordkeeping and Reporting of Compliance Monitoring	1-4
FACILITY	6NYCRR 201-6.5(c) (3) (ii)	Permit conditions for Recordkeeping and Reporting of Compliance Monitoring	24
FACILITY	6NYCRR 201-6.5(d) (5)	Compliance schedules	1-13
FACILITY	6NYCRR 201-6.5(e)	Compliance Certification	25
FACILITY	6NYCRR 201-6.5(f) (6)	Off Permit Changes	1-14
FACILITY	6NYCRR 201-7	Federally Enforceable Emissions Caps	1-19
U-00001	6NYCRR 201-7	Federally Enforceable Emissions Caps	1-20
FACILITY	6NYCRR 202-1.1	Required emissions tests.	1-15
U-00001	6NYCRR 202-1.1	Required emissions tests.	42
FACILITY	6NYCRR 202-1.2	Notification.	27
FACILITY	6NYCRR 202-1.3	Acceptable procedures.	28, 29
FACILITY	6NYCRR 202-1.4	Separate emission tests by the commissioner.	30
FACILITY	6NYCRR 202-1.5	Prohibitions.	31
FACILITY	6NYCRR 202-2.1	Emission Statements - Applicability	32
FACILITY	6NYCRR 202-2.1(a)	Emission Statements - ozone nonattainment area applicability	33
FACILITY	6NYCRR 202-2.5	Emission Statements - record keeping requirements.	34
FACILITY	6NYCRR 208.3(b) (2) (iii) (b')	'NMOC Destruction	35
FACILITY	6NYCRR 211.2	General Prohibitions - air pollution prohibited.	49
FACILITY	6NYCRR 211.3	General Prohibitions - visible emissions limited	1-16
FACILITY	6NYCRR 215	Open Fires	1-5
FACILITY	6NYCRR 227-1.3(a)	Smoke Emission Limitations.	38
U-00001/-/P01	6NYCRR 227-2.6(c) (1)	CEMS requirements	44
U-00001	6NYCRR 231-2.6	Emission reduction	1-20,

**New York State Department of Environmental Conservation
Permit Review Report**

Permit ID: 1-4722-00799/00013 Modification Number: 1



11/22/2005

credits

1-21

Applicability Discussion:

Mandatory Requirements: The following facility-wide regulations are included in all Title V permits:

ECL 19-301.

This section of the Environmental Conservation Law establishes the powers and duties assigned to the Department with regard to administering the air pollution control program for New York State.

6NYCRR Part 200-.6

Acceptable ambient air quality - prohibits contravention of ambient air quality standards without mitigating measures

6NYCRR Part 200-.7

Anyone owning or operating an air contamination source which is equipped with an emission control device must operate the control consistent with ordinary and necessary practices, standards and procedures, as per manufacturer's specifications and keep it in a satisfactory state of maintenance and repair so that it operates effectively

6NYCRR Part 201-1.4

This regulation specifies the actions and recordkeeping and reporting requirements for any violation of an applicable state enforceable emission standard that results from a necessary scheduled equipment maintenance, start-up, shutdown, malfunction or upset in the event that these are unavoidable.

6NYCRR Part 201-1.7

Requires the recycle and salvage of collected air contaminants where practical

6NYCRR Part 201-1.8

Prohibits the reintroduction of collected air contaminants to the outside air

6NYCRR Part 201-3.2(a)

An owner and/or operator of an exempt emission source or unit may be required to certify that it operates within the specific criteria described in this Subpart. All required records must be maintained on-site for a period of 5 years and made available to department representatives upon request. In addition, department representatives must be granted access to any facility which contains exempt emission sources or units, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.



New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1

11/22/2005

6NYCRR Part 201-3.3(a)

The owner and/or operator of a trivial emission source or unit may be required to certify that it operates within the specific criteria described in this Subpart. All required records must be maintained on-site for a period of 5 years and made available to department representatives upon request. In addition, department representatives must be granted access to any facility which contains trivial emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

6NYCRR Part 201-5

This regulation applies to those permit terms and conditions which are not federally enforceable. It specifies the applicability criteria for state facility permits, the information to be included in all state facility permit applications as well as the permit content, terms of permit issuance, and sets guidelines for modifying state facility permits and allowing for operational flexibility. For permitting purposes, this rule specifies the need to list all emission units except those that are exempt or trivial pursuant to Subpart 201-3 in the permit application and provide a description of the emission unit's processes and products. Finally, this rule also provides the Department the authority to include this and any other information that it deems necessary to identify applicable Federal standards, recordkeeping and reporting requirements, and establish terms and conditions that will ensure compliance with the national ambient air quality standards.

6NYCRR Part 201-6

This regulation applies to those terms and conditions which are subject to Title V permitting. It establishes the applicability criteria for Title V permits, the information to be included in all Title V permit applications as well as the permit content and terms of permit issuance. This rule also specifies the compliance, monitoring, recordkeeping, reporting, fee, and procedural requirements that need to be met to obtain a Title V permit, modify the permit and demonstrate conformity with applicable requirements as listed in the Title V permit. For permitting purposes, this rule specifies the need to identify and describe all emission units, processes and products in the permit application as well as providing the Department the authority to include this and any other information that it deems necessary to determine the compliance status of the facility.

6NYCRR Part 201-6.5(c)

This requirement specifies, in general terms, what information must be contained in any required compliance monitoring records and reports. This includes the date, time and place of any sampling, measurements and analyses; who performed the analyses; analytical techniques and methods used as well as any required QA/QC procedures; results of the analyses; the operating conditions at the time of sampling or measurement and the identification of any permit deviations. All such reports must also be certified by the designated responsible official of the facility.

**New York State Department of Environmental Conservation
Permit Review Report**

Permit ID: 1-4722-00799/00013 Modification Number: 1



11/22/2005

6NYCRR Part 201-6.5(c)(2)

This requirement specifies that all compliance monitoring and recordkeeping is to be conducted according to the terms and conditions of the permit and follow all QA requirements found in applicable regulations. It also requires monitoring records and supporting information to be retained for at least 5 years from the time of sampling, measurement, report or application. Support information is defined as including all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

6NYCRR Part 201-6.5(c)(3)(ii)

This regulation specifies any reporting requirements incorporated into the permit must include provisions regarding the notification and reporting of permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken.

6NYCRR Part 201-6.5(e)

Sets forth the general requirements for compliance certification content; specifies an annual submittal frequency; and identifies the EPA and appropriate regional office address where the reports are to be sent.

6NYCRR Part 202-1.1

This regulation allows the department the discretion to require an emission test for the purpose of determining compliance. Furthermore, the cost of the test, including the preparation of the report are to be borne by the owner/operator of the source.

6NYCRR Part 202-2.1

Requires that emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year.

6NYCRR Part 202-2.5

This rule specifies that each facility required to submit an emission statement must retain a copy of the statement and supporting documentation for at least 5 years and must make the information available to department representatives.

6NYCRR Part 211-.2

This regulation prohibits any emissions of air contaminants to the outdoor atmosphere which may be detrimental to human, plant or animal life or to property, or which unreasonably interferes with the comfortable enjoyment of life or property regardless of the existence of any specific air quality standard or emission limit.

6 NYCRR Part 211.3

This condition requires that the opacity (i.e., the degree to which emissions other than water reduce the transmission of light) of the emissions from any air contamination source be less than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent.

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1



11/22/2005

6 NYCRR Part 215

Prohibits open fires at industrial and commercial sites.

40 CFR Part 68.

This Part lists the regulated substances and their applicability thresholds and sets the requirements for stationary sources concerning the prevention of accidental releases of these substances.

40 CFR Part 82, Subpart F

Subpart F requires the reduction of emissions of class I and class II refrigerants to the lowest achievable level during the service, maintenance, repair, and disposal of appliances in accordance with section 608 of the Clean Air Act Amendments of 1990. This subpart applies to any person servicing, maintaining, or repairing appliances except for motor vehicle air conditioners. It also applies to persons disposing of appliances, including motor vehicle air conditioners, refrigerant reclaimers, appliance owners, and manufacturers of appliances and recycling and recovery equipment. Those individuals, operations, or activities affected by this rule, may be required to comply with specified disposal, recycling, or recovery practices, leak repair practices, recordkeeping and/or technician certification requirements.

Facility Specific Requirements

In addition to Title V, BROOKHAVEN LANDFILL GAS RECOVERY FACILITY has been determined to be subject to the following regulations:

6NYCRR 201-6.5 (c) (3) (ii)

This regulation specifies any reporting requirements incorporated into the permit must include provisions regarding the notification and reporting of permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken.

6NYCRR 201-7

This section of Part 201-7 specifies the criteria that need to be met in order to restrict emissions to avoid Title V or other applicable requirements using federally enforceable permit conditions in a state facility permit.

6NYCRR 202-1.2

This regulation specifies that the department is to be notified at least 30 days in advance of any required stack test. The notification is to include a list of the procedures to be used that are acceptable to the department. Finally, free access to observe the stack test is to be provided to the department's representative.

6NYCRR 202-1.3

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1

11/22/2005



This regulation requires that any emission testing, sampling and analytical determination used to determine compliance must use methods acceptable to the department. Acceptable test methods may include but are not limited to the reference methods found in 40 CFR Part 60 appendix A and Part 61, appendix B. Alternate methods may be also be used provided they are determined to be acceptable by the department. Finally, unless otherwise specified, all emission test reports must be submitted within 60 days after completion of testing.

6NYCRR 202-1.4

This regulation allows the department discretion to conduct separate or additional emission tests, including preparation of the testing site, at the source owner's expense, to determine compliance.

6NYCRR 202-1.5

This rule prohibits the concealment of an emission by the use of air or other gaseous diluents (diluting agents) to achieve compliance with an emission standard which is based on the concentration of a contaminant in the gases emitted through a stack.

6NYCRR 202-2.1 (a)

This regulation specifies the applicability criteria for submitting an emission statement to the department for sources located in ozone nonattainment areas. The criteria are based on the potential to emit a regulated air contaminant at a rate which equals or exceeds the following thresholds in tons per year:

Volatile Organic Compounds (VOC) - 25

Oxides of Nitrogen (NO_x) - 25

Carbon Monoxide (CO) - 100

Sulfur Dioxide (SO₂) - 100

Particulate Matter, diameters less than 10 microns (PM₁₀) - 100

Lead and its compounds (measured as elemental lead) - 5

Any one hazardous air pollutant - 10

Combination of hazardous air pollutants - 25

Any other regulated air pollutant - 100

6NYCRR 208.3 (b) (2) (iii) ('b')

This condition requires that the control system achieve a non-methane organic compound (NMOC) destruction efficiency of 98%. The outlet concentration of NMOC from the control system must be less than 20 ppm.

6NYCRR 227-1.3 (a)

This regulation prohibits any person from operating a stationary combustion installation which emits smoke equal to or greater than 20% opacity except for one six-minute period per hour of not more than 27% opacity.

6NYCRR 227-2.6 (c) (1)

This regulation requires stack testing to verify NO_x emissions to demonstrate compliance with NO_x RACT.

6NYCRR 231-2.6



New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 1-4722-00799/00013 Modification Number: 1

11/22/2005

The provisions of Subpart 231-2 apply to new or modified major facilities. The contaminants of concern state-wide are nitrogen oxides and volatile organic compounds since New York State is located in the ozone transport region and because there are ozone non-attainment areas within the state. In the New York City metropolitan area, carbon monoxide is also a non-attainment contaminant. In addition, particulate matter less than 10 microns in size (PM-10) is a non-attainment contaminant in Manhattan County.

The requirements and criteria for creating and certifying emission reduction credits (ERCs) are set forth in section 231-2.6.

Compliance Certification

Summary of monitoring activities at BROOKHAVEN LANDFILL GAS RECOVERY FACILITY:

Location Facility/EU/EP/Process/ES	Type of Monitoring	Cond No.
FACILITY	record keeping/maintenance procedures	24
FACILITY	record keeping/maintenance procedures	25
U-00001	record keeping/maintenance procedures	1-20
U-00001	intermittent emission testing	42
FACILITY	record keeping/maintenance procedures	32
FACILITY	record keeping/maintenance procedures	33
FACILITY	record keeping/maintenance procedures	35
FACILITY	monitoring of process or control device parameters as surrogate	38

Basis for Monitoring

6 NYCRR 227-1.3 limits opacity to 20% (six minute average) except for one six minute period per hour of not more than 27 % opacity. Compliance with opacity standard may be determined by Reference Method 9.

6 NYCRR 227-2.4 limits NOx emissions to 9 grams per BHP. Compliance with NOx RACT may be determined by Reference Method 7 or 7 E.

6 NYCRR 208.3(b)(2)(iii)(b) requires that control system for MSW LFG ,achive a NMOC destruction efficiency of 98%. The outlet concentration of NMOC from the control system must be less than 20 ppm. Compliance may be determined by Reference Method 18, 25 or 25C.