



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

**Facility Identification Data**

Name: HOLLINGSWORTH & VOSE GREENWICH MILL

Address: 2322 ST RTE 29

CENTER FALLS, NY 12834

**Owner/Firm**

Name: HOLLINGSWORTH & VOSE CO

Address: 112 WASHINGTON ST

EAST WALPOLE, MA 02032-1098, USA

Owner Classification: Corporation/Partnership

**Permit Contacts**

Division of Environmental Permits:

Name: BETH A MAGEE

Address: NYSDEC

232 GOLF COURSE RD

WARRENSBURG, NY 12885-1172

Phone:5186231281

Division of Air Resources:

Name: RANDY L LAROSE

Address: 232 GOLF COURSE RD

WARRENSBURG, NY 12885

Phone:5186231212

Air Permitting Facility Owner Contact:

Name: VIRGINIA L KEEFER

Address: HOLLINGSWORTH & VOSE CO

5035 CO RTE 113

GREENWICH, NY 12834

Phone:5186958175

**Permit Description**

**Introduction**

The Title V operating air permit is intended to be a document containing only enforceable terms and conditions as well as any additional information, such as the identification of emission units, emission points, emission sources and processes, that makes the terms meaningful. 40 CFR Part 70.7(a)(5) requires that each Title V permit have an accompanying "...statement that sets forth the legal and factual basis for the draft permit conditions". The purpose for this permit review report is to satisfy the above requirement by providing pertinent details regarding the permit/application data and permit conditions in a more easily understandable format. This report will also include background narrative and explanations of regulatory decisions made by the reviewer. It should be emphasized that this permit review report, while based on information contained in the permit, is a separate document and is not itself an enforceable term and condition of the permit.

**Summary Description of Proposed Project**

Title V permits shall be reopened and revised when additional applicable requirements under the act become applicable to a title V facility with a remaining permit term of three or more years. Such a reopening shall be completed not later than 18 months after promulgation of the applicable requirement.



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

The Department initiated permit modification is the result of recent revisions to 6 NYCRR Part 225-1 and 228-1 which went into effect on April 5 and June 5, 2013, respectively. As part of those revisions, the limits for distillate fuel oil sulfur content and Volatile Organic Compounds (“VOC”) for coatings to paper film and foil were modified. This project replaces the obsolete limits with the new effective limits. The modification also serves to update 6 NYCRR Parts 201, 225-1 and 228-1 citation numbers, due to reorganization of these requirements during recent rule revisions, and include an applicability statement pertaining to Title 40 of the Code of Federal Regulations (“40 CFR”) Section 63, Subpart DDDDD.

No increase in emissions are anticipated.

**Attainment Status**

HOLLINGSWORTH & VOSE GREENWICH MILL is located in the town of GREENWICH in the county of WASHINGTON.

The attainment status for this location is provided below. (Areas classified as attainment are those that meet all ambient air quality standards for a designated criteria air pollutant.)

Criteria Pollutant	Attainment Status
Particulate Matter (PM)	ATTAINMENT
Particulate Matter < 10µ in diameter (PM10)	ATTAINMENT
Sulfur Dioxide (SO2)	ATTAINMENT
Ozone*	TRANSPORT REGION (NON-ATTAINMENT)
Oxides of Nitrogen (NOx)**	ATTAINMENT
Carbon Monoxide (CO)	ATTAINMENT

\* Ozone is regulated in terms of the emissions of volatile organic compounds (VOC) and/or oxides of nitrogen (NOx) which are ozone precursors.

\*\* NOx has a separate ambient air quality standard in addition to being an ozone precursor.

**Facility Description:**

Hollingsworth & Vose Company's Greenwich facility is a manufacturer of specialty and technical papers. The facility operates one paper machine with several emission points. The facility has two boilers, the Hurst boiler and Ames boiler. The Hurst boiler has the capacity to burn natural gas or No. 2 fuel oil while the Ames boiler only burns natural gas.

**Permit Structure and Description of Operations**

The Title V permit for HOLLINGSWORTH & VOSE GREENWICH MILL is structured in terms of the following hierarchy: facility, emission unit, emission point, emission source and process. A facility is defined as all emission sources located at one or more adjacent or contiguous properties owned or operated by the same person or persons under common control. The facility is subdivided into one or more emission units (EU). Emission units are defined as any part or activity of a stationary facility that emits or has the potential to emit any federal or state regulated air pollutant. An emission unit is represented as a grouping of processes (defined as any activity involving one or more



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

emission sources (ES) that emits or has the potential to emit any federal or state regulated air pollutant). An emission source is defined as any apparatus, contrivance or machine capable of causing emissions of any air contaminant to the outdoor atmosphere, including any appurtenant exhaust system or air cleaning device. [NOTE: Indirect sources of air contamination as defined in 6 NYCRR Part 203 (i.e. parking lots) are excluded from this definition]. The applicant is required to identify the principal piece of equipment (i.e., emission source) that directly results in or controls the emission of federal or state regulated air pollutants from an activity (i.e., process). Emission sources are categorized by the following types:

- combustion - devices which burn fuel to generate heat, steam or power
- incinerator - devices which burn waste material for disposal
- control - emission control devices
- process - any device or contrivance which may emit air contaminants that is not included in the above categories.

HOLLINGSWORTH & VOSE GREENWICH MILL is defined by the following emission unit(s):

Emission unit UPAPER - Paper making operations on paper machine No. 11. This includes forming, drying and coating of the paper web. This paper machine also has infrared units to cure certain coatings.

Emission unit UPAPER is associated with the following emission points (EP):

011A1, 011A2, 011A3, 011A4, 011A5, 011CS

Process: 00C is located at FIRST, Building MILL - On No. 11 paper machine, a wet web of paper is formed and then passes over steam heated can dryers and propane fired thru dryer. The thru dryer is exempt from permitting requirements under 6 NYCRR 201-3.2(c)(2).

Process: 0CC is located at Building MILL - Binders are applied to the web of paper in a saturator. The saturated web passes over steam heated can dryers and propane fired infrared unit(s). Exhausts are vented to a common stack (011CS).

Emission unit UBOILR - Facility boilers - Emission Unit consists of two (2) steam generating boilers. The Hurst and

Ames boilers have maximum rated heat input capacities of 25 mmBtu/hr and 16 mmBtu/hr, respectively. The Ames boiler has the capability to be fired with natural gas only (PR No. 013). The Hurst boiler has the capacity to be fired with natural gas or No. 2 fuel oil (PR No. 012). Only the Hurst boiler (ES No. HUBLR) is subject to 40 CFR 60, Subpart Dc, since the Ames boiler (ES No. 00004) predates this regulation. The Hurst and Ames boiler each have its own stack (EP Nos. 00008 and 00009, respectively).

The option to fire No. 6 fuel oil will expire March 31, 2013.

Emission unit UBOILR is associated with the following emission points (EP):

00008, 00009

Process: 012 is located at Building MILL - No. 2 fuel oil fired industrial boiler.

Process: 013 is located at Building MILL - Natural gas fired industrial boiler.



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

HOLLINGSWORTH & VOSE GREENWICH MILL is subject to Title V requirements. This determination is based on the following information:  
Hollingsworth and Vose Company's Greenwich Mill is classified as a major stationary source under Title V. This determination is based on the following information:

-Hollingsworth & Vose Company's Greenwich Mill has the potential to emit a single Hazardous Air Pollutant (HAP) in excess of 10 tons per year which exceeds the major source threshold of 10 tons per year;

-Hollingsworth & Vose Company's Greenwich Mill has the potential to emit Hazardous Air Pollutants (HAPs) in excess of 40 tons per year which exceeds the major source threshold of 25 tons per year; and

-Hollingsworth & Vose Company's Greenwich Mill has the potential to emit Sulfur Dioxide emissions in excess of 100 tons per year which exceeds the major source threshold of 100 tons per year.

**Program Applicability**

The following chart summarizes the applicability of HOLLINGSWORTH & VOSE GREENWICH MILL with regards to the principal air pollution regulatory programs:

Regulatory Program	Applicability
PSD	NO
NSR (non-attainment)	NO
NESHAP (40 CFR Part 61)	NO
NESHAP (MACT - 40 CFR Part 63)	YES
NSPS	YES
TITLE IV	NO
TITLE V	YES
TITLE VI	NO
RACT	YES
SIP	YES

**NOTES:**

**PSD** Prevention of Significant Deterioration (40 CFR 52) - requirements which pertain to major stationary sources located in areas which are in attainment of National Ambient Air Quality Standards (NAAQS) for specified pollutants.

**NSR** New Source Review (6 NYCRR Part 231) - requirements which pertain to major stationary sources located in areas which are in non-attainment of National Ambient Air Quality Standards (NAAQS) for specified pollutants.



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

**NESHAP** National Emission Standards for Hazardous Air Pollutants (40 CFR 61) - contaminant and source specific emission standards established prior to the Clean Air Act Amendments of 1990 (CAAA) which were developed for 9 air contaminants (inorganic arsenic, radon, benzene, vinyl chloride, asbestos, mercury, beryllium, radionuclides, and volatile HAP's).

**MACT** Maximum Achievable Control Technology (40 CFR 63) - contaminant and source specific emission standards established by the 1990 CAAA. Under Section 112 of the CAAA, the US EPA is required to develop and promulgate emissions standards for new and existing sources. The standards are to be based on the best demonstrated control technology and practices in the regulated industry, otherwise known as MACT. The corresponding regulations apply to specific source types and contaminants.

**NSPS** New Source Performance Standards (40 CFR 60) - standards of performance for specific stationary source categories developed by the US EPA under Section 111 of the CAAA. The standards apply only to those stationary sources which have been constructed or modified after the regulations have been proposed by publication in the Federal Register and only to the specific contaminant(s) listed in the regulation.

**Title IV Acid Rain Control Program (40 CFR 72 thru 78)** - regulations which mandate the implementation of the acid rain control program for large stationary combustion facilities.

**Title VI Stratospheric Ozone Protection (40 CFR 82, Subparts A thru G)** - federal requirements that apply to sources which use a minimum quantity of CFC's (chlorofluorocarbons), HCFC's (hydrofluorocarbons) or other ozone depleting substances or regulated substitute substances in equipment such as air conditioners, refrigeration equipment or motor vehicle air conditioners or appliances.

**RACT** Reasonably Available Control Technology (6 NYCRR Parts 212.10, 226, 227-2, 228, 229, 230, 232, 233, 234, 235, 236) - the lowest emission limit that a specific source is capable of meeting by application of control technology that is reasonably available, considering technological and economic feasibility. RACT is a control strategy used to limit emissions of VOC's and NOx for the purpose of attaining the air quality standard for ozone. The term as it is used in the above table refers to those state air pollution control regulations which specifically regulate VOC and NOx emissions.

**SIP** State Implementation Plan (40 CFR 52, Subpart HH) - as per the CAAA, all states are empowered and required to devise the specific combination of controls that, when implemented, will bring about attainment of ambient air quality standards established by the federal government and the individual state. This specific combination of measures is referred to as the SIP. The term here refers to those state regulations that are approved to be included in the SIP and thus are considered federally enforceable.

**Compliance Status**

Facility is in compliance with all requirements.

**SIC Codes**

SIC or Standard Industrial Classification code is an industrial code developed by the federal Office of Management and Budget for use, among other things, in the classification of establishments by the type of activity in which they are engaged. Each operating establishment is assigned an industry code on the basis

of its primary activity, which is determined by its principal product or group of products produced or distributed, or services rendered. Larger facilities typically have more than one SIC code.



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

<b>SIC Code</b>	<b>Description</b>
2621	PAPER MILLS EXC BUILDING PAPER

**SCC Codes**

SCC or Source Classification Code is a code developed and used" by the USEPA to categorize processes which result in air emissions for the purpose of assessing emission factor information.Each SCC represents

a unique process or function within a source category logically associated with a point of air pollution emissions. Any operation that causes air pollution can be represented by one or more SCC's.

<b>SCC Code</b>	<b>Description</b>
1-02-004-01	EXTERNAL COMBUSTION BOILERS - INDUSTRIAL INDUSTRIAL BOILER - RESIDUAL OIL Grade 6 Oil
1-02-005-02	EXTERNAL COMBUSTION BOILERS - INDUSTRIAL INDUSTRIAL BOILER - DISTILLATE OIL 10-100MMBTU/HR **
1-02-006-02	EXTERNAL COMBUSTION BOILERS - INDUSTRIAL INDUSTRIAL BOILER - NATURAL GAS 10-100 MMBtu/Hr
1-02-010-02	EXTERNAL COMBUSTION BOILERS - INDUSTRIAL INDUSTRIAL BOILER - LIQUEFIED PETROLEUM GAS (LPG) Propane
3-07-999-99	PULP & PAPER AND WOOD PRODUCTS PULP & PAPER & WOOD - OTHER NOT CLASSIFIED SEE COMMENT **
4-02-013-01	SURFACE COATING OPERATIONS SURFACE COATING OPERATIONS - PAPER COATING Coating Operation

**Facility Emissions Summary**

In the following table, the CAS No. or Chemical Abstract Service code is an identifier assigned to every chemical compound. [NOTE: Certain CAS No.'s contain a 'NY' designation within them. These are not true CAS No.'s but rather an identification which has been developed by the department to identify groups of contaminants which ordinary CAS No.'s do not do. As an example, volatile organic compounds or VOC's are identified collectively by the NY CAS No. 0NY998-00-0.] The PTE refers to the Potential to Emit. This is defined as the maximum capacity of a facility or air contaminant source to emit any air contaminant under its physical and operational design. Any physical or operational limitation on the capacity of the facility or air contamination source to emit any air contaminant , including air pollution control equipment and/or restrictions on the hours of operation, or on the type or amount or material combusted, stored, or processed, shall be treated as part of the design only if the limitation is contained in federally enforceable permit conditions. The PTE Range represents an emission range for a contaminant. Any PTE quantity that is displayed represents a facility-wide emission cap or limitation for that contaminant. If no PTE quantity is displayed, the PTE Range is provided to indicate the approximate magnitude of facility-wide emissions for the specified contaminant in terms of tons per year (tpy). The term 'HAP' refers to any of the hazardous air pollutants listed in section 112(b) of the Clean Air Act Amendments of 1990. Total emissions of all hazardous air pollutants are listed under the special NY CAS No. 0NY100-00-0. In addition, each individual hazardous air pollutant is also listed under its own specific CAS No. and is identified in the list below by the (HAP) designation.

New York State Department of Environmental Conservation  
**Permit Review Report**



**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

Cas No.	Contaminant Name	PTE	
		lbs/yr	Range
000107-21-1	1,2-ETHANEDIOL	> 0	but < 10 tpy
000096-23-1	1,3-DICHLORO-2-PROPANOL	> 0	but < 2.5 tpy
000108-05-4	ACETIC ACID ETHENYL ESTER	> 0	but < 10 tpy
000124-38-9	CARBON DIOXIDE	>= 250 tpy	but < 75,000 tpy
0NY750-00-0	CARBON DIOXIDE EQUIVALENTS	>= 250 tpy	but < 75,000 tpy
000630-08-0	CARBON MONOXIDE	>= 2.5 tpy	but < 10 tpy
000050-00-0	FORMALDEHYDE	> 0	but < 10 tpy
000067-56-1	METHYL ALCOHOL	>= 10	tpy
0NY210-00-0	OXIDES OF NITROGEN	>= 50	tpy but < 100 tpy
0NY075-00-0	PARTICULATES	>= 2.5	tpy but < 10 tpy
000108-95-2	PHENOL	> 0	but < 10 tpy
0NY075-00-5	PM-10	>= 2.5	tpy but < 10 tpy
007446-09-5	SULFUR DIOXIDE	>= 100	tpy but < 250 tpy
0NY100-00-0	TOTAL HAP	>= 40	tpy but < 50 tpy
0NY998-00-0	VOC	>= 40	tpy but < 50 tpy

**NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS**

**Item A: Emergency Defense - 6 NYCRR 201-1.5**

An emergency, as defined by subpart 201-2, constitutes an affirmative defense to penalties sought in an enforcement action brought by the Department for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

- (a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:
  - (1) An emergency occurred and that the facility owner or operator can identify the cause(s) of the emergency;
  - (2) The equipment at the permitted facility causing the emergency was at the time being properly operated and maintained;
  - (3) During the period of the emergency the facility owner or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
  - (4) The facility owner or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.



New York State Department of Environmental Conservation  
**Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

(b) In any enforcement proceeding, the facility owner or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

**Item B: Public Access to Recordkeeping for Title V Facilities - 6 NYCRR 201-1.10(b)**

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6 NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

**Item C: Timely Application for the Renewal of Title V Permits -6 NYCRR Part 201-6.2(a)(4)**

Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

**Item D: Certification by a Responsible Official - 6 NYCRR Part 201-6.2(d)(12)**

Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

**Item E: Requirement to Comply With All Conditions - 6 NYCRR Part 201-6.4(a)(2)**

The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

**Item F: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR Part 201-6.4(a)(3)**

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

**Item G: Cessation or Reduction of Permitted Activity Not a Defense - 6 NYCRR 201-6.4(a)(5)**

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

**Item H: Property Rights - 6 NYCRR 201-6.4(a)(6)**

This permit does not convey any property rights of any sort or any exclusive privilege.



New York State Department of Environmental Conservation  
**Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

**Item I: Severability - 6 NYCRR Part 201-6.4(a)(9)**

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

**Item J: Permit Shield - 6 NYCRR Part 201-6.4(g)**

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii. The applicable requirements of Title IV of the Act;
- iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

**Item K: Reopening for Cause - 6 NYCRR Part 201-6.4(i)**

This Title V permit shall be reopened and revised under any of the following circumstances:

- i. If additional applicable requirements under the Act become applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.
- ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.
- iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.
- iv. If the permitted facility is an "affected source" subject to the requirements



New York State Department of Environmental Conservation  
**Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

**Item L: Permit Exclusion - ECL 19-0305**

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

**Item M: Federally Enforceable Requirements - 40 CFR 70.6(b)**

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

**NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS**

**Item A: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5**

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with

New York State Department of Environmental Conservation  
**Permit Review Report**



Permit ID: 5-5334-00006/00035

Renewal Number: 2

Modification Number: 2 02/27/2014

this and any other state and federal air pollution control requirements, regulations or law.

**Regulatory Analysis**

Location Facility/EU/EP/Process/ES	Regulation	Condition	Short Description
FACILITY	ECL 19-0301	48	Powers and Duties of the Department with respect to air pollution control
FACILITY	40CFR 60-A	26	General provisions
U-BOILR/-/012	40CFR 60-Dc.42c (d)	1 -3	Standard for Sulfur Dioxide Firing Oil. (see narrative)
U-BOILR/-/012	40CFR 60-Dc.48c (e) (11)	1 -4	Reporting and Recordkeeping requirements - fuel supplier
U-BOILR/-/012	40CFR 60-Dc.48c (f) (1)	1 -5	certifications Reporting and Recordkeeping Requirements (distillate oil).
U-BOILR/-/012	40CFR 60-Dc.48c (g)	1 -6	Reporting and Recordkeeping Requirements.
FACILITY	40CFR 63-DDDDD	2 -15	Boilers and Process Heaters Major Source NESHAP rule
U-PAPER/-/0CC	40CFR 63-JJJJ.3320 (b) (3)	43	Paper and Other Web Coating NESHAP - Emission standard - mass of coating solids option
U-PAPER/-/0CC	40CFR 63-JJJJ.3340	44	Paper and Other Web Coating NESHAP - General Requirements
U-PAPER/-/0CC	40CFR 63-JJJJ.3360 (c)	45	Paper and Other Web Coating NESHAP - Determination of organic HAP content
U-PAPER/-/0CC	40CFR 63-JJJJ.3400 (c) (2)	46	Paper and Other Web Coating NESHAP - Semiannual compliance report contents.
U-PAPER/-/0CC	40CFR 63-JJJJ.3410 (a)	47	Paper and Other Web Coating NESHAP - Record keeping requirements.
FACILITY	40CFR 63-ZZZZ.6585	27	Reciprocating Internal Combustion Engine (RICE) NESHAP - Applicability
FACILITY	40CFR 68	20	Chemical accident prevention provisions
FACILITY	40CFR 82-F	21	Protection of Stratospheric Ozone - recycling and emissions reduction
FACILITY	6NYCRR 200.6	1	Acceptable ambient

New York State Department of Environmental Conservation  
**Permit Review Report**



**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

U-PAPER	6NYCRR 200.6	35	air quality.
FACILITY	6NYCRR 200.7	10	Acceptable ambient air quality.
FACILITY	6NYCRR 201-1.4	2 -24	Maintenance of equipment.
FACILITY	6NYCRR 201-1.7	11, 2 -6	Unavoidable noncompliance and violations
FACILITY	6NYCRR 201-1.8	12	Recycling and Salvage
FACILITY	6NYCRR 201-3.2 (a)	13, 2 -7	Prohibition of reintroduction of collected contaminants to the air
FACILITY	6NYCRR 201-3.3 (a)	14, 2 -8	Exempt Activities - Proof of eligibility
FACILITY	6NYCRR 201-6	22, 28, 29	Trivial Activities - proof of eligibility
FACILITY	6NYCRR 201-6.4 (a) (4)	2 -9	Title V Permits and the Associated Permit Conditions
FACILITY	6NYCRR 201-6.4 (a) (7)	2 -1	General Conditions - Requirement to Provide Information
FACILITY	6NYCRR 201-6.4 (a) (8)	2 -10	General Conditions - Fees
FACILITY	6NYCRR 201-6.4 (c)	2 -2	General Conditions - Right to Inspect
FACILITY	6NYCRR 201-6.4 (c) (2)	2 -3	Recordkeeping and Reporting of Compliance Monitoring Records of Monitoring, Sampling and Measurement
FACILITY	6NYCRR 201-6.4 (c) (3) (ii)	2 -4	Reporting Requirements - Deviations and Noncompliance
FACILITY	6NYCRR 201-6.4 (d) (4)	2 -12	Compliance Schedules - Progress Reports
FACILITY	6NYCRR 201-6.4 (e)	2 -5	Compliance Certification
FACILITY	6NYCRR 201-6.4 (f) (6)	2 -11	Off Permit Changes
FACILITY	6NYCRR 202-1.1	19	Required emissions tests.
FACILITY	6NYCRR 202-2.1	7	Emission Statements - Applicability
FACILITY	6NYCRR 202-2.5	8	Emission Statements - record keeping requirements.
FACILITY	6NYCRR 211.1	23	General Prohibitions - air pollution prohibited
FACILITY	6NYCRR 211.2	50	General Prohibitions - visible emissions limited.
U-PAPER	6NYCRR 212.4 (a)	36	General Process Emission Sources - emissions from new sources and/or modifications
U-PAPER/-/OCC	6NYCRR 212.4 (a)	38, 39	General Process Emission Sources - emissions from new



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

U-PAPER/-/00C	6NYCRR 212.6 (a)	2	-16	sources and/or modifications General Process Emission Sources - opacity of emissions limited
FACILITY	6NYCRR 215.2	9		Open Fires - Prohibitions
FACILITY	6NYCRR 225-1.2 (f)	2	-13	Sulfur-in-Fuel Limitations
FACILITY	6NYCRR 225-1.2 (h)	2	-14	Sulfur-in-Fuel Limitations
FACILITY	6NYCRR 227.2 (b) (1)	1	-2	Particulate emissions.
U-BOILR	6NYCRR 227-1.3 (a)	30		Smoke Emission Limitations.
U-PAPER/-/00C	6NYCRR 228-1.3 (a)	2	-17	Surface Coating General Requirements- Opacity
U-PAPER/-/00C	6NYCRR 228-1.3 (b) (1)	2	-18	General Requirements - Record Keeping
U-PAPER/-/00C	6NYCRR 228-1.3 (d)	2	-19	Surface Coating General Requirements- Handling, storage and disposal
U-PAPER/-/00C	6NYCRR 228-1.4 (d) (3)	2	-20	VOC limits for Paper Film & Foil coatings
U-PAPER/-/00C	6NYCRR 228-1.6 (a)	2	-21	Surface coating VOC analysis.
U-PAPER/-/00C	6NYCRR 228-1.6 (c)	2	-22	Surface coating access for sampling
U-PAPER/-/00C	6NYCRR 228-1.6 (h)	2	-23	Records reporting and maintaining

**Applicability Discussion:**

Mandatory Requirements: The following facility-wide regulations are included in all Title V permits:

ECL 19-0301

This section of the Environmental Conservation Law establishes the powers and duties assigned to the Department with regard to administering the air pollution control program for New York State.

6 NYCRR 200.6

Acceptable ambient air quality - prohibits contravention of ambient air quality standards without mitigating measures

6 NYCRR 200.7

Anyone owning or operating an air contamination source which is equipped with an emission control device must operate the control consistent with ordinary and necessary practices, standards and procedures, as per manufacturer's specifications and keep it in a satisfactory state of maintenance and repair so that it operates effectively

6 NYCRR 201-1.4

This regulation specifies the actions and recordkeeping and reporting requirements for any violation of an applicable state enforceable emission standard that results from a necessary scheduled equipment maintenance, start-up, shutdown, malfunction or upset in the event that these are unavoidable.

6 NYCRR 201-1.7

Requires the recycle and salvage of collected air contaminants where practical



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

6 NYCRR 201-1.8

Prohibits the reintroduction of collected air contaminants to the outside air

6 NYCRR 201-3.2 (a)

An owner and/or operator of an exempt emission source or unit may be required to certify that it operates within the specific criteria described in this Subpart. All required records must be maintained on-site for a period of 5 years and made available to department representatives upon request. In addition, department representatives must be granted access to any facility which contains exempt emission sources or units, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

6 NYCRR 201-3.3 (a)

The owner and/or operator of a trivial emission source or unit may be required to certify that it operates within the specific criteria described in this Subpart. All required records must be maintained on-site for a period of 5 years and made available to department representatives upon request. In addition, department representatives must be granted access to any facility which contains trivial emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

6 NYCRR Subpart 201-6

This regulation applies to those terms and conditions which are subject to Title V permitting. It establishes the applicability criteria for Title V permits, the information to be included in all Title V permit applications as well as the permit content and terms of permit issuance. This rule also specifies the compliance, monitoring, recordkeeping, reporting, fee, and procedural requirements that need to be met to obtain a Title V permit, modify the permit and demonstrate conformity with applicable requirements as listed in the Title V permit. For permitting purposes, this rule specifies the need to identify and describe all emission units, processes and products in the permit application as well as providing the Department the authority to include this and any other information that it deems necessary to determine the compliance status of the facility.

6 NYCRR 201-6.4 (a) (4)

This mandatory requirement applies to all Title V facilities. It requires the permittee to provide information that the Department may request in writing, within a reasonable time, in order to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. The request may include copies of records required to be kept by the permit.

6 NYCRR 201-6.4 (a) (7)

This is a mandatory condition that requires the owner or operator of a facility subject to Title V requirements to pay all applicable fees associated with the emissions from their facility.

6 NYCRR 201-6.4 (a) (8)

This is a mandatory condition for all facilities subject to Title V requirements. It allows the Department to inspect the facility to determine compliance with this permit, including copying records, sampling and monitoring, as necessary.

6 NYCRR 201-6.4 (c)

This requirement specifies, in general terms, what information must be contained in any required compliance monitoring records and reports. This includes the date, time and place of any sampling, measurements and analyses; who performed the analyses; analytical techniques and methods used as well as any required QA/QC procedures; results of the analyses; the operating conditions at the time of



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

sampling or measurement and the identification of any permit deviations. All such reports must also be certified by the designated responsible official of the facility.

6 NYCRR 201-6.4 (c) (2)

This requirement specifies that all compliance monitoring and recordkeeping is to be conducted according to the terms and conditions of the permit and follow all QA requirements found in applicable regulations. It also requires monitoring records and supporting information to be retained for at least 5 years from the time of sampling, measurement, report or application. Support information is defined as including all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

6 NYCRR 201-6.4 (c) (3) (ii)

This regulation specifies any reporting requirements incorporated into the permit must include provisions regarding the notification and reporting of permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken.

6 NYCRR 201-6.4 (d) (5)

This condition applies to every Title V facility subject to a compliance schedule. It requires that reports, detailing the status of progress on achieving compliance with emission standards, be submitted semiannually.

6 NYCRR 201-6.4 (e)

Sets forth the general requirements for compliance certification content; specifies an annual submittal frequency; and identifies the EPA and appropriate regional office address where the reports are to be sent.

6 NYCRR 201-6.4 (f) (6)

This condition allows changes to be made at the facility, without modifying the permit, provided the changes do not cause an emission limit contained in this permit to be exceeded. The owner or operator of the facility must notify the Department of the change. It is applicable to all Title V permits which may be subject to an off permit change.

6 NYCRR 202-1.1

This regulation allows the department the discretion to require an emission test for the purpose of determining compliance. Furthermore, the cost of the test, including the preparation of the report are to be borne by the owner/operator of the source.

6 NYCRR 202-2.1

Requires that emission statements shall be submitted on or before April 15th each year for emissions of the previous calENDar year.

6 NYCRR 202-2.5

This rule specifies that each facility required to submit an emission statement must retain a copy of the statement and supporting documentation for at least 5 years and must make the information available to department representatives.

6 NYCRR 211.2

This regulation limits opacity from sources to less than or equal to 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

6 NYCRR 215.2

Except as allowed by section 215.3 of 6 NYCRR Part 215, no person shall burn, cause, suffer, allow or



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

permit the burning of any materials in an open fire.

40 CFR Part 68

This Part lists the regulated substances and their applicability thresholds and sets the requirements for stationary sources concerning the prevention of accidental releases of these substances.

40 CFR Part 82, Subpart F

Subpart F requires the reduction of emissions of class I and class II refrigerants to the lowest achievable level during the service, maintenance, repair, and disposal of appliances in accordance with section 608 of the Clean Air Act Amendments of 1990. This subpart applies to any person servicing, maintaining, or repairing appliances except for motor vehicle air conditioners. It also applies to persons disposing of appliances, including motor vehicle air conditioners, refrigerant reclaimers, appliance owners, and manufacturers of appliances and recycling and recovery equipment. Those individuals, operations, or activities affected by this rule, may be required to comply with specified disposal, recycling, or recovery practices, leak repair practices, recordkeeping and/or technician certification requirements.

**Facility Specific Requirements**

In addition to Title V, HOLLINGSWORTH & VOSE GREENWICH MILL has been determined to be subject to the following regulations:

40 CFR 60.42c (d)

This regulation requires that on or after the date on which the initial performance test is completed or required to be completed under section 60.8 of 40 CFR 60 Subpart A, no owner or operator of an affected facility that combusts oil, shall combust oil with a sulfur content in excess of 0.5 percent by weight.

40 CFR 60.48c (e) (11)

If fuel supplier certifications are used to demonstrate compliance with the distillate oil specifications under 40 CFR 60-Dc.41c, then reports shall include a certified statement signed by the owner or operator that the records of fuel supplier certifications submitted represent all of the fuel combusted during the reporting period.

40 CFR 60.48c (f) (1)

Fuel supplier certifications for distillate oil shall include the name of the oil supplier and a statement from the oil supplier that the oil complies with the specification under the definition of distillate oil in 40 CFR 60-Dc.41c

40 CFR 60.48c (g)

The owner or operator of each affected facility shall record and maintain records of the amount of each fuel combusted during each day.

40 CFR 63.3320 (b) (3)

This condition reduces the emissions of hazardous air pollutants by requiring the facility to meet an emission limit for organic HAP that are emitted from the coating processes. The facility must not emit more than 20% of the mass of the coating solids as organic HAP for existing sources and 8% for new sources.



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

40 CFR 63.3340

Table 2 to this subpart specifies the provisions of subpart A of this part that apply if you are subject to this subpart, such as startup, shutdown, and malfunction plans (SSMP) in §63.6(e)(3) for affected sources using a control device to comply with the emission standards.

40 CFR 63.3360 (c)

This condition requires the facility to calculate the portion of the coating that is organic hazardous air pollutants and spells out which methods are allowable to calculate the content. This condition will ensure that the facility is calculating their emissions of organic HAP in a consistent and easily understandable manner when determining whether they are meeting the emission limits in this subpart.

40 CFR 63.3400 (c) (2)

This condition spells out the information that needs to be submitted in the semi-annual compliance reports that must be submitted in order to show that the facility has been meeting the emission limits contained in this subpart.

40 CFR 63.3410 (a)

This condition spells out which records the facility must keep in order to prove that the facility is meeting the requirements in this subpart. The records need to be kept on a monthly basis and include items such as CEM data, material usage, HAP content, and operating parameter data.

40 CFR 63.6585

This condition details what criteria are used to determine if a reciprocating internal combustion engine is subject to the provisions of this NESHAP rule. If the engine meets the rule's definition of reciprocating internal combustion engine, and is located at a facility that emits at least 10 tons of a single hazardous air pollutant or 25 tons of all hazardous air pollutants, then the engine will need to meet the provisions in this rule.

40 CFR Part 60, Subpart A

This regulation contains the General Provisions of 40 CFR 60. The facility owner is responsible for reviewing these general provisions in detail and complying with all applicable technical, administrative and reporting requirements

40 CFR Part 63, Subpart DDDDD

This subpart establishes national emission limits and work practice standards for hazardous air pollutants (HAP) emitted from industrial, commercial, and institutional boilers and process heaters located at major sources of HAP emissions. It also establishes requirements to demonstrate initial and continuous compliance with the emission limits and work practice standards.



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

6 NYCRR 211.1

This regulation requires that no person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property.

6 NYCRR 212.4 (a)

This rule requires compliance with the degree of control specified in Tables 2, 3 and 4 for new (after July 1, 1973) process emission sources.

6 NYCRR 212.6 (a)

This rule specifies an opacity limitation of less than 20% for any six consecutive minute period for all process emission sources.

6 NYCRR 225-1.2 (f)

Sulfur-in-fuel limitations for the purchase of #2 heating oil on or after July 1, 2012.

6 NYCRR 225-1.2 (h)

Sulfur-in-fuel limitation for the firing of distillate oil on or after July 1, 2016.

6 NYCRR 227.2 (b) (1)

This regulation is from the 1972 version of Part 227 and still remains as part of New York's SIP. The rule establishes a particulate limit of 0.10 lbs/mmBtu based on a 2 hour average emission for any oil fired stationary combustion installation.

6 NYCRR 227-1.3 (a)

This regulation prohibits any person from operating a stationary combustion installation which emits smoke equal to or greater than 20% opacity except for one six-minute period per hour of not more than 27% opacity.

6 NYCRR 228-1.3 (a)

6 NYCRR 228-1.3 (b) (1)



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

6 NYCRR 228-1.3 (d)

6 NYCRR 228-1.4 (d) (3)

6 NYCRR 228-1.6 (a)

6 NYCRR 228-1.6 (c)

6 NYCRR 228-1.6 (h)

**Compliance Certification**

**Summary of monitoring activities at HOLLINGSWORTH & VOSE GREENWICH MILL:**

<b>Location Facility/EU/EP/Process/ES</b>	<b>Cond No.</b>	<b>Type of Monitoring</b>
-----		
U-BOILR/-/012	1-3	work practice involving specific operations
U-BOILR/-/012	1-4	record keeping/maintenance procedures
U-BOILR/-/012	1-5	record keeping/maintenance procedures
U-BOILR/-/012	1-6	record keeping/maintenance procedures
U-PAPER/-/0CC	43	work practice involving specific operations
U-PAPER/-/0CC	45	record keeping/maintenance procedures
U-PAPER/-/0CC	46	record keeping/maintenance procedures
U-PAPER/-/0CC	47	record keeping/maintenance procedures
FACILITY	27	record keeping/maintenance procedures
U-PAPER	35	work practice involving specific operations
FACILITY	2-4	record keeping/maintenance procedures
FACILITY	2-5	record keeping/maintenance procedures
FACILITY	7	record keeping/maintenance procedures
U-PAPER/-/0CC	38	work practice involving specific operations
U-PAPER/-/0CC	39	intermittent emission testing
U-PAPER/-/0CC	2-16	monitoring of process or control device parameters as surrogate
FACILITY	2-13	work practice involving specific operations
FACILITY	2-14	work practice involving specific operations
FACILITY	1-2	intermittent emission testing



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

U-BOILR	30	monitoring of process or control device parameters as surrogate
U-PAPER/-/0CC	2-17	monitoring of process or control device parameters as surrogate
U-PAPER/-/0CC	2-18	record keeping/maintenance procedures
U-PAPER/-/0CC	2-20	work practice involving specific operations
U-PAPER/-/0CC	2-21	record keeping/maintenance procedures
U-PAPER/-/0CC	2-23	record keeping/maintenance procedures

-----  
----

**Basis for Monitoring**

Opacity from the boiler stacks is limited to less than 20%, except for one 6-minute period per hour of not more than 27%. Opacity is used as a surrogate to indicate the level of particulate matter being emitted from the source. Compliance with this limit will be demonstrated through daily observations of the boiler stack. These daily observation for visible emissions should alert the operator of any unusual conditions which may result in excess emission if left unchecked.

Daily check of visible emissions for process sources, subject to 6NYCRR Part 212, at the facility will help ensure that the 20% opacity limit is being met. In addition, this requirement should help to alert the source owner to unusual process conditions that might result in excess emissions if left unchecked. This also serves as a surrogate for compliance with the 0.05 grains per dry standard cubic foot limit from 6NYCRR 212.4(c).

Opacity from stacks associated with the coating lines subject to Part 228 are limited to less than 20% opacity. Compliance with this limit will be demonstrated through daily observations of visible emissions from these exhausts.

Emissions of 1,3-dichloro-2 propanol is limited to 520 lbs during any 12 consecutive months. The purpose of this limit is to assure that the facility's potential ambient impacts from this contaminant are held below acceptable levels. Compliance with this limit must be monitored monthly through emissions calculations performed by the source owner for comparison to the limit.

Emissions of formaldehyde is limited to no more than 0.8 pounds per hour. The purpose of this limit is to ensure the facility's potential hourly ambient impacts from this contaminant are held below acceptable levels. Compliance with this limit is achieved through formulation of coating/binders such that the maximum hourly emission rate from this process is less than 0.8 pounds per hour. Production records and formulations will be maintained for the purpose of demonstrating compliance with this limit. In addition, verification through stack testing is required once per permit term.

Control of VOCs specific to handling, storage, and disposal ensures that VOC emissions from ancillary sources are controlled. Daily observations for proper storage, handling and disposal practices will be conducted and documented. This should promote an awareness that it is necessary to control these VOC emissions at all times.

Coating VOCs, as applied, are limited to .08 pound of VOCs per pound coating. Paper coating lines are subject to this limitation in accordance with 6NYCRR 228-1.4, Table D-2. Compliance with this limitation will be determined prior to using each coating, as applied at the facility based on certification from their supplier or manufacturer. Purchase, usage and/or production records for coating materials must also be maintained for further verification, if necessary.



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 5-5334-00006/00035**

**Renewal Number: 2**

**Modification Number: 2 02/27/2014**

The facility owns and operates a 16 mmBtu Ames boiler fired on natural gas and a 25 mmBtu Hurst boiler fired on natural gas with No. 2 fuel oil as backup. The 25 mmBtu Hurst boiler is subject to 40 CFR 60, New Source Performance Standards (NSPS), Subpart Dc. This Subpart requires fuel certifications indicating sulfur content of the fuel oil and prohibits the combustion of fuel oil with more than 5% sulfur content of by weight. The main purpose of this is to mitigate emissions of sulfur dioxide and particulate matter when burning fuel oil. This limitation also makes the facility minor for Prevention of Significant Deterioration (PSD) applicability. The Ames boiler, which is not subject to the NSPS fuel sulfur content limit (i.e., .5%), and the Hurst boiler are also required to comply with the 6 NYCRR Part 225-1 by weight fuel sulfur content requirement of .0015% (ie., as purchased after 7/1/12 and/or combusted after 7/1/16). A comparison to the limit(s) will be made on a per delivery basis.

Owner/operator of 40 CFR 60 Subpart Dc boilers between 10mmBtu but and 100 mmBtu are required to maintain records of the fuel combusted daily.

On a semiannual basis the owner or operator shall submit records of fuel supplier certifications and a signed statement that the records submitted represents all the fuel combusted during the reporting period. Given this certification, a comparison to the % by weight sulfur content limit can be made for all the oil combusted during the given period.

6NYCRR Part 227.2 requires oil fired stationary combustion installations comply with a 0.1 pounds per million Btu particulate matter emission limit. The 25 mmBtu Hurst boilers will be stack tested once per five (5) years to demonstrate compliance with this limit, triggered by operations contrary to a gas boiler as defined in 40 CFR 63, Subpart JJJJJ . In addition, visible emissions from the boiler are monitored daily which also serve as surrogate for compliance with the particulate matter limit.

This facility owns or operates an affected source subject to 40 CFR Part 63, Subpart JJJJ, National Emission Standards for Hazardous Air Pollutants (NESHAP) requirements for Paper and Other Web Coating . Subpart JJJJ limits organic HAPs to no more than 20 percent of the mass of coating solids applied for each month at existing affected sources. Compliance with this standard shall be demonstrated by limiting the calander month average for as-applied coating materials to no more than 0.2 kg organic HAP per kg coating solids. This will be demonstrated through maintenance of monthly records.

The boilers at this facility are also subject 40 CFR 63, Subpart DDDDD, National Emission Standards for Hazardous Air Pollutants for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters.