



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

**Facility Identification Data**

Name: DANC SOLID WASTE MANAGEMENT FACILITY

Address: 23400 ST RTE 177

RODMAN, NY 13682

**Owner/Firm**

Name: DEVELOPMENT AUTHORITY OF THE NORTH COUNTRY

Address: DULLES STATE OFFICE BLDG

317 WASHINGTON ST

WATERTOWN, NY 13601-3744, USA

Owner Classification: State

**Permit Contacts**

Division of Environmental Permits:

Name: LAWRENCE R AMBEAU

Address: NYSDEC - STATE OFFICE BLDG

317 WASHINGTON ST

WATERTOWN, NY 13601

Phone:3157852245

Division of Air Resources:

Name: CHRISTOPHER M LALONE

Address: STATE OFFICE BUILDING

317 WASHINGTON STREET

WATERTOWN, NY 13601

Phone:3157852513

Air Permitting Contact:

Name: PETER CHERESHNOSKI

Address: DANC RODMAN LANDFILL

PO BOX C 23400 ST RTE 177

RODMAN, NY 13682

Phone:1352323236

**Permit Description**

**Introduction**

The Title V operating air permit is intended to be a document containing only enforceable terms and conditions as well as any additional information, such as the identification of emission units, emission points, emission sources and processes, that makes the terms meaningful. 40 CFR Part 70.7(a)(5) requires that each Title V permit have an accompanying "...statement that sets forth the legal and factual basis for the draft permit conditions". The purpose for this permit review report is to satisfy the above requirement by providing pertinent details regarding the permit/application data and permit conditions in a more easily understandable format. This report will also include background narrative and explanations of regulatory decisions made by the reviewer. It should be emphasized that this permit review report, while based on information contained in the permit, is a separate document and is not itself an enforceable term and condition of the permit.

**Summary Description of Proposed Project**

This Title V Air Facility Permit Modification is to modify the Development Authority of the North Country (DANC) Solid Waste Management Facility (SWMF) Title V Permit (Title V Permit ID: 6-2252-



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

00007/00015) to include the Innovative/DANC, LLC landfill gas to energy (LFGTE) facility (Title V Permit ID: 6-2252-00018/00001), operated by Innovative Energy Systems, LLC (IES).

The DANC SWMF (Initial Title V Effective Date: 4/16/2001) and the Innovative/DANC LFGTE facility (Initial Title V Effective Date: 8/9/2005) currently operate under separate Title V Air permits in accordance with New York State Department of Environmental Conservation (NYSDEC) and federal EPA regulations. Each facility has been previously determined to be a separate facility, due to separate ownership, and therefore is permitted individually. A March 2009 Prevention of Significant Deterioration (PSD) permit application by IES has triggered EPA review of the common control determination for these two facilities. Based on discussions with EPA and NYSDEC, DANC and IES have chosen to modify the existing DANC SWMF Title V Permit to include the Innovative/DANC LFGTE facility, effectively creating a single combined facility Title V Air Permit.

Due to the fact that combining the facilities is occurring post installation of the LFGTE facility, this permit modification has been completed as if the LFGTE facility had been added to the DANC SWMF Title V permit in 2005 when the LFGTE facility was initially permitted, and therefore changes to the existing DANC SWMF Title V permit that have occurred since 2005, including the permitting of a 6-inch open candlestick flare in 2008 (EP00010) and the conversion of two (2) of the SWMF's previously exempt diesel powered emergency generators to be permitted for use as part of a Coordinated Demand Reduction Program (CDRP) in 2008, are considered as part of this permit modification application. Baseline emissions are presented as the potential to emit (PTE) of the SWMF prior to the 2005 permitting of the LFGTE plant in accordance with the landfill gas emission updates provided in this modification application.

The project defined for this permit modification includes the addition of the Innovative/DANC LFGTE facility consisting of three (3) existing (and permitted) and two (2) proposed (for a total of five (5)) Caterpillar® 3520C landfill gas engine generator sets, the addition of the currently permitted 6-inch open candlestick flare (Emission Unit 1-LFGAS, Emission Point 00010) to combust excess LFG that the engines cannot utilize, and the conversion of two (2) of the SWMF's previously exempt diesel powered emergency generators (Emission Unit 4-GENST) to be permitted for use as part of a CDRP.

This modification application presents updated emission inventories for the combined facility. The LFGTE facility engines are the primary landfill gas control for the site. The operating scenario for landfill gas control presented in this application includes all collected landfill gas used as a fuel source for the LFGTE engines to generate electricity. The existing 3,100 cfm open candlestick flare (EP00999), which was permitted in the initial DANC SWMF Title V Air Permit issued in 2001 and served as the primary landfill gas control device for the landfill until installation of the LFGTE facility, will be utilized as a backup control device during periods when the LFGTE engines are shut down.

**Attainment Status**

DANC SOLID WASTE MANAGEMENT FACILITY is located in the town of RODMAN in the county of JEFFERSON.

The attainment status for this location is provided below. (Areas classified as attainment are those that meet all ambient air quality standards for a designated criteria air pollutant.)

Criteria Pollutant	Attainment Status
-----	-----
-----	-----
Particulate Matter (PM)	ATTAINMENT
Particulate Matter < 10µ in diameter (PM10)	ATTAINMENT



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

Sulfur Dioxide (SO2)	ATTAINMENT
Ozone*	MARGINAL NON-ATTAINMENT
Oxides of Nitrogen (NOx)**	ATTAINMENT
Carbon Monoxide (CO)	ATTAINMENT

\* Ozone is regulated in terms of the emissions of volatile organic compounds (VOC) and/or oxides of nitrogen (NOx) which are ozone precursors.

\*\* NOx has a separate ambient air quality standard in addition to being an ozone precursor.

**Facility Description:**

The DANC SWMF is a 6 NYCRR Part 360 landfill currently operating under NYSDEC Air Facility Title V Permit No. 6-2252-00007/00015. The facility is permitted for the operation of one (1) 3,100 scfm open candlestick flare, one (1) 1,100 scfm open candlestick flare, and up to eight (8) portable, passive candlestick flares. Emission units at the facility consist of 1-LFGAS (landfill gas emissions associated with the uncontrolled release of landfill gas and emissions from the control of landfill gas), 3-LCHST (fugitive emissions associated with on-site leachate storage), and 4-GENST (one (1) 325 hp Onan model 80DGDA and one (1) 135 hp Olympian model D200P1 diesel engine generator set permitted to operate as part of a Coordinated Demand Reduction Program (CDRP)). DANC is not required to operate an active landfill gas collection and control system by regulation, but has elected to voluntarily install and operate the system to reduce greenhouse gas emissions and improve air quality.

This Title V permit modification is to modify the DANC SWMF Title V permit to include the Innovative/DANC, LLC landfill gas to energy (LFGTE) facility. The facility consists of three (3) existing and two (2) proposed (for a total of five (5)) Caterpillar, Inc. 3520C landfill gas internal combustion engine generator sets. The LFGTE facility combusts treated landfill gas collected from the landfill active gas collection system to generate electrical power for sale to the open market. Combined emissions from the landfill and the LFGTE facility include NMOC, NOx, SOx, CO, PM, VOC and HAP. The LFGTE facility is the primary landfill gas control system. The 6-inch 1,100 scfm flare (EP 00010) is utilized to combust excess landfill gas that cannot be utilized by the LFGTE engines, and the 3,100 scfm flare (EP 00999) is utilized as a backup landfill gas control device to the LFGTE facility when it is non-operational. The LFGTE facility is operated by Innovative Energy Systems, LLC.

**Permit Structure and Description of Operations**

The Title V permit for DANC SOLID WASTE MANAGEMENT FACILITY is structured in terms of the following hierarchy: facility, emission unit, emission point, emission source and process. A facility is defined as all emission sources located at one or more adjacent or contiguous properties owned or operated by the same person or persons under common control. The facility is subdivided into one or more emission units (EU). Emission units are defined as any part or activity of a stationary facility that emits or has the potential to emit any federal or state regulated air pollutant. An emission unit is represented as a grouping of processes (defined as any activity involving one or more emission sources (ES) that emits or has the potential to emit any federal or state regulated air pollutant). An emission source is defined as any apparatus, contrivance or machine capable of causing emissions of any air contaminant to the outdoor atmosphere, including any appurtenant exhaust system or air cleaning device. [NOTE: Indirect sources of air contamination as defined in 6 NYCRR Part 203 (i.e. parking lots) are excluded from this definition]. The applicant is required to identify the principal piece of equipment (i.e., emission source) that directly results in or controls the emission of federal or state regulated air pollutants from an activity (i.e., process). Emission sources are categorized by the following types:



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

combustion - devices which burn fuel to generate heat, steam or power  
incinerator - devices which burn waste material for disposal  
control - emission control devices  
process - any device or contrivance which may emit air contaminants  
that is not included in the above categories.

DANC SOLID WASTE MANAGEMENT FACILITY is defined by the following emission unit(s):

Emission unit 1LFGAS - This emission unit consists of landfilled waste generating landfill gas by anaerobic decomposition. The emission unit will consist of the Innovative/DANC landfill gas to energy (LFGTE) facility with up to five (5) lean burn Caterpillar, Inc. G3520C IC engine generator sets as the primary landfill gas control devices for collected gas. One (1) 3,100 cfm open candlestick flare is utilized as a backup landfill gas control device during periods when the LFGTE engines are shutdown. One (1) 1,100 cfm open candlestick flare is utilized to control landfill gas that is not combusted by the engines (during periods of engine shutdown, or prior to all permitted engines being installed). Eight (8) portable, passive flares will be utilized as additional landfill gas controls as needed. Landfill gas not captured by the facility's gas collection and control system will be classified as fugitive emissions.

Emission unit 1LFGAS is associated with the following emission points (EP):

00001, 00002, 00003, 00004, 00005, 00006, 00007, 00008, 00010, 00999, ENG01, ENG02, ENG03, ENG04, ENG05

Process: 001 This process consists of the control of collected landfill gas generated by decomposition of landfill waste. Primary control devices include five (5) Caterpillar G3520C IC engine generator sets. The maximum landfill gas fuel use rate of each IC engine is approximately 531 cfm (at 50% methane). Two (2) open candlestick flares and up to eight (8) passive, portable candlestick flares will be used to control any landfill gas in excess of the amount that can be burned by the IC engines and as backup control of landfill gas if the IC engines are not operating.

Process: 005

Process: 005

Process: 005 This process consists of fugitive emissions of uncollected landfill gas to the atmosphere.

Emission unit 3LCHST - This unit consists of one 2.5 million gallon concrete open-topped leachate storage tank.

Process: 002 Landfill leachate is collected and stored in a 2.5 million gallon concrete open-topped storage tank prior to removal and shipment to a water treatment facility.

Process: 003

Emission unit 4GENST - This emission unit consists of two engine generator sets (Onan Model 80DGD & Olympian Model D200P1) that may be used as part of a coordinated demand reduction program (CDRP). Any other use will only be on an emergency basis.

Process: 003 Generation of facility power by 2 diesel engine generator sets as part of a coordinated demand reduction program (CDRP).



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

emis\_process\_desc

**Title V/Major Source Status**

DANC SOLID WASTE MANAGEMENT FACILITY is subject to Title V requirements. This determination is based on the following information:

This facility is required to get a Title V permit by 40 CFR 60 Subpart WWW - Standards of Performance for Municipal Solid Waste Landfills. The regulation requires that any facility constructed or modified after May 30, 1991, with a design capacity equal to or greater than 2.5 million cubic meters, to apply for an receive a Title V permit regardless of emission levels. The facility is also a major source of carbon monoxide (CO).

**Program Applicability**

The following chart summarizes the applicability of DANC SOLID WASTE MANAGEMENT FACILITY with regards to the principal air pollution regulatory programs:

Regulatory Program	Applicability
PSD	NO
NSR (non-attainment)	NO
NESHAP (40 CFR Part 61)	YES
NESHAP (MACT - 40 CFR Part 63)	YES
NSPS	YES
TITLE IV	NO
TITLE V	YES
TITLE VI	NO
RACT	NO
SIP	YES

**NOTES:**

**PSD** Prevention of Significant Deterioration (40 CFR 52) - requirements which pertain to major stationary sources located in areas which are in attainment of National Ambient Air Quality Standards (NAAQS) for specified pollutants.

**NSR** New Source Review (6 NYCRR Part 231) - requirements which pertain to major stationary sources located in areas which are in non-attainment of National Ambient Air Quality Standards (NAAQS) for specified pollutants.

**NESHAP** National Emission Standards for Hazardous Air Pollutants (40 CFR 61) - contaminant and source specific emission standards established prior to the Clean Air Act Amendments of 1990 (CAAA) which were developed for 9 air contaminants (inorganic arsenic, radon, benzene, vinyl chloride, asbestos, mercury, beryllium, radionuclides, and volatile HAP's).

**MACT** Maximum Achievable Control Technology (40 CFR 63) - contaminant and source specific



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

emission standards established by the 1990 CAAA. Under Section 112 of the CAAA, the US EPA is required to develop and promulgate emissions standards for new and existing sources. The standards are to

be based on the best demonstrated control technology and practices in the regulated industry, otherwise known as MACT. The corresponding regulations apply to specific source types and contaminants.

**NSPS** New Source Performance Standards (40 CFR 60) - standards of performance for specific stationary source categories developed by the US EPA under Section 111 of the CAAA. The standards apply only to those stationary sources which have been constructed or modified after the regulations have been proposed by publication in the Federal Register and only to the specific contaminant(s) listed in the regulation.

**Title IV Acid Rain Control Program (40 CFR 72 thru 78)** - regulations which mandate the implementation of the acid rain control program for large stationary combustion facilities.

**Title VI Stratospheric Ozone Protection (40 CFR 82, Subparts A thru G)** - federal requirements that apply to sources which use a minimum quantity of CFC's (chlorofluorocarbons), HCFC's (hydrofluorocarbons) or other ozone depleting substances or regulated substitute substances in equipment such as air conditioners, refrigeration equipment or motor vehicle air conditioners or appliances.

**RACT** Reasonably Available Control Technology (6 NYCRR Parts 212.10, 226, 227-2, 228, 229, 230, 232, 233, 234, 235, 236) - the lowest emission limit that a specific source is capable of meeting by application of control technology that is reasonably available, considering technological and economic feasibility. RACT is a control strategy used to limit emissions of VOC's and NOx for the purpose of attaining the air quality standard for ozone. The term as it is used in the above table refers to those state air pollution control regulations which specifically regulate VOC and NOx emissions.

**SIP** State Implementation Plan (40 CFR 52, Subpart HH) - as per the CAAA, all states are empowered and required to devise the specific combination of controls that, when implemented, will bring about attainment of ambient air quality standards established by the federal government and the individual state. This specific combination of measures is referred to as the SIP. The term here refers to those state regulations that are approved to be included in the SIP and thus are considered federally enforceable.

**Compliance Status**

Facility is in compliance with all requirements.

**SIC Codes**

SIC or Standard Industrial Classification code is an industrial code developed by the federal Office of Management and Budget for use, among other things, in the classification of establishments by the type of activity in which they are engaged. Each operating establishment is assigned an industry code on the basis

of its primary activity, which is determined by its principal product or group of products produced or distributed, or services rendered. Larger facilities typically have more than one SIC code.

**SIC Code**

**Description**

4911  
4953

ELECTRIC SERVICES  
REFUSE SYSTEMS

**SCC Codes**



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

SCC or Source Classification Code is a code developed and used" by the USEPA to categorize processes which result in air emissions for the purpose of assessing emission factor information. Each SCC represents a unique process or function within a source category logically associated with a point of air pollution emissions. Any operation that causes air pollution can be represented by one or more SCC's.

<b>SCC Code</b>	<b>Description</b>
2-01-001-02	INTERNAL COMBUSTION ENGINES - ELECTRIC GENERATION ELECTRIC UTILITY INTERNAL COMBUSTION ENGINE - DISTILLATE OIL (DIESEL) Reciprocating
2-04-003-04	INTERNAL COMBUSTION ENGINES - ENGINE TESTING INTERNAL COMBUSTION ENGINE: ENGINE TESTING - TURBINE
5-01-004-02	LANDFILL GAS SOLID WASTE DISPOSAL - GOVERNMENT SOLID WASTE DISPOSAL: GOVERNMENT - LANDFILL DUMP FUGITIVE EMISSIONS
5-01-004-06	SOLID WASTE DISPOSAL - GOVERNMENT SOLID WASTE DISPOSAL: GOVERNMENT - LANDFILL DUMP
5-01-004-10	LANDFILL GAS COLLECTION SYSTEM: OTHER SOLID WASTE DISPOSAL - GOVERNMENT SOLID WASTE DISPOSAL: GOVERNMENT - LANDFILL DUMP
5-03-006-02	WASTE GAS DESTRUCTION: WASTE GAS FLARES SOLID WASTE DISPOSAL - INDUSTRIAL SOLID WASTE DISPOSAL: INDUSTRIAL - LANDFILL DUMP Liquid Waste Disposal

**Facility Emissions Summary**

In the following table, the CAS No. or Chemical Abstract Service code is an identifier assigned to every chemical compound. [NOTE: Certain CAS No.'s contain a 'NY' designation within them. These are not true CAS No.'s but rather an identification which has been developed by the department to identify groups of contaminants which ordinary CAS No.'s do not do. As an example, volatile organic compounds or VOC's are identified collectively by the NY CAS No. 0NY998-00-0.] The PTE refers to the Potential to Emit. This is defined as the maximum capacity of a facility or air contaminant source to emit any air contaminant under its physical and operational design. Any physical or operational limitation on the capacity of the facility or air contamination source to emit any air contaminant, including air pollution control equipment and/or restrictions on the hours of operation, or on the type or amount or material combusted, stored, or processed, shall be treated as part of the design only if the limitation is contained in federally enforceable permit conditions. The PTE Range represents an emission range for a contaminant. Any PTE quantity that is displayed represents a facility-wide emission cap or limitation for that contaminant. If no PTE quantity is displayed, the PTE Range is provided to indicate the approximate magnitude of facility-wide emissions for the specified contaminant in terms of tons per year (tpy). The term 'HAP' refers to any of the hazardous air pollutants listed in section 112(b) of the Clean Air Act Amendments of 1990. Total emissions of all hazardous air pollutants are listed under the special NY CAS No. 0NY100-00-0. In addition, each individual hazardous air pollutant is also listed under its own specific CAS No. and is identified in the list below by the (HAP) designation.

New York State Department of Environmental Conservation  
**Permit Review Report**



**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

Cas No.	Contaminant Name	PTE	
		lbs/yr	Range
000079-34-5	1,1,2,2-TETRACHLOROETHANE		> 0 but < 10 tpy
000107-06-2	1,2-DICHLOROETHANE		> 0 but < 10 tpy
000108-10-1	2-PENTANONE, 4-METHYL		> 0 but < 10 tpy
000071-43-2	BENZENE		> 0 but < 10 tpy
000106-46-7	BENZENE, 1,4-DICHLORO-		> 0 but < 10 tpy
000075-15-0	CARBON DISULFIDE		> 0 but < 10 tpy
000630-08-0	CARBON MONOXIDE	612000	
000056-23-5	CARBON TETRACHLORIDE		> 0 but < 10 tpy
000463-58-1	CARBONYL SULFIDE		> 0 but < 10 tpy
000108-90-7	CHLOROBENZENE		> 0 but < 10 tpy
000067-66-3	CHLOROFORM		> 0 but < 10 tpy
000075-09-2	DICHLOROMETHANE		> 0 but < 10 tpy
000071-55-6	ETHANE, 1,1,1-TRICHLORO		> 0 but < 10 tpy
000075-34-3	ETHANE, 1,1-DICHLORO-		> 0 but < 10 tpy
000106-93-4	ETHANE, 1,2-DIBROMO		> 0 but < 10 tpy
000075-00-3	ETHANE, CHLORO		> 0 but < 10 tpy
000075-35-4	ETHENE, 1,1-DICHLORO		> 0 but < 10 tpy
000100-41-4	ETHYLBENZENE		> 0 but < 10 tpy
0NY100-00-0	HAP		>= 2.5 tpy but < 10 tpy
000110-54-3	HEXANE		> 0 but < 10 tpy
007647-01-0	HYDROGEN CHLORIDE		> 0 but < 10 tpy
007439-92-1	LEAD		> 0 but < 10 tpy
007439-97-6	MERCURY		> 0 but < 10 tpy
000074-82-8	METHANE		>= 250 tpy
000074-87-3	METHYL CHLORIDE		> 0 but < 10 tpy
000078-93-3	METHYL ETHYL KETONE		> 0 but < 2.5 tpy
0NY998-20-0	NMOC - LANDFILL USE ONLY	110000	
0NY210-00-0	OXIDES OF NITROGEN		>= 50 tpy but < 100 tpy
0NY075-00-0	PARTICULATES		>= 25 tpy but < 40 tpy
000127-18-4	PERCHLOROETHYLENE		> 0 but < 10 tpy
0NY075-00-5	PM-10		>= 25 tpy but < 40 tpy
000078-87-5	PROPANE, 1,2-DICHLORO		> 0 but < 10 tpy
000107-13-1	PROPENENITRILE		> 0 but < 10 tpy
007446-09-5	SULFUR DIOXIDE		>= 2.5 tpy but < 10 tpy
000108-88-3	TOLUENE		> 0 but < 10 tpy
000079-01-6	TRICHLOROETHYLENE		> 0 but < 10 tpy
000075-01-4	VINYL CHLORIDE		> 0 but < 10 tpy
0NY998-00-0	VOC		>= 2.5 tpy but < 10 tpy
001330-20-7	XYLENE, M, O & P MIXT.		> 0 but < 10 tpy

**NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS**

**Item A: Emergency Defense - 6 NYCRR 201-1.5**

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed,



New York State Department of Environmental Conservation  
**Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

contemporaneous operating logs, or other relevant evidence that:

- (1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;
  - (2) The equipment at the permitted facility causing the emergency was at the time being properly operated;
  - (3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
  - (4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.
- (b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.
- (c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

**Item B: Public Access to Recordkeeping for Title V Facilities - 6 NYCRR 201-1.10(b)**

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6 NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

**Item C: Timely Application for the Renewal of Title V Permits -6 NYCRR Part 201-6.3(a)(4)**

Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

**Item D: Certification by a Responsible Official - 6 NYCRR Part 201-6.3(d)(12)**

Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

**Item E: Requirement to Comply With All Conditions - 6 NYCRR Part 201-6.5(a)(2)**

The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

**Item F: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR Part 201-6.5(a)(3)**

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.



New York State Department of Environmental Conservation  
**Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

**Item G: Cessation or Reduction of Permitted Activity Not a Defense - 6 NYCRR 201-6.5(a)(5)**

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

**Item H: Property Rights - 6 NYCRR 201-6.5(a)(6)**

This permit does not convey any property rights of any sort or any exclusive privilege.

**Item I: Severability - 6 NYCRR Part 201-6.5(a)(9)**

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

**Item J: Permit Shield - 6 NYCRR Part 201-6.5(g)**

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii. The applicable requirements of Title IV of the Act;
- iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

**Item K: Reopening for Cause - 6 NYCRR Part 201-6.5(i)**

This Title V permit shall be reopened and revised under any of the following circumstances:

- i. If additional applicable requirements under the Act become applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.



New York State Department of Environmental Conservation  
**Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

**Item L: Permit Exclusion - ECL 19-0305**

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

**Item M: Federally Enforceable Requirements - 40 CFR 70.6(b)**

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

**NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS**

**Item A: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5**

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all

New York State Department of Environmental Conservation  
**Permit Review Report**



Permit ID: 6-2252-00007/00015

Renewal Number: 1

Modification Number: 3 04/13/2010

criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

**Regulatory Analysis**

Location Facility/EU/EP/Process/ES	Regulation	Condition	Short Description
-- FACILITY	ECL 19-0301	53	Powers and Duties of the Department with respect to air pollution control
FACILITY	40CFR 52-A.21	3 -8, 3 -9	Prevention of Significant Deterioration
FACILITY	40CFR 60-A.11 (d)	41	General provisions - compliance with standards and maintenance requirements
FACILITY	40CFR 60-A.12	42	General provisions - Circumvention
FACILITY	40CFR 60-A.14	43	General provisions - Modification
1-LFGAS/-/001	40CFR 60-A.18 (c)	1 -2	Control Device Requirements (Flares)
FACILITY	40CFR 60-A.4	29	General provisions - Address
FACILITY	40CFR 60-A.7 (b)	30	Notification and Recordkeeping
FACILITY	40CFR 60-A.7 (c)	31	Notification and Recordkeeping
FACILITY	40CFR 60-A.7 (d)	32	Notification and Recordkeeping
FACILITY	40CFR 60-A.7 (f)	33	Notification and Recordkeeping
FACILITY	40CFR 60-A.8 (b)	34, 35	Performance Tests
FACILITY	40CFR 60-A.8 (c)	36	Performance Tests
FACILITY	40CFR 60-A.8 (d)	37	Performance Tests
FACILITY	40CFR 60-A.8 (e)	38	Performance Tests
FACILITY	40CFR 60-A.8 (f)	39	Performance Tests
FACILITY	40CFR 60-A.9	40	General provisions - Availability of information
FACILITY	40CFR 60- JJJJ.4230 (a) (4)	3 -16	Standards of Performance for Stationary Spark Ignition Internal Combustion Engines - Applicability
FACILITY	40CFR 60-	3 -13	Standards for air



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

	WWW.752 (b) (2)			emissions from MSW landfills
1-LFGAS/-/001	40CFR 60- WWW.752 (b) (2) (	3	-18	Treatment Systems Processing Landfill Gas for Subsequent Sale or Use.
FACILITY	40CFR 60- WWW.754 (a) (1)	45		Calculation of Non-Methane Organic Carbon (NMOC) Emissions
FACILITY	40CFR 60- WWW.754 (a) (2)	46		NMOC Calculation - Tier 1
FACILITY	40CFR 60- WWW.754 (a) (3)	47		NMOC Calculation - Tier 2
FACILITY	40CFR 60- WWW.754 (a) (4)	48		NMOC Calculation - Tier 3
FACILITY	40CFR 60- WWW.754 (a) (5)	44		NMOC Calculation - Alternative Methods
FACILITY	40CFR 60-WWW.757 (b)	49		Reporting requirements - NMOC emission rate
FACILITY	40CFR 61-M.154	50		Standard for active waste disposal sites
FACILITY	40CFR 63-ZZZZ.6590 (c)	3	-17	Stationary RICE subject to Regulations under 40 CFR Part 60
FACILITY	40CFR 68	21		Chemical accident prevention provisions
FACILITY	40CFR 82-F	22		Protection of Stratospheric Ozone - recycling and emissions reduction
FACILITY	6NYCRR 200.6	1		Acceptable ambient air quality.
FACILITY	6NYCRR 200.7	10		Maintenance of equipment.
FACILITY	6NYCRR 201-1.4	3	-22	Unavoidable noncompliance and violations
FACILITY	6NYCRR 201-1.7	11		Recycling and Salvage
FACILITY	6NYCRR 201-1.8	1	-1	Prohibition of reintroduction of collected contaminants to the air
FACILITY	6NYCRR 201-3.2 (a)	13		Exempt Activities - Proof of eligibility
FACILITY	6NYCRR 201-3.3 (a)	14		Trivial Activities - proof of eligibility
FACILITY	6NYCRR 201-6	23, 51, 52		Title V Permits and the Associated Permit Conditions
FACILITY	6NYCRR 201-6.5 (a) (4)	15		General conditions
FACILITY	6NYCRR 201-6.5 (a) (7)	2		General conditions Fees
FACILITY	6NYCRR 201-6.5 (a) (8)	16		General conditions
FACILITY	6NYCRR 201-6.5 (c)	3		Permit conditions for Recordkeeping and Reporting of Compliance Monitoring
FACILITY	6NYCRR 201-6.5 (c) (2)	4		Permit conditions for Recordkeeping and Reporting of

New York State Department of Environmental Conservation  
**Permit Review Report**



**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

FACILITY	6NYCRR 201-6.5(c) (3) (ii)	5	Compliance Monitoring Permit conditions for Recordkeeping and Reporting of Compliance Monitoring
FACILITY	6NYCRR 201-6.5(d) (5)	17	Compliance schedules
FACILITY	6NYCRR 201-6.5(e)	6	Compliance Certification
FACILITY	6NYCRR 201-6.5(f)	3 -3	Operational flexibility
FACILITY	6NYCRR 201-6.5(f) (1)	3 -4	Alternate operating scenarios
FACILITY	6NYCRR 201-6.5(f) (6)	18	Off Permit Changes
FACILITY	6NYCRR 201-6.5(g)	24, 3 -5	Permit shield
FACILITY	6NYCRR 201-7	3 -6, 3 -7, 3 -8, 3 -9, 3 -10, 3 -11, 3 -12, 3 -13	Federally Enforceable Emissions Caps
1-LFGAS/-/001/F0999	6NYCRR 201-7	3 -19	Federally Enforceable Emissions Caps
4-GENST/-/003/OLYM1	6NYCRR 201-7	3 -20	Federally Enforceable Emissions Caps
4-GENST/-/003/ONAN1	6NYCRR 201-7	3 -21	Federally Enforceable Emissions Caps
FACILITY	6NYCRR 202-1.1	3 -2	Required emissions tests.
FACILITY	6NYCRR 202-2.1	7	Emission Statements - Applicability
FACILITY	6NYCRR 202-2.3	27	Emission Statement - Required contents of an emission statement.
FACILITY	6NYCRR 202-2.4	28	Emission Statement - methods and procedures
FACILITY	6NYCRR 202-2.5	8	Emission Statements - record keeping requirements.
FACILITY	6NYCRR 211.2	3 -23	General Prohibitions - air pollution prohibited.
FACILITY	6NYCRR 211.3	20	General Prohibitions - visible emissions limited
FACILITY	6NYCRR 215.2	3 -1	Open Fires - Prohibitions
FACILITY	6NYCRR 217-3.2	56	Prohibitions.
FACILITY	6NYCRR 217-3.3	57	Exceptions.
FACILITY	6NYCRR 225-1.2(a) (2)	2 -1	Sulfur in Fuel Limitations Post 12/31/87.
FACILITY	6NYCRR 225-1.8	2 -2	Reports, sampling and analysis.
4-GENST/-/003/OLYM1	6NYCRR 227.2(b) (1)	2 -4	Particulate emissions.
FACILITY	6NYCRR 227-1.3(a)	3 -14, 3 -15	Smoke Emission Limitations.
FACILITY	6NYCRR 227-2	3 -10, 3 -11, 3 -12	Reasonably available control technology for NOx
FACILITY	6NYCRR 231-2	3 -10, 3 -11, 3 -12	New Source Review in Nonattainment Areas and Ozone Transport Region
4-GENST/-/003/OLYM1	6NYCRR 231-2	3 -20	New Source Review in



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

4-GENST/-/003/ONAN1	6NYCRR 231-2	3	-21	Nonattainment Areas and Ozone Transport Region
FACILITY	6NYCRR 231-7	3	-7	New Source Review in Nonattainment Areas and Ozone Transport Region
1-LFGAS/-/001/F0999	6NYCRR 231-7	3	-19	New Major Facilities and Mod to Existing Non-major Facilities in Attainment Areas (PSD)
				New Major Facilities and Mod to Existing Non-major Facilities in Attainment Areas (PSD)

**Applicability Discussion:**

Mandatory Requirements: The following facility-wide regulations are included in all Title V permits:

ECL 19-0301

This section of the Environmental Conservation Law establishes the powers and duties assigned to the Department with regard to administering the air pollution control program for New York State.

6 NYCRR 200.6

Acceptable ambient air quality - prohibits contravention of ambient air quality standards without mitigating measures

6 NYCRR 200.7

Anyone owning or operating an air contamination source which is equipped with an emission control device must operate the control consistent with ordinary and necessary practices, standards and procedures, as per manufacturer's specifications and keep it in a satisfactory state of maintenance and repair so that it operates effectively

6 NYCRR 201-1.4

This regulation specifies the actions and recordkeeping and reporting requirements for any violation of an applicable state enforceable emission standard that results from a necessary scheduled equipment maintenance, start-up, shutdown, malfunction or upset in the event that these are unavoidable.

6 NYCRR 201-1.7

Requires the recycle and salvage of collected air contaminants where practical

6 NYCRR 201-1.8

Prohibits the reintroduction of collected air contaminants to the outside air

6 NYCRR 201-3.2 (a)

An owner and/or operator of an exempt emission source or unit may be required to certify that it operates within the specific criteria described in this Subpart. All required records must be maintained on-site for a period of 5 years and made available to department representatives upon request. In addition, department representatives must be granted access to any facility which contains exempt emission sources or units, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

6 NYCRR 201-3.3 (a)

The owner and/or operator of a trivial emission source or unit may be required to certify that it operates within the specific criteria described in this Subpart. All required records must be maintained on-site for a period of 5 years and made available to department representatives upon request. In addition, department representatives must be granted access to any facility which contains trivial emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

6 NYCRR Subpart 201-6

This regulation applies to those terms and conditions which are subject to Title V permitting. It establishes the applicability criteria for Title V permits, the information to be included in all Title V permit applications as well as the permit content and terms of permit issuance. This rule also specifies the compliance, monitoring, recordkeeping, reporting, fee, and procedural requirements that need to be met to obtain a Title V permit, modify the permit and demonstrate conformity with applicable requirements as listed in the Title V permit. For permitting purposes, this rule specifies the need to identify and describe all emission units, processes and products in the permit application as well as providing the Department the authority to include this and any other information that it deems necessary to determine the compliance status of the facility.

6 NYCRR 201-6.5 (a) (4)

This mandatory requirement applies to all Title V facilities. It requires the permittee to provide information that the Department may request in writing, within a reasonable time, in order to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. The request may include copies of records required to be kept by the permit.

6 NYCRR 201-6.5 (a) (7)

This is a mandatory condition that requires the owner or operator of a facility subject to Title V requirements to pay all applicable fees associated with the emissions from their facility.

6 NYCRR 201-6.5 (a) (8)

This is a mandatory condition for all facilities subject to Title V requirements. It allows the Department to inspect the facility to determine compliance with this permit, including copying records, sampling and monitoring, as necessary.

6 NYCRR 201-6.5 (c)

This requirement specifies, in general terms, what information must be contained in any required compliance monitoring records and reports. This includes the date, time and place of any sampling, measurements and analyses; who performed the analyses; analytical techniques and methods used as well as any required QA/QC procedures; results of the analyses; the operating conditions at the time of sampling or measurement and the identification of any permit deviations. All such reports must also be certified by the designated responsible official of the facility.

6 NYCRR 201-6.5 (c) (2)

This requirement specifies that all compliance monitoring and recordkeeping is to be conducted according to the terms and conditions of the permit and follow all QA requirements found in applicable regulations. It also requires monitoring records and supporting information to be retained for at least 5 years from the time of sampling, measurement, report or application. Support information is defined as including all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

6 NYCRR 201-6.5 (c) (3) (ii)



**New York State Department of Environmental Conservation**  
**Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

This regulation specifies any reporting requirements incorporated into the permit must include provisions regarding the notification and reporting of permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken.

6 NYCRR 201-6.5 (d) (5)

This condition applies to every Title V facility subject to a compliance schedule. It requires that reports, detailing the status of progress on achieving compliance with emission standards, be submitted semiannually.

6 NYCRR 201-6.5 (e)

Sets forth the general requirements for compliance certification content; specifies an annual submittal frequency; and identifies the EPA and appropriate regional office address where the reports are to be sent.

6 NYCRR 201-6.5 (f) (6)

This condition allows changes to be made at the facility, without modifying the permit, provided the changes do not cause an emission limit contained in this permit to be exceeded. The owner or operator of the facility must notify the Department of the change. It is applicable to all Title V permits which may be subject to an off permit change.

6 NYCRR 201-6.5 (g)

Permit Exclusion Provisions - specifies those actions, such as administrative orders, suits, claims for natural resource damages, etc that are not affected by the federally enforceable portion of the permit, unless they are specifically addressed by it.

6 NYCRR 202-1.1

This regulation allows the department the discretion to require an emission test for the purpose of determining compliance. Furthermore, the cost of the test, including the preparation of the report are to be borne by the owner/operator of the source.

6 NYCRR 202-2.1

Requires that emission statements shall be submitted on or before April 15th each year for emissions of the previous calENdAr year.

6 NYCRR 202-2.5

This rule specifies that each facility required to submit an emission statement must retain a copy of the statement and supporting documentation for at least 5 years and must make the information available to department representatives.

6 NYCRR 211.2

This regulation prohibits any emissions of air contaminants to the outdoor atmosphere which may be detrimental to human, plant or animal life or to property, or which unreasonably interferes with the comfortable enjoyment of life or property regardless of the existence of any specific air quality standard or emission limit.

6 NYCRR 211.3

This condition requires that the opacity (i.e., the degree to which emissions other than water reduce the transmission of light) of the emissions from any air contamination source be less than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent.

6 NYCRR 215.2

Except as allowed by section 215.3 of 6 NYCRR Part 215, no person shall burn, cause, suffer, allow or



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

permit the burning of any materials in an open fire.

40 CFR Part 68

This Part lists the regulated substances and their applicability thresholds and sets the requirements for stationary sources concerning the prevention of accidental releases of these substances.

40 CFR Part 82, Subpart F

Subpart F requires the reduction of emissions of class I and class II refrigerants to the lowest achievable level during the service, maintenance, repair, and disposal of appliances in accordance with section 608 of the Clean Air Act Amendments of 1990. This subpart applies to any person servicing, maintaining, or repairing appliances except for motor vehicle air conditioners. It also applies to persons disposing of appliances, including motor vehicle air conditioners, refrigerant reclaimers, appliance owners, and manufacturers of appliances and recycling and recovery equipment. Those individuals, operations, or activities affected by this rule, may be required to comply with specified disposal, recycling, or recovery practices, leak repair practices, recordkeeping and/or technician certification requirements.

**Facility Specific Requirements**

In addition to Title V, DANC SOLID WASTE MANAGEMENT FACILITY has been determined to be subject to the following regulations:

40 CFR 52.21

This citation applies to facilities that are subject to Prevention of Significant Deterioration provisions;

ie: facilities that are located in an attainment area and that emit pollutants which are listed in 40 CFR 52.21(b)(23)(i) .

40 CFR 60.11 (d)

This regulation specifies the type of opacity monitoring requirements in relation to compliance with the standards and maintenance requirements.

40 CFR 60.12

This regulation prohibits an owner or operator from concealing emissions in violation of applicable standards by any means.

40 CFR 60.14

This regulation defines the term modification and what is and is not considered to be a modification, for the purpose of rule applicability.

40 CFR 60.18 (c)

This regulation specifies the operating parameters and testing methods used to operate and monitor a flare that is being used as an air pollution control device (as required by a new source performance standard).

40 CFR 60.4

This condition lists the USEPA Region 2 address for the submittal of all communications to the "Administrator". In addition, all such communications must be copied to NYSDEC Bureau of Quality Assurance (BQA).

40 CFR 60.4230 (a) (4) (i)



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

Owners and operators of stationary spark ignited internal combustion engines (SI ICE), that commence construction after June 12, 2006, where the stationary SI ICE are manufactured on or after July 1, 2007, for engines with a maximum engine power greater than or equal to 500 HP (except lean burn engines with a maximum engine power greater than or equal to 500 HP and less than 1,350 HP) are subject to the requirements of 40 CFR 60 Subpart JJJJ.

40 CFR 60.7 (b)

This regulation requires the owner or operator to maintain records of the occurrence and duration of any startup, shutdown, or malfunction of the source or control equipment or continuous monitoring system.

40 CFR 60.7 (c)

This requirement details the information to be submitted in excess emissions and monitoring systems performance reports which must be submitted at least semi-annually for sources with compliance monitoring systems.

40 CFR 60.7 (d)

This condition specifies the required information and format for a summary report form and details when either a summary form and/or excess emissions reports are required.

40 CFR 60.7 (f)

This condition specifies requirements for maintenance of files of all measurements, including continuous monitoring system (CMS), monitoring device, and performance testing measurements; all CMS performance evaluations; all CMS or monitoring device calibration checks; adjustments and maintenance performed on these systems or devices for at least two years.

40 CFR 60.752 (b) (2)

If the non-methane organic carbon emission rate is greater than 50 megagrams/year (55 tons/year), the owner or operator must submit a design plan for a collection and control system.

40 CFR 60.752 (b) (2) (iii) ('C')

40 CFR 60.754 (a) (1)

This condition specifies the equations to be used to calculate the non-methane organic carbon emission rate from an MSW landfill.

40 CFR 60.754 (a) (2)

This condition sets forth the requirements for conducting a Tier 1 test of non-methane organic carbon emissions from an MSW landfill. The emission rate is calculated using the default values cited in 40 CFR 60.754(a)(1) and compared to 50 megagrams/year (55 tons/year).

40 CFR 60.754 (a) (3)

This condition sets forth the requirements for conducting a Tier 2 test of NMOC emissions from an MSW landfill.



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

40 CFR 60.754 (a) (4)

This condition sets forth the requirements for conducting a Tier 3 test for NMOC emissions at an MSW landfill.

40 CFR 60.754 (a) (5)

The owner or operator may use other methods to determine the NMOC concentration or a site-specific methane generation rate constant as an alternative to the methods required in 40 CFR Part 60.754(a)(3) and (a)(4) if the method has been approved by the Administrator

40 CFR 60.757 (b)

This condition requires that a non-methane organic carbon emission report be submitted to the EPA administrator.

40 CFR 60.8 (b)

This regulation contains the requirements for Performance test methods and procedures, to be used by the owner or operator , of the affected facility.

40 CFR 60.8 (c)

This condition contains the requirements for operating conditions, of the emission source, during performance testing.

40 CFR 60.8 (d)

This regulation contains the requirements for advance notification of Performance (stack) testing.

40 CFR 60.8 (e)

This regulation requires the facility to provide appropriate sampling ports, safe platforms and utilities as necessary for Performance (stack) testing.

40 CFR 60.8 (f)

This regulation requires that Performance (stack) tests consist of three runs unless otherwise specified. The rule also designates the allowable averaging methods for the analysis of the results.

40 CFR 60.9

This rule citation allows the public access to any information submitted to the EPA Administrator (or state contact), in conjunction with a project subject to this section of the regulation.

40 CFR 61.154

This condition requires that there be no visible emissions from any active disposal area of the landfill where asbestos containing waste has been placed or that this type of area be covered to prevent disturbance of the asbestos containing waste.

40 CFR 63.6590 (c)

This regulation states that an affected source that is a new or reconstructed stationary RICE located at an area source must meet the requirements of 40 CFR 63 Subpart ZZZZ by meeting the requirements of 40 CFR Part 60 Subpart JJJJ, for spark ignition engines.

6 NYCRR 201-6.5 (f)



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

This regulation defines in general terms under what circumstances changes would be allowed without a permit modification provided the permit contains sufficient operational flexibility provisions.

6 NYCRR 201-6.5 (f) (1)

This regulation defines, in general terms, the operational flexibility provisions associated with alternate operating scenarios. Alternate operating scenarios refer to a range of operating conditions which are defined in the permit and which allow the source the flexibility to make specified changes without requiring a permit revision. These changes cannot violate any applicable requirement and must be tracked and recorded in a log at the source.

6 NYCRR 202-2.3

This rule specifies the information to be included in a required emission statement.

6 NYCRR 202-2.4

This regulation specifies that any required emission statement must be submitted to the Department before April 15 each year for emissions of the previous calendar year. The regulation also establishes a set of acceptable emissions estimation methods that may be used including the use of monitoring methods, if accepted by the department, and the transmittal of the emission statement information to the Department. Finally, such information may be designated as confidential, as per department approval, except for the following information: emissions, estimated emissions method, and the Source Classification Code.

6 NYCRR 217-3.2

This citation prohibits the idling of motionless diesel powered vehicles for periods longer than 5 minutes. Exceptions to this prohibition are contained in 6 NYCRR 217-3.3.

6 NYCRR 217-3.3

This citation details under what circumstances the diesel idling prohibition contained in 6 NYCRR 217-3.3 does not apply.

6 NYCRR 225-1.2 (a) (2)

This regulation prohibits any person from selling, offering for sale, purchasing or using any fuel which contains sulfur in a quantity exceeding the limitations set forth in Table 1, Table 2, or Table 3 of this section.

6 NYCRR 225-1.8

This regulation requires an owner or operator of a facility which purchases and fires coal and/or oil to submit reports to the commissioner containing fuel analysis data, information on the quantity of the fuel received, burned, and results of any stack sampling, stack monitoring and any other procedures to ensure compliance with the provisions of 6 NYCRR Part 225-1.

6 NYCRR 227.2 (b) (1)

This regulation is from the 1972 version of Part 227 and still remains as part of New York's SIP. The rule establishes a particulate limit of 0.10 lbs/mmBtu based on a 2 hour average emission for any oil fired stationary combustion installation.

6 NYCRR 227-1.3 (a)

This regulation prohibits any person from operating a stationary combustion installation which emits smoke equal to or greater than 20% opacity except for one six-minute period per hour of not more than



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

27% opacity.

6 NYCRR Subpart 201-7

This regulation sets forth an emission cap that cannot be exceeded by the facility. In this permit that cap is

6 NYCRR Subpart 227-2

This regulation limits the emission of oxides of nitrogen (NOx) from stationary combustion installations (boilers, combustion turbines and internal combustion engines).

6 NYCRR Subpart 231-2

The provisions of Subpart 231-2 apply to new or modified major facilities. The contaminants of concern state-wide are nitrogen oxides and volatile organic compounds since New York State is located in the ozone transport region and because there are ozone non-attainment areas within the state. In addition, particulate matter less than 10 microns in size (PM-10) is a non-attainment contaminant in Manhattan County.

6 NYCRR Subpart 231-7

This Subpart applies to new major facilities and modifications to existing non-major facilities in attainment areas (prevention of significant deterioration (PSD)).

**Non Applicability Analysis**

**List of non-applicable rules and regulations:**

<b>Location Facility/EU/EP/Process/ES</b>	<b>Regulation</b>	<b>Short Description</b>
1-LFGAS	40 CFR 52.21	Prevention of Significant Deterioration

Reason: The existing facility is a minor source of attainment area pollutants including NOx, CO, SO2, and PM-10. As such, the proposed project emissions were compared with the major source threshold of 250 tons per year (tpy) to determine whether or not the project is subject to Prevention of Significant Deterioration (PSD) for attainment pollutants. The project emission potential for all of these contaminants is below 250 tpy and are as follows:

NOx = 65.73 tpy  
CO = 61.99 tpy  
SO2 = 1.67 tpy



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

PM-10 = 28.47 tpy

Thus, this project is not subject to PSD. However, the resulting facility-wide CO PTE after the project is 306.26 tpy which is greater than the major facility threshold of 250 tpy. As such, the facility will be evaluated as an existing major source for any future PSD projects.

FACILITY	40 CFR 60.752 (b) (2)	Standards for air emissions from MSW landfills
----------	-----------------------	--

Reason: The provisions of 40 CFR 60 Subpart WWW, Standards of Performance for Municipal Solid Waste Landfills, that apply to the design, installation, operation, monitoring, record keeping, reporting and compliance certification of a landfill gas collection and control system do not apply to this facility at this time. Such provisions will apply to this facility when the calculated non-methane organic compound (NMOC) emission rate equals or exceeds 50 megagrams per year. The NMOC emission rate is calculated annually per the requirements of 40 CFR 60.752(b) (1) that are contained as a condition of this permit.

FACILITY	40 CFR 60.753 (a)	Operational standards for collection and control systems
----------	-------------------	--

Reason: Same reason as described above for 40 CFR 60-WWW 752(b) (2) .

FACILITY	40 CFR 60.753 (b)	Op Standards for collection/ control systems-Pressure
----------	-------------------	---

Reason: Same reason as described above for 40 CFR 60-WWW 752(b) (2) .

FACILITY	40 CFR 60.753 (c)	Operational Standards for Collection and Control Systems
----------	-------------------	--

Reason: Same reason as described above for 40 CFR 60-WWW 752(b) (2) .

FACILITY	40 CFR 60.753 (d)	Operational Standards for Collection and Control Systems - Surface Methane
----------	-------------------	--

Reason: Same reason as described above for 40 CFR 60-WWW 752(b) (2) .

FACILITY	40 CFR 60.753 (e)	Operational Standards for Collection and Control Systems - Collected Gases to Control System
----------	-------------------	--

Reason: Same reason as described above for 40 CFR 60-WWW 752(b) (2) .

New York State Department of Environmental Conservation  
Permit Review Report



Permit ID: 6-2252-00007/00015

Renewal Number: 1

Modification Number: 3 04/13/2010

FACILITY	40 CFR 60.753 (f)	Operational Standards for Collection and Control Systems - Control Systems
Reason:	Same reason as described above for 40 CFR 60-WWW 752(b) (2) .	
FACILITY	40 CFR 60.753 (g)	Operational Standards for Collection and Control Systems - Corrective Action
Reason:	Same reason as described above for 40 CFR 60-WWW 752(b) (2) .	
FACILITY	40 CFR 60.754 (b)	Test Methods and Procedures
Reason:	Same reason as described above for 40 CFR 60-WWW 752(b) (2) .	
FACILITY	40 CFR 60.754 (d)	Performance Test
Reason:	Same reason as described above for 40 CFR 60-WWW 752(b) (2) .	
FACILITY	40 CFR 60.755 (a)	Compliance Provisions - collection system
Reason:	Same reason as described above for 40 CFR 60-WWW 752(b) (2) .	
FACILITY	40 CFR 60.755 (b)	Compliance Provisions - wells
Reason:	Same reason as described above for 40 CFR 60-WWW 752(b) (2) .	
FACILITY	40 CFR 60.755 (c)	Compliance Provisions - surface methane
Reason:	Same reason as described above for 40 CFR 60-WWW 752(b) (2) .	
FACILITY	40 CFR 60.755 (d)	Compliance Provisions - instrumentation specifications
Reason:	Same reason as described above for 40 CFR 60-WWW 752(b) (2) .	
FACILITY	40 CFR 60.755 (e)	Compliance Provisions - Start-up, shutdown, or malfunction
Reason:	Same reason as described above for 40 CFR 60-WWW 752(b) (2) .	
FACILITY	40 CFR 60.756 (a)	Monitoring of Operations
Reason:	Same reason as described above for 40 CFR 60-WWW 752(b) (2) .	
FACILITY	40 CFR 60.756 (c)	Monitoring of

New York State Department of Environmental Conservation  
Permit Review Report



Permit ID: 6-2252-00007/00015

Renewal Number: 1

Modification Number: 3 04/13/2010

Operations - Open flare

Reason: Same reason as described above for 40 CFR 60-WWW 752(b)(2).

FACILITY 40 CFR 60.756 (e) Monitoring of  
Operations -  
Alternative Parameters

Reason: Same reason as described above for 40 CFR 60-WWW 752(b)(2).

FACILITY 40 CFR 60.756 (f) Monitoring of  
Operations - Surface  
Methane

Reason: Same reason as described above for 40 CFR 60-WWW 752(b)(2).

FACILITY 40 CFR 60.757 (f) Reporting requirements  
- Annual Reports

Reason: Same reason as described above for 40 CFR 60-WWW 752(b)(2).

FACILITY 40 CFR 60.757 (g) Reporting requirements  
- Collection and  
control system

Reason: Same reason as described above for 40 CFR 60-WWW 752(b)(2).

FACILITY 40 CFR 60.758 (a) Recordkeeping  
requirements - waste

Reason: Same reason as described above for 40 CFR 60-WWW 752(b)(2).

FACILITY 40 CFR 60.758 (b) Recordkeeping  
requirements - control  
equipment

Reason: Same reason as described above for 40 CFR 60-WWW 752(b)(2).

FACILITY 40 CFR 60.758 (c) Recordkeeping  
requirements -  
operating parameters

Reason: Same reason as described above for 40 CFR 60-WWW 752(b)(2).

FACILITY 40 CFR 60.758 (d) Recordkeeping  
requirements -  
collectors

Reason: Same reason as described above for 40 CFR 60-WWW 752(b)(2).

FACILITY 40 CFR 60.758 (e) Recordkeeping  
requirements -  
exceedances of  
operational standards

Reason: Same reason as described above for 40 CFR 60-WWW 752(b)(2).



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

FACILITY 40 CFR 60.759 (a) Specifications for active collection systems

Reason: Same reason as described above for 40 CFR 60-WWW 752(b) (2).

FACILITY 40 CFR 60.759 (b) Specifications for active collection systems

Reason: Same reason as described above for 40 CFR 60-WWW 752(b) (2).

FACILITY 40 CFR 60.759 (c) Specifications for active collection systems

Reason: Same reason as described above for 40 CFR 60-WWW 752(b) (2).

NOTE: Non-applicability determinations are cited as a permit condition under 6 NYCRR Part 201-6.5(g). This information is optional and provided only if the applicant is seeking to obtain formal confirmation, within an issued Title V permit, that specified activities are not subject to the listed federal applicable or state only requirement. The applicant is seeking to obtain verification that a requirement does not apply for the stated reason(s) and the Department has agreed to include the non-applicability determination in the issued Title V permit which in turn provides a shield against any potential enforcement action.

**Compliance Certification**

**Summary of monitoring activities at DANC SOLID WASTE MANAGEMENT FACILITY:**

Location Facility/EU/EP/Process/ES	Cond No.	Type of Monitoring
---		
FACILITY	31	record keeping/maintenance procedures
FACILITY	5	record keeping/maintenance procedures
FACILITY	6	record keeping/maintenance procedures
FACILITY	3-3	record keeping/maintenance procedures
FACILITY	3-4	record keeping/maintenance procedures
FACILITY	3-7	monitoring of process or control device parameters as surrogate
FACILITY	3-8	monitoring of process or control device parameters as surrogate
FACILITY	3-9	intermittent emission testing
FACILITY	3-10	monitoring of process or control device parameters as surrogate
FACILITY	3-11	record keeping/maintenance procedures
FACILITY	3-12	intermittent emission testing
FACILITY	3-13	monitoring of process or control device parameters as surrogate
1-LFGAS/-/001/F0999	3-19	work practice involving specific operations
4-GENST/-/003/OLYM1	3-20	work practice involving specific operations
4-GENST/-/003/ONAN1	3-21	work practice involving specific operations



**New York State Department of Environmental Conservation  
Permit Review Report**

**Permit ID: 6-2252-00007/00015**

**Renewal Number: 1**

**Modification Number: 3 04/13/2010**

FACILITY	7	record keeping/maintenance procedures
FACILITY	2-1	work practice involving specific operations
FACILITY	2-2	record keeping/maintenance procedures
4-GENST/-/003/OLYM1	2-4	intermittent emission testing
FACILITY	3-14	record keeping/maintenance procedures
FACILITY	3-15	monitoring of process or control device parameters as surrogate

-----  
----

**Basis for Monitoring**

1) 6 NYCRR Part 201-6.5(c)(3)(ii): This facility is a major source as defined in 6 NYCRR Part 201-2. Any facility that receives a Title V permit is required to make a semi-annual monitoring report.

2) 6 NYCRR Part 201-6.5(e): This facility is a major source as defined in 6 NYCRR Part 201-2. Any facility that receives a Title V permit is required to submit an annual compliance certification.

3) 6 NYCRR Part 201-6.5(g): This facility is a major source as defined in 6 NYCRR Part 201-2. Any facility that receives a Title V permit can request a listing of sources that are not applicable to the source to be specifically listed as such in their permit. This citation lists all portions of 40 CFR 60 Subpart WWW that the facility does not have to comply with at this time.

4) 6 NYCRR Part 201-7.2(c): This facility has a non-methane organic compound (NMOC) potential to emit (PTE) > 50 megagrams per year (Mg/yr), making the landfill gas collection and control system requirements defined in 40 CFR 60.752(b)(2) potentially applicable. The facility has accepted an emissions limit that will keep the calculated NMOC emissions less than 50 Mg/yr so that the landfill gas collection and control system monitoring, recordkeeping and reporting provisions contained in 40 CFR 60 Subpart WWW will not apply until the calculated NMOC emission rate from the landfill equals or exceeds 50 Mg/yr.

5) 6 NYCRR Part 202-2.1: Any facility issued a Title V permit must submit an annual emission statement by April 15th every year.

6) 40 CFR 60.7(c): Any facility that must comply with a New Source Performance Standard (NSPS) is required to submit excess emission reports at least semi-annually. Since this facility must comply with the NMOC emission calculation provisions of 40 CFR 60 Subpart WWW then they are required to submit to the Department and the Administrator semi-annual excess emission reports.