

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1



09/27/2007

Facility Identification Data

Name: WPS SYRACUSE GENERATION LLC
Address: 300 BELLE ISLE RD
SOLVAY, NY 13209

Owner/Firm

Name: WPS SYRACUSE GENERATION LLC
Address: 1716 LAWRENCE DR
DE PERE, WI 54115, USA
Owner Classification: Corporation/Partnership

Permit Contacts

Division of Environmental Permits:
Name: JOANNE L MARCH
Address: DIVISION OF ENVIRONMENTAL PERMITS
615 ERIE BLVD WEST
SYRACUSE, NY 13204-2400

Division of Air Resources:
Name: THOMAS A ELTER
Address: 615 ERIE BLVD WEST
SYRACUSE, NY 13204

Air Permitting Facility Owner Contact:
Name: RANDAL G OSWALD
Address: WPS RESOURCES CORP
700 N ADAMS ST PO BOX 19002
GREEN BAY, WI 54307
Phone:9024331395

Permit Description

Introduction

The Title V operating air permit is intended to be a document containing only enforceable terms and conditions as well as any additional information, such as the identification of emission units, emission points, emission sources and processes, that makes the terms meaningful. 40 CFR Part 70.7(a)(5) requires that each Title V permit have an accompanying "...statement that sets forth the legal and factual basis for the draft permit conditions". The purpose for this permit review report is to satisfy the above requirement by providing pertinent details regarding the permit/application data and permit conditions in a more easily understandable format. This report will also include background narrative and explanations of regulatory decisions made by the reviewer. It should be emphasized that this permit review report, while based on information contained in the permit, is a separate document and is not itself an enforceable term and condition of the permit.

Summary Description of Proposed Project

Application for renewal of Air Title V Facility.

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1



09/27/2007

Attainment Status

WPS SYRACUSE GENERATION LLC is located in the town of GEDDES in the county of ONONDAGA.

The attainment status for this location is provided below. (Areas classified as attainment are those that meet all ambient air quality standards for a designated criteria air pollutant.)

Criteria Pollutant	Attainment Status
Particulate Matter (PM)	ATTAINMENT
Particulate Matter < 10µ in diameter (PM10)	ATTAINMENT
Sulfur Dioxide (SO2)	ATTAINMENT
Ozone* ATTAINMENT)	TRANSPORT REGION (NON-ATTAINMENT)
Oxides of Nitrogen (NOx)**	ATTAINMENT
Carbon Monoxide (CO)	ATTAINMENT

* Ozone is regulated in terms of the emissions of volatile organic compounds (VOC) and/or oxides of nitrogen (NOx) which are ozone precursors.

** NOx has a separate ambient air quality standard in addition to being an ozone precursor

Facility Description

WPS Syracuse operates a Siemens V64.3 stationary gas turbine to produce electricity. The exhaust gases pass through a heat recovery steam generator with duct firing, and steam from the boiler operates a steam turbine (37 MW). Emissions of NOx are controlled with an SCR. The facility operates a small heating boiler (less than 10 mmBtu.hr), an emergency diesel fuel pump and an emergency diesel generator. Several exempt and trivial sources are located at the facility.

The facility is a major source, subject to conditions of a PSD permit which have been incorporated into this operating permit. The facility is also subject to 40 CFR Part 60, Subpart GG, and the duct burners are subject to 40 CFR Part 60, Subpart Dc.

Permit Structure and Description of Operations

The Title V permit for WPS SYRACUSE GENERATION LLC

is structured in terms of the following hierarchy: facility, emission unit, emission point, emission source and process.

A facility is defined as all emission sources located at one or more adjacent or

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1



09/27/2007

contiguous properties owned or operated by the same person or persons under common control. The facility is subdivided into one or more emission units (EU). Emission units are defined as any part or activity of a stationary facility that emits or has the potential to emit any federal or state regulated air pollutant. An emission unit is represented as a grouping of processes (defined as any activity involving one or more emission sources (ES) that emits or has the potential to emit any federal or state regulated air pollutant). An emission source is defined as any apparatus, contrivance or machine capable of causing emissions of any air contaminant to the outdoor atmosphere, including any appurtenant exhaust system or air cleaning device. [NOTE: Indirect sources of air contamination as defined in 6 NYCRR Part 203 (i.e. parking lots) are excluded from this definition]. The applicant is required to identify the principal piece of equipment (i.e., emission source) that directly results in or controls the emission of federal or state regulated air pollutants from an activity (i.e., process). Emission sources are categorized by the following types:

- combustion - devices which burn fuel to generate heat, steam or power
- incinerator - devices which burn waste material for disposal
- control - emission control devices
- process - any device or contrivance which may emit air contaminants that is not included in the above categories.

WPS SYRACUSE GENERATION LLC is defined by the following emission unit(s):

Emission unit U00001 - Gas Turbine, heat recovery steam generator with duct burners, SCR.

Emission unit U00001 is associated with the following emission points (EP):

00001

It is further defined by the following process(es):

Process: 101 is located at OPERATING FLOOR, Building GENBLDG - DISTILLATE FUEL OIL COMBUSTION IN GAS TURBINE WITHOUT SIMULTANEOUS OPERATION OF DUCT BURNER. FUEL OIL USE IN THE GAS TURBINE IS LIMITED TO 2000 HOURS PER YEAR AND 9.4 MILLION GALLONS PER YEAR.

Process: 102 is located at OPERATING FLOOR, Building GENBLDG - DISTILLATE FUEL OIL COMBUSTION IN GAS TURBINE WITH SIMULTANEOUS OPERATION OF DUCT BURNER FIRING NATURAL GAS. FUEL OIL USE IN THE GAS TURBINE IS LIMITED TO 2000 HOURS PER YEAR AND 9.4 MILLION GALLONS PER YEAR.

Process: 103 is located at OPERATING FLOOR, Building GENBLDG - NATURAL GAS COMBUSTION IN GAS TURBINE WITHOUT SIMULTANEOUS OPERATION OF DUCT BURNER.

Process: 104 is located at OPERATING FLOOR, Building GENBLDG - NATURAL GAS COMBUSTION IN GAS TURBINE AND DUCT BURNER SIMULTANEOUSLY.

Process: DCT is located at Operating Floor, Building GENBLDG - NATURAL GAS COMBUSTION IN DUCT BURNER.

Emission unit U00005 - EMERGENCY DIESEL POWERED GENERATOR.

Emission unit U00005 is associated with the following emission points (EP):

00005

It is further defined by the following process(es):

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1

09/27/2007



Process: 501 is located at OPERATING FLOOR, Building GENBLDG - DISTILLATE FUEL OIL COMBUSTION IN EMERGENCY DIESEL GENERATOR.

Emission unit U00006 - BUILDING HEATING BOILER.

Emission unit U00006 is associated with the following emission points (EP):
00006

It is further defined by the following process(es):

Process: 601 is located at OPERATING FLOOR, Building GENBLDG - NATURAL GAS COMBUSTION IN BUILDING HEATING BOILER.

Emission unit U00007 - EMERGENCY DIESEL POWERED FIRE PUMP.

Emission unit U00007 is associated with the following emission points (EP):
00007

It is further defined by the following process(es):

Process: 701 is located at GENERATION BUILDING, Building GENBLDG - DISTILLATE FUEL OIL COMBUSTION IN EMERGENCY DIESEL FIRE PUMP.

Title V/Major Source Status

WPS SYRACUSE GENERATION LLC is subject to Title V requirements. This determination is based on the following information:

The facility is a major source of NOx.

Program Applicability

The following chart summarizes the applicability of WPS SYRACUSE GENERATION LLC with regards to the principal air pollution regulatory programs:

Regulatory Program	Applicability
PSD	YES
NSR (non-attainment)	NO
NESHAP (40 CFR Part 61)	NO
NESHAP (MACT - 40 CFR Part 63)	NO
NSPS	YES
TITLE IV	NO
TITLE V	YES
TITLE VI	NO

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1

09/27/2007



RACT	NO
SIP	YES

NOTES:

PSD Prevention of Significant Deterioration (40 CFR 52) - requirements which pertain to major stationary sources located in areas which are in attainment of National Ambient Air Quality Standards (NAAQS) for specified pollutants.

NSR New Source Review (6 NYCRR Part 231) - requirements which pertain to major stationary sources located in areas which are in non-attainment of National Ambient Air Quality Standards (NAAQS) for specified pollutants.

NESHAP National Emission Standards for Hazardous Air Pollutants (40 CFR 61) - contaminant and source specific emission standards established prior to the Clean Air Act Amendments of 1990 (CAAA) which were developed for 9 air contaminants (inorganic arsenic, radon, benzene, vinyl chloride, asbestos, mercury, beryllium, radionuclides, and volatile HAP's)

MACT Maximum Achievable Control Technology (40 CFR 63) - contaminant and source specific emission standards established by the 1990 CAAA. Under Section 112 of the CAAA, the US EPA is required to develop and promulgate emissions standards for new and existing sources. The standards are to be based on the best demonstrated control technology and practices in the regulated industry, otherwise known as MACT. The corresponding regulations apply to specific source types and contaminants.

NSPS New Source Performance Standards (40 CFR 60) - standards of performance for specific stationary source categories developed by the US EPA under Section 111 of the CAAA. The standards apply only to those stationary sources which have been constructed or modified after the regulations have been proposed by publication in the Federal Register and only to the specific contaminant(s) listed in the regulation.

Title IV Acid Rain Control Program (40 CFR 72 thru 78) - regulations which mandate the implementation of the acid rain control program for large stationary combustion facilities.

Title VI Stratospheric Ozone Protection (40 CFR 82, Subparts A thru G) - federal requirements that apply to sources which use a minimum quantity of CFC's (chlorofluorocarbons), HCFC's (hydrofluorocarbons) or other ozone depleting substances or regulated substitute substances in equipment such as air conditioners, refrigeration equipment or motor vehicle air conditioners or appliances.

RACT Reasonably Available Control Technology (6 NYCRR Parts 212.10, 226, 227-2, 228, 229, 230, 232, 233, 234, 235, 236) - the lowest emission limit that a specific source is capable of meeting by application of control technology that is reasonably available, considering technological and economic feasibility. RACT is a control strategy used to limit emissions of VOC's and NOx for the purpose of attaining the air quality standard for ozone. The term as it is used in the above table refers to

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1

09/27/2007



those state air pollution control regulations which specifically regulate VOC and NOx emissions.

SIP State Implementation Plan (40 CFR 52, Subpart HH) - as per the CAAA, all states are empowered and required to devise the specific combination of controls that, when implemented, will bring about attainment of ambient air quality standards established by the federal government and the individual state. This specific combination of measures is referred to as the SIP. The term here refers to those state regulations that are approved to be included in the SIP and thus are considered federally enforceable.

Compliance Status

Facility is in compliance with all requirements

SIC Codes

SIC or Standard Industrial Classification code is an industrial code developed by the federal Office of Management and Budget for use, among other things, in the classification of establishments by the type of activity in which they are engaged. Each operating establishment is assigned an industry code on the basis of its primary activity, which is determined by its principal product or group of products produced or distributed, or services rendered. Larger facilities typically have more than one SIC code.

SIC Code	Description
4911	ELECTRIC SERVICES
4931	ELEC & OTHER SERVICES COMBINED

SCC Codes

SCC or Source Classification Code is a code developed and used by the USEPA to categorize processes which result in air emissions for the purpose of assessing emission factor information. Each SCC represents a unique process or function within a source category logically associated with a point of air pollution emissions. Any operation that causes air pollution can be represented by one or more SCC's.

SCC Code	Description
1-03-006-03	EXTERNAL COMBUSTION BOILERS - COMMERCIAL/INDUSTRIAL COMMERCIAL/INSTITUTIONAL BOILER - NATURAL GAS Less Than 10 MMBtu/Hr
1-02-006-02	EXTERNAL COMBUSTION BOILERS - INDUSTRIAL INDUSTRIAL BOILER - NATURAL GAS 10-100 MMBtu/Hr
2-02-001-02	INTERNAL COMBUSTION ENGINES - INDUSTRIAL INDUSTRIAL INTERNAL COMBUSTION ENGINE - DISTILLATE OIL (DIESEL) Reciprocating
2-02-001-01	INTERNAL COMBUSTION ENGINES - INDUSTRIAL INDUSTRIAL INTERNAL COMBUSTION ENGINE - DISTILLATE OIL (DIESEL) Turbine

New York State Department of Environmental Conservation



Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1

09/27/2007

2-02-001-03 INTERNAL COMBUSTION ENGINES - INDUSTRIAL
INDUSTRIAL INTERNAL COMBUSTION ENGINE - DISTILLATE
OIL (DIESEL)
Turbine: Cogeneration

2-02-002-01 INTERNAL COMBUSTION ENGINES - INDUSTRIAL
INDUSTRIAL INTERNAL COMBUSTION ENGINE - NATURAL
GAS
Turbine

2-02-002-03 INTERNAL COMBUSTION ENGINES - INDUSTRIAL
INDUSTRIAL INTERNAL COMBUSTION ENGINE - NATURAL
GAS
Turbine: Cogeneration

2-02-004-01 INTERNAL COMBUSTION ENGINES - INDUSTRIAL
INDUSTRIAL INTERNAL COMBUSTION LARGE BORE ENGINE
Diesel

Facility Emissions Summary

In the following table, the CAS No. or Chemical Abstract Series code is an identifier assigned to every chemical compound. [NOTE: Certain CAS No.'s contain a 'NY' designation within them. These are not true CAS No.'s but rather an identification which has been developed by the department to identify groups of contaminants which ordinary CAS No.'s do not do. As an example, volatile organic compounds or VOC's are identified collectively by the NY CAS No. 0NY998-00-0.] The PTE refers to the Potential to Emit. This is defined as the maximum capacity of a facility or air contaminant source to emit any air contaminant under its physical and operational design. Any physical or operational limitation on the capacity of the facility or air contamination source to emit any air contaminant, including air pollution control equipment and/or restrictions on the hours of operation, or on the type or amount or material combusted, stored, or processed, shall be treated as part of the design only if the limitation is contained in federally enforceable permit conditions. The PTE Range represents an emission range for a contaminant. Any PTE quantity that is displayed represents a facility-wide emission cap or limitation for that contaminant. If no PTE quantity is displayed, the PTE Range is provided to indicate the approximate magnitude of facility-wide emissions for the specified contaminant in terms of tons per year (tpy). The term 'HAP' refers to any of the hazardous air pollutants listed in section 112(b) of the Clean Air Act Amendments of 1990. Total emissions of all hazardous air pollutants are listed under the special NY CAS No. 0NY100-00-0. In addition, each individual hazardous air pollutant is also listed under its own specific CAS No. and is identified in the list below by the (HAP) designation.

Cas No.	Contaminant Name	PTE	
		lbs/yr	Range
007664-41-7	AMMONIA		>= 25 tpy but < 40 tpy
007440-36-0	ANTIMONY (HAP)		> 0 but < 10 tpy
007440-38-2	ARSENIC (HAP)		> 0 but < 10 tpy
007440-41-7	BERYLLIUM (HAP)		> 0 but < 10 tpy
007440-43-9	CADMIUM (HAP)		> 0 but < 10 tpy
000630-08-0	CARBON MONOXIDE		>= 100 tpy but < 250 tpy
007440-47-3	CHROMIUM (HAP)		> 0 but < 10 tpy
007440-48-4	COBALT (HAP)		> 0 but < 10 tpy
0NY100-00-0	HAP		> 0 but < 2.5 tpy
007439-96-5	MANGANESE (HAP)		> 0 but < 10 tpy
007439-97-6	MERCURY (HAP)		> 0 but < 10 tpy
007440-02-0	NICKEL METAL AND INSOLUBLE		> 0 but < 10 tpy

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1



09/27/2007

	COMPOUNDS (HAP)	
0NY210-00-0	OXIDES OF NITROGEN	>= 100 tpy but < 250 tpy
0NY075-00-0	PARTICULATES	>= 50 tpy but < 100 tpy
0NY075-00-5	PM-10	>= 50 tpy but < 100 tpy
007782-49-2	SELENIUM (HAP)	> 0 but < 10 tpy
007446-09-5	SULFUR DIOXIDE	>= 100 tpy but < 250 tpy
0NY998-00-0	VOC	>= 50 tpy but < 100 tpy

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

Item A: Emergency Defense - 6NYCRR Part 201-1.5

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

- (1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;
- (2) The equipment at the permitted facility causing the emergency was at the time being properly operated;
- (3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and
- (4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item B: Public Access to Recordkeeping for Title V Facilities - 6NYCRR Part 201-1.10(b)

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

Item C: Timely Application for the Renewal of Title V Permits - 6 NYCRR Part

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1



09/27/2007

201-6.3(a)(4)

Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Item D: Certification by a Responsible Official - 6 NYCRR Part

201-6.3(d)(12)

Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Item E: Requirement to Comply With All Conditions - 6 NYCRR Part

201-6.5(a)(2)

The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

Item F: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR Part 201-6.5(a)(3)

NYCRR Part 201-6.5(a)(3)

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Item G: Cessation or Reduction of Permitted Activity Not a Defense - 6 NYCRR

Part 201-6.5(a)(5)

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

Item H: Property Rights - 6 NYCRR Part 201-6.5(a)(6)

This permit does not convey any property rights of any sort or any exclusive privilege.

Item I: Severability - 6 NYCRR Part 201-6.5(a)(9)

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1



09/27/2007

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Item J: Permit Shield - 6 NYCRR Part 201-6.5(g)

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii. The applicable requirements of Title IV of the Act;
- iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Item K: Reopening for Cause - 6 NYCRR Part 201-6.5(i)

This Title V permit shall be reopened and revised under any of the following circumstances:

- i. If additional applicable requirements under the Act become

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1



09/27/2007

applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.

ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

Item L:

Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1



09/27/2007

Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item M: Federally Enforceable Requirements - 40 CFR 70.6(b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

Item A: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Regulatory Analysis

Location Facility/EU/EP/Process/ES	Regulation	Short Description	Condition
FACILITY	ECL 19-0301	Powers and Duties of the Department with respect to air pollution control	110
FACILITY	40CFR 52-A.21	Prevention of Significant Deterioration	36, 37, 38, 39, 40

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1

09/27/2007



U-00001	40CFR 52-A.21	Prevention of Significant Deterioration	44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55
U-00001/-/101	40CFR 52-A.21	Prevention of Significant Deterioration	57, 58, 59, 60, 61, 62, 63, 64, 65, 66
U-00001/-/102	40CFR 52-A.21	Prevention of Significant Deterioration	67, 68, 69, 70, 71, 72, 73, 74, 75, 76
U-00001/-/103	40CFR 52-A.21	Prevention of Significant Deterioration	77, 78, 79, 80, 81, 82, 83, 84, 85, 86
U-00001/-/104	40CFR 52-A.21	Prevention of Significant Deterioration	87, 88, 89, 90, 91, 92, 93, 94, 95, 96
U-00001/00001/101	40CFR 52-A.21	Prevention of Significant Deterioration	98
U-00005	40CFR 52-A.21	Prevention of Significant Deterioration	99, 100, 101
U-00005/-/501	40CFR 52-A.21	Prevention of Significant Deterioration	102
U-00006	40CFR 52-A.21	Prevention of Significant Deterioration	103, 104, 105
U-00007	40CFR 52-A.21	Prevention of Significant Deterioration	106, 107, 108
U-00007/-/701	40CFR 52-A.21	Prevention of Significant Deterioration	109
U-00001/-/DCT/00005	40CFR 60-Dc.48c	Reporting and Recordkeeping Requirements.	97
FACILITY	40CFR 60-GG.334	Monitoring of Operations for Turbines	41
U-00001	40CFR 60-GG.334 (b) (2)	Non-bulk Storage Sulfur Monitoring Requirements	56
FACILITY	40CFR 68	Chemical accident prevention provisions	21
FACILITY	40CFR 82-F	Protection of Stratospheric Ozone - recycling and emissions reduction	22
FACILITY	6NYCRR 200.6	Acceptable ambient air quality.	1
FACILITY	6NYCRR 200.7	Maintenance of equipment.	10
FACILITY	6NYCRR 201-1.4	Unavoidable noncompliance and violations	111
FACILITY	6NYCRR 201-1.7	Recycling and Salvage	11
FACILITY	6NYCRR 201-1.8	Prohibition of reintroduction of collected contaminants to the air	12

New York State Department of Environmental Conservation



Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1

09/27/2007

FACILITY	6NYCRR 201-3.2(a)	Exempt Activities - Proof of eligibility	13
FACILITY	6NYCRR 201-3.3(a)	Trivial Activities - proof of eligibility	14
FACILITY	6NYCRR 201-6	Title V Permits and the Associated Permit Conditions	23, 42, 43
FACILITY	6NYCRR 201-6.5(a)(4)	General conditions	15
FACILITY	6NYCRR 201-6.5(a)(7)	General conditions	
Fees 2			
FACILITY	6NYCRR 201-6.5(a)(8)	General conditions	16
FACILITY	6NYCRR 201-6.5(c)	Permit conditions for Recordkeeping and Reporting of Compliance Monitoring	3
FACILITY	6NYCRR 201-6.5(c)(2)	Permit conditions for Recordkeeping and Reporting of Compliance Monitoring	4
FACILITY	6NYCRR 201-6.5(c)(3)	Permit conditions for Recordkeeping and Reporting of Compliance Monitoring	24
FACILITY	6NYCRR 201-6.5(c)(3)(ii)	Permit conditions for Recordkeeping and Reporting of Compliance Monitoring	5
FACILITY	6NYCRR 201-6.5(d)(5)	Compliance schedules	17
FACILITY	6NYCRR 201-6.5(e)	Compliance Certification	6
FACILITY	6NYCRR 201-6.5(f)(6)	Off Permit Changes	18
FACILITY	6NYCRR 201-6.5(g)	Permit shield	25
FACILITY	6NYCRR 202-1.1	Required emissions tests.	19
FACILITY	6NYCRR 202-2.1	Emission Statements - Applicability	7
FACILITY	6NYCRR 202-2.5	Emission Statements - record keeping requirements.	8
FACILITY	6NYCRR 204-1.6	Standard Requirements	26
FACILITY	6NYCRR 204-2	Authorized Account Representative for NOx Budget Sources	27
FACILITY	6NYCRR 204-4.1	Compliance Certification Report	28, 29
FACILITY	6NYCRR 204-7.1	Submission of NOx Allowance Transfers	30
FACILITY	6NYCRR 204-8.1	General Requirements	31
FACILITY	6NYCRR 204-8.2	Initial Certification and Recertification Procedures	32
FACILITY	6NYCRR 204-8.3	Out of Control Periods	33
FACILITY	6NYCRR 204-8.4	Notifications	34
FACILITY	6NYCRR 211.2	General Prohibitions - air pollution prohibited.	112
FACILITY	6NYCRR 211.3	General Prohibitions - visible emissions limited	20
FACILITY	6NYCRR 215	Open Fires	9
FACILITY	6NYCRR 227-1.3	Smoke Emission Limitations.	35
FACILITY	6NYCRR 237-1	Acid deposition reduction NOx budget trading-General Provisions	113



New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1

09/27/2007

FACILITY	6NYCRR 237-2	NOx Athorized account representative for NOx budget sources	114
FACILITY	6NYCRR 237-4.1	Compliance certification report.	115
FACILITY	6NYCRR 237-7.1	Submission of NOx allowance transfers	116
FACILITY	6NYCRR 237-8	MONITORING AND REPORTING	117
FACILITY	6NYCRR 238-1	ADR SO2 BUDGET TRADING PROGRAM GENERAL PROVISIONS	118
FACILITY	6NYCRR 238-2	AUTHORIZED ACCOUNT REPRESENTATIVE FOR SO2 BUDGET SOURCES	119
FACILITY	6NYCRR 238-4.1	Compliance certification report	120
FACILITY	6NYCRR 238-7.1	Submission of SO2 allowance transfers	121
FACILITY	6NYCRR 238-8	Monitoring and Reporting	122

Applicability Discussion:

Mandatory Requirements: The following facility-wide regulations are included in all Title V permits:

ECL 19-301.

This section of the Environmental Conservation Law establishes the powers and duties assigned to the Department with regard to administering the air pollution control program for New York State.

6NYCRR Part 200-.6

Acceptable ambient air quality - prohibits contravention of ambient air quality standards without mitigating measures

6NYCRR Part 200-.7

Anyone owning or operating an air contamination source which is equipped with an emission control device must operate the control consistent with ordinary and necessary practices, standards and procedures, as per manufacturer's specifications and keep it in a satisfactory state of maintenance and repair so that it operates effectively

6NYCRR Part 201-1.4

This regulation specifies the actions and recordkeeping and reporting requirements for any violation of an applicable state enforceable emission standard that results from a necessary scheduled equipment maintenance, start-up, shutdown, malfunction or upset in the event that these are unavoidable.

6NYCRR Part 201-1.7

Requires the recycle and salvage of collected air contaminants where practical

**New York State Department of Environmental Conservation
Permit Review Report**

Permit ID: 7-3132-00035/00034 Renewal Number: 1



09/27/2007

6NYCRR Part 201-1.8

Prohibits the reintroduction of collected air contaminants to the outside air

6NYCRR Part 201-3.2(a)

An owner and/or operator of an exempt emission source or unit may be required to certify that it operates within the specific criteria described in this Subpart. All required records must be maintained on-site for a period of 5 years and made available to department representatives upon request. In addition, department representatives must be granted access to any facility which contains exempt emission sources or units, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

6NYCRR Part 201-3.3(a)

The owner and/or operator of a trivial emission source or unit may be required to certify that it operates within the specific criteria described in this Subpart. All required records must be maintained on-site for a period of 5 years and made available to department representatives upon request. In addition, department representatives must be granted access to any facility which contains trivial emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

6NYCRR Part 201-6

This regulation applies to those terms and conditions which are subject to Title V permitting. It establishes the applicability criteria for Title V permits, the information to be included in all Title V permit applications as well as the permit content and terms of permit issuance. This rule also specifies the compliance, monitoring, recordkeeping, reporting, fee, and procedural requirements that need to be met to obtain a Title V permit, modify the permit and demonstrate conformity with applicable requirements as listed in the Title V permit. For permitting purposes, this rule specifies the need to identify and describe all emission units, processes and products in the permit application as well as providing the Department the authority to include this and any other information that it deems necessary to determine the compliance status of the facility.

6NYCRR 201-6.5(a)(4)

This mandatory requirement applies to all Title V facilities. It requires the permittee to provide information that the Department may request in writing, within a reasonable time, in order to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. The request may include copies of records required to be kept by the permit.

6NYCRR 201-6.5(a)(7)

This is a mandatory condition that requires the owner or operator of a facility

**New York State Department of Environmental Conservation
Permit Review Report**

Permit ID: 7-3132-00035/00034 Renewal Number: 1



09/27/2007

subject to Title V requirements to pay all applicable fees associated with the emissions from their facility.

6NYCRR 201-6.5(a)(8)

This is a mandatory condition for all facilities subject to Title V requirements. It allows the Department to inspect the facility to determine compliance with this permit, including copying records, sampling and monitoring, as necessary.

6NYCRR Part 201-6.5(c)

This requirement specifies, in general terms, what information must be contained in any required compliance monitoring records and reports. This includes the date, time and place of any sampling, measurements and analyses; who performed the analyses; analytical techniques and methods used as well as any required QA/QC procedures; results of the analyses; the operating conditions at the time of sampling or measurement and the identification of any permit deviations. All such reports must also be certified by the designated responsible official of the facility.

6NYCRR Part 201-6.5(c)(2)

This requirement specifies that all compliance monitoring and recordkeeping is to be conducted according to the terms and conditions of the permit and follow all QA requirements found in applicable regulations. It also requires monitoring records and supporting information to be retained for at least 5 years from the time of sampling, measurement, report or application. Support information is defined as including all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

6NYCRR Part 201-6.5(c)(3)

This regulation specifies that the permit incorporate all reporting requirements associated with an applicable federal rule, the submittal of any required monitoring reports at least every 6 months, and the notification and reporting of permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken.

6NYCRR Part 201-6.5(c)(3)(ii)

This regulation specifies any reporting requirements incorporated into the permit must include provisions regarding the notification and reporting of permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken.

6NYCRR 201-6.5(d)(5)

This condition applies to every Title V facility subject to a compliance schedule. It requires that reports, detailing the status of progress on achieving compliance with emission standards, be submitted semiannually.

6NYCRR Part 201-6.5(e)

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1



09/27/2007

Sets forth the general requirements for compliance certification content; specifies an annual submittal frequency; and identifies the EPA and appropriate regional office address where the reports are to be sent.

6NYCRR 201-6.5(f)(6)

This condition allows changes to be made at the facility, without modifying the permit, provided the changes do not cause an emission limit contained in this permit to be exceeded. The owner or operator of the facility must notify the Department of the change. It is applicable to all Title V permits which may be subject to an off permit change.

6NYCRR Part 201-6.5(g)

Permit Exclusion Provisions - specifies those actions, such as administrative orders, suits, claims for natural resource damages, etc that are not affected by the federally enforceable portion of the permit, unless they are specifically addressed by it.

6NYCRR Part 202-1.1

This regulation allows the department the discretion to require an emission test for the purpose of determining compliance. Furthermore, the cost of the test, including the preparation of the report are to be borne by the owner/operator of the source.

6NYCRR Part 202-2.1

Requires that emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year.

6NYCRR Part 202-2.5

This rule specifies that each facility required to submit an emission statement must retain a copy of the statement and supporting documentation for at least 5 years and must make the information available to department representatives.

6NYCRR Part 211-.2

This regulation prohibits any emissions of air contaminants to the outdoor atmosphere which may be detrimental to human, plant or animal life or to property, or which unreasonably interferes with the comfortable enjoyment of life or property regardless of the existence of any specific air quality standard or emission limit.

6 NYCRR Part 211.3

This condition requires that the opacity (i.e., the degree to which emissions other than water reduce the transmission of light) of the emissions from any air contamination source be less than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent.

6 NYCRR Part 215

Prohibits open fires at industrial and commercial sites.

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1



09/27/2007

40 CFR Part 68.

This Part lists the regulated substances and their applicability thresholds and sets the requirements for stationary sources concerning the prevention of accidental releases of these substances.

40 CFR Part 82, Subpart F

Subpart F requires the reduction of emissions of class I and class II refrigerants to the lowest achievable level during the service, maintenance, repair, and disposal of appliances in accordance with section 608 of the Clean Air Act Amendments of 1990. This subpart applies to any person servicing, maintaining, or repairing appliances except for motor vehicle air conditioners. It also applies to persons disposing of appliances, including motor vehicle air conditioners, refrigerant reclaimers, appliance owners, and manufacturers of appliances and recycling and recovery equipment. Those individuals, operations, or activities affected by this rule, may be required to comply with specified disposal, recycling, or recovery practices, leak repair practices, recordkeeping and/or technician certification requirements.

Facility Specific Requirements

In addition to Title V, WPS SYRACUSE GENERATION LLC has been determined to be subject to the following regulations:

40CFR 52-A.21

The facility received a PSD permit from DEC. Many of the conditions in this permit reflect conditions contained in that original PSD permit.

40CFR 60-Dc.48c

This regulation requires that the facility maintain reports and records in accordance with the provisions of this section 40 CFR 60-Dc.48c.

40CFR 60-GG.334

NSPS Subpart GG revisions allow the facility to use CEMs to demonstrate compliance with the Subpart GG Nox limits, and allows the facility to choose to not sample natural gas if certain conditions are met.

40CFR 60-GG.334 (b) (2)

This regulation requires the owner or operator of a gas turbine which is supplied its fuel without intermediate bulk storage to determine and record the sulfur content and nitrogen content of fuel being fired in the turbine daily. The owners, operators or fuel vendors may develop custom schedules for determination of these values. These custom schedules must be approved by the Administrator before they can be used to determine compliance with this requirement

6NYCRR 204-1.6

This condition requires the designated representative of the permittee to make submissions for the NOx

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1

09/27/2007



Budget Program. The Program is designed to mitigate the interstate transport of ground level ozone and nitrogen oxides, a ground level ozone precursor.

6NYCRR 204-2

Each NOx budget source shall have one NOx authorized account representative (except where an alternate is allowed), and each submission shall be signed by such representative.

6NYCRR 204-4.1

This condition covers the compliance certification report requirements for the NOx Budget Program.

6NYCRR 204-7.1

This condition lists the requirements for transfer of allowances in the NOx Budget Program.

6NYCRR 204-8.1

This condition lists the general requirements for the NOx Budget trading program. They include, but are not limited to monitoring requirements, certification, record keeping and reporting.

6NYCRR 204-8.2

This condition covers the procedures for initially certifying and recertifying the monitoring systems of the unit meet the requirements of the NOx Budget Program

6NYCRR 204-8.3

This condition states the requirements for data substitution during times when the monitoring systems do not meet applicable quality assurance requirements.

6NYCRR 204-8.4

This condition lists the addresses where monitoring plans and their modifications, compliance certifications, recertifications, quarterly QA/QC reports and petitions for alternative monitoring shall be sent.

6NYCRR 227-1.3

This regulation requires a limitation and compliance monitoring for opacity from a stationary combustion installation.

6NYCRR 237-1

Subject to the NOx acid deposition program. Requires owners to hold enough allowances to cover its emissions on an annual basis.

6NYCRR 237-2

This condition requires the permittee to select and authorize one person to manage, and represent the owners of any NOx budget unit; and specifies the responsibilities of this NOx authorized account representative

6NYCRR 237-4.1

This item specifies the requirements of the compliance certification report.



New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1

09/27/2007

6NYCRR 237-7.1

This item specifies what information and actions are necessary in order to record the transfer of NOx allowances. t

6NYCRR 237-8

This item requires the owners and operators of a NOx budget unit to comply with the monitoring and reporting requirements of NYCRR 237-8 and Subpart H of 40 CFR part 75; and allows NOx budget units which are also NOx budget units under NYCRR Part 204 to be summarily referenced in order to demonstrate compliance with the requirements of this item.

6NYCRR 238-1

Subject to the acid deposition allowance rule; owners must hold enough allowances to cover the SO2 annual emissions.

6NYCRR 238-2

Specifies that each submission must be certified by an authorized account representative.

6NYCRR 238-4.1

This section lists all of the requirements for the submission of the compliance certification report.

6NYCRR 238-7.1

This section outlines the requirements for the submission of SO2 allowance transfers.

6NYCRR 238-8

This condition requires the owner or operator of the facility to comply with the reporting and record keeping requirements of 40 CFR Part 75.

Compliance Certification

Summary of monitoring activities at WPS SYRACUSE GENERATION LLC:

Location Facility/EU/EP/Process/ES	Type of Monitoring	Cond No.
FACILITY	work practice involving specific operations	36
FACILITY	record keeping/maintenance procedures	37
FACILITY	record keeping/maintenance procedures	38
FACILITY	monitoring of process or control device parameters as surrogate	39
FACILITY	monitoring of process or control device parameters as surrogate	40
U-00001	work practice involving specific operations	44
U-00001	record keeping/maintenance procedures	45
U-00001	continuous emission monitoring (cem)	46
U-00001	record keeping/maintenance procedures	47
U-00001	record keeping/maintenance procedures	48
U-00001	record keeping/maintenance procedures	49
U-00001	record keeping/maintenance procedures	50

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1

09/27/2007



U-00001	work practice involving specific operations	51
U-00001	record keeping/maintenance procedures	52
U-00001	record keeping/maintenance procedures	53
U-00001	record keeping/maintenance procedures	54
U-00001	record keeping/maintenance procedures	55
U-00001/-/101	intermittent emission testing	57
U-00001/-/101	continuous emission monitoring (cem)	58
U-00001/-/101	continuous emission monitoring (cem)	59
U-00001/-/101	continuous emission monitoring (cem)	60
U-00001/-/101	intermittent emission testing	61
U-00001/-/101	continuous emission monitoring (cem)	62
U-00001/-/101	intermittent emission testing	63
U-00001/-/101	intermittent emission testing	64
U-00001/-/101	intermittent emission testing	65
U-00001/-/101	intermittent emission testing	66
U-00001/-/102	intermittent emission testing	67
U-00001/-/102	continuous emission monitoring (cem)	68
U-00001/-/102	continuous emission monitoring (cem)	69
U-00001/-/102	intermittent emission testing	70
U-00001/-/102	intermittent emission testing	71
U-00001/-/102	intermittent emission testing	72
U-00001/-/102	intermittent emission testing	73
U-00001/-/102	continuous emission monitoring (cem)	74
U-00001/-/102	intermittent emission testing	75
U-00001/-/102	continuous emission monitoring (cem)	76
U-00001/-/103	continuous emission monitoring (cem)	77
U-00001/-/103	continuous emission monitoring (cem)	78
U-00001/-/103	intermittent emission testing	79
U-00001/-/103	intermittent emission testing	80
U-00001/-/103	intermittent emission testing	81
U-00001/-/103	intermittent emission testing	82
U-00001/-/103	intermittent emission testing	83
U-00001/-/103	intermittent emission testing	84
U-00001/-/103	continuous emission monitoring (cem)	85
U-00001/-/103	continuous emission monitoring (cem)	86
U-00001/-/104	intermittent emission testing	87
U-00001/-/104	continuous emission monitoring (cem)	88
U-00001/-/104	continuous emission monitoring (cem)	89
U-00001/-/104	continuous emission monitoring (cem)	90
U-00001/-/104	intermittent emission testing	91
U-00001/-/104	intermittent emission testing	92
U-00001/-/104	intermittent emission testing	93
U-00001/-/104	continuous emission monitoring (cem)	94
U-00001/-/104	intermittent emission testing	95
U-00001/-/104	intermittent emission testing	96
U-00001/00001/101	intermittent emission testing	98
U-00005	work practice involving specific operations	99
U-00005	record keeping/maintenance procedures	100
U-00005	record keeping/maintenance procedures	101
U-00005/-/501	work practice involving specific operations	102
U-00006	work practice involving specific operations	103
U-00006	record keeping/maintenance procedures	104
U-00006	record keeping/maintenance procedures	105
U-00007	work practice involving specific operations	106
U-00007	record keeping/maintenance procedures	107
U-00007	record keeping/maintenance procedures	108
U-00007/-/701	work practice involving specific operations	109

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 7-3132-00035/00034 Renewal Number: 1

09/27/2007



U-00001/-/DCT/00005	record keeping/maintenance procedures	97
FACILITY	record keeping/maintenance procedures	41
U-00001	record keeping/maintenance procedures	56
FACILITY	record keeping/maintenance procedures	5
FACILITY	record keeping/maintenance procedures	6
FACILITY	record keeping/maintenance procedures	7
FACILITY	record keeping/maintenance procedures	29
FACILITY	record keeping/maintenance procedures	34
FACILITY	monitoring of process or control device parameters as surrogate	35
FACILITY	record keeping/maintenance procedures	115
FACILITY	record keeping/maintenance procedures	120

Basis for Monitoring

This permit establishes numerous monitoring requirements, including requirements for monitoring emissions of NOX and CO using CEMs and fuel sulfur monitoring. This permit incorporates the new monitoring provisions under 40 CFR Subpart GG.