

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

**Facility Identification Data**

Name: BUFFALO TERMINAL  
Address: 625 ELK ST  
BUFFALO, NY 14210

**Owner/Firm**

Name: BUCKEYE TERMINALS LLC  
Address: 5002 BUCKEYE RD  
EMMAUS, PA 18049, USA  
Owner Classification: Corporation/Partnership

**Permit Contacts**

Division of Environmental Permits:  
Name: PENNY R DEMPSEY  
Address: 270 MICHIGAN AVE  
BUFFALO, NY 14203-2999

Division of Air Resources:  
Name: ALAN J ZYLINSKI  
Address: 270 MICHIGAN AVENUE  
BUFFALO, NY 14203-2999

**Permit Description**

**Introduction**

The Title V operating air permit is intended to be a document containing only enforceable terms and conditions as well as any additional information, such as the identification of emission units, emission points, emission sources and processes, that makes the terms meaningful. 40 CFR Part 70.7(a)(5) requires that each Title V permit have an accompanying "...statement that sets forth the legal and factual basis for the draft permit conditions". The purpose for this permit review report is to satisfy the above requirement by providing pertinent details regarding the permit/application data and permit conditions in a more easily understandable format. This report will also include background narrative and explanations of regulatory decisions made by the reviewer. It should be emphasized that this permit review report, while based on information contained in the permit, is a separate document and is not itself an enforceable term and condition of the permit.

**Summary Description of Proposed Project**

Application for renewal of Air Title V Facility.

**Attainment Status**

BUFFALO TERMINAL is located in the town of BUFFALO in the county of ERIE. The attainment status for this location is provided below. (Areas classified as attainment are those that meet all ambient air quality standards for a designated criteria air pollutant.)

**Criteria Pollutant**

**Attainment Status**



**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**

**01/03/2007**

---

Particulate Matter (PM)	ATTAINMENT
Particulate Matter < 10µ in diameter (PM10)	ATTAINMENT
Sulfur Dioxide (SO2)	ATTAINMENT
Ozone*	MARGINAL NON-ATTAINMENT
Oxides of Nitrogen (NOx)**	ATTAINMENT
Carbon Monoxide (CO)	ATTAINMENT

---

\* Ozone is regulated in terms of the emissions of volatile organic compounds (VOC) and/or oxides of nitrogen (NOx) which are ozone precursors.

\*\* NOx has a separate ambient air quality standard in addition to being an ozone precursor

**Facility Description**

THIS FACILITY IS CLASSIFIED AS A GASOLINE/DISTILLATE LOADING TERMINAL CONSISTING OF SIX (6) STORAGE TANKS OF DIFFERENT VOLUMES CONTAINING PETROLEUM HYDROCARBON WITH A TRUE VAPOR PRESSURE GREATER THAN 1.5 PSIA ALONG WITH SEVERAL OTHER STORAGE TANKS CONTAINING GASOLINE ADDITIVES AND HEATING OIL/DIESEL. ONE (1) LOADING RACK WITH THREE (3) BAYS IS LOCATED ON-SITE. GASOLINE AND DISTILLATE LOADING IS CONTROLLED WITH A VAPOR RECOVERY UNIT.

**Permit Structure and Description of Operations**

The Title V permit for BUFFALO TERMINAL is structured in terms of the following hierarchy: facility, emission unit, emission point, emission source and process.

A facility is defined as all emission sources located at one or more adjacent or contiguous properties owned or operated by the same person or persons under common control. The facility is subdivided into one or more emission units (EU). Emission units are defined as any part or activity of a stationary facility that emits or has the potential to emit any federal or state regulated air pollutant. An emission unit is represented as a grouping of processes (defined as any activity involving one or more emission sources (ES) that emits or has the potential to emit any federal or state regulated air pollutant). An emission source is defined as any apparatus, contrivance or machine capable of causing emissions of any air contaminant to the outdoor atmosphere, including any appurtenant exhaust system or air cleaning device. [NOTE: Indirect sources of air contamination as defined in 6 NYCRR Part 203 (i.e. parking lots) are excluded from this definition]. The applicant is required to identify the principal piece of equipment (i.e., emission source) that directly results in or controls the emission of federal or state regulated air pollutants from

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

an activity (i.e., process). Emission sources are categorized by the following types:

- combustion        -        devices which burn fuel to generate heat, steam or power
- incinerator       -        devices which burn waste material for disposal
- control            -        emission control devices
- process            -        any device or contrivance which may emit air contaminants that is not included in the above categories.

BUFFALO TERMINAL is defined by the following emission unit(s):

Emission unit 1RACK1 - TRUCK LOADING RACK WITH THREE (3) BAYS: ONE (1) USED TO LOAD GASOLINE, ONE (1) USED TO LOAD DISTILLATE AND TRANSMIX, AND ONE (1) USED TO LOAD BOTH GASOLINE AND DISTILLATE.

Emission unit 1RACK1 is associated with the following emission points (EP):  
00001

It is further defined by the following process(es):

Process: RDS is located at LOADING AREA - TANK TRUCKS ARE BOTTOM LOADED WITH DISTILLATE AT 2 BAYS. VAPORS ARE SENT TO THE VAPOR RECOVERY UNIT.

Process: RGS is located at LOADING AREA - GASOLINE TANK TRUCKS ARE LOADED AT 2 BAYS. TRANSMIX (CONTAINING GASOLINE) IS LOADED AT 1 BAY. VAPORS ARE COLLECTED AND SENT TO THE VAPOR RECOVERY UNIT.

Process: TTV is located at LOADING AREA - FUGITIVE EMISSIONS FROM LEAKS FROM TANK TRUCKS DURING LOADING.

Process: VCU is located at LOADING AREA - FUGITIVE EMISSIONS FROM LOSSES FROM THE VAPOR REDUCTION UNIT.

Emission unit 1TANKS - SIX (6) STORAGE TANKS OF DIFFERENT VOLUMES CONTAINING PETROLEUM HYDROCARBON WITH A TRUE VAPOR PRESSURE GREATER THAN 1.5 PSIA. ALL ARE FIXED ROOF TANKS WITH INTERNAL FLOATING ROOFS. TK038 IS 93' DIA X 48' H; TK075 IS 90' DIA X 40' H; TK097 IS 93' DIA X 48' H; TK099 IS 93' DIA X 48' H; TK171 IS 90' DIA X 40' H; TK176 IS 130' DIA X 40' H.

It is further defined by the following process(es):

Process: FG1 is located at TANK FARM - MISCELLANEOUS FUGITIVE HAP AND VOC EMISSIONS FROM VALVES, PUMPS, AND FLANGE LEAKAGE. ALL EMISSIONS ARE AT INSIGNIFICANT LEVELS.

Process: GAS is located at TANK FARM - 6 STORAGE TANKS, EACH HAVING A CAPACITY OF GREATER THAN 40,000 GALLONS, STORE GASOLINE. EACH TANK HAS A FIXED ROOF WITH AN INTERNAL FLOATING ROOF SYSTEM.

**Title V/Major Source Status**

BUFFALO TERMINAL is subject to Title V requirements. This determination is based on the following information:

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**

**01/03/2007**



This facility is considered a major source because the facility's potential to emit VOC emissions is greater than the major facility threshold of 50 tons per year.

**Program Applicability**

The following chart summarizes the applicability of BUFFALO TERMINAL with regards to the principal air pollution regulatory programs:

<b>Regulatory Program</b>	<b>Applicability</b>
PSD	NO
NSR (non-attainment)	NO
NESHAP (40 CFR Part 61)	NO
NESHAP (MACT - 40 CFR Part 63)	NO
NSPS	YES
TITLE IV	NO
TITLE V	YES
TITLE VI	NO
RACT	YES
SIP	YES

**NOTES:**

**PSD**            Prevention of Significant Deterioration (40 CFR 52) - requirements which pertain to major stationary sources located in areas which are in attainment of National Ambient Air Quality Standards (NAAQS) for specified pollutants.

**NSR**            New Source Review (6 NYCRR Part 231) - requirements which pertain to major stationary sources located in areas which are in non-attainment of National Ambient Air Quality Standards (NAAQS) for specified pollutants.

**NESHAP**        National Emission Standards for Hazardous Air Pollutants (40 CFR 61) - contaminant and source specific emission standards established prior to the Clean Air Act Amendments of 1990 (CAAA) which were developed for 9 air contaminants (inorganic arsenic, radon, benzene, vinyl chloride, asbestos, mercury, beryllium, radionuclides, and volatile HAP's)

**MACT**            Maximum Achievable Control Technology (40 CFR 63) - contaminant and source

## New York State Department of Environmental Conservation

### Permit Review Report

Permit ID: 9-1402-00600/00025 Renewal Number: 1

01/03/2007



specific emission standards established by the 1990 CAAA. Under Section 112 of the CAAA, the US EPA is required to develop and promulgate emissions standards for new and existing sources. The standards are to be based on the best demonstrated control technology and practices in the regulated industry, otherwise known as MACT. The corresponding regulations apply to specific source types and contaminants.

**NSPS** New Source Performance Standards (40 CFR 60) - standards of performance for specific stationary source categories developed by the US EPA under Section 111 of the CAAA. The standards apply only to those stationary sources which have been constructed or modified after the regulations have been proposed by publication in the Federal Register and only to the specific contaminant(s) listed in the regulation.

**Title IV** Acid Rain Control Program (40 CFR 72 thru 78) - regulations which mandate the implementation of the acid rain control program for large stationary combustion facilities.

**Title VI** Stratospheric Ozone Protection (40 CFR 82, Subparts A thru G) - federal requirements that apply to sources which use a minimum quantity of CFC's (chlorofluorocarbons), HCFC's (hydrofluorocarbons) or other ozone depleting substances or regulated substitute substances in equipment such as air conditioners, refrigeration equipment or motor vehicle air conditioners or appliances.

**RACT** Reasonably Available Control Technology (6 NYCRR Parts 212.10, 226, 227-2, 228, 229, 230, 232, 233, 234, 235, 236) - the lowest emission limit that a specific source is capable of meeting by application of control technology that is reasonably available, considering technological and economic feasibility. RACT is a control strategy used to limit emissions of VOC's and NOx for the purpose of attaining the air quality standard for ozone. The term as it is used in the above table refers to those state air pollution control regulations which specifically regulate VOC and NOx emissions.

**SIP** State Implementation Plan (40 CFR 52, Subpart HH) - as per the CAAA, all states are empowered and required to devise the specific combination of controls that, when implemented, will bring about attainment of ambient air quality standards established by the federal government and the individual state. This specific combination of measures is referred to as the SIP. The term here refers to those state regulations that are approved to be included in the SIP and thus are considered federally enforceable.

### Compliance Status

Facility is in compliance with all requirements

### SIC Codes

SIC or Standard Industrial Classification code is an industrial code developed by the federal Office of Management and Budget for use, among other things, in the classification of establishments by the type of activity in which they are engaged. Each operating establishment is assigned an industry code on the basis of its primary activity, which is

# New York State Department of Environmental Conservation

## Permit Review Report

Permit ID: 9-1402-00600/00025    Renewal Number: 1



01/03/2007

determined by its principal product or group of products produced or distributed, or services rendered. Larger facilities typically have more than one SIC code.

SIC Code	Description
5171	PETROLEUM BULK STATIONS & TERMINALS

### SCC Codes

SCC or Source Classification Code is a code developed and used by the USEPA to categorize processes which result in air emissions for the purpose of assessing emission factor information. Each SCC represents a unique process or function within a source category logically associated with a point of air pollution emissions. Any operation that causes air pollution can be represented by one or more SCC's.

SCC Code	Description
4-04-002-50 BULK PLANTS Loading Racks	BULK TERMINALS/PLANTS
4-04-001-60	BULK TERMINALS/PLANTS BULK TERMINALS INTERNAL FLOAT ROOF W/ PRIMARY SEAL-SPECIFY LIQUID:STANDING LOSS
4-04-001-54	BULK TERMINALS/PLANTS BULK TERMINALS Tank Truck Vapor Leaks
4-04-001-51	BULK TERMINALS/PLANTS BULK TERMINALS
4-04-001-52	Valves, Flanges, and Pumps BULK TERMINALS/PLANTS BULK TERMINALS Vapor Collection Losses

### Facility Emissions Summary

In the following table, the CAS No. or Chemical Abstract Series code is an identifier assigned to every chemical compound. [NOTE: Certain CAS No.'s contain a 'NY' designation within them. These are not true CAS No.'s but rather an identification which has been developed by the department to identify groups of contaminants which ordinary CAS No.'s do not do. As an example, volatile organic compounds or VOC's are identified collectively by the NY CAS No. 0NY998-00-0.] The PTE refers to the Potential to Emit. This is defined as the maximum capacity of a facility or air contaminant source to emit any air contaminant under its physical and operational design. Any physical or operational limitation on the capacity of the facility or air contamination source to emit any air contaminant, including air pollution control equipment and/or restrictions on the hours of operation, or on the type or amount or material combusted, stored, or processed, shall be treated as part of the design only if the limitation is contained in federally enforceable permit conditions. The PTE Range represents an emission range for a contaminant. Any PTE quantity that is displayed represents a facility-wide emission cap or limitation for that contaminant. If no PTE quantity is displayed, the PTE Range is provided to indicate the approximate magnitude of facility-wide emissions for the specified contaminant in terms of tons per year (tpy). The term 'HAP' refers to any of the hazardous air pollutants listed in section 112(b) of the Clean Air Act

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

Amendments of 1990. Total emissions of all hazardous air pollutants are listed under the special NY CAS No. 0NY100-00-0. In addition, each individual hazardous air pollutant is also listed under its own specific CAS No. and is identified in the list below by the (HAP) designation.

Cas No.	Contaminant Name	PTE	
		lbs/yr	Range
000092-52-4	1, 1 BIPHENYL (HAP)	19990	
000108-38-3	1, 3 DIMETHYL BENZENE (HAP)	19990	
000095-48-7	2-METHYL-PHENOL (HAP)	19990	
000071-43-2	BENZENE (HAP)	19990	
000098-82-8	BENZENE, (1-METHYLETHYL) (HAP)	19990	
000100-41-4	ETHYLBENZENE (HAP)	19990	
0NY100-00-0	HAP	49800	
000110-54-3	HEXANE (HAP)	19990	
001634-04-4	METHYL TERTBUTYL ETHER (HAP)	19990	
000091-20-3	NAPHTHALENE (HAP)	19990	
000540-84-1	PENTANE, 2,2,4-TRIMETHYL- (HAP)	19990	
000108-95-2	PHENOL (HAP)	19990	
000108-88-3	TOLUENE (HAP)	19990	
0NY998-00-0	VOC		>= 50 tpy but < 100 tpy

**NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS**

**Item A:                    Sealing - 6NYCRR Part 200.5**

The Commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the Commissioner issued in the case of the violation. Sealing means labeling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

No person shall operate any air contamination source sealed by the Commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

Unless authorized by the Commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section.

**Item B:                    Acceptable Ambient Air Quality - 6NYCRR Part 200.6**

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

**Item C:                    Maintenance of Equipment - 6NYCRR Part 200.7**

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

**Item D:                    Unpermitted Emission Sources - 6NYCRR Part 201-1.2**

If an existing emission source was subject to the permitting requirements of 6NYCRR Part 201 at the time of construction or modification, and the owner and/or operator failed to apply for a permit for such emission source then the following provisions apply:

- (a) The owner and/or operator must apply for a permit for such emission source or register the facility in accordance with the provisions of Part 201.
- (b) The emission source or facility is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing sources or facilities.

**Item E:                    Emergency Defense - 6NYCRR Part 201-1.5**

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

- (a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:
  - (1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;
  - (2) The equipment at the permitted facility causing the emergency was at the time being properly operated;
  - (3) During the period of the emergency the facility owner and/or

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

**Item F:                    Recycling and Salvage - 6NYCRR Part 201-1.7**

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

**Item G:                    Prohibition of Reintroduction of Collected Contaminants to the Air - 6NYCRR Part 201-1.8**

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

**Item H:                    Public Access to Recordkeeping for Title V Facilities - 6NYCRR Part 201-1.10(b)**

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

**Item I:                    Proof of Eligibility for Sources Defined as Exempt Activities - 6 NYCRR Part 201-3.2(a)**

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

**Item J:            Proof of Eligibility for Sources Defined as Trivial Activities - 6 NYCRR Part 201-3.3(a)**

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request.

Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

**Item K:            Timely Application for the Renewal of Title V Permits - 6 NYCRR Part 201-6.3(a)(4)**

Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

**Item L:            Certification by a Responsible Official - 6 NYCRR Part 201-6.3(d)(12)**

Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

**Item M:            Requirement to Comply With All Conditions - 6 NYCRR Part 201-6.5(a)(2)**

The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

**Item N:            Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR Part 201-6.5(a)(3)**

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

**Item O:                    Providing Information Upon Request - 6 NYCRR Part 201-6.5(a)(4)**

The permittee shall furnish to the Department, within a reasonable time, any information that the Department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. The permittee shall also, on request, furnish the Department with copies of records required to be kept by the permit. Where information is claimed to be confidential, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

**Item P:                    Cessation or Reduction of Permitted Activity Not a Defense - 6 NYCRR Part 201-6.5(a)(5)**

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

**Item Q:                    Property Rights - 6 NYCRR Part 201-6.5(a)(6)**

This permit does not convey any property rights of any sort or any exclusive privilege.

**Item R:                    Fees - 6 NYCRR Part 201-6.5(a)(7)**

The owner and/or operator of a stationary source shall pay fees to the department consistent with the fee schedule authorized by 6 NYCRR Subpart 482-2.

**Item S:                    Right to Inspect - 6 NYCRR Part 201-6.5(a)(8)**

Upon presentation of credentials and other documents, as may be required by law, the permittee shall allow the Department or an authorized representative to perform the following:

- i.            Enter upon the permittee's premises where the permitted facility is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

- ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
- iii. Inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
- iv. As authorized by the Act, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

**Item T: Severability - 6 NYCRR Part 201-6.5(a)(9)**

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

**Item U: Progress Reports and Compliance Schedules - 6 NYCRR Part 201-6.5(d)(5)**

Progress reports consistent with an applicable schedule of compliance must be submitted at least semiannually on a calendar year basis, or at a more frequent period if specified in the applicable requirement or by the Department elsewhere in this permit. These reports shall be submitted to the Department within 30 days after the end of a reporting period. Such progress reports shall contain the following:

- i. Dates for achieving the activities, milestones, or compliance required in the schedule of compliance, and dates when such activities, milestones or compliance were achieved; and
- ii. An explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

**Item V: Off Permit Changes - 6 NYCRR Part 201-6.5(f)(6)**

No permit revision will be required for operating changes that contravene an express permit term, provided that such changes would not violate applicable requirements as defined under this Part or contravene federally enforceable monitoring (including test methods), recordkeeping, reporting, or compliance certification permit terms and conditions. Such changes may be made without requiring a permit revision, if the changes are not modifications under any provisions of Title I of the Act and the changes do not exceed the emissions allowable under the permit (whether expressed therein as a rate of

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

emissions or in terms of total emissions) provided that the facility provides the Administrator and the Department with written notification in advance of the proposed changes within a minimum of 7 days as required by 6 NYCRR §201-6.5(f)(6).

**Item W:                    Permit Shield - 6 NYCRR Part 201-6.5(g)**

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i.            The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii.          The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii.         The applicable requirements of Title IV of the Act;
- iv.         The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

**Item X:                    Reopening for Cause - 6 NYCRR Part 201-6.5(i)**

This Title V permit shall be reopened and revised under any of the following circumstances:

- i.            If additional applicable requirements under the Act become

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.

ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

**Item Y:                    Required Emission Tests - 6 NYCRR Part 202-1.1**

An acceptable report of measured emissions shall be submitted, as may be required by the Commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the Commissioner within the time stated shall be sufficient reason for the Commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6NYCRR Part 202-1.

**Item Z:                    Visible Emissions Limited - 6 NYCRR Part 211.3**  
Except as permitted by a specific part of this Subchapter and for

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

**Item AA:                    Open Fires - 6 NYCRR Part 215**

No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, rubbish for salvage, or rubbish generated by industrial or commercial activities.

**Item BB:                    Permit Exclusion - ECL 19-0305**

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

**Item CC:                    Federally Enforceable Requirements - 40 CFR 70.6(b)**

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

**NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS**

**Item A:                    General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5**

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

**Regulatory Analysis**

<b>Location Facility/EU/EP/Process/ES</b>	<b>Regulation</b>	<b>Short Description</b>	<b>Condition</b>
FACILITY	ECL 19-0301	Powers and Duties of the Department with respect to air pollution control	59
1-RACK1	40CFR 60-A.4	General provisions - Address	18
1-TANKS	40CFR 60-A.4	General provisions - Address	33
1-RACK1	40CFR 60-A.7(b)	Notification and Recordkeeping	19
1-TANKS	40CFR 60-A.7(b)	Notification and Recordkeeping	34
1-RACK1	40CFR 60-A.7(f)	Notification and Recordkeeping	20
1-TANKS	40CFR 60-A.7(f)	Notification and Recordkeeping	35
1-TANKS/-/GAS/TK171	40CFR 60-K.112(a)	Petroleum liquid storage tanks over 40,000 gallons capacity - standard for VOC	57
1-TANKS/-/GAS/TK171	40CFR 60-K.113(a)	Petroleum liquid storage tanks over 40,000 gallons capacity - monitoring of operations	58
1-TANKS/-/GAS/TK038	40CFR 60-Kb.112b(a)	NSPS for volatile organic liquid storage vessels - standard for volatile organic compounds (VOC)	36
1-TANKS/-/GAS/TK097	40CFR 60-Kb.112b(a)	NSPS for volatile organic liquid storage vessels - standard for volatile organic compounds (VOC)	43
1-TANKS/-/GAS/TK099	40CFR 60-Kb.112b(a)	NSPS for volatile organic liquid storage vessels - standard for volatile organic compounds (VOC)	50
1-TANKS/-/GAS/TK038	40CFR 60-Kb.113b(a) (2)	NSPS for volatile organic liquid storage vessels - testing and procedures	37

**New York State Department of Environmental Conservation**



**Permit Review Report**

**Permit ID: 9-1402-00600/00025 Renewal Number: 1**

**01/03/2007**

1-TANKS/-/GAS/TK097	40CFR 60-Kb.113b(a)(2)	NSPS for volatile organic liquid storage vessels-testing and procedures	44
1-TANKS/-/GAS/TK099	40CFR 60-Kb.113b(a)(2)	NSPS for volatile organic liquid storage vessels-testing and procedures	51
1-TANKS/-/GAS/TK038	40CFR 60-Kb.113b(a)(4)	NSPS for volatile organic liquid storage vessels-testing and procedures	38
1-TANKS/-/GAS/TK097	40CFR 60-Kb.113b(a)(4)	NSPS for volatile organic liquid storage vessels-testing and procedures	45
1-TANKS/-/GAS/TK099	40CFR 60-Kb.113b(a)(4)	NSPS for volatile organic liquid storage vessels-testing and procedures	52
1-TANKS/-/GAS/TK038	40CFR 60-Kb.113b(a)(5)	NSPS for volatile organic liquid storage vessels-testing and procedures	39
1-TANKS/-/GAS/TK097	40CFR 60-Kb.113b(a)(5)	NSPS for volatile organic liquid storage vessels-testing and procedures	46
1-TANKS/-/GAS/TK099	40CFR 60-Kb.113b(a)(5)	NSPS for volatile organic liquid storage vessels-testing and procedures	53
1-TANKS/-/GAS/TK038	40CFR 60-Kb.115b(a)	NSPS for volatile organic liquid storage vessels-reporting and recordkeeping requirements	40
1-TANKS/-/GAS/TK097	40CFR 60-Kb.115b(a)	NSPS for volatile organic liquid storage vessels-reporting and recordkeeping requirements	47
1-TANKS/-/GAS/TK099	40CFR 60-Kb.115b(a)	NSPS for volatile organic liquid storage vessels-reporting and recordkeeping requirements	54
1-TANKS/-/GAS/TK038	40CFR 60-Kb.116b(b)	NSPS for volatile organic liquid storage vessels-monitoring of operations	41
1-TANKS/-/GAS/TK097	40CFR 60-Kb.116b(b)	NSPS for volatile organic liquid storage vessels-monitoring of operations	48
1-TANKS/-/GAS/TK099	40CFR 60-Kb.116b(b)	NSPS for volatile organic liquid storage vessels-monitoring of operations	55
1-TANKS/-/GAS/TK038	40CFR 60-Kb.116b(c)	NSPS for volatile organic liquid storage vessels-monitoring of operations	42
1-TANKS/-/GAS/TK097	40CFR 60-Kb.116b(c)	NSPS for volatile organic liquid storage vessels-monitoring of operations	49
1-TANKS/-/GAS/TK099	40CFR 60-Kb.116b(c)	NSPS for volatile organic liquid storage vessels-monitoring of operations	56
1-RACK1/00001/RGS/VPORS	40CFR 60-XX.502(b)	Gasoline terminal loading racks over 20,000 gallons/day - standards for VOC	28, 29, 30
1-RACK1	40CFR 60-XX.502(e)	Gasoline terminal loading racks over 20,000	21

New York State Department of Environmental Conservation

Permit Review Report

Permit ID: 9-1402-00600/00025 Renewal Number: 1

01/03/2007



		gallons/day - standards for VOC	
1-RACK1	40CFR 60-XX.502(f)	Gasoline terminal loading racks over 20,000	22
		gallons/day - standards for VOC	
1-RACK1	40CFR 60-XX.502(g)	Gasoline terminal loading racks over 20,000	23
		gallons/day - standards for VOC	
1-RACK1	40CFR 60-XX.502(i)	Gasoline terminal loading racks over 20,000	24
		gallons/day - standards for VOC	
1-RACK1	40CFR 60-XX.502(j)	Gasoline terminal loading racks over 20,000	25
		gallons/day - standards for VOC	
1-RACK1	40CFR 60-XX.505(b)	Gasoline terminal loading racks over 20,000	26
		gallons/day - reporting and recordkeeping	
FACILITY	40CFR 63-R.420(a)(2)		62, 63, 64, 65
1-RACK1	40CFR 64	COMPLIANCE ASSURANCE MONITORING	27
FACILITY	40CFR 68	Chemical accident prevention provisions	11
FACILITY	40CFR 82-F	Protection of Stratospheric Ozone - recycling and emissions reduction	12
FACILITY	6NYCRR 201-1.4	Unavoidable noncompliance and violations	60
FACILITY	6NYCRR 201-6	Title V Permits and the Associated Permit Conditions	1, 13, 14
FACILITY	6NYCRR 201-6.5(c)	Permit conditions for Recordkeeping and Reporting of Compliance Monitoring	2
FACILITY	6NYCRR 201-6.5(c)(2)	Permit conditions for Recordkeeping and Reporting of Compliance Monitoring	3
FACILITY	6NYCRR 201-6.5(c)(3)(ii)	Permit conditions for Recordkeeping and Reporting of Compliance Monitoring	4
FACILITY	6NYCRR 201-6.5(e)	Compliance Certification	5
FACILITY	6NYCRR 201-7.1	Federally-Enforceable Emission Caps- General	61, 62, 63, 64, 65
FACILITY	6NYCRR 202-2.1	Emission Statements - Applicability	6
FACILITY	6NYCRR 202-2.5	Emission Statements - record keeping requirements.	7
FACILITY	6NYCRR 211.2	General Prohibitions - air pollution prohibited.	66
FACILITY	6NYCRR 225-1.8(b)	Reports, sampling and analysis.	8



**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**

**01/03/2007**

FACILITY	6NYCRR 225-1.8 (d)	Reports, sampling, and analysis	9
1-TANKS	6NYCRR 229.3 (a)	Petroleum fixed roof tank control requirements	31
1-RACK1	6NYCRR 229.3 (d)	Gasoline loading terminals	15
1-TANKS	6NYCRR 229.5 (a)	Recordkeeping - petroleum liquid fixed roof storage tanks	32
FACILITY	6NYCRR 229.5 (c)	Recordkeeping - gasoline loading terminals	10
1-RACK1	6NYCRR 230.2 (a) (1)	Stage I	16
1-RACK1	6NYCRR 230.2 (f)	Requirements	17

**Applicability Discussion:**

Mandatory Requirements: The following facility-wide regulations are included in all Title V permits:

ECL 19-301.

This section of the Environmental Conservation Law establishes the powers and duties assigned to the Department with regard to administering the air pollution control program for New York State.

6NYCRR Part 201-1.4

This regulation specifies the actions and recordkeeping and reporting requirements for any violation of an applicable state enforceable emission standard that results from a necessary scheduled equipment maintenance, start-up, shutdown, malfunction or upset in the event that these are unavoidable.

6NYCRR Part 201-6

This regulation applies to those terms and conditions which are subject to Title V permitting. It establishes the applicability criteria for Title V permits, the information to be included in all Title V permit applications as well as the permit content and terms of permit issuance. This rule also specifies the compliance, monitoring, recordkeeping, reporting, fee, and procedural requirements that need to be met to obtain a Title V permit, modify the permit and demonstrate conformity with applicable requirements as listed in the Title V permit. For permitting purposes, this rule specifies the need to identify and describe all emission units, processes and products in the permit application as well as providing the Department the authority to include this and any other information that it deems necessary to determine the compliance status of the facility.

6NYCRR Part 201-6.5(c)

This requirement specifies, in general terms, what information must be contained in any required compliance monitoring records and reports. This includes the date, time and place of any sampling, measurements and analyses; who performed the analyses; analytical techniques and methods used as well as any required QA/QC procedures; results of the analyses; the operating conditions at the time of sampling or measurement and the identification of any permit deviations. All such reports must

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

also be certified by the designated responsible official of the facility.

6NYCRR Part 201-6.5(c)(2)

This requirement specifies that all compliance monitoring and recordkeeping is to be conducted according to the terms and conditions of the permit and follow all QA requirements found in applicable regulations. It also requires monitoring records and supporting information to be retained for at least 5 years from the time of sampling, measurement, report or application. Support information is defined as including all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

6NYCRR Part 201-6.5(c)(3)(ii)

This regulation specifies any reporting requirements incorporated into the permit must include provisions regarding the notification and reporting of permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken.

6NYCRR Part 201-6.5(e)

Sets forth the general requirements for compliance certification content; specifies an annual submittal frequency; and identifies the EPA and appropriate regional office address where the reports are to be sent.

6NYCRR Part 202-2.1

Requires that emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year.

6NYCRR Part 202-2.5

This rule specifies that each facility required to submit an emission statement must retain a copy of the statement and supporting documentation for at least 5 years and must make the information available to department representatives.

6NYCRR Part 211-.2

This regulation prohibits any emissions of air contaminants to the outdoor atmosphere which may be detrimental to human, plant or animal life or to property, or which unreasonably interferes with the comfortable enjoyment of life or property regardless of the existence of any specific air quality standard or emission limit.

40 CFR Part 68.

This Part lists the regulated substances and their applicability thresholds and sets the requirements for stationary sources concerning the prevention of accidental releases of these substances.

40 CFR Part 82, Subpart F

Subpart F requires the reduction of emissions of class I and class II refrigerants to the lowest achievable level during the service, maintenance, repair, and disposal of

## New York State Department of Environmental Conservation

### Permit Review Report

Permit ID: 9-1402-00600/00025    Renewal Number: 1



01/03/2007

appliances in accordance with section 608 of the Clean Air Act Amendments of 1990. This subpart applies to any person servicing, maintaining, or repairing appliances except for motor vehicle air conditioners. It also applies to persons disposing of appliances, including motor vehicle air conditioners, refrigerant reclaimers, appliance owners, and manufacturers of appliances and recycling and recovery equipment. Those individuals, operations, or activities affected by this rule, may be required to comply with specified disposal, recycling, or recovery practices, leak repair practices, recordkeeping and/or technician certification requirements.

### Facility Specific Requirements

In addition to Title V, BUFFALO TERMINAL has been determined to be subject to the following regulations:

#### 40CFR 60-A.4

This condition lists the USEPA Region 2 address for the submittal of all communications to the "Administrator". In addition, all such communications must be copied to NYSDEC Bureau of Enforcement and Compliance Assurance.

#### 40CFR 60-A.7 (b)

This regulation requires the owner or operator to maintain records of the occurrence and duration of any startup, shutdown, or malfunction of the source or control equipment or continuous monitoring system.

#### 40CFR 60-A.7 (f)

This condition specifies requirements for maintenance of files of all measurements, including continuous monitoring system (CMS), monitoring device, and performance testing measurements; all CMS performance evaluations; all CMS or monitoring device calibration checks; adjustments and maintenance performed on these systems or devices for at least two years.

#### 40CFR 60-K.112 (a)

This condition specifies the requirement that for petroleum liquids stored at vapor pressures of greater than 1.5 psia and less than 11.1 psia shall be stored in a vessel with a floating roof and a vapor recovery system.

#### 40CFR 60-K.113 (a)

This condition specifies the owner or operator shall maintain a record of the petroleum liquid stored, the period of storage, and the maximum true vapor pressure of that liquid during the respective storage period.

#### 40CFR 60-Kb.112b (a)

This condition specifies that for petroleum liquids stored at vapor pressures of greater than or equal to 5.2 kPa and less than 76.6 kPa shall be stored in a vessel with a fixed roof in combination with an internal floating roof which meets the design criteria of section 40 CFR 60-Kb.112b.

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

40CFR 60-Kb.113b (a) (2)

This condition specifies that for vessels equipped with a liquid-mounted or mechanical shoe primary seal, the owner or operator shall visually inspect the internal floating roof and the primary seal (or the secondary seal if one exists) through manholes and roof hatches on the fixed roof at least once every 12 months after initial fill.

40CFR 60-Kb.113b (a) (4)

This condition requires the owner or operator to visually inspect the internal floating roof, the primary seal, the secondary seal (if one is in service), gaskets, slotted membranes and sleeve seals (if any) each time the storage vessel is emptied and degassed.

40CFR 60-Kb.113b (a) (5)

This condition requires the owner or operator to notify the Administrator in writing at least 30 days prior to the filling or refilling of each storage vessel for which an inspection is rerequired.

40CFR 60-Kb.115b (a)

This condition requires the owner or operator to keep a record of each inspection performed to monitor the condition of the internal roof.

40CFR 60-Kb.116b (b)

Owners or operators of affected storage tanks with capacities greater than or equal to 10,000 gallons must keep records of the tanks dimensions and an analysis of its capacity for the life of the tank. If the tank's capacity is less than 20,000 gallons, then it is subject to no other provisions of this subpart.

40CFR 60-Kb.116b (c)

This condition requires the owner or operator to maintain a record of the Volatile Organic Liquid (VOL) stored, the period of storage, and the maximum true vapor pressure of that VOL during the respective storage period.

40CFR 60-XX.502 (b)

This requirement restricts this facility's emissions of volatile organic compounds (VOC's) from the vapor recovery unit (vru) due to the loading of liquid product into gasoline tank trucks to 10 milligrams of total organic compounds per liter of gasoline loaded or less.

40CFR 60-XX.502 (e)

This regulation specifies the procedures for loading liquid product into vapor-tight gasoline trucks.

40CFR 60-XX.502 (f)

This regulation requires that loadings of gasoline tank trucks are to be made only into tanks equipped with vapor collection equipment that is compatible with the terminal's vapor collection system.

40CFR 60-XX.502 (g)

This regulation requires that the terminal's and the tank truck's vapor collection systems are connected during each loading of a gasoline tank truck at the affected facility. Examples of actions to accomplish this include training drivers in the hookup procedures and posting visible reminder signs at the affected

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**

**01/03/2007**



loading tracks.

40CFR 60-XX.502 (i)

This regulation prohibits the opening of any pressure-vacuum vent in the bulk gasoline terminal's vapor collection system at a system pressure less than 4,500 pascals (450 mm of water).

40CFR 60-XX.502 (j)

This regulation requires the inspection of the vapor collection system, the vapor processing system, and each loading rack handling gasoline during the loading of gasoline tank trucks for total organic compounds liquid or vapor leaks, each calendar month. Each detection of a leak is to be recorded and the source of the leak repaired within 15 calendar days after it is detected.

40CFR 60-XX.505 (b)

The documentation file for each gasoline tank truck is to be updated at least once per year to reflect current test results as determined by Method 27. This documentation shall include, as a minimum, the following information:

(1) Test title: Gasoline Delivery Tank Pressure Test--EPA Reference Method 27.

(2) Tank owner and address.

(3) Tank identification number.

(4) Testing location.

(5) Date of test.

(6) Tester name and signature.

(7) Witnessing inspector, if any: Name, signature, and affiliation.

(8) Test results: Actual pressure change in 5 minutes, mm of water (average for 2 runs).

40CFR 63-R.420 (a) (2)

This subdivision of the Gasoline Distribution MACT exempts non-major sources of hazardous air pollutants from the regulation.

40CFR 64

The federal Compliance Assurance Monitoring (CAM) rule, 40 CFR Part 64, requires monitoring of control device, capture system, and/or process parameters to provide a reasonable assurance of compliance with emission limitations or standards. It applies to emission units that use a control device to comply with certain standards and limitations and that have potential pre-control device emissions equal to or greater than a major source threshold.

Acid Rain program requirements; stratospheric ozone protection requirements; post-1990 New Source Performance Standards, Emission Guidelines, and National Emission Standards for Hazardous Air Pollutants; and some other limitations are exempt from CAM. However, many of the exempt requirements are subject to less stringent periodic monitoring under 40 CFR Part 70 and 6NYCRR Subpart 201-6.

6NYCRR 201-6.5 (c) (3) (ii)

This regulation specifies any reporting requirements incorporated into the permit must include provisions

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**

**01/03/2007**



regarding the notification and reporting of permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken.

6NYCRR 201-7.1

This subpart specifies how a source owner or operator may opt to avoid being subject to one or more applicable requirements to which the source or unit would have otherwise been subject, or where needed to establish an emission reduction credit by accepting federally-enforceable permit conditions restricting or capping emissions.

6NYCRR 225-1.8 (b)

Upon request the owner or operator of a facility which purchases and fires coal or oil shall submit reports to the commissioner containing a fuel analysis, information on the quantity of the fuel received, burned, and results of any stack sampling, stack monitoring and any other procedures to ensure compliance with the provisions of 6 NYCRR Part 225-1. All records shall be available for a minimum of three years

6NYCRR 225-1.8 (d)

This requires that sampling, compositing and analysis of fuel samples must be done in accordance with methods acceptable to the commissioner.

6NYCRR 229 .3 (a)

This subdivision contains the control requirements for petroleum fixed roof tanks.

6NYCRR 229 .3 (d)

This rule contains the emission limits and operating requirements for gasoline loading terminals (i.e. those facilities with an average daily throughput of gasoline greater than 20,000 gallons).

6NYCRR 229 .5 (a)

This regulation requires that a record be of the capacities, in gallons, of petroleum liquid storage tanks subject to the control requirements for petroleum fixed roof and petroleum liquid external floating roof tanks under Part 229.3, be maintained at the facility for a period of 5 years.

6NYCRR 229 .5 (c)

This subdivision specifies that a record of the average daily gasoline throughput, in gallons per year be maintained for gasoline loading terminals subject to Part 229.

6NYCRR 230 .2 (a) (1)

This provision requires the gasoline storage tank to be equipped with vapory recovery equipment between the tank and truck.

6NYCRR 230 .2 (f)

Owners and/or operators of gasoline storage tanks, vehicles, and dispensing stations required to install stage 1 and/or stage 2 vapor recovery equipment must meet these provisions. The provisions include training , correct operation, replacement, and repair of personnel and equipment.

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

**Compliance Certification**

Summary of monitoring activities at BUFFALO TERMINAL:

<b>Location Facility/EU/EP/Process/ES</b>	<b>Type of Monitoring</b>	<b>Cond No.</b>
1-TANKS/-/GAS/TK171	record keeping/maintenance procedures	58
1-TANKS/-/GAS/TK038	record keeping/maintenance procedures	37
1-TANKS/-/GAS/TK097	record keeping/maintenance procedures	44
1-TANKS/-/GAS/TK099	record keeping/maintenance procedures	51
1-TANKS/-/GAS/TK038	record keeping/maintenance procedures	38
1-TANKS/-/GAS/TK097	record keeping/maintenance procedures	45
1-TANKS/-/GAS/TK099	record keeping/maintenance procedures	52
1-TANKS/-/GAS/TK038	record keeping/maintenance procedures	39
1-TANKS/-/GAS/TK097	record keeping/maintenance procedures	46
1-TANKS/-/GAS/TK099	record keeping/maintenance procedures	53
1-TANKS/-/GAS/TK038	record keeping/maintenance procedures	40
1-TANKS/-/GAS/TK097	record keeping/maintenance procedures	47
1-TANKS/-/GAS/TK099	record keeping/maintenance procedures	54
1-TANKS/-/GAS/TK038	record keeping/maintenance procedures	41
1-TANKS/-/GAS/TK097	record keeping/maintenance procedures	48
1-TANKS/-/GAS/TK099	record keeping/maintenance procedures	55
1-TANKS/-/GAS/TK038	record keeping/maintenance procedures	42
1-TANKS/-/GAS/TK097	record keeping/maintenance procedures	49
1-TANKS/-/GAS/TK099	record keeping/maintenance procedures	56
1-RACK1/00001/RGS/VPORS	intermittent emission testing	28
1-RACK1/00001/RGS/VPORS	monitoring of process or control device parameters as surrogate	29
1-RACK1/00001/RGS/VPORS	monitoring of process or control device parameters as surrogate	30
1-RACK1	record keeping/maintenance procedures	21
1-RACK1	record keeping/maintenance procedures	25
1-RACK1	record keeping/maintenance procedures	26
1-RACK1	record keeping/maintenance procedures	27
FACILITY	record keeping/maintenance procedures	4
FACILITY	record keeping/maintenance procedures	5
FACILITY	record keeping/maintenance procedures	62
FACILITY	work practice involving specific operations	63
FACILITY	work practice involving specific operations	64
FACILITY	record keeping/maintenance procedures	65
FACILITY	record keeping/maintenance procedures	6
FACILITY	record keeping/maintenance procedures	8
1-TANKS	record keeping/maintenance procedures	32
FACILITY	record keeping/maintenance procedures	10

**Basis for Monitoring**

Most of the monitoring requirements contained in this permit are based on specific monitoring methods and observations as prescribed in the applicable rules. Facility specific monitoring conditions were written to assure that reliable information is obtained representing the facility's compliance status for the following issues:

**HAPs (Hazardous Air Pollutants)**

Specific conditions were written to limit the HAP emissions from ExxonMobil's Buffalo Terminal to less than 10 tons per year individually and 25 tons per year totally to prove that the facility emissions remain below the applicability of the National Emission Standards for Gasoline Distribution Facilities. This will be accomplished by monitoring the HAP emissions on a 12-month rolling total basis. In addition, the

**New York State Department of Environmental Conservation**

**Permit Review Report**

**Permit ID: 9-1402-00600/00025    Renewal Number: 1**



**01/03/2007**

facility has accepted throughput limitations for gasoline and distillate oil.

**VOCs (Volatile Organic Compounds)**

In order for ExxonMobil to obtain a higher throughput limit for gasoline and distillates, specific conditions were written to limit the emissions of VOCs from the vapor recovery unit. The facility has accepted a limit of 10 milligrams of total organic compounds per liter of gasoline loaded or less. The 10 milligram per liter limit is more restrictive than the most stringent regulatory requirement, which is 35 milligrams per liter.

**CAM (Compliance Assurance Monitoring)**

A specific condition was written to comply with 40 CFR Part 64.