05/19/2006

# New York State Department of Environmental Conservation Permit Review Report

Permit ID: 9-2911-00030/00321 Renewal Number: 1

#### **Facility Identification Data**

Name: DUPONT COMPANY

Address: BUFFALO AVE & 26TH ST NIAGARA FALLS, NY 14302-0787

## Owner/Firm

Name: E I DUPONT DE NEMOURS & CO

Address: 1007 MARKET ST WILMINGTON, DE 19898, USA

Owner Classification: Corporation/Partnership

#### **Permit Contacts**

Division of Environmental Permits: Name: JEFFREY E DIETZ Address: 270 MICHIGAN AVE BUFFALO, NY 14203-2999

Division of Air Resources: Name: LAWRENCE F STILLER Address: 270 MICHIGAN AVENUE BUFFALO, NY 14203-2999

Air Permitting Contact: Name: CRAIG L WALKER

Address: DUPONT SPECIALTY CHEMICALS

BUFFALO AVE & 26TH ST NIAGARA FALLS, NY 14302-0787

Phone:7162785623

# Permit Description Introduction

The Title V operating air permit is intended to be a document containing only enforceable terms and conditions as well as any additional information, such as the identification of emission units, emission points, emission sources and processes, that makes the terms meaningful. 40 CFR Part 70.7(a)(5) requires that each Title V permit have an accompanying "...statement that sets forth the legal and factual basis for the draft permit conditions". The purpose for this permit review report is to satisfy the above requirement by providing pertinent details regarding the permit/application data and permit conditions in a more easily understandable format. This report will also include background narrative and explanations of regulatory decisions made by the reviewer. It should be emphasized that this permit review report, while based on information contained in the permit, is a separate document and is not itself an enforceable term and condition of the permit.

### **Summary Description of Proposed Project**

Application for renewal of Air Title V Facility.

#### **Attainment Status**



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

DUPONT COMPANY is located in the town of NIAGARA FALLS in the county of NIAGARA. The attainment status for this location is provided below. (Areas classified as attainment are those that meet all ambient air quality standards for a designated criteria air pollutant.)

#### Criteria Pollutant

#### **Attainment Status**

Particulate Matter (PM)	ATTAINMENT
Particulate Matter < 10μ in diameter (PM10)	ATTAINMENT
Sulfur Dioxide (SO2)	ATTAINMENT
Ozone*	MARGINAL NON-ATTAINMENT
Oxides of Nitrogen (NOx)**	ATTAINMENT
Carbon Monoxide (CO)	ATTAINMENT

Ozone is regulated in terms of the emissions of volatile organic compounds (VOC) and/or oxides of nitrogen (NOx) which are ozone precursors.

# **Facility Description**

This facility has one primary production area: Sodium production. The sodium area produces sodium and lithium by electrolysis in a molten bath. Additionally, chlorine is produced as a by-product. The facility also has support operations which include water treatment.

### **Permit Structure and Description of Operations**

The Title V permit for DUPONT COMPANY

is structured in terms of the following hierarchy: facility, emission unit, emission point, emission source and process.

A facility is defined as all emission sources located at one or more adjacent or contiguous properties owned or operated by the same person or persons under common control. The facility is subdivided into one or more emission units (EU). Emission units are defined as any part or activity of a stationary facility that emits or has the potential to emit any federal or state regulated air pollutant. An emission unit is represented as a grouping of processes (defined as any activity involving one or more emission sources (ES) that emits or has the potential to emit any federal or state regulated air pollutant). An emission source is defined as any apparatus, contrivance or machine capable of causing emissions of any air contaminant to the outdoor atmosphere, including any appurtenant exhaust system or air cleaning device. [NOTE: Indirect sources of air contamination as defined in 6 NYCRR Part 203 (i.e.

NOx has a separate ambient air quality standard in addition to being an ozone precursor



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

parking lots) are excluded from this definition]. The applicant is required to identify the principal piece of equipment (i.e., emission source) that directly results in or controls the emission of federal or state regulated air pollutants from an activity (i.e., process). Emission sources are categorized by the following

types:

combustion - devices which burn fuel to generate heat, steam or power

incinerator - devices which burn waste material for disposal

control - emission control devices

process - any device or contrivance which may emit air contaminants that

is not included in the above categories.

### DUPONT COMPANY is defined by the following emission unit(s):

Emission unit UNIT01 - The Sodium Manufacturing Area emission unit, UNIT01, consists of the sources, processes, points, and buildings used in the production of sodium metal, lithium metal, and chlorine as a by-product. The emission unit consists of eight processes, two of which are activities with insignificant emissions.

Processes involving production (S02) and maintenance of the production cells (S01) are organized in a more complex manner. Alkali metal and chlorine are produced by electrolysis in a mixture of molten salts. The process takes place in vessels called cells (these are not mercury chlor-alkali cells). There are a maximum of 164 cells each having three ducts available for chlorine gas collection. A permanent duct collects the majority of the chlorine gas. Ordinarily, this chlorine is transported to a contiguous facility for liquefaction through a series of gas headers. The liquefaction facility is not under the control of Dupont. Alternatively, during maintenance activities associated with chlorine handling operations and equipment, chlorine is sent to two parallel scrubbers controlled by DuPont, emission points 30207 and 30208. A second duct from the top of the sodium cells is connected to a dust collection system. The production cells with these two vent systems constitute normal production and are identified as process S02. An optional duct can be used to connect the cells to the smoke duct scrubber, emission point 30212. This system is used for various cell startup, shutdown, process upset and maintenance activities identified as process SO1. Emissions into the shop exhaust to the atmosphere through a series of 19 stacks. Historically, these stacks have been regulated as a single emission point (30200) by the NYSDEC. This precedent was retained in this application. With respect to applicable requirements for process S02, process weight was agreed upon in 1973 as the criteria for establishing allowable particulate emissions as a special case under Part 212.

Emission unit UNIT01 is associated with the following emission points (EP): 20601, 30200, 30203, 30206, 30207, 30208, 30212, 30215, 30217, 44001 It is further defined by the following process(es):

Process: S01 is located at Ground, Building SH11121314 - Sodium metal, lithium metal and chlorine as a by-product are produced by electrolysis in a mixture of molten salts. The process takes place in vessels called cells. There are up to 164 cells in this process. Emissions occurring during cell maintenance are exhausted through a separate control system, referred to as the Smoke Duct Scrubber (S0101). Activities associated with this process include but may not be limited to diaphragm changes, new cell start-ups and process upsets. There are different requirements that apply to the cells during maintenance operations than apply during normal production (See process S02). The process spans bldgs. 11-15. Process: S02 is located at Ground, Building SH11121314 - Sodium metal, lithium metal and chlorine as

Process: S02 is located at Ground, Building SH11121314 - Sodium metal, lithium metal and chlorine as a by-product are produced by electrolysis in a mixture of molten salts. The process takes place in vessels



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

called cells. There are up to 164 cells in the process. The process spans bldgs. 11-15 and 26. Each cell has various ducts available for off gas collection. A permanent duct collects the majority of the chlorine gas. The chlorine is transported to a contiguous facility for liquefaction through a series of gas headers. The liquefaction facility is not under the control of Dupont. Alternatively, chlorine can be diverted during maintenance activities associated with chlorine handling operations and equipment to two parallel scrubbers that are controlled by Dupont, emission sources S0203 (emission point 30207) and S0204 (emission point 30208). Sodium cells have another duct connected to a dust collection system (S0202) that ventilates inside the building. The production cells and these duct systems constitute normal production and are identified as process SO2. Emissions into the shop exhaust to the atmosphere through a series of fans.

Process: S03 is located at Ground, Building 44 - Sodium metal is recovered from filter residue. Sodium chloride and calcium chloride are added to the residue and heated in pots to liberate the sodium metal. Smoke generated at various phases of the operation is scrubbed by emission source, S0304, before discharge to the atmosphere. The pots are heated by natural gas fired burners that have a maximum capacity of less than 10 million BTU/hr and exhaust through two separate flue vents. These vents are exempt from permitting per 6 NYCRR 201-3.2(c)(1).

Process: S04 is located at Ground, Building 16 - Salt dryer (natural gasl fired 5 mmBTU/hr capacity) The salt dryer removes traces of moisture from salt fed to the Sodium Shop. Exhaust gases pass through a cyclone (S0402), then a reverse-jet scrubber (S0403), and finally a wetted deep-bed filter (S0404). Cleaned gases leaving the filter vent to the atmosphere.

Process: S05 is located at Burning Room, Building 26 - When reusable mechanical parts are taken out of service, they are taken to a burning room where sodium and lithium contamination is burned off to render the parts safe for maintenance. The resultant smoke is exhausted through a scrubber, emission source, S0502 (emission point 30203).

Process: S06 is located at Ground, Building 206 - The cell base hood provides ventilation during decontamination performed prior to maintenance of reusable cell bases containing residual amounts of contact alloy. During the decontamination process the alloy is heated to its melt point. During melting a small amount of lead is vaporized and exhausted by emission source, S0601 (emission point 20601)). Process: S07 is located at Ground, Building 16 - A container of solidified contact alloy is melted under a fume hood. The alloy is then poured into the void space between the anode and cathode during the cell building operation.

Process: S08 is located at Second, Building 26 - The equipment decontamination wastewater neutralization tank collects wash water from the wash tanks where the pH is adjusted using sulfuric acid in order to meet the POTW discharge permit limit.

Emission unit UNIT04 - The Environmental Services emission unit, UNIT04, treats liquid waste streams from the production area. The operation in this unit is hypochlorite destruction. The emission unit consists of two processes; one of the processes is an activity with insignificant emissions. For this emission unit, each process consists of sources connected to a common emission point. This emission unit also consists of two emission points located in building 86.

Emission unit UNIT04 is associated with the following emission points (EP): 46001,86005

It is further defined by the following process(es):

Process: EOA is located at Ground, Building 86 - Hypochlorite Destruction Sodium hypochlorite is destroyed by reacting it with urea. More than 99% of the reaction takes place in the first reactor. A caustic scrubber (E0102) abates emergency chlorine releases, but does not abate normal chlorine emissions.

Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

Process: EOB is located at Ground, Building 86 - Urea Hold Tank Storage of a solution of urea dissolved in water.

# Title V/Major Source Status

DUPONT COMPANY is subject to Title V requirements. This determination is based on the following information:

This facility is a major source for particulates.

### **Program Applicability**

The following chart summarizes the applicability of DUPONT COMPANY with regards to the principal air pollution regulatory programs:

Regulatory Program	Applicability
PSD	NO
NSR (non-attainment)	NO
NESHAP (40 CFR Part 61)	NO
NESHAP (MACT - 40 CFR Part 63)	NO
NSPS	NO
TITLE IV	NO
TITLE V	YES
TITLE VI	NO
RACT	NO
SIP	YES

# NOTES:

PSD Prevention of Significant Deterioration (40 CFR 52) - requirements which pertain to major stationary sources located in areas which are in attainment of National Ambient Air Quality Standards (NAAQS) for specified pollutants.

NSR New Source Review (6 NYCRR Part 231) - requirements which pertain to major stationary sources located in areas which are in non-attainment of National Ambient Air Quality Standards (NAAQS) for specified pollutants.



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

NESHAP National Emission Standards for Hazardous Air Pollutants (40 CFR 61) - contaminant and source specific emission standards established prior to the Clean Air Act Amendments of 1990 (CAAA) which were developed for 9 air contaminants (inorganic arsenic, radon, benzene, vinyl chloride, asbestos, mercury, beryllium, radionuclides, and volatile HAP's)

MACT Maximum Achievable Control Technology (40 CFR 63) - contaminant and source specific emission standards established by the 1990 CAAA. Under Section 112 of the CAAA, the US EPA is required to develop and promulgate emissions standards for new and existing sources. The standards are to be based on the best demonstrated control technology and practices in the regulated industry, otherwise known as MACT. The corresponding regulations apply to specific source types and contaminants.

NSPS New Source Performance Standards (40 CFR 60) - standards of performance for specific stationary source categories developed by the US EPA under Section 111 of the CAAA. The standards apply only to those stationary sources which have been constructed or modified after the regulations have been proposed by publication in the Federal Register and only to the specific contaminant(s) listed in the regulation.

Title IV Acid Rain Control Program (40 CFR 72 thru 78) - regulations which mandate the implementation of the acid rain control program for large stationary combustion facilities.

Title VI Stratospheric Ozone Protection (40 CFR 82, Subparts A thru G) - federal requirements that apply to sources which use a minimum quantity of CFC's (chlorofluorocarbons), HCFC's(hydrofluorocarbons)or other ozone depleting substances or regulated substitute substances in equipment such as air conditioners, refrigeration equipment or motor vehicle air conditioners or appliances.

RACT Reasonably Available Control Technology (6 NYCRR Parts 212.10, 226, 227-2, 228, 229, 230, 232, 233, 234, 235, 236) - the lowest emission limit that a specific source is capable of meeting by application of control technology that is reasonably available, considering technological and economic feasibility. RACT is a control strategy used to limit emissions of VOC's and NOx for the purpose of attaining the air quality standard for ozone. The term as it is used in the above table refers to those state air pollution control regulations which specifically regulate VOC and NOx emissions.

SIP State Implementation Plan (40 CFR 52, Subpart HH) - as per the CAAA, all states are empowered and required to devise the specific combination of controls that, when implemented, will bring about attainment of ambient air quality standards established by the federal government and the individual state. This specific combination of measures is referred to as the SIP. The term here refers to those state regulations that are approved to be included in the SIP and thus are considered federally enforceable.

#### **Compliance Status**

Facility is in compliance with all requirements



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

#### **SIC Codes**

SIC or Standard Industrial Classification code is an industrial code developed by the federal Office of Management and Budget for use, among other things, in the classification of establishments by the type of activity in which they are engaged. Each operating establishment is assigned an industry code on the basis of its primary activity, which is determined by its principal product or group of products produced or distributed, or services rendered. Larger facilities typically have more than one SIC code.

SIC Code	Description		
2819	INDUSTRIAL	INORGANIC	CHEMICALS

#### **SCC Codes**

SCC or Source Classification Code is a code developed and used by the USEPA to categorize processes which result in air emissions for the purpose of assessing emission factor information. Each SCC represents a unique process or function within a source category logically associated with a point of air pollution emissions. Any operation that causes air pollution can be represented by one or more SCC's.

SCC Code	Description
3-01-830-01	CHEMICAL MANUFACTURING
	CHEMICAL MANUFACTURING - GENERAL
	PROCESSES
	Storage/Transfer
3-01-999-99	CHEMICAL MANUFACTURING
	CHEMICAL MANUFACTURING - OTHER NOT CLASSIFIED
	Specify in Comments Field
3-01-820-03	CHEMICAL MANUFACTURING
	CHEMICAL MANUFACTURING - WASTEWATER AGGREGATE
	WASTEWATER TREATMENT
3-09-001-99	FABRICATED METAL PRODUCTS
	FABRICATED METAL PRODUCTS - GENERAL PROCESSES
	Other Not Classified
3-05-021-02	MINERAL PRODUCTS
	MINERAL PRODUCTS - SALT MINING
	Granulation: Stack Dryer
3-99-999-94	MISCELLANEOUS MANUFACTURING INDUSTRIES
	MISCELLANEOUS INDUSTRIAL PROCESSES
	Other Not Classified

# **Facility Emissions Summary**

In the following table, the CAS No. or Chemical Abstract Series code is an identifier assigned to every chemical compound. [NOTE: Certain CAS No.'s contain a 'NY' designation within them. These are not true CAS No.'s but rather an identification which has been developed by the department to identify groups of contaminants which ordinary CAS No.'s do not do. As an example, volatile organic compounds or VOC's are identified collectively by the NY CAS No. 0NY998-00-0.] The PTE refers to the Potential to Emit. This is defined as the maximum capacity of a facility or air contaminant source to



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

emit any air contaminant under its physical and operational design. Any physical or operational limitation on the capacity of the facility or air contamination source to emit any air contaminant, including air pollution control equipment and/or restrictions on the hours of operation, or on the type or amount or material combusted, stored, or processed, shall be treated as part of the design only if the limitation is contained in federally enforceable permit conditions. The PTE Range represents an emission range for a contaminant. Any PTE quantity that is displayed represents a facility-wide emission cap or limitation for that contaminant. If no PTE quantity is displayed, the PTE Range is provided to indicate the approximate magnitude of facility-wide emissions for the specified contaminant in terms of tons per year (tpy). The term 'HAP' refers to any of the hazardous air pollutants listed in section 112(b) of the Clean Air Act Amendments of 1990. Total emissions of all hazardous air pollutants are listed under the special NY CAS No. 0NY100-00-0. In addition, each individual hazardous air pollutant is also listed under its own specific CAS No. and is identified in the list below by the (HAP) designation.

Cas No.	Contaminant Name	PTE	
		lbs/yr	Range
000106-99-0	1,3-BUTADIENE(HAP)		> 0 but < 10 tpy
000123-91-1	1,4-DIETHYLENE DIOXIDE(HAP)		> 0 but < 10 tpy
000630-08-0	CARBON MONOXIDE		>= 50 tpy but < 100 tpy
007782-50-5	CHLORINE (HAP)		>= 10 tpy
000110-54-3	HEXANE (HAP)		> 0 but < 10 tpy
007647-01-0	HYDROGEN CHLORIDE (HAP)		> 0 but < 10 tpy
007664-39-3	HYDROGEN FLUORIDE (HAP)		>= 10 tpy
007439-92-1	LEAD (HAP)		> 0 but < 10 tpy
000067-56-1	METHYL ALCOHOL (HAP)		> 0 but < 10 tpy
000078-93-3	METHYL ETHYL KETONE(HAP)		> 0 but < 10 tpy
0NY210-00-0	OXIDES OF NITROGEN		> 0 but < 2.5 tpy
0NY075-00-0	PARTICULATES		>= 250 tpy
0NY075-00-5	PM-10		>= 250 tpy
007446-09-5	SULFUR DIOXIDE		>= 250 tpy

### NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

# Item A: Emergency Defense - 6NYCRR Part 201-1.5

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

- (a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:
- (1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;
- (2) The equipment at the permitted facility causing the emergency was at the time being properly operated;
- (3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

permit; and

- (4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.
- (b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.
- (c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

# Item B: Public Access to Recordkeeping for Title V Facilities - 6NYCRR Part 201-1.10(b)

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

# Item C: Timely Application for the Renewal of Title V Permits - 6 NYCRR Part 201-6.3(a)(4)

Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

# Item D: Certification by a Responsible Official - 6 NYCRR Part 201-6.3(d)(12)

Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

# Item E: Requirement to Comply With All Conditions - 6 NYCRR Part 201-6.5(a)(2)

The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

Item F:

Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR Part 201-6.5(a)(3)

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Item G:

# Cessation or Reduction of Permitted Activity Not a Defense - 6NYCRR Part 201-6.5(a)(5)

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

Item H: Property Rights - 6 NYCRR Part 201-6.5(a)(6)

This permit does not convey any property rights of any sort or any exclusive privilege.

Item I: Severability - 6 NYCRR Part 201-6.5(a)(9)

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Item J: Permit Shield - 6 NYCRR Part 201-6.5(g)

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;

- ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii. The applicable requirements of Title IV of the Act;
- iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

# Item K: Reopening for Cause - 6 NYCRR Part 201-6.5(i)

This Title V permit shall be reopened and revised under any of the following circumstances:

- i. If additional applicable requirements under the Act become applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.
- ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.
- iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.
- iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

#### Item L: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

# Item M: Federally Enforceable Requirements - 40 CFR 70.6(b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

#### NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

# Item A: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may



# Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

# **Regulatory Analysis**

Location Facility/EU/EP/Process/ES	Regulation	Short Description C	Condition
FACILITY	ECL 19-0301	Powers and Duties of the Department with respect to air pollution control	33
FACILITY	40CFR 68	Chemical accident prevention provisions	21
FACILITY	40CFR 82-F	Protection of Stratospheric Ozone - recycling and emissions reduction	22
FACILITY	6NYCRR 200.6	Acceptable ambient air quality.	1
FACILITY	6NYCRR 200.7	Maintenance of equipment.	2
FACILITY	6NYCRR 201-1.4	Unavoidable noncompliance and violations	34
FACILITY	6NYCRR 201-1.7	Recycling and Salvage	3
FACILITY	6NYCRR 201-1.8	Prohibition of reintroduction of collected contaminants to the air	4
FACILITY	6NYCRR 201-3.2(a)	Exempt Activities - Proof of eligibility	5
FACILITY	6NYCRR 201-3.3(a)	Trivial Activities - proof of eligibility	6
FACILITY	6NYCRR 201-6	Title V Permits and the Associated Permit Conditions	23, 25, 26
FACILITY	6NYCRR 201-6.5(a)(4)	General conditions	7
FACILITY Fees 8	6NYCRR 201-6.5(a)(7)	General conditions	
FACILITY	6NYCRR 201-6.5(a)(8)	General conditions	9
FACILITY	6NYCRR 201-6.5(c)	Permit conditions for Recordkeeping and Reporting of Compliance Monitoring	15
FACILITY	6NYCRR 201-6.5(c)(2)	Permit conditions for Recordkeeping and Reporting of Compliance Monitoring	16
FACILITY	6NYCRR 201-6.5(c)(3)(i	i) Permit conditions for	17



# Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

			Recordkeeping and Reporting of Compliance Monitoring	
FACILITY	6NYCRR	201-6.5(d)(5)	Compliance schedules	10
FACILITY		201-6.5(e)	Compliance Certification	18
FACILITY		201-6.5(f)(6)	Off Permit Changes	11
FACILITY		202-1.1	Required emissions tests.	12
FACILITY		202-2.1	Emission Statements -	19
11101211	0111 01111	202 2.1	Applicability	
FACILITY	6NYCRR	202-2.5	Emission Statements -	20
111011111	OIVI CITIC	202 2.3	record keeping	20
			requirements.	
FACILITY	6NYCRR	211 2	General Prohibitions -	35
PACIBITI	ONICKK	211.2	air pollution	33
			prohibited.	
FACILITY	6NYCRR	211 2	General Prohibitions -	1.3
PACILITI	ONICKK	211.3	visible emissions	13
			limited	
U-NIT01/20601/S06	6NYCRR	212 4	General Process Emission	27
U-N1101/20601/506	ONICKK	212.4	Sources - emissions from	21
			new sources and/or	
H NTEO1 /20010 /G01	CATTLODD	010 4	modifications	2.1
U-NIT01/30212/S01	6NYCRR	212.4	General Process Emission	31
			Sources - emissions from	
			new sources and/or	
			modifications	
U-NIT04/-/EOA	6NYCRR	212.4	General Process Emission	37
			Sources - emissions from	
			new sources and/or	
			modifications	
U-NIT01/30203/S05	6NYCRR	212.4(c)	General Process Emission	29
			Sources - emissions from	
			new processes and/or	
			modifications	
U-NIT01/30206/S04	6NYCRR	212.4(c)	General Process Emission	30
			Sources - emissions from	
			new processes and/or	
			modifications	
FACILITY	6NYCRR	212.6(a)	General Process Emission	24
			Sources - opacity of	
			emissions limited	
U-NIT01/44001/S03	6NYCRR	212.6(a)	General Process Emission	32
			Sources - opacity of	
			emissions limited	
U-NIT01/-/S02	6NYCRR	212.9(b)	General Process Emission	36
			Sources - tables	
U-NIT01/30200/S02	6NYCRR	212.9(d)	Tables.	28
FACILITY	6NYCRR	215	Open Fires	14

# **Applicability Discussion:**

Mandatory Requirements: The following facility-wide regulations are included in all Title V permits:

# ECL 19-301.

This section of the Environmental Conservation Law establishes the powers and duties assigned to the Department with regard to administering the air pollution control program for New York State.



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

### 6NYCRR Part 200-.6

Acceptable ambient air quality - prohibits contravention of ambient air quality standards without mitigating measures

### 6NYCRR Part 200-.7

Anyone owning or operating an air contamination source which is equipped with an emission control device must operate the control consistent with ordinary and necessary practices, standards and procedures, as per manufacturer's specifications and keep it in a satisfactory state of maintenance and repair so that it operates effectively

### 6NYCRR Part 201-1.4

This regulation specifies the actions and recordkeeping and reporting requirements for any violation of an applicable state enforceable emission standard that results from a necessary scheduled equipment maintenance, start-up, shutdown, malfunction or upset in the event that these are unavoidable.

## 6NYCRR Part 201-1.7

Requires the recycle and salvage of collected air contaminants where practical

### 6NYCRR Part 201-1.8

Prohibits the reintroduction of collected air contaminants to the outside air

#### 6NYCRR Part 201-3.2(a)

An owner and/or operator of an exempt emission source or unit may be required to certify that it operates within the specific criteria described in this Subpart. All required records must be maintained on-site for a period of 5 years and made available to department representatives upon request. In addition, department representatives must be granted access to any facility which contains exempt emission sources or units, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

### 6NYCRR Part 201-3.3(a)

The owner and/or operator of a trivial emission source or unit may be required to certify that it operates within the specific criteria described in this Subpart. All required records must be maintained on-site for a period of 5 years and made available to department representatives upon request. In addition, department representatives must be granted access to any facility which contains trivial emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

### 6NYCRR Part 201-6



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

This regulation applies to those terms and conditions which are subject to Title V permitting. It establishes the applicability criteria for Title V permits, the information to be included in all Title V permit applications as well as the permit content and terms of permit issuance. This rule also specifies the compliance, monitoring, recordkeeping, reporting, fee, and procedural requirements that need to be met to obtain a Title V permit, modify the permit and demonstrate conformity with applicable requirements as listed in the Title V permit. For permitting purposes, this rule specifies the need to identify and describe all emission units, processes and products in the permit application as well as providing the Department the authority to include this and any other information that it deems necessary to determine the compliance status of the facility.

# 6NYCRR 201-6.5(a)(4)

This mandatory requirement applies to all Title V facilities. It requires the permittee to provide information that the Department may request in writing, within a reasonable time, in order to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. The request may include copies of records required to be kept by the permit.

### 6NYCRR 201-6.5(a)(7)

This is a mandatory condition that requires the owner or operator of a facility subject to Title V requirements to pay all applicable fees associated with the emissions from their facility.

# 6NYCRR 201-6.5(a)(8)

This is a mandatory condition for all facilities subject to Title V requirements. It allows the Department to inspect the facility to determine compliance with this permit, including copying records, sampling and monitoring, as necessary.

# 6NYCRR Part 201-6.5(c)

This requirement specifies, in general terms, what information must be contained in any required compliance monitoring records and reports. This includes the date, time and place of any sampling, measurements and analyses; who performed the analyses; analytical techniques and methods used as well as any required QA/QC procedures; results of the analyses; the operating conditions at the time of sampling or measurement and the identification of any permit deviations. All such reports must also be certified by the designated responsible official of the facility.

### 6NYCRR Part 201-6.5(c)(2)

This requirement specifies that all compliance monitoring and recordkeeping is to be conducted according to the terms and conditions of the permit and follow all QA requirements found in applicable regulations. It also requires monitoring records and supporting information to be retained for at least 5 years from the time of sampling, measurement, report or application. Support information is defined as including all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

required by the permit.

#### 6NYCRR Part 201-6.5(c)(3)(ii)

This regulation specifies any reporting requirements incorporated into the permit must include provisions regarding the notification and reporting of permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken.

#### 6NYCRR 201-6.5(d)(5)

This condition applies to every Title V facility subject to a compliance schedule. It requires that reports, detailing the status of progress on achieving compliance with emission standards, be submitted semiannually.

#### 6NYCRR Part 201-6.5(e)

Sets forth the general requirements for compliance certification content; specifies an annual submittal frequency; and identifies the EPA and appropriate regional office address where the reports are to be sent.

#### 6NYCRR 201-6.5(f)(6)

This condition allows changes to be made at the facility, without modifying the permit, provided the changes do not cause an emission limit contained in this permit to be exceeded. The owner or operator of the facility must notify the Department of the change. It is applicable to all Title V permits which may be subject to an off permit change.

#### 6NYCRR Part 202-1.1

This regulation allows the department the discretion to require an emission test for the purpose of determining compliance. Furthermore, the cost of the test, including the preparation of the report are to be borne by the owner/operator of the source.

### 6NYCRR Part 202-2.1

Requires that emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year.

# 6NYCRR Part 202-2.5

This rule specifies that each facility required to submit an emission statement must retain a copy of the statement and supporting documentation for at least 5 years and must make the information available to department representatives.

# 6NYCRR Part 211-.2

This regulation prohibits any emissions of air contaminants to the outdoor atmosphere which may be detrimental to human, plant or animal life or to property, or which unreasonably interferes with the comfortable enjoyment of life or property regardless of the existence of any specific air quality standard or emission limit.

### 6 NYCRR Part 211.3



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

This condition requires that the opacity (i.e., the degree to which emissions other than water reduce the transmission of light) of the emissions from any air contamination source be less than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent.

### 6 NYCRR Part 215

Prohibits open fires at industrial and commercial sites.

#### 40 CFR Part 68.

This Part lists the regulated substances and there applicability thresholds and sets the requirements for stationary sources concerning the prevention of accidental releases of these substances.

### 40 CFR Part 82, Subpart F

Subpart F requires the reduction of emissions of class I and class II refrigerants to the lowest achievable level during the service, maintenance, repair, and disposal of appliances in accordance with section 608 of the Clean Air Act Amendments of 1990. This subpart applies to any person servicing, maintaining, or repairing appliances except for motor vehicle air conditioners. It also applies to persons disposing of appliances, including motor vehicle air conditioners, refrigerant reclaimers, appliance owners, and manufacturers of appliances and recycling and recovery equipment. Those individuals, operations, or activities affected by this rule, may be required to comply with specified disposal, recycling, or recovery practices, leak repair practices, recordkeeping and/or technician certification requirements.

#### **Facility Specific Requirements**

In addition to Title V, DUPONT COMPANY has been determined to be subject to the following regulations:

#### 6NYCRR 212.4

This rule requires compliance with the degree of control specified in Tables 2, 3 and 4 for new (after July 1, 1973) process emission sources.

### 6NYCRR 212 .4 (c)

This rule requires existing sources (in operation after July 1, 1973) of solid particulates with environmental rating of B or C which are not subject to Table 5 "Processes for which Permissible Emission Rate is Based on Process Weight, to be limited to an particulate emission rate not to exceed 0.05 grains per dry standard cubic foot.

#### 6NYCRR 212 .6 (a)

This rule specifies an opacity limitation of less than 20% for any six consecutive minute period for all process emission sources.



Permit ID: 9-2911-00030/00321 Renewal Number: 1

05/19/2006

# 6NYCRR 212 .9 (b)

This section refers to Table 2 which specifies the degree of control required for Gases and Liquid Particulate Emissions (Environmental Rating of A, B, C or D) and Solid Particulate Emissions (Environmental Rating A or D) but excluding Volatile Organic Compound Emissions in the New York City Metropolitan Area.

# 6NYCRR 212.9 (d)

This section of regulation Part 212 contains a table of permissible emission rates based on process weights for particulates from a process source

### **Compliance Certification**

Summary of monitoring activities at DUPONT COMPANY:

Location Facility/EU/EP/Process/ES	Type of Monitoring	Cond No.
FACILITY	record keeping/maintenance procedures	17
FACILITY	record keeping/maintenance procedures	18
FACILITY	record keeping/maintenance procedures	19
U-NIT01/20601/S06	record keeping/maintenance procedures	27
U-NIT01/30212/S01	monitoring of process or control device parameters as surrogate	31
U-NIT04/-/EOA	record keeping/maintenance procedures	37
U-NIT01/30203/S05	monitoring of process or control device parameters as surrogate	29
U-NIT01/30206/S04	monitoring of process or control device parameters as surrogate	30
FACILITY	monitoring of process or control device parameters as surrogate	24
U-NIT01/44001/S03	monitoring of process or control device parameters as surrogate	32
U-NIT01/-/S02	continuous emission monitoring (cem)	36
U-NIT01/30200/S02	record keeping/maintenance procedures	28

### **Basis for Monitoring**

Facility uses pressure monitors and flow devices primarily to monitor sodium production. Sensors are used to monitor chlorine operations.