



Five Rivers Habitats

446 Acres



Grassland	176 acres	39.5%
Mature Hardwood	117 acres	26.2%
Conifer Forest	60 acres	13.5%
Brushland	51 acres	11.4%
Wetlands	19 acres	4.3%
Non-Vegetative	16 acres	3.5%
Early Stage Forest	4 acres	0.9%
Orchard	3 acres	0.7%

Appendix 4

LIST OF WOODY VEGETATION Five Rivers Environmental Education Center

<input type="checkbox"/> <i>Acer negundo</i>	- Ash-leaved maple	<input type="checkbox"/> <i>Platanus occidentalis</i>	- Sycamore
<input type="checkbox"/> <i>Acer rubrum</i>	- Red maple	<input type="checkbox"/> <i>Populus deltoides</i>	- Eastern cottonwood
<input type="checkbox"/> <i>Acer saccharum</i>	- Sugar maple	<input type="checkbox"/> <i>Populus grandidentata</i>	- Big toothed aspen
<input type="checkbox"/> <i>Aesculus hippocastanum</i>	- Horsechestnut	<input type="checkbox"/> <i>Populus tremuloides</i>	- Quaking aspen
<input type="checkbox"/> <i>Alnus serrulata</i>	- Smooth alder	<input type="checkbox"/> <i>Prunus serotina</i>	- Black cherry
<input type="checkbox"/> <i>Amelanchier</i> sp.	- Juneberry	<input type="checkbox"/> <i>Prunus virginiana</i>	- Choke cherry
<input type="checkbox"/> <i>Asimina triloba</i>	- Common pawpaw	<input type="checkbox"/> <i>Pyrus</i> sp.	- Mountain ash
<input type="checkbox"/> <i>Berberis thunbergii</i>	- Japanese barberry	<input type="checkbox"/> <i>Pyrus malus</i>	- Common apple
<input type="checkbox"/> <i>Betula lenta</i>	- Black birch	<input type="checkbox"/> <i>Quercus alba</i>	- White oak
<input type="checkbox"/> <i>Betula papyrifera</i>	- Paper birch	<input type="checkbox"/> <i>Quercus palustris</i>	- Pin oak
<input type="checkbox"/> <i>Betula lutea</i>	- Yellow birch	<input type="checkbox"/> <i>Quercus montana</i>	- Chestnut oak
<input type="checkbox"/> <i>Cephalanthus occidentalis</i>	- Buttonbush	<input type="checkbox"/> <i>Quercus rubra</i>	- Red oak
<input type="checkbox"/> <i>Carpinus caroliniana</i>	- Ironwood	<input type="checkbox"/> <i>Rhamnus alnifolia</i>	- Alderleaf buckthorn
<input type="checkbox"/> <i>Carya cordiformis</i>	- Bitternut hickory	<input type="checkbox"/> <i>Rhamnus cathartica</i>	- Common buckthorn
<input type="checkbox"/> <i>Carya glabra</i>	- Pignut hickory	<input type="checkbox"/> <i>Rhus typhina</i>	- Staghorn sumac
<input type="checkbox"/> <i>Carya ovata</i>	- Shagbark hickory	<input type="checkbox"/> <i>Ribes nigrum</i>	- European black currant
<input type="checkbox"/> <i>Castanea dentata</i>	- American chestnut	<input type="checkbox"/> <i>Robinia pseudoacacia</i>	- Black locust
<input type="checkbox"/> <i>Castanea molissima</i>	- Chinese chestnut	<input type="checkbox"/> <i>Rosa</i> sp.	- Wild rose
<input type="checkbox"/> <i>Celastrus orbiculatus</i>	- European bittersweet	<input type="checkbox"/> <i>Rubus allegheniensis</i>	- Northern blackberry
<input type="checkbox"/> <i>Celastrus scandens</i>	- American bittersweet	<input type="checkbox"/> <i>Rubus idaeus</i>	- Red raspberry
<input type="checkbox"/> <i>Cornus</i>	- Grey stemmed dogwood	<input type="checkbox"/> <i>Rubus occidentalis</i>	- Black raspberry
<input type="checkbox"/> <i>Cornus florida</i>	- Flowering dogwood	<input type="checkbox"/> <i>Rubus odoratus</i>	- Flowering raspberry
<input type="checkbox"/> <i>Cornus foemina</i>	- Red paniced dogwood	<input type="checkbox"/> <i>Sambucus canadensis</i>	- Elderberry
<input type="checkbox"/> <i>Corylus americana</i>	- American hazelnut	<input type="checkbox"/> <i>Sassafras albidum</i>	- Sassafras
<input type="checkbox"/> <i>Corylus cornuta</i>	- Beaked hazel	<input type="checkbox"/> <i>Salix</i> sp.	- Willow
<input type="checkbox"/> <i>Crataegus</i> sp.	- Thornapple	<input type="checkbox"/> <i>Smilax</i> sp.	- Greenbrier
<input type="checkbox"/> <i>Eleaegnus umbellata</i>	- Autumn olive	<input type="checkbox"/> <i>Symphoricarpos albus</i>	- Snowberry
<input type="checkbox"/> <i>Eleaegnus</i>	- Russian olive	<input type="checkbox"/> <i>Syringa</i> sp.	- Common lilac
<input type="checkbox"/> <i>Fagus grandifolia</i>	- American beech	<input type="checkbox"/> <i>Thuja occidentalis</i>	- Northern white cedar
<input type="checkbox"/> <i>Forsythia</i> sp.	- Forsythia	<input type="checkbox"/> <i>Tilia americana</i>	- Basswood
<input type="checkbox"/> <i>Fraxinus americana</i>	- White ash	<input type="checkbox"/> <i>Toxicodendron radicans</i>	- Poison ivy
<input type="checkbox"/> <i>Fraxinus nigra</i>	- Black ash	<input type="checkbox"/> <i>Tsuga canadensis</i>	- Eastern hemlock
<input type="checkbox"/> <i>Fraxinus pennsylvanica</i>	- Red ash	<input type="checkbox"/> <i>Ulmus americana</i>	- American elm
<input type="checkbox"/> <i>Halesia tetraptera</i>	- Carolina silverbell	<input type="checkbox"/> <i>Ulmus rubra</i>	- Slippery elm
<input type="checkbox"/> <i>Hamamelis virginiana</i>	- Witch-hazel	<input type="checkbox"/> <i>Viburnum acerifolium</i>	- Mapleleaf viburnum
<input type="checkbox"/> <i>Ilex verticillata</i>	- Common winterberry	<input type="checkbox"/> <i>Viburnum lentago</i>	- Nannyberry
<input type="checkbox"/> <i>Juglans nigra</i>	- Black walnut	<input type="checkbox"/> <i>Viburnum recognitum</i>	- Northern arrowwood
<input type="checkbox"/> <i>Juniperus virginiana</i>	- Red cedar	<input type="checkbox"/> <i>Viburnum trilobum</i>	- Cranberry viburnum
<input type="checkbox"/> <i>Larix decidua</i>	- European larch	<input type="checkbox"/> <i>Vitis</i> sp.	- Wild grape
<input type="checkbox"/> <i>Ligustrum vulgare</i>	- Common privet		
<input type="checkbox"/> <i>Lonicera xylosteum</i>	- European fly honeysuckle		
<input type="checkbox"/> <i>Magnolia acuminata</i>	- Cucumber tree		
<input type="checkbox"/> <i>Morus alba</i>	- White mulberry		
<input type="checkbox"/> <i>Nyssa sylvatica</i>	- Black gum		
<input type="checkbox"/> <i>Ostrya virginiana</i>	- Hop hornbeam		
<input type="checkbox"/> <i>Picea glauca</i>	- White spruce		
<input type="checkbox"/> <i>Picea abies</i>	- Norway spruce		
<input type="checkbox"/> <i>Pinus resinosa</i>	- Red pine		
<input type="checkbox"/> <i>Pinus strobus</i>	- Eastern white pine		
<input type="checkbox"/> <i>Pinus sylvestris</i>	- Scotch pine		

Appendix 5

LIST OF GRASSES AND FERNS Five Rivers Environmental Education Center

GRASSES

<input type="checkbox"/>	<i>Agnopyron repens</i>	Quack grass
<input type="checkbox"/>	<i>Bromus inermis</i>	Smooth brome
<input type="checkbox"/>	<i>Carex crinita</i>	Fringed sedge
<input type="checkbox"/>	<i>Carex scoparia</i>	Pointed broom sedge
<input type="checkbox"/>	<i>Carex spicata</i>	Lesser prickly sedge
<input type="checkbox"/>	<i>Carex stipata</i>	Awl-fruited sedge
<input type="checkbox"/>	<i>Carex tribuloides</i>	Blunt broom sedge
<input type="checkbox"/>	<i>Carex vulpinoidea</i>	Fox sedge
<input type="checkbox"/>	<i>Cynotis alba</i>	Red top
<input type="checkbox"/>	<i>Dachylis glomerata</i>	Orchard grass
<input type="checkbox"/>	<i>Equisetum arvense</i>	Common horsetail
<input type="checkbox"/>	<i>Festuca elatior</i>	Meadow fescue
<input type="checkbox"/>	<i>Glyceria grandis</i>	Reed meadow grass
<input type="checkbox"/>	<i>Histrix patula</i>	Bottlebrush grass
<input type="checkbox"/>	<i>Juncus tenuis</i>	Path rush
<input type="checkbox"/>	<i>Pea annua</i>	Spear grass
<input type="checkbox"/>	<i>Pea compressa</i>	Canada bluegrass
<input type="checkbox"/>	<i>Pea protensis</i>	Kentucky bluegrass
<input type="checkbox"/>	<i>Phalaris arundinacea</i>	Reed canary grass
<input type="checkbox"/>	<i>Phleum pratense</i>	Timothy
<input type="checkbox"/>	<i>Phragmites communis</i>	Reed
<input type="checkbox"/>	<i>Scirpus lineatus</i>	Reddish bulrush
<input type="checkbox"/>	<i>Scirpus rubrotinches</i>	Barberpole sedge
<input type="checkbox"/>	<i>Scirpus validus</i>	American great rush

FERNS

<input type="checkbox"/>	<i>Adiantum pedatum</i>	Northern maidenhair fern
<input type="checkbox"/>	<i>Asplenium platyneuron</i>	Ebony spleenwort
<input type="checkbox"/>	<i>Athyrium asplenoides</i>	Lady fern
<input type="checkbox"/>	<i>Camptosorus rhizophyllus</i>	Walking fern
<input type="checkbox"/>	<i>Cystopteris fragilis</i>	Fragile fern
<input type="checkbox"/>	<i>Dennstaedtia punctilobula</i>	Hay scented fern
<input type="checkbox"/>	<i>Dryopteris carthusiana</i>	Spinulose wood fern
<input type="checkbox"/>	<i>Dryopteris marginalis</i>	Marginal wood fern
<input type="checkbox"/>	<i>Onoclea sensibilis</i>	Sensitive fern
<input type="checkbox"/>	<i>Osmunda cinnamomea</i>	Interrupted fern
<input type="checkbox"/>	<i>Polypodium virginianum</i>	Common Polypody
<input type="checkbox"/>	<i>Polystichum acrostichoides</i>	Christmas fern
<input type="checkbox"/>	<i>Thelypteris novboracensis</i>	New York fern
<input type="checkbox"/>	<i>Thelypteris palustris</i>	Marsh fern

Appendix 6

LIST OF WILDFLOWERS Five Rivers Environmental Education Center

- Agrimony (*Agrimonia* sp.)
- Alexander, Golden (*Zizia aurea*)
- Anemone, Canada (*Anemone canadensis*)
- Anemone, Wood (*Anemone quinquefolia*)
- Aster, New England (*Aster nova-angliae*)
- Aster, New York (*Aster novae-belgii*)
- Aster, ssp. (*Aster* spp.)
- Avens, White (*Geum canadense*)
- Baneberry, White (*Actaea pacypoda*)
- Beardtongue (*Penstemon* sp.)
- Bedstraw, Fragrant (*Galium triflorum*)
- Bedstraw, Rough White (*Galium asprelum*)
- Bedstraw, Yellow (*Galium verum*)
- Bellwort, Sessile (*Uvularia sessifolia*)
- Bindweed, Hedge (*Convolvulus sepium*)
- Bittercress, Pennsylvania (*Cardamine pennsylvanica*)
- Black-eyed Susan *Rudbeckia hirta*
- Bloodroot (*Sanguinaria canadensis*)
- Blue-eyed Grass (*Sisyrinchium* sp.)
- Blue Flag, Larger (*Iris versicolor*)
- Boneset (*Eupatorium perfoliatum*)
- Bouncing Bet (*Saponaria officinalis*)
- Bugle (*Ajuga reptans*)
- Burdock, Common (*Arctium minus*)
- Butter-and-Eggs (*Lunaria vulgaris*)
- Buttercup, Common (*Ranunculus septentrionalis*)
- Buttercup, Kidneyleaf (*Ranunculus abortivus*)
- Buttercup, Swamp (*Ranunculus septentrionalis*)
- Campion, Bladder (*Silene cucubalus*)
- Catnip (*Nepeta cataria*)
- Chickweed, Common (*Stellaria media*)
- Chickwee, Mouse-Ear (*Cerastium vulgatum*)
- Chicory (*Cichorium intybus*)
- Cinquefoil, Common (*Potentilla simplex*)
- Cinquefoil, Dwarf (*Potentilla canadensis*)
- Cinquefoil, Rough-Fruited (*Potentilla recta*)
- Cinquefoil, Silvery (*Potentilla argentea*)
- Clover, Alsike (*Trifolium hybridum*)
- Clover, Hop (*Trifolium agrarium*)
- Clover, Least Hop (*Trifolium dubium*)
- Clover, Red (*Trifolium pratense*)
- Clover, White (*Trifolium repens*)
- Clover, White Sweet (*Melilotus alba*)
- Clover, Yellow Sweet (*Melilotus officinalis*)
- Coltsfoot (*Tussilago farfar*)
- Comfrey (*Symphytum officinale*)
- Coneflower, Thin-leaved (*Rudbeckia triloba*)
- Cucumber, Wild (*Echinocystis lobata*)
- Daisy, Ox-Eye (*Chrysanthemum leucanthemum*)
- Dame's Rocket (*Hesperis matronalis*)
- Dandelion (*Taraxacum officinale*)
- Dock, Curled (*Rumex crispus*)
- Feverwort (*Triosteum perfoliatum*)
- Fleabane, Common (*Erigeron philalaphicus*)
- Fleabane, Daisy (*Erigeron annuus*)
- Foamflower (*Tiarella cordifolia*)
- Garlic, Field (*Allium vineale*)
- Geranium, Wild (*Geranium maculatum*)
- Germander (*Teucrium canadense*)
- Gill-over-the-Ground (*Glechoma hederacea*)
- Goat's-Beard, Yellow (*Tragopogon pratensis*)
- Goldenrod, Canada (*Solidago canadensis*)
- Goldenrod, Early (*Solidago juncea*)
- Goldenrod, Lance-leaved (*Solidago graminifolia*)
- Hawkweed, Mouse-eared (*Hieracium aurantiacum*)
- Hawkweed, Orange (*Hieracium pilosella*)
- Heal-All (*Prunella vulgaris*)
- Hellebore, False (*Veratrum viride*)
- Hemlock, Poison (*Conium maculatum*)
- Hepatica, Round-lobed (*Hepatica americana*)
- Herb-Robert (*Geranium robertianum*)
- Hog-Peanut (*Amphicarpa bracteata*)
- Horse-Balm (*Collinsonia canadensis*)
- Indian Hemp (*Apocynum cannabinum*)
- Indian-tobacco (*Lobelia inflata*)
- Jack-in-the-Pulpit (*Arisaema atrorubens*)
- Jewelweed (*Impatiens carpensis*)
- Joe-Pye-Weed (*Eupatorium fistulosum*)
- King Devil [Hawkweed, Yellow] (*Hieracium pratense*)
- Knapweed, Brown (*Centaurea jacea*)
- Knapweed, Spotted (*Centaurea maculosa*)
- Knotweed, Virginia (*Tovara virginiana*)
- Lady's-thumb (*Polygonum persicaria*)
- Loosestrife, Fringed (*Lysimachia ciliata*)
- Loosestrife, Purple (*Lysimachia salicaria*)
- Lychnis, Evening [Campion, White] (*Lychnis alba*)
- Madder, Wild (*Galium mollugo*)
- Marigold, Marsh (*Caltha palustris*)
- Mayapple (*Podophyllum peltatum*)
- Mayflower, Canada (*Maianthemum canadense*)

- Milkweed, Common (*Asclepias syriaca*)
- Milkweed, Swamp (*Asclepias incarnata*)
- Mint, Wild (*Mentha arvensis*)
- Miterwort (*Mitella diphylla*)
- Moneywort (*Lysimachia nummularia*)
- Motherwort (*Leonurus cardiaca*)
- Mountain-mint, Hoary (*Pycnanthemum icenum*)
- Mountain-mint, [Narrow-leaved?] (*Pycnanthemum sp.*)
- Mullein, Common (*Verbascum thapsus*)
- Mustard, Garlic (*Alliaria officinalis*)
- Nightshade, Purple (*Solanum dulcamara*)
- Orpine (*Sedum telephium*)
- Parsnip, Cow (*Heracleum maximum*)
- Peppergrass, Field (*Lepidum campestre*)
- Pimpernel (*Anagallis arvensis*)
- Pineapple-weed (*Matricaria matricarioides*)
- Pink, Deptford (*Dianthus armeria*)
- Plantain, Common (*Plantago major*)
- Plantain, English (*Plantago lanceolata*)
- Polygala, Fringed (*Polygala paucifolia*)
- Primrose, Common Evening (*Oenothera biennis*)
- Queen Anne's Lace (*Daucus carota*)
- Ragweed, Common (*Ambrosia artemisiifolia*)
- Rose, Multiflora (*Rosa multiflora*)
- Rue, Early Meadow (*Thalictrum dioicum*)
- Rue, Tall Meadow (*Thalictrum polygamum*)
- St. Johnswort, Common (*Hypericum perforatum*)
- Sarsaparilla, Wild (*Aralia nudicaulis*)
- Shepherd's Purse (*Capsella bursa-pastoris*)
- Skunk Cabbage (*Symplocarpus foetidus*)
- Solomon's Seal, False (*Smilacina racemosa*)
- Sorrel, Sheep (*Rumex acetosella*)
- Speedwell, Common (*Veronica officinalis*)
- Speedwell, Thyme-leaved (*Veronica serpyllifolia*)
- Strawberry, Barren (*Waldensteinia fragarioides*)
- Strawberry, Common (*Fragaria virginiana*)
- Sundrops (*Oenothera fruticosa*)
- Tearthumb, Arrow-leaved (*Polygonum sagittatum*)
- Teasel (*Dipsacus laciniatus*)
- Thistle, Bull (*Cirsium vulgare*)
- Thistle, Canada ((*Cirsium arvense*)
- Toothwort, Cut-leaved (*Dentaria laciniata*)
- Trefoil, Birdfoot (*Lotus corniculatus*)
- Trillium, Red (*Trillium erectum*)
- Trout Lily (*erythronium americanum*)
- Vervain, Blue (*Verbena hastata*)
- Vervain, White (*Verbena urticifolia*)
- Vetch, Cow (*Vicia cracca*)
- Vetch, Slender (*Vicia tetrasperma*)
- Violet, Common Blue (*Viola papilionacea*)
- Violet, Downy Yellow (*Viola pubescens*)
- Violet, Long-spurred (*Viola rostrata*)
- Violet, Marsh Blue (*Viola cucullata*)
- Violet, Round-leaved Yellow (*Viola rotundifolia*)
- Willow-herb Northern ((*Epilobium glandulosum*)
- Winter Cress (*Barbarea vulgaris*)
- Wood-sorrel, Yellow (*Oxalis eruopea*)
- Yarrow (*Achillea millefolium*)

Appendix 7

LIST OF MAMMALS Five Rivers Environmental Education Center

MAMMALS

- Opossum
- Short Tailed Shrew
- Little Brown Bat
- Big Brown Bat
- Red Bat
- Northern Long Eared Bat
- Raccoon
- Fisher
- Mink
- River Otter
- Striped Skunk
- Red Fox
- Gray Fox
- Eastern Coyote
- Woodchuck
- Eastern Chipmunk
- Red Squirrel
- Gray Squirrel
- Mink
- American Beaver
- White Footed Mouse
- Meadow Vole
- Muskrat
- Norway Rat
- Eastern Cottontail
- White Tailed Deer

Appendix 8

LIST OF BIRDS Five Rivers Environmental Education Center

- Common Loon
- Pied-billed Grebe
- Horned Grebe
- Double-crested Cormorant
- American Bittern
- Great Blue Heron
- Great Egret
- Cattle Egret
- Green Heron
- Little Blue Heron
- Black-crowned Night Heron
- Tundra Swan
- Snow Goose
- Brant
- Canada Goose
- Wood Duck
- Green Winged Teal
- American Black Duck
- Mallard
- Northern Pintail
- Blue Winged Teal
- Northern Shoveller
- Gadwall
- American Wigeon
- Canvasback
- Ring-necked Duck
- Lesser Scaup
- Common Goldeneye
- Bufflehead
- Hooded Merganser
- Common Merganser
- Ruddy Duck
- Turkey Vulture
- Osprey
- Swallow-tailed Kite
- Northern Harrier
- Sharp-shinned Hawk
- Cooper's Hawk
- Northern Goshawk
- Red-Shouldered Hawk
- Broad-winged Hawk
- Red-tailed Hawk
- Rough-legged Hawk
- Golden Eagle
- Bald Eagle
- American Kestrel
- Merlin
- Peregrine Falcon
- Ring-necked Pheasant
- Semipalmated Plover
- Killdeer
- Greater Yellowlegs
- Lesser Yellowlegs
- Solitary Sandpiper
- Spotted Sandpiper
- Least Sandpiper
- Pectoral Sandpiper
- Short-billed Dowitcher
- Common Snipe
- American Woodcock
- Ring-billed Gull
- Herring Gull
- Iceland Gull
- Great Black-backed Gull
- Black Tern
- Rock Dove
- Mourning Dove
- Black-billed Cuckoo
- Yellow-billed Cuckoo
- Eastern Screech Owl
- Great Horned Owl
- Snowy Owl
- Barred Owl
- Long-eared Owl
- Short-eared Owl
- Northern Saw-whet Owl
- Common Nighthawk
- Chimney Swift
- Ruby-throated Hummingbird
- Belted Kingfisher
- Red-headed Woodpecker
- Red-bellied Woodpecker
- Yellow-bellied Woodpecker
- Downy Woodpecker
- Hairy Woodpecker
- Northern Flicker
- Pileated Woodpecker
- Olive-sided Flycatcher
- Eastern Wood Pewee
- Alder Flycatcher
- Willow Flycatcher
- Least Flycatcher
- Eastern Phoebe
- Say's Phoebe
- Yellow-bellied Flycatcher
- Great-crested Flycatcher
- Eastern Kingbird
- Horned Lark

- Ruffed Grouse
- Wild Turkey
- Northern Bobwhite
- Virginia Rail
- Common Moorhen
- American Coot
- Blue Jay
- Common Raven
- American Crow
- Fish Crow
- Black-capped Chickadee
- Boreal Chickadee
- Tufted Titmouse
- Red-breasted Nuthatch
- White-breasted Nuthatch
- Brown Creeper
- Carolina Wren
- House Wren
- Winter Wren
- Sedge Wren
- Marsh Wren
- Golden-crowned Kinglet
- Ruby-crowned Kinglet
- Blue-gray Gnatcatcher
- Eastern Bluebird
- Veery
- Gray-cheeked Thrush
- Swainson's Thrush
- Hermit Thrush
- Wood Thrush
- American Robin
- Gray Catbird
- Northern Mockingbird
- Brown Thrasher
- American Pipit
- Cedar Waxwing
- Northern Shrike
- Loggerhead Shrike
- European Starling
- White-eyed Vireo
- Solitary Vireo
- Yellow-throated Vireo
- Warbling Vireo
- Philadelphia Vireo
- Red-eyed Vireo
- Blue-winged Warbler
- Golden-winged Warbler
- Tennessee Warbler
- Nashville Warbler
- Northern Parula
- Yellow Warbler
- Chestnut-sided Warbler
- Magnolia Warbler
- Cape May Warbler
- Purple Martin
- Tree Swallow
- Northern Rough-winged Swallow
- Bank Swallow
- Cliff Swallow
- Barn Swallow
- Black-and-white Warbler
- American Redstart
- Worm-eating Warbler
- Ovenbird
- Northern Waterthrush
- Louisiana Waterthrush
- Connecticut Warbler
- Mourning Warbler
- Common Yellowthroat
- Wilson's Warbler
- Canada Warbler
- Yellow-breasted Chat
- Scarlet Tanager
- Northern Cardinal
- Rose-breasted Grosbeak
- Indigo Bunting
- Eastern Towhee
- American Tree Sparrow
- Chipping Sparrow
- Field Sparrow
- Vesper Sparrow
- Savannah Sparrow
- Grasshopper Sparrow
- Henslow's Sparrow
- Fox Sparrow
- Song Sparrow
- Lincoln's Sparrow
- Swamp Sparrow
- White-throated Sparrow
- White-crowned Sparrow
- Dark-eyed Junco
- Snow Bunting
- Bobolink
- Red-winged Blackbird
- Eastern Meadowlark
- Rusty Blackbird
- Common Grackle
- Brown-headed Cowbird
- Orchard Oriole
- Baltimore Oriole
- Pine Grosbeak
- Purple Finch
- House Finch
- Red Crossbill
- White-winged Crossbill
- Common Redpoll
- Pine Siskin
- American Goldfinch

- Black-throated Blue Warbler
- Yellow-rumped Warbler
- Black-throated Green Warbler
- Blackburnian Warbler
- Pine Warbler
- Prairie Warbler
- Palm Warbler
- Bay-breasted Warbler
- Blackpoll Warbler
- Cerulean Warbler
- Evening Grosbeak
- House Sparrow

1-18-07

Appendix 9

LIST OF REPTILES & AMPHIBIANS Five Rivers Environmental Education Center

REPTILES

- Snapping Turtle
- Painted Turtle
- Musk Turtle
- Wood Turtle
- Northern Brownsnake
- Eastern Gartersnake
- Eastern Milk Snake

AMPHIBIANS

- Eastern American toad
- Gray Treefrog
- Spring Peeper
- Pickerel Frog
- Leopard Frog
- American Bullfrog
- Northern Green Frog
- Wood Frog
- Spotted Salamander
- Northern Dusky Salamander
- Two-lined Salamander
- Eastern Red-backed Salamander
- Red Spotted Newt

Appendix 10

LIST OF BUTTERFLIES
Five Rivers Environmental Education Center

Swallowtails

- Black swallowtail
- Eastern tiger swallowtail
- Canadian tiger swallowtail

Whites

- Cabbage white

Sulphurs

- Clouded sulphur
- Orange sulphur
- Cloudless sulphur

Coppers

- American copper
- Bronze copper

Hairstreaks

- Eastern pine elfin

Blues

- Eastern tailed blue
- 'Summer' Spring azure

Fritillary

- Great spangled fritillary
- Meadow fritillary

True Brush Foots

- Harris' checkerspot
- Pearl crescent
- Baltimore checkerspot
- Eastern comma
- Gray comma
- Compton tortoiseshell
- Mourning cloak
- Milbert's tortoiseshell
- Painted lady
- Red admiral

Admirals

- Red-spotted purple
- White admiral
- Viceroy

Satyrs

- Eyed brown
- Little wood satyr
- Inornate common ringlet
- Common wood nymph
- Monarch

Spread Wing Skippers

- Silver spotted skipper

Grass Skippers

- Least skipper
- European skipper
- Peck's skipper
- Tawny edged skipper
- Long dash
- Little glassywing
- Delaware skipper
- Hobomok skipper

Appendix 11

LIST OF DRAGONFLIES Five Rivers Environmental Education Center

Lestidae

- Elegant Spreadwing (Lestes inaequalis)

Coenagrionidae

- Powdered Dancer (Argia moesta)
- Fragile Forktail (Ischnura posita)
- Eastern Forktail (Ischnura verticalis)

Libellulidae

- Calico Pennant (Celithemis elisa)
- Halloween Pennant (Celithemis eponina)
- Eastern Pondhawk (Erythemis simplicicollis)
- Widow Skimmer (Libellula luctuosa)
- Twelve Spotted Skimmer (Libellula pulchella)
- Blue Dasher (Pachydiplax longipennis)
- Eastern Amberwing (Parithemis tenera)
- Common Whitetail (Plathemis lydia)
- Black Saddlebags (Tramea lacerata)

1-18-07