New York State Department of Environmental Conservation
Emission Reduction Credits (ERCs) Registry

Pursuant to the New York State Clean Air Compliance Act and 6NYCRR Subpart 231-2, Notice is hereby given of the following listing of ERCs, registered by the NYSDEC, which are available for offsets as of **July 20, 2016.**

Contact: ERC Unit, NYS DEC, 625 Broadway, 11th Floor, Albany NY 12233-3254, 518-402-8403

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
VOC 1	00.00 Severe Ozone	Alcan Packaging 1-2820-00185	Mr. Coil 773-399-8599		8.80 tpy trnsfrd. to Alcan Packaging #1-4728-04190
VOC 1	15.29 Severe Ozone	Alcan Packaging 1-2820-00185	Mr. Coil 773-399-8599		69.20 tpy trnsfrd. to Alcan Packaging #1-4728-04190
VOC 1	43.73**** Severe Ozone	Northville E.Setauket Termin. 1-4722-01658	Mr. Ripp 631-753-4220		24.03 trnfrd. to Element Markets
	24.03 Severe Ozone	Element Markets, LLC	Mr. Lack 281-207-7213		
VOC 1	8.4 Severe Ozone	FiberMark/Arcon Coating 1-2820-01862	Mr. Kraft 215-536-4000		Emis.pt(s) shutdown 2.8 tpy DEC retained
VOC 1	5.325 Severe Ozone	Marglo Pack. Corp. 1-2824-00898	Mr.Glassman 718-649-2800		Emis.pt(s) shutdown 1.775tpy DEC retain
VOC 1	00.00 Severe Ozone	Northrop Grumman Corp. 1-2824-00112	Mr. Cofman 516-575-4680		42.55 tpy trnsfrd. to Caithness LI Enrgy. #1-4722-04426

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
VOC 1	000.00 Severe Ozone	TRW INC.,Steering Wheel Systems, 1-4722-00898	Mr. Ferrentino 518-465-1010		7 tpy trnsfrd. to Ramapo Energy & re- trnsfrd. to Calpine # 1-4722-02441
	000.00 Severe Ozone	Ramapo Energy	Mr. Marchmont 508-786-7214		7 tpy commtd. To Calpine # 1-4722-02441
VOC 1	000.00 Severe Ozone	TRW INC.,Steering Wheel Systems, 1-4722-00898	Mr. Ferrentino 518-465-1010		1 tpy. Trnsfrd to Ramapo Energy & re- trnsfrd. to Calpine # 1-4722-02441
	000.00 Severe Ozone	Ramapo Energy	Mr. Marchmont 508-786-7214		1 tpy commtd. To Calpine # 1-4722-02441
VOC 1	3.34 Severe Ozone	Adchem Industries, Inc. 1-2822-00620	Mr. Pufahl 631-727-6000		Facility shutdown 1.11 tpy DEC retain
VOC 1	0.00 Severe Ozone	Arkay Packaging Corp. 1-4734-00016	Ms. Triglia 631-297-3345		9.86 tpy trnsfrd. To Elements Markets
VOC 1	9.86 Severe Ozone	Elements Markets, LLC	Mr. Lack 281-207-7213		
VOC 1	0.00 Severe Ozone	Sprague Energy Corp. 1-2820-01104	Mr. Johnson 516-622-7110		11.81(6.00 and 5.81) tpy trnsfrd. to Carbo industries, Inc.
	00.00 Severe Ozone	Carbo industries, Inc. 1-2820-01085	Mr. Wieting 516-229-3600		11.81 retired, OOC # R1-20130603-74

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
VOC 1	00.00 Severe Ozone	Uniflex Holdings, Inc. 1-2822-00367	Mr. Remillard 781-817-8970		58 tpy comted. To CPV Energy Center #3-3356-00136
VOC 1	1.70 Severe Ozone	Freeport Power Plant#2 1-2820-00358	Mr. Bianco 516-377-2200		Emission Pts. Shutdown 0.60 tpy DEC retain
VOC 1	00.00 Severe Ozone	Printpack, Seal-it 1-4720-01685	Mr. Wiederhold 404-691-5830		Facility shutdown, 19.77 tpy transferred to Koch Supply
	00.00 Severe Ozone	Koch Supply & Trading, LP	Mr. Porter 316-828-6250		19.77 tpy transferred to Tenaska, Inc. (PA)
VOC 1	0.00 Severe Ozone	PE Bay Shore LLC 1-4728-00141	Mr. Murphy 315-448-2266		Facility Shutdown 4.07 trnsfrd. to Element Markets
	4.07 Severe Ozone	Element Markets, LLC	Mr. Lack 281-207-7213		
VOC 1	00.00 Severe Ozone	Aladdin Packaging, LLC 1-4728-00618	Mr. Endzweig 631-273-4747		Facility shutdown 81.30 used as offsets
VOC 1	1.16 Severe Ozone	Montauk Generating Fac. 1-4724-00036	Mr. Flannery 516-545-4875		Facility shutdown
VOC 1	9.42 Severe Ozone	Glenwood Combustion Turbine Fac., 1-2822-00481	Mr. Flannery 516-545-4875	July 1, 2012***	Emission Pts. shutdown
VOC 1	0.072 Severe Ozone	National Grid – EF Barrett Power Station, 1-2820-00553	Mr. Flannery 516-545-4875	October 13, 2011***	Emission Pts. shutdown
VOC 2	0.00 Severe Ozone	Con Ed. – 59th St. 2-6202-00032	Mr. Cartagena 212-460-6275		7.42 tpy committed to ConEd East River #2-6206-00012

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
VOC 2	0.00 Severe Ozone	Con Ed. – Astoria 2-6301-00006	Mr. Cartagena 212-460-6275		11.87 tpy comtd to ConEd East River #2-6206-00012
VOC 2	0.00 Severe Ozone	P&G Port Ivory Plant 2-6401-00004	Ms. Clancy 973-690-3487		0.60 tpy trnsfrd to Port Auth. Of NY & NJ
VOC 2	69.22 Severe Ozone	Betts Ave. Municipal Incin. 2-6304-00093	Mr. Bekowies 212-837-8383		Facility shutdown
VOC 2	47.14 Severe Ozone	Green point Municipal Incin. 2-6101-00022	Mr. Bekowies 212-837-8383		Facility shutdown
VOC 2	149.00 Severe Ozone	SW Brooklyn Mun. Incin. 2-6106-00002	Mr. Beckowies 212-837-8383		Emission point(s) shutdown
VOC 2	0.00 Severe Ozone	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-3968		2.43 tpy comtd to ConEd East River #2-6206-00012
VOC 2	00.00 Severe Ozone	Con Ed.- Waterside 2-6206-00038	Mr.Cartagena 212-460-4858		Future Fac. Shutdown, 35.34 tpy comtd. To # 2-6206-00012 (East River)
VOC 2	00.00 Severe Ozone	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Guastafeste 212-460-4858		12.86 tpy transfer to NRG Power Marketing Inc.
	12.86 Severe Ozone	NRG Power Marketing Inc.	Mr. Karalus 612-373-5307		
VOC 2	7.83 Severe Ozone	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Ogunsola 212-460-1223		Emission point(s) shutdown
VOC 2	00.00 Severe Ozone	Astoria Gen. Stn. – Orion 2-6301-00185	Mr.Webb 410-234-0994		Future Emis. Units shutdown, 31.19 tpy comtd. For offsets
VOC 2	00.00 Severe Ozone	Astoria Gen. Stn. – Orion 2-6301-00185	Mr.Webb 410-234-0994		85.22 tpy of PA (Leonard Acd.) ERCs were trnfrd., 66.05 comtd. For offsets, 19.17 tpy owned by

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
					Orion for use only as emission Offsets at Orion # 2-6301-00185
VOC 2	132.00 Severe Ozone	Newtown Creek WPCP 2-6101-00025	Mr. Lopez 718-595-5049		
VOC 2	0.10 Severe Ozone	East River Housing Corp. 2-6206-00096	Mr. Jacob 212-677-5858		Emis. Pt(s). Shtdown
VOC 2	00.00 Severe Ozone	GATX SI, Inc. 2-6401-00042	Mr. Dahl 312-621-8452		93.69 tpy trnsfrd. to Element Markets,Inc.
	93.69 Severe Ozone	Elements Markets, LLC	Mr. Lack 281-207-7213		
VOC 2	6.90 Severe Ozone	Arrow Lock Mfg. Co. 2-6105-00250	Mr. Shah 718-927-2772 X 240		Facility shutdown 2.3 tpy DEC retain
VOC 2	00.00 Severe Ozone	Tanagraphics 2-6205-00088	Ms. Jurist 212-255-6876		14.49 tpy comtd. To Tanaseybert 2-6205-01677
VOC 2	00.00 Severe Ozone	Seybert-Nichol=s Printing 2-6205-00087	Mr. Steinberg 212-548-7836		10.53 tpy comtd. To Tanaseybert 2-6205-01677
VOC 2	0.00 Severe Ozone	Kenner Printing Co. Inc., 2-6205-00119	Mr. Steinberg 212-548-7836		8.28 tpy comtd. To Tanaseybert 2-6205-01677
VOC 2	0.00 Severe Ozone	Digital Now 2-6205-01660	Ms. Kahanec 212-453-9266		0.85 tpy comtd. To Tanaseybert 2-6205-01677

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
VOC 2	3.20 Severe Ozone	American Sugar Refining, Inc., 2-6101-00152	Mr. Demone 732-590-1177		Facility shutdown 1.01 tpy DEC retain
VOC 2	48.60 Severe Ozone	Poletti Power Project 2-6301-00084	Mr. Rao 914-681-6387		Emission Source shutdown
VOC 2	00.00 Severe Ozone	NYOFCO Sludge Pellet. Facility 2-6007-00140	Mr. Lambalot 203-509-2577		Facility shutdown 11.18 tpy trnsfrd. to Element Markets,Inc.
	11.18 Severe Ozone	Elements Markets, LLC	Mr. Lack 281-207-7213		
VOC 2	00.01 Severe Ozone	Astoria Gas Turb. Power 2-6301-00191	Mr. Cartagena 917-612-5224		Emission Source shutdown
VOC 2	9.27 Severe Ozone	NationalGrid Far Rockaway Power Station 2-6308-00040	Mr. Flannery 516-545-4875		Facility shutdown
VOC 2	0.00 Severe Ozone	Interstate Brands Corporation 2-6307-00276	Mr. Davis 816-502-4023		Facility shutdown 22.78 tpy trnsfrd. to Koch Supply & Trading, LP
	00.00 Severe Ozone	Koch Supply & Trading, LP	Ms. Barnthouse 316-828-7270		22.78 tpy transferred to Tenaska, Inc. (PA)
VOC 3	69.00 Moderate Ozone	Genpak Corp.-Middletwn 3-3309-00064	Mr. Postulka 518-798-9511		Temporarily unavailable for use
VOC 3	5.60 Moderate Ozone	Harlem Valley Psyc. Cntr. 3-1326-00023	Mr. Bard 518-473-5823		Source Reduction
VOC 3	00.00 Severe Ozone	General Motors Corp. 3-5534-00104	Mr. Pordon 313-556-0791		178.58 tpy DEC rtnd 100 tpy commtd to Vulcraft of NY, INC 170 tpy comtd to ConEd East River #2-6206-00012

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
					258.76 tpy trnsfr. to PG & E Engy trad.- 145 tpy commtd to Astoria Energy,LLC, #2-6301-00647 from PG & E 45 tpy commtd to GenOn, Bowline LLC frm PG &E 68.76 trnsfr. to FPL Energy (PA) from PG &E
VOC 3	00.00 Severe Ozone	PG & E Engy trad.			145 tpy commtd to Astoria Energy,LLC, #2-6301-00647 45 tpy commtd to GenOn, Bowline LLC 68.76 trnsfr. to FPL Energy (PA)
VOC 3	45.00 Severe Ozone	GenOn Bowline LLC	Mr. Konary 671-529-3874		Name change 12/03/10
VOC 3	28.76 Severe Ozone	FPL Energy	Mr. Busa 561-691-7171		40 tpy commtd to Caithness LI Energy, # 1-4722-04426
VOC 3	2.44 Moderate Ozone	IBM-Poughkeepsi Fac. 3-1346-00035	Mr. Brannen 914-433-1509		Emission points shutdown
VOC 3	0.78 Severe Ozone	Wyeth-Ayerst/Lederle 3-3924-00025	Mr. Kontaxis 914-732-2500		Emission point shutdown
VOC 3	000.00 Severe Ozone	Tesa tape Inc. 3-3352-00111	Mr. Rigano 704-553-4664		35.95 DEC retained 107.85 Transferred to Element Markets, LLC
	8.75 Severe Ozone	Element Markets, LLC	Mr. Lack 281-207-7213		4.50 tpy transferred to Philadelphia Ship Repair LLC., PA 40.00 tpy transferred to Monroe Energy LLC., PA

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
					54.60 tpy transferred to Philadelphia Ship Repair LLC., PA
VOC 3	1.27 Severe Ozone	St. John's Riverside Hospital, 3-5518-00222	Mr. Doerr 914-964-4211		Emission point shutdown, 00.42 DEC retained
VOC 3	0.1 Ozone Transport Reg.	A.G. Properties of Kingston, LLC, 3-5154-00153	Mr. Ginsberg 845-383-0400		Facility shutdown
VOC 3	1.55 Severe Ozone	Wyeth Ayerst Pharmaceutical, 3-3924-00025	Mr. Alexandro 914-732-2160		Emission point shutdown, 00.51 DEC retained
VOC 3	27.20 Severe Ozone	Lovett Generating Station, 3-3928-00010	Mr. Konary 617-529-3874		Facility shutdown
VOC 3	82.57 Moderate Ozone	Metal Container Corp. 3-3348-00084	Mr.Kimutis 845-567-5637		107.9 used for internal offsets 4.53 used for internal offsets
VOC 4	1.161 Marginal Ozone	Schenectady Int. Inc. 4-4228-00056	Mr. Windish 518-370-4200		Emission points shutdown
VOC 4	00.00 Marginal Ozone	PG&E Energy Trading	Mr. Arcone 301-280-6607		41.10 tpy committed to Athens Gen. Fac.
VOC 4	107.00 Marginal Ozone	Glens Falls Lehigh Portland Cement Co 4-1926-00001	Mr. Matz 610-366-4752		Emission points shutdown
VOC 4	00.00 Marginal Pzone	PSEG Power New York Inc. 4-0122-00044	Mr. Verqura 518-436-5027		Future Fac. shutdown, 23.73 tpy comtd. for netting.
VOC 4	0.07 Marginal Ozone	Knolls Atomic Power Lab. 4-4224-00024	Mr.Seepo 518-395-6366		Source reduction
VOC 4	4.6 Marginal Ozone	BASF Corporation 4-3814-00006	Ms. Roque 973-426-2662		Facility shutdown
VOC	45.74	General Electric Power System	Mr. Oldi		Facility shutdown

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
4	Marginal Ozone	4-4215-00015	518-385-3505		
VOC 4	7.45 Marginal Ozone	Von Roll Isola USA, Inc. 4-4215-00099	Ms. Mellon 518-344-7140		Facility shutdown
VOC 4	00.00 Marginal Ozone	Bennington Paperboard Co. 4-3828-00006	Mr. Doerr 740-862-3594		42.20 trnfrd. to Panda Liberty/ Patriot Plnt., PA
VOC 4	00.00 Ozone Transport Region	Norbord Industries 4-1230-00019	Mr. Towles 864-697-1250		Facility shutdown 15.56 tpy trnsfrd. to Element Markets,Inc.
	15.56 Ozone Transport Region	Elements Markets, LLC	Mr. Lack 281-207-7213		
VOC 4	20.00 Ozone Transport Region	Holcim (US) Inc. 4-1926-00021	Mr. Graves 518-943-4040		Facility shutdown
VOC 5	00.00 Ozone Transport Region	Karg Brothers 5-1708-00012	Mr. Wood 607-762-7016		30.68 tpy commtd to Vulcraft of NY, INC
VOC 5	000.00 Marginal Ozone	Graphic Packaging Corp. 5-4115-00004	Mr. Hollod 770-644-3223		106 tpy commtd to Besicorp-Recycling # 4-3814-00061 82 tpy commtd to Besicorp-Power # 4-3814-00052 308.97 tpy trnfrd. to Evolution Markets
	116.00 Marginal Ozone	Evolution Markets, LLC	Mr. Ammirato 914-323-0255		90 tpy trnsfrd. to Moxie Freedom, PA, 102.97 tpy trnfrd. to Lackawanna Energy Cntr. (PA)
VOC 5	00.35 Ozone Transport Reg.	Pactiv LLC. 5-0942-00014	Mr. Pettit 518-562-6110		Emission point shutdown
VOC 5	00.34 Marginal Ozone	Mohawk Paper Mills, Inc. 5-4154-00003	Mr. Milner 518-237-1740		Emission point(s) shutdown
VOC 5	13.40 Ozone Transport Reg.	Mallinckrodt Anesthesiology 5-5320-00006	Ms. Zeigler 314-654-6347		Emission point shutdown

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
VOC 5	00.00 Ozone Transport Reg.	General Elect.- Ft. Edward 5-5330-00009	Mr. West 518-746-5560		31.48 tpy commtd to Vulcraft of NY, INC
VOC 5	35.30 Ozone Transport Reg.	Pliant Solutions Corp. 5-5330-00016	Mr. Shuder 757-820-0114		Facility shutdown
VOC 5	32.10 Ozone Transport Reg.	International Paper-Corinth 5-4126-00007	Mr. Lienert 901-419-3895		Facility shutdown
VOC 6	43.00 Ozone Transport Reg.	F.E. Hale Mfg. Co. 6-2130-00004	Mr. Benson 315-894-5490		Facility shutdown
VOC 7	0.337 Ozone Transport Region	Anitec Image Corp. 7-0302-00064	Mr. Markle 607-774-3375		114.02 tpy commtd. To Athens Gen. Fac.
VOC 7	3.02 Ozone Transport Region	Lockheed Martin Corp. 7-3132-00010	Mr. Maciel 315-456-1714		Emission point(s) shutdown
VOC 7	00.00 Ozone Transport Region	Binghamton Cogen. Plant 7-0302-00079	Mr. Potts 609-625-7699		19.00 tpy committed to Athens Gen. Fac.
VOC 7	6.32 Ozone Transport Region	Syracuse Power Co. 7-3132-00049	Mr. Ingalls 315-471-4420		Facility shutdown
VOC 7	20.56 Ozone Transport Region	Syracuse Terminal (Hess) 7-3115-00014	Mr. Haid 732-750-6555		Facility shutdown
VOC 7	00.00 Ozone Transport Region	Intelicoat Technologies 7-0346-00003	Mr. Stratton 413-539-5318		45.21 tpy committed to Flexo Trans. Inc., # 9140200574
VOC 7	75.00 Ozone Transport Region	Marsellus Casket Co. 7-3126-00093	Mr. Vredenburg 713-525-9054		Facility shutdown
VOC 7	1.00 Ozone Transport Region	St. Joseph=s Hospital 7-2626-00047	Mr. Scicchitamo 315-448-5737		Emission point(s) shutdown
VOC 7	31.08 Ozone Transport Region	Sunoco, Inc.Syracuse Term. 7-3115-00150	Mr. McGill 215-246-8267		Facility shutdown
VOC 7	00.80 Ozone Transport Region	Owens-Brockway Gls. Cont. Inc. 7-3558-00014	Mr. Tussing 419-247-8682		Facility shutdown

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #		Reduction Date	Comments
VOC 7	0.00 Ozone Transport Region	Westover Generating Station, 7-0346-00045	Mr. Irwin 315-536-2359 3423	X		Facility shutdown 7.92 tpy trnsfrd. to Greenidge Generation LLC
	7.92 Ozone Transport Region	Greenidge Generation LLC 8-5736-00004	Mr. Irwin 315-536-2359 X3423			
VOC 8	3.50 Ozone Transport Region	Erdle Perforating Co. 8-2626-00047	Mr. Rick 716-247-4700			Emission point(s) shutdown
VOC 8	00.00 Ozone Transport Region	Eastman Kodak Co. 8-2614-00205	Ms. Karatas 716-477-5992			60.20 retired, CAA-02-2011-1209
VOC 8	1.60 Ozone Transport Region	NYSOMH -Roch. Psy. Ctr. 8-2614-00341	Mr. Bard 518-473-5823			Emission point(s) shutdown
VOC 8	00.00 Ozone Transport Region	ITT Automotive Inc. 8-2614-00192	Mr. Johnson 716-277-3534			18.89 tpy commtd to Vulcraft of NY, INC
VOC 8	00.00 Ozone Transport Region	Eastman Kodak Co. 8-2626-00017	Mr. Spiegel 716-726-2038			9.40 retired, CAA-02-2011-1209
VOC 8	00.00 Ozone Transport Region	Eastman Kodak Co. 8-2626-00017	Ms. Karatas 716-477-5992			39.60 retired, CAA-02-2011-1209
VOC 8	1.58 Ozone Transport Region	E I Dupont Co.-Driving Pk. 8-2614-00197	Mr. Olson 716-879-4662			Emission point(s) shutdown
VOC 8	00.00 Ozone Transport Region	Imation Enterprises Corp. 8-2614-00057	Mr. Metzger 612-704-5461			56.71 tpy committed to Athens Gen. Fac.
VOC 8	00.00 Ozone Transport Region	Eastman Kodak Co. 8-2614-00205	Ms. Karatas 716-477-5992			1.90 retired, CAA-02-2011-1209
VOC 8	4.40 Ozone Transport Region	RG&E, Beebee Station 8-2614-00448	Ms. Selbig 716-771-2145			Emission Unit shutdown

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
VOC 8	3.48 Ozone Transport Region	Monroe-Livingston Landfill 8-2656-00008	Mr. Moriera 603-929-3443		Emission point(s) Shutdown
VOC 8	16.10 Ozone Transport Region	RG&E, Russell Station 8-2628-00068	Ms. Sahler 585-724-8684		Facility shutdown
VOC 8	3.50 Ozone Transport Region	Monroe-Livingston Landfill 8-2656-00008	Mr. Chraston 585-889-9460		Emission point(s) Shutdown
VOC 9	16.00 Ozone Transport Region	Weber Knapp Co. 9-0608-00087	Mr. Monsen 716-484-9135		Emission point(s) shutdown
VOC 9	0.00 Ozone Transport Reg	Dowcraft Corp. 9-0638-00018	Gene Sadowski 716-665-6210		9.05 tpy committed to Athens Gen. Fac.
VOC 9	29.93 Marginal Ozone	Delphi Harrison Th. Sys. 9-2909-00018	Ms. Harper 716-439-2955		Emission point(s) shut down
VOC 9	00.00 Marginal Ozone	Delphi Harrison Th. Sys. 9-2909-00018	Ms. Harper 716-439-2955		Source Reduction, 47.6 tpy trnsfrd. to Elements Markets, LLC
	47.60 Marginal Ozone	Element Markets, LLC	Mr. Lack 281-207-7213		
VOC 9	000.00 Ozone Transport Reg	Bush Industries Inc. 9-0454-00001	Mr. Newman 716-665-2000		Source Reduction, 175.7 trnsfrd. to Element Markets, LLC
	1.70 Ozone Transport Reg	**Element Markets, LLC**	**Mr. Lack 281-207-7213**		**174 tpy trnsfrd. to Perdue AgriBusiness (PA)**
VOC 9	74.12 Ozone Transport Reg	CWM Chemical serv.Inc. 9-2934-00022	Mr. Hino 716-754-0278		Emission Point(s) shutdown
VOC 9	41.40 Ozone Transport Reg	Valeo Engine cooling Inc. 9-0608-00017	Mr. Anderson 716-665-2620		Emission Point(s) shutdown
VOC 9	88.30 Marginal Ozone	Occidental Chemical Corp. 9-2912-00041	Ms. Desmukh 972-404-3217		Facility shutdown
VOC	7.50	The Colad Group, Inc.	Mr. Pelz		

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
9	Marginal Ozone	9-1402-00009	716-849-1776		35.00 tpy committed to Athens Gen. Fac.
VOC 9	157.00 Marginal Ozone	Dunlop Tire Corporation 9-1464-00030	Mr. Pyanowski 716-879-8274		Emission point(s) shut down
VOC 9	000.00 Marginal Ozone	Bethlehem Steel Corp. 9-1409-00003	Mr. Ossman 610-694-2060		Facility shut down 200 tpy trnsfrd. to St. Lawrence Cement (Holcim) and comtd. to Greenport Project DEC ID #4-1040-00011, 105 tpy trnsfrd. to tecumseh Redevelop. Inc.
	200.00 Marginal Ozone	Holcim (US) Inc.4-1040-00011	Ms. Garakani 734-529-4233		
	105.00 Marginal Ozone	Tecumseh Redevelop Inc.	Mr. Nagel 716-856-0635		
VOC 9	1.10 Ozone Transport Reg	Limestone Compressor Fac. 9-0942-40027	Mr.Young 814-871-8657		Emission Point(s) shutdown
VOC 9	1.80 Marginal Ozone	UCAR Carbon company 9-2911-00185	Ms. Bolton 931-380-4215		Facility shutdown
VOC 9	34.75 Marginal Ozone	Dinaire, LLC 9-1402-00218	Mr. Schmitt 716-894-1201		Facility shutdown
VOC 9	13.83 Marginal Ozone	United Refining Company 9-1464-00007	Mr. Roy 814-726-4859		Emission Point(s) shutdown
VOC 9	0.00 Ozone Transport Reg	Prestolite Electric Inc. 9-5620-00027	Mr. Koch 716-492-1700		4.5 tpy comtd. to Prestolite (P00001)
VOC	22.70	Medina Power Company	Mr. Pecnik		Facility shutdown

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
9	Ozone Transport Reg	9-0484-00017	716-532-3371		
VOC 9	4.22 Marginal Ozone	Saint-Gobain Abrasives 9-2940-00048	Mr. Fogarty 508-795-5860		Facility shutdown
VOC 9	127.52 Marginal Ozone	SGL Carbon LLC 9-2911-00038	Mr. Higgs 704-593-5165		Facility shutdown
VOC 9	29.53 Marginal Ozone	The Goodyear Tire and Rubber Co. 9-2911-00036	Mr. Jones 716-236-2635		Emission Point(s) shutdown
VOC 9	1.77 Marginal Ozone	Caraustar Mill/Buffalo Paperboard 9-2909-00062	Mr. Cohen 770-799-3844		Facility shutdown
VOC 9	13.45 Marginal Ozone	Arcelormittal Lackawanna LLC 9-1499-00067	Mr. Nagel 330-659-9102		Facility shutdown
VOC 9	000.00 Marginal Ozone	QG Printing Corporation 9-1430-00213	Mr. Estock 414-566-7617		Facility shutdown, 400 tpy trnfrd. to Mid-Atlantic Develop(PA), 55 tpy trnsfrd. to American Craft Brewing, PA, 106.10 trnfrd. to LI Land Dev., LLC, PA
VOC 9	00.00 Ozone Transport Reg	SGK Ventures Frewsburg Fac. 9-1499-00067	Mr. Stalkamp 312-683-9454	March 31, 2015***	Facility shutdown, 21.56 tpy trnsfrd. Element Markets
VOC 9	21.56 Ozone Transport Reg	Element Markets, LLC	Mr. Lack 281-207-7213		
VOC PA	000.00 Severe Ozone	Progress Lighting Inc., Philadelphia, PA	Mr. Marchmont 508-786-7214		31.5 tpy trnsfrd. to Ramapo Energy
	00.00 Severe Ozone	American National Power	Mr. Mussleman 508-382-9356		Ramapo changed name to ANP, 31.50 tpy trnfrd. to Element Markets
	31.50 Severe Ozone	Element Markets, LLC	Mr. Lack 281-207-7213		
VOC	000.00	3M Company, Bristol, PA	Mr.Slade		

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
PA	Severe Ozone		914-681-6387		41 tpy comtd. to NYPA Poletti site
VOC PA	000.00 Severe Ozone	Leonardo Academy Inc., PA	Mr. Svendsen 410-230-3500		85.22 tpy comtd. to Astoria Generating, #2-6301-00185
VOC PA	000.00 Severe Ozone	Avery Dennison Corp., PA	Mr. Hribar 440-358-4832		73.02 tpy comtd. to GenOn Bowline
VOC PA	73.02 Severe Ozone	GenOn Bowline LLC	Mr. Konary 671-529-3874		Name Change 12/3/10
VOC PA	000.00 Severe Ozone	3M Company, Bristol, PA	Mr. Marchmont 508-786-7214		31 tpy trnsfrd. to Ramapo Energy(ANP)
	00.00 Severe Ozone	American National Power	Mr. Mussleman 508-382-9356		5 tpy trnsfrd. to Calpine # 1-4722-02441, 26 tpy trnfrd. to Element Markets, LLC
	26.00 Severe Ozone	Element Markets, LLC	Mr. Lack 281-207-7213		
VOC PA	000.00 Moderate Ozone	LTV Steel Company, PA	Mr. Kane 607-974-6568		140 tpy comtd. to Corning Inc.
VOC PA	000.00 Moderate Ozone	Newcomer Products Inc, PA	Mr. Proia 607-529-9000		19.00 tpy comtd. to Vulcraft of NY, #8-0728-00033
VOC PA	00.00 Moderate Ozone	Cogentrix of PA., PA			31.61transfrd. to Air Resources Group (ARG)
	00.00 Moderate Ozone	Air Resources Group (ARG	Mr. Alexander (518) 452-7000		31.61 transfrd. to Holcim (US) Inc. 4-1040-00011
	31.61 Marginal Ozone	Holcim (US) Inc. 4-1040-00011	Ms. Garakani 734-529-4233		
VOC PA	000.00 Severe Ozone	3M Company, Bristol, PA	Ms. Frazier 617-456-2200		136 tpy trnsfrd. to CVEC#3-1326-00275
VOC	000.00	Arbill Industries Inc, PA	Mr. Remillard		

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
PA	Severe Ozone		781-817-8970		17 tpy comted. to CPV Energy Center #3-3356-00136
NO_x 1	20.50 Severe Ozone	Nationalgrid (Formerly KeySpan Gen. LLC.) 1-4722-00107	Mr. Teetz 516-391-6133		Name change (2007)
NO_x 1	253.80 Severe Ozone	Nationalgrid (Formerly KeySpan Gen. LLC.) 1-2822-00481	Mr. Teetz 516-391-6133		Name change (2007), 225 tpy trnsfd. to Morgan Stanley
	000.00 Severe Ozone	Morgan Stanley	Mr. Woods 212-761-8895		78.36 tpy trnsfrd. to Bronx Zoo, # 2-6005- 00125
	146.64 Severe Ozone	Caithness Long Island II, LLC	Mr. Grace 917-472-4593		146.64 trnfrd. to Caithness LI II, LLC #1-4722-04426
NO_x 1	00.00 Severe Ozone	Zapco Energy Tactics Corp. - Oceanside LGRF 1-2820-02479	Mr. Antignano 516-563-6336		Emis.pt(s) shutdown 7.35 tpy DEC retned., 15.86 tpy transfrd. to Morgan Stanley, 6.24 tpy trnsfrd to Keyspan
	00.00 Severe Ozone	Morgan Stanley	Mr. Woods 212-761-8895		15.86 tpy trnsfrd. to Bronx Zoo, # 2-6005- 00125
	6.24 Severe Ozone	Nationalgrid (Formerly KeySpan Gen. LLC.) 1-2820-02479	Mr. Teetz 516-391-6133		Name change (2007)
NO_x 1	00.00 Severe Ozone	Zapco Energy Tactics Corp. - Old Bethpage LGRF 1-2824-00077	Mr. Smith (Spagnoli Road Energy) 516-512-7415		64.8 tpy comtd. to Spagnoli Rd. Energy cntr. # 1-4726-01500 through Keyspan
	00.00 Severe Ozone	Nationalgrid (Formerly KeySpan Gen. LLC.) 1-2824-00077	Mr. Teetz 516-391-6133		Name change (2007)
	64.80 Severe Ozone	Nationalgrid (Spagnoli Rd. Energy Centre) 1-2824-00077	Mr. Teetz 516-391-6133		

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
NO_x 1	00.00 Severe Ozone	Zapco Energy Tactics Corp. -Old Bethpage LGRF 1-2824-00077			Facility shutdown 8.35 tpy DEC retned. 25.06 tpy transfrd. to Morgan Stanley
	00.00 Severe Ozone	Morgan Stanley	Mr. Woods 212-761-8895		10.00 tpy trnsfrd. to Bristol-Myers (CT) 15.06 tpy trnsfrd. to Bronx Zoo, # 2-6005- 00125
NO_x 1	10.30 Severe Ozone	Central Islip Psyc. Cntr. 1-4728-00244	Mr. Bard 518-473-5823		Source Reduction
NO_x 1	0.00 Severe Ozone	Zapco Energy Tactics Corp. 1-2820-00951	Mr. Antignano 516-563-6336		4.01 tpy retained by DEC 10.2 tpy comtd. to Spagnoli Rd. Energy cntr. # 1-4726-01500, 1.82 tpy trnsfrd to Keyspan
	1.82 Severe Ozone	Nationalgrid (Formerly KeySpan Gen. LLC.) 1-2820-00951	Mr. Teetz 516-391-6133		Name change (2007)
	10.20 Severe Ozone	Nationalgrid (Spagnoli Rd. Energy Centre) 1-2820-00951	Mr. Teetz 516-391-6133		
NO_x 1	00.00 Severe Ozone	Env. Waste Incin., Inc. 1-2809-00088	Mr. Walker 215-766-7230		Facility shutdown 38.25 tpy retained by DEC
NOx 1	00.00 Severe Ozone	TRW INC.,Steering Wheel Systems, 1-4722-00898	Mr. Ferrentino 518-465-1010		Facility shutdown 1.9 tpy DEC retained 5.7 tpy commtd to GenOn Bowline LLC
	5.70 Severe Ozone	GenOn, Bowline LLC	Mr. Konary 671-529-3874		Name Change 12/3/10
NO_x 1	59.10 Severe Ozone	NYSOMH - Kings Park Psyc. Cntr. 1-4734-00103	Mr. Bard 518-473-5823		19.7 tpy DEC retained

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
NO_x 1	00.00 Severe Ozone	Smithtown West Energy Gen. 1-4734-00169	Mr. Woods 212-761-8895		Emis.pt(s) shutdown 4.28 tpy DEC retned. 12.82 tpy transfrd. to Morgan Stanley
	00.00 Severe Ozone	Morgan Stanley			12.82 tpy trnsfrd. to Bronx Zoo, # 2-6005- 00125
NO_x 1	00.00 Severe Ozone	Brookhaven Landfill Gas Recov. (Wehran Energy Corp.) 1-4722-00799	Mr. Wehran, Jr. 201-327-0215		23 tpy trnsfrd. to Kleen Energy Systm(CT) 56.15 tpy Transferd. to Shell energy (US)
	00.00 Severe Ozone	Shell Energy North America (US) L.P.	Mr. Martin 713-767-5419		56.15 tpy trnsfrd. to Plainfield Renew. Energy, CT
NO_x 1	00.00 Severe Ozone	Covanta Babylon Inc. 1-4720-00777	Mr. Volpe 631-491-1976		Source Reduction 141 tpy Transferd. to Shell energy (US)
	00.00 Severe Ozone	Shell Energy North America (US) L.P.	Mr. Martin 713-767-5419		37.95 tpy trnsfrd. to Plainfield Renew. Energy, CT 103.05 tpy trnfrd. to CPV Shore, LLC
	00.00 Severe Ozone	CPV Shore, LLC	Mr. Freeman 240-723-2312		103.05 tpy trnsfrd. to Wood bridge Energy Cntr., NJ
NOx 1	54.40 Severe Ozone	Freeport Power Plant#2 1-2820-00358	Mr. Bianco 516-377-2200		Emission Pts. Shutdown 18.10 tpy DEC retain
NO_x 1	14.60 Ozone Transport Region	Suffolk County Dev. Ctr. # 1-4726-00428	Mr. Bard 518-473-5823		
NOx 1	00.00 Severe Ozone	PE Bay Shore LLC 1-4728-00141	Mr. Murphy 315-448-2266		*Facility Shutdown 29.55 & 13.66 tpy trnsfrd. to CPV Shore, LLC*
	2.94	CPV Shore, LLC	Mr. Freeman		29.55 & 10.72 tpy trnsfrd. to Wood bridge Energy Cntr., NJ

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
	Severe Ozone		240-723-2328		
NOx 1	8.54 Severe Ozone	Montauk Generating Fac. 1-4724-00036	Mr. Flannery 516-545-4875		Facility shutdown
NOx 1	112.64 Severe Ozone	Glenwood Combustion Turbine Fac., 1-2822-00481	Mr. Flannery 516-545-4875	July 1, 2012***	Emission Pts. shutdown
NOx 1	12.1 Severe Ozone	National Grid – EF Barrett Power Station, 1-2820-00553	Mr. Flannery 516-545-4875	October 13, 2011***	Emission Pts. shutdown
NO_x 2	682.12 Severe Ozone	Con Ed.- Astoria 2-6301-00006	Mr. Cartagena 212-460-6275		133 tpy commtd to GenOn Bowline LLC 148.9 tpy commtd to Brookhaven Energy 425 tpy commtd to Astoria Energy,LLC, #2-6301-00647 116.1 tpy trnsfrd. to Ramapo Energy.
	00.00 Severe Ozone	Ramapo Energy			116.1 tpy trnsfrd. to Morgan Stanley
	00.00 Severe Ozone	Morgan Stanley			42 tpy commtd. to Calpine, # 1-4722-02441, 25 tpy commt. to Bethpage Engy. Cntr. # 1-2824-00947 49.10 tpy trnsfrd. to Bronx Zoo, # 2-6005- 00125
	133.00 Severe Ozone	GenOn, Bowline LLC	Mr. Konary 671-529-3874		Name Change 12/03/10
	00.00	Brookhaven Energy			

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
	Severe Ozone				148.9 tpy trnfrd. to J.P. Morgan Energy
	30.90 Severe Ozone	J.P. Morgan Vent. Energy Corp.	Mr. Woods 212-834-3568		118 tpy commited to Caithness LI Energy # 1-4722-04426
	42.00 Severe Ozone	Calpine Stony Brook Enrgy Cntr.			
NO_x 2	316.30 Severe Ozone	Con Ed.- 59th St. 2-6202-00032	Mr. Cartagena 212-460-6275		Emission point(s) shutdown
NOx 2	38.24 Severe Ozone	Greenpoint Municipal Incin. 2-6101-00022	Mr. Bekowies 212-837-8383		Facility shutdown
NOx 2	189.00 Severe Ozone	SW Brooklyn Mun. Incin. 2-6106-00002	Mr. Beckowies 212-837-8383		Emission point(s) shutdown
NOx 2	126.22 Severe Ozone	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-3968		Emission point(s) shutdown
NOx 2	00.00 Severe Ozone	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-4858		Future Fac. shutdown, 193.02 comtd.to # 2-6206-00012 (East River), 481.3 tpy will be available upon fac. Shutdown
NOx 2	481.30 Severe Ozone	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-4858		Facility shutdown
NOx 2	00.00 Severe Ozone	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Guastafeste 212-460-4858		25.82 tpy transfer to NRG Power Marketing Inc.
	25.82 Severe Ozone	NRG Power Marketing Inc.	Mr. Karalus 612-373-5307		

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
NOx 2	355.84 Severe Ozone	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Ogunsola 212-460-1223		Emission point(s) shutdown
NOx 2	00.00 Severe Ozone	Astoria Gen. Stn. - Orion 2-6301-00185	Mr.Webb 410-234-0994		Future shutdownof Emis. Units, 537.5 tpy comtd. for netting, 565.46 tpy will be available upon Shutdown of Emission Units
NO_x 2	11.03 Severe Ozone	St. John=s University 2-6306-00067	Mr. Zweifler 718-990-2520		Source Reduction 17.44 usd for netting
NOx 2	294.40 Severe Ozone	Newtown Creek WPCP 2-6101-00025	Mr. Lopez 718-595-5049		115.5 DEC retained, 50.7 tpy comtd to Fount. Ave. Landfill #2-6105-00687
NOx 2	80.00 Severe Ozone	Visy Paper, 2-6403-00107	Mr. Davey 718-370-1114		Emis. pt(s). Shtdown
NOx 2	21.40 Severe Ozone	East River Housing Corp. 2-6206-00096	Mr. Jacob 212-677-5858		1 tpy trnfrd to CVEC#3-1326-00275
NOx 2	220.00 Severe Ozone	Betts Ave. Mun. Incin. 2-6304-00093	Mr. Nabavi 917-237-5958		Facility shutdown

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
NOx 2	2.80 Severe Ozone	Arrow Lock Mfg. Co. 2-6105-00250	Mr. Shah 718-927-2772 X 240		Facility shutdown 1.0 tpy DEC retain
NOx 2	00.00 Severe Ozone	Kings Plaza Total Energy 2-6105-00301	Mr. Williams 609-654-6166		186 tpy trnsfrd. to Kleen Energy System (CT)
NOx 2	00.00 Severe Ozone	Warbasse Houses & Power Plant 2-6107-00141	Mr. Sellitti 718-372-8764		27.2 tpy trnsfrd. To Elements Markets
	0.00 Severe Ozone	Elements Markets, LLC	Mr. Lack 281-207-7213		1.0 tpy trnsfrd. to Kleen Energy, CT 21.38 tpy trnsfrd. to Merck, Sharpe & Dohme Corp., PA 4.82 tpy trnfrd to CPV Shore, LLC
	4.82 Severe Ozone	CPV Shore, LLC	Mr. Freeman 240-723-2312		
NOx 2	15.64 Severe Ozone	Long Island Jewish Med. Center 2-6307-00290	Mr. LaBonne 516-734-3030		26.8 used for netting 5.21 tpy DEC retain
NOx 2	59.30 Severe Ozone	American Sugar Refining, Inc., 2-6101-00152	Mr. Demone 732-590-1177		Facility shutdown 19.7 tpy DEC retain
NO_x 2	00.00 Severe Ozone	Simsmetal East LLC. 2-6304-00268	Mr. Witte 908-964-8812		33.44 tpy comtd to Northeast Dredging Equipment Co.
NOx 2	1554.00 Severe Ozone	Poletti Power Project 2-6301-00084	Mr. Rao 914-681-6387		Emission Source shutdown

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
NOx 2	00.00 Severe Ozone	NYOFCO Sludge Pellet. Facility 2-6007-00140	Mr. Witte 908-964-8812		34.12 tpy comtd to Northeast Dredging Equipment Co.
NOx 2	11.18 Severe Ozone	Astoria Gas Turb. Power 2-6301-00191	Mr. Cartagena 917-612-5224		Emission Source shutdown
NOx 2	137.20 Severe Ozone	NationalGrid Far Rockaway Power Station 2-6308-00040	Mr. Flannery 516-545-4875		Facility shutdown
NOx 2	0.00 Severe Ozone	Terranext Eastchester Hts. 2-6002-00465	Mr. Woodruff 347-221-0070		Source Reduction
	00.00 Severe Ozone	CPV Shore, LLC	Mr. Freeman 240-723-2328		12.10 tpy trnsfrd. to CPV Shore, LLC 12.10 tpy trnsfrd. to Wood bridge Energy Cntr., NJ
NOx 2	0.00 Severe Ozone	Interstate Brands Corporation 2-6307-00276	Mr. Davis 816-502-4023		Facility shutdown
	2.16 Severe Ozone	Koch Supply & Trading, LP	Ms. Barnthouse 316-828-7270		2.16 tpy trnsfrd. to Koch Supply & Trading, LP
NO_x 3	42.00 Moderate Ozone	Harlem Valley Psyc. Cntr. 3-1326-00023	Mr. Bard 518-473-5823		Source Reduction /Facility shutdown
NO_x 3	2.93 Severe Ozone	Wyeth-Ayerst/Lederle 3-3924-00025	Mr. Kontaxis 914-732-2500		Emission point shutdown
NO_x 3	0.052 Moderate Ozone	IBM-Poughkeepsi Fac. 3-1346-00035	Mr. Brannen 914-433-1509		Emission points shutdown
NO_x 3	13.10 Moderate Ozone	Hudson River Psyc. Cntr. 3-1346-00030	Mr. Bard 518-473-5823		Source Reduction
NOx 3	0.00 Severe Ozone	BICC Cable Corporation 3-5518-00067	Mr. Sniffen 281-207-7213		1.95 DEC retained 5.90 transferred to Elements Markets
	0.00	Element Markets, LLC	Mr. Lack		5.90 tpy trnsfrd to CPV Shore,

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
	Severe Ozone		281-207-7213		LLC
	5.90 Severe Ozone	CPV Shore, LLC	Mr. Freeman 240-723-2312		
NOx 3	0.00 Severe Ozone	Tesa Tape Inc. 3-3352-00111	Mr. Rigano 704-553-4664		1.48 DEC retained 4.42 Transferred to Element Markets, LLC
	0.00 Severe Ozone	Element Markets, LLC	Mr. Lack 281-207-7213		4.42 tpy trnsfrd. to Merck, Sharpe & Dohme Corp., PA
NOx 3	00.00 Severe Ozone	Algonquin Gas Stony Pt. 3-3928-00001	Mr.Wooden 617-560-1345		Future Emis. Units shtdwn, 14.08 tpy comtd. for netting,
NOx 3	6.52 Severe Ozone	St. John's Riverside Hospital, 3-3924-00025	Mr. Doerr 914-964-4211		Emission point shutdown, 2.17 DEC retained
NOx 3	17.00 Ozone Transport Reg.	A.G. Properties of Kingston, LLC, 3-5154-00153	Mr. Ginsberg 845-383-0400		Facility shutdown
NOx 3	1.04 Severe Ozone	Wyeth Ayerst Pharmaceutical, 3-3924-00025	Mr. Alexandro 914-732-2160		Emission point shutdown, 00.35 DEC retained
NOx 3	4209.20 Severe Ozone	Lovett Generating Station, 3-3928-00010	Mr. Konary 617-529-3874		Facility shutdown
NO_x 4	00.59 Marginal Ozone	Cibro Pet. Prod. Inc. 4-0101-00070	Mr. Harvey 518-761-0750		
NO_x 4	2.10 Marginal Ozone	Schenectady Int. Inc. 4-4228-00056	Mr. Windish 518-370-4200		Emission points shutdown
NOx 4	2003.00 Marginal Ozone	Glens Falls Lehigh Portland Cement Co 4-1926-00001	Mr. Matz 610-366-4752		Emission points shutdown

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
NOx 4	00.00 Marginal Ozone	Fiber glass Industries Inc. 4-2701-00013	Mr. Lierheimer 518-842-4000		Source Reduction, 62.20 tpy transfrd. to Air Resources Group. (ARG)
	00.00 Marginal Ozone	Air Resources Group. (ARG)	Mr. Alexander (518) 452-7000		62.20 tpy trnsfrd. to St. Lawrence Cement (Holcim) and comtd. to Greenport Project DEC ID #4-1040-00011
	62.20 Marginal Ozone	Holcim (US) Inc. 4-1040-00011	Ms. Garakani 734-529-4233		
NOx 4	00.00 Marginal Ozone	PSEG Power New York Inc. 4-0122-00044	Mr. Verqura 518-436-5027		Future Fac. shutdown, 446.20 tpy comtd. for netting. 392.67 tpy will be available upon fac. Shutdown
NOx 4	10.57 Marginal Ozone	Knolls Atomic Power Lab. 4-4224-00024	Mr.Seepo 518-395-6366		Source reduction
NOx 4	52.6 Marginal Ozone	BASF Corporation 4-3814-00006	Ms. Roque 973-426-2662		Facility shutdown
NOx 4	7.57 Marginal Ozone	G. E. Power System 4-4215-00015	Mr. Oldi 518-385-3505		Facility shutdown
NOx 4	00.00 Marginal Ozone	Bennington Paperboard Co. 4-3828-00006	Mr. Doerr 740-862-3594		65.40 tpy trnsfrd. to Burgess Biopower (NH)
NOx 4	000.00 Ozone Transport Region	Norbord Industries 4-1230-00019	Mr. Towles 864-697-1250		178.24 tpy trnfrd to CVEC#3-1326-00275
NOx 4	1789.00 Ozone Transport Region	Holcim (US) Inc. 4-1926-00021	Mr. Graves 518-943-4040		Facility shutdown
NO_X 5	20.63 Ozone Transport Region	Peckham Materials Corp. 5-5344-00009	Mr. Yaremko 914-949-2000		Emission point(s) shutdown
NO_x		Georgia Pacific Corp.	Mr. Frenia		

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
5	00.00 Ozone Transport Region	5-0913-00004	518-562-6490		142.87 tpy trnfrd to CVEC#3-1326-00275
NO_x 5	59.20 Marginal Ozone	General Electric Silicone 5-4154-00002	Ms. Arisman 518-233-3540		Emission point(s) shutdown
NO_x 5	56.36 Ozone Transport Region	Pactiv Corporation 5-0942-00014	Mr. Pettit 518-562-6110		Emission point(s) shutdown
NO_x 5	61.50 Marginal Ozone	Mohawk Paper Mills, Inc. 5-4154-00003	Mr. Milner 518-237-1740		Emission point(s) shutdown
NOx 5	161.20 Ozone Transport Region	International Paper-Corinth 5-4126-00007	Mr. Lienert 901-419-3895		Facility shutdown
NOx 6	59.70 Ozone Transport Region	NYSOMH - Mohawk Valley Psych Cntr., 6-3016-00138	Mr. Bard 518-473-5823		
NOx 6	226.10 Ozone Transport Region	Magan-Racine Facility 6-4022-00021	Mr. Megan 352-793-6565		Facility shutdown
NOx 6	22.20 Ozone Transport Region	NYSOMH - St. Lawrence Psych Cntr., 6-4012-00016	Mr. Bard 518-473-5823		
NO_x 6	35.80 Marginal Ozone	GLDC/Former Griffiss Air Force Base Steam Plant 6-3013-00229	Ms. Lemaire 315-330-4092		Emission point(s) shutdown
NO_x 7	134.00 Ozone Transport Region	Anitec Image Corp. 7-0302-00064	Mr. Markle 607-774-3375		Emission point(s) shutdown
NO_x 7	297.00 Ozone Transport Region	NiMo Power Corp. 7-3512-00030	Mr. Russo 315-428-6798		233tpy used by Corning Inc.
NO_x 7	00.00 Ozone Transport Region	Fibertek Energy Fac. 7-3132-00052	Mr. Schintzius 315-487-4346		560 tpy committed to Athens Gen. Fac.

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
NO_x 7	233.00 Ozone Transport Region	Heritage Power LLC 7-3556-00097	Mr. Dreisbach 518-385-9122		From Bethlehem Steel Corp., PA
NO_x 7	55.53 Ozone Transport Region	Syracuse Power Co. 7-3132-00049	Mr. Ingalls 315-471-4420		Facility shutdown
NOx 7	496.00 Ozone Transport Region	Owens-Brockway Gls. Cont. Inc. 7-3558-00014	Mr. Tussing 419-247-8682		Facility shutdown
NO_x 7	85.30 Ozone Transport Region	Cornell Uni. Cent. Energy Plant 7-5007-00030	Ms. Brown 607-254-8687		Emission point(s) shutdown
NOx 7	0.00 Ozone Transport Region	Westover Generating Station, 7-0346-00045	Mr. Irwin 315-536-2359 X 3423		Facility shutdown 1046.40 tpy trnsfrd. to Greenidge Generation LLC
	1046.40 Ozone Transport Region	Greenidge Generation LLC 8-5736-00004	Mr. Irwin 315-536-2359 X3423		
NOx 8	00.00 Ozone Transport Reg	SUNY - Brockport 8-2652-00024	Ms. Boyle 518-443-5146		24.00 tpy committed to Guardian Glass
NO_x 8	64.00 Ozone Transport Reg	NYSEG-Hickling Gen. Stn. 8-4638-00011	Mr. Malecki 607-762-7763		
NOx 8	14.70 Ozone Transport Region	E I Dupont Co.-Driving Pk. 8-2614-00197	Mr. Olson 716-879-4662		Emission point(s) shutdown
NOx 8	159.20 Ozone Transport Region	University of Rochester 8-2699-00059	Mr. Stillman 716-275-2056		source reduction
NOx 8	41.50 Ozone Transport Reg	NYSOMH-Roch.Psyc. Ctr. 8-2614-00341	Mr. Bard 518-473-5823		
NOx 8	783.00 Ozone Transport Region	RG&E, Beebee Station 8-2614-00448	Ms. Selbig 716-771-2145		18 tpy commtd to Besicorp-Recycling # 4-3814-00061 242 tpy commtd to Besicorp-Power # 4-3814-00052

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
NOx 8	187.03 Ozone Transport Region	Corning Inc.- Fall brook plant. 8-4603-00008	Mr. Ritter 607-974-7247		Facility Shutdown
NOx 8	11.00 Ozone Transport Region	Monroe-Livingston Landfill 8-2656-00008	Mr. Moriera 603-929-3443		Emission point(s) shutdown
NOx 8	2026.30 Ozone Transport Region	RG&E, Russell Station 8-2628-00068	Ms. Sahler 585-724-8684		Facility shutdown
NOx 8	15.00 Ozone Transport Region	Monroe-Livingston Landfill 8-2656-00008	Mr. Chraston 585-889-9460		Emission point(s) shutdown
NOx 9	5.00 Marginal Ozone	Delphi Harrison Th. Sys. 9-1402-00286	Ms. Harper 716-439-2955		Emission point(s) shutdown
NOx 9	00.00 Marginal Ozone	GM Powertrain-Tonawanda 9-1464-00048	Mr. Pordon 313-556-0791		99.00 tpy committed to Corning Inc. # 6- 4030-00002
NOx 9	24.60 Marginal Ozone	Delphi Harrison Th. Sys. 9-2909-00018	Ms. Harper 716-439-2955		Source Reduction
NO_x 9	71.54 Marginal Ozone	Occidental Chemical Corp. 9-2912-00041	Ms. Desmukh 972-404-3217		Facility shutdown
NOx 9	37.00 Marginal Ozone	LFG Energy Inc. 9-1432-00281	Mr. Zeliff 716-759-0366		Source Reduction
NOx 9	00.00 Marginal Ozone	Bethlehem Steel Corp. 9-1409-00003	Mr. Ossman 610-694-2060		Facility shut down
	1083.40 Marginal Ozone	Holcim (US) Inc. 4-1040-00011	Ms. Garakani 734-529-4233		1300 tpy trnsfrd. to St. Lawrence Cement (Holcim) and comtd. to Greenport Project DEC ID #4-1040-00011 459 tpy trnsfrd. to Tecumseh Redevelop. Inc. 216.60 tpy trnsfrd. to Burgess Biopower (NH)

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
	459.00 Marginal Ozone	Tecumseh Redevelop. Inc.	Mr. Nagel 716-856-0635		
NOx 9	30.40 Ozone Transport Reg	Limestone Compressor Fac. 9-0942-40027	Mr.Young 814-871-8657		Emission Point(s) shutdown
NOx 9	17.30 Marginal Ozone	UCAR Carbon company 9-2911-00185	Ms. Bolton 931-380-4215		Facility shutdown
NOx 9	67.00 Marginal Ozone	American Ref-fuel company of Niagara. 9-2911-00113	Mr. Gleason 716-278-8509		Emission Point(s) shutdown
NOx 9	132.24 Marginal Ozone	E.I. Dupont 9-2911-00030	Mr. Jain 716-278-5502		Emission Point(s) shutdown
NOx 9	165.10 Ozone Transport Reg	Medina Power Company 9-0484-00017	Mr. Pecnik 716-532-3371		Facility shutdown
NOx 9	19.73 Marginal Ozone	Saint-Gobain Abrasives 9-2940-00048	Mr. Fogarty 508-795-5860		Facility shutdown
NOx 9	12.21 Marginal Ozone	SGL Carbon LLC 9-2911-00038	Mr. Higgs 704-593-5165		Facility shutdown
NOx 9	18.32 Marginal Ozone	The Goodyear Tire and Rubber Co. 9-2911-00036	Mr. Jones 716-236-2635		Emission Point(s) shutdown
NOx 9	00.00 Ozone Transport Reg	Samuel A. Carlson Gen. Stn., 9-0608-00053	Mr.Oelbracht 516-377-2200		Future Emission Point shutdown/ Curtailment, 125 tpy will be available upon EU shutdown
NOx 9	40.54 Marginal Ozone	Caraustar Mill/Buffalo Paperboard 9-2909-00062	Mr. Cohen 770-799-3844		Facility shutdown
NOx 9	33.50 Marginal Ozone	Arcelormittal Lackawanna LLC 9-1499-00067	Mr. Nagel 330-659-9102		Facility shutdown

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
NOx 9	0.00 Ozone Transport Reg	SGK Ventures Frewsburg Fac. 9-1499-00067	Mr. Stalkamp 312-683-9454	March 31, 2015***	Facility shutdown, 2.37 tpy trnsfrd. to Element Markets
NOx 9	2.37 Ozone Transport Reg	Element Markets, LLC	Mr. Lack 281-207-7213		
NO_x CT	00.00 Severe Ozone	Wisvest-Connecticut, LLC., CT	Mr. Beres		207 tpy comtd. to GenOn Bowline
					Name Change 12/3/10
NOx CT	207.00 Severe Ozone	GenOn, Bowline LLC	Mr. Konary 671-529-3874		
NO_x PA	00.00 Severe Ozone	USX Corp., PA	Mr. Marchmont 508-786-7214		200 tpy trnsfrd. to Ramapo Energy
	000.00 Severe Ozone	American National Power	Mr. Mussleman 508-382-9356		Ramapo changed name to ANP, 200 tpy trnfrd. to Element Markets
	200.00 Severe Ozone	Element Markets, LLC	Mr. Lack 281-207-7213		
NO_x PA	00.00 Moderate Ozone	Bethlehem Steel Corp., PA	Mr. Neal 617-557-5333		145 tpy comtd. to Wawayanda Energy # 3-3356-00109
NO_x PA	00.00 Moderate Ozone	Cogentrix of PA., PA			658.72 transfrd. to Air Resources Group (ARG)
	00.00 Moderate Ozone	Air Resources Group (ARG)	Mr. Alexander (518) 452-7000		658.72 transfrd. to Holcim (US) Inc. 4-1040-00011
	658.72 Marginal Ozone	Holcim (US) Inc. 4-1040-00011	Ms. Garakani 734-529-4233		
NO_x CT	00.00 Severe Ozone	Wisvest-Connecticut, LLC., CT	Mr. Slade		217 tpy comtd. to NY Power Authority # 2-6301-00084
NOx PA	000.00 Severe Ozone	Sony Electronics Inc, PA	Mr. Remillard 781-817-8970		216 tpy comted. to CPV Energy Center #3-3356-00136

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
NOx PA	000.00 Severe Ozone	Corning Asahi Video Inc, PA	Mr. Ritter 607-974-7247		173 tpy comtd. to Corning Diesel Mfg. Fac. #8-4642-00108
PM-10 2	00.86 Moderate	Con Ed.- 59th St. 2-6202-00032	Mr. Cartagena 212-460-6275		25.04 comtd to ConEd East River #2-6206-00012
PM-10 2	00.00 Moderate	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-3968		13.92 comtd to ConEd East River #2-6206-00012
PM-10 2	00.00 Moderate	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-4858		Future Fac. shutdown, 70.40 comtd.to # 2-6206-00012 (East River)
PM-10 2	1.40 Moderate	East River Housing Corp. 2-6206-00096	Mr. Jacob 212-677-5858		Emis. pt(s). Shtdown
PM-2.5 2	93.60	Poletti Power Project 2-6301-00084	Mr. Rao 914-681-6387		Emission Source shutdown
PM-2.5 2	44.71	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Ogunsola 212-460-1223		Emission point(s) shutdown
PM-2.5 2	00.00	NYOFCO Sludge Pellet. Facility 2-6007-00140	Mr. Lambalot 203-509-2577		25.76 tpy transfrd. to Koch Supply & Trading
	25.76	Koch Supply & Trading, LP	Ms. Evensen 316-828-7496		
PM-2.5 2	12.81 Severe Ozone	NationalGrid Far Rockaway Power Station 2-6308-00040	Mr. Flannery 516-545-4875		Facility shutdown
PM-2.5 3	336.30	Lovett Generating Station, 3-3928-00010	Mr. Konary 617-529-3874		Facility shutdown
CO 1	8.32 Moderate	Zapco Energy Tactics Corp. 1-2820-02479	Mr. Jansen 516-924-5300		Emission point(s) shutdown

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
CO 1	34.52 Moderate	Zapco Energy Tactics Corp. 1-2824-00077	Mr. Antignano 516-563-6336		Emission point(s) shutdown
CO 1	16.03 Moderate	Zapco Energy Tactics Corp. 1-2820-00951	Mr. Antignano 516-563-6336		Emission point(s) shutdown
CO 1	6.35 Moderate	Env. Waste Incin., Inc. 1-2809-00088	Mr. Walker 215-766-7230		Facility shutdown
CO 2	125.62 Moderate	Con Ed.- Astoria 2-6301-00006	Mr. Cartagena 212-460-6275		145 tpy commtd to Astoria Energy, LLC, #2-6301-00647
CO 2	48.00 Moderate	Con Ed.- 59th St. 2-6202-00032	Mr. Cartagena 212-460-6275		Emission point(s) shutdown
CO 2	4.00 Moderate	Hershey Choc. & Conf. Corp. 2-6304-00481	Mr. Simmons 717-534-7540		Emission point(s) shutdown
CO 2	00.00 Moderate	P&G Port Ivory Plant 2-6401-00004	Ms. Clancy 973-690-3487		15.90 tpy trnsfrd to Port Auth. of NY & NJ
CO 2	40.84 Moderate	SW Brooklyn Mun. Incin. 2-6106-00002	Mr. Beckowies 212-837-8383		18.16 tpy used by Freshkill Landfill
CO 2	81.70 Moderate	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-3968		Emission point(s) shutdown
CO 2	00.00 Moderate	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-4858		Future Fac. shutdown, 120.27 comtd.to # 2-6206-00012 (East River), 86.63 tpy will be available upon fac. Shutdown
CO 2	00.00 Moderate	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Guastafeste 212-460-4858		12.79 tpy transfer to NRG Power Marketing Inc.
	12.79 Moderate	NRG Power Marketing Inc.	Mr. Karalus 612-373-5307		
CO	00.00	Astoria Gen. Stn. - Orion	Mr.Webb		

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Reduction Date	Comments
2	Moderate	2-6301-00185	410-234-0994		Future Emission Units shutdown/ Curtailment, 159.90 tpy comtd. for netting
SO2** 1	1.04 Severe Ozone	Glenwood Combustion Turbine Fac., 1-2822-00481	Mr. Flannery 516-545-4875	July 1, 2012***	Emission Pts. shutdown
SO2** 2	460.34	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Ogunsola 212-460-1223		Emission point(s) shutdown
SO2** 2	15.10	NYOFCO Sludge Pellet. Facility 2-6007-00140	Mr. Lambalot 203-509-2577		Facility shutdown
SO2** 2	1.00 Severe Ozone	NationalGrid Far Rockaway Power Station 2-6308-00040	Mr. Flannery 516-545-4875		Facility shutdown
SO2** 3	10178.00	Lovett Generating Station, 3-3928-00010	Mr. Konary 617-529-3874		Facility shutdown

* (TPY) - tons per year
** SO2 ERCs can only be available for use as precursors for PM2.5 non-attainment
***** As of January 29, 2016, Reduction Date for the creation of the newly approved ERCs will be listed for all the ERCs placed in the registry.**
****** Original ERCs of 84.94 tpy was changed to 67.76 tpy, to be consistent with the facility's Air Permit dated 1/5/2016.**

TOTAL ERCs TPY

Bold entries - additions this week	**VOC = 2815.595**	PM-10 = 2.26	PM-2.5= 513.18
	NOx = 23480.982	CO = 378.17	SO2= 10655.48

NOTE: THIS REGISTRY IS FOR INFORMATIONAL PURPOSES ONLY. THE DEPARTMENT IS NOT RESPONSIBLE FOR ANY ERRORS AND OMISSIONS. PARTIES USING THE INFORMATION CONTAINED HEREIN ARE SOLELY RESPONSIBLE FOR VERIFYING LEGAL OWNERSHIP AND THE VALIDITY OF ERCs. REPORTED TRANSFERS OF ERCs ARE NOTED AS A COURTESY AND NO ATTEMPT HAS BEEN MADE TO VERIFY THAT REPORTED ERCs TRANSFERS ARE VALID OR EFFECTIVE AS A MATTER OF LAW.