

New York Lake Ontario and upper St. Lawrence River Stocking Program 2006

T. H. Eckert and M. J. Connerton

New York State Department of Environmental Conservation
Cape Vincent, NY 13618

The New York stocking report is prepared annually to summarize information on fish stocked in the most recent calendar year. The 2006 report includes all fish stocked in New York waters of Lake Ontario and its tributaries which are expected to contribute to the open lake fish stocks and associated fisheries, plus fish stocked in the New York waters of the St. Lawrence River upstream of Alexandria Bay. The report consists of three tables, plus a description of stocking terminology and abbreviations. Table 1 provides totals for fish stocked in 2006 by species, strain, and life stage, and compares those totals with the 2006 DEC stocking policy. Table 2 provides totals by species and life stage, summarizing the New York stocking history from 1991-2006. Table 3 provides specific information for each group of fish stocked in 2006. If needed, more detailed information on fish stocked can be obtained from the agencies and/or hatcheries which conducted the work.

TERMINOLOGY AND ABBREVIATIONS

Species: Names follow those in the American Fisheries Society's sixth edition of *Common and Scientific Names of Fishes from the United States, Canada, and Mexico*.

Location and **GD/KY** (Grid/Key): Location information for fish stocked in New York waters. Fish stocked in tributaries of Lake Ontario are designated using the name of the water in the location column, and the official NY stream key in the GD/KY column (key = capital O, period, 2 or 3 digit number, plus in some cases, a dash followed by a pond/embayment designation and one or more tributary numbers). Stream keys which are too long to fit within the GD/KY column are completed in the comments column. More specific information about stream stocking sites is not included in Table 3, but is part of the DEC stocking data base. Fish stocked directly into Lake Ontario and the St. Lawrence River are designated using a shore area

description in the location column, and a 3 digit grid number in the GD/KY column (standard grids based primarily on 10 minute blocks of longitude and latitude).

Date Stk (stocked): Date the fish were stocked. For pen reared fish, refers to the date the fish were released from their rearing pen.

Htch (Hatchery): Last hatchery at which the fish were raised for a significant period of time. Hatcheries in Table 3 are designated using the abbreviations shown below.

Abbreviations for New York DEC hatcheries:

AD	Adirondack
BA	Bath
CA	Catskill
CD	Caledonia
CS	Cedar Springs
RA	Randolph
SR	Salmon River
VH	Van Hornesville

Abbreviations for other county, state or federal hatcheries, and sportsmen clubs:

ALL	Allegheny National Fish Hatchery, PA
CV	Cape Vincent Fisheries Station
PMP	Powder Mill Park Hatchery (Monroe Co.)
NAA	Niagara River Anglers Association
TUN	Tunison USGS Research Station, NY

YC (Year Class): Year class of the fish stocked. Year class is defined as the first significant spawning year-of-life for a group of fish, or the first year in which they grew significantly. For spring or summer fish, year class and year spawned will be the same. For fall spawning fish, year class will be one year later than the year spawned (for example, coho salmon from eggs spawned in October 2004, would be 2005 year class).

Strain: Strain of the fish stocked. Fish stocked in

NYSDEC Lake Ontario Annual Report 2006

New York waters are shown with strain abbreviations that are defined below. Information is included to determine whether or not terms such as steelhead or landlocked could be applied to a group of fish.

LC (Little Clear). Landlocked strain of Atlantic salmon. Includes both a feral broodstock maintained in Little Clear Lake, NY, as well as a captive broodstock held at the DEC Adirondack Hatchery and derived from eggs taken from Little Clear Lake.

LO (Lake Ontario). Wild, self-sustaining, population of walleye from Lake Ontario. Eggs for the 2005 year class were collected from adults netted in Mud Bay, Jefferson County, NY. The eggs were incubated at the DEC Oneida Lake Hatchery, and reared in ponds at the DEC Cape Vincent Fisheries Station in partnership with the Lake Ontario Fisheries Coalition and the Village of Cape Vincent.

ONL (Oneida Lake). Wild, self-sustaining, population of walleye from Oneida Lake, NY.

RA (Randolph). Fall spawning strain of domestic rainbow trout maintained at the DEC Randolph Hatchery.

RL (Rome Lab). Domesticated, furunculosis resistant, strain of brown trout originated at the DEC Rome Hatchery. Maintained at Rome Hatchery with production broodstocks at Randolph and Catskill Hatcheries.

SAL (Salmon River). Lake Ontario populations of coho and chinook salmon which return to Salmon River for spawning. These populations were derived from eggs obtained mainly from Lake Michigan sources; through 1983 for coho salmon, and through 1986 for chinook salmon. The spawning runs are assumed to consist primarily of feral fish from Salmon River Hatchery stockings, but may contain some naturally produced fish or strays from other hatcheries.

SEN (Seneca Lake). Lake trout descended from a naturally sustained population that coexisted with sea lamprey in Seneca Lake, NY. Captive broodstocks have been maintained at the FWS Allegheny National Fish Hatchery and the USGS Northern Appalachian Research Laboratory at Wellsboro. The 2004 year class Seneca fish were

27% Wellsboro broodstock, and 73% Allegheny broodstock.

SKA (Skamania). Summer run, anadromous strain of rainbow (steelhead) trout derived from eggs imported from Lake Michigan to New York. Feral Lake Ontario broodstock maintained since 1996 through fin-clipped fish stocked in Salmon River.

SUP (Superior). Captive lake trout broodstock initially developed at the FWS Marquette Hatchery and derived from "lean" Lake Superior lake trout. Eggs for the 2004 year class obtained from broodstock held at FWS Allegheny National Fish Hatchery.

WAS (Washington). Winter run, anadromous, strain of rainbow (steelhead) trout derived from eggs imported from Washington to New York through 1980. Feral Lake Ontario broodstock maintained since 1981 through fin-clipped fish stocked in Salmon River.

W (Wild). Broodstock which spend a significant amount of time and achieve most of their growth in a lake or river. Includes both fish from natural reproduction as well as feral fish stocked at an earlier life stage. Adult fish may be held in captivity for several weeks or months until eggs are ready to be stripped.

D (Domestic). A captive broodstock which reaches maturity in a hatchery, regardless of the source of the eggs that they were derived from.

Mos (Months): Age of the fish to the nearest half month from the time the lot initiated feeding to the time they were stocked.

Stage: Life stage at which the fish was stocked, based on the convention that the birth date of fish from any particular year class is assumed to be January 1. Fingerlings (fing) are fish in their first year of life (age 0 or young-of-year), and year stocked will equal year class. The terms fry, spring fingerlings (SF), advanced fingerlings (AF), and fall fingerlings (FF), are simply additional designations for portions of the fingerling life stage. The term pond fingerling (PF) is used for fingerling walleye reared outside in ponds, usually without any supplemental food. Yearling fish (Ylg) are fish in their second year of life (age 1), and year stocked will be one more than year class. Yearling fish are most often stocked in the spring, and the term spring

yearling (SY) is often applied to such fish. The term adult (Ad) is applied to fish stocked in their third or later year of life (age 2 or more), even though these fish have often not reached sexual maturity.

Wt(g) [Weight]: Average weight of the fish in grams. For pen reared fish, refers to their size at the time they were released from their rearing pen.

Mark: Fin clips, tags, or other identifying marks applied to all members of a group before stocking. If more than one mark is applied (i.e., two clips, or a clip plus a tag), all will be listed. Standard abbreviations for the various marks and tags are listed below. Tag colors, and numbers or codes, are included under the column labeled comments.

Ad adipose fin clip
LV left ventral fin clip
LP left pectoral fin clip
CWT coded-wire-tag
OTC oxytetracycline - 6 hour immersion

Number Stk (stocked): Number of fish stocked at the particular site.

Comments: Significant comments and additional information relating to the rearing, marking, or stocking of the fish. If left blank, it can be assumed that the particular group of fish were released in a direct shore-line or stream-side stocking during daylight hours, without incident or undue mortality. Further descriptions for some of the comments listed in Table 3 are given below.

Barge: Fish transferred to a barge, ship, or other water craft, and transported some distance offshore before being released.

Boat Stocked: Fish transferred to a smaller boat or water craft and stocked nearshore. Walleye that were boat stocked in 2005 were typically scattered around the designated area.

Controls: Marked fish to act as controls in the evaluation of another marked experimental group.

CWT (6 digit number): Number for the coded-wire-tag used with each lot of lake trout or rainbow trout.

Pen Reared (date, size): Fish held and reared in a pen at the release site for a period of time, usually

one to four weeks. The date the fish were placed in their pen, and their average size at that time, are shown in parenthesis.

PMP release pond: Outdoor raceway at Powder Mill Park Hatchery which drains directly into a tributary of Irondequoit Creek. Washington steelhead from the 2004 year class where overwintered in this raceway, and then flushed into Irondequoit Creek on March 18, 2005.

Smolt Release Pond (date): Fish released through the smolt release pond at the DEC Salmon River Hatchery. Several species may be present in the pond at once, and the fish are regularly monitored and fed. Downstream gates on the pond were removed, allowing the fish to voluntarily migrate into Beaverdam Brook at any time. The date the fish were stocked into the pond is shown in parenthesis in the comments section. Date stocked corresponds to the date the smolt release pond was drained, forcing all remaining fish into Beaverdam Brook.

References

Eckert, T.H. 2000. Lake Ontario stocking and marking program 1999. Section 1 in NYSDEC 1999 Annual Report, Bureau of Fisheries Lake Ontario Unit and St. Lawrence River Unit to the Great Lakes Fishery Commissions Lake Ontario Committee

Table 1. Summary of stocking in New York waters of Lake Ontario and the upper St. Lawrence River during 2006, and comparisons with the DEC 2006 stocking policy.

Species	Stage	Strain	Actual No. Stocked	DEC Stocking Policy
Atlantic Salmon	Ylg	LC	28,800	50,000
Brown Trout	AF	RL-D	0	0
	SF	RL-D	0	0
	Ylg	RL-D	376,120	455,000
Brown Trout Total			376,120	455,000
Chinook Salmon	SF	SAL-W	1,826,900	1,761,600
Coho Salmon	FF	SAL-W	155,000	155,000
	Ylg	SAL-W	109,900	0
Coho Salmon Total			264,900	155,000
Lake Trout	Ylg ⁴	SEN-D	117,820	420,000
		SUP-D	0	80,000
Lake Trout Total			117,820	500,000
Rainbow Trout	Ylg	WAS-W	522,290	492,700
		SKA-W	50,000	48,000
		RA-D	72,360	75,000
Rainbow Trout Total			644,650	615,700
Walleye	PF 1 2 3	ONL-W	0	11,600
			1,066	0
		LO-W	122,059	0
Walleye Total			123,125	11,600
Grand Total			3,382,315	3,548,900

¹ Pond fingerlings scheduled to be reared at DEC hatcheries.

² Pond fingerlings reared in partnership with the Niagara River Anglers Association.

³ Pond fingerlings reared in partnership with the Lake Ontario Fisheries Coalition and the Village of Cape Vincent.

⁴ Alleghany National Fish Hatchery closed due to IPN, 170,470 lake trout diverted from Finger Lakes

Table 2. Approximate numbers (1000s) of trout, salmon, and other species stocked in New York waters of Lake Ontario and the upper St. Lawrence River from 1991 to 2006. Numbers of salmon, trout, and other species stocked in New York water of Lake Ontario and the St. Lawrence River from 1968-1990 can be found in Eckert (2000).

Species & Life Stage	Year Stocked															
	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Co Ylg	97	94	96	92	119	98	95	90	90	99	101	105	95	95	99	110
Co FF	132	155	100	223	172	196	155	155	137	155	155	155	155	155	155	155
Co AF	0	290	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Co f	0	0	0	0	0	0	0	0	0	0	0	4	7	0	0	0
Ck f	2835	2798	1603	1000	1150	1300	1605	1596	1596	1654	1629	1633	1622	1836	1809	1827
Ck FF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LT Ylg	818	508	501	507	500	350	500	426	476	490	500	500	500	457	224	118
LT FF	160	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0
LT Ad	0	0	0	0	0	0	0	<1	0	<1	0	0	0	0	0	0
BT Ylg	382	415	445	402	382	361	426	426	429	421	405	382	414	367	391	391
BT FF	0	0	0	0	0	0	0	0	25	0	0	136	39	0	66	0
BT AF	0	0	0	0	0	0	0	0	0	0	114	0	0	0	10	0
BT f	0	0	0	0	0	0	0	0	0	0	0	0	0	30	0	0
RT Ylg	82	85	88	92	24	70	93	92	97	75	60	71	75	64	75	72
RT FF	0	0	0	0	0	0	0	14	0	0	20	10	0	0	0	0
RT f	29	0	0	0	0	0	0	0	0	0	0	14	40	0	0	0
RT Ad	0	0	0	0	0	0	0	0	0	<1	0	0	0	0	0	0
Sthd Ad	0	0	0	0	0	0	0	<1	0	0	0	0	0	0	0	0
Sthd Ylg	551	515	454	487	534	543	555	528	521	533	583	535	560	558	570	572
Sthd FF	40	0	0	0	50	60	110	0	107	0	0	15	0	0	0	0
Sthd f	175	0	0	0	0	0	0	0	0	0	0	1	6	0	0	0
ST FF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AS Ad	0	0	0	0	2	2	1	4	6	1	<1	<1	<1	1	0	0
AS Ylg	178	169	135	151	130	97	76	73	84	78	75	75	50	51	50	29
AS FF	0	0	30	38	34	34	25	25	25	25	25	0	0	0	0	0
AS AF	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0
AS f	0	0	0	0	60	171	73	0	156	84	62	17	32	0	0	0
Sal Total	5479	5029	3453	2997	3158	3282	3715	3430	3749	3615	3729	3655	3594	3619	3450	3263
Wal AF	122	52	202	100	104	264	250	194	155	129	10	10	211	71	104	123
Stur FF	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
TOTAL	5601	5081	3655	3097	3262	3546	3964	3623	3904	3745	3739	3665	3807	3691	3555	3382

Abbreviations:

Ad: Fish age 2 or older (adults)
 Ylg: Yearlings, normally stocked between January and June
 FF: Fall fingerlings, stocked between September and December
 AF: Advanced fingerlings, stocked between mid-June and September
 f: fry and spring fingerlings, stocked before mid-June
 Co: coho salmon
 Ck: chinook salmon
 LT: lake trout

BT: brown trout
 RT: rainbow trout-domestic strains
 Sthd: steelhead-anadromous rainbow trout
 ST: brook trout
 AS: Atlantic salmon
 Sal: all salmonine species
 Wal: walleye
 Stur: lake sturgeon

Table 3. Trout, salmon and other species stocked in New York waters of Lake Ontario and the upper St. Lawrence River in 2006.

SPECIES	LOCATION	GD/KY	STK_DATE	HTCH	YCL	STRAIN	MOS	STAGE	WT(g)	MARK	NUMBERS	COMMENTS
Atlantic Salmon	Salmon River	0.53	17-May-06	AD	2005	LC-D	13.5	Ylg	45.0	none	9,600	
Atlantic Salmon	Salmon River	0.53	24-May-06	AD	2005	LC-D	15	Ylg	50.5	none	19,200	
Atlantic Salmon Yearling Total									48.6		28,800	
Brown Trout	Black River	0.19	27-Apr-06	SR	2005	RL-D	16.5	Ylg	67.7	none	4,170	
Brown Trout	Henderson Bay	424	16-May-06	SR	2005	RL-D	17.1	Ylg	87.3	none	16,520	
Brown Trout	Stony Point	423	12-May-06	SR	2005	RL-D	17.0	Ylg	114.5	none	31,690	barge stocking
Brown Trout	Stony Creek	0.40	27-Apr-06	SR	2005	RL-D	16.5	Ylg	69.9	none	2,500	
Brown Trout	Selkirk Shores	623	12-May-06	SR	2005	RL-D	17.0	Ylg	94.5	none	30,020	
Brown Trout	Oswego	622	11-May-06	SR	2005	RL-D	17.0	Ylg	88.9	none	30,020	
Brown Trout	Fair Haven	720	11-May-06	SR	2005	RL-D	17.0	Ylg	88.9	none	30,020	
Brown Trout	Sodus Point	819	19-May-06	SR	2005	RL-D	17.2	Ylg	90.7	none	21,000	
Brown Trout	Pultneyville	818	17-May-06	CD	2005	RL-D	16.2	Ylg	90.7	none	20,020	
Brown Trout	Webster	816	24-May-06	CD	2005	RL-D	16.4	Ylg	159.7	none	11,260	
Brown Trout	Webster	816	25-May-06	CD	2005	RL-D	16.4	Ylg	189.0	none	11,260	
Brown Trout	Irondequoit	815	01-Jun-06	SR	2005	RL-D	17.6	Ylg	74.1	none	15,010	
Brown Trout	Irondequoit	815	02-Jun-06	SR	2005	RL-D	17.7	Ylg	74.1	none	14,700	
Brown Trout	Rochester	815	30-May-06	CD	2005	RL-D	16.6	Ylg	159.8	none	3,640	
Brown Trout	Rochester	815	09-Jun-06	RM	2005	RL-D	17.8	Ylg	100.8	none	8,650	
Brown Trout	Rochester	815	09-Jun-06	CD	2005	RL-D	16.9	Ylg	157.5	none	3,150	
Brown Trout	Braddocks	815	18-Apr-06	CD	2005	RL-D	15.2	Ylg	127.4	none	15,000	
Brown Trout	Braddocks	815	16-May-06	CD	2005	RL-D	16.1	Ylg	166.8	none	7,670	
Brown Trout	Hamlin	713	17-Apr-06	CD	2005	RL-D	15.2	Ylg	131.1	none	5,000	
Brown Trout	Hamlin	713	23-May-06	CD	2005	RL-D	16.4	Ylg	154.3	none	17,260	
Brown Trout	Point Breeze	711	19-May-06	CD	2005	RL-D	16.2	Ylg	166.8	none	11,500	
Brown Trout	Point Breeze	711	26-May-06	CD	2005	RL-D	16.5	Ylg	164.9	none	20,190	

Table 3 (continued). Trout, salmon and other species stocked in New York waters of Lake Ontario and the upper St. Lawrence River in 2006.

SPECIES	LOCATION	GD/KY	STK_DATE	HTCH	YCL	STRAIN	MOS	STAGE	WT(g)	MARK	NUMBERS	COMMENTS
Brown Trout	Olcott	708	19-Apr-06	CD	2005	RL-D	15.3	Ylg	133.4	none	9,000	
Brown Trout	Olcott	708	11-May-06	CD	2005	RL-D	16.0	Ylg	145.4	none	11,850	
Brown Trout	Wilson	708	19-Apr-06	CD	2005	RL-D	15.3	Ylg	133.4	none	6,000	
Brown Trout	Wilson	708	02-May-06	CD	2005	RL-D	15.7	Ylg	153.8	none	5,800	
Brown Trout	Wilson	708	12-May-06	CD	2005	RL-D	16.0	Ylg	145.4	none	9,050	
Brown Trout	lower Niagara River	O.158	20-Apr-06	CD	2005	RL-D	15.3	Ylg	149.7	none	4,170	
Brown Trout Total								124.3			376,120	
	Brown Trout Yearlings								124.3		376,120	
Chinook Salmon	Black River	O.19	08-May-06	SR	2006	SAL-W	4.1	SF	4.1	none	159,000	
Chinook Salmon	South Sandy Creek	O.45	05-May-06	SR	2006	SAL-W	4.0	SF	3.7	none	100,000	
Chinook Salmon	Salmon River	O.53	06-Jun-06	SR	2006	SAL-W	5.0	SF	3.9	none	353,000	
Chinook Salmon	Oswego River	O.66	09-May-06	SR	2006	SAL-W	4.1	SF	8.7	none	40,000	Pen Reared (14-Apr, 3.5 g)
Chinook Salmon	Oswego River	O.66	10-May-06	SR	2006	SAL-W	4.2	SF	3.8	none	100,000	
Chinook Salmon	Sterling Creek	O.73	09-May-06	SR	2006	SAL-W	4.1	SF	4.1	none	112,200	
Chinook Salmon	Sodus Bay	O.84-P96	06-May-06	SR	2006	SAL-W	4.0	SF	5.1	none	52,600	Pen Reared (12-Apr, 3.8 g)
Chinook Salmon	Sodus Bay	O.84-P96	10-May-06	CD	2006	SAL-W	3.7	SF	3.5	none	57,400	
Chinook Salmon	Genesee River	O.117	04-May-06	CD	2006	SAL-W	3.5	SF	3.4	none	85,250	
Chinook Salmon	Genesee River	O.117	03-May-06	SR	2006	SAL-W	3.9	SF	5.3	none	85,250	Pen Reared (11-Apr, 4.1 g)
Chinook Salmon	Sandy Creek	O.130	03-May-06	CD	2006	SAL-W	3.5	SF	3.8	none	55,000	
Chinook Salmon	Sandy Creek	O.130	10-May-06	SR	2006	SAL-W	4.2	SF	3.9	none	55,000	
Chinook Salmon	Oak Orchard Creek	O.138	26-Apr-06	SR	2006	SAL-W	3.7	SF	5.3	none	85,250	Pen Reared (10-Apr, 4.1 g)
Chinook Salmon	Oak Orchard Creek	O.138	03-May-06	CD	2006	SAL-W	3.5	SF	3.7	none	85,250	
Chinook Salmon	Eighteenmile Creek	O.148	13-Apr-06	SR	2006	SAL-W	3.3	SF	2.8	none	17,100	
Chinook Salmon	Eighteenmile Creek	O.148	04-May-06	SR	2006	SAL-W	4.0	SF	7.7	none	50,000	Pen Reared (13-Apr, 3.8 g)
Chinook Salmon	Eighteenmile Creek	O.148	04-May-06	CD	2006	SAL-W	3.5	SF	3.4	none	67,100	
Chinook Salmon	Eighteenmile Creek	O.148	10-May-06	CD	2006	SAL-W	3.7	SF	3.5	none	64,000	surplus
Chinook Salmon	lower Niagara River	O.158	15-May-06	SR	2006	SAL-W	4.3	SF	3.6	none	203,500	
Chinook Salmon Spring Fingerling Total									4.4		1,826,900	

Table 3 (continued). Trout, salmon and other species stocked in New York waters of Lake Ontario and the upper St. Lawrence River in 2006

SPECIES	LOCATION	GD/KY	STK_DATE	HTCH	YCL	STRAIN	MOS	STAGE	WT(g)	MARK	NUMBERS	COMMENTS	
Coho Salmon	Sodus Bay	O.84-P96	08-Oct-06	SR	2006	SAL-W	20.8	FF	26.7	none	26,000		
Coho Salmon	Genesee River	O.117	19-Oct-06	SR	2006	SAL-W	21.2	FF	31.9	none	22,000		
Coho Salmon	Sandy Creek	O.130	18-Oct-06	SR	2006	SAL-W	21.1	FF	31.9	none	26,000		
Coho Salmon	Oak Orchard Creek	O.138	24-Oct-06	SR	2006	SAL-W	21.3	FF	31.5	none	26,000		
Coho Salmon	Eighteenmile Creek	O.148	26-Oct-06	SR	2006	SAL-W	21.4	FF	31.5	none	30,000		
Coho Salmon	lower Niagara River	O.158	25-Oct-06	SR	2006	SAL-W	21.4	FF	31.5	none	25,000		
Coho Salmon	Beaverdam Brook	O.53-8	22-May-06	SR	2005	SAL-W	16.5	Ylg	37.8	none	109,900		
Coho Salmon Total									31.8		264,900		
	Coho Salmon Fall Fingerlings									30.8		155,000	
	Coho Salmon Yearlings									37.8		109,900	
Lake Trout	Olcott	708	8&9-May-06	BA	2005	SEN-W		Ylg	74.7	Ad-CWT	117,820	Barge, CWT 052473, 052472, 600146	
Rainbow Trout	Black River Bay	424	28-Apr-06	SR		WAS-W	10.7	Ylg	20.6	none	36,000		
Rainbow Trout	Black River	O.19	22-Apr-06	SR	2005	WAS-W	10.5	Ylg	25.2	none	36,000		
Rainbow Trout	Stony Creek	O.40	27-Apr-06	SR	2005	WAS-W	10.6	Ylg	24.0	none	20,700		
Rainbow Trout	South Sandy Creek	O.45	18-Apr-06	SR	2005	WAS-W	10.4	Ylg	28.0	none	28,750		
Rainbow Trout	Beaverdam Brook	O.53-8	28-Apr-06	SR	2005	WAS-W	10.7	Ylg	18.3	LV	71,900	stocked as clipped, starting 18-Apr	
Rainbow Trout	Beaverdam Brook	O.53-8	23-May-06	SR	2005	WAS-W	11.5	Ylg	38.1	LV	53,690	stocked as clipped starting 03-May	
Rainbow Trout	Grindstone Creek	O.54	18-Apr-06	SR	2005	WAS-W	10.4	Ylg	23.9	none	5,000		
Rainbow Trout	Oswego River	O.66	05-May-06	SR	2005	WAS-W	10.9	Ylg	60.5	none	20,000	Pen Reared (14-Apr, 28.4 g)	
Rainbow Trout	Sterling Creek	O.73	22-Apr-06	SR	2005	WAS-W	10.5	Ylg	25.2	none	9,000		
Rainbow Trout	Sterling Valley Ck	O.73-3	22-Apr-06	SR	2005	WAS-W	10.5	Ylg	25.2	none	9,000		
Rainbow Trout	Maxwell Creek	O.85	12-Apr-06	SR	2005	WAS-W	10.2	Ylg	25.2	none	19,950		
Rainbow Trout	Irondequoit Creek	O.108	16-Mar-06	PMP	2005	WAS-W	9.3	Ylg	50.4	none	8,700	PMP release pond, size estimated	
Rainbow Trout	Irondequoit Creek	O.108	21-Apr-06	SR	2005	WAS-W	10.5	Ylg	25.2	none	20,000		
Rainbow Trout	Genesee River	O.117	01-May-06	SR	2005	WAS-W	10.8	Ylg	18.1	none	12,100		
Rainbow Trout	Genesee River	O.117	29-Apr-06	SR	2005	WAS-W	10.7	Ylg	34.1	none	10,000	Pen Reared (11-Apr, 25.2 g)	
Rainbow Trout	Salmon Creek	O.125	14-Apr-06	SR	2005	WAS-W	10.2	Ylg	28.4	none	5,050		

Table 3 (continued). Trout, salmon and other species stocked in New York waters of Lake Ontario and the upper St. Lawrence River in 2006.

SPECIES	LOCATION	GD/KY	STK_DATE	HTCH	YCL	STRAIN	MOS	STAGE	WT(g)	MARK	NUMBERS	COMMENTS
Rainbow Trout	Sandy Creek	O.130	29-Apr-06	SR	2005	WAS-W	10.7	Ylg	36.9	none	7,300	Pen Reared (14-Apr, 28.3 g)
Rainbow Trout	Oak Orchard Creek	O.138	01-May-06	SR	2005	WAS-W	10.8	Ylg	18.1	none	7,000	
Rainbow Trout	Oak Orchard Creek	O.138	26-Apr-06	SR	2005	WAS-W	10.6	Ylg	40.1	none	14,000	Pen Reared (10-Apr, 25.2 g)
Rainbow Trout	Marsh Creek	O.138-1	01-May-06	SR	2005	WAS-W	10.8	Ylg	18.1	none	7,100	
Rainbow Trout	Johnson Creek	O.139	01-May-06	SR	2005	WAS-W	10.8	Ylg	18.1	none	6,700	
Rainbow Trout	Keg Creek	O.146	13-Apr-06	SR	2005	WAS-W	10.2	Ylg	25.2	none	3,000	
Rainbow Trout	Eighteenmile Creek	O.148	13-Apr-06	SR	2005	WAS-W	10.2	Ylg	25.1	none	3,500	
Rainbow Trout	Eighteenmile Creek	O.148	30-Apr-06	SR	2005	WAS-W	10.7	Ylg	39.8	none	3,500	Pen Reared (13-Apr, 25.2 g)
Rainbow Trout	E Br Twelvemile Ck	O.152	19-Apr-06	SR	2005	WAS-W	10.4	Ylg	23.9	none	10,000	
Rainbow Trout	Twelvemile Creek	O.152A	19-Apr-06	SR	2005	WAS-W	10.4	Ylg	23.9	none	12,000	
Rainbow Trout	Twelvemile Creek	O.152A	11-May-06	SR	2005	WAS-W	11.1	Ylg	38.7	none	5,000	Pen Reared (19-Apr, 23.9 g)
Rainbow Trout	Fourmile Creek	O.156	19-Apr-06	SR	2005	WAS-W	10.4	Ylg	23.9	none	3,000	
Rainbow Trout	lower Niagara River	O.158	27-Apr-06	SR	2005	WAS-W	10.6	Ylg	41.2	LV-Ad	20,000	diverted from Salmon River
Rainbow Trout	lower Niagara River	O.158	04-May-06	SR	2005	WAS-W	10.9	Ylg	22.8	none	27,000	
Rainbow Trout	lower Niagara River	O.158	26-May-06	SR	2005	WAS-W	11.6	Ylg	37.8	none	20,000	Pen Reared (04-May, 22.8 g)
Rainbow Trout	Beaverdam Brook	O.53-8	30-May-06	SR	2005	SKA-W	11.7	Ylg	38.1	LP-Ad	26,400	stocked as clipped, starting 01-May
Rainbow Trout	Beaverdam Brook	O.53-8	09-Jun-06	SR	2005	SKA-W	12.0	Ylg	41.1	LP-Ad	18,600	
Rainbow Trout	Little Salmon River	O.58	08-May-06	SR	2005	SKA-W	11.0	Ylg	48.3	LP-Ad	5,000	Pen Reared (18-Apr, 30.9 g)
Rainbow Trout	Sodus	819	26-May-06	VH	2005	RA-D	17.0	Ylg	119.4	none	7,300	
Rainbow Trout	Sodus	819	05-Jun-06	VH	2005	RA-D	17.3	Ylg	101.7	none	4,000	
Rainbow Trout	Sodus	819	06-Jun-06	VH	2005	RA-D	17.4	Ylg	94.5	none	5,560	
Rainbow Trout	Sodus	819	06-Jun-06	VH	2005	RA-D	17.4	Ylg	122.5	none	500	
Rainbow Trout	Webster	816	25-May-06	VH	2005	RA-D	17.0	Ylg	141.8	none	6,300	
Rainbow Trout	Webster	816	05-Jun-06	VH	2005	RA-D	17.3	Ylg	108.7	none	3,700	
Rainbow Trout	Hamlin	713	26-Apr-06	CS	2005	RA-D	16.0	Ylg	107.0	none	8,000	
Rainbow Trout	Hamlin	713	27-Apr-06	CS	2005	RA-D	16.1	Ylg	140.0	none	5,860	
Rainbow Trout	Hamlin	713	28-Apr-06	CS	2005	RA-D	16.1	Ylg	109.3	none	6,140	
Rainbow Trout	Olcott	708	03-May-06	CS	2005	RA-D	16.3	Ylg	137.4	none	3,400	
Rainbow Trout	Olcott	708	23-May-06	RM	2005	RA-D	16.9	Ylg	96.5	none	9,100	

Table 3 (continued). Trout, salmon and other species stocked in New York waters of Lake Ontario and the upper St. Lawrence River in 2006.

SPECIES	LOCATION	GD/KY	STK_DATE	HTCH	YCL	STRAIN	MOS	STAGE	WT(g)	MARK	NUMBERS	COMMENTS
Rainbow Trout	Wilson	708	01-May-06	CS	2005	RA-D	16.2	Ylg	135.4	none	6,250	
Rainbow Trout	Wilson	708	02-May-06	CS	2005	RA-D	16.2	Ylg	137.5	none	6,250	
	Rainbow Trout Total								54.4		644,650	
	Washington Steelhead Yearlings								29.1		522,290	
	Skamania Steelhead Yearlings								42.5		50,000	
	Rainbow Trout Yearlings (Randolph strain)								119.4		72,360	
Walleye	Fishers Landing	124	23-Jun-06	CV	2006	LO-W	2.2	PF	2.27	none	10,000	
Walleye	French Creek Bay	124	28-Jun-06	CV	2006	LO-W	2.4	PF	2.00	none	7,562	
Walleye	Cape Vincent	223	10-Jun-06	CV	2006	LO-W	1.8	PF		none	2,000	estimated release
Walleye	Cape Vincent	223	30-Jun-06	CV	2006	LO-W	2.5	PF	0.99	none	4,358	release at fisheries station
Walleye	Mud Bay	323	27-Jun-06	CV	2006	LO-W	2.4	PF	2.56	none	24,000	
Walleye	Chaumont Bay	324	19-Jun-06	CV	2006	LO-W	2.1	PF	2.36	none	23,380	
Walleye	Cape Vincent	223	19-Jun-06	CV	2006	LO-W	2.1	PF	2.36	none	11,000	release at fisheries station
Walleye	Stony Creek Bay	523	30-Jun-06	CV	2006	LO-W	2.5	PF	1.04	none	11,113	
Walleye	Stony Creek Bay	523	21-Jun-06	CV	2006	LO-W	2.2	PF	1.95	none	17,316	
Walleye	Swan Bay	125	30-Jun-06	CV	2006	LO-W	2.5	PF	0.98	none	11,330	
Walleye	lower Niagara River	O.158	24-Jun-06	NAA	2005	ONL-W	2	PF		none	382	
Walleye	lower Niagara River	O.158	25-Jun-06	NAA	2005	ONL-W	2	PF		none	281	
Walleye	lower Niagara River	O.159	27-Jun-06	NAA	2005	ONL-W	3	PF		none	403	
	Walleye Fingerling Total								1.83		123,125	
Total All Species											3,382,315	
Salmonine Total											3,259,190	