

**New York State Department of Environmental Conservation  
Division of Fish, Wildlife and Marine Resources, Region 7**

**Bureau of Fisheries**

1285 Fisher Avenue, Cortland, New York 13045-1090

**Phone:** (607) 753-3095 ext 213 • **Fax:** (607) 753-8532

**Website:** [www.dec.ny.gov](http://www.dec.ny.gov)



Joe Martens  
Commissioner

March 24, 2015

**To: Cayuga Lake Angler Diary Cooperators**

Dear Fellow Anglers,

We have summarized the data from the 2014 diaries and are sending you the summary information, your 2014 diary and additional diaries for 2015 as needed. Thank you very much for your participation.


Please check the Lake Trout and Rainbow Trout you catch for fin clips. All the Lake Trout and most of the Rainbow Trout stocked in Cayuga Lake have a fin clip. The fin clip data along with the other catch data we receive from our angler diary cooperators are instrumental in determining fish stocking policies and fishing regulations.

We would like to increase the number of angler cooperators in our diary program. If you didn't return your diaries this year, please do so next year. You may be removed from the mailing list if you do not participate. If you know anyone who might want to participate, please encourage them to join by calling (607) 753-3095 ext 213 or emailing [fwfish7@dec.ny.gov](mailto:fwfish7@dec.ny.gov).

**Open Water Trout and Salmon Fishing**

Last year, 27 Cayuga Lake open water angler diary cooperators caught 1,021 legal salmonids in 466 trips (cooperators and party members combined) for an average catch of 2.2 fish per trip. Open water cooperators had a legal salmonid catch rate of 1.9 hours per fish and were successful catching at least one legal salmonid in 83 percent of their trips. With the exceptions of the number of cooperators, these numbers are all substantial increases from 2013.


The graph below shows the catch rates (catch/trip) of legal salmonids by our Cayuga Lake open water cooperators from 1984 through 2014 and the relative contribution of each species in the catch over time. We are looking at catch rates to remove the effects of having varying numbers of cooperators and trips from year to year. Note that the actual data are still provided in the attached summary as usual.



### *Lake Trout*


In 2014, Cayuga Lake open water cooperators caught 898 legal Lake Trout, of which 308 were kept. Lake Trout comprised 88 percent of the legal salmonids caught. An additional 34 sub-legal Lake Trout were caught and released. The largest Lake Trout caught was 33.0 inches. Fishing off Milliken or Long Point in August produced the best catches of this species. Estimated ages of the fin clipped Lake Trout caught by our cooperators ranged from 1 to 24 years. About 43 percent of the fin clipped Lake Trout were considered young fish (less than seven years old), which is a substantial drop in catch of young fish compared to recent years. Fewer young lake trout should mean less competition for food resources and better recruitment for Landlocked Salmon and Brown Trout to the fishery.

Additional analyses of catch and creel rates for anglers fishing specifically for Lake Trout, and assessing whether those fish were caught or released suggests that angler behavior has changed in the last 20 years. While Lake Trout catch rates have varied between 0.4 to 0.6 fish caught per hour, the creel rate dropped from over 0.3 Lake Trout per hour harvested in the late 1990's to less than 0.2 Lake Trout per hour harvested in the late 2000's. In 2014, both rates were higher at 0.24 fish/hour for the creel rate and 0.66 fish/hour for the catch rate.



In 2015, the regional fisheries unit will conduct a standard gillnetting survey on Cayuga Lake to determine the density, growth rate and incidence of Sea Lamprey attacks on Lake Trout. The most recent survey was conducted in 2011. A total of 399 Lake Trout were collected in 32 nets for an average of 12.5 Lake Trout per net in 2011. This average was slightly lower than the 13.4 Lake Trout per net average found in the 12 previous surveys dating back to 1976. The number of legal Lake Trout sampled (275) was the highest ever recorded for this survey, indicating an increasing biomass of larger Lake Trout in the population. Nine percent of the fish caught were wild spawned fish.

Incidence of Sea Lamprey attacks on Lake Trout in the 2011 survey was very low. One wound and one mark were observed on the 46 Lake Trout in a 23.6 inch to 25.6 inch index group. This was well below our target level for lamprey wounding on Lake Trout in this length interval. However, Lake Trout wounding rate for the 2012 egg take on Cayuga Lake was considerably higher, at 83 active wounds per hundred Lake Trout in the 25.6 inch to 27.6 inch index group. The Lake Trout wounding rate index dropped to 40 percent during the 2013 egg take and further to 9 percent in the 2014 egg take. Sea Lamprey wounding on Cayuga Lake salmonids increased in 2012 because a fairly large year class of lampreys, born in Cayuga Inlet in 2007, migrated downstream to Cayuga Lake as parasitic adults. The rate dropped in 2013 and 2014 due to the 12-18 month parasitic phase coming to an end, and these lampreys coming to the end of their lives. We opted to “ride this out” and not do an expensive lampricide treatment because we anticipated the impacts to the lake fishery would not be as extensive as in the past. Although there were relatively abundant young Sea Lampreys (ammocoetes) in Cayuga Inlet, our assessments indicate they were not as abundant as they were prior to our treatments in 1986 and 1996 (see graph below). Given this, we expected that the fishery should be able to absorb the impacts of this lamprey year class with far less mortality of trout and salmon than we experienced in the past. However, the wounding data and angler reports indicate that we were wrong in this assessment. Additional year classes of Sea Lamprey were spawned in 2011 and 2014, but these Sea Lamprey were removed during a TFM treatment of the Cayuga Inlet in August 2014. As you can see from the graph juvenile lamprey were very abundant in our 2012 and 2013 assessments of Cayuga Inlet and had we not removed them their impact to the fishery this coming year would have far exceeded the impact observed from the 2007 year class.



### ***Rainbow Trout***

Cayuga Lake open water angler diary cooperators caught 27 legal Rainbow Trout, of which 18 were kept. Rainbow Trout comprised 3 percent of the legal salmonid catch. An additional 11 sub-legal Rainbow Trout were caught and released. The largest Rainbow Trout caught was 25.0 inches and the average length of kept Rainbow Trout was 19.1 inches. Fishing the north end and off Long Point in June produced the best catch of this species. These numbers represent a decline from the 2013 catch rates for Rainbow Trout.

### ***Brown Trout***

Cayuga Lake open water angler diary cooperators caught 67 legal Brown Trout, of which 37 were kept. This species comprised 7 percent of the legal salmonid catch. An additional 10 sub-legal Brown Trout were caught and released. The largest Brown Trout caught was a very nice 24 inches, and the average length of kept Brown Trout was 18.2 inches. Fishing in April and May at the south end of the lake and at Milliken in March produced the best catches of this species in 2014. Brown Trout catch rates improved in 2014.

### ***Landlocked Atlantic Salmon***

Our open water angler diary participants caught 29 legal Landlocked Salmon, of which 23 were kept. This species comprised 3 percent of the legal salmonid catch. An additional 168 sub-legal salmon were caught and released. Reducing the size limit to 15 inches, would have allowed another 51 fish to be kept if the angler wished to do so. The largest salmon caught was 24.0

inches and the average length of kept salmon was 19.5 inches. Fishing the north end in June produced the best catches of this species. Considering the large number of sub-legal salmon caught and released by our cooperators in 2014, there should be a very good number available this year.

### ***Overall Summary***


We know that many Cayuga Lake trout and salmon anglers would like to see more Rainbow Trout, Brown Trout and landlocked salmon in the open water lake catch. Ideally, we would like to achieve a balance of around 65% Lake Trout and 35% other trout and salmon in the diary catch. In an effort to work toward a better balance, starting in 2013 we reduced the number of yearling Lake Trout stocked by 5,000. This represents an overall reduction of 12.5% in yearling equivalents and is meant to both compensate for what appears to be slightly higher wild production in recent years and also lower the overall biomass of Lake Trout long term. In addition, the decade long trend of reduced harvest rates for Lake Trout also means fewer fish need to be stocked to maintain any given population density. Because Lake Trout are long lived, we do not expect a rapid change. It is also important to note that we need to maintain a robust Lake Trout population to buffer the impacts of Sea Lamprey attacks and to ensure an ample supply each year for the Department's Lake Trout propagation program. Lake Trout eggs taken from Cayuga Lake brood stock are used to raise fish for stocking in the Finger Lakes, Lake Champlain, Otsego Lake and occasionally Lake Ontario.

In 2014, the balance of catch rates shift back toward Lake Trout, with Lake Trout and Brown Trout rates increasing and Landlocked Salmon and Rainbow Trout rates decreasing compared to 2013 rates. Even though effort declined, Lake Trout catch rates were substantially higher than recent years, and this is reflected in the balance of the catch rates to each other as well. Hopefully we can entice more angler diary cooperators to send in their data, and this balance can be achieved in future years, with increased catches of Brown Trout, Rainbow Trout and salmon, along with stable Lake Trout catches and increased reporting of effort.

### **Cayuga Lake Tributary Fishing**

In 2014, 11 Cayuga Lake tributary diary cooperators caught 4 legal Rainbow Trout, 20 legal Brown Trout, no legal Lake Trout, and 12 legal landlocked salmon. Of the 34 legal salmonids caught, 4 Rainbow Trout, 17 Brown Trout and 7 Landlocked Salmon were kept. The largest Rainbow Trout, Brown Trout, and landlocked salmon caught were 24.5, 24.5, and 22.7 inches, respectively. Fall Creek produced most of the Brown Trout, Landlocked Salmon and Rainbow Trout. As part of our effort toward a more diverse balance of angling opportunities, we increased the number of Rainbow Trout stocked in Cayuga Inlet and Enfield Creek by 5,000 (total) starting in 2013. We hope that these fish will be available to anglers in the tributaries when they return as adults and in the main lake and that we will begin to see improvement in Rainbow Trout catch rates. Despite low numbers of Rainbow Trout reported caught by anglers, we have had good Rainbow Trout spawning runs at the fishway on Cayuga Inlet in recent years, and those fish have been passed upstream.

Rainbow Trout caught at Fishway in Spring



### Cayuga Lake Warmwater Fishing

In 2014, 10 Cayuga Lake warmwater diary cooperators caught 21 legal Smallmouth Bass, 132 legal Largemouth Bass, 30 legal Northern Pike, and 89 legal Chain Pickerel. Of the 272 legal fish caught, 2 Smallmouth Bass, 13 Largemouth Bass, 2 Northern Pike, and 10 Chain Pickerel were kept. The largest Smallmouth Bass, Largemouth Bass, Northern Pike and Chain Pickerel caught were 18.0, 22.0, 37.0, and 26.0 inches, respectively. Northern Pike catches were split between the north and south ends of the lake. Most Chain Pickerel and Largemouth Bass were caught at the north end, and Smallmouth Bass catches were evenly distributed around the lake. Targeted catch rate of legal Smallmouth Bass was 0.05 fish/hour, and targeted catch rate of legal Largemouth Bass was 0.32 fish/hour. While the Largemouth Bass catch rate is similar to Owasco Lake, the Smallmouth Bass rate is considerably lower than both Owasco and Skaneateles lakes catch rates for people targeting bass.

Thank you very much, please remember to check for fin clips, turn in your diaries at the end of the year and happy fishing in 2015!

Sincerely,

Emily Zollweg-Horan  
Senior Aquatic Biologist



NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

**Cayuga Lake  
Trout and Salmon Fishing Diary Summary**

Year	Total # Angler Trips	% Trips Successful <sup>1</sup>	Ave Hours/ Angler Trip	Legal Salmonids				Average Length of Legal Fish Kept (in.)				Average Weight of Legal Fish Kept (lbs)				# Hours to Catch 1 legal Salmonid	# of Coop.
				Kept <sup>2</sup>		(Released) <sup>3</sup>		LT	RT	BT	LLS	LT	RT	BT	LLS		
1963	1047	--	4.7	1017	--	--	--	23.2	--	--	--	3.9	--	--	--	4.9	--
1964	1633	--	4.3	1762	--	--	--	22.4	--	--	--	3.5	--	--	--	4.0	--
1965	1850	--	4.7	1834	--	--	--	22.1	--	--	--	3.9	--	--	--	4.7	--
1966	1660	--	5.2	1840	--	--	--	22.6	--	--	--	4.2	--	--	--	4.6	--
1967	1215	--	4.5	889	--	--	--	22.9	--	--	--	4.4	--	--	--	6.2	--
1968	1198	--	4.8	1217	--	--	--	22.6	--	--	--	4.3	--	--	--	4.8	--
1969	842	--	5.1	697	--	--	--	22.4	--	--	--	4.0	--	--	--	6.2	--
1970	793	--	5.1	726	--	--	--	22.2	--	--	--	4.0	--	--	--	5.6	--
1971	894	--	5.2	971	--	--	--	22.1	--	--	--	4.0	--	--	--	4.7	--
1972	527	--	5.8	452	--	--	--	22.1	--	--	--	4.0	--	--	--	6.7	--
1973	781	--	5.6	1067	62	--	44	23.1	--	--	--	4.5	--	--	--	4.1	--
1974	625	--	5.5	451	48	--	16	22.6	--	--	--	4.3	--	--	--	7.7	--
1975	521	--	4.0	663	71	--	33	23.1	--	--	--	5.2	--	--	--	4.1	--
1976	600	60	5.5	321	215	13	89	24.9	16.8	17.0	18.7	5.1	2.9	2.9	3.2	5.0	40
1977	826	58	6.2	764	146	81	32	24.4	15.6	13.7	19.6	5.3	2.3	1.5	4.8	4.9	57
1978	1237	49	3.7	597	173	229	17	24.0	15.7	14.7	22.7	5.5	1.7	1.5	2.4	6.7	85
1979	836	43	4.0	309	129	87	5	23.4	15.2	13.2	14.8	5.0	2.1	1.1	2.0	7.0	76
1980	856	65	3.8	423	241	368	20	22.2	15.7	15.2	17.4	4.5	2.1	1.9	1.9	4.4	75
1981	1297	69	4.2	800	607	705	165	21.9	16.0	14.7	17.5	4.2	2.0	1.7	2.0	3.4	102
1982	1072	66	4.0	622	294	445	144	21.5	14.8	13.8	17.1	3.9	1.6	1.4	2.2	3.7	86
1983	1104	69	3.9	782	306	347	341	21.2	15.4	15.2	18.3	3.7	1.9	1.6	2.5	3.6	74
1984	1552	70	3.6	926	305	224	421	20.9	15.7	14.7	17.5	3.1	1.8	1.4	2.0	2.5	70
1985	1752	85	4.1	1743	292	201	668	21.2	17.2	15.0	18.1	3.7	2.3	1.7	2.1	2.1	77
1986	1752	74	3.7	1416	173	281	241	22.2	18.1	15.8	18.8	4.2	3.7	2.2	3.2	2.6	69
1987	2140	78	4.2	1881	276	302	351	22.2	16.0	16.4	18.2	4.1	2.7	2.7	3.6	2.8	75
1988	2565	81	4.3	1987	501	316	1161	21.6	17.2	16.8	16.8	4.0	2.5	3.0	2.8	2.3	90
1989	2069	75	4.0	1725	229	193	303	22.1	17.1	17.4	20.1	4.3	3.0	3.2	4.4	3.0	79
1990	1813	74	4.2	1437	241	95	86	21.9	16.7	18.3	21.0	3.9	2.8	3.3	3.3	3.5	74
1991	2121	73	4.6	1501	177	104	153	22.7	17.9	19.0	17.0	4.2	2.3	3.2	1.8	4.0	87
1992	2136	69	5.2	1321	188	122	228	21.7	18.7	17.4	20.5	4.0	2.9	2.6	3.1	5.0	90
1993	1672	79	5.2	1446	69	90	43	22.2	18.4	18.1	20.5	4.5	3.0	3.2	2.9	4.2	90
1994	1548	61	5.2	647	114	138	35	22.7	17.8	17.6	19.4	4.8	2.7	2.8	3.2	6.6	94



NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

**Cayuga Lake  
Trout and Salmon Fishing Diary Summary**

Year	Total # Angler Trips	% Trips Successful <sup>1</sup>	Ave Hours/ Angler Trip	Legal Salmonids				Average Length of Legal Fish Kept (in.)				Average Weight of Legal Fish Kept (lbs)				# Hours to Catch 1 legal Salmonid	# of Coop.
				Kept <sup>2</sup>		(Released) <sup>3</sup>		LT	RT	BT	LLS	LT	RT	BT	LLS		
1995	1926	76	5.3	1285	163	247	83	23.3	17.8	18.2	19.1	4.8	2.5	3.6	2.7	4.4	98
1996	2116	70	5.1	728	333	283	573	22.5	18.5	18.2	19.2	4.7	2.5	3.3	2.6	4.5	90
1997	2300	77	5.1	1276	126	409	394	23.8	19.5	17.9	21.1	4.9	3.5	3.3	3.4	3.8	101
1998	1484	72	4.9	830	61	171	169	21.8	19.0	18.5	20.3	3.7	3.0	3.4	3.2	3.8	79
1999	1303	74	5.3	783	137	168	290	21.3	18.7	18.0	19.7	3.6	2.6	3.0	3.5	3.8	65
2000	1454	77	5.3	945	102	237	440	20.9	20.0	17.9	21.1	3.4	3.8	3.7	4.2	3.3	69
2001	1615	73	5.3	1188	77	503	222	22.0	18.5	18.7	20.8	4.1	3.0	3.8	3.8	2.7	68
2002	1164	79	5.9	978 (556)	96 (14)	161 (40)	333 (75)	21.7	19.1	19.1	19.7	4.0	3.1	4.4	3.2	3.0	55
2003	724	72	4.5	368 (293)	9 (6)	73 (56)	113 (137)	22.3	20.0	19.5	21.2	4.1	3.4	4.7	3.4	3.1	58
2004	749	69	5.0	808 (384)	20 (13)	50 (17)	44 (10)	22.4	20.4	21.0	20.4	4.3	5.6	5.5	3.6	2.8	57
2005	1199	73	4.8	953 (682)	20 (12)	51 (23)	77 (20)	23.2	19.6	18.9	20.8	4.8	3.4	4.0	3.5	3.1	63
2006	1013	74	5.0	722 (821)	23 (12)	34 (24)	35 (13)	23.6	18.0	18.7	20.6	5.2	2.8	4.9	4.8	3.0	61
2007	745	73	4.7	350 (540)	20 (22)	69 (83)	26 (31)	24.8	18.5	18.8	20.1	5.3	3.3	3.3	4.0	3.1	49
2008	905	76	4.8	700 (411)	43 (11)	126 (50)	122 (33)	22.6	19.8	20.0	20.0	4.8	3.4	4.2	3.7	2.9	43
2009	580	78	4.9	269 (358)	11 (6)	78 (29)	39 (15)	24.4	20.3	20.2	20.1	5.0	3.0	4.7	2.7	3.5	34
2010	791	78	4.8	460 (379)	35 (8)	54 (34)	95 (18)	22.9	19.4	19.6	19.5	4.9	3.5	4.7	2.9	3.5	46
2011	905	83	4.9	611 (762)	22 (16)	26 (45)	118 (63)	23.4	19.4	22.8	20.9	5.4	2.5	7.6	3.4	2.7	47
2012	677	79	4.5	292 (605)	7 (7)	36 (30)	102 (87)	23.6	19.3	20.3	21.0	4.6	3.3	4.5	3.2	2.6	35
2013	672	64	4.5	391 (314)	38 (24)	23 (5)	71 (16)	22.3	19.5	18.8	20.7	5.2	3.5	4.1	4.2	3.4	41
2014	466	83	4.2	308 (590)	18 (9)	37 (30)	23 (6)	22.3	19.1	18.2	19.5	4.6	--	--	--	1.9	27

1 - Success equals one or more legal salmonid caught.

2 - Number of legal lake trout - LT, rainbow trout - RT, brown trout - BT and landlocked Atlantic salmon - LLS kept.

3 - Beginning in 2002, the number of legal lake trout - LT, rainbow trout - RT, brown trout - BT and landlocked Atlantic salmon - LLS caught and released are shown in parentheses ( ) to the right of the number kept.



NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

**Cayuga Lake Tributaries  
Trout and Salmon Fishing Diary Summary**

Year	Total # Angler Trips	% Trips Successful <sup>1</sup>	Ave Hours/ Angler Trip	Legal Salmonids Kept <sup>2</sup>				Average Length of Legal Fish Kept (in.) <sup>3</sup>				Average Weight of Legal Fish Kept (lbs)				# Hours to Catch 1 legal Salmonid	# of Coop.
				LT	RT	BT	LLS	LT	RT	BT	LLS	LT	RT	BT	LLS		
1978	148	42	3.2	--	59	4	3	--	15.2	14.3	18.9	--	3.8	2.8	3.0	10.1	25
1979	296	62	3.4	--	380	17	4	--	15.0	13.1	20.9	--	2.1	1.0	3.0	2.4	30
1980	232	65	3.0	--	285	17	6	--	14.2	14.3	18.5	--	2.4	1.4	3.1	2.4	25
1981	380	78	3.3	24	561	50	33	25.6	15.5	14.5	17.7	4.6	2.2	1.3	2.9	2.0	46
1982	295	62	3.1	--	313	19	3	--	16.7	14.4	18.0	--	1.6	1.3	4.0	3.2	45
1983	232	64	2.8	--	253	9	32	--	14.9	12.7	18.9	--	3.1	1.5	--	2.9	30
1984	455	54	3.0	--	449	45	148	--	14.8	12.8	17.2	--	2.2	1.1	3.5	1.6	39
1985	334	72	3.5	1	274	23	48	23.5	16.4	13.9	21.0	--	1.8	1.4	3.3	2.7	35
1986	281	58	3.2	2	99	65	15	26.0	18.1	16.5	22.5	--	--	1.6	--	3.6	26
1987	407	68	3.1	1	309	56	32	29.0	16.8	19.7	22.5	--	2.8	--	4.8	2.5	32
1988	357	61	3.2	2	242	48	41	27.5	16.4	18.8	21.6	7.0	2.7	--	4.9	2.4	30
1989	408	68	3.5	14	226	74	42	26.6	18.5	19.8	22.6	4.7	2.8	3.7	5.6	2.9	32
1990	376	73	3.3	13	175	91	17	26.3	17.9	19.9	20.0	5.5	3.5	4.2	2.6	2.2	26
1991	167	48	3.5	1	50	16	1	29.0	19.3	20.3	17.5	8.3	3.8	4.0	--	3.8	21
1992	267	47	2.8	--	99	43	13	--	20.5	21.0	22.8	--	4.5	4.2	4.2	3.3	27
1993	223	44	3.4	--	62	28	11	--	20.9	19.8	21.1	--	4.8	4.0	4.3	4.6	24
1994	330	31	3.0	1	42	29	2	25.0	19.4	20.6	23.0	4.0	2.9	3.5	5.0	6.7	31
1995	234	32	3.4	2	38	11	4	27.2	18.8	22.6	23.1	--	2.1	5.1	--	8.4	30
1996	298	50	3.0	--	98	28	7	25.0	19.5	21.2	19.6	4.5	3.0	6.0	2.5	3.6	33
1997	139	56	2.9	--	24	16	13	--	21.0	20.2	21.8	--	2.8	3.6	3.9	3.9	24
1998	94	35	3.1	--	22	4	1	--	19.4	17.1	24.0	--	2.8	1.3	--	7.3	23
1999	108	29	2.4	--	18	1	1	--	20.8	20.1	25.5	--	3.0	4.0	4.3	7.1	23
2000	109	49	3.0	--	14	11	9	--	20.3	20.0	22.7	--	--	5.8	5.0	6.1	13
2001	208	46	2.9	2	45	23	4	22.2	21.3	21.7	20.1	3.7	4.8	4.4	3.0	4.4	24
2002	102	49	3.3	--	20 (40)	22 (16)	--	--	21.8	22.6	--	--	4.6	5.4	--	3.5	17
2003	112	42	2.7	2	18 (31)	6 (15)	3 (9)	26.3	19.5	23.2	22.7	5.5	3.1	6.5	--	3.6	19
2004	73	23	2.6	--	5 (6)	4 (2)	1 (3)	--	18.6	21.9	26.7	--	--	--	8.7	9.0	14
2005	105	36	2.7	-- (1)	19 (20)	1 (8)	-- (6)	--	21.6	16.0	--	--	4.9	1.5	--	5.1	18
2006	95	37	3.2	--	6 (8)	5 (10)	2 (2)	--	21.8	20.0	21.5	--	4.0	--	--	9.3	14
2007	101	34	3.0	--	8 (2)	-- (14)	2 (10)	--	18.6	--	22.5	--	--	--	--	8.4	12
2008	114	58	2.7	--	6 (25)	10 (17)	7 (26)	--	21.1	23.2	21.4	--	4.0	6.4	3.9	3.3	11
2009	116	53	2.6	--	17 (17)	4 (4)	3 (14)	--	21.8	22.5	21.3	--	3.2	7.2	--	5.1	14
2010	139	24	2.7	3	4 (27)	-- (2)	1 (14)	25.0	23.0	--	23.0	--	--	--	--	7.3	14
2011	104	40	2.2	--	7 (7)	1 (3)	8 (29)	--	20.4	24.5	23.1	--	1.5	--	--	4.3	11
2012	60	40	2.6	--	6 (8)	1 (8)	5 (6)	--	17.8	16	19.9	--	2.5	--	--	4.5	9
2013	59	35	2.4	1	21 (6)	-- (1)	-- (1)	21.0	21.7	--	--	4.0	2.3	--	--	4.7	11
2014	111	28	1.7	--	4	17 (3)	7 (5)	--	20.6	21.1	20.9	--	2.8	--	--	5.4	11

1 - Success equals one or more legal salmonid caught.

2 - Number of legal lake trout - LT, rainbow trout - RT, brown trout - BT and landlocked Atlantic salmon - LLS kept.

3 - Beginning in 2002, the number of legal lake trout - LT, rainbow trout - RT, brown trout - BT and landlocked Atlantic salmon - LLS caught and released are shown in parentheses ( ) to the right of the number kept.



**Cayuga Lake  
Warmwater Fishing Diary Summary**

Year	Total # Angler Trips	% Trips Successful <sup>1</sup>	Ave Hours/ Angler Trip	Legal Gamefish					Average Length of Legal Fish Kept (in.)					Average Weight of Legal Fish Kept (lbs)					# Hours to Catch 1 legal Gamefish	# of Coop.
				Kept <sup>2</sup>		(Released) <sup>3</sup>			SMB	LMB	WAE	NOP	PKL	SMB	LMB	WAE	NOP	PKL		
1978	49	33	2.4	22	--	--	--	2	13.6	--	--	--	21.0	2.0	--	--	--	1.6	8.8	3
1979	94	63	4.4	58	86	--	3	21	13.8	15.3	--	37.3	19.6	1.9	2.9	--	14.0	1.0	3.5	7
1980	46	83	3.6	40	7	--	1	3	14.7	14.8	--	42.0	18.2	2.4	2.1	--	17.3	1.8	2.1	5
1981	48	92	3.4	44	17	--	1	2	14.5	17.6	--	31.0	27.0	1.9	--	--	--	4.0	2.6	7
1982	20	95	4.5	19	26	--	1	4	15.0	14.8	--	31.0	18.0	2.0	1.2	--	6.5	1.8	2.8	6
1983	31	90	6.7	44	39	--	2	9	13.9	13.8	--	22.5	18.3	1.3	1.4	--	3.3	1.4	2.2	5
1984	30	70	2.5	5	27	--	--	--	14.9	13.8	--	--	--	--	--	--	--	--	3.5	6
1985	231	94	4.5	12	237	--	--	9	14.5	14.5	--	--	19.9	3.7	3.0	--	--	2.1	1.9	7
1986	171	94	3.7	4	199	--	--	1	15.8	14.7	--	--	21.3	--	2.3	--	--	--	1.3	4
1987	141	91	2.6	5	245	--	--	7	16.4	13.3	--	--	21.0	--	1.5	--	--	2.0	0.8	4
1988	338	94	3.3	14	360	--	--	--	16.3	14.7	--	--	--	1.7	1.3	--	--	--	1.8	7
1989	285	97	2.8	3	267	--	5	--	15.3	14.5	--	26.1	--	1.8	1.3	--	--	--	2.1	6
1990	176	93	3.1	12	276	--	1	--	15.4	14.6	--	27.0	--	--	--	--	--	--	1.2	8
1991	137	47	3.1	17	184	--	1	--	14.8	13.9	--	25.3	--	--	--	--	--	--	1.1	6
1992	260	96	3.5	123	320	--	1	1	14.7	14.9	--	25.3	23.0	3.0	2.9	--	--	--	1.2	12
1993	217	86	2.9	40	273	--	--	1	14.4	14.8	--	--	16.0	--	3.5	--	--	--	1.3	10
1994	260	92	4.2	77	256	--	5	1	14.9	14.7	--	24.0	16.0	--	3.1	--	--	--	1.7	11
1995	196	95	3.8	52	172	--	--	--	14.8	15.2	--	--	--	2.8	3.1	--	--	--	1.5	10
1996	210	91	3.2	31	85	--	1	--	14.2	15.4	--	--	--	--	2.6	--	--	--	1.3	12
1997	174	88	3.7	72	98	--	--	--	14.9	14.6	--	--	--	--	2.8	--	--	--	1.8	11
1998	187	90	3.4	21	123	--	--	--	14.1	14.3	--	--	--	--	3.1	--	--	--	1.7	10
1999	166	91	3.6	48	161	--	--	--	14.9	15.1	--	--	--	--	3.7	--	--	--	1.6	9
2000	173	93	3.7	50	114	--	--	--	15.2	14.2	--	--	--	3.1	3.5	--	--	--	1.2	8
2001	133	90	3.5	37	46	--	--	--	15.2	15.5	--	--	--	--	--	--	--	--	1.3	10
2002	117	89	4.1	38 (96)	6 (157)	--	-- (4)	-- (48)	13.9	14.4	--	--	--	--	--	--	--	--	1.4	9
2003	105	82	4.7	20 (53)	4 (121)	--	-- (29)	-- (35)	15.4	16.6	--	--	--	--	--	--	--	--	1.9	10
2004	148	83	4.8	28 (45)	46 (111)	--	2 (34)	6 (40)	15.2	15.9	--	28.3	19.5	--	3.4	--	--	--	2.3	11
2005	152	79	4.8	36 (104)	31 (96)	--	-- (19)	-- (22)	15.3	15.3	--	--	--	--	--	--	--	--	2.4	13
2006	133	72	5.1	30 (58)	16 (43)	--	1 (18)	-- (8)	15.2	15.8	--	--	--	--	--	--	--	--	3.9	14
2007	109	69	4.8	12 (11)	38 (50)	--	-- (8)	3 (9)	15.1	15.2	--	--	17.3	--	2.6	--	--	--	4.0	13
2008	96	87	5.0	25 (32)	32 (45)	--	-- (7)	3 (13)	15.0	15.4	--	--	20.0	--	--	--	--	--	3.0	10
2009	113	85	4.5	13 (17)	26 (84)	--	2 (16)	18 (20)	14.9	15.3	--	29.0	18.6	--	--	--	--	--	2.6	9
2010	102	78	4.4	8 (25)	21 (101)	--	1 (19)	8 (15)	14.3	15.9	--	28.0	19.6	--	--	--	--	--	2.2	8
2011	100	84	4.8	17 (22)	22 (95)	--	4 (49)	12 (24)	15.3	16.1	--	28.6	19.7	--	--	--	--	--	1.9	10
2012	81	80	5.2	10 (25)	28 (37)	--	1 (16)	6 (5)	15.4	14.9	--	32.0	19.8	--	--	--	--	--	3.3	10
2013	111	70	4.5	9 (6)	70 (36)	--	0 (8)	0 (21)	14.8	13.3	--	--	--	--	--	--	--	--	3.4	11
2014	116	82	4.1	2 (19)	13 (119)	--	2 (28)	10 (79)	14.4	15.9	--	31	20.1	--	--	--	--	--	1.7	10


1 - Success equals one or more legal warmwater gamefish caught.

2 - Number of legal smallmouth bass - SMB, largemouth bass - LMB, walleye - WAE, northern pike - NOP and pickerel - PKL kept.

3 - Beginning in 2002, the number of legal smallmouth bass - SMB, largemouth bass - LMB, walleye - WAE, northern pike - NOP and pickerel - PKL caught and released are shown in parentheses ( ) to the right of the number kept.



## Region 7



# Cayuga Lake



**Not For Use in Navigation**

## Cayuga Lake

**County: Seneca, Cayuga, Tompkins**

**Surface Area: 42,956 Acres**

**Fish Species Present:** Lake Trout, Landlocked Salmon, Brown Trout, Rainbow Trout, Smallmouth Bass, Largemouth Bass, Northern Pike, Chain Pickerel, Yellow Perch, Black Crappie, Bluegill, Rock Bass, Pumpkinseed, Channel Catfish, Freshwater Drum, Brown Bullhead

**Scale:** 0 22,000 ft

