

# NYS Big Tree Register 2007

<i>Tree</i>	<i>Circumference at 4.5' (in)</i>	<i>Height (feet)</i>	<i>25%Spread (feet)</i>	<i>Total Score</i>	<i>DEC Region</i>	<i>County</i>	<i>Nominator</i>
Fir, Pacific Silver <i>Abies amabilis</i>	17	17	2	<b>36</b>	8	Monroe	Richard Cook
Fir, White <i>Abies concolor</i>	53	42	5	<b>100</b>	4	Schoharie	Fred Breglia
Fir, Subalpine <i>Abies lasiocarpa</i>	26	38	3	<b>67</b>	8	Monroe	Richard Cook
Fir, Noble <i>Abies procera</i>	82	90	7	<b>179</b>	8	Monroe	Richard Cook
Maple, Vine <i>Acer circinatum</i>	21	28	4	<b>53</b>	8	Monroe	Richard Cook
Maple, Canyon <i>Acer grandidentatum</i>	75	63	9	<b>147</b>	8	Monroe	Richard Cook
Maple, Chalk <i>Acer leucoderme</i>	17	15	4	<b>36</b>	8	Monroe	Richard Cook
Boxelder <i>Acer negundo</i>	198	46	15	<b>259</b>	6	Jefferson	Randy & Amy Caccia
Maple, Black <i>Acer nigrum</i>	117	106	12	<b>235</b>	8	Livingston	Douglas Bassett
Maple, Striped <i>Acer pensylvanicum</i>	12	36	5	<b>53</b>	4	Schoharie	Fred Breglia
Maple, Norway <i>Acer platanoides</i>	201	90	23	<b>314</b>	4	Schoharie	Fred Breglia
Maple, Silver <i>Acer saccharinum</i>	230	105	17	<b>352</b>	4	Schoharie	Fred Breglia

<i>Tree</i>	<i>Circumference at 4.5' (in)</i>	<i>Height (feet)</i>	<i>25%Spread (feet)</i>	<i>Total Score</i>	<i>DEC Region</i>	<i>County</i>	<i>Nominator</i>
Maple, Silver <i>Acer saccharinum</i>	238	88	22	<b>347</b>	4	Schoharie	Fred Breglia
Maple, Sugar <i>Acer saccharum</i>	230	95	18	<b>343</b>	6	Jefferson	Barry Parker
Maple, Mountain <i>Acer spicatum</i>	15	39	8	<b>62</b>	8	Livingston	Douglas Bassett
Buckeye, Ohio <i>Aesculus glabra</i>	78	79	7	<b>164</b>	9	Wyoming	Douglas Bassett
Buckeye, Bottlebrush <i>Aesculus parviflora</i>	19	17	3	<b>39</b>	8	Monroe	Richard Cook
Alder, European <i>Alnus glutinosa</i>	48	48	7	<b>103</b>	7	Chenango	Ernie Hammerle
Adler, Speckled <i>Alnus rugosa</i>	22	36	8	<b>66</b>	8	Monroe	Richard Cook
Serviceberry, Downy <i>Amelanchier arborea</i>	55	70	10	<b>135</b>	9	Wyoming	Douglas Bassett
Serviceberry <i>Amelanchier canadensis</i>	27	40	5	<b>72</b>	4	Schoharie	Fred Breglia
Devil's Walking Stick <i>Aralia spinosa</i>	13	30	4	<b>47</b>	4	Schoharie	Fred Breglia
Birch, River <i>Betula nigra</i>	161	65	15	<b>241</b>	8	Monroe	Richard Cook
Birch, White <i>Betula papyrifera</i>	118	84	13	<b>215</b>	9	Wyoming	Douglas Bassett
Birch Gray <i>Betula populifolia</i>	59	80	8	<b>147</b>	4	Schoharie	Fred Breglia

<i>Tree</i>	<i>Circumference at 4.5' (in)</i>	<i>Height (feet)</i>	<i>25%Spread (feet)</i>	<i>Total Score</i>	<i>DEC Region</i>	<i>County</i>	<i>Nominator</i>
Hickory, Bitternut <i>Carya cordiformis</i>	157	84	17	<b>244</b>	9	Wyoming	Jim Cheesman
Hickory, Pignut <i>Carya glabra</i>	112	156	16	<b>284</b>	9	Wyoming	Douglas Bassett
Pecan <i>Carya illinoensis</i>	98	72	15	<b>185</b>	8	Monroe	Richard Cook
Hickory, Shagbark <i>Carya ovata</i>	127	110	18	<b>255</b>	4	Schoharie	Fred Breglia
Hickory, Black <i>Carya texana</i>	69	84	11	<b>164</b>	8	Monroe	Richard Cook
Chinkapin, Allegheny <i>Castanea pumila</i>	10	15	3	<b>28</b>	8	Monroe	Richard Cook
Catalpa, Northern <i>Catapa speciosa</i>	205	77	17	<b>299</b>	6	Oneida	Charles Mc Fadden
Hackberry, Netleaf <i>Celtis reticulata</i>	91	50	11	<b>152</b>	8	Monroe	Richard Cook
Port-Orford Cedar <i>Chamaecyparis lawsoniana</i>	51	72	3	<b>136</b>	8	Monroe	Richard Cook
Alaska-Cedar <i>Chamaecyparis nootkatensi</i>	40	64	4	<b>108</b>	8	Monroe	Richard Cook
Dogwood, Flowering <i>Cornus alternifolia</i>	70	40	11	<b>121</b>	3	Putnam	L. Sebesta
Dogwood, Gray <i>Cornus racemosa</i>	13	26	4	<b>43</b>	9	Wyoming	Douglas Bassett
Dogwood, Gray <i>Cornus racemosa</i>	12	26	3	<b>41</b>	9	Wyoming	Douglas Bassett

<i>Tree</i>	<i>Circumference at 4.5' (in)</i>	<i>Height (feet)</i>	<i>25%Spread (feet)</i>	<i>Total Score</i>	<i>DEC Region</i>	<i>County</i>	<i>Nominator</i>
Hazelnut, American <i>Corylus americana</i>	5	18	4	<b>27</b>	8	Livingston	Douglas Bassett
Smoketree, American <i>Cotinus obovatus</i>	11	20	4	<b>35</b>	8	Monroe	Richard Cook
Hawthorn, Scarlet <i>Crataegus coccinea</i>	62	34	8	<b>104</b>	6	Oneida	Charles McFadden
Hawthorn, Kansas <i>Crataegus coccinioides</i>	36	31	30	<b>74</b>	2	Brooklyn	Fred Breglia
Hawthorn, Cockspur <i>Crataegus crus-galli</i>	55	35	8	<b>98</b>	6	Oneida	Chester Paprocki
Hawthorne, Downy <i>Crataegus mollis</i>	15	17	4	<b>37</b>	9	Erie	Joanne Schlegel
Hawthorn, Fleshy <i>Crataegus succulenta</i>	36	21	5	<b>62</b>	8	Monroe	Richard Cook
Persimmon, Common <i>Diospyros virginiana</i>	65	77	9	<b>151</b>	8	Monroe	Richard Cook
Beech, American <i>Fagus grandifolia</i>	125	110	17	<b>252</b>	7	Oswego	Sean Fagan
Beech, American <i>Fagus grandifolia</i>	126	82	38	<b>246</b>	4	Otsego	Ken Mayne
Swamp-Privet <i>Forestiera acuminata</i>	15	21	7	<b>43</b>	8	Monroe	Richard Cook
Ash, White <i>Fraxinus americana</i>	304	95	21	<b>420</b>	3	Rockland	F. Arthur Belcher
Ash, Singleleaf <i>Fraxinus anomala</i>	12	18	2	<b>32</b>	8	Monroe	Richard Cook

<i>Tree</i>	<i>Circumference at 4.5' (in)</i>	<i>Height (feet)</i>	<i>25%Spread (feet)</i>	<i>Total Score</i>	<i>DEC Region</i>	<i>County</i>	<i>Nominator</i>
Ash, Pumpkin <i>Fraxinus profunda</i>	106	73	12	<b>191</b>	8	Monroe	Richard Cook
Ash, Blue <i>Fraxinus quadrangulata</i>	77	54	7	<b>138</b>	8	Monroe	Richard Cook
Ash, Texas <i>Fraxinus texensis</i>	98	40	5	<b>143</b>	8	Monroe	Richard Cook
Waterlocust <i>Gleditsia aquatica</i>	95	68	11	<b>174</b>	8	Monroe	Richard Cook
Honeylocust <i>Gleditsia triacanthos</i>	171	95	15	<b>281</b>	4	Schoharie	Fred Breglia
Coffeetree, Kentucky <i>Gymnocladus dioicus</i>	144	112	33	<b>289</b>	3	Dutchess	Barbra Lucas-Wilson
Silverbell, Carolina <i>Halesia carolina</i>	93	97	12	<b>202</b>	8	Monroe	Richard Cook
Silverbell, Two-wing <i>Halesia diptera</i>	31	31	8	<b>70</b>	8	Monroe	Richard Cook
Witch Hazel <i>Hamamelis virginiana</i>	33	27	8	<b>68</b>	8	Monroe	Richard Cook
Possumhaw <i>Ilex decidua</i>	9	16	3	<b>28</b>	8	Monroe	Richard Cook
Holly, Carolina <i>Ilex ambigua</i>	72	35	38	<b>116</b>	2	Brooklyn	Fred Breglia
Butternut <i>Juglans cinerea</i>	258	61	26	<b>345</b>	6	Oneida	R. Martin
Walnut, Little <i>Juglans microcarpa</i>	35	26	6	<b>67</b>	8	Monroe	Richard Cook

<i>Tree</i>	<i>Circumference at 4.5' (in)</i>	<i>Height (feet)</i>	<i>25%Spread (feet)</i>	<i>Total Score</i>	<i>DEC Region</i>	<i>County</i>	<i>Nominator</i>
Juniper, Common <i>Juniperus communis</i>	93	58	9	<b>160</b>	4	Schenectady	Fred Breglia
Cedar, Eastern Red <i>Juniperus virginiana</i>	73	55	7	<b>135</b>	4	Schoharie	Fred Breglia
Mountain-laurel <i>Kalmia latifolia</i>	12	16	2	<b>30</b>	8	Monroe	Richard Cook
Larch, European <i>Larix decidua</i>	96	96	9	<b>201</b>	4	Schoharie	Fred Breglia
Tamarack <i>Larix laricina</i>	51	64	6	<b>121</b>	8	Monroe	Richard Cook
Larch, Western <i>Larix occidentalis</i>	56	68	4	<b>128</b>	8	Monroe	Richard Cook
Incense-cedar <i>Libocedrus decurrens</i>	44	40	2	<b>86</b>	8	Monroe	Richard Cook
Sweetgum <i>Liquidambar styraciflua</i>	39	39	5	<b>83</b>	4	Schoharie	Fred Breglia
Osage-Orange <i>Maclura pomifera</i>	135	59	13	<b>207</b>	8	Orleans	Richard Cook
Osage-Orange <i>Maclura pomifera</i>	132	56	15	<b>203</b>	3	Westchester	Ted Kozlowski, WCPR
Magnolia, Cucumber Tree <i>Magnolia acuminata</i>	233	102	17	<b>352</b>	6	Oneida	Charles McFadden
Magnolia, Bigleaf <i>Magnolia macrophylla</i>	45	36	7	<b>88</b>	8	Monroe	Richard Cook
Apple, Southern Crab <i>Malus angustifolia</i>	41	24	7	<b>72</b>	8	Monroe	Richard Cook

<i>Tree</i>	<i>Circumference at 4.5' (in)</i>	<i>Height (feet)</i>	<i>25%Spread (feet)</i>	<i>Total Score</i>	<i>DEC Region</i>	<i>County</i>	<i>Nominator</i>
Apple, Sweet Crab <i>Malus coronaria</i>	44	29	9	<b>82</b>	8	Monroe	Richard Cook
Apple, Prairie Crab <i>Malus ioensis</i>	27	21	7	<b>56</b>	8	Monroe	Richard Cook
Apple <i>Malus pumila</i>	164	46	11	<b>221</b>	8	Wayne	Mark Keister, DEC
Hophornbeam, Eastern <i>Ostrya virginiana</i>	95	74	12	<b>178</b>	9	Wyoming	Jim Cheesman
Sourwood <i>Oxydendron arboreum</i>	64	54	8	<b>126</b>	8	Monroe	Richard Cook
Spruce, Engelmann <i>Picea engelmannii</i>	56	88	5	<b>149</b>	9	Wyoming	Douglas Bassett
Spruce, White <i>Picea glauca</i>	88	97	8	<b>193</b>	4	Schoharie	Fred Breglia
Spruce, Blue <i>Picea pungens</i>	77	100	6	<b>183</b>	9	Wyoming	Douglas Bassett
Pine, Jack <i>Pinus banksiana</i>	46	95	4	<b>145</b>	9	Wyoming	Douglas Bassett
Pine, Pinyon <i>Pinus edulis</i>	26	25	4	<b>55</b>	8	Ontario	Martin Goffinet
Pine, Limber <i>Pinus flexilis</i>	71	78	9	<b>158</b>	8	Monroe	Richard Cook
Pine, Singleleaf Pinyon <i>Pinus monophylla</i>	21	19	3	<b>43</b>	8	Ontario	Martin Goffinet
Pine, Western White <i>Pinus monticola</i>	71	96	5	<b>172</b>	8	Monroe	Richard Cook

<i>Tree</i>	<i>Circumference at 4.5' (in)</i>	<i>Height (feet)</i>	<i>25%Spread (feet)</i>	<i>Total Score</i>	<i>DEC Region</i>	<i>County</i>	<i>Nominator</i>
Pine, Ponderosa <i>Pinus ponderosa</i>	128	107	12	<b>247</b>	8	Monroe	Richard Cook
Pine, Red <i>Pinus resinosa</i>	100	96	11	<b>207</b>	6	Oneida	Charles McFadden
Pine, Pitch <i>Pinus rigida</i>	49	47	7	<b>103</b>	4	Schoharie	Fred Breglia
Pine, Southwestern White <i>Pinus strobiformis</i>	99	95	9	<b>203</b>	8	Monroe	Richard Cook
Pine, Scotch <i>Pinus sylvestris</i>	115	72	17	<b>204</b>	6	Oneida	Charles McFadden
Sycamore <i>Plantanus occidentalis</i>	129	89	16	<b>234</b>	7	Onondaga	Mary Dreiling
Poplar, White <i>Populus alba</i>	156	73	68	<b>248</b>	6	Oneida	Fred Breglia
Aspen, Quaking <i>Populus tremuloides</i>	105	114	13	<b>232</b>	8	Wyoming	Douglas Bassett
Mazzard Cherry <i>Prunus avium</i>	65	78	6	<b>149</b>	8	Monroe	Richard Cook
Cherry, Black <i>Prunus serotina</i>	179	96	17	<b>292</b>	4	Schenectady	Fred Breglia
Fir, Douglas <i>Pseudostuga menziesii</i>	86	108	9	<b>203</b>	8	Monroe	Richard Cook
Oak, White <i>Quercus alba</i>	216	115	28	<b>359</b>	7	Tioga	Kathleen Anderson
Oak, Swamp White <i>Quercus bicolor</i>	14	70	116	<b>278</b>	6	Oneida	Fred Breglia

<i>Tree</i>	<i>Circumference at 4.5' (in)</i>	<i>Height (feet)</i>	<i>25%Spread (feet)</i>	<i>Total Score</i>	<i>DEC Region</i>	<i>County</i>	<i>Nominator</i>
Oak, Scarlet <i>Quercus coccinea</i>	42	50	8	<b>100</b>	4	Schoharie	Fred Breglia
Oak, Bear <i>Quercus ilicifolia</i>	20	19	6	<b>45</b>	8	Monroe	Richard Cook
Oak, Shingle <i>Quercus imbricaria</i>	128	80	14	<b>222</b>	8	Monroe	Richard Cook
Oak, Overcup <i>Quercus lyrata</i>	162	91	22	<b>275</b>	6	Oneida	Alan Brown, R. McKinley
Oak, Bur <i>Quercus macrocarpa</i>	220	82	26	<b>328</b>	9	Erie	Stanley J. Sadlo
Oak, Blackjack <i>Quercus marilandica</i>	15	26	3	<b>44</b>	4	Schoharie	Fred Breglia
Oak, Swamp Chestnut <i>Quercus michauxii</i>	87	66	12	<b>165</b>	8	Monroe	Richard Cook
Oak, Pin <i>Quercus palustris</i>	187	99	23	<b>309</b>	9	Chautauqua	D. Wilson ,DEC
Oak, Dwarf Chinkapin <i>Quercus prinoides</i>	38	36	6	<b>80</b>	8	Monroe	Richard Cook
Oak, Chestnut <i>Quercus prinus</i>	168	75	23	<b>266</b>	4	Columbia	Fran Martino
Oak, Red <i>Quercus rubra</i>	405	80	25	<b>510</b>	8	Monroe	Mark Keister, DEC
Oak, Shumard <i>Quercus shumardii</i>	98	89	13	<b>200</b>	8	Monroe	Richard Cook
Oak, Post <i>Quercus stellata</i>	17	27	4	<b>48</b>	4	Schoharie	Fred Breglia

<i>Tree</i>	<i>Circumference at 4.5' (in)</i>	<i>Height (feet)</i>	<i>25%Spread (feet)</i>	<i>Total Score</i>	<i>DEC Region</i>	<i>County</i>	<i>Nominator</i>
Oak, Black <i>Quercus velutina</i>	210	85	27	<b>322</b>	8	Monroe	Gary Raffel
Sumac, Staghorn <i>Rhus typhina</i>	32	33	5	<b>70</b>	8	Livingston	Douglas Bassett
Locust, Kelsey <i>Robinia kelseyi</i>	8	12	3	<b>23</b>	8	Monroe	Richard Cook
Locust, Black <i>Robinia pseudoacacia</i>	312	94	17	<b>423</b>	8	Livingston	G. Weidman
Willow, White <i>Salix alba</i>	173	92	19	<b>284</b>	4	Schoharie	Fred Breglia
Willow, Weeping <i>Salix babylonica</i>	300	77	14	<b>391</b>	8	Monroe	
Willow, Crack <i>Salix fragilis</i>	319	68	12	<b>399</b>	6	St. Lawrence	Bassett
Willow, Purple-osier <i>Salix purpurea</i>	9	17	7	<b>33</b>	8	Monroe	Richard Cook
Soapberry, Western <i>Sapindus drummondii</i>	36	36	7	<b>79</b>	8	Monroe	Richard Cook
Sequoia, Giant <i>Sequoiadendron giganteum</i>	103	83	6	<b>192</b>	8	Orleans	Richard Cook
Bladdernut, American <i>Staphylea trifolia</i>	11	17	4	<b>32</b>	8	Livingston	Douglas Bassett
Bladdernut, American <i>Staphylea trifolia</i>	9	16	4	<b>29</b>	8	Livingston	Douglas Bassett
Baldcypress <i>Taxodium distichum</i>	51	42	3	<b>96</b>	8	Monroe	Richard Cook

<i>Tree</i>	<i>Circumference at 4.5' (in)</i>	<i>Height (feet)</i>	<i>25%Spread (feet)</i>	<i>Total Score</i>	<i>DEC Region</i>	<i>County</i>	<i>Nominator</i>
Arborvitae, Oriental <i>Thuja orientalis</i>	42	36	7	<b>85</b>	8	Monroe	Richard Cook
Redcedar, Western <i>Thuja plicata</i>	107	98	8	<b>213</b>	8	Monroe	Richard Cook
Basswood, American <i>Tilia americana</i>	247	76	14	<b>337</b>	4	Delaware	Frank Bibbo
Basswood, White <i>Tilia heterophylla</i>	98	75	10	<b>183</b>	8	Monroe	Richard Cook
Hemlock, Carolina <i>Tsuga caroliniana</i>	78	78	8	<b>164</b>	8	Monroe	Richard Cook
Elm, American <i>Ulmus americana</i>	161	100	16	<b>277</b>	4	Albany	Fred Breglia
Nannyberry <i>Viburnum lentago</i>	28	25	5	<b>57</b>	8	Monroe	Richard Cook
Blackhaw <i>Viburnum prunifolium</i>	14	18	5	<b>37</b>	8	Monroe	Richard Cook
Cranberrybush, American <i>Viburnum trilobum</i>	13	17	5	<b>35</b>	9	Wyoming	Douglas Bassett
Cranberrybush, American <i>Viburnum trilobum</i>	13	16	4	<b>33</b>	9	Wyoming	Douglas Bassett
Cranberrybush, American <i>Viburnum trilobum</i>	12	15	3	<b>30</b>	9	Wyoming	Douglas Bassett
Jujube, Common <i>Ziziphus jujuba</i>	31	35	5	<b>71</b>	8	Monroe	Richard Cook