

# CP / Soil Cleanup Guidance

New York State Department of Environmental Conservation

## DEC Policy

**Issuing Authority:** Alexander B. Grannis, Commissioner

**Date Issued:**

**Latest Date Revised:**

### I. Summary

This policy provides the framework and procedures for the selection of soil cleanup levels appropriate for each of the remedial programs in the New York State Department of Environmental Conservation (DEC) Division of Environmental Remediation (DER) and the Corrective Action Program in DEC's Division of Solid and Hazardous Materials (DSHM). This policy applies to the Inactive Hazardous Waste Disposal Site Remedial Program, known as the State Superfund Program (SSF); Brownfield Cleanup Program (BCP); Voluntary Cleanup Program (VCP); Environmental Restoration Program (ERP); Spill Response Program - Navigation Law (NL) Part 2 § 178 (SRP), and the Resource Conservation and Recovery Act (RCRA) Corrective Action Program, and it replaces *Technical and Administrative Guidance Memorandum (TAGM) 4046: Determination of Soil Cleanup Objectives and Cleanup Levels*; the *Petroleum Site Inactivation and Closure Memorandum* (February 23, 1998); and Sections III and IV of *Spill Technology and Remediation Series (STARS) #1* (August 1992).

This document is used in conjunction with the applicable statutes, regulations and guidance. Site-specific soil cleanup levels, determined in accordance with this guidance, are only applied after

- the site, or area of concern, is fully investigated to determine the nature and extent of contamination;
- all sources of contamination are addressed consistent with the hierarchy provided in 6 NYCRR 375-1.8(c) or consistent with the RCRA Corrective Action Program (as appropriate) ;
- groundwater, if contaminated, has been evaluated for appropriate remedial actions consistent with 6 NYCRR 375-1.8(d) or consistent with the RCRA Corrective Action Program (as appropriate); and
- an evaluation of impacts on adjacent residential properties, surface water, aquatic ecological resources, as well as indoor air, soil vapor, vapor intrusion and other appropriate media.

### II. Policy

It is DEC's policy, consistent with applicable statutes and regulations, that all remedies will be protective of public health and the environment. DEC's preference is that remedial programs, including the selection of soil cleanup levels, be designed such that the performance standard results in the implementation of a permanent remedy resulting in no future land use restrictions. However, some of

DEC's remedial programs are predicated on future site use. Further, it is not always feasible to return to a condition where no restrictions are required.

The procedures set forth herein are intended for the use and guidance of both DEC and remedial parties to provide a uniform and consistent process for the determination of soil cleanup levels. This guidance is not intended to create any substantive or procedural rights, enforceable by any party in administrative or judicial litigation with DEC. DEC reserves the right to act at variance with these procedures to address site-specific circumstances and to change the procedures in this guidance at any time.

Please note that this guidance focuses only on soil cleanup levels. All remedies must be fully protective of public health and the environment and must prevent off-site migration, with special emphasis on preventing or minimizing migration onto adjacent residential properties. A remedial party is required to evaluate and investigate, if necessary, all environmental media including soil, groundwater, surface water, sediments, soil vapor, indoor air, and biota. [See 375-1.8(a)(6) or RCRA Corrective Action Program (as appropriate)]. This investigation will determine if any of the referenced media are, or may be, impacted by site contamination. Applicable guidance should be consulted for media other than soil.

Nothing contained in this guidance, in itself, forms the basis for changes to previously selected remedies. However, a change in the site remedy may be considered consistent with [\*DER-2: Making Changes to Selected Remedies \(April 1, 2008\)\*](#). To the extent that a change to a selected remedy at a site in one of DER's programs is necessary as provided in DER-2, the Soil Cleanup Objectives (SCOs) may be considered in the evaluation of appropriate changes to the selected remedy. For sites in DSHM programs, other applicable regulations and guidance must be used.

### **III. Purpose and Background**

DEC has a number of different remedial programs that were developed over time based on separate and distinct authorities. These programs use different procedures to determine the extent of soil cleanup necessary to satisfy the remedial program goals. The purpose of this document is to set forth how soil cleanup levels are selected for the different programs.

Legislation establishing New York State's Brownfield Cleanup Program (Article 27, Title 14 of the Environmental Conservation Law [ECL]) required DEC, in consultation with the New York State Department of Health (NYSDOH), to develop an approach for the remediation of contamination at brownfield sites. The resulting regulation includes seven tables of SCOs. Four tables provide for the protection of public health for different land uses (residential, restricted residential, commercial, and industrial); two tables provide for the protection of other resources (protection of groundwater and protection of ecological resources); and one table includes SCOs for protection of public health and the environment for all uses (unrestricted use).

With the promulgation of the SCOs, it is necessary to discuss how the SCOs, and soil cleanup levels generally, are arrived at for a specific site. Some key definitions in understanding how cleanup levels for soil are arrived at follow.

**Feasible**, which means suitable to site conditions, capable of being successfully carried out with available technology, implementable and cost effective (see 6 NYCRR 375-1.2(s)).

**Presumptive remedy**, which means a technology or technique where experience has shown the remedy to be the best solution for specific types of sites and/or contaminant classes [See [DER-15: Presumptive/Proven Remedial Technologies \(April 13, 2007\)](#)].

**Soil cleanup level**, which means the concentration of a given contaminant for a specific site that must be achieved under a remedial program for soil. Depending on the regulatory program, a soil cleanup level may be based on the regulation [6 NYCRR 375-6.8(a) or (b)], modified from the regulatory value based on site-specific differences, or based on other information, including background levels or feasibility. Soil cleanup levels may include

- SCOs promulgated at 6 NYCRR 375-6;
- Supplemental Soil Cleanup Objective (SSCOs);
- a “totals” approach for a family of contaminants known as Polycyclic Aromatic Hydrocarbons (PAHs); and
- a presumptive remedy for Polychlorinated Biphenyls (PCBs).

**Soil Cleanup Objective (SCO)**, which means the chemical concentrations for soil cleanup of individual chemicals contained in 6 NYCRR 375-6.8(a) or (b). The SCOs and the SSCO defined below are applicable statewide and do not account for many site-specific considerations which could potentially result in higher levels. Soil concentrations that are higher than the SCOs and SSCO are not necessarily a health or environmental concern. When an SCO (or SSCO) is exceeded, the degree of public health or environmental concern depends on several factors, including the magnitude of the exceedance, the accuracy of the exposure estimates, other sources of exposure to the contaminant, and the strength and quality of the available toxicological information on the contaminant. The fact that an SCO (or SSCO) is exceeded does not define whether a site is eligible for the BCP, whether remedial actions are required, or whether material that is to be disposed of off-site is regulated. The off-site disposal of contaminated soil or waste is addressed in the solid waste regulation (6 NYCRR Part 360) and the hazardous waste regulations (6 NYCRR Part 370 series).

**Supplemental Soil Cleanup Objective (SSCO)**, which means a) an existing soil cleanup level for a contaminant which had been included in former TAGM 4046 and was not included in 6 NYCRR 375-6; b) have been developed using the same process; and c) new cleanup levels for soil developed by the remedial party following the approach detailed in Appendix E of the Technical Support Document (TSD). The TSD provides information relative to the development of cleanup objectives for soil that are not set forth in 6 NYCRR 375-6. These cleanup objectives have been established at the direction of DEC or the election of remedial parties and are included in Table 1.

**Technical Support Document (TSD)** refers to the document dated December 2006 detailing the development of the SCOs that were promulgated in 6 NYCRR 375-6. It provides the technical background and provides a detailed discussion of the considerations for development of the SCOs for the different uses and pathways. The TSD is available on the DEC website at <http://www.dec.ny.gov/chemical/34189.html>

The purpose of this guidance is NOT to focus on media other than soil. Accordingly, the remedial program may require remedial activities to address media other than soil (e.g., groundwater, surface

water, sediment, vapor). Applicable guidance should be consulted for media other than soil. This guidance is to be used in conjunction with the applicable statutes, regulations and guidance. Site-specific soil cleanup levels, determined in accordance with this guidance, are only applied after

- the site, or area of concern, is fully investigated to determine the nature and extent of contamination;
- all sources of contamination are addressed consistent with the hierarchy provided in 6 NYCRR 375-1.8(c) or consistent with the RCRA Corrective Action Program (as appropriate);
- groundwater, if contaminated, has been evaluated for appropriate remedial actions consistent with 6 NYCRR 375-1.8(d) or consistent with the RCRA Corrective Action Program (as appropriate); and
- an evaluation of impacts on adjacent residential properties, surface water, aquatic ecological resources, as well as indoor air, soil vapor, vapor intrusion and other appropriate media.

#### **IV. Responsibility**

The responsibility for maintaining and updating this policy lies with DER. DEC staff are responsible for implementing this policy, with input (as applicable) from NYSDOH.

#### **V. Procedures**

##### **A. General Approaches to the Selection of Soil Cleanup Levels**

The determination of soil cleanup levels for a site is dependent on

1. The regulatory program pursuant to which the site is being addressed;
2. Whether the groundwater beneath or down gradient of the site is, or may become contaminated with site-related contaminants;
3. Whether ecological resources constitute an important component of the environment at or adjacent to a site, and which are, or may be, impacted by site-related contaminants; and
4. Other impacted environmental media such as surface water, sediment, and soil vapor.

After fully evaluating the nature and extent of soil contamination associated with a site, the soil cleanup levels will be based on one, or a combination of, the following four approaches.

**Approach 1:** Utilize the Unrestricted Use Soil Cleanup Objectives [see Table 375-6.8(a)]. Under this approach, the soil cleanup levels will be established consistent with the SCOs set forth in Table 375-6.8(a). For contaminants of concern which are not included in the rule, DEC may direct development of a soil cleanup level which is protective of public health and the environment without restrictions following the procedure outlined in Appendix E of the TSD. Under this approach, the unrestricted SCOs are applied throughout the soil matrix to the top of bedrock.

**Approach 2:** Utilize the Restricted Use Soil Cleanup Objectives [see Table 375-6.8(b)]. Under

this approach, soil cleanup levels will be established consistent with the SCOs set forth in Table 375-6.8(b) selecting the lowest SCO in the categories described in A through C below. Generally, after source removal, the soil cleanup levels do not need to be achieved more than 15 feet below ground surface or to the top of bedrock, whichever is shallower.

- A. Select the applicable land use category for the protection of public health (residential, restricted residential, commercial or industrial);
- B. Determine if the SCOs for the protection of groundwater are applicable (see Section V.D); and
- C. Determine if the SCOs for the protection of ecological resources are applicable (see Section V.C).

**Approach 3: Limited Site-Specific Modifications to Soil Cleanup Objectives.** This approach allows for consideration of site-specific information to modify the SCOs promulgated in Tables 375-6.8 (a) and (b) following the approach detailed in Appendix E of the TSD. The equations and basic methodology specified for calculating the 375-6.8 (a) and (b) values may not be modified under this approach. However, in instances where site-specific parameters were used in the calculation of the SCOs, site data different from the assumptions used to calculate the SCOs may be used to modify the soil cleanup levels for a specific site. These instances are very limited and occur only in certain pathways that are listed below.

- protection of groundwater pathway
- particulate inhalation pathway
- volatile inhalation pathway
- protection of ecological resources pathway

It should be noted that even if site-specific data modifies these pathways, it may not result in modifying the SCOs because the lowest of all applicable pathways is used to determine each SCO. The inhalation pathway is very seldom the controlling pathway in the determination of the protection of public health. The specific parameters that can be modified are identified in Appendix E of the TSD.

The remedial party should consider the cost of collecting the data necessary to support a request to modify the SCOs with the potential for deriving a higher SCO that provides an appropriate level of protection. The remedial party may be required to submit additional data to support the use of data in the calculation of modified SCOs. Once DEC approves one or more modified SCOs, they are applied in the manner described under Approach 2.

**Approach 4: Site-Specific Soil Cleanup Objectives.** Under this approach, the remedial party may propose site-specific cleanup levels or approaches for soil which are protective of public health and the environment based on other information. This approach sets forth a flexible framework to develop soil cleanup levels by allowing the remedial party to conduct a more detailed evaluation of site information in an effort to calculate safe, protective soil cleanup levels or approaches unique to a site. Under this approach, the remedial party may propose a remedy

that does not include specific soil cleanup levels (e.g., excavate the top 6 feet in an area extending 75 feet in all directions from boring B12); modify the input parameters used in the SCO calculations; use site data to improve or confirm predictions of exposures to receptors to contaminants of concern; analyze site-specific risks using risk assessments; use toxicological-specific information available from alternate sources; or consider site background and historic fill. Data supporting these site-specific adjustments or use of alternate methodologies must also be provided to DEC for review and approval to ensure that the resulting soil cleanup levels are protective.

The Approach 4 framework leaves DEC with discretion to determine whether a different approach is appropriate for the site and, if a different approach is to be used, the proper method of implementation. The remedial party should consider the cost of collecting the data necessary to develop site-specific soil cleanup levels (or approaches) with the potential for deriving a soil cleanup level which is higher than a particular SCO and which provides an appropriate level of protection. The remedial party may also be required to submit additional data to support the use of methodologies in the calculation of site-specific soil cleanup levels or to support the proposed approach.

**B. Application of Soil Cleanup Levels for the Specific Remedial Programs:** Soil cleanup levels are determined on a site-specific basis depending on the program under which the site is being remediated. In some cases (e.g., BCP Track 1 or Track 2), the soil cleanup levels are the SCOs taken directly from 6 NYCRR 375-6. In other cases, soil cleanup levels may be derived from the Part 375 SCOs but modified based on other information. In yet other cases, the soil cleanup levels may have no relationship or connection to the SCOs, but rather be developed by DEC-approved methodologies or approaches.

**1. Inactive Hazardous Waste Disposal Site Remedial Program (State Superfund Program):**

The goal of the remedial program for a specific site is to restore that site to pre-disposal conditions, to the extent feasible. The unrestricted SCOs are representative of pre-disposal conditions (see 6 NYCRR 375-2.8(b)(2)). However, it must be recognized that this goal may not be feasible in every case. At a minimum, all remedies must be protective of public health and the environment. The following procedure is used to determine the most feasible remedy.

- (a) The remedial party shall evaluate, and if feasible, implement a cleanup utilizing Approach 1 (application of unrestricted SCOs).
- (b) Where DEC determines that achieving unrestricted SCOs is not feasible as documented in a feasibility study, the remedial party may evaluate alternatives to remediate the site to the greatest extent feasible (see *DER-10: Technical Guidance for Site Investigation and Remediation*, Chapter 4.3). In this event, the remedial party may propose soil cleanup levels in accordance with any of the general approaches. However, when considering restricted use soil cleanup levels, the remedial party should apply the least restrictive use category feasible. For purposes of this discussion, residential use is the least restrictive use and industrial use is the most restrictive category. This process starts with consideration of residential use, followed by restricted residential use, commercial use, and then industrial use. The evaluation proceeds through the different land uses until a

feasible remedy is found. This evaluation is not bound to the SCOs in regulation or SSCOs set forth in this guidance but may result in a site-specific soil cleanup level that is between the SCOs or soil cleanup level for two different land uses (e.g., above the restricted residential SCO and below the commercial SCO).

**2. Brownfield Cleanup Program** The remedy shall be fully protective of public health and the environment, including, but not limited to, groundwater according to its classification pursuant to ECL 17-0301, drinking water, surface water, air (including indoor air), sensitive populations (including children), and ecological resources (including fish and wildlife). Soil cleanup levels corresponding to the cleanup track under which the site is being remediated are required to be met. The four cleanup tracks are:

**Track 1**: Cleanups pursuant to this track must achieve unrestricted use of the site. This track requires that the remedial party implement a cleanup utilizing Approach 1. Institutional and engineering controls are allowed only for periods of less than five years (defined as short-term controls) except in the limited instance where a volunteer has conducted remedial activities resulting in a bulk reduction in groundwater contamination to asymptotic levels.

**Track 2**: Cleanups pursuant to this track may consider the current, intended, or reasonably anticipated future use in determining the appropriate cleanup levels for soil. This track requires that the remedial party implement a cleanup that achieves the SCOs in the tables in 6 NYCRR 375-6.7(b) for the top 15 feet of soil (or bedrock if less than 15 feet). Institutional and engineering controls are allowed for soil (for the top 15 feet of soil or bedrock if less than 15 feet) for less than five years (defined as short-term controls). Institutional and engineering controls which limit site use and the use of onsite groundwater can be used without regard to duration. Track 2 cleanups at restricted residential, commercial or industrial use sites require site management plans to ensure that material removed from the site is managed appropriately and to ensure that any buffer zone protecting adjacent residential use sites or ecological resources is maintained.

**Track 3**: Cleanups pursuant to this track may consider the current, intended, or reasonably anticipated use in determining the appropriate cleanup levels for soil. This track requires that the remedial party implement a cleanup utilizing Approach 3 for those SCOs which the remedial party seeks to modify an established SCO. Institutional and engineering controls are allowed for soil (for the top 15 feet of soil or bedrock if less than 15 feet) for less than 5 years (defined as short-term controls). Institutional and engineering controls which limit site use and the use of on-site groundwater can be used without regard to duration. Track 3 cleanups at restricted residential, commercial or industrial use sites require site management plans to ensure that material removed from the site is managed appropriately and to ensure that any buffer zone protecting adjacent residential use sites or ecological resources is maintained.

**Track 4**: Cleanups pursuant to this track may consider the current, intended, or reasonably anticipated use in determining the appropriate cleanup levels for soil. This track allows for the development of site-specific soil cleanup levels below the cover system in accordance with Approach 4. Track 4 remedies must address all sources as a component of the remedy. Short- and long-term institutional and engineering controls are allowed to achieve protection of public

health and the environment. The remedy under Track 4 must provide a cover system over exposed residual contamination—soils which are not otherwise covered—e.g., by buildings, structures, or pavement—that complies with the use-based SCOs in Table 375-6.8(b) levels for the top one foot (non-residential uses) or top two feet (residential uses).

**3. Environmental Restoration Program:** The goal of the program for a specific site is to select a remedy that is protective of public health and the environment, including, but not limited to, groundwater according to its classification pursuant to ECL 17-0301, drinking water, surface water and air (including indoor air), sensitive populations (including children) and ecological resources (including fish and wildlife). At a minimum, the remedy selected shall eliminate or mitigate all significant threats to public health and to the environment presented by contaminants disposed at the site through the proper application of scientific and engineering principles. Soil cleanup levels may be developed in accordance with Approaches 1 – 4 without restriction.

**4. Voluntary Cleanup Program:** The goal of the program for a specific site is to select a remedy that is protective of public health and the environment for the contemplated use. The soil cleanup levels may be developed in accordance with Approaches 1 – 4 without restriction.

**5. Spill Response Program:** The goal of the Spill Response Program is to achieve pre-spill conditions. Remedial activities under the Spill Response Program shall be undertaken relative to the petroleum contamination that was released along with any co-mingled contamination from other sources. The remedial party shall achieve, to the extent feasible, the unrestricted SCOs for petroleum-related contaminants listed in Table 375-6.8(a). For petroleum contaminants not included in Table 375-6.8(a) (discussed in Section E below), the remedial party shall apply, to the extent feasible, the soil cleanup levels provided in Table 1. For ease of implementation, two lists of petroleum contaminants (Gasoline and Fuel Oil, Tables 2 and 3) are attached. The tables combine the applicable petroleum-related SCOs from 375-6.8(a) and the applicable petroleum related SSCOs from Table 1. Where DEC determines that it is not feasible to achieve the soil cleanup levels as set forth in this paragraph, the remedial party may propose soil cleanup levels in accordance with any of the general approaches. However, when considering restricted use soil cleanup levels, the remedial party should apply the least restrictive use category feasible. For purposes of this discussion, residential use is the least restrictive use, and industrial use is the most restrictive category. This process starts with consideration of residential use, followed by restricted residential use, commercial use, and then industrial use. The evaluation proceeds through the different land uses until a feasible remedy is found. This evaluation is not bound to the SCOs in regulation or the SSCOs set forth in this guidance but may result in a site-specific soil cleanup level that is between the SCOs or soil cleanup level for two different land uses (e.g., above the restricted residential SCO and below the commercial SCO).

**6. DSHM Corrective Action - The Resource Conservation and Recovery Act Program:** The RCRA program was promulgated to regulate facilities that actively manage hazardous waste. DSHM administers the RCRA corrective action program, and the goal is to achieve soil cleanup levels at Solid Waste Management Units (SWMUs) and Areas of Concern (AOCs) that will result in unrestricted use, to the extent feasible. This goal takes into account that certain units at the facility may be permitted to manage hazardous waste under New York State's Hazardous Waste Management (HWM) regulations (6 NYCRR Part 373). The requirements of active HWM facilities will be considered when soil cleanup levels are determined. Selected remedies must be protective of public health and the environment. Soil

cleanup levels will be selected using the following procedure.

- (a) The remedial party shall evaluate, and if feasible, implement a cleanup utilizing Approach 1. Under this approach, the unrestricted SCOs apply to the entire soil matrix to the top of bedrock. For contaminants not listed in 6 NYCRR 375-6, a new or existing SSCO may be used.
- (b) If DEC determines that achieving unrestricted SCOs is not feasible, the remedial party may evaluate other alternatives to remediate the site. In this event, the remedial party may propose soil cleanup levels in accordance with any of the general approaches. However, when considering restricted use soil cleanup levels, the remedial party shall apply the use category which is both feasible and least restricted. For purposes of this discussion, residential use is the least restricted category and industrial use is the most restricted category. A soil cleanup level between two different land uses (e.g., residential and restricted residential) may be determined to be feasible, and if selected, must be achieved.

**C. Determination of Whether Ecological Resources SCOs Apply to a Site:** SCOs developed to protect ecological resources (ESCOs) are incorporated in the unrestricted use SCO in Table 375-6.8(a) and are included as a separate category in Table 375-6.8(b). For contaminants of concern which do not have a calculated ESCO in regulation, DEC may direct the remedial party to develop a soil cleanup level which is protective of ecological resources where appropriate, based on the process outlined in Appendix E of the TSD.

The presence of ecological resources and any impact to those resources will be assessed during the remedial investigation. For sites where there is the potential for an ecological resource impact to be present, or where it is likely to be present, an assessment of fish and wildlife resource impacts will be performed. For sites in DER remedial programs, the assessment will be performed in accordance with DEC's guidance, *Fish and Wildlife Impact Analysis for Inactive Hazardous Waste Sites*, October, 1994, as described in DER-10 Section 3.10. For sites in DSHM's remedial program, the assessment will be performed using the above referenced fish and wildlife impact analysis document as guidance, and by consulting with appropriate personnel in DEC's Division of Fish, Wildlife and Marine Resources.

Soil cleanup levels which are protective of ecological resources must be considered and applied, as appropriate, for the upland soils (not sediment) at sites where DEC determines, based on the foregoing analysis, that

- ecological resources are present, or will be present, under the reasonably anticipated future use of the site, and such resources constitute an important component of the environment at, or adjacent to, the site;
- an impact or threat of impact to the ecological resource has been identified; and
- contaminant concentrations in soil exceed the ESCOs as set forth in 375-6.8(b).

Sites or portions thereof that will be covered by buildings, structures or pavement are not subject to the ESCOs. Further, ecological resources do not include pets, livestock, agricultural or horticultural crops, or landscaping in developed areas. (See 375-6.6 for more detail.)

**D. Determination of Whether Protection of Groundwater SCOs Apply:** SCOs developed to protect groundwater are incorporated in the Unrestricted SCOs in Table 375-6.8(a) and are included as a separate category in Table 375-6.8(b). For contaminants of concern which do not have a protection of groundwater SCO, DEC may direct the remedial party to develop a soil cleanup level which is protective of groundwater using the process in Appendix E of the TSD.

1. Except as provided for in (2) below, the protection of groundwater SCOs will be applicable where
  - (i) contamination has been identified in on-site soil by the remedial investigation; and
  - (ii) groundwater standards are, or are threatened to be, contravened by the presence of soil contamination at concentrations above the protection of groundwater SCOs.
2. DEC may provide an exception to the applicability of the protection of groundwater SCOs, as set forth in 6 NYCRR 375-6.5(1), when (i), (ii), and (iii) exist and either (iv) or (v) also apply, as described below.
  - (i) The groundwater standard contravention is the result of an on-site source which is addressed by the remedial program.
  - (ii) An environmental easement or other institutional control will be put in place which provides for a groundwater use restriction.
  - (iii) DEC determines that contaminated groundwater at the site:
    - (a) is not migrating, nor is likely to migrate, off-site; or
    - (b) is migrating, or is likely to migrate, off-site; however, the remedy includes active groundwater management to address off-site migration.
  - (iv) DEC determines the groundwater quality will improve over time.
  - (v) The groundwater contamination migrating from the site is the result of an off-site source of contamination, and site contaminants are not contributing to the groundwater contamination.
3. In determining whether to provide the exemption set forth in subparagraph 2 above, DEC will consider
  - (i) all of the remedy selection criteria at 6 NYCRR 375-1.8(h) or in the RCRA Corrective Action program;
  - (ii) the amount of time that the groundwater will need to be actively managed for the protection of public health and the environment;
  - (iii) the potential impact that groundwater contamination may have on media not specifically addressed by the SCOs (e.g., vapor intrusion, protection of surface water, and protection of aquatic ecological resources)

**E. Supplemental Soil Cleanup Objectives:** SSCOs are either existing cleanup levels in Table 1 or are new cleanup levels developed by the remedial party as part of its remedial program. These SSCOs are in addition to the SCOs that are included in Part 375.

**Existing SSCOs:** The Table 1 list of SSCOs includes contaminants from former TAGM 4046 that were not included in section 375-6.8 and soil cleanup levels developed using the process detailed in Appendix E of the TSD but not yet officially promulgated. For those contaminants which were part of the former TAGM 4046, soil cleanup levels exist for the protection of public health (based on ingestion) and for the protection of groundwater. In some cases, to be determined on a site-by-site basis, evaluation of other exposure pathways (inhalation and dermal contact) may be needed for the protection of public health for residential use. In these instances, concurrence must be obtained from DEC that the inhalation and dermal contact pathways have been adequately addressed. The SSCOs identified in Table 1 (subject to the limitation described above) may be used as if they were included in Part 375. A remedial party is not required to use the SSCOs set forth in Table 1. In lieu of applying an SSCO, the remedial party may elect to develop a soil cleanup level (using the process described in Appendix E of the Technical Support Document and discussed below.) Table 1 also includes SSCOs that were developed for some pathways using the same process detailed in the TSD. A remedial party may elect to use those SSCOs directly or confirm that the calculated value for that pathway is correct. These SSCOs do not generally cover every pathway, so additional work for the other pathways will be required.

**New SSCOs:** The remedial party may elect to, or DEC may direct a remedial party to, develop a contaminant-specific SCO for any contaminant not included in Tables 375-6.8(a) or (b). Generally, DEC will request that a SCO be developed only where the contaminant is a predominant contaminant of concern (COC) at the site and is not otherwise being addressed to DEC's satisfaction as part of the proposed remedy, for example, where a remedial party is seeking a Track 1 cleanup and non-SCO/SSCO contaminants are present and may not be satisfactorily addressed by the remedial activities addressing the SCOs or SSCOs. Guidance on the process for developing new SCOs is provided in Appendix E of the TSD. DEC will include all newly developed soil cleanup levels, developed and approved pursuant to this paragraph in a revised Table 1. The developed SSCO must

1. be developed utilizing the same methodologies that were used by DEC to develop SCOs that are set forth in Part 375; and
2. apply the maximum acceptable soil concentrations (caps), as set forth in section 9.3 of the TSD.

**F. Use of SCOs and SSCOs as a Screening Tool:** The SCOs and SSCOs may be used to identify areas of contamination and to determine the extent of contamination.

1. At sites or areas of concern where contaminant concentrations are equal to or below the unrestricted SCOs in Table 375-6.8(a), no action or study is warranted because of soil contamination.
2. The exceedance of one or more SCOs and SSCOs for the current, intended and reasonably anticipated future use of the property alone does not trigger the need for remedial action or define "unacceptable" levels of contaminants in soil. As noted in the definition of SCO above, the SCOs and SSCOs are applicable statewide and do not account for many site-specific considerations which could potentially result in higher levels. Soil concentrations that are higher than the SCOs and SSCOs

for the current, intended and reasonably anticipated future use of the property are not necessarily health or environmental concerns. When an SCO (or SSCO) for the current, intended and reasonably anticipated future use of the property is exceeded, the degree of public health or environmental concern depends on several factors, including the magnitude of the exceedance, the accuracy of the exposure estimates, other sources of exposure to the contaminant, and the strength and quality of the available toxicological information on the contaminant.

**G. Soil Cleanup Levels for Nuisance Conditions:** Experience has shown that contaminants in soil that meets the DEC-approved soil cleanup levels can exhibit a distinct odor. This is true even though the contaminants will not leach from the soil (e.g., certain soils with more insoluble substances at higher concentrations). When DEC determines that soil remaining after the remedial action will result in the continuation of a nuisance (e.g., odors, staining, etc), DEC will require that additional remedial measures be evaluated, and may require additional remedial actions be taken to address the nuisance condition.

**H. Subsurface Soil Cleanup for Total Polycyclic Aromatic Hydrocarbons.** For non-residential use sites (i.e., commercial or industrial use sites) where the ESCOs are not applicable, DEC may approve a remedial program which achieves a soil cleanup level of 500 ppm for total PAHs for all subsurface soil. The 500 ppm soil cleanup level is in lieu of achieving all of the contaminant PAH-specific SCOs in 375-6. For purposes of this provision, subsurface soil shall mean the soil beneath permanent structures, pavement, or similar cover systems; or at least one foot of soil cover (which must meet the applicable SCOs). Institutional controls (e.g., an environmental easement) along with a site management plan will be required when this soil cleanup level is employed at a site. This cleanup level is determined to be feasible and protective based on DEC's experience in its various remedial programs. Further, this approach has existed in TAGM 4046 since it was first issued in 1992.

**I. Soil Cleanup for PCBs.** DEC may approve a remedial program which achieves a soil cleanup level for PCBs as set forth herein:

1. For **Non-BCP sites:** An acceptable presumptive remedy for soil where neither the unrestricted SCOs nor the ESCOs are applied in the remedial program may include a soil cleanup level for PCBs of 1 ppm in the surface soils and 10 ppm in subsurface
2. For **BCP sites:** An acceptable presumptive remedy for soil may include a soil cleanup level for PCBs of 1 ppm (the applicable SCO) in the surface soils and 10 ppm in subsurface in limited circumstances as follows:
  - cleanup track is Track 4;
  - site use will be residential, restricted residential or commercial; and
  - ESCOs do not apply.

For purposes of this provision, subsurface soil shall mean the soil beneath permanent structures, pavement, or similar cover systems; or at least 1 foot of soil cover (which must meet the applicable SCOs). Institutional controls (i.e., an environmental easement) along with a site management plan will be required when this soil cleanup level is employed at a site. As with all presumptive remedies, just because a remedy is

presumptive does not mean that it will work at every site. For example, this presumptive remedy is not applicable at most landfills. This cleanup level is determined to be feasible and protective based on DEC's experience in its various remedial programs. Further, this approach has existed in TAGM 4046 since it was first issued in 1992.

**J. Compliance with Soil Cleanup Levels:** It is DEC's goal that all confirmatory samples demonstrate that the remedy has achieved the DEC-approved soil cleanup levels. However, recognizing the heterogeneity of contaminated sites and the uncertainty of sampling and analysis, DEC project manager has limited discretion to determine that remediation is complete where some discrete samples do not meet the soil cleanup levels established for a site. See DER-10 for more information regarding the determination that remediation is complete.

**K. Other Considerations:** All remedies must be fully protective of public health and the environment and prevent off-site migration with special emphasis for the prevention or minimization of migration onto adjacent residential properties or into ecological resources. A remedial party is required to investigate all environmental media including soil, groundwater, surface water, sediments, soil vapor, indoor air, and biota. (See 6 NYCRR 375-1.8(a)(6) or RCRA Corrective Action Program). This investigation will determine if any of the referenced media are, or may be, impacted by site contamination. However, the SCOs do not directly address these other media. DEC may require remedial actions to address such media and impacts, including but not limited to the application of lower soil cleanup levels or buffer zones where it determines, based on the investigation, that any of these media are, or may be, impacted by site contamination.

## **VI. Related References:**

- ◆ Environmental Conservation Law, Article 27 Titles 3, 5, 9, 13 and 14.
- ◆ Article 12 of the Navigation Law, Section 178.
- ◆ 6 NYCRR Part 375, Environmental Remediation Programs. December 14, 2006.
- ◆ 6 NYCRR Part 611, Environmental Priorities and Procedures in Petroleum Cleanup and Removal. November 5, 1984 (amended).
- ◆ Development of Soil Cleanup Objectives: Technical Support Document, December 14, 2006.
- ◆ Supplemental Guidance to RAGS: Calculating the Concentration Term. United States Environmental Protection Agency. Publication 9285.7-081. May 1992.
- ◆ New York State Guidelines for Urban Erosion and Sediment Control. 1997.
- ◆ Fish and Wildlife Impact Analysis for Inactive Hazardous Waste Sites. October 1994.

## **TABLES**

- 1 - Supplemental Soil Cleanup Objectives**
- 2 - Soil Cleanup Levels for Gasoline Contaminated Soils**
- 3 - Soil Cleanup Levels for Fuel Oil Contaminated Soils**

**Table 1**  
**Supplemental Soil Cleanup Objectives**  
(ppm)

| Contaminant                  | CAS Number | Residential | Restricted Residential | Commercial | Industrial | Protection of Ecological Resources | Protection of Ground-water |
|------------------------------|------------|-------------|------------------------|------------|------------|------------------------------------|----------------------------|
| <b>METALS</b>                |            |             |                        |            |            |                                    |                            |
| Aluminum                     | 7429-90-5  |             |                        |            |            | 50                                 |                            |
| Antimony                     | 440-36-0   |             |                        |            |            | 5                                  |                            |
| Boron                        | 7440-42-8  |             |                        |            |            | 0.5                                |                            |
| Bromine                      | 7726-95-6  |             |                        |            |            | 10                                 |                            |
| Calcium                      | 7440-70-2  |             |                        |            |            | 4                                  |                            |
| Cobalt                       | 7440-48-4  | 30          |                        |            |            | 20                                 |                            |
| Flourine                     | 7782-41-4  |             |                        |            |            | 200                                |                            |
| Iodine                       | 7553-56-2  |             |                        |            |            | 4                                  |                            |
| Iron                         | 7439-95-4  | 2,000       |                        |            |            |                                    |                            |
| Lithium                      | 7439-93-2  |             |                        |            |            | 2                                  |                            |
| Manganese                    | 7439-96-5  |             |                        |            |            | 500                                |                            |
| Molybdenum                   | 7439-98-7  |             |                        |            |            | 2                                  |                            |
| Technetium                   | 7440-26-8  |             |                        |            |            | 0.2                                |                            |
| Thallium                     | 7440-28-0  |             |                        |            |            | 1                                  |                            |
| Tin                          | 7440-31-5  |             |                        |            |            | 50                                 |                            |
| Uranium                      | 7440-61-1  |             |                        |            |            | 5                                  |                            |
| Vanadium                     | 7440-62-2  | 100         |                        |            |            | 2                                  |                            |
| <b>PESTICIDES &amp; PCBs</b> |            |             |                        |            |            |                                    |                            |
| Biphenyl                     | 92-52-4    |             |                        |            |            | 60                                 |                            |
| Chlordecone (Kepone)         | 143-50-0   |             |                        |            |            | 0.06                               |                            |
| Furan                        | 110-00-9   |             |                        |            |            | 600                                |                            |
| Gamma Chlordane              | 5103-74-2  | 0.54        |                        |            |            |                                    | 14                         |
| Heptachlorepoxide            | 1024-57-3  | 0.077       |                        |            |            |                                    | 0.02                       |

| Contaminant                           | CAS Number | Residential | Restricted Residential | Commercial       | Industrial        | Protection of Ecological Resources | Protection of Ground-water |
|---------------------------------------|------------|-------------|------------------------|------------------|-------------------|------------------------------------|----------------------------|
| Methoxychlor                          | 72-43-5    | 100         |                        |                  |                   | 1.2                                | 100                        |
| Parathion                             | 56-38-2    | 100         |                        |                  |                   |                                    | 1.2                        |
| 2,4,5-T                               | 93-76-5    | 100         |                        |                  |                   |                                    | 1.9                        |
| 2,3,7,8-TCDD                          | 1746-01-6  |             |                        |                  |                   | 0.000001                           |                            |
| 2,3,7,8-TCDF                          | 51207-31-9 |             |                        |                  |                   | 0.000001                           |                            |
| <b>SEMIVOLATILE ORGANIC COMPOUNDS</b> |            |             |                        |                  |                   |                                    |                            |
| Aniline                               | 62-53-3    | 48          | 100 <sup>a</sup>       | 500 <sup>a</sup> | 1000 <sup>a</sup> |                                    | 0.330 <sup>b</sup>         |
| Bis(2-ethylhexyl)phthalate            | 117-81-7   | 50          |                        |                  |                   | 239                                | 100                        |
| Butylbenzylphthalate                  | 85-68-7    | 100         |                        |                  |                   |                                    | 100                        |
| 4-Chloroaniline                       | 106-47-8   | 200         |                        |                  |                   |                                    | 0.22                       |
| Chloroethane                          | 75-00-3    |             |                        |                  |                   |                                    | 1.9                        |
| 4-Chloro-3-methylphenol               | 59-50-7    |             |                        |                  |                   |                                    |                            |
| 2-Chlorophenol                        | 95-57-8    | 400         |                        |                  |                   |                                    |                            |
| Di-n-butylphthalate                   | 84-74-2    | 100         |                        |                  |                   | 0.014                              | 8.1                        |
| 2,4-Dichlorophenol                    | 120-83-2   | 2.0         |                        |                  |                   | 20                                 |                            |
| 3,4-Dichlorophenol                    | 95-77-2    |             |                        |                  |                   | 20                                 |                            |
| Diethylphthlate                       | 84-66-2    | 100         |                        |                  |                   | 100                                | 7.1                        |
| Di-n-hexylphthalate                   | 84-75-3    |             |                        |                  |                   | 0.91                               |                            |
| 2,4-Dinitrophenol                     | 51-28-5    | 200         |                        |                  |                   | 20                                 | 0.2                        |
| Dimethylphthlate                      | 131-11-3   | 100         |                        | 50               |                   | 200                                | 7.0                        |
| Di-n-octylphthlate                    | 117-84-0   | 100         |                        |                  |                   |                                    | 100                        |
| 1,2,3,6,7,8-HCDF                      | 57117-44-9 |             |                        |                  |                   | 0.00021                            |                            |
| Hexachlorobenzene                     | 118-74-1   | 0.41        |                        |                  |                   |                                    | 1.4                        |
| Isophorone                            | 75-59-1    | 100         |                        |                  |                   |                                    | 4.4                        |
| 4-methyl-2-pentanone                  | 108-10-1   |             |                        |                  |                   |                                    | 1.0                        |
| 2-Methylphenol                        | 95-48-7    |             |                        |                  |                   |                                    | 0.1                        |

| Contaminant                       | CAS Number | Residential      | Restricted Residential | Commercial | Industrial | Protection of Ecological Resources | Protection of Ground-water |
|-----------------------------------|------------|------------------|------------------------|------------|------------|------------------------------------|----------------------------|
| 4-Methylphenol                    | 106-44-5   | 100              |                        |            |            |                                    | 0.5                        |
| 2-Nitroaniline                    | 88-74-4    |                  |                        |            |            |                                    | 0.4                        |
| 3-Nitroaniline                    | 99-09-2    |                  |                        |            |            |                                    | 0.5                        |
| Nitrobenzene                      | 98-95-3    | 3.7              | 15                     | 69         | 140        | 40                                 | 0.330 <sup>b</sup>         |
| 2-Nitrophenol                     | 88-75-5    |                  |                        |            |            | 7                                  | 0.3                        |
| 4-Nitrophenol                     | 100-02-7   |                  |                        |            |            | 7                                  | 0.1                        |
| Pentachloroaniline                | 527-20-8   |                  |                        |            |            | 100                                |                            |
| 2,3,5,6 - Tetrachloroaniline      | 3481-20-7  |                  |                        |            |            | 20                                 |                            |
| 2,3,4,5 - Tetraclororphenol       | 4901-51-3  |                  |                        |            |            | 20                                 |                            |
| 2,4,5 - Trichloroaniline          | 636-30-6   |                  |                        |            |            | 20                                 |                            |
| 2,3,5 - Trichlorophenol           | 933-78-8   | 100              |                        |            |            |                                    | 0.1                        |
| 2,4,5 - Trichlorophenol           | 95-95-4    |                  |                        |            |            | 4                                  |                            |
| 2,4,6 - Trichlorophenol           | 88-06-2    |                  |                        |            |            | 10                                 |                            |
| <b>VOLATILE ORGANIC COMPOUNDS</b> |            |                  |                        |            |            |                                    |                            |
| Benzoic Acid                      | 120-51-4   | 100 <sup>a</sup> |                        |            |            |                                    | 2.7                        |
| Carbon Disulfide                  | 75-15-0    | 100 <sup>a</sup> |                        |            |            |                                    | 2.7                        |
| Chloroacetamide                   | 79-07-2    |                  |                        |            |            | 2                                  |                            |
| 3-Chloroaniline                   | 108-42-9   |                  |                        |            |            | 20                                 |                            |
| 3-Chlorophenol                    | 108-43-0   |                  |                        |            |            | 7                                  |                            |
| Dibenzofuran                      | 132-64-9   |                  |                        |            |            |                                    | 6.2                        |
| Dibromochlormethane               | 75-25-2    |                  |                        |            |            | 10                                 |                            |
| 2,4 - Dichloroaniline             | 554-00-7   |                  |                        |            |            | 100                                |                            |
| 3,4 - Dichloroaniline             | 95-76-1    |                  |                        |            |            | 20                                 |                            |
| 1,2 - Dichloropropane             | 78-87-5    |                  |                        |            |            | 700                                |                            |
| 1,3 - Dichloropropane             | 142-28-9   |                  |                        |            |            |                                    | 0.3                        |
| 2,6 - Dinitrotoluene              | 606-20-2   | 1.03             |                        |            |            |                                    | 0.1                        |
| Ethylacetate                      | 141-78-6   |                  |                        |            |            | 48                                 |                            |

| Contaminant                   | CAS Number | Residential      | Restricted Residential | Commercial | Industrial | Protection of Ecological Resources | Protection of Ground-water |
|-------------------------------|------------|------------------|------------------------|------------|------------|------------------------------------|----------------------------|
| 113 Freon (1,1,2 TFE)         | 76-13-1    | 100 <sup>a</sup> |                        |            |            |                                    | 6                          |
| Hexachlorocyclopentadiene     | 77-47-4    |                  |                        |            |            | 10                                 |                            |
| Methanol                      | 67-56-1    |                  |                        |            |            | 6.5                                |                            |
| N-nitrosodiphenylamine        | 86-30-6    |                  |                        |            |            | 20                                 |                            |
| Pentachlorobenzene            | 608-93-5   |                  |                        |            |            | 20                                 |                            |
| Pentachloronitrobenzene       | 82-68-8    |                  |                        |            |            | 10                                 |                            |
| Styrene                       | 100-42-5   |                  |                        |            |            | 300                                |                            |
| 1,2,3,4 - Tetrachlorobenzene  | 634-66-2   |                  |                        |            |            | 10                                 |                            |
| 1,1,2,2 - Tetrachloroethane   | 79-34-5    | 35               |                        |            |            |                                    | 0.6                        |
| 1,1,2,2 - Tetrachloroethylene | 127-18-4   |                  |                        |            |            | 2                                  |                            |
| 1,2,3 - Trichlorobenzene      | 87-61-6    |                  |                        |            |            | 20                                 |                            |
| 1,2,4 - Trichlorobenzene      | 120-82-1   |                  |                        |            |            | 20                                 | 3.4                        |
| 1,2,3 - Trichloropropane      | 96-18-4    | 80               |                        |            |            |                                    | 0.34                       |

<sup>a</sup> SCO capped at 100 ppm for residential use, 500 ppm for commercial use, and 1000 ppm for industrial use

<sup>b</sup> SCO limited by contract required quantitation limit

**Table 2****Soil Cleanup Levels for Gasoline Contaminated Soils**

| <b>Contaminant</b>       | <b>CAS Registry Number</b> | <b>Soil Cleanup Objective (ppm)</b> |
|--------------------------|----------------------------|-------------------------------------|
| Benzene                  | 71-43-2                    | 0.06                                |
| n-Butyl-Benzene          | 104-51-8                   | 12.0                                |
| sec-Butyl-Benzene        | 135-98-8                   | 11.0                                |
| Ethylbenzene             | 100-41-4                   | 1.0                                 |
| Isopropylbenzene         | 98-82-8                    | 2.3                                 |
| p-Isopropyltoluene       | 99-87-6                    | 10.0                                |
| Methyl-Tert-Butyl-Ether  | 1634-04-4                  | 0.93                                |
| Napthalene               | 91-20-3                    | 12.0                                |
| n-Propylbenzene          | 103-65-1                   | 3.9                                 |
| Tert-Butyl-Benzene       | 98-06-6                    | 5.9                                 |
| Toluene                  | 108-88-3                   | 0.7                                 |
| 1,2,4 - Trimethylbenzene | 95-63-6                    | 3.6                                 |
| 1,3,5 - Trimethylbenzene | 108-67-8                   | 8.4                                 |
| Xylene (Mixed)           | 1330-20-7                  | 0.26                                |

**Table 3**  
**Soil Cleanup Levels for Fuel Oil Contaminated Soil**

| <b>Contaminant</b>       | <b>CAS Registry</b> | <b>Soil Cleanup Objective (ppm)</b> |
|--------------------------|---------------------|-------------------------------------|
| Acenaphthene             | 83-32-9             | 98.0                                |
| Acenaphthylene           | 208-96-8            | 100                                 |
| Anthracene               | 120-12-7            | 100                                 |
| Benz(a) Anthracene       | 56-55-3             | 1.0                                 |
| Dibenzo(a,h) Anthracene  | 53-70-3             | 0.33                                |
| Benzene                  | 71-43-2             | 0.06                                |
| n-Butyl-Benzene          | 104-51-8            | 12.0                                |
| sec-Butyl-Benzene        | 135-98-8            | 11.0                                |
| Tert-Butyl-Benzene       | 98-06-6             | 5.9                                 |
| Chrysene                 | 218-01-9            | 1.0                                 |
| Ethylbenzene             | 100-41-4            | 1.0                                 |
| Fluoranthene             | 206-44-0            | 100                                 |
| Benzo(b) Fluoranthene    | 205-99-2            | 1.0                                 |
| Benzo(k) Fluoranthene    | 207-8-9             | 1.0                                 |
| Fluorene                 | 86-73-7             | 100                                 |
| Isopropylbenzene         | 98-82-8             | 2.3                                 |
| p-Isopropyltoluene       | 99-87-6             | 10.0                                |
| Naphthalene              | 91-20-3             | 12.0                                |
| n-Propylbenzene          | 103-65-1            | 3.9                                 |
| Benzo(g,h,i) Perylene    | 191-24-2            | 100                                 |
| Phenanthrene             | 85-01-5             | 100                                 |
| Pyrene                   | 129-00-0            | 100                                 |
| Benzo(a) Pyrene          | 50-32-8             | 1.0                                 |
| Indeno(1,2,3-cd) Pyrene  | 193-39-5            | 0.5                                 |
| 1,2,4 - Trimethylbenzene | 95-63-6             | 3.6                                 |
| 1,3,5 - Trimethylbenzene | 108-67-8            | 8.4                                 |
| Toluene                  | 108-88-3            | 0.7                                 |
| Xylene (Mixed)           | 1330-20-7           | 0.26                                |