ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.243566.02 08/23/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790-2356
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: DEC-Commack, #2039
SOURCE OF SAMPLE: MTBE Grant #S-2
COLLECTED BY: EAR DATE COL'D:08/19/04 RECEIVED:08/19/04
TIME COL'D:1349

MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	35		08/20/04	1	EPA8021
Benzene	ug/L	< 1		08/20/04	1	EPA8021
Toluene	ug/L	< 1		08/20/04	1	EPA8021
Ethyl Benzene	ug/L	< 1		08/20/04	1	EPA8021
m + p Xylene	ug/L	< 2		08/20/04	2	EPA8021
o Xylene	ug/L	< 1		08/20/04	1	EPA8021

cc:EAR, Donald Trego

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 32981 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.243566.03 08/23/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790-2356
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: DEC-Commack, #2039
SOURCE OF SAMPLE: MTBE Grant #S-2
COLLECTED BY: EAR DATE COL'D:08/19/04 RECEIVED:08/19/04
TIME COL'D:1427

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		08/20/04	1	EPA8021
Benzene	ug/L	< 1		08/20/04	1	EPA8021
Toluene	ug/L	< 1		08/20/04	1	EPA8021
Ethyl Benzene	ug/L	< 1		08/20/04	1	EPA8021
m + p Xylene	ug/L	< 2		08/20/04	2	EPA8021
o Xylene	ug/L	< 1		08/20/04	1	EPA8021

cc:EAR, Donald Trego

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 32982 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.243566.04 08/23/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790-2356
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: DEC-Commack, #2039
SOURCE OF SAMPLE: MTBE Grant #S-2
COLLECTED BY: EAR DATE COL'D:08/19/04 RECEIVED:08/19/04
TIME COL'D:1415

MATRIX:Water SAMPLE: MW-4

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		08/20/04	1	EPA8021
Benzene	ug/L	< 1		08/20/04	1	EPA8021
Toluene	ug/L	< 1		08/20/04	1	EPA8021
Ethyl Benzene	ug/L	< 1		08/20/04	1	EPA8021
m + p Xylene	ug/L	< 2		08/20/04	2	EPA8021
o Xylene	ug/L	< 1		08/20/04	1	EPA8021

cc:EAR, Donald Trego

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 32983 NYSDOH ID # 10320

S-3	0325243	4	**Amoco (Gasoline Heaven)**	2088 Jericho Tpk	Commack

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-1		
Lab Sample ID:	N47206-1	**Date Sampled:**	08/29/03
Matrix:	AQ - Ground Water	**Date Received:**	08/30/03
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	Gasoline Heaven, Commack, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2A3552.D	1	09/06/03	YXF	n/a	n/a	V2A138
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics, MTBE

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.21	ug/l	
108-88-3	Toluene	0.89	1.0	0.25	ug/l	J
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
1330-20-7	Xylene (total)	135	1.0	0.20	ug/l	
1634-04-4	Methyl Tert Butyl Ether	4.2	1.0	0.23	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		81-120%
17060-07-0	1,2-Dichloroethane-D4	112%		68-130%
2037-26-5	Toluene-D8	98%		83-116%
460-00-4	4-Bromofluorobenzene	108%		83-119%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-2		
Lab Sample ID:	N47206-2	**Date Sampled:**	08/29/03
Matrix:	AQ - Ground Water	**Date Received:**	08/30/03
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	Gasoline Heaven, Commack, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2A3598.D	1	09/08/03	YXF	n/a	n/a	V2A141
Run #2	2A3553.D	5	09/06/03	YXF	n/a	n/a	V2A138

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

Purgeable Aromatics, MTBE

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	1.8	1.0	0.21	ug/l	
108-88-3	Toluene	11.6	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	324 [a]	5.0	1.1	ug/l	
1330-20-7	Xylene (total)	1080 [a]	5.0	1.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.23	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%	97%	81-120%
17060-07-0	1,2-Dichloroethane-D4	95%	109%	68-130%
2037-26-5	Toluene-D8	101%	98%	83-116%
460-00-4	4-Bromofluorobenzene	111%	106%	83-119%

(a) Result is from Run# 2

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-3		
Lab Sample ID:	N47206-3	**Date Sampled:**	08/29/03
Matrix:	AQ - Ground Water	**Date Received:**	08/30/03
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	Gasoline Heaven, Commack, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2A3600.D	20	09/08/03	YXF	n/a	n/a	V2A141
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics, MTBE

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	20	4.3	ug/l	
108-88-3	Toluene	286	20	5.1	ug/l	
100-41-4	Ethylbenzene	2640	20	4.6	ug/l	
1330-20-7	Xylene (total)	11300	20	4.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	20	4.5	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	94%		81-120%
17060-07-0	1,2-Dichloroethane-D4	92%		68-130%
2037-26-5	Toluene-D8	100%		83-116%
460-00-4	4-Bromofluorobenzene	105%		83-119%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

S-4	N/A	**Shell (KC Oil)**	2104 Jericho Tpk	Commack

S-5		2	**OK Petro Eli's Auto**	4 Colonial Springs Road	Wyandanch

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.235239.01 10/31/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: 6 Colonial Springs Road, Wyandanch
SOURCE OF SAMPLE: MTBE Grant Site, S-5, G03-0170
COLLECTED BY: MEG DATE COL'D:10/23/03 RECEIVED:10/23/03
TIME COL'D:am
MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	1		10/29/03	1	EPA602
Benzene	ug/L	< 1		10/29/03	1	EPA602
Toluene	ug/L	< 1		10/29/03	1	EPA602
Ethyl Benzene	ug/L	< 1		10/29/03	1	EPA602
m + p Xylene	ug/L	< 2		10/29/03	2	EPA602
o Xylene	ug/L	< 1		10/29/03	1	EPA602

cc:Louis Nardilillo, MEG

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rm = 45641 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.235239.02 10/31/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: 6 Colonial Springs Road, Wyandanch
SOURCE OF SAMPLE: MTBE Grant Site, S-5, G03-0170
COLLECTED BY: MEG DATE COL'D:10/23/03 RECEIVED:10/23/03
TIME COL'D:am
MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		10/29/03	1	EPA602
Benzene	ug/L	< 1		10/29/03	1	EPA602
Toluene	ug/L	< 1		10/29/03	1	EPA602
Ethyl Benzene	ug/L	< 1		10/29/03	1	EPA602
m + p Xylene	ug/L	< 2		10/29/03	2	EPA602
o Xylene	ug/L	< 1		10/29/03	1	EPA602

cc:Louis Nardilillo, MEG

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 45642 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.235239.03 10/31/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: 6 Colonial Springs Road, Wyandanch
SOURCE OF SAMPLE: MTBE Grant Site, S-5, G03-0170
COLLECTED BY: MEG DATE COL'D:10/23/03 RECEIVED:10/23/03
TIME COL'D:am

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	2		10/29/03	1	EPA602
Benzene	ug/L	< 1		10/29/03	1	EPA602
Toluene	ug/L	< 1		10/29/03	1	EPA602
Ethyl Benzene	ug/L	< 1		10/29/03	1	EPA602
m + p Xylene	ug/L	< 2		10/29/03	2	EPA602
o Xylene	ug/L	< 1		10/29/03	1	EPA602

cc:Louis Nardilillo, MEG

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 45643 NYSDOH ID # 10320

S-6	ND	**Coastal**	10 Long Island Ave	Wyandanch

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.235240.03 10/31/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Valero s/s, Little East Neck Rd & Long Island Ave,
SOURCE OF SAMPLE: Wyandanch. MTBE Grant Site, S-6, G03-0170
COLLECTED BY: MEG DATE COL'D:10/23/03 RECEIVED:10/23/03
TIME COL'D:am

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		10/29/03	1	EPA602
Benzene	ug/L	< 1		10/29/03	1	EPA602
Toluene	ug/L	< 1		10/29/03	1	EPA602
Ethyl Benzene	ug/L	< 1		10/29/03	1	EPA602
m + p Xylene	ug/L	< 2		10/29/03	2	EPA602
o Xylene	ug/L	< 1		10/29/03	1	EPA602

cc:Louis Nardilillo, MEG

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 45646 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.235240.04 10/31/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY.11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Valero s/s, Little East Neck Rd & Long Island Ave,
SOURCE OF SAMPLE: Wyandanch. MTBE Grant Site, S-6, G03-0170
COLLECTED BY: MEG DATE COL'D:10/23/03 RECEIVED:10/23/03
TIME COL'D:am

MATRIX:Water SAMPLE: MW-4

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		10/29/03	1	EPA602
Benzene	ug/L	< 1		10/29/03	1	EPA602
Toluene	ug/L	< 1		10/29/03	1	EPA602
Ethyl Benzene	ug/L	< 1		10/29/03	1	EPA602
m + p Xylene	ug/L	< 2		10/29/03	2	EPA602
o Xylene	ug/L	< 1		10/29/03	1	EPA602

cc:Louis Nardilillo, MEG

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 45647 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.235240.02 10/31/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Valero s/s, Little East Neck Rd & Long Island Ave,
SOURCE OF SAMPLE: Wyandanch. MTBE Grant Site, S-6, G03-0170
COLLECTED BY: MEG DATE COL'D:10/23/03 RECEIVED:10/23/03
TIME COL'D:am

MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		10/29/03	1	EPA602
Benzene	ug/L	< 1		10/29/03	1	EPA602
Toluene	ug/L	< 1		10/29/03	1	EPA602
Ethyl Benzene	ug/L	< 1		10/29/03	1	EPA602
m + p Xylene	ug/L	< 2		10/29/03	2	EPA602
o Xylene	ug/L	< 1		10/29/03	1	EPA602

cc:Louis Nardilillo, MEG

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 45645 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.235240.01 10/31/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Valero s/s, Little East Neck Rd & Long Island Ave,
SOURCE OF SAMPLE: Wyandanch. MTBE Grant Site, S-6, G03-0170
COLLECTED BY: MEG DATE COL'D:10/23/03 RECEIVED:10/23/03
TIME COL'D:am

MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		10/29/03	1	EPA602
Benzene	ug/L	< 1		10/29/03	1	EPA602
Toluene	ug/L	< 1		10/29/03	1	EPA602
Ethyl Benzene	ug/L	< 1		10/29/03	1	EPA602
m + p Xylene	ug/L	< 2		10/29/03	2	EPA602
o Xylene	ug/L	< 1		10/29/03	1	EPA602

cc:Louis Nardilillo, MEG

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 45644 NYSDOH ID # 10320

S-7	0325110	**49,000**	**Amoco**	1672 5th Ave	Bay Shore

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232119.01 05/16/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790

MAY 2 2003

ATTN: Kristi Salafrio PO#:

SOURCE OF SAMPLE: 1672 5th Avenue, Bay Shore
SOURCE OF SAMPLE: #S7
COLLECTED BY: EnviroTrac DATE COL'D:05/02/03 RECEIVED:05/02/03

MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	49000		05/13/03	1000	EPA8021
Benzene	ug/L	6400		05/13/03	100	EPA8021
Toluene	ug/L	48000		05/13/03	1000	EPA8021
Ethyl Benzene	ug/L	5800		05/13/03	100	EPA8021
m + p Xylene	ug/L	17000		05/13/03	200	EPA8021
o Xylene	ug/L	7600		05/13/03	100	EPA8021

cc: Jeff Bohlen, EnviroTrac

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 18170 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232119.02 05/16/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristi Salafrio PO#:

SOURCE OF SAMPLE: 1672 5th Avenue, Bay Shore
SOURCE OF SAMPLE: #S7
COLLECTED BY: EnviroTrac DATE COL'D:05/02/03 RECEIVED:05/02/03

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	47000		05/13/03	1000	EPA8021
Benzene	ug/L	9200		05/13/03	100	EPA8021
Toluene	ug/L	7200		05/13/03	1000	EPA8021
Ethyl Benzene	ug/L	2800		05/13/03	100	EPA8021
m + p Xylene	ug/L	8800		05/13/03	200	EPA8021
o Xylene	ug/L	4200		05/13/03	100	EPA8021

cc:Jeff Bohlen, EnviroTrac

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 18171 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232119.03 05/16/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristi Salafrio PO#:

SOURCE OF SAMPLE: 1672 5th Avenue, Bay Shore
SOURCE OF SAMPLE: #S7
COLLECTED BY: EnviroTrac DATE COL'D:05/02/03 RECEIVED:05/02/03

MATRIX:Water SAMPLE: MW--4

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	2600		05/13/03	100	EPA8021
Benzene	ug/L	300		05/13/03	20	EPA8021
Toluene	ug/L	88		05/13/03	20	EPA8021
Ethyl Benzene	ug/L	33		05/13/03	20	EPA8021
m + p Xylene	ug/L	62		05/13/03	40	EPA8021
o Xylene	ug/L	23		05/13/03	20	EPA8021

cc:Jeff Bohlen, EnviroTrac

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 18172 NYSDOH ID # 10320

S-8	0325109	**63,000**	**Texaco**	195 Pine Aire Dr	Bay Shore

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.230433.00 02/06/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Texaco, 195 Pine Aire Drive, Bay Shore
SOURCE OF SAMPLE:
COLLECTED BY: EnviroTrac DATE COL'D:01/24/03 RECEIVED:01/24/03
TIME COL'D:1030
MATRIX:Water SAMPLE: GP-1 50-52'

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		01/30/03	1	EPA602
Benzene	ug/L	< 1		01/30/03	1	EPA602
Toluene	ug/L	< 1		01/30/03	1	EPA602
Ethyl Benzene	ug/L	< 1		01/30/03	1	EPA602
m + p Xylene	ug/L	< 2		01/30/03	2	EPA602
o Xylene	ug/L	< 1		01/30/03	1	EPA602

cc:Jeff Bohlen, EnviroTrac

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 3679 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232120.01 05/16/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristi Salafrio PO#:

SOURCE OF SAMPLE: 195 Pine Aire Drive, Bay Shore
SOURCE OF SAMPLE: #S8
COLLECTED BY: EnviroTrac DATE COL'D:05/01/03 RECEIVED:05/02/03

MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	63000		05/13/03	500	EPA8021
Benzene	ug/L	39		05/13/03	1	EPA8021
Toluene	ug/L	60		05/13/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/13/03	1	EPA8021
m + p Xylene	ug/L	26		05/13/03	2	EPA8021
o Xylene	ug/L	64		05/13/03	1	EPA8021

cc: Jeff Bohlen, EnviroTrac

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 18173 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232120.02 05/16/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristi Salafrio PO#:

SOURCE OF SAMPLE: 195 Pine Aire Drive, Bay Shore
SOURCE OF SAMPLE: #S8
COLLECTED BY: EnviroTrac DATE COL'D:05/01/03 RECEIVED:05/02/03

MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	96		05/13/03	1	EPA8021
Benzene	ug/L	8		05/13/03	1	EPA8021
Toluene	ug/L	< 1		05/13/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/13/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/13/03	2	EPA8021
o Xylene	ug/L	2		05/13/03	1	EPA8021

cc:Jeff Bohlen, EnviroTrac

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 18174 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232120.03 05/16/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristi Salafrio PO#:

SOURCE OF SAMPLE: 195 Pine Aire Drive, Bay Shore
SOURCE OF SAMPLE: #S8
COLLECTED BY: EnviroTrac DATE COL'D:05/01/03 RECEIVED:05/02/03

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	130		05/13/03	10	EPA8021
Benzene	ug/L	6		05/13/03	1	EPA8021
Toluene	ug/L	2		05/13/03	1	EPA8021
Ethyl Benzene	ug/L	3		05/13/03	1	EPA8021
m + p Xylene	ug/L	2		05/13/03	2	EPA8021
o Xylene	ug/L	3		05/13/03	1	EPA8021

cc:Jeff Bohlen, EnviroTrac

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 18175 NYSDOH ID # 10320

S-9	N/A	**Citgo (Coastal)**	236 Larkfield Rd	East Northport

S-10	N/A	**Brightside Auto (BP)**	71 Larkfield Rd	East Northport

S-11	N/A	**Laurel Svc Cntr**	69 Laurel Rd	East Northport

S-12	0225368	14	**Mobil**	450 Larkfield Rd	East Northport

5-12

TestAmerica
INCORPORATED

ANALYTICAL REPORT

GEOLOGIC SERVICES CORPORATION 10146
PATRICK WEST
20 PEACHTREE COURT, SUITE 201
HOLBROOK, NY 11741

Lab Number: 03-A34962
Sample ID: MW-1
Sample Type: Water
Site ID: 17-MG3

Project:
Project Name: EXXONMOBIL 17-MG3
Sampler:

Date Collected: 3/ 6/03
Time Collected: 10:00
Date Received: 3/ 7/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/L	1.0	1.0	3/11/03	20:26	D.Ramey	602	3469
Toluene	ND	ug/L	1.0	1.0	3/11/03	20:26	D.Ramey	602	3469
Ethylbenzene	ND	ug/L	1.0	1.0	3/11/03	20:26	D.Ramey	602	3469
Xylenes, total	ND	ug/L	1.0	1.0	3/11/03	20:26	D.Ramey	602	3469
Methyl-t-butylether	13.4	ug/L	1.0	1.0	3/11/03	20:26	D.Ramey	602	3469

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	99.	69. - 132.

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
# = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica
INCORPORATED

ANALYTICAL REPORT

GEOLOGIC SERVICES CORPORATION 10146
PATRICK WEST
20 PEACHTREE COURT, SUITE 201
HOLBROOK, NY 11741

Lab Number: 03-A34963
Sample ID: MW-2
Sample Type: Water
Site ID: 17-MG3

Project:
Project Name: EXXONMOBIL 17-MG3
Sampler:

Date Collected: 3/ 6/03
Time Collected: 10:30
Date Received: 3/ 7/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/L	1.0	1.0	3/11/03	20:58	D.Ramey	602	3469
Toluene	ND	ug/L	1.0	1.0	3/11/03	20:58	D.Ramey	602	3469
Ethylbenzene	ND	ug/L	1.0	1.0	3/11/03	20:58	D.Ramey	602	3469
Xylenes, total	ND	ug/L	1.0	1.0	3/11/03	20:58	D.Ramey	602	3469
Methyl-t-butylether	4.5	ug/L	1.0	1.0	3/11/03	20:58	D.Ramey	602	3469

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	99.	69. - 132.

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
# = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica
INCORPORATED

ANALYTICAL REPORT

GEOLOGIC SERVICES CORPORATION 10146
PATRICK WEST
20 PEACHTREE COURT, SUITE 201
HOLBROOK, NY 11741

Project:
Project Name: EXXONMOBIL 17-MG3
Sampler:

Lab Number: 03-A34964
Sample ID: MW-3
Sample Type: Water
Site ID: 17-MG3

Date Collected: 3/ 6/03
Time Collected: 10:45
Date Received: 3/ 7/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/L	1.0	1.0	3/11/03	21:29	D.Ramey	602	3469
Toluene	ND	ug/L	1.0	1.0	3/11/03	21:29	D.Ramey	602	3469
Ethylbenzene	ND	ug/L	1.0	1.0	3/11/03	21:29	D.Ramey	602	3469
Xylenes, total	ND	ug/L	1.0	1.0	3/11/03	21:29	D.Ramey	602	3469
Methyl-t-butylether	13.9	ug/L	1.0	1.0	3/11/03	21:29	D.Ramey	602	3469

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	99.	69. - 132.

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
# = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

S-13	0325164	16	**Amoco (Happy Bros)**	687 Fort Salonga Rd	Northport

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232432.01 05/30/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Amoco s/s, 687 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: #S-13
COLLECTED BY: EAR DATE COL'D:05/16/03 RECEIVED:05/19/03
TIME COL'D:1340

MATRIX:Water SAMPLE: MW-5

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/24/03	1	EPA8021
Benzene	ug/L	< 1		05/24/03	1	EPA8021
Toluene	ug/L	< 1		05/24/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/24/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/24/03	2	EPA8021
o Xylene	ug/L	< 1		05/24/03	1	EPA8021

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20475 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232432.02 05/30/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Amoco s/s, 687 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: #S-13
COLLECTED BY: EAR DATE COL'D:05/16/03 RECEIVED:05/19/03
TIME COL'D:1530

MATRIX:Water SAMPLE: MW-6

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	6		05/24/03	1	EPA8021
Benzene	ug/L	< 1		05/24/03	1	EPA8021
Toluene	ug/L	< 1		05/24/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/24/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/24/03	2	EPA8021
o Xylene	ug/L	< 1		05/24/03	1	EPA8021

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20476 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232432.03 05/30/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Amoco s/s, 687 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: #S-13
COLLECTED BY: EAR DATE COL'D:05/16/03 RECEIVED:05/19/03
TIME COL'D:1605

MATRIX:Water SAMPLE: MW-7

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	16		05/24/03	1	EPA8021
Benzene	ug/L	< 1		05/24/03	1	EPA8021
Toluene	ug/L	< 1		05/24/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/24/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/24/03	2	EPA8021
o Xylene	ug/L	< 1		05/24/03	1	EPA8021

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20477 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232432.04 05/30/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Amoco s/s, 687 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: #S-13
COLLECTED BY: EAR DATE COL'D:05/16/03 RECEIVED:05/19/03
TIME COL'D:1440

MATRIX:Water SAMPLE: MW-8

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/24/03	1	EPA8021
Benzene	ug/L	< 1		05/24/03	1	EPA8021
Toluene	ug/L	< 1		05/24/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/24/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/24/03	2	EPA8021
o Xylene	ug/L	< 1		05/24/03	1	EPA8021

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20478 NYSDOH ID # 10320

S-14	ND	**Getty**	831 Fort Salonga Rd	Northport

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232431.02 05/30/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Getty s/s, 831 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: #S-14
COLLECTED BY: EAR DATE COL'D:05/14/03 RECEIVED:05/19/03
TIME COL'D:0900

MATRIX:Water SAMPLE: MW-10

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/24/03	1	EPA8021
Benzene	ug/L	< 1		05/24/03	1	EPA8021
Toluene	ug/L	< 1		05/24/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/24/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/24/03	2	EPA8021
o Xylene	ug/L	< 1		05/24/03	1	EPA8021

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20472 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232431.03 05/30/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Getty s/s, 831 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: #S-14
COLLECTED BY: EAR DATE COL'D:05/14/03 RECEIVED:05/19/03
TIME COL'D:0848

MATRIX:Water SAMPLE: MW-11

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/24/03	1	EPA8021
Benzene	ug/L	< 1		05/24/03	1	EPA8021
Toluene	ug/L	< 1		05/24/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/24/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/24/03	2	EPA8021
o Xylene	ug/L	< 1		05/24/03	1	EPA8021

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20473 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232431.04 05/30/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Getty s/s, 831 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: #S-14
COLLECTED BY: EAR DATE COL'D:05/14/03 RECEIVED:05/19/03

MATRIX:Water SAMPLE: MW-12

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/24/03	1	EPA8021
Benzene	ug/L	< 1		05/24/03	1	EPA8021
Toluene	ug/L	< 1		05/24/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/24/03	1	EPA8021
m + p Xylene	ug/L	3		05/24/03	2	EPA8021
o Xylene	ug/L	< 1		05/24/03	1	EPA8021

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20474 NYSDOH ID # 10320

S-15	0225369	5	**Mobil (Vernon Valley Svc)**	840 Fort Salonga Rd	Northport

5-15

TestAmerica
ANALYTICAL TESTING CORPORATION
2960 Foster Creighton Drive • Nashville, Tennessee 37204
800-765-0980 • 615-726-3404 Fax

ANALYTICAL REPORT

GEOLOGIC SERVICES CORPORATION 10180
J WOLF
20 PEACHTREE CT, STE 201
HOLBROOK, NY 11741

Lab Number: 04-A103905
Sample ID: MW-3
Sample Type: Water
Site ID: 17-KAF

Date Collected: 6/30/04
Time Collected: 14:45
Date Received: 7/ 3/04
Time Received: 8:05

Project: 0302406
Project Name: EXXONMOBIL 17-KAF
Sampler: CORINNE FINNEGAN

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/l	1.0	1.0	7/ 9/04	22:29	A. Cobbs	602	8892
Toluene	ND	ug/l	1.0	1.0	7/ 9/04	22:29	A. Cobbs	602	8892
Ethylbenzene	ND	ug/l	1.0	1.0	7/ 9/04	22:29	A. Cobbs	602	8892
Xylenes, total	ND	ug/l	1.0	1.0	7/ 9/04	22:29	A. Cobbs	602	8892
Methyl-t-butylether	5.0	ug/l	1.0	1.0	7/ 9/04	22:29	A. Cobbs	602	8892

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	108.	62. - 136.

LABORATORY COMMENTS:
ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
# = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica
ANALYTICAL TESTING CORPORATION
2960 Foster Creighton Drive • Nashville, Tennessee 37204
800-765-0980 • 615-726-3404 Fax

ANALYTICAL REPORT

GEOLOGIC SERVICES CORPORATION 10180
JOHN WOLF
20 PEACHTREE CT, STE 201
HOLBROOK, NY 11741

Lab Number: 04-A91166
Sample ID: MW-2
Sample Type: Water
Site ID: 17-KAF

Date Collected: 6/14/04
Time Collected: 12:15
Date Received: 6/15/04
Time Received: 8:10

Project:
Project Name: EXXONMOBIL 17-KAF
Sampler: CORINNE FINNEGAN

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/l	1.0	1.0	6/19/04	13:28	I. Ahmed	602	7179
Toluene	ND	ug/l	1.0	1.0	6/19/04	13:28	I. Ahmed	602	7179
Ethylbenzene	ND	ug/l	1.0	1.0	6/19/04	13:28	I. Ahmed	602	7179
Xylenes, total	ND	ug/l	1.0	1.0	6/19/04	13:28	I. Ahmed	602	7179
Methyl-t-butylether	ND	ug/l	1.0	1.0	6/19/04	13:28	I. Ahmed	602	7179

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	88.	70. - 124.

LABORATORY COMMENTS:
ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
# = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica
ANALYTICAL TESTING CORPORATION
2960 Foster Creighton Drive • Nashville, Tennessee 37204
800-765-0980 • 615-726-3404 Fax

ANALYTICAL REPORT

GEOLOGIC SERVICES CORPORATION 10180
JOHN WOLF
20 PEACHTREE CT, STE 201
HOLBROOK, NY 11741

Lab Number: 04-A91165
Sample ID: MW-1
Sample Type: Water
Site ID: 17-KAF

Date Collected: 6/14/04
Time Collected: 11:45
Date Received: 6/15/04
Time Received: 8:10

Project:
Project Name: EXXONMOBIL 17-KAF
Sampler: CORINNE FINNEGAN

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/l	1.0	1.0	6/19/04	12:56	I. Ahmed	602	7179
Toluene	ND	ug/l	1.0	1.0	6/19/04	12:56	I. Ahmed	602	7179
Ethylbenzene	ND	ug/l	1.0	1.0	6/19/04	12:56	I. Ahmed	602	7179
Xylenes, total	ND	ug/l	1.0	1.0	6/19/04	12:56	I. Ahmed	602	7179
Methyl-t-butylether	1.3	ug/l	1.0	1.0	6/19/04	12:56	I. Ahmed	602	7179

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	89.	70. - 124.

LABORATORY COMMENTS:
ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
# = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

S-16	6	**Mobil**	539 Fort Salonga Rd	Northport

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232430.01 05/30/03

JUN 0 [illegible]

REC [illegible]

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Mobil s/s, 539 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: #S-16
COLLECTED BY: EAR DATE COL'D:05/14/03 RECEIVED:05/19/03
TIME COL'D:1125

MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/24/03	1	EPA8021
Benzene	ug/L	< 1		05/24/03	1	EPA8021
Toluene	ug/L	< 1		05/24/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/24/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/24/03	2	EPA8021
o Xylene	ug/L	< 1		05/24/03	1	EPA8021

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20467 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232430.02 05/30/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Mobil s/s, 539 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: #S-16
COLLECTED BY: EAR DATE COL'D:05/14/03 RECEIVED:05/19/03
TIME COL'D:1100

MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 5		05/24/03	5	EPA8021
Benzene	ug/L	< 5		05/24/03	5	EPA8021
Toluene	ug/L	< 5		05/24/03	5	EPA8021
Ethyl Benzene	ug/L	< 5		05/24/03	5	EPA8021
m + p Xylene	ug/L	< 10		05/24/03	10	EPA8021
o Xylene	ug/L	< 5		05/24/03	5	EPA8021

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20468 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232430.03 05/30/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Mobil s/s, 539 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: #S-16
COLLECTED BY: EAR DATE COL'D:05/14/03 RECEIVED:05/19/03
TIME COL'D:1145

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/24/03	1	EPA8021
Benzene	ug/L	< 1		05/24/03	1	EPA8021
Toluene	ug/L	< 1		05/24/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/24/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/24/03	2	EPA8021
o Xylene	ug/L	< 1		05/24/03	1	EPA8021

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20469 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232430.04 05/30/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Mobil s/s, 539 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: #S-16
COLLECTED BY: EAR DATE COL'D:05/14/03 RECEIVED:05/19/03
TIME COL'D:1316

MATRIX:Water SAMPLE: MW-4

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	6		05/24/03	1	EPA8021
Benzene	ug/L	< 1		05/24/03	1	EPA8021
Toluene	ug/L	< 1		05/24/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/24/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/24/03	2	EPA8021
o Xylene	ug/L	< 1		05/24/03	1	EPA8021

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20470 NYSDOH ID # 10320

S-17		N/A	**Texaco (Cow Harbor)**	351 Fort Salonga Rd	Northport

S-18	0325047	2	**Paul's Truck&Auto(K&H)**	1573 Islip Ave	Central Islip

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.243090.01 07/23/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Buildlng #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: 1573 Islip Ave., Central Islip
SOURCE OF SAMPLE: Grant Site S-18
COLLECTED BY: EAR DATE COL'D:07/21/04 RECEIVED:07/21/04
TIME COL'D:0950
MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		07/22/04	1	EPA602
Benzene	ug/L	< 1		07/22/04	1	EPA602
Toluene	ug/L	< 1		07/22/04	1	EPA602
Ethyl Benzene	ug/L	< 1		07/22/04	1	EPA602
m + p Xylene	ug/L	< 2		07/22/04	2	EPA602
o Xylene	ug/L	< 1		07/22/04	1	EPA602

cc:EAR, Donald Trego

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 28201 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.243090.02 07/23/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: 1573 Islip Ave., Central Islip
SOURCE OF SAMPLE: Grant Site S-18
COLLECTED BY: EAR DATE COL'D:07/21/04 RECEIVED:07/21/04
TIME COL'D:0936

MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		07/22/04	1	EPA602
Benzene	ug/L	< 1		07/22/04	1	EPA602
Toluene	ug/L	< 1		07/22/04	1	EPA602
Ethyl Benzene	ug/L	< 1		07/22/04	1	EPA602
m + p Xylene	ug/L	< 2		07/22/04	2	EPA602
o Xylene	ug/L	< 1		07/22/04	1	EPA602

cc:EAR, Donald Trego

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 28202 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.243090.03 07/23/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: 1573 Islip Ave., Central Islip
SOURCE OF SAMPLE: Grant Site S-18
COLLECTED BY: EAR DATE COL'D:07/21/04 RECEIVED:07/21/04
TIME COL'D:1005

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	2		07/22/04	1	EPA602
Benzene	ug/L	< 1		07/22/04	1	EPA602
Toluene	ug/L	< 1		07/22/04	1	EPA602
Ethyl Benzene	ug/L	< 1		07/22/04	1	EPA602
m + p Xylene	ug/L	< 2		07/22/04	2	EPA602
o Xylene	ug/L	< 1		07/22/04	1	EPA602

cc:EAR, Donald Trego

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 28203 NYSDOH ID # 10320

S-19	0325048	ND	**Amoco**	204 Wheeler Rd	Hauppauge

Chemtech Consulting Group

Volatiles

SW-846

SDG No.: R5433

Client: Impact Environmental

Sample ID:	R5433-01	Client ID:	03-335-MW-1
Date Collected:	12/16/03	Date Received:	12/18/03
Date Analyzed:	12/24/03	Matrix:	WATER
File ID:	S122417.RAW	Analytical Run ID:	VBB122303
Dilution:	1	Instrument ID:	GCVOA2
Analytical Method:	8021	Associated Blank:	VBB1224W4
Sample Wt/Vol:	5.0 Units: mL	Soil Extract Vol:	
Soil Aliquot Vol:		% Moisture:	100

Parameter	CAS Number	Concentration	C	RDL	MDL	Units
TARGETS						
MTBE	1634-04-4	< 0.7	U	5.0	0.7	ug/L
Benzene	71-43-2	< 0.4	U	5.0	0.4	ug/L
Toluene	108-88-3	< 0.3	U	5.0	0.3	ug/L
Ethyl Benzene	100-41-4	< 0.3	U	5.0	0.3	ug/L
m&p-Xylenes	136777-61-2	< 0.60	U	10	0.60	ug/L
o-Xylene	95-47-6	< 0.5	U	5.0	0.5	ug/L
Isopropylbenzene	98-82-8	< 0.5	U	5.0	0.5	ug/L
N-propylbenzene	103-61-5	< 0.4	U	5.0	0.4	ug/L
1,3,5-Trimethylbenzene	108-67-8	< 0.3	U	5.0	0.3	ug/L
tert-Butylbenzene	98-06-6	< 0.6	U	5.0	0.6	ug/L
1,2,4-Trimethylbenzene	95-63-6	< 0.6	U	5.0	0.6	ug/L
Sec-butylbenzene	135-98-8	< 0.5	U	5.0	0.5	ug/L
p-Isopropyltoluene	99-87-6	< 0.6	U	5.0	0.6	ug/L
n-Butylbenzene	104-51-8	< 0.7	U	5.0	0.7	ug/L
Naphthalene	91-20-3	< 0.9	U	5.0	0.9	ug/L
SURROGATES						
Bromochlorobenzene		29.053	97 %	40 - 160		SPK: 30

Chemtech Consulting Group

Volatiles

SW-846

SDG No.: R5433

Client: Impact Environmental

Sample ID:	R5433-02	Client ID:	03-335-MW-2
Date Collected:	12/16/03	Date Received:	12/18/03
Date Analyzed:	12/25/03	Matrix:	WATER
File ID:	S122418.RAW	Analytical Run ID:	VBB122303
Dilution:	1	Instrument ID:	GCVOA2
Analytical Method:	8021	Associated Blank:	VBB1224W4
Sample Wt/Vol:	5.0 Units: mL	Soil Extract Vol:	
Soil Aliquot Vol:		% Moisture:	100

Parameter	CAS Number	Concentration	C	RDL	MDL	Units
TARGETS						
MTBE	1634-04-4	< 0.7	U	5.0	0.7	ug/L
Benzene	71-43-2	< 0.4	U	5.0	0.4	ug/L
Toluene	108-88-3	< 0.3	U	5.0	0.3	ug/L
Ethyl Benzene	100-41-4	< 0.3	U	5.0	0.3	ug/L
m&p-Xylenes	136777-61-2	< 0.60	U	10	0.60	ug/L
o-Xylene	95-47-6	< 0.5	U	5.0	0.5	ug/L
Isopropylbenzene	98-82-8	< 0.5	U	5.0	0.5	ug/L
N-propylbenzene	103-61-5	< 0.4	U	5.0	0.4	ug/L
1,3,5-Trimethylbenzene	108-67-8	< 0.3	U	5.0	0.3	ug/L
tert-Butylbenzene	98-06-6	< 0.6	U	5.0	0.6	ug/L
1,2,4-Trimethylbenzene	95-63-6	< 0.6	U	5.0	0.6	ug/L
Sec-butylbenzene	135-98-8	< 0.5	U	5.0	0.5	ug/L
p-Isopropyltoluene	99-87-6	< 0.6	U	5.0	0.6	ug/L
n-Butylbenzene	104-51-8	< 0.7	U	5.0	0.7	ug/L
Napbthalene	91-20-3	< 0.9	U	5.0	0.9	ug/L
SURROGATES						
Bromochlorobenzene		29.334	98 %	40 - 160		SPK: 30

Chemtech Consulting Group

Volatiles

SW-846

SDG No.: R5433

Client: Impact Environmental

Sample ID:	R5433-03	Client ID:	03-335-MW-3
Date Collected:	12/16/03	Date Received:	12/18/03
Date Analyzed:	12/25/03	Matrix:	WATER
File ID:	S122419.RAW	Analytical Run ID:	VBB122303
Dilution:	1	Instrument ID:	GCVOA2
Analytical Method:	8021	Associated Blank:	VBB1224W4
Sample Wt/Vol:	5.0 Units: mL	Soil Extract Vol:	
Soil Aliquot Vol:		% Moisture:	100

Parameter	CAS Number	Concentration	C	RDL	MDL	Units
TARGETS						
MTBE	1634-04-4	< 0.7	U	5.0	0.7	ug/L
Benzene	71-43-2	< 0.4	U	5.0	0.4	ug/L
Toluene	108-88-3	< 0.3	U	5.0	0.3	ug/L
Ethyl Benzene	100-41-4	< 0.3	U	5.0	0.3	ug/L
m&p-Xylenes	136777-61-2	< 0.60	U	10	0.60	ug/L
o-Xylene	95-47-6	< 0.5	U	5.0	0.5	ug/L
Isopropylbenzene	98-82-8	< 0.5	U	5.0	0.5	ug/L
N-propylbenzene	103-61-5	< 0.4	U	5.0	0.4	ug/L
1,3,5-Trimethylbenzene	108-67-8	< 0.3	U	5.0	0.3	ug/L
tert-Butylbenzene	98-06-6	< 0.6	U	5.0	0.6	ug/L
1,2,4-Trimethylbenzene	95-63-6	< 0.6	U	5.0	0.6	ug/L
Sec-butylbenzene	135-98-8	< 0.5	U	5.0	0.5	ug/L
p-Isopropyltoluene	99-87-6	< 0.6	U	5.0	0.6	ug/L
n-Butylbenzene	104-51-8	< 0.7	U	5.0	0.7	ug/L
Naphthalene	91-20-3	< 0.9	U	5.0	0.9	ug/L
SURROGATES						
Bromochlorobenzene		26.837	89 %	40 - 160		SPK: 30