S-20	ND	**Exxon**	2309 Middle Country Rd	Centereach

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

RECEIVED MAY 28 2004 REG 1 - OIL SPILL

LAB NO.242145.01 05/21/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: MTBE Grant Site S-20, Exxon S/S, #G03-0134
SOURCE OF SAMPLE:
COLLECTED BY: MEG DATE COL'D:05/19/04 RECEIVED:05/19/04
TIME COL'D:am

MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/19/04	1	EPA602
Benzene	ug/L	< 1		05/19/04	1	EPA602
Toluene	ug/L	3		05/19/04	1	EPA602
Ethyl Benzene	ug/L	< 1		05/19/04	1	EPA602
m + p Xylene	ug/L	4		05/19/04	2	EPA602
o Xylene	ug/L	2		05/19/04	1	EPA602

cc:MEG, Louis Nardolillo

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20136 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.242145.02 05/21/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: MTBE Grant Site S-20, Exxon S/S, #G03-0134
SOURCE OF SAMPLE:
COLLECTED BY: MEG DATE COL'D:05/19/04 RECEIVED:05/19/04
TIME COL'D:am

MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/20/04	1	EPA602
Benzene	ug/L	< 1		05/20/04	1	EPA602
Toluene	ug/L	3		05/20/04	1	EPA602
Ethyl Benzene	ug/L	< 1		05/20/04	1	EPA602
m + p Xylene	ug/L	4		05/20/04	2	EPA602
o Xylene	ug/L	2		05/20/04	1	EPA602

cc:MEG, Louis Nardolillo

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20137 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.242145.03 05/21/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: MTBE Grant Site S-20, Exxon S/S, #G03-0134
SOURCE OF SAMPLE:
COLLECTED BY: MEG DATE COL'D:05/19/04 RECEIVED:05/19/04
TIME COL'D:am

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/20/04	1	EPA602
Benzene	ug/L	< 1		05/20/04	1	EPA602
Toluene	ug/L	2		05/20/04	1	EPA602
Ethyl Benzene	ug/L	< 1		05/20/04	1	EPA602
m + p Xylene	ug/L	< 2		05/20/04	2	EPA602
o Xylene	ug/L	< 1		05/20/04	1	EPA602

cc:MEG, Louis Nardolillo

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20138 NYSDOH ID # 10320

S-21		ND	**OK Petroleum**	2117 Middle Country Rd	Centereach

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

RECEIVED
JUN 0 9 2003
REG 1 - OIL SPILL

LAB NO.232489.01 06/03/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: OK Petroleum, 2117 Middle Country Rd, Centereach
SOURCE OF SAMPLE: #S-21
COLLECTED BY: MEG DATE COL'D:05/22/03 RECEIVED:05/22/03

MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/28/03	1	EPA8021
Benzene	ug/L	< 1		05/28/03	1	EPA8021
Toluene	ug/L	< 1		05/28/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/28/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/28/03	2	EPA8021
o Xylene	ug/L	< 1		05/28/03	1	EPA8021

cc:Lou Nardolillo, MEG

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20882 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232489.02 06/03/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: OK Petroleum, 2117 Middle Country Rd, Centereach
SOURCE OF SAMPLE: #S-21
COLLECTED BY: MEG DATE COL'D:05/22/03 RECEIVED:05/22/03

MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/28/03	1	EPA8021
Benzene	ug/L	< 1		05/28/03	1	EPA8021
Toluene	ug/L	< 1		05/28/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/28/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/28/03	2	EPA8021
o Xylene	ug/L	< 1		05/28/03	1	EPA8021

cc:Lou Nardolillo, MEG

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rp = 20883 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232489.03 06/03/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: OK Petroleum, 2117 Middle Country Rd, Centereach
SOURCE OF SAMPLE: #S-21
COLLECTED BY: MEG DATE COL'D:05/22/03 RECEIVED:05/22/03

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/28/03	1	EPA8021
Benzene	ug/L	< 1		05/28/03	1	EPA8021
Toluene	ug/L	< 1		05/28/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/28/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/28/03	2	EPA8021
o Xylene	ug/L	< 1		05/28/03	1	EPA8021

cc:Lou Nardolillo, MEG

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20884 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.232489.04 06/03/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: OK Petroleum, 2117 Middle Country Rd, Centereach
SOURCE OF SAMPLE: #S-21
COLLECTED BY: MEG DATE COL'D:05/22/03 RECEIVED:05/22/03

MATRIX:Water SAMPLE: MW-4

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/30/03	1	EPA8021
Benzene	ug/L	< 1		05/30/03	1	EPA8021
Toluene	ug/L	< 1		05/30/03	1	EPA8021
Ethyl Benzene	ug/L	< 1		05/30/03	1	EPA8021
m + p Xylene	ug/L	< 2		05/30/03	2	EPA8021
o Xylene	ug/L	< 1		05/30/03	1	EPA8021

cc:Lou Nardolillo, MEG

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20885 NYSDOH ID # 10320

S-22	0325506	**19,000**	**Mobil (First Svc Sta)**	2033 Middle Country Road	Centereach

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.240499.01 02/19/04

RECEIVED
FEB 2 4 2004
REG 1 - OIL SPILLS

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Mobil s/s-S22, 2033 Middle Country Road, Centreach
SOURCE OF SAMPLE: MTBE Grant, #G03-0134
COLLECTED BY: MEG DATE COL'D:02/11/04 RECEIVED:02/11/04
TIME COL'D:am

MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	67		02/12/04	10	EPA602
Benzene	ug/L	< 1		02/11/04	1	EPA602
Toluene	ug/L	< 1		02/11/04	1	EPA602
Ethyl Benzene	ug/L	< 1		02/11/04	1	EPA602
m + p Xylene	ug/L	< 2		02/11/04	2	EPA602
o Xylene	ug/L	< 1		02/11/04	1	EPA602

cc:MEG, Louis Nardolillo

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 4158 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.240499.02 02/19/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Mobil s/s-S22, 2033 Middle Country Road, Centreach
SOURCE OF SAMPLE: MTBE Grant, #G03-0134
COLLECTED BY: MEG DATE COL'D:02/11/04 RECEIVED:02/11/04
TIME COL'D:am

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	19000		02/12/04	2000	EPA602
Benzene	ug/L	< 100		02/11/04	1	EPA602
Toluene	ug/L	< 100		02/11/04	1	EPA602
Ethyl Benzene	ug/L	< 100		02/11/04	1	EPA602
m + p Xylene	ug/L	< 200		02/11/04	2	EPA602
o Xylene	ug/L	< 100		02/11/04	1	EPA602

cc:MEG, Louis Nardolillo

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 4159 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.240499.03 02/19/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Mobil s/s-S22, 2033 Middle Country Road, Centreach
SOURCE OF SAMPLE: MTBE Grant, #G03-0134
COLLECTED BY: MEG DATE COL'D:02/11/04 RECEIVED:02/11/04
TIME COL'D:am

MATRIX:Water SAMPLE: MW-4

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	35		02/11/04	1	EPA602
Benzene	ug/L	< 1		02/11/04	1	EPA602
Toluene	ug/L	< 1		02/11/04	1	EPA602
Ethyl Benzene	ug/L	< 1		02/11/04	1	EPA602
m + p Xylene	ug/L	< 2		02/11/04	2	EPA602
o Xylene	ug/L	< 1		02/11/04	1	EPA602

cc:MEG, Louis Nardolillo

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 4160 NYSDOH ID # 10320

S-23	0210623	2	**Shell**	2822 Middle Country Rd	Lake Grove

S-23

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-1		
Lab Sample ID:	N30759-1	Date Sampled:	01/15/03
Matrix:	AQ - Ground Water	Date Received:	01/16/03
Method:	SW846 8260B	Percent Solids:	n/a
Project:	NESINY:97436527, 2822 Middle Country Road, Lake Grove, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	I62648.D	1	01/18/03	MKP	n/a	n/a	VI2407
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable BTEX,MTBE,TBA,DIPE,TAME,ETBE

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	2.6	1.0	0.37	ug/l	
108-88-3	Toluene	1.3	1.0	0.41	ug/l	
100-41-4	Ethylbenzene	0.88	1.0	0.44	ug/l	J
1330-20-7	Xylene (total)	2.8	1.0	0.34	ug/l	
1634-04-4	Methyl Tert Butyl Ether	1.8	1.0	0.29	ug/l	
75-65-0	Tert Butyl Alcohol	ND	25	8.9	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.28	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	5.0	0.35	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.38	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		83-118%
17060-07-0	1,2-Dichloroethane-D4	97%		69-127%
2037-26-5	Toluene-D8	96%		82-119%
460-00-4	4-Bromofluorobenzene	104%		81-121%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-3		
Lab Sample ID:	N30759-3	Date Sampled:	01/15/03
Matrix:	AQ - Ground Water	Date Received:	01/16/03
Method:	SW846 8260B	Percent Solids:	n/a
Project:	NESINY:97436527, 2822 Middle Country Road, Lake Grove, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	I62681.D	1	01/19/03	MKP	n/a	n/a	VI2409
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable BTEX,MTBE,TBA,DIPE,TAME,ETBE

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.37	ug/l	
108-88-3	Toluene	ND	1.0	0.41	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.44	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.34	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.29	ug/l	
75-65-0	Tert Butyl Alcohol	ND	25	8.9	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.28	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	5.0	0.35	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.38	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		83-118%
17060-07-0	1,2-Dichloroethane-D4	101%		69-127%
2037-26-5	Toluene-D8	101%		82-119%
460-00-4	4-Bromofluorobenzene	103%		81-121%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-2		
Lab Sample ID:	N30759-2	Date Sampled:	01/15/03
Matrix:	AQ - Ground Water	Date Received:	01/16/03
Method:	SW846 8260B	Percent Solids:	n/a
Project:	NESINY:97436527, 2822 Middle Country Road, Lake Grove, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	162649.D	1	01/18/03	MKP	n/a	n/a	V12407
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable BTEX,MTBE,TBA,DIPE,TAME,ETBE

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.37	ug/l	
108-88-3	Toluene	ND	1.0	0.41	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.44	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.34	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.29	ug/l	
75-65-0	Tert Butyl Alcohol	ND	25	8.9	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.28	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	5.0	0.35	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.38	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		83-118%
17060-07-0	1,2-Dichloroethane-D4	95%		69-127%
2037-26-5	Toluene-D8	95%		82-119%
460-00-4	4-Bromofluorobenzene	101%		81-121%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

S-24	ND	**Texaco**	209 Smithtown Blvd	Nesconset

ECOTEST LABORATORIES, INC. ENVIRONMENTAL TES

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.236237.01 01/06/04

N.Y.S.- D.E.C., Bureau of Spill Repsonse
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Texaco S/s, 209 Smithtown Blvd., Nesconset, #S-24
SOURCE OF SAMPLE:
COLLECTED BY: GES DATE COL'D:12/26/03 RECEIVED:12/26/03
TIME COL'D:1100

MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		12/29/03	1	EPA602
Benzene	ug/L	< 1		12/29/03	1	EPA602
Toluene	ug/L	< 1		12/29/03	1	EPA602
Ethyl Benzene	ug/L	< 1		12/29/03	1	EPA602
m + p Xylene	ug/L	< 2		12/29/03	2	EPA602
o Xylene	ug/L	< 1		12/29/03	1	EPA602

cc:GES, Dawn Ruffini

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 53935 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.236237.02 01/06/04

N.Y.S.- D.E.C., Bureau of Spill Repsonse
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Texaco S/s, 209 Smithtown Blvd., Nesconset, #S-24
SOURCE OF SAMPLE:
COLLECTED BY: GES DATE COL'D:12/26/03 RECEIVED:12/26/03
TIME COL'D:1130

MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		12/29/03	1	EPA602
Benzene	ug/L	< 1		12/29/03	1	EPA602
Toluene	ug/L	< 1		12/29/03	1	EPA602
Ethyl Benzene	ug/L	< 1		12/29/03	1	EPA602
m + p Xylene	ug/L	< 2		12/29/03	2	EPA602
o Xylene	ug/L	< 1		12/29/03	1	EPA602

cc:GES, Dawn Ruffini

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 53936 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.236237.03 01/06/04

N.Y.S.- D.E.C., Bureau of Spill Repsonse
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Texaco S/s, 209 Smithtown Blvd., Nesconset, #S-24
SOURCE OF SAMPLE:
COLLECTED BY: GES DATE COL'D:12/26/03 RECEIVED:12/26/03
TIME COL'D:1030

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		12/29/03	1	EPA602
Benzene	ug/L	< 1		12/29/03	1	EPA602
Toluene	ug/L	< 1		12/29/03	1	EPA602
Ethyl Benzene	ug/L	< 1		12/29/03	1	EPA602
m + p Xylene	ug/L	< 2		12/29/03	2	EPA602
o Xylene	ug/L	< 1		12/29/03	1	EPA602

cc:GES, Dawn Ruffini

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 53937 NYSDOH ID # 10320

S-25	0313100	8	**Amoco**	679 Middle Country Rd	St. James

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-1		
Lab Sample ID:	N59702-4	Date Sampled:	02/13/04
Matrix:	AQ - Ground Water	Date Received:	02/14/04
Method:	SW846 8260B	Percent Solids:	n/a
Project:	DELTANYA: S/S 3625, 679 Jericho Turnpike, Saint James, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A79477.D	1	02/18/04	NM	n/a	n/a	VA2386
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA STARS List

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	0.83	1.0	0.21	ug/l	J
104-51-8	n-Butylbenzene	ND	5.0	0.23	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.41	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.20	ug/l	
100-41-4	Ethylbenzene	14.2	1.0	0.23	ug/l	
98-82-8	Isopropylbenzene	1.9	2.0	0.38	ug/l	J
99-87-6	p-Isopropyltoluene	ND	5.0	0.40	ug/l	
1634-04-4	Methyl Tert Butyl Ether	7.3	1.0	0.23	ug/l	
91-20-3	Naphthalene	3.6	5.0	1.2	ug/l	J
103-65-1	n-Propylbenzene	2.4	5.0	0.37	ug/l	J
108-88-3	Toluene	0.65	1.0	0.25	ug/l	J
95-63-6	1,2,4-Trimethylbenzene	4.7	5.0	0.17	ug/l	J
108-67-8	1,3,5-Trimethylbenzene	1.5	5.0	0.18	ug/l	J
	m,p-Xylene	15.0	1.0	0.35	ug/l	
95-47-6	o-Xylene	3.3	1.0	0.20	ug/l	
1330-20-7	Xylene (total)	18.3	1.0	0.20	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	94%		81-120%
17060-07-0	1,2-Dichloroethane-D4	98%		68-130%
2037-26-5	Toluene-D8	98%		83-116%
460-00-4	4-Bromofluorobenzene	100%		83-119%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST Laboratories

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-2		
Lab Sample ID:	N59702-3	Date Sampled:	02/13/04
Matrix:	AQ - Ground Water	Date Received:	02/14/04
Method:	SW846 8260B	Percent Solids:	n/a
Project:	DELTANYA: S/S 3625, 679 Jericho Turnpike, Saint James, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A79476.D	1	02/18/04	NM	n/a	n/a	VA2386
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA STARS List

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.21	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.23	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.41	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.38	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.40	ug/l	
1634-04-4	Methyl Tert Butyl Ether	8.2	1.0	0.23	ug/l	
91-20-3	Naphthalene	ND	5.0	1.2	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.37	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.17	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.18	ug/l	
	m,p-Xylene	ND	1.0	0.35	ug/l	
95-47-6	o-Xylene	ND	1.0	0.20	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.20	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	94%		81-120%
17060-07-0	1,2-Dichloroethane-D4	97%		68-130%
2037-26-5	Toluene-D8	98%		83-116%
460-00-4	4-Bromofluorobenzene	99%		83-119%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST Laboratories

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-3		
Lab Sample ID:	N59702-2	Date Sampled:	02/13/04
Matrix:	AQ - Ground Water	Date Received:	02/14/04
Method:	SW846 8260B	Percent Solids:	n/a
Project:	DELTANYA: S/S 3625, 679 Jericho Turnpike, Saint James, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A79479.D	25	02/18/04	NM	n/a	n/a	VA2386
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA STARS List

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	12.2	25	5.3	ug/l	J
104-51-8	n-Butylbenzene	20.6	130	5.8	ug/l	J
135-98-8	sec-Butylbenzene	11.2	130	10	ug/l	J
98-06-6	tert-Butylbenzene	ND	130	4.9	ug/l	
100-41-4	Ethylbenzene	1570	25	5.7	ug/l	
98-82-8	Isopropylbenzene	66.3	50	9.5	ug/l	
99-87-6	p-Isopropyltoluene	ND	130	10	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	25	5.7	ug/l	
91-20-3	Naphthalene	238	130	29	ug/l	
103-65-1	n-Propylbenzene	211	130	9.3	ug/l	
108-88-3	Toluene	2340	25	6.4	ug/l	
95-63-6	1,2,4-Trimethylbenzene	1790	130	4.3	ug/l	
108-67-8	1,3,5-Trimethylbenzene	592	130	4.6	ug/l	
	m,p-Xylene	6360	25	8.8	ug/l	
95-47-6	o-Xylene	3340	25	5.0	ug/l	
1330-20-7	Xylene (total)	9700	25	5.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	92%		81-120%
17060-07-0	1,2-Dichloroethane-D4	96%		68-130%
2037-26-5	Toluene-D8	98%		83-116%
460-00-4	4-Bromofluorobenzene	98%		83-119%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST Laboratories

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-4		
Lab Sample ID:	N59702-I	Date Sampled:	02/13/04
Matrix:	AQ - Ground Water	Date Received:	02/14/04
Method:	SW846 8260B	Percent Solids:	n/a
Project:	DELTANYA: S/S 3625, 679 Jericho Turnpike, Saint James, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A79659.D	50	02/24/04	NM	n/a	n/a	VA2394
Run #2	A79478.D	100	02/18/04	NM	n/a	n/a	VA2386

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA STARS List

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	19.6	50	11	ug/l	J
104-51-8	n-Butylbenzene	330	250	12	ug/l	
135-98-8	sec-Butylbenzene	177	250	20	ug/l	J
98-06-6	tert-Butylbenzene	ND	250	9.8	ug/l	
100-41-4	Ethylbenzeoe	5800	50	11	ug/l	
98-82-8	Isopropylbenzene	566	100	19	ug/l	
99-87-6	p-Isopropyltoluene	108	250	20	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	ND	50	11	ug/l	
91-20-3	Naphthalene	1630	250	58	ug/l	
103-65-1	n-Propylbenzene	1980	250	19	ug/l	
108-88-3	Toluene	5300	50	13	ug/l	
95-63-6	1,2,4-Trimethylbenzene	9730 [a]	500	17	ug/l	
108-67-8	1,3,5-Trimethylbenzene	4390	250	9.1	ug/l	
	m,p-Xylene	19800 [a]	100	35	ug/l	
95-47-6	o-Xylene	9300	50	10	ug/l	
1330-20-7	Xylene (total)	28300 [a]	100	20	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	92%	92%	81-120%
17060-07-0	1,2-Dichloroethane-D4	95%	98%	68-130%
2037-26-5	Toluene-D8	99%	99%	83-116%
460-00-4	4-Bromofluorobenzene	98%	98%	83-119%

(a) Result is from Run# 2

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST Laboratories

S-26	0325481	ND	**Gulf (A&A St. James)**	889 Middle Country Rd	St. James

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.240903.01 03/14/04

Received 3/22/04 Reg 1-Spills

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Gulf S/S, 889 Middle Country Road, St. James
SOURCE OF SAMPLE: Spill No. 03-25481. PIN No. SP 03057.
COLLECTED BY: Client DATE COL'D:03/05/04 RECEIVED:03/05/04
TIME COL'D:1400

MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		03/09/04	1	EPA602
Benzene	ug/L	< 1		03/09/04	1	EPA602
Toluene	ug/L	< 1		03/09/04	1	EPA602
Ethyl Benzene	ug/L	240		03/10/04	50	EPA602
m + p Xylene	ug/L	850		03/10/04	100	EPA602
o Xylene	ug/L	320		03/10/04	50	EPA602

cc:GES, Dawn Ruffini

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 8455 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.240903.02 03/14/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Gulf S/S, 889 Middle Country Road, St. James
SOURCE OF SAMPLE: Spill No. 03-25481. PIN No. SP 03057.
COLLECTED BY: Client DATE COL'D:03/05/04 RECEIVED:03/05/04
TIME COL'D:1425
MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		03/09/04	1	EPA602
Benzene	ug/L	< 1		03/09/04	1	EPA602
Toluene	ug/L	2900		03/10/04	50	EPA602
Ethyl Benzene	ug/L	2600		03/10/04	50	EPA602
m + p Xylene	ug/L	11000		03/10/04	100	EPA602
o Xylene	ug/L	4900		03/10/04	50	EPA602

cc:GES, Dawn Ruffini

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 8456 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.240903.03 03/14/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Gulf S/S, 889 Middle Country Road, St. James
SOURCE OF SAMPLE: Spill No. 03-25481. PIN No. SP 03057.
COLLECTED BY: Client DATE COL'D:03/05/04 RECEIVED:03/05/04
TIME COL'D:1450

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		03/09/04	1	EPA602
Benzene	ug/L	< 1		03/09/04	1	EPA602
Toluene	ug/L	80		03/09/04	1	EPA602
Ethyl Benzene	ug/L	200		03/10/04	50	EPA602
m + p Xylene	ug/L	1700		03/10/04	100	EPA602
o Xylene	ug/L	430		03/10/04	50	EPA602

cc:GES, Dawn Ruffini

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 8457 NYSDOH ID # 10320

S-27	9008701	5	**Sunoco**	1740 Middle Country Rd	Centereach

TABLE

Sunoco Service Station
1740 Middle Country Rd., Centereach, NY
DUNS 000074724
NYSDEC Spill# 90-08701

Groundwater Analytical Results (ug/l)
Monitoring Wells

Date	Parameter	MW1	MW2	MW3	MW4	MW5	MW6
03/20/03	Benzene	nd	nd	nd	nd	nd	nd
	Toluene	nd	nd	nd	nd	nd	nd
	Ethyl Benzene	nd	nd	nd	nd	nd	nd
	Xylene	nd	nd	nd	nd	nd	nd
	MTBE	**6.8**	**19**	**8**	**4.5**	**<1**	**<1**
	Total BTEX	**nd**	**nd**	**nd**	**nd**	**nd**	**nd**
09/16/03	Benzene	nd	nd	nd	nd	nd	nd
	Toluene	nd	nd	nd	nd	nd	nd
	Ethyl Benzene	nd	nd	nd	nd	nd	nd
	Xylene	nd	nd	nd	nd	nd	nd
	MTBE	**34**	**48**	**54**	**nd**	**nd**	**<1**
	Total BTEX	**nd**	**nd**	**nd**	**nd**	**nd**	**nd**
02/27/04	Benzene	nd	nd	nd	nd	nd	nd
	Toluene	nd	nd	nd	nd	nd	nd
	Ethyl Benzene	nd	nd	nd	nd	nd	nd
	Xylene	nd	nd	nd	nd	nd	nd
	MTBE	**<1**	**4**	**2**	**<1**	**2.3**	**<1**
	Total BTEX	**nd**	**nd**	**nd**	**nd**	**nd**	**nd**
09/01/04	Benzene	nd	nd	na	nd	nd	nd
	Toluene	nd	nd	-	nd	nd	nd
	Ethyl Benzene	nd	nd	-	nd	nd	nd
	Xylene	nd	nd	-	nd	nd	nd
	MTBE	**<1**	**1.6**	**-**	**nd**	**<1**	**nd**
	Total BTEX	**nd**	**nd**	**-**	**nd**	**nd**	**nd**
03/17/05	Benzene	nd	nd	na	nd	nd	na
	Toluene	nd	nd	-	nd	nd	-
	Ethyl Benzene	nd	nd	-	nd	nd	-
	Xylene	nd	nd	-	nd	nd	-
	MTBE	**<1**	**<1**	**-**	**nd**	**<1**	**-**
	Total BTEX	**nd**	**nd**	**-**	**nd**	**nd**	**-**

na- not accessible

S-28	0210370	ND	**Shell**	1537 Middle Country Rd	Centereach

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-1		
Lab Sample ID:	N30760-1	Date Sampled:	01/15/03
Matrix:	AQ - Ground Water	Date Received:	01/16/03
Method:	SW846 8260B	Percent Solids:	n/a
Project:	NESINY:97436526 Jericho Turnpike and Coleman Road, Centereach, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	162641.D	1	01/18/03	MKP	n/a	n/a	VI2407
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable BTEX,MTBE,TBA,DIPE,TAME,ETBE

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.37	ug/l	
108-88-3	Toluene	19.1	1.0	0.41	ug/l	
100-41-4	Ethylbenzene	14.1	1.0	0.44	ug/l	
1330-20-7	Xylene (total)	71.6	1.0	0.34	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.29	ug/l	
75-65-0	Tert Butyl Alcohol	ND	25	8.9	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.28	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	5.0	0.35	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.38	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		83-118%
17060-07-0	1,2-Dichloroethane-D4	98%		69-127%
2037-26-5	Toluene-D8	100%		82-119%
460-00-4	4-Bromofluorobenzene	103%		81-121%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-2		
Lab Sample ID:	N30760-2	Date Sampled:	01/15/03
Matrix:	AQ - Ground Water	Date Received:	01/16/03
Method:	SW846 8260B	Percent Solids:	n/a
Project:	NESINY:97436526 Jericho Turnpike and Coleman Road, Centereach, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	162642.D	10	01/18/03	MKP	n/a	n/a	V12407
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable BTEX,MTBE,TBA,DIPE,TAME,ETBE

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	10	3.7	ug/l	
108-88-3	Toluene	2560	10	4.1	ug/l	
100-41-4	Ethylbenzene	814	10	4.4	ug/l	
1330-20-7	Xylene (total)	4700	10	3.4	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	10	2.9	ug/l	
75-65-0	Tert Butyl Alcohol	ND	250	89	ug/l	
108-20-3	Di-Isopropyl ether	ND	50	2.8	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	50	3.5	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	50	3.8	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethaoe	98%		83-118%
17060-07-0	1,2-Dichloroethane-D4	98%		69-127%
2037-26-5	Toluene-D8	98%		82-119%
460-00-4	4-Bromofluorobenzene	105%		81-121%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-4		
Lab Sample ID:	N30760-3	Date Sampled:	01/15/03
Matrix:	AQ - Ground Water	Date Received:	01/16/03
Method:	SW846 8260B	Percent Solids:	n/a
Project:	NESINY:97436526 Jericho Turnpike and Coleman Road, Centereach, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	162645.D	20	01/18/03	MKP	n/a	n/a	VI2407
Run #2	162711.D	500	01/20/03	MKP	n/a	n/a	VI2411

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

Purgeable BTEX,MTBE,TBA,DIPE,TAME,ETBE

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	8180 [a]	500	190	ug/l	
108-88-3	Toluene	47900 [a]	500	200	ug/l	
100-41-4	Ethylbenzene	5120	20	8.8	ug/l	
1330-20-7	Xylene (total)	22400	20	6.9	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	20	5.8	ug/l	
75-65-0	Tert Butyl Alcohol	ND	500	180	ug/l	
108-20-3	Di-Isopropyl ether	ND	100	5.6	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	100	7.0	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	100	7.5	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%	98%	83-118%
17060-07-0	1,2-Dichloroethane-D4	95%	101%	69-127%
2037-26-5	Toluene-D8	97%	98%	82-119%
460-00-4	4-Bromofluorobenzene	105%	103%	81-121%

(a) Result is from Run# 2

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

S-29	0225404	**19,000**	**Getty (Morris & Sons)**	913 Portion Rd	Ronkonkoma

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
FRANK MASCOLO
900 PORTION ROAD
LAKE RONKONKOMA , NY
(631) 588-9276

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB#: 03040116 **SAMPLE ID#:** 03040116-001
PROJECT ID : 913 PORTION RD
SAMPLE ORIGIN : WELL # 1
MATRIX: NON-POTABLE WATER

COLLECT DATE AND TIME	DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
4/5/03 2:38 PM	4/7/03 6:27:36 PM	4/23/03	4/23/03

TEST: VOLATILE ORGANIC COMPOUNDS by GCMS **METHOD:** EPA 624

PARAMETER	RESULT	UNITS	QUALIFIER
Dichlorodifluoromethane	<500	µg/L	D2,Q1,Q5
Chloromethane	<500	µg/L	D2,Q1,Q5
Vinyl Chloride	<500	µg/L	D2,Q1,Q5
Bromomethane	<500	µg/L	D2,Q1,Q5
Chloroethane	<500	µg/L	D2,Q1,Q5
Trichlorofluoromethane	<500	µg/L	D2,Q1,Q5
1,1-Dichloroethene	<500	µg/L	D2,Q1,Q5
Methylene chloride	<500	µg/L	D2,Q1,Q5
Methyl-tert-butyl ether (MTBE)	49300	µg/L	D2,Q1,Q5
trans-1,2-Dichloroethene	<500	µg/L	D2,Q1,Q5
1,1-Dichloroethane	<500	µg/L	D2,Q1,Q5
cis-1,2-Dichloroethene	<500	µg/L	D2,Q1,Q5
Chloroform	<500	µg/L	D2,Q1,Q5
1,1,1-Trichloroethane	<500	µg/L	D2,Q1,Q5
Carbon Tetrachloride	<500	µg/L	D2,Q1,Q5
Benzene	3570	µg/L	D2,Q1,Q5
2-Chloroethyl vinyl ether	<500	µg/L	D2,Q1,Q5
1,2-Dichloroethane	<500	µg/L	D2,Q1,Q5
Trichloroethene	<500	µg/L	D2,Q1,Q5
1,2-Dichloropropane	<500	µg/L	D2,Q1,Q5
Bromodichloromethane	<500	µg/L	D2,Q1,Q5
cis 1,3-Dichloropropene	<500	µg/L	D2,Q1,Q5

John Pedneault
Lab Director

ND-None Detected

NYS ELAP #10224
MWBE #46075

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
FRANK MASCOLO
900 PORTION ROAD
LAKE RONKONKOMA , NY
(631) 588-9276

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB#: 03040116 **SAMPLE ID#:** 03040116-001
PROJECT ID : 913 PORTION RD
SAMPLE ORIGIN : WELL # 1
MATRIX: NON-POTABLE WATER

COLLECT DATE AND TIME	DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
4/5/03 2:38 PM	4/7/03 6:27:36 PM	4/23/03	4/23/03

TEST: VOLATILE ORGANIC COMPOUNDS by GCMS **METHOD:** EPA 624

PARAMETER	RESULT	UNITS	QUALIFIER
Toluene	7570	µg/L	D2,Q1,Q5
trans-1,3-Dichloropropane	<500	µg/L	D2,Q1,Q5
1,1,2-Trichloroethene	<500	µg/L	D2,Q1,Q5
Tetrachloroethene	<500	µg/L	D2,Q1,Q5
Dibromochloromethane	<500	µg/L	D2,Q1,Q5
Chlorobenzene	<500	µg/L	D2,Q1,Q5
Ethylbenzene	<500	µg/L	D2,Q1,Q5
m,p-Xylene	1290	µg/L	D2,Q1,Q5
o-Xylene	790	µg/L	D2,Q1,Q5
Bromoform	<500	µg/L	D2,Q1,Q5
1,1,2,2-Tetrachloroethane	<500	µg/L	D2,Q1,Q5
1,3-Dichlorobenzene	<500	µg/L	D2,Q1,Q5
p-Isopropyltoluene	<500	µg/L	D2,Q1,Q5
1,4-Dichlorobenzene	<500	µg/L	D2,Q1,Q5
1,2-Dichlorobenzene	<500	µg/L	D2,Q1,Q5

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
FRANK MASCOLO
900 PORTION ROAD
LAKE RONKONKOMA , NY
(631) 588-9276

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB#: 03040116 **SAMPLE ID#:** 03040116-002
PROJECT ID : 913 PORTION RD
SAMPLE ORIGIN : WELL # 2
MATRIX: NON-POTABLE WATER

COLLECT DATE AND TIME	DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
4/5/03 3:05 PM	4/7/03 6:27:36 PM	4/23/03	4/23/03

TEST: VOLATILE ORGANIC COMPOUNDS by GCMS **METHOD:** EPA 624

PARAMETER	RESULT	UNITS	QUALIFIER
Dichlorodifluoromethane	<1.0	µg/L	Q1,Q5
Chloromethane	<1.0	µg/L	Q1,Q5
Vinyl Chloride	<1.0	µg/L	Q1,Q5
Bromomethane	<1.0	µg/L	Q1,Q5
Chloroethane	<1.0	µg/L	Q1,Q5
Trichlorofluoromethane	<1.0	µg/L	Q1,Q5
1,1-Dichloroethene	<1.0	µg/L	Q1,Q5
Methylene chloride	<1.0	µg/L	Q1,Q5
Methyl-tert-butyl ether (MTBE)	17.0	µg/L	Q1,Q5
trans-1,2-Dichloroethene	<1.0	µg/L	Q1,Q5
1,1-Dichloroethane	<1.0	µg/L	Q1,Q5
cis-1,2-Dichloroethene	<1.0	µg/L	Q1,Q5
Chloroform	<1.0	µg/L	Q1,Q5
1,1,1-Trichloroethane	<1.0	µg/L	Q1,Q5
Carbon Tetrachloride	<1.0	µg/L	Q1,Q5
Benzene	4.17	µg/L	Q1,Q5
2-Chloroethyl vinyl ether	<1.0	µg/L	Q1,Q5
1,2-Dichloroethane	<1.0	µg/L	Q1,Q5
Trichloroethene	<1.0	µg/L	Q1,Q5
1,2-Dichloropropane	<1.0	µg/L	Q1,Q5
Bromodichloromethane	1.34	µg/L	Q1,Q5
cis 1,3-Dichloropropene	<1.0	µg/L	Q1,Q5

John Pedneault
Lab Director

ND-None Detected

NYS ELAP #10224
MWBE #46075

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
FRANK MASCOLO
900 PORTION ROAD
LAKE RONKONKOMA , NY
(631) 588-9276

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB#: 03040116 **SAMPLE ID#:** 03040116-002
PROJECT ID : 913 PORTION RD
SAMPLE ORIGIN : WELL # 2
MATRIX: NON-POTABLE WATER

COLLECT DATE AND TIME	DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
4/5/03 3:05 PM	4/7/03 6:27:36 PM	4/23/03	4/23/03

TEST: VOLATILE ORGANIC COMPOUNDS by GCMS **METHOD:** EPA 624

PARAMETER	RESULT	UNITS	QUALIFIER
Toluene	22.1	µg/L	Q1,Q5
trans-1,3-Dichloropropane	<1.0	µg/L	Q1,Q5
1,1,2-Trichloroethane	<1.0	µg/L	Q1,Q5
Tetrachloroethene	<1.0	µg/L	Q1,Q5
Dibromochloromethane	<1.0	µg/L	Q1,Q5
Chlorobenzene	<1.0	µg/L	Q1,Q5
Ethylbenzene	<1.0	µg/L	Q1,Q5
m,p-Xylene	7.6	µg/L	Q1,Q5
o-Xylene	3.35	µg/L	Q1,Q5
Bromoform	<1.0	µg/L	Q1,Q5
1,1,2,2-Tetrachloroethane	<1.0	µg/L	Q1,Q5
1,3-Dichlorobenzene	<1.0	µg/L	Q1,Q5
p-Isopropyltoluene	<1.0	µg/L	Q1,Q5
1,4-Dichlorobenzene	<1.0	µg/L	Q1,Q5
1,2-Dichlorobenzene	<1.0	µg/L	Q1,Q5

John Pedneault
Lab Director

ND-None Detected

NYS ELAP #10224
MWBE #46075

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
FRANK MASCOLO
900 PORTION ROAD
LAKE RONKONKOMA , NY
(631) 588-9276

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB#: 03040116 **SAMPLE ID#:** 03040116-003
PROJECT ID : 913 PORTION RD
SAMPLE ORIGIN : WELL # 3
MATRIX: NON-POTABLE WATER

COLLECT DATE AND TIME	DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
4/5/03 3:20 PM	4/7/03 6:27:36 PM	4/23/03	4/23/03

TEST: VOLATILE ORGANIC COMPOUNDS by GCMS **METHOD:** EPA 624

PARAMETER	RESULT	UNITS	QUALIFIER
Dichlorodifluoromethane	<1.0	µg/L	Q1,Q5
Chloromethane	<1.0	µg/L	Q1,Q5
Vinyl Chloride	<1.0	µg/L	Q1,Q5
Bromomethane	<1.0	µg/L	Q1,Q5
Chloroethane	<1.0	µg/L	Q1,Q5
Trichlorofluoromethane	<1.0	µg/L	Q1,Q5
1,1-Dichloroethene	<1.0	µg/L	Q1,Q5
Methylene chloride	<1.0	µg/L	Q1,Q5
Methyl-tert-butyl ether (MTBE)	<1.0	µg/L	Q1,Q5
trans-1,2-Dichloroethene	<1.0	µg/L	Q1,Q5
1,1-Dichloroethane	<1.0	µg/L	Q1,Q5
cis-1,2-Dichloroethene	<1.0	µg/L	Q1,Q5
Chloroform	<1.0	µg/L	Q1,Q5
1,1,1-Trichloroethane	<1.0	µg/L	Q1,Q5
Carbon Tetrachloride	<1.0	µg/L	Q1,Q5
Benzene	<1.0	µg/L	Q1,Q5
2-Chloroethyl vinyl ether	<1.0	µg/L	Q1,Q5
1,2-Dichloroethane	<1.0	µg/L	Q1,Q5
Trichloroethene	<1.0	µg/L	Q1,Q5
1,2-Dichloropropane	<1.0	µg/L	Q1,Q5
Bromodichloromethane	2.24	µg/L	Q1,Q5
cis 1,3-Dichloropropene	<1.0	µg/L	Q1,Q5

John Pedneault
Lab Director

ND-None Detected

NYS ELAP #10224
MWBE #46075

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
FRANK MASCOLO
900 PORTION ROAD
LAKE RONKONKOMA , NY
(631) 588-9276

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB#: 03040116 **SAMPLE ID#:** 03040116-003
PROJECT ID : 913 PORTION RD
SAMPLE ORIGIN : WELL # 3
MATRIX: NON-POTABLE WATER

COLLECT DATE AND TIME	DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
4/5/03 3:20 PM	4/7/03 6:27:36 PM	4/23/03	4/23/03

TEST: VOLATILE ORGANIC COMPOUNDS by GCMS **METHOD:** EPA 624

PARAMETER	RESULT	UNITS	QUALIFIER
Toluene	2.87	µg/L	Q1,Q5
trans-1,3-Dichloropropane	<1.0	µg/L	Q1,Q5
1,1,2-Trichloroethane	<1.0	µg/L	Q1,Q5
Tetrachloroethene	<1.0	µg/L	Q1,Q5
Dibromochloromethane	1.88	µg/L	Q1,Q5
Chlorobenzene	<1.0	µg/L	Q1,Q5
Ethylbenzene	<1.0	µg/L	Q1,Q5
m,p-Xylene	1.08	µg/L	Q1,Q5
o-Xylene	<1.0	µg/L	Q1,Q5
Bromoform	<1.0	µg/L	Q1,Q5
1,1,2,2-Tetrachloroethane	<1.0	µg/L	Q1,Q5
1,3-Dichlorobenzene	<1.0	µg/L	Q1,Q5
p-Isopropyltoluene	<1.0	µg/L	Q1,Q5
1,4-Dichlorobenzene	<1.0	µg/L	Q1,Q5
1,2-Dichlorobenzene	<1.0	µg/L	Q1,Q5

John Pedneault
Lab Director

ND-None Detected

NYS ELAP #10224
MWBE #46075

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
FRANK MASCOLO
900 PORTION ROAD
LAKE RONKONKOMA , NY
(631) 588-9276

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB#: 03040116 **SAMPLE ID#:** 03040116-004
PROJECT ID : 913 PORTION RD
SAMPLE ORIGIN : WELL # 4
MATRIX: NON-POTABLE WATER

COLLECT DATE AND TIME	DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
4/5/03 3:42 PM	4/7/03 6:27:36 PM	4/23/03	4/23/03

TEST: VOLATILE ORGANIC COMPOUNDS by GCMS **METHOD:** EPA 624

PARAMETER	RESULT	UNITS	QUALIFIER
Dichlorodifluoromethane	<1.0	µg/L	Q1,Q5,Q12
Chloromethane	<1.0	µg/L	Q1,Q5,Q12
Vinyl Chloride	<1.0	µg/L	Q1,Q5,Q12
Bromomethane	<1.0	µg/L	Q1,Q5,Q12
Chloroethane	<1.0	µg/L	Q1,Q5,Q12
Trichlorofluoromethane	<1.0	µg/L	Q1,Q5,Q12
1,1-Dichloroethene	<1.0	µg/L	Q1,Q5,Q12
Methylene chloride	<1.0	µg/L	Q1,Q5,Q12
Methyl-teri-butyl ether (MTBE)	2.72	µg/L	Q1,Q5,Q12
trans-1,2-Dichloroethene	<1.0	µg/L	Q1,Q5,Q12
1,1-Dichloroethane	<1.0	µg/L	Q1,Q5,Q12
cis-1,2-Dichloroethene	<1.0	µg/L	Q1,Q5,Q12
Chloroform	<1.0	µg/L	Q1,Q5,Q12
1,1,1-Trichloroethane	<1.0	µg/L	Q1,Q5,Q12
Carbon Tetrachloride	<1.0	µg/L	Q1,Q5,Q12
Benzene	<1.0	µg/L	Q1,Q5,Q12
2-Chloroethyl vinyl ether	<1.0	µg/L	Q1,Q5,Q12
1,2-Dichloroethane	<1.0	µg/L	Q1,Q5,Q12
Trichloroethene	<1.0	µg/L	Q1,Q5,Q12
1,2-Dichloropropane	<1.0	µg/L	Q1,Q5,Q12
Bromodichloromethane	<1.0	µg/L	Q1,Q5,Q12
cis 1,3-Dichloropropene	<1.0	µg/L	Q1,Q5,Q12

John Pedneault
Lab Director

ND-None Detected

NYS ELAP #10224
MWBE #46075

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
FRANK MASCOLO
900 PORTION ROAD
LAKE RONKONKOMA , NY
(631) 588-9276

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB#: 03040116 **SAMPLE ID#:** 03040116-004
PROJECT ID : 913 PORTION RD
SAMPLE ORIGIN : WELL # 4
MATRIX: NON-POTABLE WATER

COLLECT DATE AND TIME	DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
4/5/03 3:42 PM	4/7/03 6:27:36 PM	4/23/03	4/23/03

TEST: VOLATILE ORGANIC COMPOUNDS by GCMS **METHOD:** EPA 624

PARAMETER	RESULT	UNITS	QUALIFIER
Toluene	1.81	µg/L	Q1,Q5,Q12
trans-1,3-Dichloropropane	<1.0	µg/L	Q1,Q5,Q12
1,1,2-Trichloroethane	<1.0	µg/L	Q1,Q5,Q12
Tetrachloroethene	<1.0	µg/L	Q1,Q5,Q12
Dibromochloromethane	<1.0	µg/L	Q1,Q5,Q12
Chlorobenzene	<1.0	µg/L	Q1,Q5,Q12
Ethylbenzene	<1.0	µg/L	Q1,Q5,Q12
m,p-Xylene	1.34	µg/L	Q1,Q5,Q12
o-Xylene	<1.0	µg/L	Q1,Q5,Q12
Bromoform	<1.0	µg/L	Q1,Q5,Q12
1,1,2,2-Tetrachloroethane	<1.0	µg/L	Q1,Q5,Q12
1,3-Dichlorobenzene	<1.0	µg/L	Q1,Q5,Q12
p-Isopropyltoluene	<1.0	µg/L	Q1,Q5,Q12
1,4-Dichlorobenzene	<1.0	µg/L	Q1,Q5,Q12
1,2-Dichlorobenzene	<1.0	µg/L	Q1,Q5,Q12

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
FRANK MASCOLO
900 PORTION ROAD
LAKE RONKONKOMA , NY
(631) 588-9276

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB#: 03040116 **SAMPLE ID#:** 03040116-005
PROJECT ID : 913 PORTION RD
SAMPLE ORIGIN : WELL # 5
MATRIX: NON-POTABLE WATER

COLLECT DATE AND TIME	DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
4/5/03 4:30 PM	4/7/03 6:27:36 PM	4/23/03	4/23/03

TEST: VOLATILE ORGANIC COMPOUNDS by GCMS **METHOD:** EPA 624

PARAMETER	RESULT	UNITS	QUALIFIER
Dichlorodifluoromethane	<1.0	µg/L	Q1,Q5
Chloromethane	<1.0	µg/L	Q1,Q5
Vinyl Chloride	<1.0	µg/L	Q1,Q5
Bromomethane	<1.0	µg/L	Q1,Q5
Chloroethane	<1.0	µg/L	Q1,Q5
Trichlorofluoromethane	<1.0	µg/L	Q1,Q5
1,1-Dichloroethene	<1.0	µg/L	Q1,Q5
Methylene chloride	<1.0	µg/L	Q1,Q5
Methyl-tert-butyl ether (MTBE)	<1.0	µg/L	Q1,Q5
trans-1,2-Dichloroethene	<1.0	µg/L	Q1,Q5
1,1-Dichloroethane	<1.0	µg/L	Q1,Q5
cis-1,2-Dichloroethene	<1.0	µg/L	Q1,Q5
Chloroform	<1.0	µg/L	Q1,Q5
1,1,1-Trichloroethane	<1.0	µg/L	Q1,Q5
Cerbon Tetrachloride	<1.0	µg/L	Q1,Q5
Benzene	<1.0	µg/L	Q1,Q5
2-Chloroethyl vinyl ether	<1.0	µg/L	Q1,Q5
1,2-Dichloroethane	<1.0	µg/L	Q1,Q5
Trichloroethene	<1.0	µg/L	Q1,Q5
1,2-Dichloropropane	<1.0	µg/L	Q1,Q5
Bromodichloromethane	<1.0	µg/L	Q1,Q5
cis 1,3-Dichloropropene	<1.0	µg/L	Q1,Q5

John Pedneault
Lab Director

ND-None Detected

NYS ELAP #10224
MWBE #46075

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
FRANK MASCOLO
900 PORTION ROAD
LAKE RONKONKOMA , NY
(631) 588-9276

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB#: 03040116 **SAMPLE ID#:** 03040116-005
PROJECT ID : 913 PORTION RD
SAMPLE ORIGIN : WELL # 5
MATRIX: NON-POTABLE WATER

COLLECT DATE AND TIME	DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
4/5/03 4:30 PM	4/7/03 6:27:36 PM	4/23/03	4/23/03

TEST: VOLATILE ORGANIC COMPOUNDS by GCMS **METHOD:** EPA 624

PARAMETER	RESULT	UNITS	QUALIFIER
Toluene	<1.0	µg/L	Q1,Q5
trans-1,3-Dichloropropane	<1.0	µg/L	Q1,Q5
1,1,2-Trichloroethane	<1.0	µg/L	Q1,Q5
Tetrachloroethene	<1.0	µg/L	Q1,Q5
Dibromochloromethane	<1.0	µg/L	Q1,Q5
Chlorobenzene	<1.0	µg/L	Q1,Q5
Ethylbenzene	<1.0	µg/L	Q1,Q5
m,p-Xylene	<1.0	µg/L	Q1,Q5
o-Xylene	<1.0	µg/L	Q1,Q5
Bromoform	<1.0	µg/L	Q1,Q5
1,1,2,2-Tetrachloroethane	<1.0	µg/L	Q1,Q5
1,3-Dichlorobenzene	<1.0	µg/L	Q1,Q5
p-Isopropyltoluene	<1.0	µg/L	Q1,Q5
1,4-Dichlorobenzene	<1.0	µg/L	Q1,Q5
1,2-Dichlorobenzene	<1.0	µg/L	Q1,Q5

John Pedneault
Lab Director

ND-None Detected

NYS ELAP #10224
MWBE #46075

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
FRANK MASCOLO
900 PORTION ROAD
LAKE RONKONKOMA , NY
(631) 588-9276

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB#: 03040116 **SAMPLE ID#:** 03040116-006
PROJECT ID : 913 PORTION RD
SAMPLE ORIGIN : WELL # 6
MATRIX: NON-POTABLE WATER

COLLECT DATE AND TIME	DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
4/5/03 5:30 PM	4/7/03 6:27:36 PM	4/23/03	4/23/03

TEST: VOLATILE ORGANIC COMPOUNDS by GCMS **METHOD:** EPA 624

PARAMETER	RESULT	UNITS	QUALIFIER
Dichlorodifluoromethane	<1.0	µg/L	Q1,Q5
Chloromethane	<1.0	µg/L	Q1,Q5
Vinyl Chloride	<1.0	µg/L	Q1,Q5
Bromomethane	<1.0	µg/L	Q1,Q5
Chloroethane	<1.0	µg/L	Q1,Q5
Trichlorofluoromethane	<1.0	µg/L	Q1,Q5
1,1-Dichloroethene	<1.0	µg/L	Q1,Q5
Methylene chloride	<1.0	µg/L	Q1,Q5
Methyl-tert-butyl ether (MTBE)	4.87	µg/L	Q1,Q5
trans-1,2-Dichloroethene	<1.0	µg/L	Q1,Q5
1,1-Dichloroethane	<1.0	µg/L	Q1,Q5
cis-1,2-Dichloroethene	<1.0	µg/L	Q1,Q5
Chloroform	<1.0	µg/L	Q1,Q5
1,1,1-Trichloroethane	<1.0	µg/L	Q1,Q5
Carbon Tetrachloride	<1.0	µg/L	Q1,Q5
Benzene	<1.0	µg/L	Q1,Q5
2-Chloroethyl vinyl ether	<1.0	µg/L	Q1,Q5
1,2-Dichloroethane	<1.0	µg/L	Q1,Q5
Trichloroethene	<1.0	µg/L	Q1,Q5
1,2-Dichloropropane	<1.0	µg/L	Q1,Q5
Bromodichloromethane	2.77	µg/L	Q1,Q5
cis 1,3-Dichloropropene	<1.0	µg/L	Q1,Q5

John Pedneault
Lab Director

ND-None Detected

NYS ELAP #10224
MWBE #46075

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
FRANK MASCOLO
900 PORTION ROAD
LAKE RONKONKOMA , NY
(631) 588-9276

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB#: 03040116 **SAMPLE ID#:** 03040116-006
PROJECT ID : 913 PORTION RD
SAMPLE ORIGIN : WELL # 6
MATRIX: NON-POTABLE WATER

COLLECT DATE AND TIME	DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
4/5/03 5:30 PM	4/7/03 6:27:36 PM	4/23/03	4/23/03

TEST: VOLATILE ORGANIC COMPOUNDS by GCMS **METHOD:** EPA 624

PARAMETER	RESULT	UNITS	QUALIFIER
Toluene	<1.0	µg/L	Q1,Q5
trans-1,3-Dichloropropane	<1.0	µg/L	Q1,Q5
1,1,2-Trichloroethane	<1.0	µg/L	Q1,Q5
Tetrachloroethene	<1.0	µg/L	Q1,Q5
Dibromochloromethane	2.59	µg/L	Q1,Q5
Chlorobenzene	<1.0	µg/L	Q1,Q5
Ethylbenzene	<1.0	µg/L	Q1,Q5
m,p-Xylene	<1.0	µg/L	Q1,Q5
o-Xylene	<1.0	µg/L	Q1,Q5
Bromoform	<1.0	µg/L	Q1,Q5
1,1,2,2-Tetrachloroethane	<1.0	µg/L	Q1,Q5
1,3-Dichlorobenzene	<1.0	µg/L	Q1,Q5
p-Isopropyltoluene	<1.0	µg/L	Q1,Q5
1,4-Dichlorobenzene	<1.0	µg/L	Q1,Q5
1,2-Dichlorobenzene	<1.0	µg/L	Q1,Q5

John Pedneault
Lab Director

ND-None Detected

NYS ELAP #10224
MWBE #46075

S-30	0425015	11	**Amoco (J&J Svc Sta)**	1090 Portion Rd	Ronkonkoma

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.241392.01 04/08/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Amoco S/S, 1090 Portion Road, Farmingville
SOURCE OF SAMPLE: Job #S-30
COLLECTED BY: GES DATE COL'D:04/05/04 RECEIVED:04/05/04
TIME COL'D:1213

MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		04/06/04	1	EPA602
Benzene	ug/L	< 1		04/06/04	1	EPA602
Toluene	ug/L	< 1		04/06/04	1	EPA602
Ethyl Benzene	ug/L	< 1		04/06/04	1	EPA602
m + p Xylene	ug/L	< 2		04/06/04	2	EPA602
o Xylene	ug/L	< 1		04/06/04	1	EPA602

cc:GES, Dawn Ruffini

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 13261 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.241392.02 04/08/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Amoco S/S, 1090 Portion Road, Farmingville
SOURCE OF SAMPLE: Job #S-30
COLLECTED BY: GES DATE COL'D:04/05/04 RECEIVED:04/05/04
TIME COL'D:1243
MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		04/06/04	1	EPA602
Benzene	ug/L	< 1		04/06/04	1	EPA602
Toluene	ug/L	< 1		04/06/04	1	EPA602
Ethyl Benzene	ug/L	< 1		04/06/04	1	EPA602
m + p Xylene	ug/L	< 2		04/06/04	2	EPA602
o Xylene	ug/L	< 1		04/06/04	1	EPA602

cc:GES, Dawn Ruffini

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 13262 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.241392.03 04/08/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Amoco S/S, 1090 Portion Road, Farmingville
SOURCE OF SAMPLE: Job #S-30
COLLECTED BY: FAR DATE COL'D:04/05/04 RECEIVED:04/05/04

MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	11		04/06/04	1	EPA602
Benzene	ug/L	< 1		04/06/04	1	EPA602
Toluene	ug/L	< 1		04/06/04	1	EPA602
Ethyl Benzene	ug/L	< 1		04/06/04	1	EPA602
m + p Xylene	ug/L	< 2		04/06/04	2	EPA602
o Xylene	ug/L	< 1		04/06/04	1	EPA602

cc:GES, Dawn Ruffini

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 13263 NYSDOH ID # 10320

S-31	3	**Sunoco**	1080 Main St	Holbrook

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.235977.01 12/19/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Delta s/s, 1080 Main Street, Holbrook
SOURCE OF SAMPLE: #S-31
COLLECTED BY: EnviroTrac DATE COL'D:12/10/03 RECEIVED:12/10/03
TIME COL'D:0930

MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	2		12/10/03	1	EPA602
Benzene	ug/L	< 1		12/10/03	1	EPA602
Toluene	ug/L	< 1		12/10/03	1	EPA602
Ethyl Benzene	ug/L	< 1		12/10/03	1	EPA602
m + p Xylene	ug/L	< 2		12/10/03	2	EPA602
o Xylene	ug/L	< 1		12/10/03	1	EPA602

cc:Jeff Bohlen, EnviroTrac

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 51685 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.235977.02 12/19/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Delta s/s, 1080 Main Street, Holbrook
SOURCE OF SAMPLE: #S-31
COLLECTED BY: EnviroTrac DATE COL'D:12/10/03 RECEIVED:12/10/03
TIME COL'D:1030

MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		12/10/03	1	EPA602
Benzene	ug/L	< 1		12/10/03	1	EPA602
Toluene	ug/L	< 1		12/10/03	1	EPA602
Ethyl Benzene	ug/L	< 1		12/10/03	1	EPA602
m + p Xylene	ug/L	< 2		12/10/03	2	EPA602
o Xylene	ug/L	< 1		12/10/03	1	EPA602

cc:Jeff Bohlen, EnviroTrac

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 51686 NYSDOH ID # 10320

S-32	0325013	1,750	**Empire (Bohemia Auto)**	4173 Veterans Hwy	Ronkonkoma

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, P.O. BOX 205
BOHEMIA, N.Y. 11716
Tel: (631) 467-8477 Fax: (631) 467-6905

Environmental Testing Laboratories
web: www.e-ptl.com
e-mail: info@e-ptl.com

AMERICA'S TEST LAB!

Prepared Exclusively For:
BERNINGER ENVIRONMENTAL, INC.
1615 NINTH AVE.
BOHEMIA , NY 11716
(631) 588-2251
PO # 4111083 JOB # 02-470

LAB NUMBER: 04110047

PROJECT ID : EMPIRE S/S, RONKOKOMA

COLLECTOR: CLIENT

DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
11/3/04 5:16:50 PM	11/12/04	11/12/04

SAMPLE ID#: 04110047-001 **COLLECT DATE:** 11/3/04 **COLLECT TIME:**

SAMPLE ORIGIN: MW - 1 **MATRIX:** NON-POTABLE WATER

TEST: PURGEABLE AROMATICS **METHOD:** EPA 602 + MTBE

PARAMETER	RESULT	UNITS	QUALIFIER	ANALYSIS DATE	ANALYST
MTBE	187	µg/L	N7,D2	11/9/04	J.B.
Benzene	21.5	µg/L	D2	11/9/04	J.B.
Toluene	<2.5	µg/L	D2	11/9/04	J.B.
Chlorobenzene	<2.5	µg/L	D2	11/9/04	J.B.
Ethylbenzene	<2.5	µg/L	D2	11/9/04	J.B.
Total Xylene	31.2	µg/L	D2	11/9/04	J.B.
Total Dichlorobenzene	34.2	µg/L	B4,D2	11/9/04	J.B.

John Pedneault
Lab Director

NYS ELAP #10224
MWBE #46075
Reportw/TestHeader602

Prepared Exclusively For:	**LAB NUMBER:** 04110047
BERNINGER ENVIRONMENTAL, INC. 1615 NINTH AVE. BOHEMIA , NY 11716 (631) 588-2251 PO # 4111083 JOB # 02-470	**PROJECT ID :** EMPIRE S/S, RONKOKOMA **COLLECTOR:** CLIENT

DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
11/3/04 5:16:50 PM	11/12/04	11/12/04

SAMPLE ID#: 04110047-002 **COLLECT DATE:** 11/3/04 **COLLECT TIME:**

SAMPLE ORIGIN: MW - 2 **MATRIX:** NON-POTABLE WATER

TEST: PURGEABLE AROMATICS **METHOD:** EPA 602 + MTBE

PARAMETER	RESULT	UNITS	QUALIFIER	ANALYSIS DATE	ANALYST
MTBE	1750	µg/L	N7,D2	11/9/04	J.B.
Benzene	111	µg/L	D2	11/9/04	J.B.
Toluene	46.2	µg/L	D2	11/9/04	J.B.
Chlorobenzene	<12.5	µg/L	D2	11/9/04	J.B.
Ethylbenzene	90.2	µg/L	D2	11/9/04	J.B.
Total Xylene	459	µg/L	D2	11/9/04	J.B.
Total Dichlorobenzene	143	µg/L	B4,D2	11/9/04	J.B.

John Pedneault
Lab Director

NYS ELAP #10224
MWBE #46075

Reportw/TestHeader602

Prepared Exclusively For:
BERNINGER ENVIRONMENTAL, INC.
1615 NINTH AVE.
BOHEMIA . NY 11716
(631) 588-2251
PO # 4111083 JOB # 02-470

LAB NUMBER: 04110047

PROJECT ID : EMPIRE S/S, RONKOKOMA

COLLECTOR: CLIENT

DATE AND TIME RECEIVED	RELEASE DATE	REPORT DATE
11/3/04 5:16:50 PM	11/12/04	11/12/04

SAMPLE ID#: 04110047-003 **COLLECT DATE:** 11/3/04 **COLLECT TIME:**

SAMPLE ORIGIN: MW - 3 **MATRIX:** NON-POTABLE WATER

TEST: PURGEABLE AROMATICS **METHOD:** EPA 602 + MTBE

PARAMETER	RESULT	UNITS	QUALIFIER	ANALYSIS DATE	ANALYST
MTBE	240	µg/L	N7,D2	11/9/04	J.B.
Benzene	8.94	µg/L	D2	11/9/04	J.B.
Toluene	<2.5	µg/L	D2	11/9/04	J.B.
Chlorobenzene	<2.5	µg/L	D2	11/9/04	J.B.
Ethylbenzene	<2.5	µg/L	D2	11/9/04	J.B.
Total Xylene	<2.5	µg/L	D2	11/9/04	J.B.
Total Dichlorobenzene	8.15	µg/L	B4,D2	11/9/04	J.B.

John Pedneault
Lab Director

Pedneault Associates, Inc.

NYS ELAP #10224
MWBE #46075
Reportw/TestHeader602