S-33	N/A	**Angelo Svc Sta**	1360 Lincoln Ave	Holbrook

S-34	ND	**Getty**	3821 Veterans Mem Hwy	Ronkonkoma

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

09/10/2004

Custody Document: S5229

Received: 09/02/2004 13:50
Sampled by: Mike DeLuca
Job Number: 847573

Client: Getty Petroleum Mktg Inc

1500 Hempstead Turnpike
East Meadow,
NY 11554

Project: Getty #00429

Veterans Highway
Ronkonkoma,
NY

Manager: Mike DeLuca

Respectfully submitted,

Patricia Werner-Els

Quality Assurance Officer

NYS Lab ID # 10969
NJ Cert. # 73812
CT Cert. # PH0645
MA Cert. # NY061
PA Cert. # 68-535
NH Cert. # 252592-BA
RI Cert. # 161

The information contained in this report is confidential and intended only for the use of the client listed above. This report shall not be reproduced, except in full, without the written consent of Environmental Testing Laboratories, Inc.

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

09/10/2004

Volatile 602 Compounds by EPA Method 624

Sample: S5229-1
Client Sample ID: TW-1 Collected: 09/02/2004
Matrix: Liquid Type: Grab
Remarks: See Case Narrative
Analyzed Date: 09/08/2004

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
71-43-2	Benzene	A1506-2271	0.19	0.19	ppb	U
108-88-3	Toluene	A1506-2271	0.23	0.23	ppb	U
108-90-7	Chlorobenzene	A1506-2271	0.23	0.23	ppb	U
100-41-4	Ethylbenzene	A1506-2271	0.30	0.30	ppb	U
108-38-3	m,p-xylene	A1506-2271	0.48	0.48	ppb	U
95-47-6	o-xylene	A1506-2271	0.27	0.27	ppb	U
541-73-1	1,3-Dichlorobenzene	A1506-2271	0.27	0.27	ppb	U
106-46-7	1,4-Dichlorobenzene	A1506-2271	0.22	0.22	ppb	U
95-50-1	1,2-Dichlorobenzene	A1506-2271	0.22	0.22	ppb	U
1634-04-4	Methyl t-butyl ether	A1506-2271	0.49	0.49	ppb	U

Surrogate Results

Cas No	Analyte	File ID	% Recovery	QC Limits	Q
17060-07-0	1,2-DICHLOROETHANE-D4	A1506-2271	103.0 %	(80 - 120)	
460-00-4	4-BROMOFLUOROBENZENE	A1506-2271	100.0 %	(80 - 120)	
2037-26-5	TOLUENE-D8	A1506-2271	100.0 %	(80 - 120)	

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

09/10/2004

Volatile 602 Compounds by EPA Method 624

Sample: S5229-2
Client Sample ID: TW-2 Collected: 09/02/2004
Matrix: Liquid Type: Grab
Remarks: See Case Narrative
Analyzed Date: 09/08/2004

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
71-43-2	Benzene	A1506-2272	0.19	0.19	ppb	U
108-88-3	Toluene	A1506-2272	0.23	0.23	ppb	U
108-90-7	Chlorobenzene	A1506-2272	0.23	0.23	ppb	U
100-41-4	Ethylbenzene	A1506-2272	0.30	0.30	ppb	U
108-38-3	m,p-xylene	A1506-2272	0.48	0.48	ppb	U
95-47-6	o-xylene	A1506-2272	0.27	0.27	ppb	U
541-73-1	1,3-Dichlorobenzene	A1506-2272	0.27	0.27	ppb	U
106-46-7	1,4-Dichlorobenzene	A1506-2272	0.22	0.22	ppb	U
95-50-1	1,2-Dichlorobenzene	A1506-2272	0.22	0.22	ppb	U
1634-04-4	Methyl t-butyl ether	A1506-2272	0.49	0.49	ppb	U

Surrogate Results

Cas No	Analyte	File ID	% Recovery	QC Limits	Q
17060-07-0	1,2-DICHLOROETHANE-D4	A1506-2272	102.0 %	(80 - 120)	
460-00-4	4-BROMOFLUOROBENZENE	A1506-2272	99.9 %	(80 - 120)	
2037-26-5	TOLUENE-D8	A1506-2272	101.0 %	(80 - 120)	

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

09/10/2004

Volatile 602 Compounds by EPA Method 624

Sample: S5229-3
Client Sample ID: TW-3
Matrix: Liquid
Remarks: See Case Narrative
Analyzed Date: 09/08/2004

Type: Grab

Collected: 09/02/2004

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
71-43-2	Benzene	A1506-2273	0.19	0.19	ppb	U
108-88-3	Toluene	A1506-2273	0.23	0.23	ppb	U
108-90-7	Chlorobenzene	A1506-2273	0.23	0.23	ppb	U
100-41-4	Ethylbenzene	A1506-2273	0.30	0.30	ppb	U
108-38-3	m,p-xylene	A1506-2273	0.48	0.48	ppb	U
95-47-6	o-xylene	A1506-2273	0.27	0.27	ppb	U
541-73-1	1,3-Dichlorobenzene	A1506-2273	0.27	0.27	ppb	U
106-46-7	1,4-Dichlorobenzene	A1506-2273	0.22	0.22	ppb	U
95-50-1	1,2-Dichlorobenzene	A1506-2273	0.22	0.22	ppb	U
1634-04-4	Methyl t-butyl ether	A1506-2273	0.49	**0.63**	ppb	Y

Surrogate Results

Cas No	Analyte	File ID	% Recovery	QC Limits	Q
17060-07-0	1,2-DICHLOROETHANE-D4	A1506-2273	103.0 %	(80 - 120)	
460-00-4	4-BROMOFLUOROBENZENE	A1506-2273	101.0 %	(80 - 120)	
2037-26-5	TOLUENE-D8	A1506-2273	100.0 %	(80 - 120)	

S-35	0202448	N/A	**Hess (Texaco)**	3415 Veterans Mem Hwy	Ronkonkoma

S-36	114	**Getty**	1164 Rte 112	Port Jefferson Sta

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

09/14/2004

Custody Document: S5130

Received: 09/02/2004 13:55
Sampled by: Chris Bowe

Client: Getty Petroleum Mktg Inc

1500 Hempstead Turnpike
East Meadow,
NY 11554

Project: Getty #58295

1164 Route 112 & Bicycle Path
Port Jefferson,
NY

Manager: Michael DeLuca

Respectfully submitted,

Patricia Werner-Els

Quality Assurance Officer

NYS Lab ID # 10969
NJ Cert. # 73812
CT Cert. # PH0645
MA Cert. # NY061
PA Cert. # 68-535
NH Cert. # 252592-BA
RI Cert. # 161

The information contained in this report is confidential and intended only for the use of the client listed above. This report shall not be reproduced, except in full, without the written consent of Environmental Testing Laboratories, Inc.

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

09/07/2004

Volatile 602 Compounds by EPA Method 624

Sample: S5130-1
Client Sample ID: MW-1 Collected: 09/02/2004 09:00
Matrix: Liquid Type: Grab
Remarks: See Case Narrative
Analyzed Date: 09/03/2004

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
71-43-2	Benzene	A1502-2171	0.19	0.19	ppb	U
108-88-3	Toluene	A1502-2171	0.23	0.23	ppb	U
108-90-7	Chlorobenzene	A1502-2171	0.23	0.23	ppb	U
100-41-4	Ethylbenzene	A1502-2171	0.30	0.30	ppb	U
108-38-3	m,p-xylene	A1502-2171	0.48	0.48	ppb	U
95-47-6	o-xylene	A1502-2171	0.27	0.27	ppb	U
541-73-1	1,3-Dichlorobenzene	A1502-2171	0.27	0.27	ppb	U
106-46-7	1,4-Dichlorobenzene	A1502-2171	0.22	0.22	ppb	U
95-50-1	1,2-Dichlorobenzene	A1502-2171	0.22	0.22	ppb	U
1634-04-4	Methyl t-butyl ether	A1502-2171	0.49	13.9	ppb	

Surrogate Results

Cas No	Analyte	File ID	% Recovery	QC Limits	Q
17060-07-0	1,2-DICHLOROETHANE-D4	A1502-2171	117.0 %	(80 - 120)	
460-00-4	4-BROMOFLUOROBENZENE	A1502-2171	102.0 %	(80 - 120)	
2037-26-5	TOLUENE-D8	A1502-2171	100.0 %	(80 - 120)	

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

09/07/2004

Volatile 602 Compounds by EPA Method 624

Sample: S5130-2
Client Sample ID: MW-2 Collected: 09/02/2004 10:00
Matrix: Liquid Type: Grab
Remarks: See Case Narrative
Analyzed Date: 09/04/2004

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
71-43-2	Benzene	A1502-2172	0.19	0.19	ppb	U
108-88-3	Toluene	A1502-2172	0.23	**0.50**	ppb	Y
108-90-7	Chlorobenzene	A1502-2172	0.23	0.23	ppb	U
100-41-4	Ethylbenzene	A1502-2172	0.30	0.30	ppb	U
108-38-3	m,p-xylene	A1502-2172	0.48	**2.44**	ppb	Y
95-47-6	o-xylene	A1502-2172	0.27	**0.93**	ppb	Y
541-73-1	1,3-Dichlorobenzene	A1502-2172	0.27	0.27	ppb	U
106-46-7	1,4-Dichlorobenzene	A1502-2172	0.22	0.22	ppb	U
95-50-1	1,2-Dichlorobenzene	A1502-2172	0.22	0.22	ppb	U
1634-04-4	Methyl t-butyl ether	A1502-2172	0.49	**114**	ppb	

Surrogate Results

Cas No	Analyte	File ID	% Recovery	QC Limits	Q
17060-07-0	1,2-DICHLOROETHANE-D4	A1502-2172	116.0 %	(80 - 120)	
460-00-4	4-BROMOFLUOROBENZENE	A1502-2172	101.0 %	(80 - 120)	
2037-26-5	TOLUENE-D8	A1502-2172	99.4 %	(80 - 120)	

Environmental Testing Laboratories, Inc.

208 Route 109, Farmingdale NY 11735
Phone - 631-249-1456 Fax - 631-249-8344

09/07/2004

Volatile 602 Compounds by EPA Method 624

Sample: S5130-3
Client Sample ID: MW-3
Matrix: Liquid
Remarks: See Case Narrative
Analyzed Date: 09/04/2004

Type: Grab

Collected: 09/02/2004 11:00

Analytical Results

Cas No	Analyte	File ID	MDL	Concentration	Units	Q
71-43-2	Benzene	A1502-2173	0.19	0.19	ppb	U
108-88-3	Toluene	A1502-2173	0.23	0.23	ppb	U
108-90-7	Chlorobenzene	A1502-2173	0.23	0.23	ppb	U
100-41-4	Ethylbenzene	A1502-2173	0.30	0.30	ppb	U
108-38-3	m,p-xylene	A1502-2173	0.48	0.48	ppb	U
95-47-6	o-xylene	A1502-2173	0.27	0.27	ppb	U
541-73-1	1,3-Dichlorobenzene	A1502-2173	0.27	0.27	ppb	U
106-46-7	1,4-Dichlorobenzene	A1502-2173	0.22	0.22	ppb	U
95-50-1	1,2-Dichlorobenzene	A1502-2173	0.22	0.22	ppb	U
1634-04-4	Methyl t-butyl ether	A1502-2173	0.49	10.4	ppb	

Surrogate Results

Cas No	Analyte	File ID	% Recovery	QC Limits	Q
17060-07-0	1,2-DICHLOROETHANE-D4	A1502-2173	116.0 %	(80 - 120)	
460-00-4	4-BROMOFLUOROBENZENE	A1502-2173	102.0 %	(80 - 120)	
2037-26-5	TOLUENE-D8	A1502-2173	100.0 %	(80 - 120)	

S-37		2	**Sunoco**	240 Terryville Rd	Port Jefferson Sta

Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4103588

Collected:08/15/2003 12:45 by EK

Submitted: 08/16/2003 10:00
Reported: 08/21/2003 at 13:26
Discard: 08/29/2003
MW1 Grab Water Sample
DUNS# 0007-73619 Spill#
SUN: Port Jeff Station, NY

Account Number: 08514

SUN: Enviro. Assessment & Rem.
225 Atlantic Avenue

Patchogue NY 11772

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Units	Dilution Factor
08244	BTEX, MTBE (EPA 602)					
05538	Total Xylenes	1330-20-7	N.D.	3.0	ug/l	1
07030	Toluene	108-88-3	N.D.	1.0	ug/l	1
07031	Ethylbenzene	100-41-4	N.D.	1.0	ug/l	1
07039	Methyl tert-Butyl Ether	1634-04-4	2.4	1.0	ug/l	1
08232	Benzene	71-43-2	N.D.	0.5	ug/l	1

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
08244	BTEX, MTBE (EPA 602)	EPA 602	1	08/20/2003 02:04	Steven A Skiles	1

Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4103589

Collected:08/15/2003 11:00 by EK

Account Number: 08514

Submitted: 08/16/2003 10:00
Reported: 08/21/2003 at 13:26
Discard: 08/29/2003
MW2 Grab Water Sample
DUNS# 0007-73619 Spill#
SUN: Port Jeff Station, NY

SUN: Enviro. Assessment & Rem.
225 Atlantic Avenue

Patchogue NY 11772

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Units	Dilution Factor
08244	BTEX, MTBE (EPA 602)					
05538	Total Xylenes	1330-20-7	N.D.	3.0	ug/l	1
07030	Toluene	108-88-3	N.D.	1.0	ug/l	1
07031	Ethylbenzene	100-41-4	N.D.	1.0	ug/l	1
07039	Methyl tert-Butyl Ether	1634-04-4	1.8	1.0	ug/l	1
08232	Benzene	71-43-2	N.D.	0.5	ug/l	1

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
08244	BTEX, MTBE (EPA 602)	EPA 602	1	08/20/2003 02:34	Steven A Skiles	1

Lancaster Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4103590

Collected: 08/15/2003 12:00 by EK

Account Number: 08514

Submitted: 08/16/2003 10:00
Reported: 08/21/2003 at 13:26
Discard: 08/29/2003
MW3 Grab Water Sample
DUNS# 0007-73619 Spill#
SUN: Port Jeff Station, NY

SUN: Enviro. Assessment & Rem.
225 Atlantic Avenue

Patchogue NY 11772

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Units	Dilution Factor
08244	BTEX, MTBE (EPA 602)					
05538	Total Xylenes	1330-20-7	N.D.	3.0	ug/l	1
07030	Toluene	108-88-3	N.D.	1.0	ug/l	1
07031	Ethylbenzene	100-41-4	N.D.	1.0	ug/l	1
07039	Methyl tert-Butyl Ether	1634-04-4	1.5	1.0	ug/l	1
08232	Benzene	71-43-2	N.D.	0.5	ug/l	1

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
08244	BTEX, MTBE (EPA 602)	EPA 602	1	08/20/2003 03:04	Steven A Skiles	1

S-38	2	**Metro**	670 Fort Salonga Rd	Northport

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

RECEIVED
OCT 2 7 2003
REG 1 - OIL SPILLS

LAB NO.234995.01 10/17/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790

ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: ~~Amoco~~ Metro S/S, ~~687~~ 670 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: Spill No. 03-25164. S-13
COLLECTED BY: EAR DATE COL'D:10/07/03 RECEIVED:10/07/03
TIME COL'D:1400

MATRIX:Water SAMPLE: MW13

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	1		10/13/03	1	EPA602
Benzene	ug/L	< 1		10/13/03	1	EPA602
Toluene	ug/L	< 1		10/13/03	1	EPA602
Ethyl Benzene	ug/L	< 1		10/13/03	1	EPA602
m + p Xylene	ug/L	< 2		10/13/03	2	EPA602
o Xylene	ug/L	< 1		10/13/03	1	EPA602

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 42959 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.234995.02 10/17/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Amoco S/S, 687 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: Spill No. 03-25164. S-13
COLLECTED BY: EAR DATE COL'D:10/07/03 RECEIVED:10/07/03
TIME COL'D:1100
MATRIX:Water SAMPLE: MW14

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		10/13/03	1	EPA602
Benzene	ug/L	< 1		10/13/03	1	EPA602
Toluene	ug/L	< 1		10/13/03	1	EPA602
Ethyl Benzene	ug/L	< 1		10/13/03	1	EPA602
m + p Xylene	ug/L	< 2		10/13/03	2	EPA602
o Xylene	ug/L	< 1		10/13/03	1	EPA602

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 42960 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.234995.03 10/17/03

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: K. Salafrio PO#:

SOURCE OF SAMPLE: Amoco S/S, 687 Ft. Salanga Road, Northport
SOURCE OF SAMPLE: Spill No. 03-25164. S-13
COLLECTED BY: EAR DATE COL'D:10/07/03 RECEIVED:10/07/03
TIME COL'D:1250

MATRIX:Water SAMPLE: MW15

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	2		10/13/03	1	EPA602
Benzene	ug/L	< 1		10/13/03	1	EPA602
Toluene	ug/L	< 1		10/13/03	1	EPA602
Ethyl Benzene	ug/L	< 1		10/13/03	1	EPA602
m + p Xylene	ug/L	< 2		10/13/03	2	EPA602
o Xylene	ug/L	< 1		10/13/03	1	EPA602

cc:Jennifer Andreolli, EAR

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 42961 NYSDOH ID # 10320

S-39	5	**Mobil**	46 Good Ground Rd	Hampton Bays

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.242227.01 06/04/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Getty s/s, 46 Good Ground Road, Hampton Bays
SOURCE OF SAMPLE: Grant #S-39
COLLECTED BY: EAR DATE COL'D:05/24/04 RECEIVED:05/24/04
TIME COL'D:1300
MATRIX:Water SAMPLE: MW-1

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	5		05/25/04	1	EPA602
Benzene	ug/L	< 1		05/25/04	1	EPA602
Toluene	ug/L	< 1		05/25/04	1	EPA602
Ethyl Benzene	ug/L	< 1		05/25/04	1	EPA602
m + p Xylene	ug/L	< 2		05/25/04	2	EPA602
o Xylene	ug/L	< 1		05/25/04	1	EPA602

cc:EAR, Donald Trego

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20621 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.242227.02 06/04/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Getty s/s, 46 Good Ground Road, Hampton Bays
SOURCE OF SAMPLE: Grant #S-39
COLLECTED BY: EAR DATE COL'D:05/24/04 RECEIVED:05/24/04
TIME COL'D:1330

MATRIX:Water SAMPLE: MW-2

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/25/04	1	EPA602
Benzene	ug/L	< 1		05/25/04	1	EPA602
Toluene	ug/L	< 1		05/25/04	1	EPA602
Ethyl Benzene	ug/L	< 1		05/25/04	1	EPA602
m + p Xylene	ug/L	< 2		05/25/04	2	EPA602
o Xylene	ug/L	< 1		05/25/04	1	EPA602

cc:EAR, Donald Trego

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20622 NYSDOH ID # 10320

ECOTEST LABORATORIES, INC. *ENVIRONMENTAL TESTING*

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.242227.03 06/04/04

N.Y.S.- D.E.C., Bureau of Spill Response
SUNY, Building #40
Stony Brook, NY 11790
ATTN: Kristy Salafrio PO#:

SOURCE OF SAMPLE: Getty s/s, 46 Good Ground Road, Hampton Bays
SOURCE OF SAMPLE: Grant #S-39
COLLECTED BY: EAR DATE COL'D:05/24/04 RECEIVED:05/24/04
TIME COL'D:1400
MATRIX:Water SAMPLE: MW-3

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
ter.ButylMethylEther	ug/L	< 1		05/25/04	1	EPA602
Benzene	ug/L	< 1		05/25/04	1	EPA602
Toluene	ug/L	< 1		05/25/04	1	EPA602
Ethyl Benzene	ug/L	< 1		05/25/04	1	EPA602
m + p Xylene	ug/L	< 2		05/25/04	2	EPA602
o Xylene	ug/L	< 1		05/25/04	1	EPA602

cc:EAR, Donald Trego

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 20623 NYSDOH ID # 10320

S-40		ND	**Shell (former)**	Rte 25A and Laurel Ave.	Northport

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-1		
Lab Sample ID:	N44498-1	Date Sampled:	07/23/03
Matrix:	AQ - Ground Water	Date Received:	07/25/03
Method:	SW846 8260B	Percent Solids:	n/a
Project:	NESINY:INC#N/A, Route 25A & Laurel Road, Northport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	X9954.D	1	08/01/03	DTM	n/a	n/a	VX383
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics, MTBE

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.21	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.20	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.23	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	115%		81-120%
17060-07-0	1,2-Dichloroethane-D4	113%		68-130%
2037-26-5	Toluene-D8	108%		83-116%
460-00-4	4-Bromofluorobenzene	117%		83-119%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-2		
Lab Sample ID:	N44498-2	Date Sampled:	07/23/03
Matrix:	AQ - Ground Water	Date Received:	07/25/03
Method:	SW846 8260B	Percent Solids:	n/a
Project:	NESINY:INC#N/A, Route 25A & Laurel Road, Northport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	X10112.D	1	08/05/03	DTM	n/a	n/a	VX389
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics, MTBE

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.21	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.20	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.23	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	117%		81-120%
17060-07-0	1,2-Dichloroethane-D4	116%		68-130%
2037-26-5	Toluene-D8	108%		83-116%
460-00-4	4-Bromofluorobenzene	115%		83-119%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Client Sample ID:	MW-3		
Lab Sample ID:	N44498-3	Date Sampled:	07/23/03
Matrix:	AQ - Ground Water	Date Received:	07/25/03
Method:	SW846 8260B	Percent Solids:	n/a
Project:	NESINY:INC#N/A, Route 25A & Laurel Road, Northport, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	X9910.D	1	07/31/03	DTM	n/a	n/a	VX381
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics, MTBE

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.21	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.20	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.23	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		81-120%
17060-07-0	1,2-Dichloroethane-D4	94%		68-130%
2037-26-5	Toluene-D8	106%		83-116%
460-00-4	4-Bromofluorobenzene	107%		83-119%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

S-41		2	**Hess**	412 Fort Salonga Rd	Northport

Toxikon

Date: *07-Oct-04*

CLIENT:	AMERADA HESS	**Client Sample ID:**	MW-1
Lab Order:	0410001	**Tag Number:**	
Prnject:	Hess #32485 / Northport, NY	**Collection Date:**	9/30/2004 8:15:00 AM
Lab ID:	0410001-01A	**Matrix:**	GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE AROMATICS		**E602**				Analyst: **EPC**
Benzene	ND	1.0		µg/L	1	10/1/2004 11:43:00 AM
Ethylbenzene	ND	1.0		µg/L	1	10/1/2004 11:43:00 AM
m,p-Xylene	ND	2.0		µg/L	1	10/1/2004 11:43:00 AM
Methyl tert-butyl ether	ND	1.0		µg/L	1	10/1/2004 11:43:00 AM
o-Xylene	ND	1.0		µg/L	1	10/1/2004 11:43:00 AM
Toluene	ND	1.0		µg/L	1	10/1/2004 11:43:00 AM

Qualifiers

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
RL - Reporting Limit

Toxikon **Date:** *07-Oct-04*

CLIENT:	AMERADA HESS	**Client Sample ID:**	MW-2
Lab Order:	0410001	**Tag Number:**	
Project:	Hess #32485 / Northport, NY	**Collection Date:**	9/30/2004 8:25:00 AM
Lab ID:	0410001-02A	**Matrix:**	GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE AROMATICS		**E602**				Analyst: **EPC**
Benzene	ND	1.0		µg/L	1	10/1/2004 12:57:00 PM
Ethylbenzene	ND	1.0		µg/L	1	10/1/2004 12:57:00 PM
m,p-Xylene	ND	2.0		µg/L	1	10/1/2004 12:57:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	10/1/2004 12:57:00 PM
o-Xylene	ND	1.0		µg/L	1	10/1/2004 12:57:00 PM
Toluene	ND	1.0		µg/L	1	10/1/2004 12:57:00 PM

Qualifiers

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
RL - Reporting Limit

Toxikon

Date: *07-Oct-04*

CLIENT:	AMERADA HESS	**Client Sample ID:**	MW-3
Lab Order:	0410001	**Tag Number:**	
Project:	Hess #32485 / Northport, NY	**Collection Date:**	9/30/2004 8:40:00 AM
Lab ID:	0410001-03A	**Matrix:**	GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE AROMATICS		**E602**				Analyst: **EPC**
Benzene	ND	1.0		µg/L	1	10/1/2004 12:20:00 PM
Ethylbenzene	ND	1.0		µg/L	1	10/1/2004 12:20:00 PM
m,p-Xylene	ND	2.0		µg/L	1	10/1/2004 12:20:00 PM
Methyl tert-butyl ether	2.4	1.0		µg/L	1	10/1/2004 12:20:00 PM
o-Xylene	ND	1.0		µg/L	1	10/1/2004 12:20:00 PM
Toluene	ND	1.0		µg/L	1	10/1/2004 12:20:00 PM

Qualifiers

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
RL - Reporting Limit

S-42	0480100	21	**Coastal**	950 Portion Rd	Ronkonkoma

American Analytical Laboratories, LLC.

Date: *03-Aug-04*

CLIENT:	Aggressive Environmental Inc.	**Client Sample ID:**	Well #1
Lab Order:	0407247	**Tag Number:**	2907
Project:	950 Portion Rd. Ronkonkoma, N.Y.	**Collection Date:**	7/29/2004
Lab ID:	0407247-01A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES EPA 602 PLUS MTBE		**E602**				Analyst: **LDS**
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/30/2004 7:22:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/30/2004 7:22:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/30/2004 7:22:00 AM
Benzene	7.1	1.0		µg/L	1	7/30/2004 7:22:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/30/2004 7:22:00 AM
Ethylbenzene	4.7	1.0		µg/L	1	7/30/2004 7:22:00 AM
m,p-Xylene	13	2.0		µg/L	1	7/30/2004 7:22:00 AM
Methyl tert-butyl ether	21	1.0		µg/L	1	7/30/2004 7:22:00 AM
o-Xylene	4.8	1.0		µg/L	1	7/30/2004 7:22:00 AM
Toluene	6.2	1.0		µg/L	1	7/30/2004 7:22:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, LLC.

Date: *03-Aug-04*

CLIENT:	Aggressive Environmental Inc.	**Client Sample ID:**	Well #2
Lab Order:	0407247	**Tag Number:**	2907
Project:	950 Portion Rd. Ronkonkoma, N.Y.	**Collection Date:**	7/29/2004
Lab ID:	0407247-02A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES EPA 602 PLUS MTBE		**E602**				Analyst: **LDS**
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/30/2004 7:53:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/30/2004 7:53:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/30/2004 7:53:00 AM
Benzene	U	1.0		µg/L	1	7/30/2004 7:53:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/30/2004 7:53:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/30/2004 7:53:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/30/2004 7:53:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/30/2004 7:53:00 AM
o-Xylene	U	1.0		µg/L	1	7/30/2004 7:53:00 AM
Toluene	U	1.0		µg/L	1	7/30/2004 7:53:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, LLC.

Date: *03-Aug-04*

CLIENT:	Aggressive Environmental Inc.	**Client Sample ID:**	Well #3
Lab Order:	0407247	**Tag Number:**	2907
Project:	950 Portion Rd. Ronkonkoma, N.Y.	**Collection Date:**	7/29/2004
Lab ID:	0407247-03A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES EPA 602 PLUS MTBE		**E602**				Analyst: **LDS**
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/30/2004 8:25:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/30/2004 8:25:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/30/2004 8:25:00 AM
Benzene	U	1.0		µg/L	1	7/30/2004 8:25:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/30/2004 8:25:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/30/2004 8:25:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/30/2004 8:25:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/30/2004 8:25:00 AM
o-Xylene	U	1.0		µg/L	1	7/30/2004 8:25:00 AM
Toluene	U	1.0		µg/L	1	7/30/2004 8:25:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range