

State Pollutant Discharge Elimination System (SPDES) Priority Ranking List 2016

The New York State Department of Environmental Conservation (NYS DEC) is providing the Environmental Benefit Permit Strategy (EBPS) priority rankings in conformance with section 17-0817(6) of the Environmental Conservation Law. The lists are based on a ranking system that prioritizes permits for full technical review and, when necessary, modification. The full technical review is conducted in one of nine regional offices or the central office, depending on the location of the discharge and whether the permit has been assigned to the central office based on USEPA designation as a major discharge or state designation as a centralized significant industrial permit.

The EBPS priority ranking system should not be confused with the SPDES permit renewal process. Most permits are renewed prior to expiration by a separate administrative procedure. At times, these renewals will be delayed to address necessary modifications to the permit.

The 2016 SPDES permit lists can be viewed at the NYS DEC website:

<http://www.dec.ny.gov/permits/6054.html>. The lists are based on ranking scores and reflect the priority list for each office. The ranking scores are updated on a continuous basis due to the discovery of new information and the issuance of modifications that eliminate the factors which go into each score. Each of the ranking lists includes the factors that make up each of the scores for each of the permits on the lists. The top 10% of each list represents a workload objective during this fiscal year. Additional information describing the EBPS process follows the ranking lists, and is also available by contacting the Bureau of Water Permits at (518) 402-8111 or by e-mail at bjhorton@gw.dec.state.ny.us, or at the address listed below.

Any interested party may provide, at any time, substantive comments requesting a change in a permit's rank based on the grounds that newly discovered material information exists; that a material change in environmental conditions has occurred; or that relevant technology or applicable law or regulations have changed since the issuance of the existing permit. All such requests shall be in writing and contain facts or reasons supporting the request. Comments must be sent to Director, Bureau of Water Permits, Division of Water, NYS DEC, 625 Broadway, Albany, NY 12233-3505.

EBPS ENB List - May 2016

Ranking Factors

Code	Description
1A	Permit needs a primary modification to conform to the State CSO/SSO Strategy; e.g. submission of a Facility Plan to control or eliminate CSOs known to be contributing to a water quality problem.
1B	Permit needs a secondary modification to conform to the State CSO/SSO Strategy; e.g. minor update in language to conform to an element of the State CSO Strategy.
2A	Permit needs a primary modification as part of a Department or Department accepted EPA initiative (e.g., significant issue regarding watershed TMDL implementation, multimedia permitting, DNA, etc)
2B	Permit needs a secondary modification as part of a Department or Department accepted EPA initiative (e.g., minor issue regarding watershed TMDL implementation, multimedia permitting, DNA, etc)
3A	Permit needs to be modified to add industrial pretreatment requirements of primary importance (e.g. inclusion of a mini pretreatment program to resolve a significant negative impact on the WWTP)
3B	Permit needs to be modified to add industrial pretreatment requirements of secondary importance (e.g. change in permit language to conform to federal regulations)
4A	Permit needs to be modified to add industrial BMP, PMP, or storm water requirements of primary importance (e.g. stormwater discharges from an industry are known to contain toxics)
4B	Permit needs to be modified to add industrial BMP, PMP, or storm water requirements of secondary importance (e.g. regulatory requirement not associated with the discharge of toxics)
5A	Permit needs to be modified for one effluent limit parameter: Bioaccumulative/Persistent/Toxic (PCB, Dioxin, etc - Refer to Attachment 5 of EBPS Guidance)
5B	Permit needs to be modified for one effluent limit parameter: parameter change for completed stream reclassification, new WQ standard or important substance relative to WQ
5C	Permit needs to be modified for one effluent limit parameter: other minor parameter (e.g. water treatment chemicals, pH, Temp., Suspended Solids, action level, etc., not associated with WQ.
6A	Permit needs to be adjusted for a new wastewater treatment technology requirement for a parameter not identified in No.5 above: Bioaccumulative/Persistent/Toxic (PCB, Dioxin, etc - Refer to Attachment 5)
6B	Permit needs to be adjusted for a new wastewater treatment technology requirement for a parameter not identified in No.5 above: Change in BPJ evaluation
07	Permit needs to be adjusted due to Consent Order or Permit non-compliance issues:
08	Permit is for an existing facility which triggers antidegradation:
09	Permit appears on an EPA 304(I) toxic list and requires an Individual Control Strategy (ICS)
10	Permit is municipal STP project on the State Revolving Fund loan list:
11	Permit need toxicity testing
12	Permit generated substantial public concern
13	Permit is a power plant needing modification for fish impingement or other fish and wildlife studies.
14	Longevity Score, Class 01, 07, 09, and 10: Enter the year when last Long Form Application with comprehensive effluent sampling was submitted.
99	Others

Facility Name	SPDES #	Town	Total Score	Ranking	Region
TONAWANDA COKE CORP	NY0002399	TONAWANDA	260	1 / 689	Central (#9)
<u>Factor:</u> 07	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> EPA administrative order Docket No.: CWA-02-2010-3012 and DEC Region 9 sampling data for 11/04-05/2009	
12	50	5	10	RWE (Jerry Palumbo) email of 12/22/2009 stated that this facility have been a focus of concern by a local citizen group and forwarded two EPA Reg.2 administrative orders, one under CWA and the other under RCRA	
13	10	1	10	Discussed with Mike Calaban on 12/30/09 - This facility has cooling water intake structure needing for fish impingement or other fish and wildlife studies	
14	150	5	30	Longevity	
AUBURN - C STP	NY0021903	AUBURN	245	2 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 150	<u>Multiplier:</u> 5	<u>Points:</u> 30	<u>Reason:</u> Longevity	
3A	50	5	10	Facility accepting well drilling wastewater as part of its pretreatment program.	
5B	25	5	5	TDS effluent limit needed	
5C	10	5	2	Chloride effluent limit evaluation	
5C	10	5	2	Barium effluent limit evaluation	
INDIAN POINT 2 LLC AND INDIAN POINT 3 LLC	NY0004472	CORTLANDT	230	3 / 689	Central (#3)
<u>Factor:</u> 13	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> MOD-FISH IMPING&THERMAL	
14	75	5	15	Longevity	
5A	50	5	10	NEW MERCURY STANDARD	
5B	5	1	5	TRC	
IBM CORP SOUTH RD FACILITY	NY0005541	POUGHKEEPSIE	230	4 / 689	Central (#3)
<u>Factor:</u> 13	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> Based on the once-through cooling water design flow of this facility, a BTA assessment needs to be initiated for this facility. F&W will prepare a Request for Information .	
14	55	5	11	Longevity	
5A	50	5	10	NEW MERCURY STANDARD	
99	25	5	5	Metal mask manufacturing (Metal Mask), which is a categorical wastewater source to the IWTF has been eliminated as of 12/4/14. Permit should be modified at next permit action to reflect removal of this wastewater and subsequent 20% reduction in wastewater.	
DOLGEVILLE WWTP	NY0024554	MANHEIM	220	5 / 689	Central (#6)
<u>Factor:</u> 07	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> CO:TOXIC, POSSIBLE EXPANS	
11	25	5	5		
14	150	5	30	Longevity	
2A	5	1	5		
5B	25	5	5	Chlorine @ 0.64 mg/l needs re-evaluation.	
5B	5	1	5	Flow needs increase.	
NORLITE LLC	NY0004880	COHOES	200	6 / 689	Central (#4)
<u>Factor:</u> 11	<u>Score:</u> 50	<u>Multiplier:</u> 10	<u>Points:</u> 5	<u>Reason:</u> Toxicity testing	
14	30	3	10	Longevity	
5A	100	10	10	Mercury	
5C	20	10	2	Silver and Titanium	
DANSKAMMER GENERATING STATION	NY0006262	NEWBURGH	200	7 / 689	Central (#3)
<u>Factor:</u> 13	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Thermal Mixing zone needs to be added based on 6NYCRR Part 704.3. Studies completed, modification required as per Additional Requirement #4	
14	100	5	20	Longevity	
5A	50	5	10	NEW MERCURY STANDARD	
ONEIDA CO WATER POLLUTION CONTROL PLANT	NY0025780	UTICA	200	8 / 689	Central (#6)
<u>Factor:</u> 11	<u>Score:</u> 50	<u>Multiplier:</u> 10	<u>Points:</u> 5	<u>Reason:</u> WET testing showed 100% mortality in 100% effluent.	
14	150	5	30	Longevity	
CATSKILL QUARRY	NY0006874	CATSKILL	197	9 / 689	Central (#4)
<u>Factor:</u> 07	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> 006 - Temporary discharge, overflow discharges to wetland, non-permanent pH adjustment equipment	
14	42	3	14	Longevity	
2B	5	1	5	Minor issue re DNA	
4A	50	5	10	Needs updated BMPs, including SWPPP requirements	
BINGHAMTON JOHNSON CITY STP	NY0024414	VESTAL	195	10 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 5	<u>Points:</u> 9	<u>Reason:</u> Longevity	
2A	100	10	10	Chesapeake Bay tributary strategy	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BINGHAMTON JOHNSON CITY STP	NY0024414	VESTAL	195	10 / 689	Central (#7)
5A	50	5	10	NEW MERCURY STANDARD	
V/KIRYAS JOEL WWTP	NY0250520	MONROE	187	11 / 689	Central (#3)
Factor: 14	Score: 72	Multiplier: 3	Points: 24	Reason: Longevity	
4B	25	5	5	Need low priority MMP.	
5B	50	10	5	TDS WQBEL.	
5B	25	5	5	ADD TECH LIMIT FOR P	
5B	15	1	15	DO, pH, TRC WQBELs (5+5+5 = 15).	
CAYUGA OPERATING COMPANY, LLC	NY0001333	LANSING	177	12 / 689	Central (#7)
Factor: 12	Score: 50	Multiplier: 5	Points: 10	Reason: Substantial public concern re ash landfill leachate noted during 2015 administrative renewal.	
14	45	5	9	Longevity	
5B	5	1	5	Outfall 013 requires boron limit.	
5C	2	1	2	Outfall 013 requires updated iron TBEL	
6A	25	5	5	New BAT limit in 40 CFR 423 for Nitrite/nitrate in FGD wastewaer.	
6A	25	5	5	New BAT limit in 40 CFR 423 for selenium in FGD wastewater.	
6A	25	5	5	New BAT limit in 40 CFR 423 for arsenic in FGD wastewater	
ROSETON GENERATING STATION	NY0008231	NEWBURGH	175	13 / 689	Central (#3)
Factor: 13	Score: 100	Multiplier: 10	Points: 10	Reason: MOD-FISH IMPING&THERMAL	
14	75	5	15	Longevity	
BOWLINE GENERATING STATION	NY0008010	HAVERSTRAW	175	14 / 689	Central (#3)
Factor: 13	Score: 100	Multiplier: 10	Points: 10	Reason: MOD-FISH IMPING&THERMAL	
14	70	5	14	Longevity	
5B	5	1	5	CHLORINE	
LOCKHEED MARTIN - ELECTRONICS PARK	NY0002101	SALINA	175	15 / 689	Central (#7)
Factor: 08	Score: 25	Multiplier: 5	Points: 5	Reason: On PWL list for pathogens	
14	125	5	25	Longevity	
5B	25	5	5	Pathogens	
ALBANY COUNTY SEWER DISTRICT - SOUTH PLANT	NY0026867	ALBANY	175	16 / 689	Central (#4)
Factor: 10	Score: 25	Multiplier: 5	Points: 5	Reason: Facility on SRF list for disinfection project.	
14	100	5	20	Longevity	
1A	50	5	10	Permit needs schedule for implementation of CSO facilities after LTCP approval.	
GM POWERTRAIN - MASSENA PLANT	NY0000540	MASSENA	172	17 / 689	Central (#6)
Factor: 14	Score: 60	Multiplier: 5	Points: 12	Reason: Longevity	
4A	100	10	10	PCB PMP NEEDED	
5A	10	1	10	EVAL PCB MONITORING FREQ	
6B	2	1	2	REVISE 2/MO TO 1/2 WKS	
ALBANY COUNTY SEWER DISTRICT - NORTH PLANT	NY0026875	COLONIE	160	18 / 689	Central (#4)
Factor: 10	Score: 25	Multiplier: 5	Points: 5	Reason: On SRF list for disinfection facility installation.	
14	85	5	17	Longevity	
1A	50	5	10	Permit needs a schedule of CSO implementation measures after the LTCP is approved.	
NORTH TONAWANDA STP	NY0026280	NORTH TONAWANDA	155	19 / 689	Central (#9)
Factor: 14	Score: 65	Multiplier: 5	Points: 13	Reason: Longevity	
1A	50	5	10	SSA	
1A	10	1	10	TOGS for Type I SSO needs to be added to the permit.	
1B	20	2	10		
99	10	2	5	Permit needs updated pages including General Requirements	
BAY PARK SEWAGE TREATMENT PLANT	NY0026450	HEMPSTEAD	150	20 / 689	Central (#1)
Factor: 14	Score: 100	Multiplier: 5	Points: 20	Reason: Longevity	
5B	25	5	5	New dilution ratio (from 10:1 to 6:1). As a result, limits for TRC, copper and other parameters may change.	
				Also, WET testing dilution ratio will be changed.	
5B	25	5	5	New Marine Ammonia WQ Standard	
EMERSUB 15 LLC - ITHACA OU-1	NY0002933	ITHACA	148	21 / 689	Central (#7)
Factor: 12	Score: 10	Multiplier: 2	Points: 5	Reason: Permit has generated substantial public interest	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
EMERSUB 15 LLC - ITHACA OU-1	NY0002933	ITHACA	148	21 / 689	Central (#7)
14	60	3	20	Longevity	
99	78	1	78	Additional longevity score points corrected per TOGS 1.2.2.	
GARLOCK SEALING TECHNOLOGIES	NY0000078	PALMYRA	145	22 / 689	Central (#8)
<u>Factor:</u> 07	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> According to renewal application, two unpermitted outfalls at the facility.	
14	95	5	19	Longevity	
HUNTLEY STEAM GENERATING STATION	NY0001023	TONAWANDA	145	23 / 689	Central (#9)
<u>Factor:</u> 12	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> Permit is subject of a lawsuit.	
14	45	5	9	Longevity	
FITZPATRICK NUCLEAR POWER PLANT	NY0020109	SCRIBA	145	24 / 689	Central (#7)
<u>Factor:</u> 13	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> Permit does not have BTA.	
14	45	5	9	Longevity	
OLEAN STP	NY0027162	OLEAN	140	25 / 689	Central (#9)
<u>Factor:</u> 14	<u>Score:</u> 130	<u>Multiplier:</u> 5	<u>Points:</u> 26	<u>Reason:</u> Longevity	
5B	5	1	5	NEW CHLORINE STD	
5B	5	1	5	NEW AMMONIA STD	
R E GINNA NUCLEAR POWER PLANT	NY0000493	ONTARIO	140	26 / 689	Central (#8)
<u>Factor:</u> 13	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> Permit does not have BTA.	
14	40	5	8	Longevity	
NINE MILE PT NUCLEAR STATION LLC	NY0001015	SCRIBA	140	27 / 689	Central (#7)
<u>Factor:</u> 13	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> Permit does not have BTA	
14	40	5	8	Longevity	
COEYMANS SANITARY LANDFILL	NY0242101	COEYMANS	135	28 / 689	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 3	<u>Points:</u> 20	<u>Reason:</u> Longevity	
5B	25	5	5	need to update PQL for chlorine.	
5B	25	5	5	WQ review needs to account for class A(TS) on Hannacrois Creek downstream.	
5B	25	5	5	need to update for revised ammonia standard.	
I3 ELECTRONICS, INC.	NY0003808	UNION	135	29 / 689	Central (#7)
<u>Factor:</u> 12	<u>Score:</u> 50	<u>Multiplier:</u> 10	<u>Points:</u> 5	<u>Reason:</u> Acceptance of landfill leachate	
14	60	5	12	Longevity	
5B	10	5	2	Nitrogen evaluation	
5B	10	5	2	Phosphorus evaluation	
5C	5	1	5	Add monthly avg flow monitoring to better quantify discharges and to facilitate calculation of SPDES fees	
ALCOA MASSENA OPERATIONS (WEST PLANT)	NY0001732	MASSENA	134	30 / 689	Central (#6)
<u>Factor:</u> 12	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> Public Concern	
14	50	5	10	Longevity	
4B	25	5	5	NEED PCB PMP	
5A	10	1	10	EVAL 11/25/02 REP 001 PCB	
5B	25	5	5	EVAL 11/25/02 REP 001 BAP	
5B	5	1	5	EVAL 11/25/02 REP 001 BAP	
6A	5	1	5	EVAL PRODUCTION DECREASE	
6B	2	1	2	EVAL 3/28/03 REP 004 CN	
6B	2	1	2	EVAL 11/25/02 REP 001 CN	
KERRY BIO-SCIENCE	NY0004243	NORWICH	130	31 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 130	<u>Multiplier:</u> 5	<u>Points:</u> 26	<u>Reason:</u> Longevity	
OYSTER BAY SEWAGE TREATMENT PLANT	NY0021822	OYSTER BAY	130	32 / 689	Central (#1)
<u>Factor:</u> 14	<u>Score:</u> 100	<u>Multiplier:</u> 5	<u>Points:</u> 20	<u>Reason:</u> Longevity	
5B	25	5	5	New Marine Ammonia WQ Standard	
5C	5	1	5	Percent removal needs evaluation.	
NOVELIS CORPORATION	NY0002143	SCRIBA	130	33 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 100	<u>Multiplier:</u> 5	<u>Points:</u> 20	<u>Reason:</u> Longevity	
5C	2	1	2	REVISED MONITORING - MG	
5C	2	1	2	REVISED MONITORING - SB	
5C	2	1	2	REVISED MONITORING - PB	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
NOVELIS CORPORATION	NY0002143	SCRIBA	130	33 / 689	Central (#7)
5C	2	1	2	REVISIED MONITORING - P	
5C	2	1	2	REVISIED MONITORING - NI	
5C	2	1	2	REVISIED MONITORING - DO	
5C	2	1	2	REVISIED MONITORING - CN	
5C	2	1	2	REVISIED MONITORING-PHENOL	
5C	2	1	2	REVISIED MONITORING - MBAS	
5C	2	1	2	REVISIED MONITORING - AS	
5C	2	1	2	REVISIED MONITORING - VOCS	
5C	2	1	2	REVISIED MONITORING-SB1668	
5C	2	1	2	REVISIED MONITORING - SI	
5C	2	1	2	REVISIED MONITORING - MN	
99	2	1	2	Permittee noted that outfalls have been modified.	
BROOKLYN NAVY YARD COGENERATION PLANT	NY0251577	BROOKLYN	130	34 / 689	Central (#2)
<u>Factor:</u> 13	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> Permit is undergoing final BTA determination and will need to be modified to address final decision	
14	30	3	10	Longevity	
N Y AIR NAT'L GUARD - 174TH FIGHTER WING	NY0244066	DEWITT	128	35 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 78	<u>Multiplier:</u> 3	<u>Points:</u> 26	<u>Reason:</u> Longevity	
4B	25	5	5		
99	25	5	5	Update permit pages including the last page, and other Parts 750 conditions.	
GLOBALFOUNDRIES EAST FISHKILL FACILITY-HUDSON VALLEY RESE	NY0005096	EAST FISHKILL	125	36 / 689	Central (#3)
<u>Factor:</u> 12	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> Environmental Advocates commented on the permit renewal in January 2008.	
14	45	5	9	Longevity	
5B	50	10	5	Total Dissolved Solids limit needs to be added to the permit. TDS was found to be the source of chronic toxicity.	
99	25	5	5	Modifications were made to the treatment plant in 2010.	
CANAJOHARIE - V STP	NY0023485	CANAJOHARIE	125	37 / 689	Central (#4)
<u>Factor:</u> 11	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> Toxicity testing should be performed. Facility also accepts leachate.	
14	100	5	20	Longevity	
2A	5	1	5	Permit needs DNA language.	
4B	5	1	5	Storm water BMPs for WWTPs required.	
5A	10	1	10	Needs low-level Mercury testing	
ROCKLAND COUNTY SEWER DISTRICT NO 1	NY0031895	ORANGETOWN	125	38 / 689	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 100	<u>Multiplier:</u> 5	<u>Points:</u> 20	<u>Reason:</u> Longevity	
5B	25	5	5	Toxicity Action Levels need to be limits	
WHEELABRATOR WESTCHESTER LP	NY0109690	PEEKSKILL	121	39 / 689	Central (#3)
<u>Factor:</u> 13	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u>	
14	66	3	22	Longevity	
4A	5	1	5		
GLENS FALLS STP	NY0029050	GLENS FALLS	120	40 / 689	Central (#5)
<u>Factor:</u> 11	<u>Score:</u> 25	<u>Multiplier:</u> 5	<u>Points:</u> 5	<u>Reason:</u> need WET testing.	
14	45	5	9	Longevity	
5A	50	5	10	NEW MERCURY STANDARD	
PORT TERMINAL LTD	NY0260738	BETHLEHEM	115	41 / 689	Central (#4)
<u>Factor:</u> 07	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> PERMIT OUTFALL 002	
07	10	1	10	PERMIT OUTFALL 003	
11	5	1	5	Toxicity testing needed	
14	30	3	10	Longevity	
4A	10	1	10	ADD BMP	
5C	20	10	2	METALS/SS 001/002/003	
5C	10	5	2	003-TSS/TDS/CN(A)&(T)/BOD	
5C	10	5	2	002-TSS/TDS/CN(A)&(T)/BOD	
6B	10	5	2	001-TSS/TDS/CN(A)&(T)/BOD	
BIRD ISLAND STP	NY0028410	BUFFALO	115	42 / 689	Central (#9)
<u>Factor:</u> 14	<u>Score:</u> 40	<u>Multiplier:</u> 5	<u>Points:</u> 8	<u>Reason:</u> Longevity	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BIRD ISLAND STP	NY0028410	BUFFALO	115	42 / 689	Central (#9)
1B	50	5	10		
99	25	5	5		Permit needs updated pages and a new WQ evaluation.
SABIC INNOVATIVE PLASTICS US LLC	NY0007072	BETHLEHEM	114	43 / 689	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 5	<u>Points:</u> 12	<u>Reason:</u> Longevity	
5A	50	5	10	NEW MERCURY STD REVIEW	
5C	2	1	2	NEW POLLUTANT-ISOBUTANOL	
6B	2	1	2	PERM REQUEST MOD-NEW WTC	
ALLIED WASTE NIAGARA FALLS LANDFILL	NY0094251	NIAGARA FALLS	113	44 / 689	Central (#9)
<u>Factor:</u> 11	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> WET - testing	
14	36	3	12	Longevity	
5A	50	5	10	NEW MERCURY STD REVIEW	
5A	10	1	10	Benzenehexachloride, Beta	
5A	10	1	10	Benzenehexachloride, Alpha	
6B	2	1	2	RE-EVAL ALUMINUM AL	
RENSELAER CO SD 1 WWTP	NY0087971	NORTH GREENBUSH	110	45 / 689	Central (#4)
<u>Factor:</u> 10	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> STP ON SRF LIST	
12	5	1	5	Concern over CSO discharges to the Hudson River and dry weather overflows.	
14	75	5	15	Longevity	
1B	25	5	5	BMP #6 - Dry weather overflows are prohibited - is missing from the permit.	
LEPRINO FOODS	NY0157295	BARTON	110	46 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 90	<u>Multiplier:</u> 3	<u>Points:</u> 30	<u>Reason:</u> Longevity	
5C	20	10	2		
LL FUEL STORAGE LLC	NY0234231	FALLSBURGH	110	47 / 689	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 78	<u>Multiplier:</u> 3	<u>Points:</u> 26	<u>Reason:</u> Longevity	
4A	10	1	10	Stormwater BMPs need to be added.	
5B	5	1	5	Xylenes AL needs adjusting downward.	
5B	5	1	5	Toluene AL needs adjusting downward.	
5B	5	1	5	Ethylbenzene AL needs adjusting downward.	
5B	5	1	5	Benzene AL needs adjusting downward.	
5C	2	1	2	pH violations.	
COBLESKILL-V-WATER POLL CONTROL PLANT	NY0024201	COBLESKILL	110	48 / 689	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 110	<u>Multiplier:</u> 5	<u>Points:</u> 22	<u>Reason:</u> Longevity	
AVNET INC (FORMER IMPERIAL SCHRADE SITE)	NY0008087	WAWARSING	110	49 / 689	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 110	<u>Multiplier:</u> 5	<u>Points:</u> 22	<u>Reason:</u> Longevity	
SPECIAL METALS CORPORATION	NY0007129	NEW HARTFORD	109	50 / 689	Central (#6)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity	
5A	50	5	10		
5C	2	1	2	REDUCE SAMPLING FREQUENCY	
CARMEL TERMINALS INC	NY0235083	CARMEL	108	51 / 689	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 78	<u>Multiplier:</u> 3	<u>Points:</u> 26	<u>Reason:</u> Longevity	
2B	5	1	5	DNA requirements need to be added.	
4B	5	1	5	Storm water BMPs need updating.	
5B	5	1	5	Xylenes AL needs to be adjusted downward.	
5B	5	1	5	Toluene AL needs to be adjusted downward.	
5B	5	1	5	Ethylbenzene AL needs to be adjusted downward.	
5B	5	1	5	Benzene AL needs to be adjusted downward.	
FORMER IFG FACILITY	NY0000566	SALINA	107	52 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity	
5A	50	5	10	NEW MERCURY STANDARD	
OGDENSBURG -C WWTP PLANT	NY0029831	OGDENSBURG	105	53 / 689	Central (#6)
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 5	<u>Points:</u> 9	<u>Reason:</u> Longevity	
1A	50	5	10	need LTCP implementation schedule and post construction monitoring.	
5A	10	1	10	need Mercury language	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
VERNON SEWAGE TREATMENT PLANT PROPERTY	NY0020249	VERNON	105	54 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 105 <u>Multiplier:</u> 5 <u>Points:</u> 21 <u>Reason:</u> Longevity					
GOUVERNEUR (V) WWTF	NY0020117	GOUVERNEUR	105	55 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 5 <u>Points:</u> 15 <u>Reason:</u> Longevity					
1A 30 3 10					
BELGRAVE WPCD	NY0026841	NORTH HEMPSTEAD	105	56 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 55 <u>Multiplier:</u> 5 <u>Points:</u> 11 <u>Reason:</u> Longevity					
5A 25 5 5 This permit needs an ammonia limit					
5B 25 5 5 New Marine Ammonia WQ Standard					
BUCKEYE PIPE LINE CO - AUBURN	NY0156311	SENNETT	105	57 / 689	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity					
4B 25 5 5					
5C 10 5 2					
99 10 2 5 Update permit pages including General Requirements					
NORTHPORT STP	NY0024881	HUNTINGTON	103	58 / 689	Central (#1)
<u>Factor:</u> 10 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Nitrogen Upgrade underway					
14 48 3 16 Longevity					
4B 5 1 5 I&I is excessive					
5B 25 5 5 New Marine Ammonia WQ Standard					
MARKIN TUBING	NY0084689	COVINGTON	102	59 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 90 <u>Multiplier:</u> 3 <u>Points:</u> 30 <u>Reason:</u> Longevity					
5C 10 5 2 Update site flow diagram (see Dan Judd in R9)					
5C 2 1 2 Permit needs modified to include action level (0.2 - 0.5 mg/l) of TRC due to the use of WTC - Purobrom. The WQBEL of TRC is 1 mg/l.					
YORKTOWN HEIGHTS STP	NY0026743	YORKTOWN	100	60 / 689	Central (#3)
<u>Factor:</u> 07 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Copper and design flow					
14 50 5 10 Longevity					
SUFFERN - V STP	NY0022748	RAMAPO	100	61 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity					
5A 50 5 10 permit need Mercury Minimization Program and Mercury limit.					
ST LAWRENCE POWER PROJECT	NY0000728	MASSENA	100	62 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 90 <u>Multiplier:</u> 3 <u>Points:</u> 30 <u>Reason:</u> Longevity					
4A 10 1 10 need updated PCB minimization program language.					
CHATHAM - V STP	NY0023582	CHATHAM	100	63 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 80 <u>Multiplier:</u> 5 <u>Points:</u> 16 <u>Reason:</u> Longevity					
5A 10 1 10 need Mercury language in permit.					
99 10 1 10 Permittee request for flow increase due to recently completed plant upgrades.					
CENEX-RENSELAER TERMINAL LLC	NY0006220	RENSELAER	99	64 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 90 <u>Multiplier:</u> 3 <u>Points:</u> 30 <u>Reason:</u> Longevity					
4B 2 1 2 ADD BMP					
5C 5 1 5 add effluent limit or action level for ethylbenzene					
6B 2 1 2 ADD HYRDO TEST WATER					
XEROX JOSEPH C WILSON CTR FOR TECHNOLOGY	NY0002402	WEBSTER	96	65 / 689	Central (#8)
<u>Factor:</u> 12 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> Environmental Advocates commented on the permit renewal in 2008.					
14 36 3 12 Longevity					
5A 50 5 10 NEW MERCURY STANDARD					
99 5 1 5 Permittee requested modification of monitoring requirements for "utility vault waters."					
NYSEG AFTON ASH SITE	NY0108227	AFTON	95	66 / 689	Central (#7)
<u>Factor:</u> 12 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> Environmental Advocates commented on the administrative renewal in 2009.					
14 90 3 30 Longevity					
HUNTER - T LANDFILL	NY0103187	HUNTER	95	67 / 689	Central (#4)
<u>Factor:</u> 07 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Short-term P and FC monitoring in compliance schedule not complied with					
07 10 1 10 Ammonia violations					
07 10 1 10 Dissolved Oxygen violations					
14 60 3 20 Longevity					

Facility Name	SPDES #	Town	Total Score	Ranking	Region
HUNTER - T LANDFILL	NY0103187	HUNTER	95	67 / 689	Central (#4)
5B	5	1	5	EVAL P MONITORING DATA	
AMHERST WASTEWATER TREATMENT FACILITY #16	NY0025950	AMHERST	95	68 / 689	Central (#9)
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 5	<u>Points:</u> 9	<u>Reason:</u> Longevity	
5A	50	5	10	NEW MERCURY STANDARD	
NEXANS ENERGY USA INC	NY0007943	CHESTER	94	69 / 689	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 72	<u>Multiplier:</u> 3	<u>Points:</u> 24	<u>Reason:</u> Longevity	
5C	2	1	2	EXAM SHORT TERM-FE	
5C	2	1	2	EXAM SHORT TERM-CU	
5C	2	1	2	EXAM SHORT TERM-AL	
5C	2	1	2	EXAM SHORT TERM-SN	
5C	2	1	2	EXAM SHORT TERM-606	
5C	2	1	2	EXAM SHORT TERM-624	
5C	2	1	2	EXAM MONITOR ONLY-DO	
5C	2	1	2	EXAM MONITOR ONLY-TDS	
5C	2	1	2	EXAM SHORT TERM-ZN	
5C	2	1	2	EXAM SHORT TERM-PB	
5C	2	1	2	EXAM SHORT TERM-MBAS	
SAPUTO DAIRY FOODS USA LLC	NY0068292	DELHI	93	70 / 689	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 93	<u>Multiplier:</u> 3	<u>Points:</u> 31	<u>Reason:</u> Longevity	
CLEAN WATER OF NEW YORK INC	NY0200484	STATEN ISLAND	92	71 / 689	Central (#2)
<u>Factor:</u> 12	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> Public concern	
14	30	3	10	Longevity	
5C	2	1	2	OTHER MINOR PARAMETERS	
99	50	10	5	Permit needs new requirements as per 40 CFR Part 437 Subpart B (Centralized Waste Treatment - Oily Wastewater).	
WEBER ASH DISPOSAL SITE	NY0106542	FENTON	90	72 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 90	<u>Multiplier:</u> 3	<u>Points:</u> 30	<u>Reason:</u> Longevity	
LIBERTY WWTF	NY0030074	LIBERTY	90	73 / 689	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 90	<u>Multiplier:</u> 5	<u>Points:</u> 18	<u>Reason:</u> Longevity	
WELCH ALLYN JORDAN RD FACILITY	NY0000787	SKANEATELES	90	74 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 90	<u>Multiplier:</u> 3	<u>Points:</u> 30	<u>Reason:</u> Longevity	
VILLAGE OF PHILMONT WWTP	NY0030996	CLAVERACK	90	75 / 689	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 90	<u>Multiplier:</u> 3	<u>Points:</u> 30	<u>Reason:</u> Longevity	
OSWEGO - C EAST SIDE STP	NY0029114	OSWEGO	90	76 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 25	<u>Multiplier:</u> 5	<u>Points:</u> 5	<u>Reason:</u> Longevity	
1B	50	5	10		
99	15	5	3	Update permit with General Conditions	
FINCH PAPER LLC	NY0005525	GLENS FALLS	90	77 / 689	Central (#5)
<u>Factor:</u> 14	<u>Score:</u> 90	<u>Multiplier:</u> 5	<u>Points:</u> 18	<u>Reason:</u> Longevity	
CHOBANI CORPORATE CAMPUS	NY0004146	NORWICH	90	78 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Longevity	
99	40	5	8	Other - Ownership issue	
OSWEGO CO ENERGY RECOVERY FAC	NY0155519	VOLNEY	89	79 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 39	<u>Multiplier:</u> 3	<u>Points:</u> 13	<u>Reason:</u> Longevity	
99	50	10	5	Permit needs modification for fish management or other Fish & Wildlife studies associated with intake.	
NOCO ENERGY CORP - AKRON	NY0258644	NEWSTEAD	89	80 / 689	Central (#9)
<u>Factor:</u> 14	<u>Score:</u> 54	<u>Multiplier:</u> 3	<u>Points:</u> 18	<u>Reason:</u> Longevity	
5C	25	5	5	Effluent flows for main and internal outfalls	
99	10	2	5	Update the following permit pages: General Requirements; Recording, Reporting, & Additional Monitoring Requirements	
MACKENZIE-CHILDS AURORA LLC	NY0244236	LEDYARD	87	81 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 33	<u>Multiplier:</u> 3	<u>Points:</u> 11	<u>Reason:</u> Longevity	
5A	50	5	10	NEW MERCURY STD	
5C	2	1	2	REVISE LOC OF OUTFALL OO4	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
MACKENZIE-CHILDS AURORA LLC	NY0244236	LEDYARD	87	81 / 689	Central (#7)
5C	2	1	2	ADD 2 SAN. OUTFALLS -NMR	
KEYSPAN GAS OPERATIONS EAST - HOLTSMVILLE LNG PLANT	NY0109193	BROOKHAVEN	86	82 / 689	Central (#1)
<u>Factor:</u> 14	<u>Score:</u> 36	<u>Multiplier:</u> 3	<u>Points:</u> 12	<u>Reason:</u> Longevity	
5A	50	5	10	NEW MERCURY STD REVIEW	
MOMENTIVE PERFORMANCE MATERIALS	NY0008605	WATERFORD	85	83 / 689	Central (#5)
<u>Factor:</u> 07	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> Adjust permit based on LUP	
11	5	1	5	Convert WET requirements to new format	
14	60	5	12	Longevity	
6B	10	5	2	Evaluate results of several completed compliance schedule monitoring programs	
CEDARHURST WATER POLLUTION CONTROL PLANT	NY0022462	HEMPSTEAD	85	84 / 689	Central (#1)
<u>Factor:</u> 14	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Longevity	
5A	10	1	10	Reduce limit based on updated PQL	
5B	25	5	5	New Marine Ammonia WQ Standard	
ITT GOULDS PUMPS	NY0001694	SENECA FALLS	85	85 / 689	Central (#8)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 3	<u>Points:</u> 20	<u>Reason:</u> Longevity	
4B	25	5	5		
BUCKEYE RENSSELAER TERMINAL	NY0005690	EAST GREENBUSH	85	86 / 689	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 3	<u>Points:</u> 20	<u>Reason:</u> Longevity	
4A	5	1	5	BMPs need updating.	
5B	5	1	5	Xylenes AL needs adjusting downward.	
5B	5	1	5	Toluene AL needs adjusting downward.	
5B	5	1	5	Ethylbenzene AL needs adjusting downward.	
5B	5	1	5	Benzene AL needs adjusting downward.	
HIGH STREET FT COVINGTON STP	NY0027863	FORT COVINGTON	85	87 / 689	Central (#5)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 3	<u>Points:</u> 20	<u>Reason:</u> Longevity	
5C	25	5	5	Remove outfalls 002, 003, and 004 as they are diverted for treatment through outfall 001.	
BERGEN POINT WWTP	NY0104809	BABYLON	85	88 / 689	Central (#1)
<u>Factor:</u> 10	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u>	
14	35	5	7	Longevity	
2A	10	1	10		
WATERTOWN BULK PLANT	NY0216071	PAMELIA	85	89 / 689	Central (#6)
<u>Factor:</u> 14	<u>Score:</u> 81	<u>Multiplier:</u> 3	<u>Points:</u> 27	<u>Reason:</u> Longevity	
4B	2	1	2	ADD BMP	
5C	2	1	2	ADD MTBE WHEN GAS @ FACIL	
SUPERIOR PLUS ENERGY SERVICES - CORTLAND	NY0244139	CORTLANDVILLE	84	90 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 54	<u>Multiplier:</u> 3	<u>Points:</u> 18	<u>Reason:</u> Longevity	
4B	10	2	5		
99	20	2	10	Mercury	
PRAXAIR INC	NY0108251	NIAGARA FALLS	83	91 / 689	Central (#9)
<u>Factor:</u> 13	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Permit requires modification to include biological conditions to meet §704.5.	
14	27	3	9	Longevity	
5C	2	1	2	ADD MONITORING-TSS	
5C	2	1	2	ADD MONITORING-TDS	
5C	2	1	2	ADD MONITORING-O&G	
CSX TRANSPORTATION DEWITT YARD	NY0033901	MANLIUS	82	92 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 51	<u>Multiplier:</u> 3	<u>Points:</u> 17	<u>Reason:</u> Longevity	
4B	5	1	5	ADD BMP	
5C	2	1	2	ADD DNA REQUIREMENT	
6B	2	1	2	LIMIT ETHYLBENZENE 002	
6B	2	1	2	LIMIT ETHYLBENZENE 001	
6B	2	1	2	ADD LIMIT TEST WATER PH	
6B	2	1	2	ADD LIMIT RESIDUAL CHLORE	
6B	2	1	2	ADD LIMIT OIL & GREASE	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CSX TRANSPORTATION DEWITT YARD	NY0033901	MANLIUS	82	92 / 689	Central (#7)
6B	2	1	2	ADD LIMIT FOR XYLENE	
6B	2	1	2	ADD LIMIT FOR TOLUENE	
6B	2	1	2	ADD LIMIT FOR PH	
6B	2	1	2	ADD LIMIT FOR ETHYLEBENZE	
6B	2	1	2	ADD LIMIT FOR BENZENE	
SI GROUP INC - ROTTERDAM JUNCTION FACILITY	NY0005801	ROTTERDAM	80	93 / 689	Central (#4)
Factor: 14	Score: 50	Multiplier: 5	Points: 10	Reason: Longevity	
5B	25	5	5	Evaluate dilution study and apply to permit	
5B	5	1	5	Evaluate endocrine study and apply to permit	
BUCKEYE TERMINALS LLC - BINGHAMTON TERMINAL	NY0156396	VESTAL	80	94 / 689	Central (#7)
Factor: 14	Score: 78	Multiplier: 3	Points: 26	Reason: Longevity	
5C	2	1	2	ADD MTBE	
METROPOLITAN SYRACUSE WWTP	NY0027081	SYRACUSE	80	95 / 689	Central (#7)
Factor: 14	Score: 80	Multiplier: 5	Points: 16	Reason: Longevity	
R E SMITH FUEL DIV MAIN BROTHERS	NY0224936	CATSKILL	78	96 / 689	Central (#4)
Factor: 14	Score: 78	Multiplier: 3	Points: 26	Reason: Longevity	
CASTLETON ENERGY CENTER	NY0268518	SCHODACK	78	97 / 689	Central (#4)
Factor: 14	Score: 39	Multiplier: 3	Points: 13	Reason: Longevity	
HONEYWELL INTERNATIONAL INC	NY0002275	GEDDES	77	98 / 689	Central (#7)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity	
5A	50	5	10	NEW MERCURY STANDARD	
SI GROUP INC CONGRESS	NY0260525	SCHENECTADY	77	99 / 689	Central (#4)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity	
5A	50	5	10	NEW MERCURY STD	
NORTH CASTLE S D 2 STP	NY0109584	NORTH CASTLE	77	101 / 689	Central (#3)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity	
5B	50	10	5	Cn needs to be added to permit limit page	
C H SPRAGUE-RENSELAER TERMINAL	NY0007722	EAST GREENBUSH	76	102 / 689	Central (#4)
Factor: 14	Score: 72	Multiplier: 3	Points: 24	Reason: Longevity	
4B	2	1	2	ADD BMP	
5C	2	1	2	ADD MTBE WHEN GAS @ FACIL	
CWM CHEMICAL SERVICES - MODEL CITY SITE	NY0072061	PORTER	75	103 / 689	Central (#9)
Factor: 12	Score: 10	Multiplier: 1	Points: 10	Reason: Public concern	
14	65	5	13	Longevity	
PORT WASHINGTON WATER POLLUTION CONTROL PLANT	NY0026778	NORTH HEMPSTEAD	75	104 / 689	Central (#1)
Factor: 14	Score: 50	Multiplier: 5	Points: 10	Reason: Longevity	
5B	25	5	5	New Marine Ammonia WQ Standard	
SCSD #1 - PORT JEFFERSON STP	NY0021750	BROOKHAVEN	75	105 / 689	Central (#1)
Factor: 14	Score: 50	Multiplier: 5	Points: 10	Reason: Longevity	
5B	25	5	5	New Marine Ammonia WQ Standard	
RUBY MOUNTAIN GARNET MINE	NY0034959	JOHNSBURG	75	106 / 689	Central (#5)
Factor: 14	Score: 75	Multiplier: 3	Points: 25	Reason: Longevity	
HORNELL - C WATER POLLUTION CONTROL PLANT	NY0023647	HORNELL	75	107 / 689	Central (#8)
Factor: 14	Score: 50	Multiplier: 5	Points: 10	Reason: Longevity	
5B	25	5	5	A PQL of 0.032 mg/L for sulfide is now attainable, thus compliance with 2 lb/d WQBEL is now measurable.	
OCCIDENTAL DUREZ DIVISION WALCK RD PLANT	NY0001198	NORTH TONAWANDA	75	108 / 689	Central (#9)
Factor: 11	Score: 10	Multiplier: 2	Points: 5	Reason:	
14	55	5	11	Longevity	
99	10	2	5	Needs updated permit pages	
LAWRENCE STP	NY0020354	HEMPSTEAD	75	109 / 689	Central (#1)
Factor: 11	Score: 5	Multiplier: 1	Points: 5	Reason: Permittee's flow is greater than 1 MGD.	
14	45	5	9	Longevity	
5B	25	5	5	New Marine Ammonia WQ Standard	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
HP HOOD LAFARGEVILLE PLANT	NY0002607	ORLEANS	75	110 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity					
PINELAWN POWER	NY0271462	BABYLON	74	111 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity					
4A	24	3	8		
99	20	2	10		Needs updated permit pages with General Conditions
BLIND BROOK WWTP	NY0026719	RYE	72	112 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity					
5B	25	5	5		New Marine Ammonia WQ Standard
5C	2	1	2		Phosphorus monitoring necessary
L DIVER 1A BRINE DISPOSAL WELL	NY0229725	PEMBROKE	72	113 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 72 <u>Multiplier:</u> 3 <u>Points:</u> 24 <u>Reason:</u> Longevity					
NORTH ALBANY TERMINAL CO - GLENMONT TERMINAL	NY0004839	BETHLEHEM	72	114 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 72 <u>Multiplier:</u> 3 <u>Points:</u> 24 <u>Reason:</u> Longevity					
GEORGE M TAYLOR & SON	NY0248304	AMENIA	72	115 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 72 <u>Multiplier:</u> 3 <u>Points:</u> 24 <u>Reason:</u> Longevity					
METRO-NORTH RAILROAD HARMON YARD	NY0006866	CORTLANDT	71	116 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity					
5A	10	1	10		REGIONAL CONCERN
5B	25	5	5		Evaluate Outfall 002 Cu data after 2009 upgrades for WQBEL or modified effluent limit
LOCKHEED MARTIN - IBM OWEGO	NY0244597	OWEGO	71	117 / 689	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity					
4B	5	1	5		ADD BMP
BEAVER FALLS LLC	NY0236101	CROGHAN	71	118 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity					
5B	5	1	5		SET Q LIMIT <50 MGD (316B)
PORT CHESTER WASTE WATER TREATMENT FACILITY	NY0026786	RYE	70	119 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity					
5B	25	5	5		New Marine Ammonia WQ Standard
SCSD #6 - KINGS PARK STP	NY0023311	SMITHTOWN	70	120 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity					
5B	25	5	5		New Marine Ammonia WQ Standard
V-GREENPORT WASTEWATER TREATMENT PLANT	NY0020079	SOUTHOLD	70	121 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity					
5B	25	5	5		New Marine Ammonia WQ Standard
ASHBY FUEL OIL	NY0251046	POUGHKEEPSIE	70	122 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity					
5C	2	1	2		settleable solids
5C	2	1	2		RELAX MONITORING FREQ
CALVERTON SEWER DISTRICT & WWTF	NY0025453	RIVERHEAD	70	123 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity					
4B	10	5	2		ADD BMP
WESTERN RAMAPO ADVANCED WWTP	NY0270598	RAMAPO	70	124 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 65 <u>Multiplier:</u> 5 <u>Points:</u> 13 <u>Reason:</u> Longevity					
5C	5	1	5		Settleable solids should be 2/day.
NEWBURGH WWTP	NY0026310	NEWBURGH	70	125 / 689	Central (#3)
<u>Factor:</u> 12 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> Environmental Advocates commented on the 2008 renewal.					
14	60	5	12		Longevity
1B	5	1	5		Facility has secondary bypass which blends into outfall.
NATIONAL PIPE & PLASTICS	NY0107409	VESTAL	70	126 / 689	Central (#7)
<u>Factor:</u> 07 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> BOD and TSS violations over the past year (3-2010 through 2-2011).					
14	60	3	20		Longevity
FERRO ELECTRONIC MATERIALS - PENN YAN FACILITY	NY0002097	TORREY	70	127 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity					

Facility Name	SPDES #	Town	Total Score	Ranking	Region
FERRO ELECTRONIC MATERIALS - PENN YAN FACILITY	NY0002097	TORREY	70	127 / 689	Central (#8)
4B 10 1 10	stormwater sampling needs to be performed by the facility				
SARANAC LAKE STP	NY0021733	ST ARMAND	70	128 / 689	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 5 <u>Points:</u> 12 <u>Reason:</u> Longevity					
5A 10 1 10	permit need mercury language.				
KINGSTON PT TERMINAL	NY0250406	KINGSTON	70	129 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity					
4B 25 5 5	Permit will need updated BMP and full review. Updated score will include this permit in the next round of reachable permits.				
RENSSELAER COGEN FACILITY	NY0242586	RENSSELAER	69	130 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 69 <u>Multiplier:</u> 3 <u>Points:</u> 23 <u>Reason:</u> Longevity					
99 0 0 0	Facility not yet constructed (2009)				
UNITED REFINING ROCHESTER TERMINAL	NY0003352	ROCHESTER	69	131 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
4A 10 2 5					
99 20 2 10	Needs to perform priority pollutant scans to include new low level mercury. Additionally, permit pages need to be organized and to include updated pages.				
WESTMORE FUEL CO	NY0251488	RYE	68	132 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity					
5C 2 1 2	Settleable Solids				
GOUVERNEUR MINERALS DIV # 4 MINE	NY0110779	DIANA	68	133 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity					
4B 2 1 2	ADD BMP				
BROOKHAVEN COMBUSTION TURBINE	NY0225282	BROOKHAVEN	68	134 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
4A 25 5 5					
99 10 2 5	Permit needs updated pages to include General Requirements				
HYDRAMEC INC	NY0095052	SCIO	67	135 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity					
4B 25 5 5	ADD BMP				
FORTISTAR NORTH TONAWANDA INC	NY0204820	NORTH TONAWANDA	66	136 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity					
GLOBAL COMPANIES LLC - ALBANY TERMINAL	NY0021016	ALBANY	66	137 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity					
BURKE OIL & HEATING HAWTHORNE TERMINAL	NY0248355	MOUNT PLEASANT	66	138 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity					
ANDERMAN'S FUEL OIL STORAGE YARD	NY0234486	FALLSBURGH	66	139 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity					
PANCO PETROLEUM COMPANY	NY0235067	STONY POINT	66	140 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity					
MOTT'S LLP	NY0000523	WILLIAMSON	66	141 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
4A 25 5 5					
99 20 2 10	Update permit with new templates				
JCI JONES CHEMICALS INC	NY0072079	CALEDONIA	66	142 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity					
4A 10 2 5					
99 20 2 10	Update permit pages				
FRANKLINVILLE WASTEWATER TREATMENT PLANT	NY0028991	FRANKLINVILLE	65	143 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 55 <u>Multiplier:</u> 5 <u>Points:</u> 11 <u>Reason:</u> Longevity					
5B 5 1 5	TRC LIMIT NECESSARY (NEW POLICY)				
5B 5 1 5	NH3 LIMIT NECESS (NEW REGS)				
WATKINS GLEN - V STP	NY0020524	DIX	65	144 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 65 <u>Multiplier:</u> 5 <u>Points:</u> 13 <u>Reason:</u> Longevity					

EBPS ENB List - Central Office

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
ISLECHEM LLC	NY0001201	GRAND ISLAND	65	145 / 689	Central (#9)
Factor: 14	Score: 65	Multiplier: 5	Points: 13	Reason: Longevity	
GENERAL ELECTRIC STEAM TURBINE GENERATOR GLOBAL	NY0007056	SCHENECTADY	65	146 / 689	Central (#4)
Factor: 14	Score: 55	Multiplier: 5	Points: 11	Reason: Longevity	
5A	10	1	10	REGIONAL CONCERN	
VILLAGE OF GRANVILLE WWTP	NY0021547	GRANVILLE	65	147 / 689	Central (#5)
Factor: 14	Score: 65	Multiplier: 5	Points: 13	Reason: Longevity	
KEYMARK CORP PLANT	NY0072451	MOHAWK	65	148 / 689	Central (#4)
Factor: 14	Score: 60	Multiplier: 5	Points: 12	Reason: Longevity	
4A	5	1	5	Current BMP requirements are outdated and insufficient.	
MOTOR COMPONENTS LLC	NY0004081	HORSEHEADS	65	149 / 689	Central (#8)
Factor: 12	Score: 5	Multiplier: 1	Points: 5	Reason: Environmental Advocates commented on the permit renewal on 9/1/09.	
14	55	5	11	Longevity	
5C	5	1	5	Check lead levels in the discharge.	
CHEMUNG CO SEWER DISTRICT #1 STP	NY0036986	ELMIRA	65	150 / 689	Central (#8)
Factor: 14	Score: 40	Multiplier: 5	Points: 8	Reason: Longevity	
5B	25	5	5	Coliform levels impacting the Chemung River, downstream from this discharge, and contributing to coliform violations in a CSO area. The permit should require disinfection.	
NORTHROP GRUMMAN SYSTEMS CORPORATION	NY0096792	OYSTER BAY	65	151 / 689	Central (#1)
Factor: 14	Score: 60	Multiplier: 3	Points: 20	Reason: Longevity	
4B	5	1	5	Addition of WTC and cooling water discharge description to permit	
REVERE COPPER PRODUCTS INC	NY0005665	ROME	65	152 / 689	Central (#6)
Factor: 11	Score: 5	Multiplier: 1	Points: 5	Reason: Longevity	
14	60	3	20	Longevity	
LOCKHEED MARTIN CORP/ FRENCH ROAD FACILITY	NY0121894	UTICA	65	153 / 689	Central (#6)
Factor: 11	Score: 5	Multiplier: 1	Points: 5	Reason: Longevity	
14	60	3	20	Longevity	
CON ED-74TH STREET STA	NY0005177	MANHATTAN	65	154 / 689	Central (#2)
Factor: 14	Score: 40	Multiplier: 5	Points: 8	Reason: Longevity	
5A	25	5	5	Permit Review of Mercury sampling may require modification as required by Mercury TOGS 1.3.10	
REYNOLDS METALS ST LAWRENCE REDUCTION PLANT	NY0000132	MASSENA	65	155 / 689	Central (#6)
Factor: 14	Score: 65	Multiplier: 5	Points: 13	Reason: Longevity	
GOSHEN (V) WWTF	NY0031518	GOSHEN	65	156 / 689	Central (#3)
Factor: 14	Score: 50	Multiplier: 5	Points: 10	Reason: Longevity	
3A	10	1	10	NEED PRETREAT MINI SCHEDULE	
5A	5	1	5	need Mercury language and limit.	
FULTON - C STP	NY0026301	FULTON	65	157 / 689	Central (#7)
Factor: 11	Score: 5	Multiplier: 1	Points: 5	Reason: WET Testing required as per TOGS 1.3.2	
12	5	1	5	Environmental Advocates commented on the renewal of the permit in 2009.	
14	45	5	9	Longevity	
4A	5	1	5	Permit needs Mercury PMP and reduced limit as per TOGS 1.3.10	
5A	5	1	5	Permit needs reduced limit for mercury. Current limit of 200ng/l should be reduced to 50ng/l	
WYETH PHARMACEUTICALS	NY0033421	CHAMPLAIN	64	158 / 689	Central (#5)
Factor: 14	Score: 39	Multiplier: 3	Points: 13	Reason: Longevity	
5B	25	5	5	PHOSPHORUS-L CHAMPLAIN	
BROWNVILLE STP	NY0031232	BROWNVILLE	64	159 / 689	Central (#6)
Factor: 07	Score: 10	Multiplier: 1	Points: 10	Reason: CO FOR PLANT UPGRADE	
14	54	3	18	Longevity	
NARROWS GENERATING STATION	NY0200808	BROOKLYN	63	160 / 689	Central (#2)
Factor: 14	Score: 63	Multiplier: 3	Points: 21	Reason: Longevity	
GOWANUS GENERATING STATION	NY0201006	BROOKLYN	63	161 / 689	Central (#2)
Factor: 14	Score: 63	Multiplier: 3	Points: 21	Reason: Longevity	

EBPS ENB List - Central Office

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CATSKILL AQUEDUCT OUTLET IN KENSICO RESERVOIR <u>Factor:</u> 14 <u>Score:</u> 63 <u>Multiplier:</u> 3 <u>Points:</u> 21 <u>Reason:</u> Longevity	NY0264652	MOUNT PLEASANT	63	162 / 689	Central (#3)
REENERGY CHATEAUGAY LLC <u>Factor:</u> 14 <u>Score:</u> 57 <u>Multiplier:</u> 3 <u>Points:</u> 19 <u>Reason:</u> Longevity 4B 5 1 5	NY0230634	CHATEAUGAY	62	163 / 689	Central (#5)
SPRAGUE OPERATING RESOURCES LLC <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity 4B 2 1 2 needs BMP requirements	NY0028843	RENSELAER	62	164 / 689	Central (#4)
EMPIRE POWER PLANT <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 5 <u>Points:</u> 12 <u>Reason:</u> Longevity 5C 2 1 2 TSS ans Set Solids ned to be canged to Monitor to address stormwater issues unique to the site	NY0267546	RENSELAER	62	165 / 689	Central (#4)
LAKE PLACID WPCP <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 5 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0022187	NORTH ELBA	60	166 / 689	Central (#5)
SCA TISSUE N A <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 5 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0007226	MOREAU	60	167 / 689	Central (#5)
R G & E RUSSELL STATION <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 5 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0000612	GREECE	60	168 / 689	Central (#8)
EASTMAN BUSINESS PARK <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 5 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0001643	ROCHESTER	60	169 / 689	Central (#8)
VILLAGE OF MINOA STP <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 5 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0025461	MANLIUS	60	170 / 689	Central (#7)
BATAVIA - C STP <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 5 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0026514	BATAVIA	60	171 / 689	Central (#8)
TITANX ENGINE COOLING INC <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 5 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0003395	JAMESTOWN	60	172 / 689	Central (#9)
OCSD#1 HARRIMAN SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 5 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0027901	WOODBURY	60	173 / 689	Central (#3)
DANNEMORA STP <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 5 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0022195	SARANAC	60	174 / 689	Central (#5)
AEP BREWERTON TERMINAL <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity	NY0105431	HASTINGS	60	175 / 689	Central (#7)
HAMPTON CORNERS MINE <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity	NY0245879	GROVELAND	60	176 / 689	Central (#8)
POUGHKEEPSIE STP <u>Factor:</u> 12 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> Environmental Advocates commented on the 2008 administrative renewal. 14 55 5 11 Longevity	NY0026255	POUGHKEEPSIE	60	177 / 689	Central (#3)
INTERTEK TESTING SERVICES <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity	NY0108995	CORTLANDVILLE	60	178 / 689	Central (#7)
PORT JERVIS STP <u>Factor:</u> 07 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Currently Dept. is persuding enforcement actions for non-compliance to current permit. 11 5 1 5 14 45 5 9 Longevity	NY0026522	PORT JERVIS	60	179 / 689	Central (#3)
NFB CARBON PRODUCTS LLC <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 5 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0000906	NIAGARA FALLS	60	180 / 689	Central (#9)
TOWN OF WALWORTH SEWER DISTRICT #1 WWTP <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity 99 25 5 5 Permit pages need to be updated to include General Requirements	NY0025704	WALWORTH	60	181 / 689	Central (#8)
LYONSDALE BIOMASS LLC <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity	NY0216119	LYONSDALE	60	182 / 689	Central (#6)
WASHINGTON MILLS ELECTRO MINERALS <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity 5C 2 1 2 ADD TSS	NY0203335	NIAGARA FALLS	58	183 / 689	Central (#9)

Facility Name	SPDES #	Town	Total Score	Ranking	Region
WASHINGTON MILLS ELECTRO MINERALS	NY0203335	NIAGARA FALLS	58	183 / 689	Central (#9)
5C	2	1	2	ADD TDS	
5C	2	1	2	ADD PH	
5C	2	1	2	ADD BORON	
5C	2	1	2	ADD ALUMINUM	
6B	2	1	2	REVISED BPJ TSS	
6B	2	1	2	REVISED ALUMINUM	
6B	2	1	2	REVISE BORON	
NEWARK WASTEWATER TREATMENT FACILITY	NY0029475	ARCADIA	57	184 / 689	Central (#8)
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 5	<u>Points:</u> 9	<u>Reason:</u> Longevity	
5B	5	1	5	002-FECAL COLIFORM	
5B	5	1	5	002-CHLORINE LIMIT	
5C	2	1	2	NEW OUTF-BYPASS/GOLF COUR	
NOCO ENERGY CORP - TONAWANDA	NY0105678	TONAWANDA	57	185 / 689	Central (#9)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity	
CON ED - ASTORIA FACILITY	NY0201219	QUEENS	57	186 / 689	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity	
CUTCO CUTLERY CORPORATION	NY0101583	OLEAN	57	187 / 689	Central (#9)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity	
INDEPENDENCE STATION	NY0233196	SCRIBA	57	188 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity	
SULLIVAN COUNTY LANDFILL	NY0259942	THOMPSON	57	189 / 689	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity	
KINDER MORGAN LIQUIDS TERMINALS LLC	NY0004961	STATEN ISLAND	56	190 / 689	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 51	<u>Multiplier:</u> 3	<u>Points:</u> 17	<u>Reason:</u> Longevity	
5B	5	1	5		
ITHACA AREA WASTEWATER TREATMENT FAC	NY0026638	ITHACA	55	191 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 55	<u>Multiplier:</u> 5	<u>Points:</u> 11	<u>Reason:</u> Longevity	
PHOENIX - V STP	NY0020664	SCHROEPEL	55	192 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Longevity	
5B	5	1	5	CL DISIN MAY BE YEAR ROUN	
NORWICH - C WASTEWATER TREATMENT PLANT	NY0021423	NORWICH	55	193 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 55	<u>Multiplier:</u> 5	<u>Points:</u> 11	<u>Reason:</u> Longevity	
CAROUSEL CENTER MALL	NY0232386	SYRACUSE	55	194 / 689	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 30	<u>Multiplier:</u> 3	<u>Points:</u> 10	<u>Reason:</u> Longevity	
4B	25	5	5	ADD BMP	
FMC - AGRICULTURAL PRODUCTS	NY0000345	ROYALTON	55	195 / 689	Central (#9)
<u>Factor:</u> 14	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Longevity	
4B	5	1	5	UPDATE BMP RQMNT	
FRANK E VAN LARE WASTEWATER TREATMENT	NY0028339	ROCHESTER	55	196 / 689	Central (#8)
<u>Factor:</u> 10	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> STP ON SRF	
14	50	5	10	Longevity	
HUDSON - C STP	NY0022039	HUDSON	55	197 / 689	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 55	<u>Multiplier:</u> 5	<u>Points:</u> 11	<u>Reason:</u> Longevity	
INTERNATIONAL PAPER TICONDEROGA MILL	NY0004413	TICONDEROGA	55	198 / 689	Central (#5)
<u>Factor:</u> 11	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> Toxicity testing	
14	45	5	9	Longevity	
5B	5	1	5	REVIEW CLUSTER RULE	
ORANGETOWN SD WWTP	NY0026051	ORANGETOWN	55	199 / 689	Central (#3)
<u>Factor:</u> 07	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u>	
14	45	5	9	Longevity	
BEACON WATER POLLUTION CONTROL PLAN	NY0025976	BEACON	55	200 / 689	Central (#3)
<u>Factor:</u> 11	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> Toxicity testing for 4 quarters once every 5 years required.	
14	45	5	9	Longevity	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BEACON WATER POLLUTION CONTROL PLAN	NY0025976	BEACON	55	200 / 689	Central (#3)
5B	5	1	5	ZINC	
GLOVERSVILLE-JOHNSTOWN JOINT WWTP	NY0026042	JOHNSTOWN	55	201 / 689	Central (#5)
Factor: 12	Score: 5	Multiplier: 1	Points: 5	Reason: Environmental Advocates commented on the permit renewal.	
14	45	5	9	Longevity	
5A	5	1	5	NEW MERCURY STANDARD	
ARTHUR KILL GENERATING STATION	NY0005100	STATEN ISLAND	55	202 / 689	Central (#2)
Factor: 14	Score: 55	Multiplier: 5	Points: 11	Reason: Longevity	
ATHENS GENERATING PLANT	NY0261009	ATHENS	55	203 / 689	Central (#4)
Factor: 14	Score: 55	Multiplier: 5	Points: 11	Reason: Longevity	
INTERFACE SOLUTIONS	NY0257826	CROGHAN	55	204 / 689	Central (#6)
Factor: 11	Score: 5	Multiplier: 1	Points: 5	Reason: Toxicity testing	
14	48	3	16	Longevity	
5C	2	1	2	ZINC	
SOMERSET OPERATING COMPANY LLC	NY0104213	SOMERSET	55	205 / 689	Central (#9)
Factor: 14	Score: 50	Multiplier: 5	Points: 10	Reason: Longevity	
5C	5	1	5	Add Total Residual Oxidant Limit to permit (for Sodium Bromide WTC) to replace, or in addition to, TRC limit.	
JAMESTOWN STP	NY0027570	POLAND	55	206 / 689	Central (#9)
Factor: 14	Score: 55	Multiplier: 5	Points: 11	Reason: Longevity	
LONG BEACH WATER POLLUTION CONTROL PLANT	NY0020567	LONG BEACH	55	207 / 689	Central (#1)
Factor: 11	Score: 5	Multiplier: 1	Points: 5	Reason: Needs WET testing	
14	45	5	9	Longevity	
4B	5	1	5	Needs MMP	
OMNIAFILTRA LLC	NY0002755	CROGHAN	55	208 / 689	Central (#6)
Factor: 14	Score: 50	Multiplier: 5	Points: 10	Reason: Longevity	
5C	5	1	5	Add monitoring of Monthly Avg flow	
DUNKIRK STEAM GENERATING STATION	NY0002321	DUNKIRK	55	209 / 689	Central (#9)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity	
2A	10	1	10	Mercury minimization program needs to be added for Outfall 003.	
NORTHPORT POWER STATION	NY0005941	HUNTINGTON	55	210 / 689	Central (#1)
Factor: 14	Score: 55	Multiplier: 5	Points: 11	Reason: Longevity	
WEST VERNON TERMINAL	NY0007633	MOUNT VERNON	54	211 / 689	Central (#3)
Factor: 14	Score: 54	Multiplier: 3	Points: 18	Reason: Longevity	
QUILL UNIT 762-1 SWD	NY0261602	AURELIUS	54	212 / 689	Central (#7)
Factor: 14	Score: 54	Multiplier: 3	Points: 18	Reason: Longevity	
TECH CITY	NY0260134	ULSTER	54	213 / 689	Central (#3)
Factor: 14	Score: 54	Multiplier: 3	Points: 18	Reason: Longevity	
COLUMBIA GAS GREENWOOD STORAGE FIELD	NY0161926	GREENWOOD	54	214 / 689	Central (#8)
Factor: 14	Score: 39	Multiplier: 3	Points: 13	Reason: Longevity	
99	15	3	5	Annular pressure needs to be changed from 100PSI to 300PSI to conform with USEPA well permit.	
WHEELABRATOR HUDSON FALLS	NY0202215	KINGSBURY	54	215 / 689	Central (#5)
Factor: 14	Score: 54	Multiplier: 3	Points: 18	Reason: Longevity	
SOS FUEL COMPANY	NY0260347	TUXEDO	53	216 / 689	Central (#3)
Factor: 14	Score: 51	Multiplier: 3	Points: 17	Reason: Longevity	
5C	2	1	2	Settleable Solids	
SPRAGUE OPERATING RESOURCES LLC - 939 E 138TH ST	NY0007668	BRONX	53	217 / 689	Central (#2)
Factor: 14	Score: 51	Multiplier: 3	Points: 17	Reason: Longevity	
5C	2	1	2	ADDED NEW STORAGE TANK	
BAILEY MANUFACTURING COMPANY LLC	NY0202959	HANOVER	53	218 / 689	Central (#9)
Factor: 14	Score: 3	Multiplier: 3	Points: 1	Reason: Longevity	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BAILEY MANUFACTURING COMPANY LLC 6B 50 5 10	NY0202959	HANOVER	53	218 / 689	Central (#9)
Permit needs to be adjusted for a new wastewater treatment technology requirement for the following parameters: Aluminum, Antimony, Arsenic, Beryllium, Cadmium, Copper, Iron, Manganese, Nickel, Selenium, Mercury, Silver, and Thallium					
RICHARD M FLYNN POWER PLANT Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity 5B 25 5 5	NY0225746	BROOKHAVEN	52	219 / 689	Central (#1)
ADD NITROGEN TO 001					
CHEMUNG CO ELMIRA SWR DIST BAKER RD WWTF Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity 5A 10 1 10 5C 2 1 2 5C 2 1 2	NY0246948	CHEMUNG	52	220 / 689	Central (#8)
ADD DIELDRIN ADD TOTAL PHENOLICS ADD SELENIUM ADD BIS-2-ETHYLHEXYL PHTH ADD ARSENIC ADD ACETONE 3-METHYLPHENOL, 4-METHYLPHENOL					
HERITAGENERGY INC Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity 5B 25 5 5	NY0248339	WAWARSING	52	221 / 689	Central (#3)
Settleable Solids limit is added in compliance with the new guidance limitations for a oil/petroleum storage facility with oil/water separator					
SHORTSVILLE PLANT- GREAT LAKES KRAUT CO Factor: 07 Score: 10 Multiplier: 1 Points: 10 Reason: exceedances of pH and DO limitations at the internal monitoring locations 14 42 3 14	NY0000426	MANCHESTER	52	222 / 689	Central (#8)
Longevity					
CORNING HOSPITAL Factor: 14 Score: 51 Multiplier: 3 Points: 17 Reason: Longevity	NY0246701	CORNING	51	223 / 689	Central (#8)
FILLMORE GREENHOUSES INC Factor: 14 Score: 51 Multiplier: 3 Points: 17 Reason: Longevity	NY0258741	HUME	51	224 / 689	Central (#9)
EMPIRE PETRO CORP Factor: 14 Score: 51 Multiplier: 3 Points: 17 Reason: Longevity	NY0264032	THOMPSON	51	225 / 689	Central (#3)
UNITED METRO TERM-498 KINGSLAND AVE Factor: 07 Score: 10 Multiplier: 1 Points: 10 Reason: the permittee installed additional seven (7) major storage tanks (sizes ranging from 451,000 gallons to 1,011,000 gallons) between 2005 and 2006 without notifying the Department. 14 39 3 13 5C 2 1 2	NY0007676	BROOKLYN	51	226 / 689	Central (#2)
LONGEVITY ADDITIONAL TANKS ADDED					
RAVENSWOOD STEAM PLANT Factor: 14 Score: 51 Multiplier: 3 Points: 17 Reason: Longevity	NY0201227	QUEENS	51	227 / 689	Central (#2)
NEWSDAY Factor: 14 Score: 51 Multiplier: 3 Points: 17 Reason: Longevity	NY0136751	HUNTINGTON	51	228 / 689	Central (#1)
PENN YAN STP Factor: 14 Score: 50 Multiplier: 5 Points: 10 Reason: Longevity	NY0029726	MILO	50	229 / 689	Central (#8)
GENESE0 - V STP Factor: 14 Score: 50 Multiplier: 5 Points: 10 Reason: Longevity	NY0030635	GENESE0	50	230 / 689	Central (#8)
HIGHLAND FALLS WWTP Factor: 14 Score: 50 Multiplier: 5 Points: 10 Reason: Longevity	NY0022586	HIGHLANDS	50	231 / 689	Central (#3)
HAMILTON - V WATER POLLUTION CONTROL PLANT Factor: 14 Score: 50 Multiplier: 5 Points: 10 Reason: Longevity	NY0020672	HAMILTON	50	232 / 689	Central (#7)
WATERFORD STP Factor: 10 Score: 5 Multiplier: 1 Points: 5 Reason: STP ON SRF 14 45 5 9	NY0029173	WATERFORD	50	233 / 689	Central (#5)
LONGEVITY					
LAPP INSULATORS LLC Factor: 14 Score: 50 Multiplier: 5 Points: 10 Reason: Longevity	NY0000779	LE ROY	50	234 / 689	Central (#8)

Facility Name	SPDES #	Town	Total Score	Ranking	Region
HADCO - OWEGO	NY0072231	OWEGO	50	235 / 689	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity					
5C	2	1	2	TIN	
5C	2	1	2	TEMPERATURE	
5C	2	1	2	OIL & GREASE	
5C	2	1	2	NICKEL	
5C	2	1	2	LEAD	
5C	2	1	2	IRON	
5C	2	1	2	FLUORIDE	
5C	2	1	2	CYANIDE	
5C	2	1	2	COPPER	
5C	2	1	2	CBOD5	
WEST SIDE WASTEWATER TREATMENT FACILITY	NY0029106	OSWEGO	50	236 / 689	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity					
NIAGARA FALLS STP	NY0026336	NIAGARA FALLS	50	237 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity					
SUFFOLK SEWER DISTRICT #21/SUNY STONY BROOK SD	NY0206644	BROOKHAVEN	50	238 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity					
EAST DELAWARE TUNNEL OUTLET	NY0264687	NEVERSINK	50	239 / 689	Central (#3)
<u>Factor:</u> 5A <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> NEW MERCURY STD					
OCCIDENTAL CHEMICAL CORP - NIAGARA PLANT	NY0003336	NIAGARA FALLS	50	240 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity					
KIAMESHA LAKE SD STP	NY0030724	THOMPSON	50	241 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity					
PORT JEFFERSON POWER STATION	NY0005932	BROOKHAVEN	50	242 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity					
ARKEMA INC	NY0068225	YORK	50	243 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity					
NEW WINDSOR STP	NY0022446	NEW WINDSOR	50	244 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity					
CHEMOURS NIAGARA	NY0003328	NIAGARA FALLS	50	245 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity					
TRI-MUNICIPAL WWTP	NY0149209	POUGHKEEPSIE	50	246 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity					
5A	5	1	5	permit need Mercury language.	
HONEYWELL FRICTION MATERIALS	NY0006734	GREEN ISLAND	49	247 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity					
4B	5	1	5	ADD BMP	
5C	2	1	2	MONITORING NEEDED-TSS	
5C	2	1	2	MONITORING NEEDED-SS	
6B	2	1	2	REASSESS BPJ-ZINC	
6B	2	1	2	REASSESS BPJ-PHENOL	
6B	2	1	2	REASSESS BPJ-IRON	
6B	2	1	2	REASSESS BPJ-CYANIDE	
6B	2	1	2	REASSESS BPJ-ALUMINUM	
CORNING INC CANTON PLANT	NY0085006	DEKALB	49	248 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
5A	10	1	10	REGIONAL CONCERN	
PVS CHEMICAL SOLUTIONS INC	NY0110043	BUFFALO	49	249 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
5A	10	1	10	REGIONAL CONCERN	
U S ARMY WATERVLIET ARSENAL	NY0023361	WATERVLIET	49	250 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
99	10	1	10	Permittee request removal of outfalls 05A and 05B.	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BOONVILLE WWTP	NY0020494	BOONVILLE	48	251 / 689	Central (#6)
Factor: 10	Score: 5	Multiplier: 1	Points: 5	Reason: STP ON SRF LIST	
14	33	3	11	Longevity	
5B	5	1	5	MORE FLOW,ADD PHOSPHORUS	
5B	5	1	5	CHANGE NH3 FOR RECLASS	
WORLD KITCHEN LLC - PRESSWARE PLANT	NY0246506	CORNING	48	252 / 689	Central (#8)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity	
COUNTY PETROLEUM PRODUCTS, INC.	NY0260355	LIBERTY	48	253 / 689	Central (#3)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity	
CROTON AQUEDUCT-SHAFT 24 & 25	NY0200859	MANHATTAN	48	254 / 689	Central (#2)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity	
BREWSTER - V STP	NY0026581	SOUTHEAST	48	255 / 689	Central (#3)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity	
SUNOCO TONAWANDA TERMINAL	NY0023621	TONAWANDA	48	256 / 689	Central (#9)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity	
BUCKEYE TERMINALS LLC - GENEVA TERMINAL	NY0001031	FAYETTE	48	257 / 689	Central (#8)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity	
NYS GROVELAND CORRECTIONAL FACILITY	NY0030279	GROVELAND	48	258 / 689	Central (#8)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity	
GRIFFISS INTERNATIONAL AIRPORT	NY0257061	ROME	48	259 / 689	Central (#6)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity	
PAWLING ENGINEERED PRODUCTS	NY0004618	PAWLING	46	260 / 689	Central (#3)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity	
4B	10	5	2	Industrial BMP	
GREAT LAKES CHEESE OF NEW YORK INC	NY0215775	ADAMS	46	261 / 689	Central (#6)
Factor: 14	Score: 39	Multiplier: 3	Points: 13	Reason: Longevity	
4B	5	1	5	Evaluate need for BMP requirements	
6B	2	1	2	Establish design flow limit	
VICTOR - V STP	NY0022713	VICTOR	45	262 / 689	Central (#8)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity	
NYS NIAGARA POWER PROJECT	NY0000736	LEWISTON	45	263 / 689	Central (#9)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity	
GREENPORT - T SD 1 STP	NY0030988	GREENPORT	45	264 / 689	Central (#4)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity	
CON ED-59TH ST STATION	NY0005134	MANHATTAN	45	265 / 689	Central (#2)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity	
SCHENECTADY - C STP	NY0020516	SCHENECTADY	45	266 / 689	Central (#4)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity	
WETZEL ROAD WASTEWATER TREATMENT PLANT	NY0027618	CLAY	45	267 / 689	Central (#7)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity	
ST JOHNSVILLE - V STP	NY0024333	ST JOHNSVILLE	45	268 / 689	Central (#4)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity	
SUPERIOR PLUS ENERGY SERVICES - DEPOSIT	NY0244384	SANFORD	45	269 / 689	Central (#7)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity	
5B	5	1	5	ADD MTBE MONITORING 001&A	
5C	2	1	2	ADD DNR	
6B	2	1	2	CHANGE 001A AL TO BPJ	
HOLLEY - V STP	NY0023256	MURRAY	45	270 / 689	Central (#8)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity	
TICONDEROGA SEWER DIST #5 WPCP	NY0036706	TICONDEROGA	45	271 / 689	Central (#5)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity	
GENERAL ELECTRIC COMPANY - TDIS	NY0007048	FORT EDWARD	45	272 / 689	Central (#5)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity	

EBPS ENB List - Central Office

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
GM COMPONENTS HOLDINGS LLC - LOCKPORT <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0000558	LOCKPORT	45	273 / 689	Central (#9)
GUILDERLAND - T NOTT RD STP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0022225	GUILDERLAND	45	274 / 689	Central (#4)
KINGSTON WWTF <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0029351	KINGSTON	45	275 / 689	Central (#3)
HOOSICK FALLS - V STP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0024821	HOOSICK	45	276 / 689	Central (#4)
GLENWOOD COMBUSTION TURBINE FACILITY <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0005916	NORTH HEMPSTEAD	45	277 / 689	Central (#1)
EF BARRETT POWER STATION <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0005908	HEMPSTEAD	45	278 / 689	Central (#1)
SAUGERTIES (V) DOCK STREET STP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0031208	SAUGERTIES	45	279 / 689	Central (#3)
LIVINGSTON MANOR STP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0025437	ROCKLAND	45	280 / 689	Central (#3)
LEROY - V WWTP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0030546	LE ROY	45	281 / 689	Central (#8)
ASTORIA GENERATING STATION <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0005118	QUEENS	45	282 / 689	Central (#2)
CON ED-EAST RIVER GENERATING STATION <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0005126	MANHATTAN	45	283 / 689	Central (#2)
BETHEL - T LANDFILL <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity	NY0264679	BETHEL	45	284 / 689	Central (#3)
DEDECO INTERNATIONAL <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity	NY0264296	FREMONT	45	285 / 689	Central (#3)
GRAHAMSVILLE HYDROELECTRIC FACILITY <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity	NY0264784	NEVERSINK	45	286 / 689	Central (#3)
ASTORIA LNG STORAGE FACILITY <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity	NY0201154	QUEENS	45	287 / 689	Central (#2)
RIVERVIEW BUSINESS PARK LLC <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0032468	VOLNEY	45	288 / 689	Central (#7)
VILLAGE OF MALONE WASTE WATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0030376	MALONE	45	289 / 689	Central (#5)
TOWN OF BETHLEHEM - CEDAR HILL WPCP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0025739	BETHLEHEM	45	290 / 689	Central (#4)
EAST GREENBUSH WWTP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0026034	EAST GREENBUSH	45	291 / 689	Central (#4)
WASHINGTON CO SEWER DIST #2 <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0183695	FORT EDWARD	45	292 / 689	Central (#5)
CAMDEN WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0021377	CAMDEN	45	293 / 689	Central (#6)
SENECA FALLS WASTEWATER TREATMENT <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0033308	SENECA FALLS	45	294 / 689	Central (#8)
DANSVILLE - V WWTP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0024384	NORTH DANSVILLE	45	295 / 689	Central (#8)
HERKIMER CO SD WWTF <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0036528	GERMAN FLATTS	45	296 / 689	Central (#6)
ST LAWRENCE ZINC COMPANY LLC-BALMAT <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0001791	FOWLER	45	297 / 689	Central (#6)
OSWEGO HARBOR POWER <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0002186	OSWEGO	45	298 / 689	Central (#7)

EBPS ENB List - Central Office

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CHATEAUGAY STP	NY0024830	CHATEAUGAY	45	299 / 689	Central (#5)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
CORNWALL WWTP	NY0022144	CORNWALL	45	300 / 689	Central (#3)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
DUNN PAPER - NATURAL DAM	NY0000191	GOVERNEUR	45	301 / 689	Central (#6)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity					
5C 5 1 5 Permittee exceeded zinc action level					
GMMM WESTOVER	NY0003875	UNION	45	302 / 689	Central (#7)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
ENDICOTT (V) WATER POLLUTION CONTROL PLANT	NY0027669	UNION	45	303 / 689	Central (#7)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
GREENIDGE STATION	NY0001325	TORREY	45	304 / 689	Central (#8)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
ONEONTA WASTEWATER TREATMENT PLANT	NY0031151	ONEONTA	45	305 / 689	Central (#4)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
FONDA FULTONVILLE WASTEWATER TREAT PLANT	NY0032433	MOHAWK	45	306 / 689	Central (#4)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
FELIX SCHOELLER TECHNICAL PAPERS	NY0000515	RICHLAND	45	307 / 689	Central (#7)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
STEVE'S CAR WASH	NY0261475	GHENT	45	308 / 689	Central (#4)
Factor: 14 Score: 45 Multiplier: 3 Points: 15 Reason: Longevity					
ECSD NO 6 LACKAWANNA WASTEWATER TREATMENT PLANT	NY0022136	LACKAWANNA	45	309 / 689	Central (#9)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
ECSD NO 3 SOUTHTOWNS ADVANCED WASTEWATER TREATMENT PL	NY0095401	HAMBURG	45	310 / 689	Central (#9)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
EXXONMOBIL GREENPOINT REMEDIATION PROJECT	NY0267724	BROOKLYN	45	311 / 689	Central (#2)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
BURROWS PAPER CORP LYONSDALE	NY0002372	LYONSDALE	45	312 / 689	Central (#6)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
HERKIMER WATER POLL CTRL FAC	NY0020486	HERKIMER	45	313 / 689	Central (#6)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
ROME MUNICIPAL SEWAGE TREATMENT PLANT	NY0030864	ROME	45	314 / 689	Central (#6)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
ALBION JOINT MUNICIPAL INDUSTRIAL STP	NY0028401	GAINES	45	315 / 689	Central (#8)
Factor: 14 Score: 45 Multiplier: 5 Points: 9 Reason: Longevity					
NORWOOD - V WASTEWATER TREATMENT PLANT	NY0021369	NORFOLK	45	316 / 689	Central (#6)
Factor: 07 Score: 10 Multiplier: 1 Points: 10 Reason:					
14 35 5 7 Longevity					
SAINT-GOBAIN CERAMIC MATERIALS INC	NY0001716	WHEATFIELD	43	317 / 689	Central (#9)
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity					
5A 10 1 10 REGIONAL CONCERN					
CADDELL DRY DOCK & REPAIR CO INC	NY0033090	STATEN ISLAND	43	318 / 689	Central (#2)
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity					
4A 10 1 10 Industrial BMP					
BUCHANAN GAS TURBINE SITE	NY0234826	CORTLANDT	43	319 / 689	Central (#3)
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity					
4B 2 1 2 ADD BMP					
6B 2 1 2 ADD HYRDO TEST WATER					
RENSELAER -C COMBINED SEWER OVERFLOWS	NY0026026	RENSELAER	43	320 / 689	Central (#4)
Factor: 12 Score: 10 Multiplier: 1 Points: 10 Reason: Public concern					
14 33 3 11 Longevity					
VESTAL TERMINAL	NY0157252	VESTAL	42	321 / 689	Central (#7)
Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity					

Facility Name	SPDES #	Town	Total Score	Ranking	Region
WELCH ALLYN INC <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity	NY0106674	SKANEATELES	42	322 / 689	Central (#7)
CORTLAND ASPHALT PRODUCTS <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity	NY0244805	CORTLANDVILLE	42	323 / 689	Central (#7)
ENTERPRISE HARFORD MILLS TERMINAL <u>Factor:</u> 12 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Public concern 14 30 3 10 Longevity 4B 2 1 2 ADD BMP	NY0071111	HARFORD	42	324 / 689	Central (#7)
SYRACUSE HANCOCK INTERNATIONAL AIRPORT <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity	NY0244074	DEWITT	42	325 / 689	Central (#7)
DTE TONAWANDA LLC <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity	NY0259055	TONAWANDA	42	326 / 689	Central (#9)
FISHKILL JOINT LANDFILL LEACHATE COLLECTION <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity	NY0264237	FISHKILL	42	327 / 689	Central (#3)
THE VIRTIS CO <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity 4B 2 1 2 ADD BMP	NY0218855	GARDINER	41	328 / 689	Central (#3)
OMEGA WIRE INC - WILLIAMSTOWN NY FACILITY <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity 4B 5 1 5 ADD BMP	NY0106780	WILLIAMSTOWN	41	329 / 689	Central (#7)
J B WASTE OIL CO - 18 41ST STREET <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity 4B 2 1 2 ADD BMP	NY0200824	QUEENS	41	330 / 689	Central (#2)
BIG FLATS TERMINAL <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity 5C 2 1 2 CHAN OUTFALL # & HYDRO TE	NY0109363	BIG FLATS	41	331 / 689	Central (#8)
CITGO VESTAL TERMINAL <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity 5C 2 1 2 ADD MTBE	NY0032620	VESTAL	41	332 / 689	Central (#7)
BAYSIDE FUEL OIL DEPOT-1776 SHORE PKWY <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity 5C 2 1 2 Settleable solids	NY0006297	BROOKLYN	41	333 / 689	Central (#2)
BAYSIDE FUEL OIL DEPOT CORPORATION - N 12TH ST <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity 5C 2 1 2 Settleable solids	NY0006301	BROOKLYN	41	334 / 689	Central (#2)
KINDER MORGAN LIQUIDS TERMINALS LLC BROOKLYN TERMINAL <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity 5C 5 1 5 Permit modification to separate uncontaminated stormwater. Need to add new outfall(s) for uncontaminated stormwater discharge. Awaiting wetlands determination.	NY0004596	BROOKLYN	41	335 / 689	Central (#2)
BINGHAMTON CO-GENERATION PLANT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity 5C 10 5 2 CHANGE MONITORING REQUIRE	NY0232840	BINGHAMTON	40	336 / 689	Central (#7)
TROY - C COMBINED SEWER OVERFLOWS <u>Factor:</u> 12 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Public concern 14 30 3 10 Longevity	NY0099309	TROY	40	337 / 689	Central (#4)
GREEN ISLAND - V CSO <u>Factor:</u> 12 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Public concern 14 30 3 10 Longevity	NY0033031	GREEN ISLAND	40	338 / 689	Central (#4)
ALBANY - C COMBINED SEWER OVERFLOWS <u>Factor:</u> 12 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Public concern 14 30 3 10 Longevity	NY0025747	ALBANY	40	339 / 689	Central (#4)
WATERVLIET - V COMBINED SEWER OVERFLOWS <u>Factor:</u> 12 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Public concern 14 30 3 10 Longevity	NY0030899	WATERVLIET	40	340 / 689	Central (#4)

Facility Name	SPDES #	Town	Total Score	Ranking	Region
U S SALT - WATKINS GLEN REFINERY	NY0002330	READING	40	341 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
PLATTSBURGH WATER POLLUTION CONTROL PLANT	NY0026018	PLATTSBURGH	40	342 / 689	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
APC PAPER COMPANY OF NEW YORK	NY0003042	NORFOLK	40	343 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
GREATER ATLANTIC BEACH WASTEWATER TREATMENT PLANT	NY0023523	HEMPSTEAD	40	344 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
RIVERHEAD SEWER DISTRICT WWTF	NY0020061	RIVERHEAD	40	345 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
AMPHENOL CORP - AEROSPACE OPERATIONS	NY0003824	SIDNEY	40	346 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
GMMM JENNISON LLC	NY0003867	BAINBRIDGE	40	347 / 689	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
STONY POINT STP	NY0028851	STONY POINT	40	348 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
PEROXYCHEM LLC	NY0000337	TONAWANDA	40	349 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
OSSINING WASTEWATER TREATMENT PLANT	NY0108324	OSSINING	40	350 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
CAYUGA HEIGHTS-V WASTEWATER TREATMENT PL	NY0020958	ITHACA	40	351 / 689	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
NEWFANE -T- WASTEWATER TREATMENT PLANT	NY0027774	NEWFANE	40	352 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
CEDAR CREEK WPCP	NY0026859	HEMPSTEAD	40	353 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
WALLKILL STP	NY0024422	WALLKILL	40	354 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
LAKE GEORGE STP	NY0094366	LAKE GEORGE	40	355 / 689	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
LEROY R SUMMERSON WWTF	NY0027561	CORTLAND	40	356 / 689	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
CORNING - C WWTP	NY0025721	CORNING	40	357 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
HAYERSTRAW JOINT REGIONAL STP	NY0028533	HAYERSTRAW	40	358 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
CHEMUNG CO ELMIRA SEWER DISTRICT	NY0035742	SOUTHPORT	40	359 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
CATSKILL - V WWTP	NY0020389	CATSKILL	40	360 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
OWEGO - T STP 2	NY0025798	OWEGO	40	361 / 689	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
SODUS POINT - V STP	NY0028088	SODUS	40	362 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
TOWN OF ONTARIO STP	NY0027171	ONTARIO	40	363 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
WEST VALLEY DEMONSTRATION PROJECT	NY0000973	ASHFORD	40	364 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
PAINTED POST SEWAGE TREATMENT	NY0025712	ERWIN	40	365 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
ECSD NO 3 BLASDELL VILLAGE SEWAGE TREATMENT PLANT	NY0020681	HAMBURG	40	366 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					

EBPS ENB List - Central Office

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
TONAWANDA ENGINE PLANT-GENERAL MOTORS POWERTRAIN	NY0000574	TONAWANDA	40	367 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
TONAWANDA WASTEWATER TREATMENT FACILITY	NY0026395	TONAWANDA	40	368 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
GSK - OAK HILL	NY0191973	DURHAM	40	369 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
5B 5 1 5 Barium has been detected in the effluent in the of 154 ug/l.					
5C 2 1 2 Arsenic has been detected in the effluent.					
GOODYEAR DUNLOP TIRES NORTH AMERICA LTD	NY0101575	TONAWANDA	40	370 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
5C 15 3 5 Include monitoring for TRC					
LLOYD HIGHLAND SEWER DIST STP	NY0024295	LLOYD	40	371 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
SOUTH FALLSBURG WWTP	NY0024520	FALLSBURGH	40	372 / 689	Central (#3)
<u>Factor:</u> 11 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> modify WET action level to WET limit per 6/5/12 letter from DEC to permittee					
14 35 5 7 Longevity					
NIAGARA COUNTY SEWER DISTRICT #1 WWTP	NY0027979	WHEATFIELD	40	373 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
OAKWOOD BEACH WASTEWATER TREATMENT PLANT	NY0026174	STATEN ISLAND	40	374 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
DUNKIRK FLY ASH LANDFILL	NY0202711	POMFRET	39	375 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
RAMAPO VALLEY WELL FIELD	NY0248258	RAMAPO	39	376 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
ROYAL METAL PRODUCTS	NY0110485	GREENVILLE	39	377 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
ROSETON TERMINAL	NY0165328	NEWBURGH	39	378 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
PARADISE FUEL TERMINAL	NY0102211	OSSINING	39	379 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
YRC FREIGHT-MAYBROOK TERMINAL 123	NY0108472	MONTGOMERY	39	380 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
RYAN OIL INC	NY0250031	LA GRANGE	39	381 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
RHI MONOFRAX LLC	NY0078506	ELLCOTT	39	382 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
VICTOR INSULATORS	NY0000744	VICTOR	39	383 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
MOOG INC	NY0090191	ELMA	39	384 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
NEW HAMBURG TERMINAL	NY0101338	POUGHKEEPSIE	39	385 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
ORANGE COUNTY TERMINALS	NY0248029	DEERPARK	39	386 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
APEX OIL - RENSSELAER TERMINAL	NY0028444	RENSSELAER	39	387 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
NEW YORK AIR BRAKE	NY0216135	WATERTOWN	39	388 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
CITGO PETROLEUM GLENMONT TERMINAL	NY0212105	BETHLEHEM	39	389 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
SUNOCO SYRACUSE TED PARK TERMINAL	NY0231924	VAN BUREN	39	390 / 689	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					

EBPS ENB List - Central Office

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
PELHAM MANOR TERMINAL	NY0103632	PELHAM	39	391 / 689	Central (#3)
Factor: 14	Score: 39	Multiplier: 3	Points: 13	Reason: Longevity	
CORNING INC - FALLBROOK PLANT	NY0003981	CORNING	39	392 / 689	Central (#8)
Factor: 14	Score: 39	Multiplier: 3	Points: 13	Reason: Longevity	
NYC DEP-JAMAICA WATER SUPPLY WELLS	NY0201375	QUEENS	39	393 / 689	Central (#2)
Factor: 14	Score: 39	Multiplier: 3	Points: 13	Reason: Longevity	
TBG COGEN FACILITY	NY0270407	OYSTER BAY	39	394 / 689	Central (#1)
Factor: 14	Score: 39	Multiplier: 3	Points: 13	Reason: Longevity	
TOMSON CONVERTER STATION	NY0271438	BROOKHAVEN	39	395 / 689	Central (#1)
Factor: 14	Score: 39	Multiplier: 3	Points: 13	Reason: Longevity	
ARKPORT BULK PLANT	NY0229512	HORNELLSVILLE	38	396 / 689	Central (#8)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity	
5C	2	1	2	CHNG OUTFALL # & HYDRO TE	
BRISTOL-MYERS SQUIBB COMPANY	NY0233251	DEWITT	37	397 / 689	Central (#7)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity	
5A	10	1	10	REGIONAL CONCERN	
FRESENIUS KABI USA LLC	NY0258636	GRAND ISLAND	37	398 / 689	Central (#9)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity	
5C	2	1	2	WTC	
5C	2	1	2	PHENOLS	
5C	2	1	2	MERCURY	
5C	2	1	2	FLOW	
5C	2	1	2	DEHP	
COHOES - C COMBINED SEWER OVERFLOWS	NY0031046	COHOES	37	399 / 689	Central (#4)
Factor: 12	Score: 10	Multiplier: 1	Points: 10	Reason: Public concern	
14	27	3	9	Longevity	
ROCHESTER TERMINAL	NY0162884	ROCHESTER	37	400 / 689	Central (#8)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity	
5C	2	1	2	TANK TEST LIMITS-XYLENE	
5C	2	1	2	TANK TEST LIMITS-TOLUENE	
5C	2	1	2	TANK TEST LIMITS-ETHYLBENZENE	
5C	2	1	2	TANK TEST LIMITS-CHLORINE	
5C	2	1	2	TANK TEST LIMITS-BENZENE	
CAYUGA SALT MINE	NY0101290	LANSING	37	401 / 689	Central (#7)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity	
99	10	2	5	Needs updated permit pages.	
LOVETT SWM FACILITY	NY0166456	STONY POINT	36	402 / 689	Central (#3)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity	
SUPERIOR PLUS ENERGY SERVICES	NY0218090	MARCY	36	403 / 689	Central (#6)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity	
BATAVIA BULK PLANT	NY0228877	BATAVIA	36	404 / 689	Central (#8)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity	
PENN-YORK GAS STORAGE FIELD	NY0243787	INDEPENDENCE	36	405 / 689	Central (#9)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity	
SUBURBAN HEATING OIL PARTNERS LLC - CAMPBELL BULK PLANT	NY0228354	CAMPBELL	36	406 / 689	Central (#8)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity	
VALLEY OIL BULK TERMINAL-CLAVERACK	NY0242209	CLAVERACK	36	407 / 689	Central (#4)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity	
SCLAFANI PETROLEUM	NY0251453	CARMEL	36	408 / 689	Central (#3)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity	
OMEGA WIRE INC	NY0121860	CAMDEN	36	409 / 689	Central (#6)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity	
AMETEK ROTRON	NY0086495	WOODSTOCK	36	410 / 689	Central (#3)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
ULSTER BUSINESS COMPLEX LLC <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0108138	ULSTER	36	411 / 689	Central (#3)
ARC TERMINALS BROOKLYN <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0006131	BROOKLYN	36	412 / 689	Central (#2)
GRASSLANDS SUBSTATION & LINES <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0268003	GREENBURGH	36	413 / 689	Central (#3)
TECUMSEH REDEVELOPMENT INC <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0269310	LACKAWANNA	36	414 / 689	Central (#9)
SHAFT 9 DELAWARE AQUEDUCT <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0268089	KENT	36	415 / 689	Central (#3)
CON ED-11TH STREET CONDUIT <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0201138	BROOKLYN	36	416 / 689	Central (#2)
ASTORIA ENERGY LLC & ASTORIA ENERGY II LLC <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0267538	QUEENS	36	417 / 689	Central (#2)
NEW YORK STATE DAM AT WATERFORD/COHOES <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0265438	WATERFORD	36	418 / 689	Central (#5)
MULTI AQUACULTURE SYSTEMS NET PEN GROWOUT SITE <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0226726	SOUTHOLD	36	419 / 689	Central (#1)
LOSURDO FOODS INC <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0121142	OSWEGATCHIE	36	420 / 689	Central (#6)
PULASKI - V STP <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0020257	RICHLAND	36	421 / 689	Central (#7)
DEERPARK OIL <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0264334	DEERPARK	36	422 / 689	Central (#3)
VANDERBILT MINERALS LLC - GOVERNEUR MINERAL DIVISION <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0002984	FOWLER	36	423 / 689	Central (#6)
ROCHESTER WEST TERMINAL <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity 5C 2 1 2 CHN OUTFALL # & HYDRO TES	NY0001538	GATES	35	424 / 689	Central (#8)
EMPIRE CHEESE <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity 5C 2 1 2 MON REQ - UOD MUST CHANGE	NY0003646	CUBA	35	425 / 689	Central (#9)
BUCKEYE ALBANY TERMINAL LLC <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity 5C 2 1 2 ETHANOL (SEE 7/20/05 LTR)	NY0028592	ALBANY	35	426 / 689	Central (#4)
BUCKEYE TERMINALS LLC - BRONX TERMINAL <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity 5C 2 1 2 ADDED NEW STORAGE TANK	NY0007650	BRONX	35	427 / 689	Central (#2)
WESTERN NEW YORK NUCLEAR SERVICE CENTER <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity 99 2 1 2 change contact person on Page 1 of the permit	NY0269271	ASHFORD	35	428 / 689	Central (#9)
COOPERSTOWN WWTP <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0023591	OTSEGO	35	429 / 689	Central (#4)
HICKLING STATION <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0003859	CORNING	35	430 / 689	Central (#8)
EAST ONEIDA LAKE SD WWT FAC <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0036790	VIENNA	35	431 / 689	Central (#6)
NEW PALTZ (V) WWT FACILITY <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0030082	NEW PALTZ	35	432 / 689	Central (#3)
ULSTER SEWER DISTRICT SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0021563	ULSTER	35	433 / 689	Central (#3)
NISKAYUNA - T SD 6 WWTP <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0023973	NISKAYUNA	35	434 / 689	Central (#4)

Facility Name	SPDES #	Town	Total Score	Ranking	Region
LIFE TECHNOLOGIES CORPORATION	NY0000400	GRAND ISLAND	35	435 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
FORMER CARBORUNDUM COMPLEX	NY0001988	WHEATFIELD	35	436 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
ERWIN - T WWTP	NY0023906	ERWIN	35	437 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
MOHAWK VIEW WATER POLLUTION CONTROL PLANT	NY0027758	COLONIE	35	438 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
IRVING TISSUE INC FT EDWARD OPERATIONS	NY0006050	FORT EDWARD	35	439 / 689	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
POUGHKEEPSIE (T) ARLINGTON WWTP	NY0026271	POUGHKEEPSIE	35	440 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
ADAMS WWT FACILITY	NY0034771	ADAMS	35	441 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
POTSDAM WATER POLL CNTL PLANT	NY0020818	POTSDAM	35	442 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
MAMARONECK WWTP	NY0026701	MAMARONECK	35	443 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
MASSENA WASTEWATER TREATMENT PLANT	NY0031194	MASSENA	35	444 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
CANASTOTA - V WPCP	NY0029807	LENOX	35	445 / 689	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
POTSDAM SPECIALTY PAPER INC	NY0103390	POTSDAM	35	446 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
SACKETS HARBOR STP	NY0027014	HOUNSFIELD	35	447 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
GREAT NECK WATER POLLUTION CONTROL DISTRICT STP	NY0026999	NORTH HEMPSTEAD	35	448 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
WATERTOWN WATER POL CTRL FAC	NY0025984	WATERTOWN	35	449 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
WEST CARTHAGE WATER POL CTRL FAC	NY0025151	CHAMPION	35	450 / 689	Central (#6)
<u>Factor:</u> 12 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> Environmental Advocates commented on the permit renewal in 2008.					
14	5	5	1	Longevity	
5A	25	5	5	Permittee treats industrial waste containing PCBs and DDT. Monitoring with most sensitive method(s) required.	
GLEN COVE WASTEWATER TREATMENT FACILITY	NY0026620	GLEN COVE	35	451 / 689	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity					
5B	25	5	5	Permit has a modified effluent limit for copper	
CON EDISON - HUDSON AVE STATION	NY0005151	BROOKLYN	35	452 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
REMINGTON STEAM PLANT	NY0245097	GERMAN FLATTS	34	453 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity					
5C	2	1	2	DELETE TRC REQUIREMENTS	
99	2	1	2	Consider combining this permit and NY0005082 into one.	
COVANTA NIAGARA I, LLC	NY0106259	NIAGARA FALLS	33	454 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
MID-STATE CORRECTIONAL FACILITY	NY0235733	MARCY	33	455 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
ROCHESTER TERMINAL - NORTH ALBANY TERMINAL CO LLC	NY0028550	GATES	33	456 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
BEACON TECHNOLOGY CENTER	NY0005754	FISHKILL	33	457 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					

Facility Name	SPDES #	Town	Total Score	Ranking	Region
ITHACA TOMPKINS REGIONAL AIRPORT <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0213730	LANSING	33	458 / 689	Central (#7)
BUFFALO NIAGARA INTERNATIONAL AIRPORT <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0171409	CHEEKTOWAGA	33	459 / 689	Central (#9)
INTERFACE PERFORMANCE MATERIALS <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0006491	HOOSICK	33	460 / 689	Central (#4)
WEST BABYLON GT FACILITY <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0225991	BABYLON	33	461 / 689	Central (#1)
EAST HAMPTON GT FACILITY <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0226017	EAST HAMPTON	33	462 / 689	Central (#1)
MERCURY AIRCRAFT <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity 99 0 0 0 NEEDS DISCHARGE NOTICE	NY0108979	URBANA	33	463 / 689	Central (#8)
UNIVERSITY OF ROCHESTER <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0002836	ROCHESTER	33	464 / 689	Central (#8)
BAYSIDE FUEL OIL DEPOT - SMITH <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0028606	BROOKLYN	33	465 / 689	Central (#2)
BAYSIDE FUEL OIL DEPOT-1100 GRAND ST <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0007641	BROOKLYN	33	466 / 689	Central (#2)
HYLAND LANDFILL <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0269620	ANGELICA	33	467 / 689	Central (#9)
SHAFT 17 DELAWARE AQUEDUCT <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0268224	NORTH CASTLE	33	468 / 689	Central (#3)
CAITHNESS LONG ISLAND ENERGY CENTER <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0271471	BROOKHAVEN	33	469 / 689	Central (#1)
SOUTHOLD GT FACILITY <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0226009	SOUTHOLD	33	470 / 689	Central (#1)
MONTAUK INTERNAL COMBUSTION FACILITY <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0226025	EAST HAMPTON	33	471 / 689	Central (#1)
SOUTHAMPTON GT FACILITY <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0226033	SOUTHAMPTON	33	472 / 689	Central (#1)
FLORELLE TISSUE CORPORATION <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity 99 2 1 2	NY0002658	HOUNSFIELD	32	473 / 689	Central (#6)
USDOE KNOLLS ATOMIC POWER LABORATORY <u>Factor:</u> 07 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Consent order executed 12/10, also likely that VOCs were discharged from Outfall 004 during 10/25/10 discharge. 12 10 1 10 H2/G2 Area discharge on 10/25/10 from Outfall 004 generated substantial concern of public and municipal officials. 14 12 3 4 Longevity	NY0005851	NISKAYUNA	32	474 / 689	Central (#4)
SYRACUSE LLC <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0231681	GEDDES	30	475 / 689	Central (#7)
INDECK OLEAN ENERGY CENTER <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0245089	OLEAN	30	476 / 689	Central (#9)
FULTON MUNICIPAL WATER TREATMENT FACILITY <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0243931	FULTON	30	477 / 689	Central (#7)
SUNOCO PARTNERS M & T ROCHESTER TERMINAL <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0002551	ROCHESTER	30	478 / 689	Central (#8)
WESTCHESTER COUNTY AIRPORT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0075132	HARRISON	30	479 / 689	Central (#3)
PAWLING TERMINALS INC <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0235041	PAWLING	30	480 / 689	Central (#3)
DUTCHESS OIL & PROPANE <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0234800	NORTHEAST	30	481 / 689	Central (#3)

EBPS ENB List - Central Office

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
WAGNER CENTURY OIL COMPANY <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0234907	CALLICOON	30	482 / 689	Central (#3)
FREEPORT POWER PLANT #2 <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0226416	HEMPSTEAD	30	483 / 689	Central (#1)
TEXTRON INC <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0000469	WHEATFIELD	30	484 / 689	Central (#9)
CORNING INC SULLIVAN PARK <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0003972	ERWIN	30	485 / 689	Central (#8)
CJ KRANTZ INC ORGANIC RECYCLING CENTER <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0243752	AMHERST	30	486 / 689	Central (#9)
CHICAGO PNEUMATIC TOOL CO <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0108537	FRANKFORT	30	487 / 689	Central (#6)
ASTORIA CENTRAL WTF <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0201243	QUEENS	30	488 / 689	Central (#2)
SAVONA LPG FACILITY <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0004278	BATH	30	489 / 689	Central (#8)
PCORE ELECTRIC COMPANY INC <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0247308	LE ROY	30	490 / 689	Central (#8)
POLETTI POWER PROJECT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0267503	QUEENS	30	491 / 689	Central (#2)
METRO NORTH RR BREWSTER YARD <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0075078	SOUTHEAST	30	492 / 689	Central (#3)
SHANDAKEN TUNNEL OUTLET <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0268151	SHANDAKEN	30	493 / 689	Central (#3)
PLEASANT VALLEY WINERY <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0001007	URBANA	30	494 / 689	Central (#8)
ELLENVILLE STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0034002	WAWARSING	30	495 / 689	Central (#3)
DUNDEE WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0025445	STARKEY	30	496 / 689	Central (#8)
UTICA TERMINAL <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0098248	UTICA	30	497 / 689	Central (#6)
NEW ROCHELLE STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0026697	NEW ROCHELLE	30	498 / 689	Central (#3)
PALMYRA - V STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0025101	PALMYRA	30	499 / 689	Central (#8)
CITY OF SHERRILL STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0022110	SHERRILL	30	500 / 689	Central (#6)
ALFRED WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0022357	ALFRED	30	501 / 689	Central (#9)
PILOT TRAVEL CENTER #322 <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0271535	BATH	30	502 / 689	Central (#8)
WALDEN STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0030490	MONTGOMERY	30	503 / 689	Central (#3)
MIDDLETOWN STP <u>Factor:</u> 10 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> SRF list 14 25 5 5 Longevity	NY0026328	MIDDLETOWN	30	504 / 689	Central (#3)
BETHLEHEM ENERGY CENTER <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0005959	BETHLEHEM	30	505 / 689	Central (#4)
WEBSTER-T STP/WW BRADLEY POLLUTION CONTROL FACILITY <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0021610	WEBSTER	30	506 / 689	Central (#8)
LAFARGE RAVENA PLANT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0005037	COEYMANS	30	507 / 689	Central (#4)

EBPS ENB List - Central Office

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
NEWTON FALLS PAPER MANUFACTURING PLANT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0001856	CLIFTON	30	508 / 689	Central (#6)
LOWVILLE MUNICIPAL POLL CTRL FAC <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0020125	LOWVILLE	30	509 / 689	Central (#6)
BREWERTON WATER POLLUTION CONTROL PLANT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0027596	CICERO	30	510 / 689	Central (#7)
ANHEUSER BUSCH BALDWINVILLE BREWERY <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity 4B 2 1 2 ADD STORMWATER BMP NONTOX	NY0028509	LYSANDER	29	511 / 689	Central (#7)
KNOLLS ATOMIC POWER LABORATORY (KAPL) - KESSELRING SITE <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity 5C 2 1 2 HIGH-AMMONIA GROUNDWATER	NY0005843	MILTON	29	512 / 689	Central (#5)
BUCKEYE ROCHESTER NORTH TERMINAL <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity 99 10 2 5 Update permit pages with General Requirements	NY0110078	ROCHESTER	28	513 / 689	Central (#8)
CARGILL SALT CO- WATKINS GLEN PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0002241	DIX	27	514 / 689	Central (#8)
HAZLITT'S RED CAT CELLARS <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0001147	NAPLES	27	515 / 689	Central (#8)
KRAFT HEINZ FOODS COMPANY CAMPBELL PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0004308	CAMPBELL	27	516 / 689	Central (#8)
MAYER BROTHERS SOMERSET <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0061913	SOMERSET	27	517 / 689	Central (#9)
SHAWANGUNK WALLKILL SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0021521	SHAWANGUNK	27	518 / 689	Central (#3)
OGDENSBURG ENERGY FACILITY <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0236179	OGDENSBURG	27	519 / 689	Central (#6)
MEENAN OIL CO <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0025569	CORTLANDT	27	520 / 689	Central (#3)
ENVIRO WASTE OIL RECOVERY TERMINAL <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0101753	CARMEL	27	521 / 689	Central (#3)
EFFRON FUEL OIL CORP TERMINAL <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0071897	POUGHKEEPSIE	27	522 / 689	Central (#3)
MEENAN OIL <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0235059	SOUTHEAST	27	523 / 689	Central (#3)
LAKELAND MERIT ARMSTRONG INC <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0248002	SOUTHEAST	27	524 / 689	Central (#3)
FALLSBURG TERMINALS <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0247901	FALLSBURGH	27	525 / 689	Central (#3)
LIBERTY BULK PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0234770	LIBERTY	27	526 / 689	Central (#3)
ALLEGANY GENERATING STATION <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0242896	HUME	27	527 / 689	Central (#9)
EASTERN ALLOYS INC <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0110744	MONTGOMERY	27	528 / 689	Central (#3)
CSX SELKIRK YARD <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0072371	BETHLEHEM	27	529 / 689	Central (#4)
SOUTH OSWEGO TERMINAL <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0063592	OSWEGO	27	530 / 689	Central (#7)
VON ROLL USA INC <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0074489	ROTTERDAM	27	531 / 689	Central (#4)
AMERICAN FELT & FILTER CO <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0004421	NEW WINDSOR	27	532 / 689	Central (#3)

EBPS ENB List - Central Office

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
INDECK-CORINTH ENERGY CENTER <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0230286	CORINTH	27	533 / 689	Central (#5)
GLOBAL COMPANIES - SOUTH TERMINAL <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0005347	NEW WINDSOR	27	534 / 689	Central (#3)
BUCKEYE ROCHESTER SOUTH TERMINAL <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0095389	ROCHESTER	27	535 / 689	Central (#8)
UTICA COMBINED SEWER OVERFLOWS <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0031429	UTICA	27	536 / 689	Central (#6)
BUCKEYE TERMINALS LLC - BROOKLYN TERMINAL <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0110001	BROOKLYN	27	537 / 689	Central (#2)
SYRACUSE HAULERS WASTE REMOVAL INC <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0110311	DEWITT	27	538 / 689	Central (#7)
POLKVILLE CRUSHED STONE <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0245046	CORTLANDVILLE	27	539 / 689	Central (#7)
JMT FACILITY <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0162540	SWEDEN	27	540 / 689	Central (#8)
NORTH COUNTRY DAIRY LLC <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0002763	LAWRENCE	27	541 / 689	Central (#6)
ALBANY INTERNATIONAL AIRPORT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0212245	COLONIE	27	542 / 689	Central (#4)
EATON CORPORATION <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0246174	HORSEHEADS	27	543 / 689	Central (#8)
STEWART AIR NATIONAL GUARD BASE <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0250457	NEWBURGH	27	544 / 689	Central (#3)
ALEXANDRIA BAY WWTP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0022501	ALEXANDRIA	27	545 / 689	Central (#6)
ERWIN MANUFACTURING COMPLEX <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0107221	ERWIN	27	546 / 689	Central (#8)
GLENWOOD BLACK START GT FACILITY <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0005894	OYSTER BAY	27	547 / 689	Central (#1)
STEWART INTERNATIONAL AIRPORT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0234915	NEWBURGH	27	548 / 689	Central (#3)
BROOKHAVEN NATIONAL LABORATORY <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0005835	BROOKHAVEN	27	549 / 689	Central (#1)
REENERGY BLACK RIVER LLC <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0206938	LE RAY	27	550 / 689	Central (#6)
INTERNATIONAL PAPER HUDSON RIVER MILLS DEVELOPMENT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0004405	CORINTH	27	551 / 689	Central (#5)
380 DEVELOPMENT LLC PROPERTY <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0004502	STATEN ISLAND	27	552 / 689	Central (#2)
NYS EMPIRE STATE PLAZA <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0104060	ALBANY	27	553 / 689	Central (#4)
GE GLOBAL RESEARCH CENTER <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0007030	NISKAYUNA	27	554 / 689	Central (#4)
DELAWARE AQUEDUCT - SHAFT #6, 6B CHELSEA PUMP STATION <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0272663	WAPPINGER	27	555 / 689	Central (#3)
LITTLE FALLS WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0022403	LITTLE FALLS	25	556 / 689	Central (#6)
YONKERS JOINT WWTP <u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0026689	YONKERS	25	557 / 689	Central (#3)
RAVENSWOOD GENERATING STATION <u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0005193	QUEENS	25	558 / 689	Central (#2)

Facility Name	SPDES #	Town	Total Score	Ranking	Region
MONTICELLO STP	NY0022454	THOMPSON	25	559 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
EVANS CHEMETICS	NY0001406	WATERLOO	25	560 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
LEWISTON MASTER SD	NY0027766	LEWISTON	25	561 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
U S GYPSUM CO OAKFIELD PLANT	NY0001562	OAKFIELD	25	562 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
INTERFACE SOLUTIONS INC	NY0003344	VOLNEY	25	563 / 689	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
FREDONIA WASTEWATER TREATMENT PLANT	NY0026409	DUNKIRK	25	564 / 689	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
WALLOOMSAC RECYCLING	NY0005061	HOOSICK	25	565 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
ROTTERDAM SEWER DIST #2	NY0020141	ROTTERDAM	25	566 / 689	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
BOWERY BAY WASTWATER TREATMENT PLANT	NY0026158	QUEENS	25	567 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
CONEY ISLAND WASTEWATER TREATMENT PLANT	NY0026182	BROOKLYN	25	568 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
HUNTS POINT WWTP	NY0026191	BRONX	25	569 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
JAMAICA WASTEWATER TREATMENT PLANT	NY0026115	QUEENS	25	570 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
NEWTOWN CREEK WASTEWATER TREATMENT PLANT	NY0026204	BROOKLYN	25	571 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
NORTH RIVER WASTEWATER TREATMENT PLANT	NY0026247	MANHATTAN	25	572 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
OWLS HEAD WASTEWATER TREATMENT PLANT	NY0026166	BROOKLYN	25	573 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
PORT RICHMOND WASTEWATER TREATMENT PLANT	NY0026107	STATEN ISLAND	25	574 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
RED HOOK WASTEWATER TREATMENT PLANT	NY0027073	BROOKLYN	25	575 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
ROCKAWAY WASTEWATER TREATMENT PLANT	NY0026221	QUEENS	25	576 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
TALLMAN ISLAND WASTEWATER TREATMENT PLANT	NY0026239	QUEENS	25	577 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
26TH WARD WASTEWATER TREATMENT PLANT	NY0026212	BROOKLYN	25	578 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
WARDS ISLAND WASTEWATER TREATMENT PLANT	NY0026131	MANHATTAN	25	579 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity					
CANTON WASTEWATER TREATMENT PLANT	NY0236586	CANTON	25	580 / 689	Central (#6)
<u>Factor:</u> 07 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u>					
NORTHSTAR FACILITY	NY0007170	CHAZY	24	581 / 689	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity					
WORLD FINANCIAL CENTER	NY0109932	MANHATTAN	24	582 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity					
MINETTO - T WPCP	NY0036749	MINETTO	24	583 / 689	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity					
MOUNT VERNON TERMINAL	NY0004588	MOUNT VERNON	24	584 / 689	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity					

Facility Name	SPDES #	Town	Total Score	Ranking	Region
KNOWLTON TECHNOLOGIES LLC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0000957	WATERTOWN	24	585 / 689	Central (#6)
GLOBAL COMPANIES - CARGO TERMINAL <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0006815	NEW WINDSOR	24	586 / 689	Central (#3)
GOETHALS MOBILE PK-2701 GOETHALS RD N <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0200352	STATEN ISLAND	24	587 / 689	Central (#2)
GLOBAL COMPANIES LLC - NEWBURGH TERMINAL <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0233781	NEW WINDSOR	24	588 / 689	Central (#3)
COTTRELL PAPER COMPANY INC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0007161	MILTON	24	589 / 689	Central (#5)
LOCKWOOD ASH DISPOSAL LANDFILL <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0107069	TORREY	24	590 / 689	Central (#8)
PEARL RIVER CAMPUS LLC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0004600	ORANGETOWN	24	591 / 689	Central (#3)
SCHWEITZER-MAUDUIT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0006157	ANCRAM	24	592 / 689	Central (#4)
RAVENA - V VAN HOESON ST OVERFLOW <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0102512	COEYMANS	24	593 / 689	Central (#4)
FCINA - DELHI <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0262838	DELHI	24	594 / 689	Central (#4)
TULLY ENVIRONMENTAL INC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0201278	QUEENS	24	595 / 689	Central (#2)
BROOKLYN BOTTLING CO OF MILTON WWTP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0008613	MARLBOROUGH	24	596 / 689	Central (#3)
WILLIAMSON - T STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0108723	WILLIAMSON	24	597 / 689	Central (#8)
Oak Mitsui Inc. <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0097845	HOOSICK	24	598 / 689	Central (#4)
CARRIER CORP THOMPSON RD SITE <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0001163	DEWITT	24	599 / 689	Central (#7)
SHIRLEY JACKSON PROPERTY <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0265691	BOLTON	24	600 / 689	
LEHIGH NORTHEAST CEMENT CO - CEMENTON TERMINAL <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0007242	CATSKILL	24	601 / 689	Central (#4)
LACKAWANNA PLANT- REPUBLIC STEEL <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0243876	HAMBURG	21	602 / 689	Central (#9)
JCI JONES CHEMICALS INC <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0005266	WARWICK	21	603 / 689	Central (#3)
THOMPSON MELODY LAKE SEWER DISTRICT STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0030708	THOMPSON	21	604 / 689	Central (#3)
L C RANOUS #1 <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0160521	CALEDONIA	21	605 / 689	Central (#8)
MORTON SALT INC <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0000418	GAINESVILLE	21	606 / 689	Central (#9)
GORHAM - T STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0160814	GORHAM	21	607 / 689	Central (#8)
ULSTER WHITTIER SEWER DIS STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0021571	ULSTER	21	608 / 689	Central (#3)
WASHINGTONVILLE - V WWTF <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0023671	BLOOMING GROVE	21	609 / 689	Central (#3)
LEFFERTS OIL FLUSHING TERMINAL <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0032816	QUEENS	21	610 / 689	Central (#2)

EBPS ENB List - Central Office

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
FRIENDSHIP DAIRIES LLC <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0002518	FRIENDSHIP	21	611 / 689	Central (#9)
RICHFIELD SPRINGS WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0031411	RICHFIELD	21	612 / 689	Central (#4)
MOHAWK INNOVATIVE TECHNOLOGY INC <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0268313	COLONIE	21	613 / 689	Central (#4)
AMERICAN SUGAR REFINING INC <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0006629	YONKERS	21	614 / 689	Central (#3)
RETSOF REALTY STORMWATER OUTFALLS <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0000167	YORK	21	615 / 689	Central (#8)
ASTORIA GAS TURBINE POWER <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0201235	QUEENS	21	616 / 689	Central (#2)
GREAT LAKES INDUSTRIAL DEVELOPMENT LLC <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0001368	HAMBURG	20	617 / 689	Central (#9)
CBS CORPORATION <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0004103	HORSEHEADS	20	618 / 689	Central (#8)
MEDINA WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0021873	RIDGEWAY	20	619 / 689	Central (#8)
HUNTINGTON SEWER DISTRICT STP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0021342	HUNTINGTON	20	620 / 689	Central (#1)
WATERLOO - V STP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0022365	WATERLOO	20	621 / 689	Central (#8)
WEBER KNAPP CO MAIN MFG PLANT <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0003387	JAMESTOWN	20	622 / 689	Central (#9)
FLEISCHMANN'S VINEGAR CO INC <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0002585	ROSE	20	623 / 689	Central (#8)
MOHAWK FINE PAPERS INC WATERFORD FACILITY <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0006912	WATERFORD	20	624 / 689	Central (#5)
DELHI - V STP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0020265	DELHI	20	625 / 689	Central (#4)
WHITEHALL STP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0024929	WHITEHALL	20	626 / 689	Central (#5)
PEEKSKILL WASTE WATER TREATMENT FACILITY <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0100803	PEEKSKILL	20	627 / 689	Central (#3)
CITY OF DUNKIRK WWTP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0027961	DUNKIRK	20	628 / 689	Central (#9)
ONONDAGA CO OAK ORCHARD STP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0030317	CLAY	20	629 / 689	Central (#7)
BALDWINVILLE SENECA KNOLLS STP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0030571	LYSANDER	20	630 / 689	Central (#7)
MEADOWBROOK LIMESTONE WWTP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0027723	MANLIUS	20	631 / 689	Central (#7)
AVON - V WWTP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0024449	AVON	20	632 / 689	Central (#8)
LOCKHEED MARTIN MISSION SYSTEMS AND TRAINING <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0004057	OWEGO	20	633 / 689	Central (#7)
MONTGOMERY CO SD 1 <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0107565	PALATINE	20	634 / 689	Central (#4)
HOLLINGSWORTH & VOSE GREENWICH MILL <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0006785	GREENWICH	20	635 / 689	Central (#5)
WALTON - V WWTP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0027154	WALTON	20	636 / 689	Central (#4)

EBPS ENB List - Central Office

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
NYCDOS - FRESH KILLS LANDFILL	NY0200867	STATEN ISLAND	20	637 / 689	Central (#2)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity					
TUPPER LAKE WWTF	NY0029939	TUPPER LAKE	20	638 / 689	Central (#5)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity					
HOLLINGSWORTH & VOSE-EASTON MILL	NY0006807	EASTON	20	639 / 689	Central (#5)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity					
AMSTERDAM - C WASTEWATER TREATMENT PLANT	NY0020290	AMSTERDAM	20	640 / 689	Central (#4)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity					
SARATOGA CO SEWER DIST #1	NY0028240	HALFMOON	20	641 / 689	Central (#5)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity					
CLAYTON STP	NY0027545	CLAYTON	20	642 / 689	Central (#6)
Factor: 14 Score: 15 Multiplier: 3 Points: 5 Reason: Longevity					
1A 5 1 5					
ROUSES POINT WWTP	NY0021831	CHAMPLAIN	20	643 / 689	Central (#5)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity					
MIDLAND ASPHALT MATERIALS - LYONS	NY0161942	LYONS	18	644 / 689	Central (#8)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity					
US ARMY GARRISON	NY0023761	HIGHLANDS	18	645 / 689	Central (#3)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity					
PINE HILL WWTP	NY0026557	SHANDAKEN	18	646 / 689	Central (#3)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity					
THERM INC	NY0244261	ITHACA	18	647 / 689	Central (#7)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity					
INTERNATIONAL WIRE GROUP INC-CAMDEN OPERATIONS	NY0001490	CAMDEN	18	648 / 689	Central (#6)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity					
7-ELEVEN STORE #35115	NY0227706	PHELPS	18	649 / 689	Central (#8)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity					
SCHODACK CONVENIENT STORE-GASOLINE PUMPS	NY0223921	SCHODACK	18	650 / 689	Central (#4)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity					
HUNTLEY FLY ASH LANDFILL	NY0203483	TONAWANDA	18	651 / 689	Central (#9)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity					
ELT HARRIMAN LLC (FORMERLY NEPERA INC)	NY0275123	WOODBURY	18	652 / 689	Central (#3)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity					
BUCKEYE MARCY TERMINAL	NY0218367	MARCY	15	653 / 689	Central (#6)
Factor: 14 Score: 15 Multiplier: 3 Points: 5 Reason: Longevity					
FREEPORT POWER PLANT #1	NY0226530	HEMPSTEAD	15	654 / 689	Central (#1)
Factor: 14 Score: 15 Multiplier: 3 Points: 5 Reason: Longevity					
PRAXAIR INC	NY0000281	TONAWANDA	15	655 / 689	Central (#9)
Factor: 14 Score: 15 Multiplier: 3 Points: 5 Reason: Longevity					
FORD BROS WHOLESALE MEATS	NY0074101	ASHFORD	15	656 / 689	Central (#9)
Factor: 14 Score: 15 Multiplier: 3 Points: 5 Reason: Longevity					
WATCHTOWER BIBLE & TRACT SOCIETY	NY0025925	SHAWANGUNK	15	657 / 689	Central (#3)
Factor: 14 Score: 15 Multiplier: 3 Points: 5 Reason: Longevity					
LAKEVILLE WASTEWATER TREATMENT PLANT	NY0032328	LIVONIA	15	658 / 689	Central (#8)
Factor: 14 Score: 15 Multiplier: 5 Points: 3 Reason: Longevity					
OLIN CORPORATION CHLOR-ALKALI PRODUCTS	NY0001635	NIAGARA FALLS	15	659 / 689	Central (#9)
Factor: 14 Score: 15 Multiplier: 5 Points: 3 Reason: Longevity					
BINGHAMTON SEWER SYSTEM OVERFLOWS	NY0024406	BINGHAMTON	15	660 / 689	Central (#7)
Factor: 10 Score: 5 Multiplier: 1 Points: 5 Reason: STP ON SRF					
14 10 5 2 Longevity					
GENEVA-C MARSH CREEK STP	NY0027049	GENEVA	15	661 / 689	Central (#8)
Factor: 14 Score: 15 Multiplier: 5 Points: 3 Reason: Longevity					

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SIDNEY - V STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0029271	SIDNEY	15	662 / 689	Central (#4)
CRUCIBLE INDUSTRIES <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0000825	GEDDES	15	663 / 689	Central (#7)
CON ED-EAST 60TH STREET STEAM PLANT <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity 5C 2 1 2 Permittee requested change to permit to update description of wastewater Type (Outfall 001), add definitions and addition of fire supression systemn discharge.	NY0200778	MANHATTAN	14	664 / 689	Central (#2)
DANSVILLE TRAVEL CENTER <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0160547	NORTH DANSVILLE	12	665 / 689	Central (#8)
WARWICK STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0023680	WARWICK	12	666 / 689	Central (#3)
MOENCH TANNING CO <u>Factor:</u> 5A <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> REGIONAL CONCERN	NY0002950	PERSIA	10	667 / 689	Central (#9)
JAMESTOWN ELECTRO PLATING WORKS <u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0003433	JAMESTOWN	10	668 / 689	Central (#9)
LOCKPORT WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0027057	LOCKPORT	10	669 / 689	Central (#9)
NW QUADRANT PURE WATERS DIST WWTP <u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0028231	GREECE	10	670 / 689	Central (#8)
OWEGO - V STP <u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0029262	OWEGO	10	671 / 689	Central (#7)
OWEGO - T SD 1 <u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0022730	OWEGO	10	672 / 689	Central (#7)
BATH WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0021431	BATH	10	673 / 689	Central (#8)
CANANDAIGUA - C STP <u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0025968	CANANDAIGUA	10	674 / 689	Central (#8)
NORWICH PHARMACEUTICALS INC <u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0004138	NORTH NORWICH	10	675 / 689	Central (#7)
VILLAGE OF MIDDLEPORT WWTF <u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0022331	HARTLAND	10	676 / 689	Central (#9)
ONEIDA - C STP <u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0026956	ONEIDA	10	677 / 689	Central (#7)
INTERNATIONAL WIRE GROUP SHERRILL OPERATIONS <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0257176	SHERRILL	9	678 / 689	Central (#6)
GREENE TECHNOLOGIES INC <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0086479	GREENE	6	679 / 689	Central (#7)
CHOBANI, LLC <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0004189	COLUMBUS	6	680 / 689	Central (#7)
DRESSER-RAND COMPANY - OLEAN OPERATIONS <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0094781	OLEAN	6	681 / 689	Central (#9)
TIMBERFISH TECHNOLOGIES AT FIVE AND 20 DISTILLERY <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0275824	WESTFIELD	6	682 / 689	
BUFFALO TERMINAL <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0204480	BUFFALO	6	683 / 689	Central (#9)
FARMINGTON T STP <u>Factor:</u> 14 <u>Score:</u> 5 <u>Multiplier:</u> 5 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0023531	VICTOR	5	684 / 689	Central (#8)
CLINTON SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 5 <u>Multiplier:</u> 5 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0021385	KIRKLAND	5	685 / 689	Central (#6)
SENECA PLATERS INC <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0202673	ELMA	3	686 / 689	Central (#9)

Facility Name	SPDES #	Town	Total Score	Ranking	Region
LIMA - V WWTP	NY0022420	LIMA	3	687 / 689	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
CLOSED LANDFILL	NY0257869	WILNA	3	688 / 689	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
866 UNITED NATIONS PLAZA	NY0201120	MANHATTAN	0	689 / 689	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 0 <u>Multiplier:</u> 3 <u>Points:</u> 0 <u>Reason:</u> Longevity					

EBPS ENB List - Region 1

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SCAVENGER WASTE TREATMENT PLANT	NY0199079	EAST HAMPTON	39	1 / 251	Region #1
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity					
MIDDLE COUNTRY AUTO SPA/CENTER/EACH CAR WASH	NY0266981	BROOKHAVEN	36	2 / 251	Region #1
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity					
METAVAC OPTICS MFG PLANT	NY0225401	BROOKHAVEN	30	3 / 251	Region #1
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					
WOODCREST ESTATES	NY0210684	BROOKHAVEN	27	4 / 251	Region #1
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity					
OAK RIDGE HOLLOW	NY0273465	BROOKHAVEN	27	5 / 251	Region #1
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity					
MOONEY POND (AKA BRETTON WOODS CONDOMINIUM STP 0	NY0065366	BROOKHAVEN	24	6 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
OAK TREE FARM DAIRY	NY0070106	HUNTINGTON	24	7 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
YARDARM BEACH CONDOMINIUM	NY0074365	SOUTHAMPTON	24	8 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
DOWLING COLLEGE	NY0077356	ISLIP	24	9 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
VILLAGE IN THE WOODS	NY0078123	BROOKHAVEN	24	10 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
COLLEGE OAKS GARDEN APARTMENTS	NY0079367	BROOKHAVEN	24	11 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
BLUE RIDGE CONDOMINIUMS AND GOLF CLUB	NY0079448	BROOKHAVEN	24	12 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
OAK HOLLOW NURSING CENTER	NY0079456	BROOKHAVEN	24	13 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
SMITH HAVEN MALL	NY0080446	BROOKHAVEN	24	14 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
TOWN HALL	NY0088447	BROOKHAVEN	24	15 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
NESCONSET CENTER FOR NURSING & REHABILITATION	NY0193470	SMITHTOWN	24	16 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
GURWIN JEWISH GERIATRIC CENTER	NY0197777	HUNTINGTON	24	17 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
SAYVILLE NURSING & REHABILITATION CENTER	NY0220990	ISLIP	24	18 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
SPRUCE PONDS GARDEN APTS	NY0252972	ISLIP	24	19 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
STRATHMORE ON THE GREEN	NY0253065	BROOKHAVEN	24	20 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
FAIRFIELD AT SELDEN	NY0253081	BROOKHAVEN	24	21 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
GURWIN JEWISH ASSISTED LIVING	NY0253111	HUNTINGTON	24	22 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
AFFINITY SKILLED LIVING AND REHABILITATION CENTER	NY0253120	ISLIP	24	23 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
HAMPTONS CENTER FOR REHABILITATION AND NURSING	NY0253138	SOUTHAMPTON	24	24 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
PARK MEADOW STP	NY0253146	SMITHTOWN	24	25 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
BROWNING HOTEL	NY0253162	BROOKHAVEN	24	26 / 251	Region #1
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					

EBPS ENB List - Region 1

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
STONE RIDGE ESTATES AT DIX HILLS HOMEOWNERS ASSOC INC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253171	HUNTINGTON	24	27 / 251	Region #1
HILTON GARDENS INN & OFFICE BLDG <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253219	ISLIP	24	28 / 251	Region #1
GREENVIEW COMMONS <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253227	ISLIP	24	29 / 251	Region #1
SAYVILLE COMMONS <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253235	ISLIP	24	30 / 251	Region #1
EAGLES WALK <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253286	SOUTHAMPTON	24	31 / 251	Region #1
MIRROR POND <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253308	BROOKHAVEN	24	32 / 251	Region #1
SENIOR HOUSING @ EAST MORICHES <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253375	BROOKHAVEN	24	33 / 251	Region #1
MEDFORD CARE CENTER <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253383	BROOKHAVEN	24	34 / 251	Region #1
INN AT EASTWIND <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253421	RIVERHEAD	24	35 / 251	Region #1
CHATHAM HOLTSVILLE RI UTILITY LLC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253430	BROOKHAVEN	24	36 / 251	Region #1
CABRINI GARDENS SENIOR CITIZEN HOUSING <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253502	BROOKHAVEN	24	37 / 251	Region #1
SADDLE COVE APARTMENTS <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253529	ISLIP	24	38 / 251	Region #1
BRISTAL ESTATES/ENCORE ATLANTIC SHORES <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253537	BROOKHAVEN	24	39 / 251	Region #1
FAIRFIELD AT RONKONKOMA <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0253545	BROOKHAVEN	24	40 / 251	Region #1
BROADWAY KNOLLS <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0254495	ISLIP	24	41 / 251	Region #1
ST ANNE'S GARDENS <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0266329	ISLIP	24	42 / 251	Region #1
RESIDENCE INN <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0266337	ISLIP	24	43 / 251	Region #1
MEDICAL OFFICES AT MEDFORD <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0266418	BROOKHAVEN	24	44 / 251	Region #1
VINEYARD AT MORICHES <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0254819	BROOKHAVEN	24	45 / 251	Region #1
DUNES AT WESTHAMPTON CONDOS <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0277487	SOUTHAMPTON	24	46 / 251	Region #1
LUITPOLD PHARMACEUTICALS INC <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0109550	BROOKHAVEN	21	47 / 251	Region #1
R S M ELECTRON POWER <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0078221	BABYLON	21	48 / 251	Region #1
SCSD #13 - WINDWATCH STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0077429	ISLIP	21	49 / 251	Region #1
US INTERNAL REVENUE ADP CENTER <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0079413	BROOKHAVEN	21	50 / 251	Region #1
NORTHPORT VA MEDICAL CENTER <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0069159	HUNTINGTON	21	51 / 251	Region #1
CARBO INDUSTRIES PROPERTY <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0028495	HEMPSTEAD	21	52 / 251	Region #1

EBPS ENB List - Region 1

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SCSD #2 - TALLMADGE WOODS STP	NY0221678	BROOKHAVEN	21	53 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
PALL CORP	NY0226343	NORTH HEMPSTEAD	21	54 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
ROPACK USA INC	NY0195987	SMITHTOWN	21	55 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
FISHERS ISLAND SEWAGE TREATMENT PLANT	NY0199214	SOUTHOLD	21	56 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
APEX REHABILITATION & CARE CTR	NY0070297	HUNTINGTON	21	57 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
TOWN HOUSE VILLAGE S	NY0077241	ISLIP	21	58 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
WINDBROOKE HOMES CONDOMINIUMS	NY0077411	ISLIP	21	59 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
WOODHULL GARDENS	NY0079341	BROOKHAVEN	21	60 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
NORTH ISLE VILLAGE	NY0079430	BROOKHAVEN	21	61 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
LAKE GROVE APARTMENTS	NY0079499	BROOKHAVEN	21	62 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
STONY HOLLOW STP	NY0079529	BROOKHAVEN	21	63 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
SUFFOLK CENTER FOR REHABILITATION AND NURSING	NY0080454	BROOKHAVEN	21	64 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
MIDDLE ISLAND CO-OP APARTMENTS	NY0080632	BROOKHAVEN	21	65 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
CLARION HOTEL	NY0080705	ISLIP	21	66 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
SOUTHAMPTON COMMONS	NY0179213	SOUTHAMPTON	21	67 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
LAKE POINTE COOPERATIVE	NY0180548	BROOKHAVEN	21	68 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
ROUGH RIDERS LANDING	NY0195995	EAST HAMPTON	21	69 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
MACARTHUR PLAZA OFFICE PARK	NY0197432	ISLIP	21	70 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
VALLEY FORGE MOBILE HOME PARK	NY0065331	ISLIP	21	71 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
ROCKY POINT GARDEN APTS	NY0065382	BROOKHAVEN	21	72 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
BIRCHWOOD GLEN OWNERS CORP	NY0065463	BROOKHAVEN	21	73 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
GREENS AT HALF HOLLOW	NY0068071	HUNTINGTON	21	74 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
WOODHAVEN HOME FOR ADULTS	NY0068144	BROOKHAVEN	21	75 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
SOMERSET WOODS ASSN	NY0074250	BABYLON	21	76 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
KENSINGTON GARDENS/ST JAMES HEALTHCARE CENTER	NY0074292	SMITHTOWN	21	77 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
SUNRISE GARDEN APARTMENTS	NY0077259	ISLIP	21	78 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					

EBPS ENB List - Region 1

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BIRCHWOOD ON THE GREEN	NY0077283	ISLIP	21	79 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
HEATHERWOOD HOUSE AT LAKELAND	NY0077321	ISLIP	21	80 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
HERITAGE GARDENS @ BRENTWOOD	NY0077348	ISLIP	21	81 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
SOUTHERN MEADOWS APARTMENTS	NY0077364	ISLIP	21	82 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
LEXINGTON VILLAGE CONDOMINIUMS	NY0077399	ISLIP	21	83 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
STRATFORD GREENS	NY0077461	ISLIP	21	84 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
HEATHERWOOD HOUSE AT RONKONKOMA	NY0079375	BROOKHAVEN	21	85 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
HOMESTEAD VILLAGE APTS	NY0079383	BROOKHAVEN	21	86 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
THE VILLAS AT PINE HILLS	NY0079405	BROOKHAVEN	21	87 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
ARTIST LAKE CONDO	NY0079502	BROOKHAVEN	21	88 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
CEDAR LODGE NURSING HOME	NY0080586	BROOKHAVEN	21	89 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
CALVERTON HILLS HOMEOWNERS ASSN	NY0080616	BROOKHAVEN	21	90 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
BIRCHWOOD AT SPRING LAKE	NY0196762	BROOKHAVEN	21	91 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
LAKES AT SETAUKET	NY0198323	BROOKHAVEN	21	92 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
WATERWAYS AT BAY POINTE PROPERTY	NY0198480	BROOKHAVEN	21	93 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
CROWNE PLAZA LONG ISLAND	NY0209597	BROOKHAVEN	21	94 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
EASTPORT MEADOWS	NY0278289	BROOKHAVEN	21	95 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
MILL POND ESTATES STP	NY0278432	BROOKHAVEN	21	96 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
PALL CORPORATION	NY0108154	SMITHTOWN	20	97 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
5C 2 1 2					
SCSD #9 - COLLEGE PARK STP	NY0065447	BROOKHAVEN	18	98 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
SCSD #12 - BIRCHWOOD STP	NY0079511	BROOKHAVEN	18	99 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
SUFFOLK LAUNDRY SERVICES	NY0206270	SOUTHAMPTON	18	100 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
NEW HYDE PARK OIL TERMINAL	NY0109398	HEMPSTEAD	18	101 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
SCSD #7-W - WOODSIDE STP	NY0076988	BROOKHAVEN	18	102 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
SCSD #16 - YAPANK COUNTY CENTER STP	NY0085693	BROOKHAVEN	18	103 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
HUNTINGTON CRESCENT CLUB	NY0227315	HUNTINGTON	18	104 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					

EBPS ENB List - Region 1

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
LONG ISLAND AQUARIUM <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0226459	RIVERHEAD	18	105 / 251	Region #1
SCSD #15 - NOB HILL STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0077330	ISLIP	18	106 / 251	Region #1
SCSD#5 - HUNTINGTON STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0070033	HUNTINGTON	18	107 / 251	Region #1
EAGLE ROCK APARTMENTS AT NESCONSET <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0074322	SMITHTOWN	18	108 / 251	Region #1
CRESCENT CLUB APARTMENTS <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0079537	BROOKHAVEN	18	109 / 251	Region #1
U S NONWOVENS CORP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0267279	ISLIP	18	110 / 251	Region #1
SPIN CITY SUPER LAUNDROMAT <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0267422	ISLIP	18	111 / 251	Region #1
BRISTAL EAST NORTHPORT <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0278793	HUNTINGTON	18	112 / 251	Region #1
EMERALD GREENS APARTMENTS <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0077453	ISLIP	18	113 / 251	Region #1
GLOBAL COMPANIES LLC - INWOOD TERMINAL <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0199508	HEMPSTEAD	15	114 / 251	Region #1
GLOBAL COMPANIES LLC - GLENWOOD TERMINAL <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0108651	OYSTER BAY	15	115 / 251	Region #1
OSWEGO OIL SERVICE CORP PROPERTY <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0206342	HEMPSTEAD	15	116 / 251	Region #1
MEENAN RETAIL SALES BLDG <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0206181	HEMPSTEAD	15	117 / 251	Region #1
CARBO INDUSTRIES INWOOD PROPERTY <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0030872	HEMPSTEAD	15	118 / 251	Region #1
TIFFEN MFG CORP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0107760	SMITHTOWN	15	119 / 251	Region #1
SOUTHAMPTON COAL AND PRODUCE <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0227170	SOUTHAMPTON	15	120 / 251	Region #1
LIRR SPEONK DIESEL YARD <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0226955	SOUTHAMPTON	15	121 / 251	Region #1
LI RAIL ROAD - OYSTER BAY YARD <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0227030	OYSTER BAY	15	122 / 251	Region #1
RASON ASPHALT PLANT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0267236	GLEN COVE	15	123 / 251	Region #1
Motiva Enterprises LLC Long Island Terminal <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0006823	HEMPSTEAD	15	124 / 251	Region #1
SCSD #11 - SELDEN STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0079324	BROOKHAVEN	15	125 / 251	Region #1
LONG ISLAND AMERICAN WATER PLANT #6 <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0106879	HEMPSTEAD	15	126 / 251	Region #1
SCSD #24, GABBRESKI AIRPORT STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0226971	SOUTHAMPTON	15	127 / 251	Region #1
SCSD #20-E - RIDGEHAVEN STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0226688	BROOKHAVEN	15	128 / 251	Region #1
SCSD #7P - TWELVE PINES STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0080683	BROOKHAVEN	15	129 / 251	Region #1
NEW YORK INSTITUTE OF TECHNOLOGY STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0101826	OYSTER BAY	15	130 / 251	Region #1

EBPS ENB List - Region 1

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
ATRIA EAST NORTHPORT (AKA LARKFIELD GARDENS) <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0209325	HUNTINGTON	15	131 / 251	Region #1
GREENVIEW COURT SR CITIZENS APTS 48 UNITS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0226254	ISLIP	15	132 / 251	Region #1
DUTCHMAN'S COVE TOWNHOUSES <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0226599	ISLIP	15	133 / 251	Region #1
WOODBRIIDGE AT HAMPTON BAYS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0226777	SOUTHAMPTON	15	134 / 251	Region #1
SPRINGHORN AT BLUE POINT CONDOMINIUM <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0226963	BROOKHAVEN	15	135 / 251	Region #1
SUNRISE OF SMITHTOWN <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0226998	SMITHTOWN	15	136 / 251	Region #1
CENACLE MANOR <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0237736	BROOKHAVEN	15	137 / 251	Region #1
FAIRWAY MANOR <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0238406	ISLIP	15	138 / 251	Region #1
COUNTRY VIEW ESTATES <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0238848	BROOKHAVEN	15	139 / 251	Region #1
STONEHURST III <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0239011	BROOKHAVEN	15	140 / 251	Region #1
LAQUINTA INN & SUITES <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0254487	ISLIP	15	141 / 251	Region #1
VICTORIAN HOMES OF MEDFORD STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0226858	BROOKHAVEN	15	142 / 251	Region #1
SUNRISE ASSISTED LIVING OF DIX HILLS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0226882	HUNTINGTON	15	143 / 251	Region #1
BROADWAY WEST <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0227056	ISLIP	15	144 / 251	Region #1
SUNRISE OF HOLBROOK <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0227226	ISLIP	15	145 / 251	Region #1
HOLIDAY INN EXPRESS HOTEL <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0227285	ISLIP	15	146 / 251	Region #1
FAIRFIELD VILLAS @ MEDFORD <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0227323	BROOKHAVEN	15	147 / 251	Region #1
SMITHTOWN GALLERIA <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0252824	SMITHTOWN	15	148 / 251	Region #1
VICTORIAN GARDENS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0253090	BROOKHAVEN	15	149 / 251	Region #1
EXIT 63 DEVELOPMENT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0253154	BROOKHAVEN	15	150 / 251	Region #1
MEDFORD POND APARTMENT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0254509	BROOKHAVEN	15	151 / 251	Region #1
SETAUKET MEADOWS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0254517	BROOKHAVEN	15	152 / 251	Region #1
PINEWOOD GARDENS IN SAYVILLE <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0254525	ISLIP	15	153 / 251	Region #1
MARRIOTT AT FAIRFIELD INN <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0254541	BROOKHAVEN	15	154 / 251	Region #1
WESTHAMPTON OLD COUNTRY SENIOR HOUSING <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0254550	SOUTHAMPTON	15	155 / 251	Region #1
VILLAGE AT LAKE GROVE <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0254720	BROOKHAVEN	15	156 / 251	Region #1

EBPS ENB List - Region 1

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
LAKEVIEW WOODS @ BAYPORT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0255386	ISLIP	15	157 / 251	Region #1
MEMORIAL SLOAN-KETTERING CENTER PROPERTY <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0266353	SMITHTOWN	15	158 / 251	Region #1
SUNRISE OF EAST SETAUKET <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0266442	BROOKHAVEN	15	159 / 251	Region #1
COUNTRY VIEW ESTATES AT SMITHTOWN <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0272906	SMITHTOWN	15	160 / 251	Region #1
US NONWOVENS INC <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0267431	ISLIP	15	161 / 251	Region #1
MEDFORD HAMLET ASSISTED LIVING <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0253511	BROOKHAVEN	15	162 / 251	Region #1
VICTORIA GARDENS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0065340	SMITHTOWN	15	163 / 251	Region #1
BROOKHAVEN MEMORIAL HOSPITAL <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0074730	BROOKHAVEN	15	164 / 251	Region #1
UNITED RIVERHEAD TERMINAL <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0032760	RIVERHEAD	12	165 / 251	Region #1
OCEAN BEACH SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0020168	ISLIP	12	166 / 251	Region #1
GENERAL TERMINALS <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0226378	SMITHTOWN	12	167 / 251	Region #1
GLOBAL COMPANIES - COMMANDER TERMINAL <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0005878	OYSTER BAY	12	168 / 251	Region #1
SOUTHAMPTON CAR WASH <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0227111	SOUTHAMPTON	12	170 / 251	Region #1
RCF FUEL OIL CORP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0266612	SOUTHAMPTON	12	171 / 251	Region #1
ROBO CAR WASH PROPERTY <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0227200	BROOKHAVEN	12	172 / 251	Region #1
BOHEMIA AUTO WASH <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0237817	ISLIP	12	173 / 251	Region #1
WAVERLY PARK CONDOMINIUMS <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0077381	BROOKHAVEN	12	174 / 251	Region #1
HAWTHORNE COURT <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0077402	ISLIP	12	175 / 251	Region #1
ISLAND VIEW APARTMENTS <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0252981	BROOKHAVEN	12	176 / 251	Region #1
WILLOW PONDS ON THE SOUND <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0253197	RIVERHEAD	12	177 / 251	Region #1
PRESERVE AT CONNETQUOT STATE PARK <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0254479	ISLIP	12	178 / 251	Region #1
COURTYARDS AT SOUTHAMPTON <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0254941	SOUTHAMPTON	12	179 / 251	Region #1
SCSD#18 - HAUPPAUGE INDUSTRIAL PARK STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0136964	SMITHTOWN	12	180 / 251	Region #1
THE ORCHARD AT BULLS HEAD INN <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0279501	SOUTHAMPTON	12	181 / 251	Region #1
SEAWANHAKA CORINTHIAN YACHT CLUB PROPERTY <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0088510	OYSTER BAY	12	182 / 251	Region #1
SCSD #14 - PARKLAND STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0065358	ISLIP	12	183 / 251	Region #1

EBPS ENB List - Region 1

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
Wildwood Estates Homeowners Association <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0279617	BROOKHAVEN	12	184 / 251	Region #1
WADING RIVER GT FACILITY <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0026344	BROOKHAVEN	12	185 / 251	Region #1
DORADE STP @ WHISPERING PINES <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0066559	BROOKHAVEN	12	186 / 251	Region #1
MELVILLE MALL STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0068080	HUNTINGTON	12	187 / 251	Region #1
RSM ELECTRON POWER INC. <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0267481	SMITHTOWN	12	188 / 251	Region #1
LONG ISLAND MACARTHUR AIRPORT <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0173703	ISLIP	9	189 / 251	Region #1
UPS-NASSAU <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0109258	HEMPSTEAD	9	190 / 251	Region #1
DBD REALTY GROUP PROPERTY <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0266949	HEMPSTEAD	9	191 / 251	Region #1
SLOMINS INC PROPERTY <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0110591	OYSTER BAY	9	192 / 251	Region #1
CARC LLC <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0266795	SMITHTOWN	9	193 / 251	Region #1
SCSD #20-W - LEISURE VILLAGE <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0079359	BROOKHAVEN	9	194 / 251	Region #1
SCSD#22 - HAUPPAUGE COUNTY CTR STP <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0066028	SMITHTOWN	9	195 / 251	Region #1
PLUM ISLAND ANIMAL DISEASE CTR <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0008117	SOUTHOLD	9	196 / 251	Region #1
LIDO BOULEVARD WELL FIELD <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0106721	HEMPSTEAD	9	197 / 251	Region #1
DEER PARK CAR WASH <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0227218	BABYLON	9	198 / 251	Region #1
HOLTSVILLE TERMINAL, NORTHVILLE IND CORP <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0110086	BROOKHAVEN	9	199 / 251	Region #1
PORTION ROAD LAUNDROMAT <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0267082	BROOKHAVEN	9	200 / 251	Region #1
FAIRFIELD VILLAGE GARDEN APARTMENTS AKA GROTON AT FAIRFIE <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0074314	SMITHTOWN	9	201 / 251	Region #1
BROOKWOOD ON THE LAKE <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0136492	BROOKHAVEN	9	202 / 251	Region #1
GREENWOOD AT OAKDALE <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0210382	ISLIP	9	203 / 251	Region #1
EAST PATCHOGUE SENIOR APT COMPLEX AKA CONIFER VILLAGE <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0253316	BROOKHAVEN	9	204 / 251	Region #1
CHELMSFORD WEALD CONDOMINIUMS <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0254452	BROOKHAVEN	9	205 / 251	Region #1
MANOR RUN-SILVER PONDS <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0210269	BROOKHAVEN	9	206 / 251	Region #1
STONINGTON @ PORT JEFFERSON <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0210161	BROOKHAVEN	9	207 / 251	Region #1
AVERY VILLAGE <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0136930	BROOKHAVEN	9	208 / 251	Region #1
PORT JEFFERSON LIRR STATION <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0225771	BROOKHAVEN	9	209 / 251	Region #1

EBPS ENB List - Region 1

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
OAKCREEK COMMONS <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0272990	ISLIP	9	210 / 251	Region #1
EXPRESSWAY 55 CAR WASH <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0237370	ISLIP	6	211 / 251	Region #1
GREENWOOD VILLAGE <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0194212	BROOKHAVEN	6	212 / 251	Region #1
MONTAUK MANOR PROPERTY <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0195952	EAST HAMPTON	6	213 / 251	Region #1
LIDO BLVD WELL FIELD <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0225916	HEMPSTEAD	6	214 / 251	Region #1
STREBELS LAUNDRY INC <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0086029	SOUTHAMPTON	6	215 / 251	Region #1
DATA DEVICE CORPORATION <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0178152	ISLIP	6	216 / 251	Region #1
PATCHOGUE STP <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0023922	BROOKHAVEN	6	217 / 251	Region #1
JONES BEACH STATE PARK <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0030104	HEMPSTEAD	6	218 / 251	Region #1
SUFFOLK CO COMMNTY COLLEGE EASTERN CAMPUS WWTP <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0078131	SOUTHAMPTON	6	219 / 251	Region #1
PICCOZZI PROPERTY <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0267180	SHELTER ISLAND	6	220 / 251	Region #1
EDGEWOOD ENERGY LLC <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0267198	ISLIP	6	221 / 251	Region #1
SHOREHAM ENERGY LLC <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0267171	BROOKHAVEN	6	222 / 251	Region #1
SETAUKET TERMINAL - NORTHVILLE IND CORP <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0025828	BROOKHAVEN	6	223 / 251	Region #1
SAGAMORE HILLS CONDOMINIUMS <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0065455	BROOKHAVEN	6	224 / 251	Region #1
HEATHERWOOD HOUSE AT HOLBROOK <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0077372	ISLIP	6	225 / 251	Region #1
PAUMANACK VILLAGE STP <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0137065	HUNTINGTON	6	226 / 251	Region #1
SUNRISE VILLAGE <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0195758	ISLIP	6	227 / 251	Region #1
HIDDEN PONDS <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0196282	SMITHTOWN	6	228 / 251	Region #1
FOX MEADOWS CONDOMINIUM <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0196339	BROOKHAVEN	6	229 / 251	Region #1
ISLANDIA SHOPPING CENTER <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0220493	SMITHTOWN	6	230 / 251	Region #1
GLO N GO SELF SERVICE CAR WASH <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0237493	ISLIP	6	231 / 251	Region #1
CONNETQUOT RIVER STATE PARK <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0008222	ISLIP	6	232 / 251	Region #1
WASH N ROLL CAR WASH <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0237515	ISLIP	3	233 / 251	Region #1
WESTHAMPTON NURSING HOME <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0210901	SOUTHAMPTON	3	234 / 251	Region #1
SUNY AT STONY BROOK <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0109291	BROOKHAVEN	3	235 / 251	Region #1

EBPS ENB List - Region 1

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
TOWN OF BROOKHAVEN SEWER DISTRICT #2	NY0277827	BROOKHAVEN	3	236 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
CANDLEWOOD LAUNDROMAT	NY0267325	ISLIP	3	237 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
FAIRFIELD AT MASTIC	NY0273490	BROOKHAVEN	3	238 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
SOUTHAMPTON HOSPITAL	NY0065374	SOUTHAMPTON	3	239 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
QUAIL RUN CONDOMINIUMS	NY0065391	BABYLON	3	240 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
BELLHAVEN NURSING CENTER	NY0211826	BROOKHAVEN	3	241 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
DSW PLAZA AT LAKE GROVE	NY0196363	BROOKHAVEN	3	242 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
FJM LAUNDROMAT OF HOLBROOK	NY0266892	BROOKHAVEN	3	243 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
ADVANCED ENERGY SYSTEMS INC	NY0267333	BROOKHAVEN	3	244 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
ROCKVILLE CENTRE POWER PLANT	NY0225665	HEMPSTEAD	3	245 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
SCSD #28 - FAIRFIELD STP	NY0091081	SMITHTOWN	3	246 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
SCSD #23 - COVENTRY MANOR STP	NY0080667	BROOKHAVEN	3	247 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
SUFFOLK COUNTY COMMUNITY COLLEGE	NY0079481	BROOKHAVEN	3	248 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
SAG HARBOR STP	NY0028908	SOUTHAMPTON	3	249 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
SHELTER ISLAND HEIGHTS PROPERTY OWNERS CORP	NY0021814	SHELTER ISLAND	3	250 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
STEEL FOREST LLC PROPERTY	NY0226424	SMITHTOWN	0	251 / 251	Region #1
<u>Factor:</u> 14 <u>Score:</u> 0 <u>Multiplier:</u> 3 <u>Points:</u> 0 <u>Reason:</u> Longevity					

EBPS ENB List - Region 2

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
PORT AUTH OF NY & NJ - LAGUARDIA AIRPORT	NY0008133	QUEENS	345	1 / 11	Region #2
<u>Factor:</u> 07 <u>Score:</u> 100 <u>Multiplier:</u> 10 <u>Points:</u> 10 <u>Reason:</u> Consent Order requires the permittee to request a permit modification.					
12	100	10	10		
14	45	3	15	Longevity	
4A	100	10	10	The BMP should include specific airport requirements.	
JFK INTERNATIONAL AIRPORT	NY0008109	QUEENS	182	2 / 11	Region #2
<u>Factor:</u> 11 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> modify WET acute action level to WET limit at outfalls 004, 010 & 022 per 09/02/2009 letter. Send reminder letter to retest 4 quarters in 2014					
12	100	10	10		
14	27	3	9	Longevity	
5B	25	5	5	GLYCOLS NEEDS LIMIT SET	
5B	25	5	5	CBOD NEEDS LIMIT SET	
WCS - NEW YORK AQUARIUM	NY0200328	BROOKLYN	36	3 / 11	Region #2
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity					
VANBRO CORPORATION	NY0007145	STATEN ISLAND	36	4 / 11	Region #2
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity					
FRED M SCHILDWACHTER & SONS	NY0087874	BRONX	33	5 / 11	Region #2
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
NYC DOS-SI 3 GARAGE BORO REPAIR SHOP	NY0200271	STATEN ISLAND	33	6 / 11	Region #2
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
QUEENS DISTRICT 5/5A GARAGE	NY0200841	QUEENS	30	7 / 11	Region #2
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity					
ARVERNE BY THE SEA	NY0267716	QUEENS	30	8 / 11	Region #2
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u>					
AMTRAK - LIC VENTILATION BUILDING	NY0267732	QUEENS	30	9 / 11	Region #2
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u>					
NEW YORK PLAZA BUILDING	NY0072281	MANHATTAN	27	10 / 11	Region #2
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity					
HOME DEPOT - #1249	NY0200476	STATEN ISLAND	18	11 / 11	Region #2
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					

EBPS ENB List - Region 3

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
HIDDEN VALLEY ESTATES - SD NO 1 STP <u>Factor:</u> 14 <u>Score:</u> 87 <u>Multiplier:</u> 3 <u>Points:</u> 29 <u>Reason:</u> Longevity 5C 25 5 5 TRC	NY0034436	MOUNT HOPE	112	1 / 173	Region #3
GREEN HAVEN CORRECTIONAL FACILITY <u>Factor:</u> 14 <u>Score:</u> 90 <u>Multiplier:</u> 3 <u>Points:</u> 30 <u>Reason:</u> Longevity	NY0071153	EAST FISHKILL	90	2 / 173	Region #3
WOODSTOCK STP <u>Factor:</u> 14 <u>Score:</u> 90 <u>Multiplier:</u> 3 <u>Points:</u> 30 <u>Reason:</u> Longevity	NY0109711	WOODSTOCK	90	3 / 173	Region #3
TACONIC DDSO <u>Factor:</u> 14 <u>Score:</u> 90 <u>Multiplier:</u> 3 <u>Points:</u> 30 <u>Reason:</u> Longevity	NY0098868	AMENIA	90	4 / 173	Region #3
LAKE HUNTINGTON SEWER DIST <u>Factor:</u> 14 <u>Score:</u> 90 <u>Multiplier:</u> 3 <u>Points:</u> 30 <u>Reason:</u> Longevity	NY0030694	COCHECTON	90	5 / 173	Region #3
VALLEY DALE STP <u>Factor:</u> 14 <u>Score:</u> 90 <u>Multiplier:</u> 3 <u>Points:</u> 30 <u>Reason:</u> Longevity	NY0077593	PLEASANT VALLEY	90	6 / 173	Region #3
WILDWOOD STP <u>Factor:</u> 14 <u>Score:</u> 87 <u>Multiplier:</u> 3 <u>Points:</u> 29 <u>Reason:</u> Longevity	NY0037117	WAPPINGER	87	7 / 173	Region #3
NEW PALTZ OHIOVILLE SEWER DIST 6 STP <u>Factor:</u> 14 <u>Score:</u> 87 <u>Multiplier:</u> 3 <u>Points:</u> 29 <u>Reason:</u> Longevity	NY0109886	NEW PALTZ	87	8 / 173	Region #3
POUGHKEEPSIE CORP CENTER <u>Factor:</u> 14 <u>Score:</u> 84 <u>Multiplier:</u> 3 <u>Points:</u> 28 <u>Reason:</u> Longevity	NY0218723	POUGHKEEPSIE	84	9 / 173	Region #3
TIVOLI WWTF <u>Factor:</u> 14 <u>Score:</u> 84 <u>Multiplier:</u> 3 <u>Points:</u> 28 <u>Reason:</u> Longevity	NY0022098	RED HOOK	84	10 / 173	Region #3
NYS OTISVILLE CORRECTIONAL FACILITY <u>Factor:</u> 14 <u>Score:</u> 81 <u>Multiplier:</u> 3 <u>Points:</u> 27 <u>Reason:</u> Longevity	NY0033154	MOUNT HOPE	81	11 / 173	Region #3
PORT JERVIS OIL-WATER SEPARATOR <u>Factor:</u> 14 <u>Score:</u> 81 <u>Multiplier:</u> 3 <u>Points:</u> 27 <u>Reason:</u> Longevity	NY0069604	PORT JERVIS	81	12 / 173	Region #3
FIRTHCLIFF SEWER DISTRICT SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 81 <u>Multiplier:</u> 3 <u>Points:</u> 27 <u>Reason:</u> Longevity	NY0022152	CORNWALL	81	13 / 173	Region #3
HIGHLANDS SEWER IMPROVEMENT AREA <u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity	NY0149411	HIGHLANDS	78	14 / 173	Region #3
WAWARSING NAPANOCH SIMPRO AREA STP <u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity	NY0029718	WAWARSING	78	15 / 173	Region #3
Olivet Management <u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity	NY0032158	DOVER	78	16 / 173	Region #3
VILLAGE OF FISHKILL STP <u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity	NY0060992	FISHKILL	78	17 / 173	Region #3
LIBERTY LOOMIS SEWER DIST STP <u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity	NY0030261	LIBERTY	78	18 / 173	Region #3
ROCKLAND ROSCOE STP <u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity	NY0034983	ROCKLAND	78	19 / 173	Region #3
BEDFORD HILLS CORRECTIONAL FACILITY <u>Factor:</u> 14 <u>Score:</u> 57 <u>Multiplier:</u> 3 <u>Points:</u> 19 <u>Reason:</u> Longevity 5C 20 10 2 Temperature	NY0101885	BEDFORD	77	20 / 173	Region #3
FLORIDA-V STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity 3A 50 5 10 CIU	NY0020273	WARWICK	77	21 / 173	Region #3
JEFFERSONVILLE WWTP <u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity	NY0109029	DELAWARE	75	22 / 173	Region #3
COUNTRY CLUB ESTATES STP <u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity	NY0034606	POUGHKEEPSIE	75	23 / 173	Region #3
CALLANAN INDUSTRIES PORT EWEN FACILITY <u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity	NY0007781	ESOPUS	75	24 / 173	Region #3
VILLAGE OF MONTGOMERY STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0026433	MONTGOMERY	74	25 / 173	Region #3

EBPS ENB List - Region 3

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
VILLAGE OF MONTGOMERY STP 3A 50 5 10 CIU	NY0026433	MONTGOMERY	74	25 / 173	Region #3
EMERALD GREEN-LAKE LOUISE MARIE S&W DIST Factor: 14 Score: 72 Multiplier: 3 Points: 24 Reason: Longevity	NY0035645	THOMPSON	72	26 / 173	Region #3
GLOBAL COMPANIES - NORTH TERMINAL Factor: 14 Score: 72 Multiplier: 3 Points: 24 Reason: Longevity	NY0093572	NEW WINDSOR	72	27 / 173	Region #3
COUNTRY MANOR STP Factor: 14 Score: 72 Multiplier: 3 Points: 24 Reason: Longevity	NY0029017	CARMEL	72	28 / 173	Region #3
MIDPOINT PARK SD/ROYAL RIDGE Factor: 14 Score: 72 Multiplier: 3 Points: 24 Reason: Longevity	NY0035637	WAPPINGER	72	29 / 173	Region #3
THE VALLEY VIEW CENTER FOR NURSING CARE AND REHABILITATION Factor: 14 Score: 72 Multiplier: 3 Points: 24 Reason: Longevity	NY0022101	GOSHEN	72	30 / 173	Region #3
EASTVIEW SUBSTATION Factor: 14 Score: 63 Multiplier: 3 Points: 21 Reason: Longevity 4B 5 1 5 BMP needed	NY0251551	GREENBURGH	68	31 / 173	Region #3
PLEASANTVILLE CENTRAL SUBSTATION Factor: 14 Score: 63 Multiplier: 3 Points: 21 Reason: Longevity 4B 5 1 5 BMP needed	NY0251569	MOUNT PLEASANT	68	32 / 173	Region #3
WEST NYACK QUARRY Factor: 14 Score: 66 Multiplier: 3 Points: 22 Reason: Longevity	NY0110612	CLARKSTOWN	66	33 / 173	Region #3
SWAN LAKE SD STP Factor: 14 Score: 66 Multiplier: 3 Points: 22 Reason: Longevity	NY0030252	LIBERTY	66	34 / 173	Region #3
DUNWOODIE CENTRAL SUBSTATION Factor: 14 Score: 15 Multiplier: 3 Points: 5 Reason: Longevity 2A 25 5 5 4B 25 5 5	NY0250929	YONKERS	65	35 / 173	Region #3
LILY POND FILTRATION SYSTEM Factor: 14 Score: 60 Multiplier: 3 Points: 20 Reason: Longevity	NY0259446	LIBERTY	60	36 / 173	Region #3
MAHOPAC STP Factor: 14 Score: 57 Multiplier: 3 Points: 19 Reason: Longevity 5C 1 1 1 Temperature	NY0026590	CARMEL	58	37 / 173	Region #3
MTA METRO NORTH WHITE PLAINS REPAIR FACILITY Factor: 14 Score: 48 Multiplier: 3 Points: 16 Reason: Longevity 4A 10 1 10	NY0264270	NORTH CASTLE	58	38 / 173	Region #3
MILTON WASTEWATER TREATMENT FAC Factor: 14 Score: 57 Multiplier: 3 Points: 19 Reason: Longevity	NY0259829	MARLBOROUGH	57	39 / 173	Region #3
BREAKNECK POND CAMPGROUND Factor: 14 Score: 57 Multiplier: 3 Points: 19 Reason: Longevity	NY0215333	HAVERSTRAW	57	40 / 173	Region #3
CARMEL SD #2 STP Factor: 14 Score: 57 Multiplier: 3 Points: 19 Reason: Longevity	NY0031356	CARMEL	57	41 / 173	Region #3
WOODSTOCK GUILD SYSTEM 3 Factor: 14 Score: 57 Multiplier: 3 Points: 19 Reason: Longevity	NY0149306	WOODSTOCK	57	42 / 173	Region #3
WILD OAKS SEWER DISTRICT Factor: 14 Score: 57 Multiplier: 3 Points: 19 Reason: Longevity	NY0065706	LEWISBORO	57	43 / 173	Region #3
SOUTHEAST BREWSTER HEIGHTS SEWER DIS 1 Factor: 14 Score: 57 Multiplier: 3 Points: 19 Reason: Longevity	NY0110353	SOUTHEAST	57	44 / 173	Region #3
WASSAIC YARD & STATION Factor: 14 Score: 51 Multiplier: 3 Points: 17 Reason: Longevity 4B 5 1 5 BMP Plan	NY0260126	AMENIA	56	45 / 173	Region #3
U & A CONSTRUCTION CORP Factor: 14 Score: 54 Multiplier: 3 Points: 18 Reason: Longevity	NY0259993	ORANGETOWN	54	46 / 173	Region #3
PUTNAM NATIONAL GOLF CLUB Factor: 14 Score: 54 Multiplier: 3 Points: 18 Reason: Longevity	NY0260371	CARMEL	54	47 / 173	Region #3

EBPS ENB List - Region 3

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
WHITE PLAINS SUBSTATION	NY0265039	WHITE PLAINS	52	48 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity					
4A 10 1 10					
CEDAR STREET SUBSTATION	NY0267805	NEW ROCHELLE	52	49 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity					
4A 10 1 10					
ROTRON-OLIVE PLANT	NY0260401	OLIVE	51	51 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 51 <u>Multiplier:</u> 3 <u>Points:</u> 17 <u>Reason:</u> Longevity					
FAIR ST DPW FACILITY	NY0264041	PATTERSON	51	52 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 51 <u>Multiplier:</u> 3 <u>Points:</u> 17 <u>Reason:</u> Longevity					
GOSHEN QUARRY	NY0264954	GOSHEN	50	53 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity					
4B 5 1 5					
DOVER RIDGE ESTATES	NY0164933	BEEKMAN	48	54 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 48 <u>Multiplier:</u> 3 <u>Points:</u> 16 <u>Reason:</u> Longevity					
SURPRISE LAKE CAMP	NY0096008	PHILIPSTOWN	45	55 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity					
VALLEY VIEW PARK	NY0098043	WALLKILL	42	56 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity					
PERKIN ELMER INC	NY0270491	WOODSTOCK	42	57 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity					
RUSHMORE/BRIGADOON WWTP	NY0247561	WOODBURY	42	58 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity					
TITUSVILLE WASTEWATER TREATMENT PLANT	NY0264989	LA GRANGE	41	59 / 173	Region #3
<u>Factor:</u> 10 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> State Revolving Fund Loan List					
14 36 3 12 Longevity					
YONKERS DPW SERVICE BLDG	NY0105571	YONKERS	39	60 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
CARMEL SD 6 IVY HILLS STP	NY0031828	CARMEL	39	61 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
GLASCO SEWER DISTRICT WWTP	NY0145564	SAUGERTIES	39	62 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
GARDINER SEWER DIST 1 STP	NY0109096	GARDINER	33	63 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
KINGSTON WATER TREATMENT PLANT	NY0166260	WOODSTOCK	33	64 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
WAPPINGERS FLEETWOOD MANOR SEWER DIS	NY0021601	WAPPINGER	33	65 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
CATSKILL FISH HATCHERY	NY0035327	ROCKLAND	33	66 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
VANDERBURGH COVE SEWER DISTRICT NO 1	NY0099295	RHINEBECK	33	67 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
PATTERSON HAMLET WWTP	NY0265080	PATTERSON	33	68 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
ARTIFICIAL WETLAND WTS	NY0264008	LLOYD	33	69 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
FOX HILL COMMUNITY	NY0264776	MONTGOMERY	33	70 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
CAMPUS AT FIELD CORNERS	NY0259314	SOUTHEAST	33	71 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					
SAGAMOR SEWER DISTRICT WWTF	NY0263982	EAST FISHKILL	33	74 / 173	Region #3
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity					

EBPS ENB List - Region 3

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
WINDSOR ESTATES WWTP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0215198	HAMPTONBURGH	33	75 / 173	Region #3
PAWLING JOINT SEWER COMMISSION WWTP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0165891	PAWLING	33	76 / 173	Region #3
UNITED PARCEL DISTRIBUTION CENTER <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0149489	LA GRANGE	33	77 / 173	Region #3
MOUNTAIN DALE WWTP <u>Factor:</u> 11 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> CHRONIC WET LIMITS ARE REQUIRED PER RPD, BUT NO ADDITIONAL TESTING IS REQUIRED UNLESS PERMIT MODIFIED, RENEWED OR 2016, AS ALL REQUIREMENTS HAVE BEEN SATISFACTORILY MET. 14 27 3 9 Longevity	NY0145696	FALLSBURGH	32	78 / 173	Region #3
GLENWOOD HILLS SEWER DIST 5 <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0215457	BLOOMING GROVE	30	79 / 173	Region #3
WAWAYANDA ROBINN MEADOWS SEWER DIS <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0029149	WAWAYANDA	30	80 / 173	Region #3
HOPEWELL HAMLET SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0267953	EAST FISHKILL	30	81 / 173	Region #3
MONTGOMERY-T STP DIST # 1 <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0247782	MONTGOMERY	30	84 / 173	Region #3
FOUR CORNERS SEWER DISTRICT WWTP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0270610	EAST FISHKILL	30	85 / 173	Region #3
BUS GARAGE <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity 4B 5 1 5 Needs BMP plan	NY0149195	CORTLANDT	29	86 / 173	Region #3
DEFOREST LAKE FILTRATION PLANT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity 4B 5 1 5 BMP Plan	NY0037265	CLARKSTOWN	29	88 / 173	Region #3
IBM STERLING FOREST OFFICE BUILDING <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity 4A 10 1 10 BMP needed and permit needs update re: SIC, Class etc.	NY0021695	WARWICK	28	89 / 173	Region #3
MONROE-V WTP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0094064	MONROE	27	90 / 173	Region #3
HYDE PARK GREENFIELDS SEWER DIST <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0097896	HYDE PARK	27	91 / 173	Region #3
MARLBORO STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0109720	MARLBOROUGH	27	92 / 173	Region #3
THOMPSON SACKETT LAKE SEWER DIS STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0030716	THOMPSON	27	93 / 173	Region #3
LAGRANGE NOXON KNOLLS SD STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0026085	LA GRANGE	27	94 / 173	Region #3
TENNANAH LAKE TOWNHOUSE AND VILLAS <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0145505	FREMONT	27	95 / 173	Region #3
DUTCHESS QUARRY & SUPPLY CO INC <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0006173	PLEASANT VALLEY	27	96 / 173	Region #3
TILCON - CLINTON POINT QUARRY <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0005649	POUGHKEEPSIE	27	97 / 173	Region #3
BOICEVILLE WWTP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0274038	OLIVE	27	98 / 173	Region #3
DILLON FARMS SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0214507	THOMPSON	27	99 / 173	Region #3
SAUGERTIES MALDEN-ON-HUDSON S D STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0145556	SAUGERTIES	27	100 / 173	Region #3

EBPS ENB List - Region 3

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
NEWBURGH NOB HILL SEWER DIST <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0145599	NEWBURGH	27	101 / 173	Region #3
HAMLET SEWAGE TREATMENT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0031224	TUXEDO	27	102 / 173	Region #3
KENT MANOR CONDOMINIUMS <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0207322	KENT	27	103 / 173	Region #3
ROMBOUT STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0060976	FISHKILL	27	104 / 173	Region #3
RHINEBECK-V WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0110281	RHINEBECK	27	105 / 173	Region #3
HILLVIEW RESERVOIR <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0270831	YONKERS	27	106 / 173	Region #3
TUXEDO PARK STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0031216	TUXEDO	27	107 / 173	Region #3
MILLBROOK SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0025429	WASHINGTON	27	108 / 173	Region #3
CALLICOON SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0110574	DELAWARE	27	109 / 173	Region #3
ROSEMOND ESTATES <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0101052	FALLSBURGH	27	110 / 173	Region #3
V-BLOOMINGBURG STP <u>Factor:</u> 11 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> FACILITY WILL AT MINIMUM BE RECOMMENDED FOR ENFORCEABLE CHRONIC WET LIMITS ON THE BASIS OF THE FIRST TEST. WET TESTING IS GOING TO BE ADDED TO THE ORDER. 14 21 3 7 Longevity	NY0208426	MAMAKATING	26	111 / 173	Region #3
BUCHANAN ELECTRICAL SUBSTATION <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity 4A 10 1 10	NY0267911	CORTLANDT	25	112 / 173	Region #3
OTISVILLE FEDERAL CORRECTIONAL FACILITY <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0037397	MOUNT HOPE	24	113 / 173	Region #3
BLOOMING GROVE TAPPAN HOMES SEWER DIST <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0062251	BLOOMING GROVE	24	114 / 173	Region #3
CARMEL HILLSDALE ESTATES STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0030678	CARMEL	24	115 / 173	Region #3
BETHEL KAUNEONGA LAKE STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0099368	BETHEL	24	116 / 173	Region #3
PRAXAIR SURFACE TECHNOLOGIES <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0007579	ORANGETOWN	24	117 / 173	Region #3
MACK BROTHERS <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0005622	GOSHEN	24	118 / 173	Region #3
BLACKBERRY HILL SANITARY SD STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0062570	SOUTHEAST	24	120 / 173	Region #3
BREWSTER TRANSIT READY MIX <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0264431	SOUTHEAST	24	121 / 173	Region #3
CARMEL SEWER DIST 4 STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0105252	CARMEL	24	122 / 173	Region #3
WOODBURY VALLEY FORGE SEWER DIS 1 STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0020478	WOODBURY	24	123 / 173	Region #3
AVON WWTP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0023493	FALLSBURGH	24	124 / 173	Region #3
DEEP GREEN OF NEW YORK SOIL RECYCLING FACILITY <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0024261	NEW WINDSOR	21	125 / 173	Region #3

EBPS ENB List - Region 3

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
COLD SPRING WWTP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0022721	PHILIPSTOWN	21	133 / 173	Region #3
CRAWFORD PINE BUSH STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0110019	CRAWFORD	21	134 / 173	Region #3
SPRAIN BROOK CENTRAL SUBSTATION <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity 4B 5 1 5 Needs BMP Plan	NY0251291	YONKERS	20	135 / 173	Region #3
WARWICK SEWER DIS 1 STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0021890	WARWICK	18	136 / 173	Region #3
MAYBROOK STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0023272	MONTGOMERY	18	137 / 173	Region #3
OAKRIDGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0030767	LEWISBORO	18	138 / 173	Region #3
NYCDEP - GRAHAMSVILLE WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0026549	NEVERSINK	18	139 / 173	Region #3
MAYBROOK TRAVEL CENTER <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0145718	MONTGOMERY	18	140 / 173	Region #3
ROSENDALE WWT FACILITY <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0109061	ROSENDALE	18	141 / 173	Region #3
KERHONKSON WWTF - KERHONKSON SD <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0109924	WAWARSING	18	142 / 173	Region #3
NARROWSBURG SEWER DISTRICT STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0110205	TUSTEN	18	143 / 173	Region #3
WAWAYANDA RIDGEBURY LAKE ACRES SEWER DIS <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0062278	WAWAYANDA	18	144 / 173	Region #3
LOCH SHELDRAKE WWTP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0024538	FALLSBURGH	18	145 / 173	Region #3
CITY OF MOUNT VERNON DPW GARAGE <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0260312	MOUNT VERNON	18	146 / 173	Region #3
CAMP SMITH TRAINING SITE <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0030503	CORTLANDT	18	148 / 173	Region #3
DALTON FARMS WWTP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0214531	BEEKMAN	18	149 / 173	Region #3
VA HUDSON VALLEY HEALTH CARE SYSTEM <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0021326	CORTLANDT	18	150 / 173	Region #3
WOODBINE YARD <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0264024	RAMAPO	18	151 / 173	Region #3
CONTINENTAL BUCHANAN LLC <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0006645	CORTLANDT	15	152 / 173	Region #3
RIVERSIDE ESTATES <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0032409	FALLSBURGH	15	155 / 173	Region #3
WILLOW GROVE TRAILER PARK <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0105139	HAYERSTRAW	15	156 / 173	Region #3
REED FARMS STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0145858	SOUTHEAST	15	157 / 173	Region #3
STRATFORD FARMS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0218944	POUGHKEEPSIE	15	158 / 173	Region #3
ENNIS MOBILE HOME PARK <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0218952	PLEASANT VALLEY	15	159 / 173	Region #3
CAMP HORIM <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0248533	WAWARSING	15	160 / 173	Region #3
BUCHANAN - V STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0029971	CORTLANDT	15	161 / 173	Region #3

EBPS ENB List - Region 3

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CHADWICK LAKE WATER FILTRATION PLANT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0165921	NEWBURGH	15	162 / 173	Region #3
HIGHWAY DEPT MAINTENANCE GARAGE <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0259811	CARMEL	12	165 / 173	Region #3
THE WALTER HOVING HOME <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0145459	PHILIPSTOWN	12	167 / 173	Region #3
TILCON QUARRIES HAVERSTRAW PLANT <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity 4B 5 1 5 Needs BMP Plan	NY0005231	HAVERSTRAW	11	168 / 173	Region #3
MACOLLO LLC <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0251241	HURLEY	6	169 / 173	Region #3
PINEBROOK ESTATES STP <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0034584	HYDE PARK	3	170 / 173	Region #3
CAMP SIMCHA <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0035271	LUMBERLAND	3	171 / 173	Region #3
SILO RIDGE FIELD CLUB <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0234966	AMENIA	3	172 / 173	Region #3
VILLA ROMA RESORT <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0148610	DELAWARE	3	173 / 173	Region #3

EBPS ENB List - Region 4

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
COEYMANS-RAVENA WATER POLLUTION CONTROL FACILITY	NY0022772	COEYMANS	115	1 / 113	Region #4
Factor: 14	Score: 90	Multiplier: 3	Points: 30	Reason: Longevity	
1B	25	5	5		
COLONIE - T MOHAWK VIEW WTP & WELL FIELD	NY0102148	COLONIE	114	2 / 113	Region #4
Factor: 14	Score: 90	Multiplier: 3	Points: 30	Reason: Longevity	
5C	10	5	2	Potassium permanganate needs to be added as a water treatment chemical for zebra mussle control.	
5C	10	5	2	chlorine dioxide needs to be approved for use as a chemical for zebra mussle control	
5C	2	1	2	This is to add outfalls to permits for the weepholes from the freeze dry beds. Sampling was conducted for aluminum and total chlorine. Both were below permit limits. These weeps would likely be added without monitoring.	
5C	2	1	2	two storm water outfalls need to be added to permit without monitoring. They were constructed when the facility was upgraded. It doesn't seem like they would need BMPs because all loading areas are covered, a sump can contain spills from largest truck, an	
CASTLETON ON HUDSON - V STP	NY0030970	SCHODACK	90	3 / 113	Region #4
Factor: 14	Score: 90	Multiplier: 3	Points: 30	Reason: Longevity	
VALATIE SEWAGE TREATMENT PLANT	NY0021806	KINDERHOOK	90	4 / 113	Region #4
Factor: 14	Score: 90	Multiplier: 3	Points: 30	Reason: Longevity	
LINDE LLC	NY0084271	BETHLEHEM	85	5 / 113	Region #4
Factor: 14	Score: 78	Multiplier: 3	Points: 26	Reason: Longevity	
4B	5	1	5		
5C	2	1	2		
FALKE'S QUARRY	NY0223506	PRATTSVILLE	81	6 / 113	Region #4
Factor: 14	Score: 81	Multiplier: 3	Points: 27	Reason: Longevity	
AMRI RENSSELAER	NY0241148	RENSSELAER	79	7 / 113	Region #4
Factor: 13	Score: 10	Multiplier: 1	Points: 10	Reason: Longevity	
14	69	3	23		
COLUMBIA COUNTY COMMERCE CENTER	NY0240401	CLAVERACK	75	8 / 113	Region #4
Factor: 14	Score: 75	Multiplier: 3	Points: 25	Reason: Longevity	
VOORHEESVILLE - V SD 1 STP	NY0030139	NEW SCOTLAND	69	9 / 113	Region #4
Factor: 14	Score: 69	Multiplier: 3	Points: 23	Reason: Longevity	
PINE RIDGE ESTATES	NY0036757	COEYMANS	69	10 / 113	Region #4
Factor: 14	Score: 69	Multiplier: 3	Points: 23	Reason: Longevity	
EAST SCHODACK WASTEWATER TREATMENT PLT	NY0242012	SCHODACK	68	11 / 113	Region #4
Factor: 14	Score: 63	Multiplier: 3	Points: 21	Reason: Longevity	
5B	5	1	5	evaluation of the use of UOD instead of BOD given change in filter technology employed at facility.	
CAPITAL DISTRICT SALT STORAGE	NY0241652	ALBANY	66	12 / 113	Region #4
Factor: 14	Score: 66	Multiplier: 3	Points: 22	Reason: Longevity	
ALBANY ASU	NY0260860	BETHLEHEM	61	13 / 113	Region #4
Factor: 14	Score: 54	Multiplier: 3	Points: 18	Reason: Longevity	
4B	5	1	5		
5C	2	1	2		
SCHOHARIE BUSINESS PARK	NY0249572	SCHOHARIE	60	14 / 113	Region #4
Factor: 14	Score: 60	Multiplier: 3	Points: 20	Reason: Longevity	
CURTIS MOBILE HOME PARK	NY0192104	SCHODACK	60	15 / 113	Region #4
Factor: 14	Score: 60	Multiplier: 3	Points: 20	Reason: Longevity	
NYS SUMMIT SHOCK CORRECTIONAL FACILITY	NY0030660	FULTON	60	16 / 113	Region #4
Factor: 14	Score: 60	Multiplier: 3	Points: 20	Reason: Longevity	
FRENCH WOODS ENRICHMENT CENTER	NY0260762	HANCOCK	57	17 / 113	Region #4
Factor: 14	Score: 57	Multiplier: 3	Points: 19	Reason: Longevity	
FLEISCHMANN'S WWTP	NY0261521	MIDDLETOWN	57	18 / 113	Region #4
Factor: 14	Score: 42	Multiplier: 3	Points: 14	Reason: Longevity	

EBPS ENB List - Region 4

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
FLEISCHMANN'S WWTP	NY0261521	MIDDLETOWN	57	18 / 113	Region #4
99	15	3	5	Score added to comply with longevity scoring requirements in updated TOGS 1.2.2. As per the guidelines in the updated TOGS, the facility's longevity score should be 45, but this computer program has not been updated to reflect the new multipliers.	
POTIC RESERVOIR WTP	NY0261076	COXSACKIE	55	19 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 51	<u>Multiplier:</u> 3	<u>Points:</u> 17	<u>Reason:</u> Longevity	
5C	2	1	2	look at temperature exceedances in summer and apply new temperature guidance to see if permit modification is required	
5C	2	1	2	Water treatment chemicals with conditional approval as of 5/9/2016: NaMnO4 and NaHSO3. Should be added to permit.	
CAIRO WWTP	NY0260819	CAIRO	54	20 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 54	<u>Multiplier:</u> 3	<u>Points:</u> 18	<u>Reason:</u> Longevity	
MOUNTAINSIDE FARMS INC	NY0084590	ROXBURY	54	21 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 39	<u>Multiplier:</u> 3	<u>Points:</u> 13	<u>Reason:</u> Longevity	
99	15	1	15	Total score should be 45 based on January 2012 TOGS 1.2.2	
SEWARD - T STP	NY0212199	SEWARD	53	22 / 113	Region #4
<u>Factor:</u> 10	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> SRF	
14	48	3	16	Longevity	
STOCKPORT WATER DIST #2	NY0268615	STOCKPORT	51	23 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 51	<u>Multiplier:</u> 3	<u>Points:</u> 17	<u>Reason:</u> Longevity	
SOUTH ALBANY SEWER DIST STP	NY0191825	BETHLEHEM	50	24 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 3	<u>Points:</u> 15	<u>Reason:</u> Longevity	
5B	5	1	5	evaluation of the use of UOD instead of BOD given change in filter technology employed at facility.	
VALLEY FALLS WWTP	NY0261360	PITTSTOWN	48	25 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 48	<u>Multiplier:</u> 3	<u>Points:</u> 16	<u>Reason:</u> Longevity	
ANDES SEWAGE TREATMENT PLANT	NY0262854	ANDES	48	26 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 48	<u>Multiplier:</u> 3	<u>Points:</u> 16	<u>Reason:</u> Longevity	
PRATTSVILLE STP	NY0263028	PRATTSVILLE	48	27 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 48	<u>Multiplier:</u> 3	<u>Points:</u> 16	<u>Reason:</u> Longevity	
DUANESBURG SEWER DIST 1 STP	NY0261271	DUANESBURG	48	28 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 48	<u>Multiplier:</u> 3	<u>Points:</u> 16	<u>Reason:</u> Longevity	
WINDHAM WASTEWATER TREATMENT PLANT	NY0262935	WINDHAM	48	29 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 48	<u>Multiplier:</u> 3	<u>Points:</u> 16	<u>Reason:</u> Longevity	
TANNERSVILLE - V STP	NY0026573	HUNTER	48	30 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 48	<u>Multiplier:</u> 3	<u>Points:</u> 16	<u>Reason:</u> Longevity	
SLEEPY HOLLOW LAKE STP	NY0025291	ATHENS	42	31 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 42	<u>Multiplier:</u> 3	<u>Points:</u> 14	<u>Reason:</u> Longevity	
COXSACKIE - V WTR TRT PLT	NY0268267	COXSACKIE	42	32 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 42	<u>Multiplier:</u> 3	<u>Points:</u> 14	<u>Reason:</u> Longevity	
DUNCO INC MIKEY MART II	NY0268275	DUANESBURG	42	33 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 42	<u>Multiplier:</u> 3	<u>Points:</u> 14	<u>Reason:</u> Longevity	
HUNTER - V WASTEWATER TREATMENT PLANT	NY0241075	JEWETT	42	34 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 42	<u>Multiplier:</u> 3	<u>Points:</u> 14	<u>Reason:</u> Longevity	
COLUMBIA CO ASSOC FOR RETARDED CITIZENS	NY0261530	CLAVERACK	42	35 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 42	<u>Multiplier:</u> 3	<u>Points:</u> 14	<u>Reason:</u> Longevity	
STAMFORD - V STP	NY0021555	STAMFORD	42	36 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 33	<u>Multiplier:</u> 3	<u>Points:</u> 11	<u>Reason:</u> Longevity	
99	9	3	3	Total score should be 33 based on January 2012 TOGS 1.2.2.	
NATIONAL GYPSUM COMPANY	NY0122980	EAST GREENBUSH	41	37 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 36	<u>Multiplier:</u> 3	<u>Points:</u> 12	<u>Reason:</u> Longevity	
5B	5	1	5	BENZENE	
GOLF COURSE ROAD SEWAGE WORKS FACILITY	NY0261092	COPAKE	39	38 / 113	Region #4
<u>Factor:</u> 14	<u>Score:</u> 39	<u>Multiplier:</u> 3	<u>Points:</u> 13	<u>Reason:</u> Longevity	

EBPS ENB List - Region 4

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
MARIAVILLE LAKE SEWER DISTRICT # 2 <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity	NY0268437	DUANESBURG	39	39 / 113	Region #4
109TH AIRLIFT WING <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0023442	GLENVILLE	36	40 / 113	Region #4
CROSSGATES MALL <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0107930	GUILDERLAND	36	41 / 113	Region #4
ATHENS - V WTR TRT PLT <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity 99 0 0 0 FACILITY DOES NOT DISCHAR	NY0102041	ATHENS	36	42 / 113	Region #4
MIDDLEBURGH - V STP <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0192309	MIDDLEBURGH	36	43 / 113	Region #4
COUNTRY INN & SUITES <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0263010	HARTWICK	36	44 / 113	Region #4
GUILDERLAND - T NE INDUSTRIAL PARK <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity 5B 5 1 5 REANAL AMMONIA WINTER LIM	NY0022217	GUILDERLAND	35	45 / 113	Region #4
TOWN OF GREENVILLE WWTP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0094854	GREENVILLE	33	46 / 113	Region #4
ATHENS - V BRICKROW STP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0020877	ATHENS	33	47 / 113	Region #4
SCHOHARIE - V STP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0023655	SCHOHARIE	33	48 / 113	Region #4
ATHENS - V MAIN STP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0020869	ATHENS	33	49 / 113	Region #4
COXSACKIE - V STP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0033545	COXSACKIE	33	50 / 113	Region #4
CATAMOUNT SKI RESORT <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0268569	COPAKE	33	51 / 113	Region #4
CASS RESIDENTIAL CENTER <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0031836	RENSSELAERVILLE	33	52 / 113	Region #4
DENVER SEWER CORP WWTP-ROXBURY RUN VILL <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0099562	ROXBURY	33	53 / 113	Region #4
ATLAS COPCO COMPTEC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity 4B 5 1 5 5C 2 1 2	NY0084999	NEW SCOTLAND	31	54 / 113	Region #4
NORTH/SOUTH LAKE CAMPGROUND <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0033570	HUNTER	30	55 / 113	Region #4
ULTIMATE WISHY WASH CAR WASH <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity 99 0 0 0 GOING TO RECYCLE	NY0122891	DUANESBURG	30	56 / 113	Region #4
GREENVILLE WATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0261416	GREENVILLE	30	57 / 113	Region #4
HANCOCK - V STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0089702	HANCOCK	30	58 / 113	Region #4
ALBANY - C FEURA BUSH WTR TRT PLT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity 5C 2 1 2	NY0100145	BETHLEHEM	29	59 / 113	Region #4
NEW BALTIMORE - T SD STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity 4B 2 1 2 ADD BMP	NY0109151	NEW BALTIMORE	29	60 / 113	Region #4
MARGARETVILLE - V STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0026531	MIDDLETOWN	27	61 / 113	Region #4

EBPS ENB List - Region 4

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
HUNTER HIGHLANDS WWTP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0061131	HUNTER	27	62 / 113	Region #4
CATSKILL - T SD 4 <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0205044	CATSKILL	27	63 / 113	Region #4
NYC DEP-GRAND GORGE STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0026565	ROXBURY	27	64 / 113	Region #4
BRACE RESIDENTIAL CENTER <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0029955	MASONVILLE	27	65 / 113	Region #4
RAVENA - V WTR TRT PLT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0106992	COEYMANS	27	66 / 113	Region #4
BETHLEHEM - T VLY WTR TREAT PLT & RESERVOIR <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0099651	NEW SCOTLAND	27	67 / 113	Region #4
WATERVLIET - C WATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0100153	COLONIE	27	68 / 113	Region #4
SCHODACK LANDING SEWERS <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0268852	SCHODACK	27	69 / 113	Region #4
ROLLING HILLS MOBILE HOME PARK <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0078328	COEYMANS	27	71 / 113	Region #4
ROCK SALT STORAGE FACILITY - TROY <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity 4B 5 1 5	NY0260843	TROY	26	72 / 113	Region #4
LIVINGSTON TOWN HIGHWAY GARAGE <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0268844	LIVINGSTON	24	73 / 113	Region #4
AIR PRODUCTS & CHEMICALS <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0072532	BETHLEHEM	24	74 / 113	Region #4
OORAH CATSKILL RETREAT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0069957	GILBOA	24	75 / 113	Region #4
CAMP MACHNE TASHBAR <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0263061	HUNTER	24	76 / 113	Region #4
CENTRAL BRIDGE SEWER DIST WWTP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0263087	ESPERANCE	24	77 / 113	Region #4
HILLSDALE SEWER PROJECT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0268771	HILLSDALE	24	78 / 113	Region #4
BERNE WASTEWATER PROJECT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0268976	BERNE	24	81 / 113	Region #4
HANNAFORD SUPERMARKET <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0269085	DUANESBURG	24	82 / 113	Region #4
RAVENA COEYMANS JUNIOR SENIOR HIGH SCHOOLS CAMPUS <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity 5C 2 1 2 Consider removing MTBE limit.	NY0102962	COEYMANS	23	83 / 113	Region #4
STOCKPORT - T KINGS ACRES STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0031291	STOCKPORT	21	84 / 113	Region #4
CANAJOHARIE-V- WATER FILTRATION PLANT <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0261033	PALATINE	21	85 / 113	Region #4
BAY SIDE MOTOR INN AND MARINA <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0192325	SPRINGFIELD	21	86 / 113	Region #4
SEWAGE SYSTEM HAMLET OF RENSSELAERVILLE <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0240770	RENSSELAERVILLE	21	87 / 113	Region #4
CEDAR ACRES TRAILER PARK <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0222861	SCHODACK	21	88 / 113	Region #4
PLEASANT STREET SEWER DISTRICT #2 <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0107051	NEW SCOTLAND	21	89 / 113	Region #4

EBPS ENB List - Region 4

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BROWN'S BREWERY	NY0269123	HOOSICK	21	90 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
NYS NEW BALTIMORE SERVICE AREA	NY0027359	NEW BALTIMORE	21	91 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
GILBERTSVILLE-MT UPTON CENTRAL SCHOOL	NY0249319	BUTTERNUTS	21	92 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity					
JOHN P BUCKLEY WATER FILTRATION PLANT	NY0205401	TROY	20	94 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
5C	2	1	2	Annual WTC Report (2014) indicates maximum dosage allowed by the permit has been exceeded.	
TAMARAC ELEMENTARY MIDDLE HIGH SCHOOL	NY0261343	BRUNSWICK	20	95 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
5C	2	1	2		
COUNTRY ACRES MOBILE HOME PARK	NY0191922	PITTSTOWN	18	96 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
COLONIE LOCOMOTIVE SHOPS	NY0088188	COLONIE	18	97 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
BREWERY OMMEGANG	NY0260509	MIDDLEFIELD	18	98 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
COLUMBIA GREENE COMMUNITY COLLEGE	NY0030392	GREENPORT	18	100 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
HOBART - V WWTP	NY0029254	STAMFORD	18	101 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity					
ROBERT W HARROLD EDUCATION CENTER	NY0097446	MASONVILLE	15	103 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity					
ROTTERDAM SQUARE MALL	NY0109614	ROTTERDAM	15	104 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity					
CAMP FRENCH WOODS	NY0100480	HANCOCK	15	105 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity					
ALTAMONT - V STP	NY0031534	GUILDERLAND	15	106 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity					
CAPSTONE CENTER FOR REHABILITATION AND NURSING	NY0088293	AMSTERDAM	9	108 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity					
NYS PATTERSONVILLE SERVICE AREA	NY0027391	FLORIDA	6	109 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity					
GERMANTOWN WWTP	NY0260479	GERMANTOWN	6	110 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity					
RICHMONDVILLE - V STP	NY0022519	RICHMONDVILLE	6	111 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity					
SHARON SPRINGS STP	NY0033588	SHARON	3	112 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
VILLA MARIA	NY0096199	HUNTER	3	113 / 113	Region #4
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					

EBPS ENB List - Region 5

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
WORD OF LIFE CAMP <u>Factor:</u> 14 <u>Score:</u> 81 <u>Multiplier:</u> 3 <u>Points:</u> 27 <u>Reason:</u> Longevity	NY0130273	CHESTER	81	1 / 55	Region #5
3-J FUELS TRUCK SALES/SERVICE CENTER <u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity	NY0230766	CHAMPLAIN	78	2 / 55	Region #5
TOWN OF BOLTON WWTP <u>Factor:</u> 14 <u>Score:</u> 72 <u>Multiplier:</u> 3 <u>Points:</u> 24 <u>Reason:</u> Longevity 99 0 0 0 30	NY0093688	BOLTON	72	3 / 55	Region #5
RIVERVIEW LANDING STP <u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity	NY0131768	CLIFTON PARK	66	4 / 55	Region #5
NEW COUNTRY TOYOTA & SCION OF CLIFTON PARK <u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity	NY0251771	HALFMOON	66	5 / 55	Region #5
SCHROON LAKE WWTP <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity	NY0020231	SCHROON	60	6 / 55	Region #5
WESTPORT WWTP <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity	NY0020222	WESTPORT	60	7 / 55	Region #5
WARRENSBURG SEWER DISTRICT # 1 <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity	NY0248720	WARRENSBURG	60	8 / 55	Region #5
HAMLET OF CHAZY SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 48 <u>Multiplier:</u> 3 <u>Points:</u> 16 <u>Reason:</u> Longevity	NY0255971	CHAZY	48	9 / 55	Region #5
KEESEVILLE WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity 6A 5 1 5 Mercury minimization 99 5 1 5 SPDES permit modification required to authorize permittee's request for increased flow limit.	NY0025097	AUSABLE	46	10 / 55	Region #5
TOWN OF HAGUE SEWER DISTRICT # 1 <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity	NY0265217	HAGUE	45	11 / 55	Region #5
NYSDOT MAINTENANCE SUBHEADQUARTERS <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity	NY0248665	HALFMOON	42	12 / 55	Region #5
FREDERICK'S POINT SEWER DISTRICT NO 2 <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity	NY0265365	DRESDEN	39	13 / 55	Region #5
ROYAL ANCHORAGE SEWER DISTRICT NO 1 <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity	NY0265594	PUTNAM	39	14 / 55	Region #5
VILLAGE OF BROADALBIN WWTF <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0251739	BROADALBIN	36	16 / 55	Region #5
LYON MOUNTAIN SEWER DIST WWTP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity 5B 5 1 5 NH3,PHOS,STREAM RECLASS	NY0239577	DANNEMORA	35	17 / 55	Region #5
SPECULATOR - V STP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0026484	LAKE PLEASANT	33	18 / 55	Region #5
CHATEAUGAY FISH HATCHERY <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0035343	CHATEAUGAY	33	19 / 55	Region #5
NORTHAMPTON SACANDAGA PARK SEWER DIST <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0030066	NORTHAMPTON	33	20 / 55	Region #5
BRAINARDSVILLE S. D. #1 WWTP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0255726	BELLMONT	33	21 / 55	Region #5
ADIRONDACK FISH CULTURE STATION <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0035335	SANTA CLARA	33	22 / 55	Region #5
HADLEY SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0020184	HADLEY	30	23 / 55	Region #5
FOREST HILLS MOBILE HOME PARK <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0034711	MILTON	30	24 / 55	Region #5
SCHUYLERVILLE STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0031941	SARATOGA	29	25 / 55	Region #5

EBPS ENB List - Region 5

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SCHUYLERVILLE STP 5C 2 1 2 NEED FLOW LIMIT	NY0031941	SARATOGA	29	25 / 55	Region #5
CORINTH STP Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity	NY0020397	CORINTH	27	26 / 55	Region #5
HULETT'S LANDING SEWER DISTRICT NO 1 Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity	NY0248983	DRESDEN	27	27 / 55	Region #5
BLOOMINGDALE STP Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity	NY0020991	ST ARMAND	27	28 / 55	Region #5
STILLWATER STP Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity	NY0093637	STILLWATER	27	29 / 55	Region #5
FORT ANN STP Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity	NY0030627	FORT ANN	27	30 / 55	Region #5
AUSABLE FORKS COMMUNITY WWTF Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity	NY0201910	JAY	27	31 / 55	Region #5
WADHAMS SEWER DISTRICT WWTF Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity	NY0217760	WESTPORT	27	32 / 55	Region #5
WASHINGTON CORRECTIONAL FACILITY Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity	NY0202070	FORT ANN	27	33 / 55	Region #5
NYS GREAT MEADOW CORRECTIONAL FACILITY Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity	NY0035041	FORT ANN	27	34 / 55	Region #5
PERU VALCOUR SD STP Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity	NY0183636	PERU	24	35 / 55	Region #5
PERU STP Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity	NY0023949	PERU	24	36 / 55	Region #5
VILLAGE OF MAYFIELD WWTP Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity	NY0252042	MAYFIELD	21	37 / 55	Region #5
CHAMPLAIN STP Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity	NY0032204	CHAMPLAIN	21	38 / 55	Region #5
WILLSBORO SEWER DISTRICT NO. 1 WASTEWATER TREATMENT FACI Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity	NY0239682	WILLSBORO	21	39 / 55	Region #5
NYS ALTONA CORRECTIONAL FACILITLY Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity	NY0183512	ALTONA	21	40 / 55	Region #5
MOHAWK RIVER COUNTRY CLUB & CHATEAU Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity	NY0130826	CLIFTON PARK	21	41 / 55	Region #5
ST REGIS FALLS WWTP Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity	NY0255858	WAVERLY	21	42 / 55	Region #5
WINEBROOK HILLS SD WWTP Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity	NY0023132	NEWCOMB	21	43 / 55	Region #5
CADYVILLE WASTEWATER TREATMENT PLANT Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity	NY0255751	PLATTSBURGH	21	45 / 55	Region #5
CROWN POINT SD #1 WWTF Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity	NY0239844	CROWN POINT	21	47 / 55	Region #5
PORT HENRY/MORIAH JOINT WWTF Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity	NY0022969	MORIAH	18	48 / 55	Region #5
SUNSET BAY VACATION RESORT Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity	NY0022527	MAYFIELD	18	49 / 55	Region #5
NORTHWAY MOBILE HOME PARK Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity	NY0131423	PERTH	18	50 / 55	Region #5
INDIAN LAKE SD Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity	NY0023329	INDIAN LAKE	18	51 / 55	Region #5
GREENWICH STP Factor: 14 Score: 3 Multiplier: 3 Points: 1 Reason: Longevity	NY0131555	GREENWICH	3	55 / 55	Region #5

EBPS ENB List - Region 6

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CHAUMONT WWTP <u>Factor:</u> 14 <u>Score:</u> 63 <u>Multiplier:</u> 3 <u>Points:</u> 21 <u>Reason:</u> Longevity	NY0257851	LYME	63	1 / 56	Region #6
HERRINGS - V STP <u>Factor:</u> 14 <u>Score:</u> 48 <u>Multiplier:</u> 3 <u>Points:</u> 16 <u>Reason:</u> Longevity	NY0236306	WILNA	48	2 / 56	Region #6
WATERTOWN SD #1 <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0099091	WATERTOWN	36	3 / 56	Region #6
HINCKLEY RESERVOIR WATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0218481	TRENTON	30	4 / 56	Region #6
CLAYTON/DEPAUVILLE SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0215791	CLAYTON	30	6 / 56	Region #6
ORLEANS LAFARGEVILLE STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0121070	ORLEANS	30	7 / 56	Region #6
CAPE VINCENT SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0021393	CAPE VINCENT	30	8 / 56	Region #6
DEFERREIT SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0020931	WILNA	30	9 / 56	Region #6
POTSDAM SEWER DISTRICT NO 1 STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0023337	POTSDAM	30	10 / 56	Region #6
OWL WIRE AND CABLE INC - ROME FACILITY <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0006548	ROME	27	11 / 56	Region #6
WATERVILLE STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0028461	MARSHALL	27	12 / 56	Region #6
WORTHINGTON STEEL - ROME <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0000850	ROME	27	13 / 56	Region #6
REDWOOD SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0215911	THERESA	27	14 / 56	Region #6
HAMMOND -V SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0033561	HAMMOND	27	15 / 56	Region #6
ORISKANY FALLS WWTP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0020923	AUGUSTA	24	16 / 56	Region #6
NYS VAN HORNESVILLE STATE FISH HATCHERY <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0035408	STARK	24	17 / 56	Region #6
PORT LEYDEN STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0030341	LEYDEN	24	18 / 56	Region #6
EDWARDS STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0023809	EDWARDS	24	19 / 56	Region #6
NYS ROME FISH HATCHERY <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0035394	ROME	24	20 / 56	Region #6
HEUVELTON WATER POLL CTRL PLANT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0027146	OSWEGATCHIE	24	21 / 56	Region #6
DEKALB JUNCTION SEWAGE TREATMENT PLT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0034762	DEKALB	24	22 / 56	Region #6
EVANS MILLS WASTEWATER TREATMENT FAC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0024660	LE RAY	24	23 / 56	Region #6
PHILADELPHIA WWTP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0033022	PHILADELPHIA	24	24 / 56	Region #6
ORLEANS/ALEXANDRIA JOINT WWTP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0258059	ALEXANDRIA	24	25 / 56	Region #6
BRASHER FALLS SEWER DIST STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0030732	BRASHER	24	26 / 56	Region #6
MADRID WATER POLL CNTRL PLANT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0024635	MADRID	24	27 / 56	Region #6

EBPS ENB List - Region 6

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
NYS GLENFIELD SEWER DIST <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0020281	MARTINSBURG	21	28 / 56	Region #6
FINE - T WANAKENA SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0034533	FINE	21	30 / 56	Region #6
ORLEANS THOUSAND ISLAND PARK STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0030686	ORLEANS	21	31 / 56	Region #6
OLD FORGE SEWER DISTRICT WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0021351	WEBB	18	32 / 56	Region #6
GRIFFISS CENTRAL HEAT PLANT <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0256986	ROME	18	33 / 56	Region #6
TABERG SEWER DISTRICT WASTEWATER TREATMENT FACILITY <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0257001	ANNSVILLE	18	34 / 56	Region #6
CONSTABLEVILLE STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0110418	WEST TURIN	18	35 / 56	Region #6
CROGHAN STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0206768	CROGHAN	18	36 / 56	Region #6
FORESTPORT SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0236756	FORESTPORT	18	37 / 56	Region #6
GOUVERNEUR (T) WASTEWATER SYSTEM <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0236438	GOUVERNEUR	18	38 / 56	Region #6
VILLAGE OF THERESA WWTF <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0207004	THERESA	18	39 / 56	Region #6
LISBON SEWAGE TREATMENT FACILITY <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0257559	LISBON	18	40 / 56	Region #6
DEXTER STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0031461	BROWNVILLE	18	41 / 56	Region #6
MORRISTOWN (V) WWT FACILITY <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0206997	MORRISTOWN	18	42 / 56	Region #6
NORTH LAWRENCE & NICHOLVILLE STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0110116	LAWRENCE	18	43 / 56	Region #6
WADDINGTON WWTF <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0030180	WADDINGTON	18	44 / 56	Region #6
COLTON STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0022012	COLTON	15	45 / 56	Region #6
COPENHAGEN VILLAGE WWTP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0257711	DENMARK	12	46 / 56	Region #6
RENSSELAER FALLS (V) WWTP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0257613	CANTON	12	47 / 56	Region #6
VILLAGE HERMON WASTEWATER TREATMENT <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0257532	HERMON	12	48 / 56	Region #6
CLARK MILLS SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0029076	KIRKLAND	9	49 / 56	Region #6
NORFOLK SD 1 <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0023604	NORFOLK	9	50 / 56	Region #6
CASTORLAND WASTEWATER TREATMENT FAC <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0033511	DENMARK	6	51 / 56	Region #6
CITY OF ONEIDA WATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0100846	ANNSVILLE	6	52 / 56	Region #6
BEAVER FALLS SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0270091	CROGHAN	6	53 / 56	Region #6
VILLAGE OF REMSEN WWTF <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0235776	REMSSEN	3	54 / 56	Region #6

EBPS ENB List - Region 6

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
LYONS FALLS WASTEWATER TREATMENT FACILITY	NY0257737	WEST TURIN	3	55 / 56	Region #6
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					
VILLAGE OF ANTWERP WWTP	NY0235890	ANTWERP	3	56 / 56	Region #6
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					

EBPS ENB List - Region 7

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CORNER LAUNDRY	NY0213705	SANDY CREEK	69	1 / 96	Region #7
Factor: 14 Score: 69 Multiplier: 3 Points: 23 Reason: Longevity					
SOUTH OTSELIC FISH HATCHERY	NY0244431	OTSELIC	57	2 / 96	Region #7
Factor: 14 Score: 57 Multiplier: 3 Points: 19 Reason: Longevity					
TESSY PLASTICS CORP	NY0244872	ELBRIDGE	45	3 / 96	Region #7
Factor: 14 Score: 45 Multiplier: 3 Points: 15 Reason: Longevity					
WHITNEY POINT REST AREA	NY0085308	LISLE	45	4 / 96	Region #7
Factor: 14 Score: 45 Multiplier: 3 Points: 15 Reason: Longevity					
HURON CAMPUS	NY0262706	UNION	45	5 / 96	Region #7
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity					
99 5 1 5 Permittee notified DEC that "several outfalls have become inactive and processes have been relocated or removed."					
TIOGA CTRL SCH DIST	NY0262315	NICHOLS	45	6 / 96	Region #7
Factor: 14 Score: 45 Multiplier: 3 Points: 15 Reason: Longevity					
NICHOLS (T) STP	NY0262480	NICHOLS	42	7 / 96	Region #7
Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity					
ONONDAGA COUNTY DOT FACILITY AT JAMESVILLE	NY0261785	DEWITT	42	8 / 96	Region #7
Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity					
PIT STOP TRAVEL CENTER	NY0262374	CORTLANDVILLE	42	9 / 96	Region #7
Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity					
MORRISVILLE VILLAGE WASTEWATER TP	NY0261742	EATON	42	10 / 96	Region #7
Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity					
KIRKWOOD WD NO 4, WELL 3	NY0231088	KIRKWOOD	42	11 / 96	Region #7
Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity					
CORNELL UNIVERSITY MAIN CAMPUS	NY0231878	ITHACA	39	12 / 96	Region #7
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity					
LANSING RESIDENTIAL CENTER	NY0098302	LANSING	39	13 / 96	Region #7
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity					
HIDDEN VALLEY TRAILER PARK	NY0244368	SENNETT	39	14 / 96	Region #7
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity					
INTERSTATE 81 INFORMATION CENTER	NY0244554	KIRKWOOD	36	15 / 96	Region #7
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity					
GLENDALE TECHNOLOGY PARK	NY0003905	UNION	36	16 / 96	Region #7
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity					
GREEN HAVEN COMMUNITY	NY0213845	SANDY CREEK	36	17 / 96	Region #7
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity					
JOHNSON CITY - V OVERFLOWS	NY0023981	UNION	33	19 / 96	Region #7
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity					
SALMON RIVER FISH HATCHERY	NY0109053	ALBION	33	20 / 96	Region #7
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity					
MORRISVILLE STATE COLLEGE - Aquaculture Facility	NY0213942	EATON	33	22 / 96	Region #7
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity					
OXFORD - V STP	NY0156876	OXFORD	30	23 / 96	Region #7
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					
JORDAN STP	NY0105007	ELBRIDGE	30	24 / 96	Region #7
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					
VILLAGE OF DEPOSIT WPCP	NY0029211	SANFORD	30	25 / 96	Region #7
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					
TOWN OF VIRGIL SEWER DISTRICT #1 WWTP	NY0027197	VIRGIL	30	26 / 96	Region #7
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					
CHITTENANGO - V STP	NY0021539	SULLIVAN	27	27 / 96	Region #7
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity					

EBPS ENB List - Region 7

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CAYUGA - V STP	NY0025241	AURELIUS	27	28 / 96	Region #7
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity					
MEXICO - V STP	NY0036617	MEXICO	27	29 / 96	Region #7
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity					
PARISH - V STP	NY0107654	PARISH	27	30 / 96	Region #7
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity					
CORNELL UNIVERSITY LAKE SOURCE COOLING FACILITY	NY0244741	ITHACA	27	31 / 96	Region #7
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity					
PARKWOOD SEWER DISTRICT	NY0213934	BINGHAMTON	24	32 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
WEEDSPORT (V) WWTP	NY0020559	BRUTUS	24	33 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
COUNTRY ACRES MOBILE HOME PARK	NY0104710	DRYDEN	24	34 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
SUNY AT MORRISVILLE	NY0029700	EATON	24	35 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
CHENANGO NORTHGATE WWTP	NY0213781	CHENANGO	24	36 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
PRIDE MANOR PARK (MHP)	NY0155331	CONKLIN	24	37 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
MADISON MARKETPLACE	NY0262021	MADISON	24	38 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
PORT BYRON (V) WWTP	NY0020338	MENTZ	24	39 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
SONG MOUNTAIN SKI RESORT	NY0154814	PREBLE	24	40 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
BRENNAN BEACH RV RESORT LLC	NY0216321	RICHLAND	24	41 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
CENTRAL SQUARE - V STP	NY0035131	HASTINGS	24	42 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
WAVERLY - V STP	NY0031089	BARTON	24	43 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
GREENE - V STP	NY0021407	GREENE	24	44 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
FRAZER AND JONES CO DIV EASTERN CO	NY0232491	GEDDES	24	45 / 96	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity					
SANFORD - T OQUAGA LAKE STP	NY0110795	SANFORD	21	46 / 96	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity					
CLEVELAND - V STP	NY0214370	CONSTANTIA	21	47 / 96	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity					
MORAVIA - V STP	NY0022756	MORAVIA	21	48 / 96	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity					
CUYLER - T SD #1	NY0090867	CUYLER	21	49 / 96	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity					
FOREST MANOR MHP	NY0152161	FENTON	21	50 / 96	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity					
BAINBRIDGE - V STP	NY0030597	BAINBRIDGE	21	51 / 96	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity					
SKANEATELES (V) WWTP	NY0094480	SKANEATELES	21	52 / 96	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity					
GROTON - V STP	NY0025585	GROTON	21	53 / 96	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity					

EBPS ENB List - Region 7

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
FREEVILLE - V STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0110493	DRYDEN	21	54 / 96	Region #7
BIG BAY SEWER DISTRICT STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0216291	WEST MONROE	21	56 / 96	Region #7
PENN CAN TRUCK STOP & RESTAURANT <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0154822	WEST MONROE	21	57 / 96	Region #7
TULLY - V STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0026824	TULLY	21	58 / 96	Region #7
CHENANGO HEIGHTS DISPOSAL <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0153206	CHENANGO	18	59 / 96	Region #7
FENTON - T PORTER HOLLOW RD SD <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0156299	FENTON	18	60 / 96	Region #7
IWGBWD - JORDAN FACILITY <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0105881	ELBRIDGE	18	61 / 96	Region #7
CAMP BRIHAT <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0032344	GEORGETOWN	18	62 / 96	Region #7
CONIFER MOBILE VILLAGE <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0033456	SCHROEPPPEL	18	63 / 96	Region #7
NEWFIELD -T SD 1 <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0110752	NEWFIELD	18	65 / 96	Region #7
MARATHON - V STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0028363	MARATHON	18	67 / 96	Region #7
UNION SPRINGS - V STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0024228	SPRINGPORT	18	68 / 96	Region #7
AURORA - V STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0023558	LEDYARD	15	69 / 96	Region #7
MARCELLUS - V STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0020532	MARCELLUS	15	70 / 96	Region #7
TOWN OF CHENANGO SEWER DISTRICT # 10 <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0233200	CHENANGO	15	71 / 96	Region #7
NYS GREEN LAKES STATE PARK <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0032506	MANLIUS	15	75 / 96	Region #7
SOUTHERN CAYUGA MIDDLE & SENIOR HIGH SCHS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0231916	VENICE	15	76 / 96	Region #7
SHERBURNE - V STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0021466	SHERBURNE	15	77 / 96	Region #7
ONEIDA FISH HATCHERY <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0216348	CONSTANTIA	12	78 / 96	Region #7
OSWEGO - T SLEEPY HOLLOW STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0029238	OSWEGO	12	79 / 96	Region #7
BEACONVIEW VILLAGE <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0155730	DRYDEN	12	81 / 96	Region #7
COUNTRY GARDENS APARTMENTS <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0213632	DRYDEN	12	82 / 96	Region #7
SMYRNA (V) WASTEWATER TREATMENT FACILITY <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0244287	SMYRNA	12	83 / 96	Region #7
TRUMANSBURG - V STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0024902	ULYSSES	12	84 / 96	Region #7
BASS LAKE RESORT <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0087858	PARISH	12	86 / 96	Region #7
HUHTAMAKI INC <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0001902	FULTON	12	87 / 96	Region #7

EBPS ENB List - Region 7

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CAZENOVIA WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0028525	CAZENOVIA	10	88 / 96	Region #7
WHITNEY POINT STP <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0262552	TRIANGLE	9	89 / 96	Region #7
FORT BREWERTON SD WWTP <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0245062	HASTINGS	9	90 / 96	Region #7
VIRGINIA CITY MOBILE HOME PARK <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0244571	FENTON	9	91 / 96	Region #7
WASHINGTON HEIGHTS MOBILE HOME PARK <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0262269	ULYSSES	9	92 / 96	Region #7
DRYDEN - V STP <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0029190	DRYDEN	6	93 / 96	Region #7
MACCORMICK CENTER <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0075361	CAROLINE	6	94 / 96	Region #7
MANTH-BROWNELL INC <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0244414	SULLIVAN	3	95 / 96	Region #7
METALICO ALUMINUM RECOVERY INC <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity	NY0261947	DEWITT	3	96 / 96	Region #7

EBPS ENB List - Region 8

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SHELBY ETHANOL PLANT	NY0271497	SHELBY	205	1 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity					
4A 50 5 10 Facility requires substantial permit modifications.					
5B 25 5 5 Toluene					
5B 25 5 5 Benzene					
5B 25 5 5 Ethylbenzene					
5B 25 5 5 Xylene					
5B 25 5 5 Oil and Grease					
MT MORRIS-V STP	NY0030741	MOUNT MORRIS	98	2 / 66	Region #8
<u>Factor:</u> 10 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> ON SRF LIST					
14 93 3 31 Longevity					
MARION - T STP	NY0031569	MARION	98	3 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity					
99 20 2 10					
OAKFIELD - V STP	NY0023639	OAKFIELD	96	4 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 96 <u>Multiplier:</u> 3 <u>Points:</u> 32 <u>Reason:</u> Longevity					
PAINTED POST OPERATION	NY0021008	ERWIN	90	5 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 90 <u>Multiplier:</u> 3 <u>Points:</u> 30 <u>Reason:</u> Longevity					
HONEOYE LAKE COUNTY SD STP	NY0107255	RICHMOND	81	6 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 81 <u>Multiplier:</u> 3 <u>Points:</u> 27 <u>Reason:</u> Longevity					
INTERLAKEN - V STP	NY0029289	COVERT	78	7 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity					
CORFU - V STP	NY0108430	PEMBROKE	78	8 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity					
MONROE CO SHOREMONT WTR TREAT PLT	NY0063673	GREECE	78	9 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity					
MONTOUR FALLS - V STP	NY0021865	MONTOUR	78	10 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity					
MACEDON - V STP	NY0023612	MACEDON	75	11 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity					
SODUS - V STP	NY0021482	SODUS	75	12 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity					
HONEOYE FALLS - V STP	NY0025259	MENDON	65	13 / 66	Region #8
<u>Factor:</u> 10 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> SRF LOAN LIST					
14 60 3 20 Longevity					
RUSHVILLE - V STP	NY0161071	GORHAM	64	14 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
99 25 5 5 Permittee requested capacity increase 2008					
DARIEN WASTEWATER TREATMENT FACILITY	NY0228346	DARIEN	63	15 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 63 <u>Multiplier:</u> 3 <u>Points:</u> 21 <u>Reason:</u> Longevity					
JUNIUS-T FL OUTLET CENTER WWTP	NY0245623	JUNIUS	60	16 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity					
TURNBULL MFG CO INC	NY0246034	EAST BLOOMFIELD	54	17 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 54 <u>Multiplier:</u> 3 <u>Points:</u> 18 <u>Reason:</u> Longevity					
SAVANNAH-T WWTP COMBINED SEWER DISTRICT	NY0162663	SAVANNAH	49	18 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity					
5B 5 1 5 MODIFY CBOD DUE TO RECLAS					
5B 5 1 5 MODIFY AMMONIA RECLASS					
KANONA TRUCK STOP	NY0159930	BATH	48	19 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 48 <u>Multiplier:</u> 3 <u>Points:</u> 16 <u>Reason:</u> Longevity					
SENECA COUNTY SEWER DISTRICT #2 -W/ 2 WWTPS	NY0246972	ROMULUS	48	20 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 48 <u>Multiplier:</u> 3 <u>Points:</u> 16 <u>Reason:</u> Longevity					
TROUPSBURG WWTP	NY0246999	TROUPSBURG	45	21 / 66	Region #8
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity					

EBPS ENB List - Region 8

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
RED CREEK REGIONAL WWTP	NY0246930	WOLCOTT	45	22 / 66	Region #8
Factor: 14 Score: 45 Multiplier: 3 Points: 15 Reason: Longevity					
CLYDE - V STP	NY0023965	GALEN	43	23 / 66	Region #8
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity					
3A 10 1 10 COPPER IN SLUDGE					
BONDUELLE USA INC - OAKFIELD FACILITY	NY0063681	OAKFIELD	42	24 / 66	Region #8
Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity					
ELBA - V STP	NY0020907	ELBA	42	25 / 66	Region #8
Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity					
CAMP MONTEREY SHOCK INCARCERATION FAC	NY0098418	ORANGE	39	26 / 66	Region #8
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity					
BYRON SD STP	NY0160971	BYRON	39	27 / 66	Region #8
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity					
O-AT-KA MILK PRODUCTS COOP INC	NY0002810	BATAVIA	38	28 / 66	Region #8
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity					
5C 2 1 2 DAILY TEMP MONITORING					
NUNDA - V STP	NY0108421	NUNDA	36	29 / 66	Region #8
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity					
MIZKAN AMERICAS INC LYNDONVILLE PLANT	NY0002577	YATES	36	30 / 66	Region #8
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity					
CLIFTON SPRINGS - V WWTP	NY0020311	MANCHESTER	36	31 / 66	Region #8
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity					
JASPER-T WWTP	NY0247251	JASPER	36	32 / 66	Region #8
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity					
HARBEC PLASTICS INC	NY0247201	ONTARIO	36	33 / 66	Region #8
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity					
VILLAGE OF BERGEN SEWAGE TREATMENT PLANT	NY0110434	BERGEN	35	34 / 66	Region #8
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					
5B 5 1 5 MODIFY AMMONIA RECLASS					
ADDISON - V STP	NY0020320	ADDISON	33	35 / 66	Region #8
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity					
U S VETERANS ADMINISTRATION MEDICAL CENTER	NY0024287	CANANDAIGUA	33	36 / 66	Region #8
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity					
BATH FISH HATCHERY	NY0035424	URBANA	33	37 / 66	Region #8
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity					
UNION SCRAP PROCESSING INC	NY0098817	CHILI	33	38 / 66	Region #8
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity					
PAVILION (HAMLET) SANITARY SEWAGE DISPOSAL SYSTEM	NY0247197	PAVILION	33	39 / 66	Region #8
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity					
BULLY HILL VINEYARDS	NY0098566	URBANA	30	41 / 66	Region #8
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					
WOLCOTT - V STP	NY0020303	WOLCOTT	30	42 / 66	Region #8
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					
MANCHESTER SHORTSVILLE STP	NY0030813	MANCHESTER	30	43 / 66	Region #8
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					
WAYLAND - V STP	NY0032999	WAYLAND	30	44 / 66	Region #8
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					
HEMLOCK LAKE - SHORELINE, OUTLET, DAM & COMPLEX	NY0228478	LIVONIA	30	45 / 66	Region #8
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					
SOUTH CORNING - V WWTP	NY0110531	CORNING	30	46 / 66	Region #8
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					
CALEDONIA FISH HATCHERY	NY0035432	CALEDONIA	30	47 / 66	Region #8
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity					

EBPS ENB List - Region 8

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SPRINGWATER-T WWTP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0246450	SPRINGWATER	30	48 / 66	Region #8
GROVELAND STATION STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0247227	GROVELAND	30	49 / 66	Region #8
MIZKAN AMERICAS INC <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0088625	SODUS	27	50 / 66	Region #8
SENECA COUNTY SEWER DISTRICT #1 STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0160407	OID	27	51 / 66	Region #8
SENECA FOODS CORP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0072257	GENEVA	27	52 / 66	Region #8
BALDWIN RICHARDSON FOODS DISTRIBUTION CENTER <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0076058	WILLIAMSON	27	53 / 66	Region #8
SENECA FOODS- LEICESTER PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0073113	LEICESTER	27	54 / 66	Region #8
YANCEY'S FANCY INC <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0069388	PEMBROKE	27	55 / 66	Region #8
CAHOON FARMS <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0104001	HURON	27	56 / 66	Region #8
TOWN OF YORK WWTF <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0023990	YORK	27	57 / 66	Region #8
BONDUELLE USA INC - BERGEN FACILITY <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0078794	BERGEN	27	58 / 66	Region #8
LYONS - T STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0022551	LYONS	27	59 / 66	Region #8
LYNDONVILLE - V WATER TREATMENT PLT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0161683	YATES	27	60 / 66	Region #8
BLOOMFIELD - V STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0024007	EAST BLOOMFIELD	27	61 / 66	Region #8
CANISTEO - V STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0023248	CANISTEO	24	62 / 66	Region #8
ALEXANDER - V STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0110523	ALEXANDER	24	63 / 66	Region #8
PHELPS - V STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity	NY0024651	PHELPS	18	64 / 66	Region #8
VILLAGE OF LYNDONVILLE WWTP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0024678	YATES	15	65 / 66	Region #8
FLYING J TRAVEL PLAZA #693 <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0246077	PEMBROKE	15	66 / 66	Region #8

EBPS ENB List - Region 9

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
ELECTRIC AVE SEWAGE PUMP STATION	NY0204072	HAMBURG	159	1 / 77	Region #9
Factor: 07	Score: 10	Multiplier: 1	Points: 10	Reason: CONSENT ORDER	
10	5	1	5	SRF PROJECT	
14	84	3	28	Longevity	
1A	10	1	10	TOGS for Type I SSO needs to be added to the permit.	
2A	50	5	10	303D LISTED WATER	
ERIE CO SD 4 OVERFLOW RETENTION FACILITY	NY0110698	CHEEKTOWAGA	100	2 / 77	Region #9
Factor: 10	Score: 5	Multiplier: 1	Points: 5	Reason: ON SRF LIST	
14	45	3	15	Longevity	
1A	50	5	10	SSO	
ELMA SD #5 - ELMA MEADOWS SUBDIVISION	NY0033995	ELMA	90	3 / 77	Region #9
Factor: 14	Score: 90	Multiplier: 3	Points: 30	Reason: Longevity	
SHERMAN WASTEWATER TREATMENT PLT	NY0036315	SHERMAN	90	4 / 77	Region #9
Factor: 14	Score: 90	Multiplier: 3	Points: 30	Reason: Longevity	
NYS RANDOLPH FISH HATCHERY	NY0035459	COLD SPRING	90	5 / 77	Region #9
Factor: 14	Score: 90	Multiplier: 3	Points: 30	Reason: Longevity	
TOWN OF ELMA SEWER DISTRICT NO 7 - POND BROOK TOWNHOMES	NY0203360	ELMA	87	6 / 77	Region #9
Factor: 14	Score: 87	Multiplier: 3	Points: 29	Reason: Longevity	
FRIENDSHIP STP	NY0029301	FRIENDSHIP	87	7 / 77	Region #9
Factor: 14	Score: 87	Multiplier: 3	Points: 29	Reason: Longevity	
SOUTH & CENTER CHAUTAUQUA LAKE WWTP	NY0106895	ELLCOTT	85	8 / 77	Region #9
Factor: 14	Score: 85	Multiplier: 5	Points: 17	Reason: Longevity	
ELMA SD #4 BRIGGSWOOD	NY0032051	ELMA	84	9 / 77	Region #9
Factor: 14	Score: 84	Multiplier: 3	Points: 28	Reason: Longevity	
ELMA SD #1 JERGE SUBDIVISION	NY0023019	ELMA	81	10 / 77	Region #9
Factor: 14	Score: 81	Multiplier: 3	Points: 27	Reason: Longevity	
ALDEN STP	NY0020541	ALDEN	78	11 / 77	Region #9
Factor: 14	Score: 78	Multiplier: 3	Points: 26	Reason: Longevity	
CRANERIDGE SEWER DIST #1	NY0036714	CONCORD	78	12 / 77	Region #9
Factor: 14	Score: 78	Multiplier: 3	Points: 26	Reason: Longevity	
NORTH CHAUTAUQUA LAKE SD WWTP	NY0020826	CHAUTAUQUA	75	13 / 77	Region #9
Factor: 14	Score: 75	Multiplier: 5	Points: 15	Reason: Longevity	
LINDE INC	NY0085294	BUFFALO	75	14 / 77	Region #9
Factor: 14	Score: 75	Multiplier: 3	Points: 25	Reason: Longevity	
RIPLEY WATER POLLUTION CONTROL FACILITY	NY0025381	RIPLEY	72	15 / 77	Region #9
Factor: 14	Score: 72	Multiplier: 3	Points: 24	Reason: Longevity	
NIAGARA SPECIALTY METALS INC	NY0001899	NEWSTEAD	69	16 / 77	Region #9
Factor: 14	Score: 69	Multiplier: 3	Points: 23	Reason: Longevity	
OVERFLOW RETENTION FACILITY PLANT 6	NY0203734	WEST SENECA	65	17 / 77	Region #9
Factor: 14	Score: 15	Multiplier: 3	Points: 5	Reason: Longevity	
1A	50	5	10	SSO	
TOWN OF RANDOLPH SEWER DISTRICT	NY0258202	RANDOLPH	63	18 / 77	Region #9
Factor: 14	Score: 63	Multiplier: 3	Points: 21	Reason: Longevity	
LEWISTON STP	NY0024481	LEWISTON	62	19 / 77	Region #9
Factor: 1B	Score: 57	Multiplier: 3	Points: 19	Reason:	
1B	5	1	5		
BONNE VAL SUBDIVISION	NY0204650	GREAT VALLEY	60	20 / 77	Region #9
Factor: 14	Score: 60	Multiplier: 3	Points: 20	Reason: Longevity	
CATT CO DPW BARN	NY0258431	ALLEGANY	57	21 / 77	Region #9
Factor: 14	Score: 57	Multiplier: 3	Points: 19	Reason: Longevity	
ERIE CO S D NO 1 SANITARY OVERFLOWS	NY0091731	CHEEKTOWAGA	57	22 / 77	Region #9
Factor: 14	Score: 57	Multiplier: 3	Points: 19	Reason: Longevity	

EBPS ENB List - Region 9

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BROCTON SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 54 <u>Multiplier:</u> 3 <u>Points:</u> 18 <u>Reason:</u> Longevity	NY0023507	PORTLAND	54	23 / 77	Region #9
PORTVILLE WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 54 <u>Multiplier:</u> 3 <u>Points:</u> 18 <u>Reason:</u> Longevity	NY0020966	PORTVILLE	54	24 / 77	Region #9
INGERSOLL RAND ENGINEERED CENTRIFUGAL COMPRESSION <u>Factor:</u> 14 <u>Score:</u> 51 <u>Multiplier:</u> 3 <u>Points:</u> 17 <u>Reason:</u> Longevity	NY0171611	CHEEKTOWAGA	51	25 / 77	Region #9
AKRON SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0031003	NEWSTEAD	50	26 / 77	Region #9
ECSD #5 CLARENCE RESEARCH PARK <u>Factor:</u> 14 <u>Score:</u> 48 <u>Multiplier:</u> 3 <u>Points:</u> 16 <u>Reason:</u> Longevity	NY0167169	CLARENCE	48	27 / 77	Region #9
SPRINGVILLE WWTP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0021474	CONCORD	45	28 / 77	Region #9
ERIE CO SD 2 STP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0022543	EVANS	45	29 / 77	Region #9
WILSON STP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0020419	WILSON	45	30 / 77	Region #9
GOWANDA STP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0032093	COLLINS	45	31 / 77	Region #9
EAST AURORA STP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0028436	AURORA	45	32 / 77	Region #9
CON-WAY CENTRAL EXPRESS - XB0 <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity	NY0109878	TONAWANDA	45	33 / 77	Region #9
GRAND ISLAND SD 2 <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity	NY0027693	GRAND ISLAND	45	34 / 77	Region #9
HOUGHTON SD STP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity	NY0024431	CANEADEA	45	35 / 77	Region #9
TOWN OF HANOVER SEWER DIST #1 STP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity	NY0105104	HANOVER	45	36 / 77	Region #9
CITY OF OLEAN WATER SUPPLY SYSTEM <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity	NY0258890	OLEAN	45	37 / 77	Region #9
VILLAGE OF PERRY STP <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity	NY0022985	PERRY	42	38 / 77	Region #9
ELLCOTTVILLE WWTP <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity	NY0023574	ELLCOTTVILLE	42	39 / 77	Region #9
LILY DALE SD WWT FACILITY <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity	NY0100242	POMFRET	42	40 / 77	Region #9
V - WELLSVILLE WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0020621	WELLSVILLE	40	41 / 77	Region #9
KISSING BRIDGE SEWER DISTRICT #2 <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity	NY0243493	CONCORD	39	42 / 77	Region #9
SPRINGBROOK SHORES WWTP <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity	NY0269328	ELMA	39	43 / 77	Region #9
VILLAGE OF CASTILE WWTP <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity	NY0269336	CASTILE	39	44 / 77	Region #9
REDLAND QUARRIES NY INC-LOCKPORT QUARRY <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity	NY0003077	LOCKPORT	39	45 / 77	Region #9
ERIE CO SD 3 MOUNTAIN MEADOWS PARK <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0103012	HOLLAND	36	46 / 77	Region #9
CHERRY CREEK SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0204081	CHERRY CREEK	36	47 / 77	Region #9
CHAUTAUQUA HEIGHTS SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity	NY0269450	CHAUTAUQUA	36	48 / 77	Region #9

EBPS ENB List - Region 9

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
WARSAW STP <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity	NY0021504	WARSAW	35	49 / 77	Region #9
CHAUTAUQUA FISH HATCHERY <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0035441	CHAUTAUQUA	33	50 / 77	Region #9
GREAT VALLEY SEWER DIST #4 <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0203548	GREAT VALLEY	33	51 / 77	Region #9
CANASERAGA WWTP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0269573	BURNS	33	52 / 77	Region #9
NIAGARA FALLS NEW WTP-(PASNY SITE) <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity	NY0243281	NIAGARA FALLS	33	53 / 77	Region #9
ERIE CO SEWER DIST NO 3 HOLLAND WWTP <u>Factor:</u> 10 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> MOD IS ON 1997 SRF PLAN 14 27 3 9 Longevity	NY0108103	HOLLAND	32	54 / 77	Region #9
CATTARAUGUS STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0025861	NEW ALBION	30	55 / 77	Region #9
MODERN LANDFILL INC <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity	NY0243698	LEWISTON	30	56 / 77	Region #9
ASHLAND ADVANCED MATERIALS <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0275387	NIAGARA FALLS	24	57 / 77	Region #9
MOOG SPACE AND DEFENSE GROUP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity	NY0203700	WHEATFIELD	24	58 / 77	Region #9
CHAUTAUQUA UTILITY DIST STP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0029769	CHAUTAUQUA	20	59 / 77	Region #9
ATTICA WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0021849	ATTICA	20	60 / 77	Region #9
ARCADE STP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0026948	ARCADE	20	61 / 77	Region #9
SILVER CREEK WWTP <u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0022411	HANOVER	20	62 / 77	Region #9
BELMONT STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity	NY0031844	AMITY	15	63 / 77	Region #9
WESTFIELD WATER POLLUTION CONTROL FACILITY <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0021334	WESTFIELD	15	64 / 77	Region #9
WILLIAMSVILLE - V SANITARY SEWER COLLECTION SYSTEM <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0202631	AMHERST	12	65 / 77	Region #9
SOMERSET-BARKER SD STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0030651	SOMERSET	12	66 / 77	Region #9
ALDEN SD #2 STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0021857	ALDEN	12	67 / 77	Region #9
BOLIVAR WWTP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0022381	BOLIVAR	12	68 / 77	Region #9
LIMESTONE WWTP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0029068	CARROLLTON	12	69 / 77	Region #9
LITTLE VALLEY STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity	NY0104795	LITTLE VALLEY	12	70 / 77	Region #9
VESUVIUS USA CORPORATION BUFFALO PLANT <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0030881	HAMBURG	9	71 / 77	Region #9
GASPORT SD 1 STP <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity	NY0029963	ROYALTON	9	72 / 77	Region #9
TOWN OF HUME STP <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0203858	HUME	6	73 / 77	Region #9
SOUTH DAYTON STP <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity	NY0204846	DAYTON	6	74 / 77	Region #9

EBPS ENB List - Region 9

May, 2016

Facility Name	SPDES #	Town	Total Score	Ranking	Region
TOWN OF OTTO SD #1 STP	NY0258270	OTTO	6	75 / 77	Region #9
<u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity					
E I DUPONT YERKES PLANT	NY0001601	TONAWANDA	6	76 / 77	Region #9
<u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity					
CUBA STP	NY0023515	CUBA	6	77 / 77	Region #9
<u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity					