REFERENCES

Adams, C. C., R. B. Gordon, F. W. Emerson, L. A. Kenoyer, L. E. Hicks, and A. A. Saunders. 1937. Vegetational survey of Allegany State Park. N.Y.S. Mus. Handbook 17, Albany, N.Y.

American Ornithologists' Union. 1983. Check-list of North American birds. 6th ed. Allen Press, Inc., Lawrence, Kansas. 877 pp.

American Fisheries Society Committee on Names of Fishes. 1980. A list of common and scientific names of fishes from the United States and Canada. 4th ed. American Fisheries Society Special Publication No. 12. 174 pp.

Andrle, R. F. and J. R. Carroll, eds. 1988. The Atlas of Breeding Birds in New York State. Cornell Univ. Press, Ithaca.

Andrus, R. E. 1980. Sphagnaceae (Peat Moss Family) of New York State. Contributions to a Flora of New York State III. N.Y. State Museum Bull. No. 422, Albany, N.Y., 89 pp.

Anonymous. 1986? Vegetative cover and land use classification. Unpubl. report, City of New York, Dept. of Parks and Recreation.

Art, H. W. 1976. Ecological studies of the Sunken Forest, Fire Island National Seashore, New York. U.S. National Park Service, Scientific Monograph Series, No. 7.

Beitel, J. 1976. A vegetative survey of the freshwater wetlands of nine major streams in southwestern Suffolk County and southern Nassau County, New York. Unpubl. report for the Environmental Defense Fund, Inc.

Berg, C. O. 1963. Middle Atlantic States. Chapter 6 (pp. 191-237) in: Limnology in North America. D. G. Frey, ed. Univ. of Wisconsin Press, Madison.

Bernard, J. M. , F. K. Seischab, and H. G. Gauch, Jr. 1983. Gradient analysis of the vegetation of the Byron-Bergen Swamp, a rich fen in western New York. Vegetatio 53: 85-91.

Bloomfield, J. A., ed. 1978a. Lakes of New York State. Vol. I. Ecology of the Finger Lakes. Academic Press, New York.

Bloomfield, J. A., ed. 1978b. Lakes of New York State. Vol. II. Ecology of the lakes of western New York. Academic Press, New York.

Bloomfield, J. A., ed. 1980. Lakes of New York State. Vol. III. Ecology of the lakes of east-central New York.

Braun, L. 1950. Deciduous forests of Eastern North America. MacMillan Publ. Co. Inc., New York, N.Y.

Bray, W. L. 1915. The development of the vegetation of New York State. N.Y.S. Coll. of Forestry, Tech. Publ. No. 3, Syracuse, N.Y.

Bray, W. L. 1921. History of forest development on an undrained sand plain in the Adirondacks. N.Y.S. Coll. of Forestry, Tech. Publ. No. 13, Syracuse, N.Y.

Breden, T. F. 1987. A preliminary community classification for New Jersey. Draft report, N.J. Natural Heritage Program, Trenton, N.J.

Briggs, P. T. and J. S. O'Connor. 1971. Comparison of shore-zone fishes over naturally vegetated and sand-filled bottoms in Great South Bay. N.Y. Fish and Game J. 18: 15-41.

Brodo, I. M. 1968. The lichens of Long Island, New York: a vegetational and floristic analysis. N.Y.S. Mus. and Science Service Bull. No. 410, Albany, N.Y.

Broughton, J. G., D. W. Fisher, Y. W. Isachsen, and L. V. Rickard. 1966. Geology of New York: a short account. Educational leaflet No. 20, New York State Museum and Science Service, Albany.

Buol, S. W., F. D. Hole, and R. J. McCracken. 1973. Soil genesis and classification. Iowa State Univ. Press, Ames.

Cain, S. A. 1936. The composition and structure of an oak woods, Cold Spring Harbor, Long Island, with special attention to sampling methods. Am. Midl. Nat. 19: 390-416.

Cain, S. A., M. Nelson, and W. McLean. 1937. Andropogonetum Hempsteadi: a Long Island grassland vegetation type. Am. Midl. Nat. 18: 334-350.

Cain, S. A. and W. T. Penfound. 1939. Aceretum rubri: the red maple swamp forest of central Long Island. Am. Midl. Nat. 19: 390-416.

Catling, P. M., J. E. Cruise, K. L. McIntosh, and S. M. McKay. 1975. Alvar vegetation in southern Ontario. Ontario Field Biol. 29: 1-23.

Catling, P. M. and S. M. McKay. 1981. A review of the occurrence of halophytes in the eastern Great Lakes region. Mich. Bot. 20: 167-179.

Chapman, K. A. 1985. Draft descriptions of palustrine and terrestrial natural community classification units in Michigan. Unpubl. report, Michigan Natural Features Inventory, Lansing, Mi.

Charles, D. F. 1984. Recent pH history of Big Moose Lake (Adirondack Mountains, New York, U.S.A.) inferred from sediment diatom assemblages. Verh. Internat. Verien. Limnol. 22: 559-566.

Clark, J. S. 1985. The development of a tidal marsh: upland and oceanic influences. Ecol. Monogr. 55(2): 189-217.

Clark, J. S. 1986a. Dynamism in the barrier-beach vegetation of Great South Beach, New York. Ecol. Monogr. 56(2): 97-126.

Clark, J. S. 1986b. Coastal forest tree populations in a changing environment, southeastern Long Island, New York. Ecol. Monogr. 56(3): 259-277.

Clausen, R. T. 1940. Aquatic vegetation of the Lake Ontario watershed. In: A biological survey of the Lake Ontario watershed. Suppl. to the 29th annual report, 1939. N.Y.S. Conservation Dept., Albany, N.Y.

Cole, G. A. 1975. Textbook of limnology. The C. V. Mosby Co., Saint Louis.

Collins, J. T., R. Conant, E. Huheey, J. L. Knight, E. M. Rundquist, and H. M. Smith. 1982. Standard common and current scientific names for North American amphibians and reptiles. 2nd ed. Society for the Study of Amphibians and Reptiles, Miami University, Oxford, Ohio. 28 pp.

Conard, H. S. 1935. The plant associations of central Long Island. Am. Midl. Natur. 16: 433-515.

Core, E. L. 1968. The botany of ice mountain, West Virginia. Castanea 33: 345-348.

Cowardin, L. M., V. Carter, F. C. Golet, and E. T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. Office of Biological Services, Fish and Wildlife Service, U.S. Dept. of Interior, Washington, D.C.

Cryan, J. F. and J. L. Turner. 1981. A landscape imperiled: the Long Island oak brush plains. The Heath Hen 1: 2-34.

Curran, R. P. 1974. Vegetational development of the plains of the Oswegatchie. M.S. thesis, State University College of Environmental Science and Forestry, Syracuse, N.Y. 186 pp.

Curtis, J. T. 1959. The vegetation of Wisconsin. An ordination of plant communities. University of Wisconsin Press, Madison.

Damman, A. W. H. and T. W. French. 1987. The ecology of peat bogs of the glaciated Northeastern United States: a community profile. U.S. Fish Wildl. Serv. Biol. Rep. 85(7.16). 100 pp.

DeGraaf, R. M. and D. D. Rudis. 1986. New England Wildlife: habitat, natural history, and distribution. U.S.D.A. Forest Service, Northeastern Forest Experiment Station. Gen. Tech. Report NE-108.

DeVries, C. and C. B. DeWitt. 1986. Freshwater tidal wetlands community description and relation of plant distribution to elevation and substrate. In: Polgar Fellowship Reports of the Hudson River National Estuarine Sanctuary Program 1986. E. A. Blair and J. C. Cooper, editors. Hudson River Foundation, New York, N.Y.

Dickinson, N. R. 1979. A division of southern and western New York State into ecological zones. Unpubl. report for N.Y.S. Dept. of Environmental Conservation, Wildlife Resources Center, Delmar, N.Y.

DiNunzio, M. G. 1972. A vegetational survey of the alpine zone of the Adirondack Mountains, New York. M.S. thesis, State University College of Forestry, Syracuse, N.Y.

Driscoll, R. S., D. L. Merkel, D. L. Radloff, D. E. Snyder, and J. S. Hagihara. 1984. An ecological land classification framework for the United States. Miscellaneous Publ. 1439, U.S. Dept. of Agriculture, Washington D.C. 56 pp.

Eaton, S. W. and E. F. Schrot. 1987. A flora of the vascular plants of Cattaraugus County, New York. Bull. Buffalo Soc. Nat. Sci. 31: 1-235.

Eggleton, F. E. 1956. Limnology of a meromictic, interglacial, plunge-basin lake. Trans. Amer. Microscop. Soc. 75: 334-378.

Eyre, F. H., ed. 1980. Forest cover types of the United States and Canada. Society of American Foresters, Washington, D.C.

Faigenbaum, H. M. 1937. Chemical investigation of the lower Hudson area. In: A biological survey of the lower Hudson watershed. Suppl. to the 26th Ann. Rep., 1936. N.Y.S. Conserv. Dept., Albany, N.Y.

Faigenbaum, H. M. 1939. Chemical investigation of the fresh waters of Long Island. In: A biological survey of the fresh waters of Long Island. Suppl. to the 28th Ann. Rep., 1938. N.Y.S. Conserv. Dept., Albany, N.Y.

Faigenbaum, H. M. 1939. Chemical investigation of the south shore and eastern bay areas of Long Island. In: A biological survey of the salt waters of Long Island, 1938. Suppl. to the 28th Annual Report, 1938. A joint survey with the U.S. Bureau of Fisheries. N.Y.S. Conservation Dept., Albany, N.Y.

Fassett, N. C. 1928. The vegetation of the estuaries of northeastern North America. Proc. Boston Sox. Nat. Hist. 39: 73-130.

Faust, M. E. and N. R. Roberts. 1983. The salt plants of Onondaga Lake, Onondaga County, New York. Bartonia 49: 20-26.

Ferris, J. J., N. J. Clesceri, and D. B. Aulenbach. 1980. The limnology of Lake George, New York. Rensselaer Freshwater Institute, Report #76-5, Troy, N.Y.

Forman, R. T. T., ed. 1979. Pine Barrens: ecosystems and landscape. Academic Press, N.Y.

Frost, D. R. 1985. Amphibian species of the world: a taxonomic and geographic reference. Allen Press, Inc. and The Association of Systematics Collections, Lawrence, Kansas. 732 pp.

Giles, R. H., ed. 1969. Wildlife Management techniques. The Wildlife Society, Washington, D.C.

Gilman, B. A. 1976. Wetland plant communities along the eastern shoreline of Lake Ontario. M.S. thesis, SUNY College of Environmental Science and Forestry, Syracuse, N.Y.

Gladden, J. B., F. R. Cantelmo, J. M. Croom, and R. Shapot. 1988. Evaluation of the Hudson River ecosystem in relation to the dynamics of fish populations. Am. Fisheries Soc. Monogr. 4: 37-52.

Goodwin, R. H. 1943. The flora of Mendon Ponds County Park. Proc. Rochester Acad. Science 8: 233-298.

Gordon, R. B. 1937. The primeval forest types of southwestern New York. N.Y.S. Mus. Bull. No. 321, Albany, N.Y.

Graham, H. W. and L. K. Henry. 1933. Plant succession at the borders of a kettlehole lake. Bull. Torrey Bot. Club 60: 301-315.

Greeley, J. R. 1929. Fishes of the Erie-Niagara watershed. pp. 150-179 In: A biological survey of the Erie-Niagara system. Suppl. to the 18th Ann. Rep., 1928. N.Y.S. Conserv. Dept., Albany, N.Y.

Greeley, J. R. 1939. Fresh-water fishes of Long Island and Staten Island with annotated list. In: A biological survey of the fresh waters of Long Island. Suppl. to the 28th Ann. Rep., 1938. N.Y.S. Conserv. Dept., Albany, N.Y.

Greeley, J. R. 1940. Fishes of the watershed with annotated list. In: A biological survey of the Lake Ontario watershed. Suppl. to the 29th annual report, 1939. N.Y.S. Conservation Dept., Albany, N.Y.

Greller, A. M. 1977. A classification of mature forests on Long Island, New York. Bull. Torrey Bot. Club 104: 376-382.

Guralnik, D. B., ed. 1980. Webster's New World Dictionary of the American Language. Second College Edition. Simon and Schuster, New York, N.Y.

Haslam, S. M. 1978. Riverplants. The marcrophytic vegetation of watercourses. Cambridge Univ. Press, New York, N.Y.

Heimburger, C. C. 1934. Forest-type studies in the Adirondack Region. Cornell Univ. Exp. Sta. Memoir 165, Ithaca, N.Y.

Heinselman, M. L. 1970. Landscape evolution, peatland types, and the environment in the Lake Agassiz Peatlands Natural Area, Minnesota. Ecol. Monogr. 40: 235-261.

Hodges, R. W. et al. 1983. Check list of the Lepidoptera of America north of Mexico. E. W. Classey Ltd. and The Wedge Entomological Research Foundation, Washington, D.C. 284 pp.

Holmes, R. T., T. W. Sherry, and F. W. Sturges. 1986. Bird community dynamics in a temperate deciduous forest: long-term trends at Hubbard Brook. Ecol. Monogr. 56: 201-220.

Holway, J. G. and J. T. Scott, eds. 1969. Vegetation-environmental relations at Whiteface Mountain in the Adirondacks. Atmospheric Sciences Research Center, State Univ. of New York at Albany, Report 92.

Honacki, J. H. , K. E. Kinman, and J. W. Koeppl, eds. 1982. Mammal species of the world. Assoc. of Systematic Collections and Allen Press, Lawrence, Kansas. 694 pp.

Hotchkiss, N. 1932. A botanical survey of the Tug Hill plateau. N.Y.S. Mus. Bull. No. 287, Albany, N.Y.

Huenneke, L. F. 1982. Wetland forests of Tompkins County, New York. Bull. Torrey Bot. Club 109: 51-63.

Hynes, H. B. N. 1970. The Ecology of Running Waters. Univ. of Toronto Press.

Jackson, M. T. 1978? A classification of Indiana plant communities. Proc. Indiana Acad. Sci. 89: 159-171.

Jeglum, J. K., A. N. Boissonneau, and V. F. Haavisto. 1974. Toward a wetland classification for Ontario. Information report O-X-215 for the Great Lakes Forest Research Centre, Sault Ste. Marie, Ontario.

Johnson, A. F. 1985. A guide to the plant communities of the Napeague Dunes. Publ. by the author, Southampton, N.Y. 58 pp.

Johnson, A. H. and S. B. McLaughlin. 1986. The nature and timing of the deterioration of red spruce in the northern Appalachian Mountains. In: Acid deposition long-term trends, pp. 200-230, National Academy Press.

Johnson, C. W. 1985. Bogs of the Northeast. University Press of New England, Hanover, N.H.

Jones, J. K., Jr., et al. 1986. Revised checklist of North American mammals north of Mexico, 1986. Occ. Pap. Mus. Texas Tech. Univ., Lubbock.

Karlin, E. F. and R. E. Andrus. 1986. *Sphagnum* vegetation of the low-shrub bogs of northern New Jersey and adjacent New York. Bull. Torrey Bot. Club 113: 281-287.

Karlin E. F. and L. M. Lynn. 1988. Dwarf-shrub bogs of the southern Catskill Mountain region of New York State: geographic changes in the flora of peatlands in northern New Jersey and southern New York. Bull. Torrey Bot. Club 115: 209-217.

Kerlinger, P. and C. Doremus. 1981. The breeding birds of three pine barrens in New York State. Kingbird 31: 126-135.

Ketchledge, E. H. 1980. Revised checklist of the mosses of New York State. New York State Museum, Bull. No. 440, Albany, N.Y.

Künstler, D. S. and P. Capainolo. 1987. Huckleberry Island: premier waterbird colony of western Lond Island Sound. Kingbird 37: 178-188.

Laderman, A. D., ed. 1987. Atlantic white cedar wetlands. Westview Press, Boulder, CO. 401 pp.

Laderman, A. D. 1989. The ecology of the Atlantic white cedar wetlands: a community profile. U.S. Fish Wildl. Serv. Biol. Rep. 85(7.21). 114 pp.

Leatherwood, S., D. K. Caldwell, and H. E. Winn. 1976. Whales, dolphins, and porpoises of the western North Atlantic. N.O.A.A. Tech. Rep., National Marine Fisheries Service CIRC-396.

LeBlanc, D. C. 1981. Ecological studies on the alpine vegetation of the Adirondack Mountains of New York. M.A. thesis, SUNY College of Arts and Science, Plattsburgh, N.Y.

Leopold, D. J., C. Reschke, and D. Smith. 1988. Old-growth forests of Adirondack Park, New York. Natural Areas Journal 8(3): 166-189.

Little, E. L. 1980. The Audubon Society Field Guide to North American Trees. Eastern Region. Alfred A. Knopf, New York.

Lynn, L. M. 1984. The vegetation of Little Cedar Bog, southeastern New York. Bull. Torrey Bot. Club 111: 90-95.

Lynn, L. M. and E. F. Karlin. 1985. The vegetation of the low-shrub bogs of northern New Jersey and adjacent New York: ecosystems at their southern limit. Bull. Torrey Bot. Club 112: 436-444.

Maitland, P. S. 1978. Biology of Fresh Waters. John Wiley and Sons, New York.

Massachusetts Natural Heritage Program. 1988. Vernal pools. Unpubl. report for the Mass. Natural Heritage Program, Mass. Div. of Fisheries and Wildlife, Boston. 10 pp.

Matthews, M. J. 1981. Urban wildlife habitat inventory map overlay user information. Pamphlet, Urban Wildlife Unit, N.Y.S. Dept. of Environmental Conservation, Delmar, N.Y.

McIntosh, R. P. 1972. Forests of the Catskill Mountains, New York. Ecol. Monogr.42: 143-161.

McLaughlin, S. B., D. J. Downing, T. J. Blasing, E. R. Cook, and H. S. Adams. 1987. An analysis of climate and competition as contributors to decline of red spruce in high elevation forests of the eastern United States. Oecologia 72: 487-501.

McVaugh, R. 1958. Flora of Columbia County area, New York. N.Y.S. Mus. and Sci. Service, Bull. No. 360, Albany, N.Y.

Mellinger, M. V. and S. J. McNaughton. 1975. Structure and function of successional vascular plant communities in central New York. Ecol. Monogr. 45: 161-182.

Metzler, K. and R. Rosza. 1982. Vegetation of fresh and brackish tidal marshes in Connecticut. Newsletter of the Connecticut Botanical Society 10(1): 1-3.

Miller, L. D. and F. M. Brown. 1981. A catalogue/checklist of the butterflies of America north of Mexico. The Lepidopterists' Society Memoir No. 2. 280 pp.

Mitchell, R. S. 1986. A checklist of New York State plants. N.Y.S. Museum, Bull. No. 458, Albany, N.Y.

Mohler, C. L. and P. L. Marks. 1983. Vegetation-environment relations in the central Finger Lakes region of New York. Draft manuscript. Section of Ecology and Systematics, Cornell Univ., Ithaca, N.Y.

Muenscher, W. C. 1927. *Spartina patens* and other saline plants in the Genesee Valley of western New York. Rhodora 29: 138-139.

Muenscher, W. C. 1928. Vegetation of Cayuga and Seneca Lakes. Appendix XII in: A biological survey of the Oswego River system. Suppl. to the 17th Ann. Rep., 1927. N.Y.S. Conservation Dept., Albany, N.Y.

Muenscher, W. C. 1929. Vegetation of the Niagara River and the eastern end of Lake Erie. In: A biological survey of the Erie-Niagara system. Suppl. to the 18th Ann. Rep., 1928. N.Y.S. Conserv. Dept., Albany, N.Y.

Muenscher, W. C. 1937. Aquatic vegetation of the lower Hudson area. In: A biological survey of the lower Hudson watershed. Suppl. to the 26th Ann. Rep., 1936. N.Y.S. Conserv. Dept., Albany, N.Y.

Muenscher, W. C. 1939. Aquatic vegetation of Long Island waters. In: A biological survey of the fresh waters of Long Island. Suppl. to the 28th Ann. Rep., 1938. N.Y.S. Conserv. Dept., Albany.

New York State Department of Environmental Conservation. 1985. Checklist of the amphibians, reptiles, birds and mammals of New York State, including their protective status. Nongame Section, Div. of Fish and Wildlife, N.Y.S. Department of Environmental Conservation, Delmar, N.Y.

Nicholson, S. 1965. Altitudinal and exposure variations of the spruce-fir forest on Whiteface Mountain. M.S. thesis, State Univ. of New York at Albany. 66 pp.

Niering, W. A. 1953. The past and present vegetation of High Point State Park, New Jersey. Ecol. Monogr. 23: 127-148.

Nixon, S. W. 1982. The ecology of New England high salt marshes: a community profile. U.S. Fish and Wildlife Service, Office of Biological Services, Washington, D.C. FWS/OBS-81/55. 70 pp.

Odum, W. E., T. J. Smith III, J. K. Hoover, and C. C. McIvor. 1984. The ecology of tidal freshwater marshes of the United States east coast: a community profile. U.S. Fish and Wildlife Service, Washington, D.C. FWS/OBS-83/17. 177 pp.

Olsvig, L. S. 1979. Pattern and diversity analysis of the irradiated oak-pine forest, Brookhaven, New York. Vegetatio 40(2): 65-78.

Olsvig, L. S. 1980. A comparative study of northeastern pine barrens vegetation. PhD thesis, Cornell University, Ithaca, N.Y.

Ozard, J. 1981. Significant habitat covertypes - codes and definitions. Pamphlet, Significant Habitat Unit, N.Y.S. Dept. of Environmental Conservation, Delmar, N.Y.

Parker, D. 1946. Plant succession at Long Pond, Long Island, New York. Butler Univ. Bot. Studies 7: 74-88.

Pendl, M. P. and K. M. Stewart. 1986. Variations in carbon fractions within a dimictic and a meromictic basin of the Junius Ponds, New York. Freshwater Biology 16: 539-555.

Penfound, W. T. 1967. A physiognomic classification of vegetation in conterminous United States. Bot. Rev. 33: 289-326.

Peverly, J. H. 1979. Elemental distribution and macrophyte growth downstream from an organic soil. Aquatic Botany 7: 319-338.

Rawinski, T. J. 1984. New England natural community classification. Unpubl. report, The Nature Conservancy, Eastern Regional Office, Boston, Mass.

Reash, R. J. and T. M. Berra. 1987. Comparison of fish communities in a clean-water stream and an adjacent polluted stream. Am. Midl. Nat. 118(2): 301-322.

Redfield, A. C. 1972. Development of a New England salt marsh. Ecol. Monogr. 42(2): 201-237.

Reed, C. F. 1986. Floras of the serpentinite formations of Eastern North America, with descriptions of geomorphology and mineralogy of the formations. Contributions of the Reed Herbarium No. XXX, Baltimore, Maryland.

Reschke, C. and B. Gilman. 1988. Vegetation of the limestone pavements in Jefferson County, New York. Poster presented at the 15th Annual Natural Areas Conference, Syracuse, N.Y.

Roberts, D. A., R. Singer, and C. W. Boylen. 1985. The submersed macrophyte communities of Adirondack lakes (New York, U.S.A.) of varying degrees of acidity. Aquatic Botany 21: 219-235.

Robichaud, B. and M. F. Buell. 1983. Vegetation of New Jersey. Rutgers Univ. Press, New Brunswick, N.J.

Roman, J. R. 1980. Vegetation-environment relationships in virgin, middle elevation forests in the Adirondack Mountains, New York. PhD thesis, SUNY College of Environmental Science and Forestry, Syracuse, N.Y.

Ross, P. 1958. Microclimatic and vegetational studies in a cold-wet deciduous forest. Black Rock Forest Papers No. 24, Harvard Black Rock Forest, Cornwall-on-the-Hudson, N.Y.

Rosza, R. and K. Metzler. 1982. Plant communities of Mashomack. In: The Mashomack Preserve Study. Vol. 2: Biological Resources. S. Englebright, ed. The Nature Conservancy, East Hampton, N.Y.

Sabo, S. R. 1980. Niche and habitat relations in subalpine bird communities of the White Mountains of New Hampshire. Ecol. Monogr. 50: 241-259.

Schindler, D. W. 1988. Effects of acid rain on freshwater ecosystems. Science 239: 149-157.

Scott, J. T., T. G. Siccama, A. H. Johnson, and A. R. Breisch. 1984. Decline of red spruce in the Adirondacks, New York. Bull. Torrey Bot. Club 111: 438-444.

Seischab, F. K. 1977. Plant community development in the Byron-Bergen Swamp: a rheotrophic mire in Genesee County, New York. Ph.D. thesis, SUNY College of Environmental Science and Forestry, Syracuse, N.Y.

Seischab, F. K. 1984. Plant community development in the Byron-Bergen Swamp: marl-bed vegetation. Can. J. Bot. 62: 1006-1017.

Seischab, F. K., and J. M. Bernard. 1985. Early plant succession on marl beds in the Byron-Bergen Swamp. Bartonia 51: 58-64.

Senerchia-Nardone, P., A. Reilly, and M. M. Holland. 1985. Comparison of vascular plant zonation at Iona Island Marsh (Hudson River Estuary) and Lord's Cove Marsh (Connecticut River Estuary). In: Polgar Fellowship Reports of the Hudson River National Estuarine Sanctuary Program 1985. J.C. Cooper, Editor. Hudson River Foundation, New York, N.Y.

Seyfert, W. G. 1973. A study of the Hempstead Plains, Long Island, New York, and its vascular flora. M.S. thesis, C.W. Post College, Long Island University, Greenvale, N.Y.

Shanks, R. E. 1966. An ecological survey of the vegetation of Monroe County, New York. Proc. Rochester Acad. Sci. 11: 108-252.

Shelford, V. E. 1963. The Ecology of North America. University of Illinois Press, Urbana, Illinois.

Siegfried, C. A. 1986. Understanding New York Lakes. New York State Museum, Educational Leaflet 26, Albany, N.Y.

Singer, R., D. A. Roberts, and C. W. Boylen. 1983. The macrophytic community of an acidic lake in Adirondack (New York, U.S.A.): a new depth record for aquatic angiosperms. Aquatic Bot. 16: 49-57.

Slack, N. G. 1977. Species diversity and community structure in bryophytes: New York State studies. N.Y.S. Museum, Bull. No. 428, Albany, N.Y.

Slack, N. G. and J. M. Glime. 1985. Niche relationships of mountain stream bryophytes. Bryologist 88: 7-18.

Slack, N. G., C. Reschke, and B. Gilman. 1988. *Scorpidium turgescens* rediscovered in New York State. Bryologist 91: 217-218.

Smith, C. L. 1985. The inland fishes of New York State. N.Y.S. Dept. of Environmental Conservation, Albany.

Smith, T. 1985. Natural communities of Pennsylvania. Unpubl. report, Pennsylvania Natural Diversity Inventory, Harrisburg, Penn.

Sprugel, D. G. 1976. Dynamic structure of wave-regenerated *Abies balsamea* forests in the northeastern United States. J. Ecol. 64: 889-911.

Swift, B. 1987. An analysis of avian breeding habitats in Hudson River tidal marshes. Final report. N.Y.S. Dept. of Environmental Conservation, Albany.

Taylor, N. 1923. The vegetation of Long Island. Part I. The vegetation of Montauk: a study of grassland and forest. Brooklyn Botanical Garden Memoirs 2: 1-107.

Teal, J. M. 1986. The ecology of regularly flooded salt marshes of New England: a community profile. U.S. Fish and Wildl. Serv. Biol. Rep. 85(7.4).

Thayer, G. W., W. J. Kenworthy, and M. S. Fonseca. 1984. The ecology of eelgrass meadows of the Atlantic coast: a community profile. U.S. Fish and Wildl. Serv., Washington, D.C. FWS/OBS-84/02. 147 pp.

The Nature Conservancy. 1982. Natural Heritage Program operations manual (with revisions through June 9, 1988). The Nature Conservancy, Arlington, Va.

Theall, O. 1983. An investigation into the hydrology of Massachusetts' coastal plain ponds. Unpubl. report for the Massachusetts Natural Heritage Program, Massachusetts Div. of Fisheries and Wildlife, Boston. 36 pp.

Thompson, L. 1989. Natural communities of Vermont. Vermont Natural Heritage Program, Agency of Natural Resources, Waterbury, Vt.

Townes, H. K. Jr. 1939. Ecological studies on the Long Island marine invertebrates of importance as fish food or bait. In: A biological survey of the salt waters of Long Island, 1938. Suppl. to the 28th Annual Report, 1938. A joint survey with the U.S. Bureau of Fisheries. N.Y.S. Conservation Dept., Albany, N.Y.

Tufts, C. E. 1976. A preliminary inventory of some unique natural areas in Tompkins County, New York. M.S. thesis, Cornell Univ., Ithaca.

Webber, E. E. 1967. Bluegreen algae from a Massachusetts salt marsh. Bull. Torrey Bot. Club 94: 99-106.

Weisburd, S. 1986. Artificial reefs. Science News 130: 59-61.

Weiss, M. J., L. K. McCreary, I. Millers, M. Miller-Weeks, and J. T. O'Brien. 1985. Cooperative survey of red spruce and balsam fir decline and mortality in New York, Vermont, and New Hampshire 1984. U.S.D.A. Forest Service Northeastern Area, NA-TP-11, Broomall, Pa.

Welch, P. S. 1935. Limnology. McGraw-Hill Book Co., Inc. New York, N.Y.

Westad, K. E. and E. Kiviat. 1985. Flora of freshwater tidal swamps at Tivoli Bays, Hudson River National Estuarine Sanctuary. In: Polgar Fellowship Reports of the Hudson River National Estuarine Sanctuary Program 1985. J.C. Cooper, Editor. Hudson River Foundation, New York, N.Y.

Whitehead, D. R., D. F. Charles, S. T. Jackson, S. E. Reed, and M. C. Sheehan. 1986. Late-glacial and Holocene acidity changes in Adirondack (N.Y.) lakes. In: Diatoms and lake acidity. J. P. Smol, R. W. Battarbee, R. B. Davis, and J. Meriläinen (eds.), Dr. W. Junk, Dordrecht.

Whitlatch, R. B. 1982. The ecology of New England tidal flats: a community profile. U.S. Fish and Wildlife Service, Biological Services Program, Washington, D.C. FWS/OBS-81/01. 125 pp.

Wiegand, K. M. and A. J. Eames. 1926. The flora of the Cayuga Lake basin, New York. Cornell Univ. Ag. Exp. Sta. Memoir 92.

Will, G. B., R. D. Stumvoll, R. F. Gotie, and R. S. Smith. 1979. The ecological zones of northern New York. Unpubl. report for N.Y.S. Dept. of Environmental Conservation, Albany, N.Y.

Zaremba, R. E. 1990. A comparison of maritime heathlands of Holocene deposits to related communities in Massachusetts and New York. In press: Proceedings of the first lowland heath conference, May 5, 1988, Nantucket, Massachusetts.

Zenkert, C. A. 1934. Flora of the Niagara frontier region. Bull. Buffalo Soc. Nat. Sci., Vol. 16, Buffalo, N.Y.

Zon, R. 1914. Balsam fir. Bull U.S. Dept. Agriculture No. 55: 1-68.