

05/03/11

Fur Area	#	Total	Total	Red Fox	Gray Fox	Raccoon	Coyote
Year	hunt	days	hours	Index (80% CL)	Index (80% CL)	Index (80% CL)	Index (80% CL)
Central Adirondacks							
1998	26	202	825	0.0 (0.0-0.0)	0.0 (0.0-0.0)	4.9 (-1.5-11.2)	15.8 (8.3-23.2)
1999	31	206	724	16.6 (3.6-29.5)	0.0 (0.0-0.0)	1.4 (-0.4-3.2)	19.3 (5.2-33.5)
2000	28	156	534	0.0 (0.0-0.0)	0.0 (0.0-0.0)	11.2 (-3.0-25.5)	20.6 (8.0-33.2)
2001	23	134	527	0.0 (0.0-0.0)	0.0 (0.0-0.0)	32.3 (5.3-59.2)	28.5 (10.0-46.9)
2002	21	106	398	0.0 (0.0-0.0)	2.5 (-0.8-5.9)	7.5 (0.5-14.5)	15.1 (6.2-23.9)
2003	30	160	619	12.9 (5.4-20.4)	11.3 (-1.3-23.9)	6.5 (3.4-9.5)	40.4 (14.0-66.8)
2004	40	278	926	2.2 (-0.6-4.9)	5.4 (0.4-10.4)	38.9 (15.9-61.9)	17.3 (7.1-27.4)
2005	35	215	637	3.1 (0.5-5.8)	6.3 (2.3-10.3)	7.9 (3.0-12.7)	25.1 (7.7-42.5)
2006	28	210	673	1.5 (-0.4-3.4)	10.4 (2.6-18.2)	5.9 (-1.6-13.4)	26.8 (11.2-42.3)
2007	40	269	935	6.4 (2.7-10.2)	11.8 (5.1-18.4)	13.9 (4.3-23.5)	41.7 (22.4-61.0)
2008	33	189	676	1.5 (-0.4-3.4)	0.0 (0.0-0.0)	5.9 (1.3-10.5)	17.8 (6.0-29.5)
2009	29	177	555	3.6 (0.4-6.8)	0.0 (0.0-0.0)	14.4 (0.0-28.8)	30.6 (15.8-45.4)
2010	37	270	968	2.1 (0.2-4.0)	3.1 (0.9-5.4)	10.3 (0.4-20.3)	13.4 (6.9-20.0)
Northern Adirondacks							
1998	17	144	493	0.0 (0.0-0.0)	0.0 (0.0-0.0)	14.2 (0.2-28.2)	34.5 (4.7-64.3)
1999	26	213	724	5.5 (1.4-9.7)	1.4 (-0.4-3.2)	23.5 (4.4-42.5)	29.0 (10.8-47.2)
2000	20	112	438	9.1 (1.8-16.5)	0.0 (0.0-0.0)	6.9 (-0.7-14.4)	41.1 (-4.8-87.0)
2001	13	97	374	29.4 (0.5-58.3)	0.0 (0.0-0.0)	50.8 (30.0-71.6)	37.4 (13.7-61.1)
2002	10	95	334	6.0 (-1.8-13.7)	0.0 (0.0-0.0)	9.0 (-2.5-20.4)	32.9 (-1.5-67.4)
2003	17	81	250	32.0 (9.2-54.8)	0.0 (0.0-0.0)	24.0 (1.1-47.0)	88.0 (36.7-139.3)
2004	17	138	537	7.5 (1.3-13.6)	3.7 (-1.2-8.6)	7.5 (-0.6-15.5)	31.7 (14.6-48.7)
2005	14	115	370	5.4 (0.7-10.1)	0.0 (0.0-0.0)	16.2 (1.8-30.6)	13.5 (5.2-21.8)
2006	16	151	523	3.8 (0.2-7.4)	0.0 (0.0-0.0)	1.9 (-0.7-4.5)	17.2 (4.4-30.0)
2007	17	109	317	25.2 (6.0-44.5)	0.0 (0.0-0.0)	78.9 (19.7-138.1)	37.9 (9.9-65.8)
2008	18	127	482	0.0 (0.0-0.0)	0.0 (0.0-0.0)	95.4 (30.9-160.0)	4.2 (-1.3-9.6)
2009	14	102	333	3.0 (-1.1-7.1)	0.0 (0.0-0.0)	18.0 (1.0-35.1)	18.0 (9.7-26.3)
2010	11	72	241	4.2 (-0.4-8.7)	0.0 (0.0-0.0)	12.5 (1.1-23.8)	16.6 (4.5-28.7)
Central Appalachian Plateau							
1998	628	5,726	24,300	11.7 (9.7-13.7)	8.8 (7.3-10.3)	10.2 (8.7-11.7)	7.6 (6.3-8.9)
1999	396	4,288	17,478	6.5 (5.5-7.6)	4.9 (3.9-5.8)	7.4 (6.0-8.7)	6.0 (4.8-7.3)
2000	383	3,813	15,715	7.9 (6.6-9.2)	5.2 (4.2-6.2)	7.5 (5.9-9.0)	11.8 (9.1-14.5)
2001	362	3,537	14,262	8.1 (6.4-9.8)	4.5 (3.5-5.5)	8.5 (6.7-10.3)	7.6 (6.1-9.0)
2002	297	2,927	11,652	8.5 (7.1-10.0)	3.2 (2.3-4.0)	8.5 (7.0-10.0)	7.4 (5.2-9.5)
2003	284	2,917	11,042	10.1 (7.7-12.4)	5.2 (3.6-6.8)	32.2 (6.8-57.5)	14.0 (8.4-19.5)
2004	313	3,449	13,614	7.2 (6.0-8.4)	4.6 (2.3-6.9)	9.4 (7.7-11.1)	10.2 (8.0-12.4)
2005	259	2,507	10,126	9.0 (7.5-10.5)	2.6 (1.7-3.4)	3.4 (2.1-4.6)	12.4 (9.2-15.7)
2006	263	2,672	10,238	7.5 (6.2-8.8)	1.7 (1.0-2.3)	5.6 (4.2-6.9)	14.3 (9.0-19.6)
2007	274	2,702	11,301	7.5 (6.1-8.9)	1.9 (1.2-2.5)	5.8 (3.9-7.6)	7.9 (5.2-10.5)
2008	269	2,509	10,324	8.3 (6.4-10.3)	2.5 (1.6-3.4)	8.4 (6.2-10.7)	6.6 (5.0-8.2)

*In 2009 many WMU boundaries and some names were changed. This report uses 2009 WMU boundaries to define Fur Areas for all years.

05/03/11

Fur Area	#	Total	Total	Red Fox	Gray Fox	Raccoon	Coyote
Year	hunt	days	hours	Index (80% CL)	Index (80% CL)	Index (80% CL)	Index (80% CL)
2009	282	3,177	13,030	7.5 (6.0-9.1)	2.9 (2.1-3.8)	5.2 (3.8-6.6)	6.7 (5.3-8.1)
2010	264	2,837	11,774	8.1 (6.7-9.5)	2.6 (1.8-3.5)	5.9 (4.4-7.3)	10.3 (8.0-12.6)
East Appalachian Plateau							
1998	684	6,108	23,564	5.6 (4.4-6.8)	7.6 (6.4-8.9)	9.2 (7.2-11.1)	15.6 (13.2-18.0)
1999	468	4,906	18,834	4.3 (3.4-5.1)	5.7 (4.6-6.9)	5.8 (4.5-7.1)	14.2 (11.4-17.1)
2000	432	4,244	16,390	3.5 (2.8-4.2)	6.3 (4.7-7.9)	8.1 (6.5-9.6)	13.7 (10.3-17.0)
2001	407	4,253	16,087	4.5 (3.6-5.4)	2.4 (1.7-3.0)	5.8 (4.5-7.0)	14.1 (11.4-16.7)
2002	321	3,255	12,148	5.4 (4.2-6.7)	3.8 (2.8-4.8)	6.5 (5.1-7.9)	12.9 (9.3-16.6)
2003	290	2,987	10,829	3.2 (2.2-4.3)	3.6 (2.6-4.6)	16.1 (8.6-23.5)	17.4 (12.6-22.1)
2004	356	3,752	14,232	12.5 (4.2-20.8)	4.0 (3.0-5.1)	4.9 (3.7-6.2)	22.3 (15.7-28.8)
2005	312	2,941	11,319	4.5 (3.2-5.8)	2.1 (1.4-2.8)	5.7 (4.1-7.3)	16.0 (12.9-19.1)
2006	279	2,803	11,012	3.3 (2.4-4.2)	1.6 (1.1-2.2)	4.6 (3.3-6.0)	10.6 (8.1-13.1)
2007	295	2,940	11,102	3.2 (2.4-4.0)	1.4 (0.9-2.0)	5.3 (4.0-6.6)	19.1 (15.1-23.1)
2008	290	2,446	9,372	3.2 (2.3-4.1)	1.4 (0.7-2.1)	7.5 (5.5-9.4)	16.9 (13.4-20.3)
2009	280	2,932	11,552	2.8 (2.1-3.5)	2.2 (1.5-2.9)	4.9 (3.4-6.5)	16.5 (13.0-20.1)
2010	272	2,858	11,096	5.1 (3.8-6.4)	2.6 (1.7-3.5)	4.2 (2.9-5.4)	14.5 (12.0-17.0)
North Appalachian Hills							
1998	1,292	11,283	45,566	16.6 (15.3-18.0)	5.4 (4.6-6.1)	11.1 (10.0-12.2)	7.7 (6.4-9.0)
1999	930	9,282	36,678	14.0 (12.8-15.2)	2.8 (2.3-3.3)	10.3 (8.7-12.0)	8.3 (6.8-9.7)
2000	859	8,151	31,617	14.3 (13.0-15.6)	3.8 (3.1-4.5)	9.7 (8.5-10.8)	7.3 (6.2-8.4)
2001	814	7,842	30,865	14.4 (12.9-16.0)	2.6 (2.2-3.1)	9.0 (7.2-10.8)	8.0 (6.4-9.7)
2002	684	6,966	26,464	14.4 (13.1-15.7)	2.5 (1.9-3.1)	8.7 (7.5-9.8)	6.2 (5.1-7.2)
2003	646	6,278	23,237	20.1 (18.3-21.8)	3.0 (2.3-3.7)	15.1 (11.4-18.8)	13.3 (9.5-17.0)
2004	696	7,424	27,898	14.5 (12.8-16.1)	2.4 (1.8-3.0)	11.6 (10.1-13.1)	9.9 (7.8-11.9)
2005	656	6,116	23,943	13.0 (11.5-14.5)	1.3 (0.9-1.6)	8.4 (7.1-9.6)	10.2 (8.1-12.3)
2006	627	5,994	23,383	20.5 (18.6-22.5)	1.3 (0.9-1.8)	10.8 (9.2-12.4)	9.5 (7.8-11.1)
2007	663	6,625	25,371	16.2 (14.6-17.9)	1.8 (1.3-2.3)	8.2 (7.1-9.3)	9.7 (8.1-11.2)
2008	625	5,557	21,641	12.1 (10.8-13.4)	1.5 (1.0-2.0)	9.9 (8.5-11.4)	9.8 (6.8-12.7)
2009	666	6,818	26,790	17.5 (16.0-19.0)	2.0 (1.5-2.5)	8.7 (7.6-9.9)	9.0 (7.6-10.4)
2010	628	6,471	25,115	19.8 (18.1-21.5)	2.0 (1.6-2.5)	9.4 (8.1-10.7)	7.5 (6.3-8.7)
West Appalachian Plateau							
1998	1,589	13,439	60,140	9.6 (8.7-10.5)	2.6 (2.1-3.0)	12.7 (11.7-13.8)	8.0 (6.8-9.2)
1999	1,210	11,558	50,062	6.0 (5.1-6.9)	2.3 (1.0-3.7)	10.4 (9.3-11.5)	5.6 (4.5-6.6)
2000	1,118	10,344	45,019	7.3 (6.4-8.2)	1.4 (1.1-1.7)	9.9 (8.8-11.1)	6.6 (5.7-7.5)
2001	1,076	9,927	42,739	7.8 (6.9-8.6)	1.9 (1.4-2.3)	10.2 (9.1-11.3)	8.3 (6.3-10.2)
2002	873	8,231	34,794	6.7 (5.8-7.6)	1.8 (1.3-2.3)	12.8 (10.8-14.7)	6.4 (5.0-7.8)
2003	859	8,129	34,248	7.6 (6.8-8.3)	2.3 (1.8-2.8)	17.3 (15.8-18.9)	8.7 (7.1-10.3)
2004	928	9,248	39,410	7.0 (6.2-7.8)	2.5 (1.9-3.1)	12.2 (10.9-13.5)	10.0 (8.5-11.6)
2005	886	7,681	32,370	6.0 (5.2-6.8)	1.4 (0.9-1.9)	9.4 (8.1-10.7)	8.9 (7.4-10.3)
2006	791	6,813	28,946	8.6 (7.6-9.7)	0.8 (0.5-1.1)	9.9 (8.4-11.3)	8.0 (6.7-9.3)

*In 2009 many WMU boundaries and some names were changed. This report uses 2009 WMU boundaries to define Fur Areas for all years.

05/03/11

Fur Area	#	Total	Total	Red Fox	Gray Fox	Raccoon	Coyote
Year	hunt	days	hours	Index (80% CL)	Index (80% CL)	Index (80% CL)	Index (80% CL)
2007	826	7,766	32,781	6.0 (5.3-6.6)	0.8 (0.5-1.0)	8.6 (7.5-9.8)	7.8 (6.6-9.0)
2008	829	6,825	29,400	7.9 (7.0-8.7)	1.1 (0.8-1.5)	12.1 (10.4-13.7)	6.7 (5.5-7.8)
2009	845	8,281	36,936	8.8 (7.9-9.8)	1.1 (0.8-1.5)	10.5 (8.6-12.4)	8.1 (6.5-9.6)
2010	789	7,840	34,285	9.1 (8.2-10.1)	1.3 (0.9-1.6)	8.1 (6.9-9.2)	7.2 (6.2-8.3)
Catskills							
1998	393	3,271	14,339	2.7 (1.9-3.4)	3.6 (2.8-4.5)	4.0 (3.1-5.0)	21.8 (15.9-27.6)
1999	264	2,336	10,228	2.8 (2.0-3.7)	1.8 (1.1-2.4)	6.4 (4.3-8.4)	11.8 (9.4-14.3)
2000	251	2,151	8,754	2.3 (1.4-3.2)	6.2 (2.4-10.0)	3.3 (2.2-4.4)	14.5 (11.4-17.6)
2001	227	2,012	8,182	1.8 (1.1-2.5)	1.8 (1.1-2.6)	3.8 (2.6-5.0)	15.6 (11.1-20.2)
2002	182	1,653	6,081	2.0 (1.2-2.8)	4.3 (1.4-7.2)	6.6 (2.8-10.3)	20.7 (15.2-26.2)
2003	259	2,172	8,979	6.8 (4.2-9.4)	3.7 (1.8-5.5)	5.0 (3.5-6.6)	23.1 (18.7-27.4)
2004	328	3,140	13,241	7.0 (1.2-12.9)	6.0 (-0.1-12.2)	5.0 (3.5-6.5)	23.0 (18.9-27.2)
2005	316	2,560	10,752	1.7 (1.2-2.2)	1.5 (0.9-2.1)	3.7 (2.6-4.9)	28.4 (23.0-33.7)
2006	267	2,091	8,837	2.2 (1.4-2.9)	1.4 (0.8-2.0)	4.1 (2.6-5.6)	20.6 (15.2-26.0)
2007	326	2,625	11,335	1.5 (0.9-2.1)	2.4 (1.2-3.6)	5.2 (3.5-6.9)	17.4 (14.8-20.0)
2008	330	2,386	9,983	4.5 (1.4-7.7)	3.5 (1.6-5.4)	4.7 (3.1-6.4)	15.0 (12.3-17.7)
2009	337	2,962	12,644	2.1 (1.4-2.9)	1.2 (0.3-2.1)	5.1 (3.6-6.5)	16.2 (12.9-19.5)
2010	310	2,559	10,815	2.3 (1.6-3.1)	0.8 (0.5-1.2)	3.5 (2.3-4.8)	17.4 (13.4-21.4)
Champlain Valley and Transition							
1998	40	278	905	7.7 (3.6-11.9)	4.4 (0.7-8.2)	6.6 (2.3-11.0)	24.3 (14.2-34.4)
1999	49	392	1,263	4.0 (1.4-6.5)	1.6 (0.1-3.0)	10.3 (3.8-16.8)	26.1 (14.0-38.3)
2000	49	343	1,169	5.1 (2.0-8.3)	0.0 (0.0-0.0)	12.0 (1.9-22.1)	24.0 (11.6-36.3)
2001	40	251	802	6.2 (2.7-9.7)	1.3 (-0.4-2.9)	5.0 (1.2-8.8)	44.9 (16.2-73.6)
2002	23	138	483	6.2 (1.9-10.6)	0.0 (0.0-0.0)	2.1 (-0.5-4.6)	16.6 (5.1-28.0)
2003	33	192	567	3.5 (0.3-6.8)	1.8 (-0.6-4.1)	15.9 (4.8-27.0)	15.9 (7.8-23.9)
2004	49	383	1,190	5.0 (1.7-8.4)	1.7 (0.2-3.2)	34.5 (8.4-60.5)	47.1 (23.7-70.4)
2005	32	269	744	1.3 (-0.4-3.1)	0.0 (0.0-0.0)	12.1 (2.3-21.9)	25.5 (13.2-37.8)
2006	28	196	474	4.2 (-1.0-9.4)	4.2 (-0.9-9.3)	4.2 (0.6-7.9)	33.8 (-4.6-72.1)
2007	42	295	920	7.6 (3.7-11.5)	3.3 (0.2-6.3)	9.8 (1.4-18.2)	18.5 (8.3-28.6)
2008	41	316	1,080	11.1 (3.9-18.4)	0.0 (0.0-0.0)	3.7 (0.7-6.7)	22.2 (8.1-36.4)
2009	49	441	1,274	7.9 (1.8-13.9)	1.6 (0.2-3.0)	54.2 (26.6-81.7)	22.0 (12.2-31.8)
2010	32	288	913	8.8 (4.8-12.8)	0.0 (0.0-0.0)	42.7 (21.6-63.9)	21.9 (6.8-37.0)
Coastal Lowlands							
1998	92	1,461	6,216	20.8 (15.7-25.8)	0.8 (0.1-1.5)	7.9 (3.4-12.4)	0.2 (-0.1-0.4)
1999	67	1,079	4,454	12.4 (7.8-16.9)	0.9 (0.3-1.5)	3.6 (1.4-5.8)	0.0 (0.0-0.0)
2000	63	946	3,898	9.5 (4.4-14.6)	0.3 (-0.1-0.6)	5.1 (1.8-8.5)	0.0 (0.0-0.0)
2001	60	790	2,957	11.2 (5.2-17.1)	0.3 (-0.1-0.8)	6.4 (2.1-10.8)	0.7 (0.1-1.3)
2002	47	965	3,399	18.2 (9.8-26.7)	1.2 (0.3-2.1)	3.8 (1.9-5.7)	0.0 (0.0-0.0)
2003	53	966	3,838	10.7 (6.0-15.4)	2.1 (-0.3-4.4)	8.1 (4.6-11.5)	0.3 (-0.1-0.6)
2004	54	899	4,357	8.3 (3.1-13.5)	0.0 (0.0-0.0)	9.0 (5.6-12.3)	0.0 (0.0-0.0)

*In 2009 many WMU boundaries and some names were changed. This report uses 2009 WMU boundaries to define Fur Areas for all years.

05/03/11

Fur Area	#	Total	Total	Red Fox	Gray Fox	Raccoon	Coyote
Year	hunt	days	hours	Index (80% CL)	Index (80% CL)	Index (80% CL)	Index (80% CL)
2005	45	882	3,151	10.5 (5.4-15.6)	0.0 (0.0-0.0)	13.0 (7.9-18.1)	0.0 (0.0-0.0)
2006	50	976	3,754	2.7 (1.2-4.2)	1.3 (0.5-2.2)	11.7 (7.2-16.2)	0.0 (0.0-0.0)
2007	58	1,164	3,881	7.0 (3.0-10.9)	0.8 (0.2-1.3)	12.4 (7.1-17.6)	0.3 (-0.1-0.6)
2008	52	1,043	3,654	6.8 (4.0-9.7)	0.3 (-0.1-0.6)	13.1 (5.2-21.1)	0.0 (0.0-0.0)
2009	52	787	2,986	8.4 (4.5-12.2)	0.3 (-0.1-0.8)	13.7 (6.0-21.5)	0.3 (-0.1-0.8)
2010	41	627	2,082	13.9 (9.3-18.5)	0.0 (0.0-0.0)	24.5 (15.0-34.0)	0.0 (0.0-0.0)
East Ontario Plain							
1998	44	397	1,369	5.1 (2.5-7.7)	0.7 (-0.2-1.7)	9.5 (4.6-14.4)	6.6 (2.3-10.9)
1999	38	314	1,099	10.0 (2.2-17.8)	4.6 (1.5-7.6)	10.9 (1.5-20.3)	41.0 (13.3-68.6)
2000	51	383	1,366	13.2 (6.9-19.5)	0.0 (0.0-0.0)	11.7 (6.8-16.6)	17.6 (9.0-26.2)
2001	33	222	797	16.3 (6.3-26.3)	15.1 (3.6-26.5)	12.6 (7.7-17.4)	5.0 (1.0-9.1)
2002	32	188	594	1.7 (-0.4-3.8)	3.4 (0.3-6.4)	47.1 (18.1-76.2)	33.7 (15.5-51.9)
2003	35	236	819	14.7 (4.6-24.7)	2.4 (0.3-4.6)	59.8 (41.7-78.0)	19.5 (7.7-31.4)
2004	50	400	1,308	5.4 (2.6-8.1)	5.4 (2.1-8.7)	39.8 (29.0-50.6)	70.3 (28.1-112.6)
2005	44	319	1,107	1.8 (0.2-3.4)	8.1 (1.8-14.4)	44.3 (15.8-72.8)	9.9 (6.1-13.8)
2006	37	316	1,010	0.0 (0.0-0.0)	5.9 (-0.3-12.2)	28.7 (16.9-40.6)	11.9 (7.1-16.7)
2007	43	317	1,062	23.5 (6.9-40.1)	3.8 (0.8-6.8)	23.5 (10.8-36.3)	12.2 (5.3-19.2)
2008	45	308	1,133	0.9 (-0.2-2.0)	5.3 (0.4-10.3)	15.0 (7.6-22.4)	21.2 (13.3-29.1)
2009	38	325	1,080	7.4 (2.7-12.1)	7.4 (3.2-11.6)	12.0 (4.8-19.3)	17.6 (8.1-27.1)
2010	41	363	1,147	11.3 (6.8-15.8)	6.1 (2.2-10.0)	17.4 (10.6-24.3)	24.4 (13.2-35.6)
Great Lakes Plain							
1998	1,218	10,963	39,430	27.3 (25.5-29.1)	5.3 (4.5-6.1)	14.4 (13.1-15.7)	10.6 (8.4-12.9)
1999	850	8,422	29,592	24.1 (22.2-26.0)	3.6 (2.9-4.2)	11.3 (9.9-12.6)	8.5 (6.9-10.1)
2000	842	8,185	28,597	23.4 (21.5-25.3)	4.0 (3.3-4.6)	14.9 (13.3-16.5)	7.5 (6.4-8.6)
2001	765	7,266	25,136	27.0 (24.9-29.1)	3.5 (2.8-4.1)	13.7 (12.0-15.4)	10.1 (8.4-11.9)
2002	618	6,412	21,001	19.6 (17.6-21.6)	2.6 (1.9-3.2)	11.6 (10.0-13.2)	7.4 (5.3-9.5)
2003	590	5,827	18,694	30.3 (26.9-33.7)	2.7 (1.8-3.6)	17.4 (14.8-20.0)	7.7 (6.3-9.1)
2004	651	6,791	22,334	22.1 (19.9-24.3)	4.9 (1.4-8.4)	18.1 (15.2-21.1)	7.4 (5.6-9.2)
2005	654	6,137	20,244	24.9 (22.5-27.3)	2.4 (1.6-3.1)	12.3 (10.6-13.9)	7.7 (6.2-9.1)
2006	573	5,308	18,444	24.4 (21.9-26.9)	1.7 (0.9-2.6)	15.1 (13.1-17.2)	8.5 (6.7-10.3)
2007	628	6,121	21,702	26.0 (23.4-28.6)	1.6 (0.9-2.3)	12.4 (10.7-14.1)	11.4 (7.9-14.8)
2008	586	5,094	18,162	25.3 (23.0-27.7)	6.1 (0.9-11.2)	14.2 (12.4-15.9)	6.7 (5.2-8.1)
2009	650	6,724	24,226	30.1 (27.4-32.7)	1.6 (1.1-2.1)	16.3 (14.4-18.2)	8.3 (6.7-9.8)
2010	614	6,130	22,087	31.6 (28.9-34.2)	2.2 (1.6-2.7)	14.3 (12.4-16.1)	7.7 (6.5-8.9)
Hudson Valley							
1998	613	5,560	22,420	7.2 (6.2-8.2)	3.8 (2.7-5.0)	9.8 (8.0-11.6)	18.6 (12.6-24.6)
1999	385	3,940	15,399	7.4 (6.1-8.7)	3.6 (2.6-4.7)	6.8 (5.3-8.4)	15.0 (10.3-19.7)
2000	360	3,314	12,442	7.1 (5.6-8.5)	1.7 (1.1-2.3)	8.7 (7.0-10.4)	17.3 (13.8-20.8)
2001	339	3,027	10,975	5.6 (4.3-6.8)	2.5 (1.5-3.4)	5.6 (4.4-6.8)	16.9 (13.8-19.9)
2002	256	2,301	8,765	4.1 (3.1-5.2)	1.6 (0.9-2.3)	3.4 (2.4-4.5)	16.4 (13.4-19.5)

*In 2009 many WMU boundaries and some names were changed. This report uses 2009 WMU boundaries to define Fur Areas for all years.

05/03/11

Fur Area	#	Total	Total	Red Fox	Gray Fox	Raccoon	Coyote
Year	hunt	days	hours	Index (80% CL)	Index (80% CL)	Index (80% CL)	Index (80% CL)
2003	369	3,178	12,595	6.1 (4.4-7.9)	2.5 (1.4-3.5)	10.5 (8.3-12.7)	16.4 (13.7-19.0)
2004	511	4,802	19,037	4.5 (3.7-5.3)	1.5 (1.0-2.1)	5.8 (4.7-6.8)	18.0 (14.4-21.7)
2005	476	4,347	16,866	3.3 (2.6-4.0)	0.8 (0.4-1.3)	4.7 (3.7-5.7)	19.7 (16.7-22.8)
2006	407	3,709	15,150	4.0 (3.1-5.0)	1.0 (0.6-1.4)	4.9 (3.7-6.0)	21.3 (18.1-24.4)
2007	524	4,676	18,194	5.0 (3.9-6.1)	1.8 (1.1-2.4)	4.8 (3.7-6.0)	19.2 (16.1-22.4)
2008	512	3,996	16,196	5.7 (4.7-6.7)	1.8 (1.1-2.5)	6.5 (4.9-8.1)	20.3 (16.6-24.0)
2009	530	4,543	18,342	5.7 (4.6-6.7)	1.3 (0.9-1.7)	6.2 (4.8-7.5)	17.3 (14.5-20.1)
2010	493	4,397	18,215	5.9 (4.9-6.9)	2.1 (1.3-2.8)	5.5 (4.3-6.6)	13.7 (11.4-16.0)
Mohawk Valley							
1998	243	2,231	8,928	5.0 (3.8-6.3)	2.7 (1.4-4.0)	5.5 (3.9-7.1)	17.6 (12.8-22.4)
1999	196	2,010	7,945	5.4 (1.7-9.1)	2.3 (1.5-3.1)	3.4 (2.5-4.4)	16.1 (11.6-20.7)
2000	172	1,577	5,977	3.0 (1.6-4.4)	1.7 (0.7-2.6)	8.4 (6.0-10.7)	15.6 (11.3-19.8)
2001	157	1,519	5,748	5.6 (3.6-7.6)	2.1 (1.0-3.2)	6.8 (4.5-9.1)	18.3 (13.7-22.9)
2002	117	1,168	4,068	1.0 (0.2-1.8)	3.0 (1.4-4.5)	3.4 (1.9-5.0)	16.0 (11.6-20.4)
2003	152	1,504	5,526	7.8 (4.4-11.2)	3.4 (2.3-4.6)	6.5 (4.2-8.8)	23.9 (18.6-29.2)
2004	193	2,068	7,714	1.9 (1.2-2.7)	1.9 (1.1-2.8)	5.7 (4.2-7.3)	35.0 (23.9-46.1)
2005	161	1,409	4,824	2.1 (1.0-3.1)	3.1 (1.9-4.4)	5.2 (3.3-7.1)	32.8 (24.8-40.7)
2006	170	1,571	6,112	1.8 (1.1-2.6)	1.3 (0.7-1.9)	3.4 (2.0-4.9)	24.4 (17.4-31.3)
2007	191	1,879	7,210	2.9 (1.9-3.9)	0.8 (0.4-1.3)	4.3 (2.7-5.9)	24.0 (18.2-29.8)
2008	208	1,646	6,174	4.5 (2.9-6.1)	1.6 (0.9-2.4)	5.7 (3.6-7.8)	25.8 (19.8-31.7)
2009	206	2,199	8,472	4.5 (3.2-5.8)	1.7 (1.0-2.3)	1.7 (0.8-2.5)	19.1 (14.9-23.4)
2010	195	1,984	7,771	4.8 (2.6-7.0)	4.9 (3.4-6.4)	3.5 (2.0-5.0)	13.9 (11.2-16.6)
New York City Transition							
1998	129	1,672	7,315	5.6 (4.0-7.3)	0.6 (0.1-1.0)	8.6 (6.1-11.2)	9.2 (6.5-11.8)
1999	95	1,293	5,723	3.8 (2.6-5.1)	0.0 (0.0-0.0)	4.0 (2.9-5.2)	9.1 (5.9-12.3)
2000	84	1,094	4,642	6.7 (4.3-9.1)	0.2 (-0.1-0.5)	2.8 (1.4-4.2)	17.0 (12.4-21.6)
2001	78	1,017	4,215	5.0 (3.3-6.7)	0.0 (0.0-0.0)	10.0 (6.9-13.0)	22.3 (17.0-27.6)
2002	58	774	3,354	8.4 (5.3-11.4)	2.4 (0.8-4.0)	7.5 (4.3-10.7)	14.0 (9.4-18.6)
2003	71	737	3,141	11.1 (5.9-16.4)	0.0 (0.0-0.0)	4.1 (2.6-5.7)	24.2 (13.8-34.6)
2004	90	1,034	4,965	13.9 (6.8-21.0)	0.8 (0.2-1.4)	5.4 (3.3-7.6)	30.0 (17.4-42.6)
2005	94	1,155	4,564	9.6 (6.3-13.0)	0.0 (0.0-0.0)	8.3 (5.2-11.5)	18.0 (11.4-24.5)
2006	79	963	3,785	8.2 (5.8-10.6)	0.3 (-0.1-0.6)	3.4 (1.9-5.0)	19.8 (14.2-25.4)
2007	80	921	3,478	16.4 (12.3-20.5)	1.4 (0.2-2.6)	4.0 (2.2-5.9)	15.2 (11.8-18.7)
2008	78	972	3,726	16.6 (13.0-20.3)	0.5 (0.0-1.0)	5.6 (3.5-7.8)	19.9 (14.4-25.3)
2009	91	1,153	4,491	5.1 (3.4-6.9)	1.1 (0.4-1.9)	8.2 (4.9-11.6)	13.1 (9.5-16.7)
2010	84	1,167	4,828	7.9 (3.6-12.2)	5.2 (-1.0-11.4)	4.6 (3.0-6.1)	7.7 (5.1-10.2)

05/03/11

Fur Area	#	Total	Total	Red Fox	Gray Fox	Raccoon	Coyote
Year	hunt	days	hours	Index (80% CL)	Index (80% CL)	Index (80% CL)	Index (80% CL)
Neversink-Mongaup Hills							
1998	141	1,113	5,426	3.5 (1.9-5.1)	3.7 (2.1-5.3)	1.7 (0.7-2.7)	13.5 (6.5-20.5)
1999	87	700	3,175	4.4 (2.6-6.3)	2.2 (0.1-4.3)	7.2 (3.7-10.8)	11.0 (6.3-15.8)
2000	70	618	2,689	4.8 (2.3-7.4)	0.7 (0.1-1.4)	2.2 (0.6-3.9)	11.9 (6.7-17.1)
2001	65	554	2,589	2.3 (0.9-3.7)	0.8 (0.1-1.5)	2.3 (-0.1-4.8)	1.2 (0.3-2.0)
2002	57	481	1,955	1.0 (0.2-1.9)	4.1 (1.6-6.6)	6.7 (0.5-12.8)	3.1 (1.3-4.9)
2003	61	508	2,062	1.9 (0.5-3.4)	7.3 (2.1-12.4)	10.2 (-1.0-21.4)	8.7 (4.7-12.8)
2004	89	852	3,443	4.4 (1.7-7.0)	6.7 (2.7-10.7)	6.4 (1.3-11.5)	13.9 (9.1-18.8)
2005	90	784	3,400	2.4 (1.1-3.7)	5.6 (2.1-9.1)	2.7 (1.3-4.0)	12.4 (5.1-19.7)
2006	76	669	3,085	2.3 (1.0-3.5)	2.6 (0.4-4.8)	3.6 (1.4-5.7)	8.8 (4.0-13.5)
2007	119	1,007	4,449	3.2 (1.4-4.9)	1.4 (0.3-2.4)	0.9 (0.3-1.5)	11.5 (7.1-15.8)
2008	121	884	3,808	2.4 (1.2-3.6)	2.1 (0.9-3.3)	0.5 (0.1-1.0)	17.9 (9.9-25.8)
2009	113	954	4,492	4.5 (2.5-6.4)	0.7 (0.2-1.2)	2.0 (1.1-2.9)	12.2 (8.2-16.3)
2010	106	918	4,360	1.6 (0.7-2.6)	2.3 (0.9-3.7)	1.4 (0.5-2.3)	14.2 (8.6-19.9)
Oneida Lake Plain							
1998	429	4,111	15,099	7.0 (5.7-8.2)	7.5 (6.3-8.7)	13.4 (10.7-16.0)	15.0 (12.1-18.0)
1999	295	3,209	11,500	6.8 (4.6-9.0)	5.1 (4.0-6.3)	6.1 (4.6-7.6)	13.3 (9.8-16.8)
2000	272	3,053	10,810	5.6 (4.3-7.0)	4.5 (3.4-5.7)	10.5 (7.9-13.0)	12.8 (8.9-16.6)
2001	255	2,800	9,697	6.9 (5.5-8.4)	2.8 (2.0-3.6)	6.0 (4.3-7.7)	12.1 (9.6-14.5)
2002	196	2,232	7,465	4.8 (3.4-6.2)	4.3 (2.9-5.7)	7.6 (5.5-9.8)	11.1 (8.3-14.0)
2003	220	2,292	7,413	9.9 (6.7-13.0)	3.8 (2.3-5.3)	9.6 (6.8-12.4)	22.1 (10.9-33.3)
2004	259	2,917	9,752	5.3 (3.1-7.5)	3.6 (2.4-4.8)	6.4 (4.7-8.0)	11.0 (8.4-13.5)
2005	229	2,528	8,635	6.0 (4.0-8.0)	2.2 (1.5-3.0)	6.1 (4.5-7.8)	14.2 (11.0-17.5)
2006	218	2,464	8,298	4.1 (2.9-5.3)	2.8 (1.8-3.8)	8.4 (6.6-10.3)	14.7 (11.1-18.3)
2007	244	2,788	9,609	6.7 (5.0-8.3)	3.0 (1.7-4.4)	7.0 (5.2-8.8)	10.8 (8.6-13.0)
2008	228	2,341	8,308	8.9 (6.7-11.1)	2.8 (1.8-3.7)	10.1 (7.4-12.8)	13.5 (10.8-16.2)
2009	274	3,288	11,761	8.7 (6.9-10.5)	2.0 (1.3-2.8)	7.7 (5.6-9.8)	11.7 (9.7-13.6)
2010	239	2,758	9,618	7.4 (5.6-9.2)	2.0 (1.4-2.6)	7.0 (5.1-8.8)	16.1 (13.3-18.9)
Oswego Lowlands							
1998	95	1,039	3,493	6.0 (4.2-7.8)	5.2 (2.5-7.8)	8.9 (6.4-11.3)	14.3 (10.0-18.7)
1999	64	685	2,224	5.0 (2.0-7.9)	3.6 (1.1-6.1)	5.4 (2.7-8.1)	16.6 (8.3-24.9)
2000	61	675	2,366	6.8 (2.2-11.3)	1.7 (0.0-3.4)	7.6 (4.3-10.9)	9.7 (6.1-13.4)
2001	55	576	1,884	2.1 (0.9-3.4)	1.1 (0.1-2.1)	5.8 (1.4-10.3)	10.6 (4.8-16.5)
2002	40	439	1,471	10.2 (6.5-13.9)	4.1 (1.7-6.4)	3.4 (0.9-5.9)	13.6 (5.4-21.8)
2003	39	439	1,501	2.0 (0.5-3.5)	2.0 (0.1-3.9)	2.0 (0.5-3.5)	26.0 (9.9-42.1)
2004	53	694	2,429	3.3 (1.7-4.9)	0.0 (0.0-0.0)	7.0 (4.0-10.0)	21.4 (10.9-31.9)
2005	46	482	1,703	5.9 (2.8-8.9)	2.4 (0.5-4.2)	9.4 (4.7-14.1)	18.8 (11.4-26.1)
2006	38	455	1,607	6.2 (3.2-9.3)	3.1 (1.1-5.2)	10.6 (6.0-15.1)	31.1 (12.6-49.7)
2007	56	665	2,350	3.8 (2.2-5.5)	4.3 (1.7-6.8)	4.7 (2.1-7.3)	11.5 (4.8-18.2)
2008	54	594	2,216	2.7 (0.2-5.2)	1.8 (0.0-3.6)	4.5 (2.2-6.8)	9.5 (6.0-12.9)

*In 2009 many WMU boundaries and some names were changed. This report uses 2009 WMU boundaries to define Fur Areas for all years.

05/03/11

Fur Area	#	Total	Total	Red Fox	Gray Fox	Raccoon	Coyote
Year	hunt	days	hours	Index (80% CL)	Index (80% CL)	Index (80% CL)	Index (80% CL)
2009	61	786	2,780	8.6 (4.5-12.7)	5.8 (1.5-10.0)	6.5 (3.4-9.6)	18.4 (9.0-27.7)
2010	63	862	3,135	5.4 (3.2-7.6)	6.1 (3.2-9.0)	6.1 (2.9-9.2)	13.1 (8.7-17.5)
Otsego-Delaware Hills							
1998	303	2,780	11,684	3.7 (2.2-5.2)	3.7 (2.6-4.8)	6.4 (4.4-8.5)	19.1 (14.4-23.7)
1999	197	1,947	8,611	2.8 (2.0-3.6)	3.0 (2.0-4.1)	3.1 (2.1-4.2)	14.6 (11.8-17.5)
2000	213	1,955	8,216	2.6 (1.7-3.5)	1.8 (1.1-2.6)	6.0 (3.9-8.1)	17.2 (12.9-21.4)
2001	180	1,822	7,837	2.3 (1.3-3.3)	2.0 (1.2-2.9)	4.1 (2.8-5.4)	14.8 (11.3-18.3)
2002	128	1,378	5,204	2.3 (1.3-3.3)	3.7 (2.0-5.3)	2.5 (1.2-3.8)	9.6 (7.4-11.8)
2003	168	1,813	7,006	1.9 (1.1-2.7)	3.6 (2.5-4.7)	7.0 (4.8-9.2)	19.3 (14.9-23.7)
2004	199	2,201	8,983	3.7 (2.5-4.9)	5.2 (3.0-7.4)	2.5 (1.5-3.4)	16.0 (12.4-19.7)
2005	185	1,803	7,279	2.2 (1.1-3.3)	3.2 (2.0-4.3)	7.7 (4.7-10.7)	13.9 (10.6-17.2)
2006	171	1,730	6,872	0.9 (0.4-1.3)	2.2 (1.2-3.1)	2.6 (1.6-3.6)	13.0 (10.2-15.7)
2007	182	1,706	6,711	1.3 (0.7-2.0)	1.0 (0.4-1.7)	3.9 (1.9-5.8)	15.1 (11.5-18.6)
2008	170	1,364	5,478	2.6 (1.5-3.7)	2.0 (1.2-2.8)	2.6 (1.4-3.8)	12.6 (9.8-15.4)
2009	172	1,754	7,028	1.4 (0.8-2.1)	1.4 (0.3-2.6)	3.8 (1.2-6.5)	23.5 (9.3-37.7)
2010	165	1,551	6,161	2.9 (2.0-3.9)	2.4 (1.4-3.5)	1.8 (0.8-2.8)	18.5 (14.4-22.6)
St. Lawrence Valley							
1998	51	435	1,433	4.9 (1.8-8.0)	4.2 (1.1-7.3)	18.8 (12.6-25.1)	19.5 (6.5-32.6)
1999	69	476	1,681	7.7 (3.0-12.5)	0.6 (-0.2-1.4)	17.9 (8.4-27.3)	36.9 (19.2-54.5)
2000	77	550	1,682	10.1 (5.9-14.3)	1.2 (0.1-2.3)	20.2 (12.3-28.1)	33.9 (19.1-48.7)
2001	56	444	1,443	4.9 (1.5-8.3)	0.7 (-0.2-1.6)	38.8 (23.4-54.2)	27.7 (16.9-38.6)
2002	44	371	1,165	2.6 (0.2-4.9)	0.9 (-0.3-2.0)	12.0 (4.9-19.1)	18.0 (11.0-25.0)
2003	66	450	1,328	9.0 (3.3-14.8)	6.0 (-1.5-13.6)	38.4 (21.0-55.8)	33.9 (17.7-50.0)
2004	90	753	2,148	4.2 (2.0-6.4)	1.9 (0.4-3.3)	28.4 (20.4-36.4)	55.4 (18.7-92.1)
2005	61	475	1,370	7.3 (2.5-12.1)	0.7 (-0.2-1.7)	28.5 (11.3-45.7)	32.1 (20.9-43.3)
2006	56	470	1,453	1.4 (0.1-2.6)	0.7 (-0.2-1.6)	26.2 (14.6-37.7)	17.9 (10.5-25.3)
2007	86	671	2,260	1.3 (0.4-2.3)	1.8 (0.0-3.6)	27.9 (16.4-39.4)	20.4 (13.2-27.6)
2008	78	574	1,868	1.6 (0.4-2.8)	1.6 (0.1-3.1)	19.8 (9.3-30.4)	19.3 (10.6-27.9)
2009	62	606	1,960	5.6 (1.3-9.9)	2.0 (-0.1-4.2)	21.9 (8.8-35.1)	36.7 (23.2-50.3)
2010	72	636	2,191	0.9 (0.1-1.7)	3.7 (1.6-5.7)	25.6 (18.1-33.1)	31.5 (17.7-45.3)
North Taconic Highlands							
1998	122	1,104	4,313	4.6 (2.8-6.5)	2.3 (1.3-3.4)	3.9 (2.1-5.8)	15.5 (11.6-19.5)
1999	87	774	3,132	7.7 (4.3-11.0)	2.6 (1.4-3.8)	2.9 (1.0-4.8)	8.9 (5.8-12.1)
2000	79	742	3,044	2.3 (1.1-3.5)	1.0 (0.3-1.7)	4.3 (2.0-6.6)	10.8 (6.9-14.8)
2001	72	673	2,489	1.6 (0.6-2.6)	0.4 (-0.1-0.9)	4.8 (2.0-7.6)	12.1 (8.1-16.1)
2002	64	558	2,149	8.8 (5.5-12.2)	4.2 (1.3-7.1)	4.2 (1.8-6.6)	11.2 (7.3-15.0)
2003	84	809	3,066	5.2 (3.3-7.2)	2.9 (1.3-4.6)	7.5 (3.3-11.7)	23.8 (17.2-30.4)
2004	128	1,284	4,920	6.1 (2.6-9.6)	1.0 (-0.1-2.1)	0.2 (-0.1-0.5)	18.3 (13.6-23.0)
2005	104	939	3,554	2.0 (1.0-2.9)	1.4 (0.5-2.3)	4.2 (1.9-6.6)	12.9 (9.5-16.4)
2006	100	955	3,350	3.9 (2.5-5.3)	1.2 (0.3-2.1)	2.1 (0.9-3.3)	10.5 (6.0-14.9)

*In 2009 many WMU boundaries and some names were changed. This report uses 2009 WMU boundaries to define Fur Areas for all years.

05/03/11

Fur Area	#	Total	Total	Red Fox	Gray Fox	Raccoon	Coyote
Year	hunt	days	hours	Index (80% CL)	Index (80% CL)	Index (80% CL)	Index (80% CL)
2007	149	1,319	4,986	3.0 (2.0-4.0)	4.8 (-0.2-9.8)	4.4 (2.4-6.5)	12.6 (9.4-15.8)
2008	140	1,067	3,915	3.8 (2.1-5.5)	1.0 (0.4-1.7)	4.1 (1.6-6.6)	15.6 (11.2-20.0)
2009	143	1,404	5,207	2.7 (1.7-3.7)	3.5 (2.0-5.0)	4.0 (2.2-5.9)	20.4 (15.3-25.4)
2010	134	1,293	4,843	4.1 (2.7-5.5)	3.3 (1.2-5.4)	4.3 (2.4-6.2)	20.7 (15.1-26.2)
South Taconic Highlands							
1998	149	1,221	4,836	5.6 (3.9-7.3)	1.5 (0.5-2.4)	5.4 (3.8-7.0)	18.8 (13.6-24.1)
1999	101	975	3,823	6.5 (4.1-8.9)	2.6 (1.0-4.2)	8.9 (5.8-12.0)	12.0 (7.7-16.4)
2000	93	761	3,043	3.6 (2.3-5.0)	0.7 (0.1-1.3)	3.3 (1.5-5.1)	19.1 (14.4-23.7)
2001	74	628	2,233	5.4 (2.0-8.8)	2.2 (0.8-3.7)	5.4 (3.0-7.8)	19.7 (15.5-23.9)
2002	65	504	1,891	1.6 (0.5-2.7)	0.0 (0.0-0.0)	2.1 (0.5-3.8)	11.6 (7.7-15.6)
2003	93	887	3,257	6.5 (3.3-9.6)	28.9 (-5.5-63.3)	8.6 (5.7-11.5)	16.9 (12.0-21.8)
2004	127	1,242	4,977	5.4 (3.5-7.4)	0.6 (0.0-1.2)	5.0 (2.6-7.4)	27.1 (19.0-35.2)
2005	114	980	3,724	5.1 (3.1-7.1)	0.8 (0.2-1.4)	5.1 (3.1-7.1)	21.8 (15.3-28.2)
2006	94	755	2,951	2.7 (1.4-4.0)	1.0 (0.1-2.0)	5.4 (2.7-8.1)	31.5 (19.7-43.3)
2007	111	925	3,597	3.9 (2.2-5.6)	0.8 (0.0-1.6)	5.3 (3.2-7.3)	19.7 (14.4-25.1)
2008	118	912	3,739	4.3 (2.6-6.0)	0.0 (0.0-0.0)	7.5 (4.5-10.5)	20.3 (14.6-26.0)
2009	123	1,143	5,074	4.3 (2.6-6.0)	0.6 (0.2-1.0)	6.3 (3.3-9.3)	23.7 (17.2-30.1)
2010	118	1,056	4,436	5.4 (3.7-7.1)	1.1 (0.4-1.9)	6.3 (4.2-8.5)	23.7 (16.0-31.4)
Tug Hill Transition							
1998	46	365	1,294	3.1 (0.7-5.5)	0.8 (-0.2-1.8)	10.1 (4.6-15.5)	6.2 (2.3-10.1)
1999	43	345	1,395	2.9 (1.0-4.7)	0.7 (-0.2-1.7)	10.0 (5.1-14.9)	2.9 (1.0-4.7)
2000	50	338	1,134	6.2 (1.8-10.5)	3.5 (0.8-6.3)	14.1 (7.4-20.8)	16.8 (8.8-24.7)
2001	32	232	746	9.4 (3.6-15.2)	0.0 (0.0-0.0)	8.0 (2.6-13.5)	5.4 (1.2-9.6)
2002	30	178	588	1.7 (-0.5-3.9)	1.7 (-0.5-3.9)	0.0 (0.0-0.0)	6.8 (2.3-11.3)
2003	36	212	656	3.1 (0.3-5.8)	1.5 (-0.5-3.5)	32.0 (15.1-48.9)	12.2 (3.7-20.7)
2004	42	322	1,060	8.5 (-1.2-18.2)	7.6 (0.0-15.1)	13.2 (6.1-20.3)	44.3 (23.3-65.4)
2005	34	217	803	2.5 (0.2-4.8)	2.5 (0.3-4.7)	10.0 (2.7-17.2)	11.2 (3.4-19.1)
2006	27	192	659	1.5 (-0.5-3.5)	4.6 (1.0-8.2)	33.4 (6.3-60.5)	12.1 (1.0-23.3)
2007	41	297	1,027	2.9 (0.8-5.0)	1.0 (-0.3-2.2)	26.3 (3.7-48.9)	15.6 (7.5-23.7)
2008	40	283	1,062	2.8 (0.9-4.7)	4.7 (1.5-7.9)	13.2 (3.7-22.7)	13.2 (7.5-18.9)
2009	38	281	1,044	1.9 (0.2-3.7)	0.0 (0.0-0.0)	13.4 (4.4-22.4)	21.1 (11.8-30.3)
2010	41	336	1,234	2.4 (0.7-4.1)	1.6 (0.2-3.0)	8.1 (2.5-13.7)	28.4 (17.1-39.6)
Tug Hill							
1998	11	67	171	0.0 (0.0-0.0)	0.0 (0.0-0.0)	5.9 (-1.0-12.7)	17.5 (-6.2-41.3)
1999	12	68	357	5.6 (-0.1-11.3)	0.0 (0.0-0.0)	2.8 (-0.8-6.4)	11.2 (2.9-19.5)
2000	13	94	323	3.1 (-1.3-7.5)	0.0 (0.0-0.0)	12.4 (-5.3-30.1)	3.1 (-0.9-7.1)
2001	12	55	147	20.4 (1.9-39.0)	0.0 (0.0-0.0)	20.4 (3.0-37.8)	6.8 (-2.6-16.2)
2002	5	26	61	0.0 (0.0-0.0)	0.0 (0.0-0.0)	0.0 (0.0-0.0)	32.8 (-12.6-78.2)
2003	6	17	60	0.0 (0.0-0.0)	0.0 (0.0-0.0)	0.0 (0.0-0.0)	16.7 (-0.9-34.2)
2004	11	56	166	6.0 (-1.5-13.5)	0.0 (0.0-0.0)	36.1 (-1.8-74.1)	12.1 (-2.5-26.6)

*In 2009 many WMU boundaries and some names were changed. This report uses 2009 WMU boundaries to define Fur Areas for all years.

05/03/11

Fur Area	#	Total	Total	Red Fox	Gray Fox	Raccoon	Coyote
Year	hunt	days	hours	Index (80% CL)	Index (80% CL)	Index (80% CL)	Index (80% CL)
2005	6	16	38	0.0 (0.0-0.0)	0.0 (0.0-0.0)	26.3 (0.1-52.6)	26.3 (-4.9-57.5)
2006	5	17	51	19.6 (-4.2-43.4)	0.0 (0.0-0.0)	78.4 (3.9-152.9)	0.0 (0.0-0.0)
2007	9	45	124	16.1 (-0.1-32.3)	0.0 (0.0-0.0)	40.3 (-4.5-85.2)	8.1 (-2.9-19.0)
2008	9	33	95	10.5 (-3.3-24.4)	0.0 (0.0-0.0)	21.1 (-5.0-47.1)	10.5 (-1.5-22.5)
2009	10	72	218	0.0 (0.0-0.0)	9.2 (2.0-16.4)	9.2 (-3.1-21.5)	36.7 (12.4-61.0)
2010	13	56	189	0.0 (0.0-0.0)	0.0 (0.0-0.0)	10.6 (-3.8-25.0)	0.0 (0.0-0.0)