

# I NY BEGINNERS BIRDING CHALLENGE

Find these 10 common New York birds



Birding is a sport enjoyed by thousands of New Yorkers of all ages and abilities and is a great way to connect with the outdoor world. Like people — some of whom prefer to live in cities, others in the country — different birds like to live in different places or habitats. The following common birds are typical of various habitats in New York State. Be a bird detective and see if you can find these birds in their preferred habitats. Successfully complete your challenge and you will receive an official I BIRD NY certificate and bracelet and be entered into a drawing for fun birding accessories. **Open to NYS Residents 16 yrs old and younger.**



Name of Bird Detective: \_\_\_\_\_ Age: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Email: \_\_\_\_\_

**House Sparrow**

The house sparrow is one of the more common birds in the world. Not native to this country, it was first introduced to the United States in Brooklyn in 1851. Male house sparrows have a gray cap on their heads framed by brown with white cheeks and a black neck.

Length: 5 to 7 inches.

Date Sighted: \_\_\_/\_\_\_/\_\_\_ Time: \_\_\_\_\_  
 Where Sighted: Town/City \_\_\_\_\_  
 Habitat:  Wooded Area  Field  Roadside  
 Wetland  Pond, Lake, or Stream  Ocean  
 Birdfeeder  Park  Playground  
 Other: \_\_\_\_\_

**American Robin**

One of the first birds seen as spring arrives in New York, robins can often be seen hopping around the ground pulling earthworms. The robin's cheery call can be heard at first light. Robins can be identified by their rusty orange chest.

Length: 9 to 11 inches.

Date Sighted: \_\_\_/\_\_\_/\_\_\_ Time: \_\_\_\_\_  
 Where Sighted: Town/City \_\_\_\_\_  
 Habitat:  Wooded Area  Field  Roadside  
 Wetland  Pond, Lake, or Stream  Ocean  
 Birdfeeder  Park  Playground  
 Other: \_\_\_\_\_

**European Starling**

Like the house sparrow, the starling is not native to this country. They were first introduced to North America in 1890 from Europe. Starlings can form large flocks in fall and winter. Starlings change color by season, from purplish green in the summer to brownish black with white spots in the winter.

Length: approx. 8 inches.

Date Sighted: \_\_\_/\_\_\_/\_\_\_ Time: \_\_\_\_\_  
 Where Sighted: Town/City \_\_\_\_\_  
 Habitat:  Wooded Area  Field  Roadside  
 Wetland  Pond, Lake, or Stream  Ocean  
 Birdfeeder  Park  Playground  
 Other: \_\_\_\_\_

**Northern Cardinal**

The northern cardinal is one of the country's most distinguishable birds given the male's bright red color. The cardinal has slowly expanded its range northward and is now found in most states east of the Mississippi River. Male cardinals are bright red in color. Female cardinals are brownish-gray with red tinges on their crest (top of head), wings and tail.

Length: 8 to 9 inches.

Date Sighted: \_\_\_/\_\_\_/\_\_\_ Time: \_\_\_\_\_  
 Where Sighted: Town/City \_\_\_\_\_  
 Habitat:  Wooded Area  Field  Roadside  
 Wetland  Pond, Lake, or Stream  Ocean  
 Birdfeeder  Park  Playground  
 Other: \_\_\_\_\_

**Northern Mockingbird**

As its name implies, the mockingbird is famous for imitating the calls of other birds. Mockingbirds like to make their presence known by perching on fence posts and other prominent areas. They are very aggressive toward other birds entering their territory. Mockingbirds are gray-brown with white patches on their wings and outer tail feathers.

Length: 8 to 11 inches.

Date Sighted: \_\_\_/\_\_\_/\_\_\_ Time: \_\_\_\_\_  
 Where Sighted: Town/City \_\_\_\_\_  
 Habitat:  Wooded Area  Field  Roadside  
 Wetland  Pond, Lake, or Stream  Ocean  
 Birdfeeder  Park  Playground  
 Other: \_\_\_\_\_

**Black-capped Chickadee**



Named after its distinctive *chick-a-dee-dee-dee* call, the chickadee is one of the friendliest birds around. They are very curious and will often fly right up to a person to investigate them and can sometimes be fed by hand. The chickadee has a black cap and throat with white cheeks.

Length: 4 to 6 inches.

Date Sighted: \_\_\_/\_\_\_/\_\_\_ Time: \_\_\_\_\_  
Where Sighted: Town/City \_\_\_\_\_  
Habitat: Wooded Area Field Roadside  
Wetland Pond, Lake, or Stream Ocean  
Birdfeeder Park Playground  
Other: \_\_\_\_\_

**Mourning Dove**



Similar to the chickadee, the mourning dove is named after its primary call - a gloomy cooing sound. Mourning doves are commonly seen picking up seeds and grit on the ground. When disturbed they take off like a rocket. Mourning doves are brown to pinkish tan in color with black spots on the wings and black tips on their pointed tail feathers.

Length: 11 to 12 inches.

Date Sighted: \_\_\_/\_\_\_/\_\_\_ Time: \_\_\_\_\_  
Where Sighted: Town/City \_\_\_\_\_  
Habitat: Wooded Area Field Roadside  
Wetland Pond, Lake, or Stream Ocean  
Birdfeeder Park Playground  
Other: \_\_\_\_\_

**Red-tailed Hawk**



The most popular hawk in North America, the red-tailed hawk can often be seen perched on a telephone pole or tree limb or slowly circling high in the air. Red-tailed hawks can be identified by their rusty red upper tail feathers.

Length: 18 to 26 inches.

Date Sighted: \_\_\_/\_\_\_/\_\_\_ Time: \_\_\_\_\_  
Where Sighted: Town/City \_\_\_\_\_  
Habitat: Wooded Area Field Roadside  
Wetland Pond, Lake, or Stream Ocean  
Birdfeeder Park Playground  
Other: \_\_\_\_\_

**Red-winged Blackbird**




Named after the distinctive red shoulder patches of the male, the red-winged blackbird is one of the most abundant birds in North America. Males like to be noticed and are very vocal, belting out a distinctive *konk-la-ree* call.

Length: 7 to 9.5 inches.

Date Sighted: \_\_\_/\_\_\_/\_\_\_ Time: \_\_\_\_\_  
Where Sighted: Town/City \_\_\_\_\_  
Habitat: Wooded Area Field Roadside  
Wetland Pond, Lake, or Stream Ocean  
Birdfeeder Park Playground  
Other: \_\_\_\_\_

**Mallard Duck**



Mallards are one of the most abundant ducks in the world and very popular with New York duck hunters. The male mallard can be identified by its gleaming green head and curled black tail feathers. The female is brown in color. Both sexes have a white-bordered blue patch on the wing.

Length: 20 to 26 inches.

Date Sighted: \_\_\_/\_\_\_/\_\_\_ Time: \_\_\_\_\_  
Where Sighted: Town/City \_\_\_\_\_  
Habitat: Wooded Area Field Roadside  
Wetland Pond, Lake, or Stream Ocean  
Birdfeeder Park Playground  
Other: \_\_\_\_\_

**Return completed challenge forms to:**

I BIRD NY Beginners Birding Challenge  
New York State Department of Environmental Conservation  
625 Broadway, Albany, NY 12233-1010



**Rules:**

- 1) Challenge open to contestants 16 years of age and younger. 2) One entry per individual.
- 3) Challenge open May 19, 2017- August 31, 2017. 4) All entries must be received by September 15, 2017.

Challenge winners will be announced by November 1, 2017.

[www.dec.ny.gov](http://www.dec.ny.gov) | [www.ibirdny.org](http://www.ibirdny.org)