

Facility DEC ID: 8072800004

PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air Title V Facility
 Permit ID: 8-0728-00004/00017
 Effective Date:

Expiration Date:

Permit Issued To:CHEMUNG COUNTY
 PO BOX 588
 ELMIRA, NY 14902-0588

Contact: CHRISTOPHER MOSS
 CHEMUNG COUNTY
 JOHN H HAZLIT BLDG 203 LAKE ST
 ELMIRA, NY 14901
 (607) 737-2912

Facility: CHEMUNG COUNTY LANDFILL
 1488 CO RTE 60
 ELMIRA, NY 14901

Description:

Fouth Title V Renewal Permit for Chemung County Landfill and Chemung County C&D Landfill which authorizes continued operation of existing infrastructure at the municipal solid waste landfill, operation of the gas collection and control system to reduce emissions and limit odors at the facility, and the operation of the construction and demolition debris (C&D) landfill. The operations include acceptance of municipal and non-hazardous mixed waste; certain oil and gas exploration wastes; commercial and industrial wastes; and other wastes included in the current Part 360 permit at a rate of 417,000 tons per year. The permit also covers emissions from the onsite C&D landfill which is permitted at a rate of 20,500 tons per year.

Existing permitted emission points at the Landfill currently include 8 candlestick flares, a 793 scfm open flare, a 1,200 scfm open flare (authorized under Operational Flexibility provisions), and fugitive emissions from the Landfill and the leachate collection pond. Although the landfill is not yet subject to the gas collection and control requirements of 40 CFR 60 Subpart XXX, the landfill has installed an active gas collection system for the purposes of odor control and as required by the Department to control fugitive emissions under 6NYCRR Part 212. The facility, however, remains subject to Title V permitting requirements due to the applicability of 40 CFR 60 Subpart XXX and remains a minor source pursuant to Non-Attainment New Source Review with the exception of greenhouse gases (GHGs) for which the facility is a major source.

Title V permit renewal based on the Potential to Emit (PTE), which includes: fugitive emissions from approximately 8,154,588 cubic yards of additional air space from the Cell V expansion; the existing candlestick flares (FL001-FL008); the existing 793 scfm

Facility DEC ID: 8072800004

open flare (01FLG); the permitted 1,200 scfm open flare (FLR01); a new 2,040 scfm enclosed flare (FLR02); and other miscellaneous and exempt sources.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: KIMBERLY A MERCHANT
 6274 E AVON LIMA RD
 AVON, NY 14414-9519

Authorized Signature: _____ Date: ___ / ___ / ____

Facility DEC ID: 8072800004

Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.

Facility DEC ID: 8072800004

PAGE LOCATION OF CONDITIONS

PAGE

DEC GENERAL CONDITIONS

General Provisions

- 5 1 Facility Inspection by the Department
- 5 2 Relationship of this Permit to Other Department Orders and Determinations
- 5 3 Applications for permit renewals, modifications and transfers
- 6 4 Permit modifications, suspensions or revocations by the Department

Facility Level

- 6 5 Submission of application for permit modification or renewal-REGION 8 HEADQUARTERS

Facility DEC ID: 8072800004

DEC GENERAL CONDITIONS

****** General Provisions ******

For the purpose of your Title V permit, the following section contains state-only enforceable terms and conditions.

GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department

Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations

Applicable State Requirement: ECL 3-0301 (2) (m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for permit renewals, modifications and transfers

Applicable State Requirement: 6 NYCRR 621.11

Item 3.1:

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

Item 3.2:

The permittee must submit a renewal application at least 180 days before the expiration of permits for Title V and State Facility Permits.

Item 3.3

Permits are transferrable with the approval of the department unless specifically prohibited by

Facility DEC ID: 8072800004

the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Condition 4: Permit modifications, suspensions or revocations by the Department
Applicable State Requirement: 6 NYCRR 621.13

Item 4.1:

The Department reserves the right to exercise all available authority to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

****** Facility Level ******

Condition 5: Submission of application for permit modification or renewal-REGION 8 HEADQUARTERS
Applicable State Requirement: 6 NYCRR 621.6 (a)

Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to:
NYSDEC Regional Permit Administrator
Region 8 Headquarters
Division of Environmental Permits
6274 Avon-Lima Road
Avon, NY 14414-9519
(585) 226-2466

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - TITLE V PERMIT

IDENTIFICATION INFORMATION

Permit Issued To:CHEMUNG COUNTY
PO BOX 588
ELMIRA, NY 14902-0588

Facility: CHEMUNG COUNTY LANDFILL
1488 CO RTE 60
ELMIRA, NY 14901

Authorized Activity By Standard Industrial Classification Code:
4953 - REFUSE SYSTEMS

Permit Effective Date:

Permit Expiration Date:

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

PAGE LOCATION OF CONDITIONS

PAGE

FEDERALLY ENFORCEABLE CONDITIONS

Facility Level

- 7 1 6 NYCRR 200.6: Acceptable Ambient Air Quality
- 8 2 6 NYCRR 201-6.4 (a) (7): Fees
- 8 3 6 NYCRR 201-6.4 (c): Recordkeeping and Reporting of
Compliance Monitoring
- 8 4 6 NYCRR 201-6.4 (c) (2): Records of Monitoring,
Sampling, and Measurement
- 9 5 6 NYCRR 201-6.4 (c) (3) (ii): Compliance Certification
- 11 6 6 NYCRR 201-6.4 (e): Compliance Certification
- 13 7 6 NYCRR 202-2.1: Compliance Certification
- 13 8 6 NYCRR 202-2.5: Recordkeeping requirements
- 14 9 6 NYCRR 215.2: Open Fires - Prohibitions
- 15 10 6 NYCRR 200.7: Maintenance of Equipment
- 15 11 6 NYCRR 201-1.7: Recycling and Salvage
- 15 12 6 NYCRR 201-1.8: Prohibition of Reintroduction of
Collected Contaminants to the air
- 16 13 6 NYCRR 201-3.2 (a): Exempt Sources - Proof of Eligibility
- 16 14 6 NYCRR 201-3.3 (a): Trivial Sources - Proof of Eligibility
- 16 15 6 NYCRR 201-6.4 (a) (4): Requirement to Provide Information
- 16 16 6 NYCRR 201-6.4 (a) (8): Right to Inspect
- 17 17 6 NYCRR 202-1.1: Required Emissions Tests
- 17 18 40 CFR Part 68: Accidental release provisions.
- 18 19 40 CFR 82, Subpart F: Recycling and Emissions Reduction
- 18 20 6 NYCRR Subpart 201-6: Emission Unit Definition
- 18 21 6 NYCRR 201-6.4 (d) (4): Progress Reports Due Semiannually
- 19 22 6 NYCRR 201-6.4 (f): Operational Flexibility
- 19 23 6 NYCRR 201-6.4 (f): Compliance Certification
- 22 24 6 NYCRR 211.2: Visible Emissions Limited
- 22 25 6 NYCRR 212-1.5 (g): Compliance Certification
- 23 26 6 NYCRR 212-1.6 (a): Compliance Certification
- 25 27 40 CFR 60.4, NSPS Subpart A: EPA Region 2 address.
- 25 28 40 CFR 60.7(a), NSPS Subpart A: Modification Notification
- 26 29 40 CFR 60.7(b), NSPS Subpart A: Recordkeeping requirements.
- 26 30 40 CFR 60.7(f), NSPS Subpart A: Facility files for subject sources.
- 26 31 40 CFR 60.7(g), NSPS Subpart A: Notification Similar
to State or Local Agency
- 26 32 40 CFR 60.9, NSPS Subpart A: Availability of information.
- 26 33 40 CFR 60.11(d), NSPS Subpart A: Compliance with
Standards and Maintenance Requirements
- 27 34 40 CFR 60.12, NSPS Subpart A: Circumvention.
- 27 35 40 CFR 60.14, NSPS Subpart A: Modifications.
- 27 36 40 CFR 60.15, NSPS Subpart A: Reconstruction
- 28 37 40 CFR 60.760, NSPS Subpart XXX: Applicability,
designation of affected source, and delegation of authority.
- 28 38 40 CFR 60.762(b)(1), NSPS Subpart XXX: Compliance Certification
- 29 39 40 CFR 60.762(b)(2), NSPS Subpart XXX: Compliance Certification

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

- 32 40 40CFR 60.764(a)(3), NSPS Subpart XXX: Compliance Certification
- 34 41 40CFR 60.764(a)(4), NSPS Subpart XXX: Compliance Certification
- 35 42 40CFR 60.767(a), NSPS Subpart XXX: Reporting
Requirements - Design Capacity Report
- 36 43 40CFR 60.767(b), NSPS Subpart XXX: Compliance Certification
- 37 44 40CFR 60.768(a), NSPS Subpart XXX: Compliance Certification
- 38 45 40CFR 61.154, NESHAP Subpart M: Asbestos-containing
waste material standard for active waste disposal sites
- Emission Unit Level**
- 38 46 6 NYCRR Subpart 201-6: Emission Point Definition By Emission Unit
- 39 47 6 NYCRR Subpart 201-6: Process Definition By Emission Unit
-
- EU=1-CHMNG,Proc=FLR**
- 41 48 40CFR 60.18(e), NSPS Subpart A: General Control
Device Requirements - Flares
-
- STATE ONLY ENFORCEABLE CONDITIONS**
- Facility Level**
- 43 49 ECL 19-0301: Contaminant List
- 43 50 6 NYCRR 201-1.4: Malfunctions and Start-up/Shutdown Activities
- 44 51 6 NYCRR 201-6.5 (a): CLCPA Applicability
- 44 52 6 NYCRR Subpart 257-5: Compliance Demonstration
- Emission Unit Level**
-
- EU=1-CHMNG**
- 46 53 6 NYCRR 257-5.3: Compliance Demonstration

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

FEDERALLY ENFORCEABLE CONDITIONS

Renewal 4/DRAFT

**** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

The items listed below are not subject to the annual compliance certification requirements under Title V. Permittees may also have other obligations under regulations of general applicability.

- Item A: Public Access to Recordkeeping for Title V Facilities - 6 NYCRR 201-1.10 (b)**
The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6 NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.
- Item B: Timely Application for the Renewal of Title V Permits - 6 NYCRR 201-6.2 (a) (4)**
Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.
- Item C: Certification by a Responsible Official - 6 NYCRR 201-6.2 (d) (12)**
Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- Item D: Requirement to Comply With All Conditions - 6 NYCRR 201-6.4 (a) (2)**
The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.
- Item E: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR 201-6.4 (a) (3)**
This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Item F: Cessation or Reduction of Permitted Activity Not a Defense - 6 NYCRR 201-6.4 (a) (5)

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

Item G: Property Rights - 6 NYCRR 201-6.4 (a) (6)

This permit does not convey any property rights of any sort or any exclusive privilege.

Item H: Severability - 6 NYCRR 201-6.4 (a) (9)

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Item I: Permit Shield - 6 NYCRR 201-6.4 (g)

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

- ii. The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii. The applicable requirements of Title IV of the Act;
- iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Item J: Reopening for Cause - 6 NYCRR 201-6.4 (i)

This Title V permit shall be reopened and revised under any of the following circumstances:

- i. When additional applicable requirements under the act become applicable to a title V facility with a remaining permit term of three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the department pursuant to the provisions of section 201- 6.6 of this Subpart.
- ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.
- iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.
- iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

Item K: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item L: Federally Enforceable Requirements - 40 CFR 70.6 (b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

**MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS
SUBJECT TO ANNUAL CERTIFICATIONS AT ALL TIMES**

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements at all times.

**Condition 1: Acceptable Ambient Air Quality
Effective for entire length of Permit****Applicable Federal Requirement: 6 NYCRR 200.6****Item 1.1:**

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Condition 2: Fees
Effective for entire length of Permit

Applicable Federal Requirement: 6 NYCRR 201-6.4 (a) (7)

Item 2.1:

The owner and/or operator of a stationary source shall pay fees to the Department consistent with the fee schedule authorized by ECL 72-0303.

Condition 3: Recordkeeping and Reporting of Compliance Monitoring
Effective for entire length of Permit

Applicable Federal Requirement: 6 NYCRR 201-6.4 (c)

Item 3.1:

The following information must be included in any required compliance monitoring records and reports:

- (i) The date, place, and time of sampling or measurements;
- (ii) The date(s) analyses were performed;
- (iii) The company or entity that performed the analyses;
- (iv) The analytical techniques or methods used including quality assurance and quality control procedures if required;
- (v) The results of such analyses including quality assurance data where required; and
- (vi) The operating conditions as existing at the time of sampling or measurement.

Any deviation from permit requirements must be clearly identified in all records and reports. Reports must be certified by a responsible official, consistent with Section 201-6.2 of Part 201.

Condition 4: Records of Monitoring, Sampling, and Measurement
Effective for entire length of Permit

Applicable Federal Requirement: 6 NYCRR 201-6.4 (c) (2)

Item 4.1:

Compliance monitoring and recordkeeping shall be conducted according to the terms and

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

conditions contained in this permit and shall follow all quality assurance requirements found in applicable regulations. Records of all monitoring data and support information must be retained for a period of at least 5 years from the date of the monitoring, sampling, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

Condition 5: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6 NYCRR 201-6.4 (c) (3) (ii)

Item 5.1:

The Compliance Certification activity will be performed for the Facility.

Item 5.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

To meet the requirements of this facility permit with respect to reporting, the permittee must:

Submit reports of any required monitoring at a minimum frequency of every 6 months, based on a calendar year reporting schedule. These reports shall be submitted to the Department within 30 days after the end of a reporting period. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by the responsible official for this facility.

Notify the Department and report permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken. Where the underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations shall be submitted to the permitting authority based on the following schedule:

(1) For emissions of a hazardous air pollutant (as identified in an applicable regulation) that continue for more than an hour in excess of permit requirements, the report must be made within 24 hours of the occurrence.

(2) For emissions of any regulated air pollutant,

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

excluding those listed in paragraph (1) of this section, that continue for more than two hours in excess of permit requirements, the report must be made within 48 hours.

(3) For all other deviations from permit requirements, the report shall be contained in the 6 month monitoring report required above.

(4) This permit may contain a more stringent reporting requirement than required by paragraphs (1), (2) or (3) above. If more stringent reporting requirements have been placed in this permit or exist in applicable requirements that apply to this facility, the more stringent reporting requirement shall apply.

If above paragraphs (1) or (2) are met, the source must notify the permitting authority by telephone during normal business hours at the Regional Office of jurisdiction for this permit, attention Regional Air Pollution Control Engineer (RAPCE) according to the timetable listed in paragraphs (1) and (2) of this section. For deviations and incidences that must be reported outside of normal business hours, on weekends, or holidays, the DEC Spill Hotline phone number at 1-800-457-7362 shall be used. A written notice, certified by a responsible official consistent with 6 NYCRR Part 201-6.2(d)(12), must be submitted within 10 working days of an occurrence for deviations reported under (1) and (2). All deviations reported under paragraphs (1) and (2) of this section must also be identified in the 6 month monitoring report required above.

The provisions of 6 NYCRR 201-1.4 shall apply if the permittee seeks to have a violation excused unless otherwise limited by regulation. In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets. Notwithstanding any recordkeeping and reporting requirements in 6 NYCRR 201-1.4, reports of any deviations shall not be on a less frequent basis than the reporting periods described in paragraphs (1) and (4) above.

In the case of any condition contained in this permit with a reporting requirement of "Upon request by regulatory agency" the permittee shall include in the semiannual report, a statement for each such condition that the monitoring or recordkeeping was performed as required or

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

requested and a listing of all instances of deviations from these requirements.

In the case of any emission testing performed during the previous six month reporting period, either due to a request by the Department, EPA, or a regulatory requirement, the permittee shall include in the semiannual report a summary of the testing results and shall indicate whether or not the Department or EPA has approved the results.

All semiannual reports may be submitted electronically or physically. Electronic reports shall be submitted using the Department's Air Compliance and Emissions Electronic-Reporting system (ACE). If the facility owner or operator elects to send physical copies instead, two copies shall be sent to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office) and one copy shall be sent to the Administrator (or his or her representative). Mailing addresses for the above referenced persons are contained in the monitoring condition for 6 NYCRR Part 201-6.4(e), contained elsewhere in this permit.

Monitoring Frequency: SEMI-ANNUALLY
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
Subsequent reports are due every 6 calendar month(s).

Condition 6: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6 NYCRR 201-6.4 (e)

Item 6.1:

The Compliance Certification activity will be performed for the Facility.

Item 6.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Requirements for compliance certifications with terms and conditions contained in this facility permit include the following:

- i. Compliance certifications shall contain:
 - the identification of each term or condition of the permit that is the basis of the certification;

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

- the compliance status;
- whether compliance was continuous or intermittent;
- the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
- such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions;
- and
- such additional requirements as may be specified elsewhere in this permit related to compliance certification.

ii. The responsible official must include in the annual certification report all terms and conditions contained in this permit which are identified as being subject to certification, including emission limitations, standards, or work practices. That is, the provisions labeled herein as "Compliance Certification" are not the only provisions of this permit for which an annual certification is required.

iii. Compliance certifications shall be submitted annually. Certification reports are due 30 days after the anniversary date of four consecutive calendar quarters. The first report is due 30 days after the calendar quarter that occurs just prior to the permit anniversary date, unless another quarter has been acceptable by the Department.

iv. All annual compliance certifications may be submitted electronically or physically. Electronic reports shall be submitted using the Department's Air Compliance and Emissions Electronic-Reporting system (ACE). If the facility owner or operator elects to send physical copies instead, two copies shall be sent to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office) and one copy shall be sent to the Administrator (or his or her representative). The mailing addresses for the above referenced persons are:

Chief – Air Compliance Branch
USEPA Region 2 DECA/ACB
290 Broadway, 21st Floor
New York, NY 10007

The address for the RAPCE is as follows:

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Regional Air Pollution Control Engineer
NYSDEC Region 8 Headquarters
6274 East Avon-Lima Road
Avon, NY 14414-9519

The address for the BQA is as follows:

NYSDEC
Bureau of Quality Assurance
625 Broadway
Albany, NY 12233-3258

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2022.
Subsequent reports are due on the same day each year

Condition 7: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement:6 NYCRR 202-2.1

Item 7.1:

The Compliance Certification activity will be performed for the Facility.

Item 7.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year. Statements are to be submitted electronically or mailed to: New York State Department of Environmental Conservation, Division of Air Resources, Bureau of Air Quality Planning, 625 Broadway, Albany NY 12233-3251

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due by April 15th for previous calendar year

Condition 8: Recordkeeping requirements
Effective for entire length of Permit

Applicable Federal Requirement:6 NYCRR 202-2.5

Item 8.1:

(a) The following records shall be maintained for at least five years:

(1) a copy of each emission statement submitted to the department; and

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

(2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.

(b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.

Condition 9: Open Fires - Prohibitions
Effective for entire length of Permit

Applicable Federal Requirement: 6 NYCRR 215.2

Item 9.1:

Except as allowed by Title 6 NYCRR Section 215.3, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.

Item 9.2

Per Section 215.3, burning in an open fire, provided it is not contrary to other law or regulation, will be allowed as follows:

- (a) On-site burning in any town with a total population less than 20,000 of downed limbs and branches (including branches with attached leaves or needles) less than six inches in diameter and eight feet in length between May 15th and the following March 15th. For the purposes of this subdivision, the total population of a town shall include the population of any village or portion thereof located within the town. However, this subdivision shall not be construed to allow burning within any village.
- (b) Barbecue grills, maple sugar arches and similar outdoor cooking devices when actually used for cooking or processing food.
- (c) Small fires used for cooking and camp fires provided that only charcoal or untreated wood is used as fuel and the fire is not left unattended until extinguished.
- (d) On-site burning of agricultural wastes as part of a valid agricultural operation on contiguous agricultural lands larger than five acres actively devoted to agricultural or horticultural use, provided such waste is actually grown or generated on those lands and such waste is capable of being fully burned within a 24-hour period.
- (e) The use of liquid petroleum fueled smudge pots to prevent frost damage to crops.
- (f) Ceremonial or celebratory bonfires where not otherwise prohibited by law, provided that only untreated wood or other agricultural products are used as fuel and the fire is not left unattended until extinguished.
- (g) Small fires that are used to dispose of a flag or religious item, and small fires or other smoke producing process where not otherwise prohibited by law that are used in connection with a religious ceremony.
- (h) Burning on an emergency basis of explosive or other dangerous or contraband materials by police or other public safety organization.
- (i) Prescribed burns performed according to Part 194 of this Title.
- (j) Fire training, including firefighting, fire rescue, and fire/arson investigation training, performed under applicable rules and guidelines of the New York State Department of State's Office of Fire Prevention and Control. For fire training performed on acquired structures, the structures must be emptied and stripped of any material that is toxic, hazardous or likely to emit toxic smoke (such as asbestos, asphalt shingles and vinyl siding or other vinyl products) prior to burning and must be at least 300 feet from other occupied structures. No more than one structure per lot or within a 300 foot radius (whichever is bigger) may be burned in a training exercise.

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

(k) Individual open fires as approved by the Director of the Division of Air Resources as may be required in response to an outbreak of a plant or animal disease upon request by the commissioner of the Department of Agriculture and Markets, or for the destruction of invasive plant and insect species.

(l) Individual open fires that are otherwise authorized under the environmental conservation law, or by rule or regulation of the Department.

**MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS
SUBJECT TO ANNUAL CERTIFICATIONS ONLY IF APPLICABLE**

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements only if effectuated during the reporting period.

[NOTE: The corresponding annual compliance certification for those conditions not effectuated during the reporting period shall be specified as "not applicable".]

**Condition 10: Maintenance of Equipment
Effective for entire length of Permit**

Applicable Federal Requirement:6 NYCRR 200.7

Item 10.1:

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

**Condition 11: Recycling and Salvage
Effective for entire length of Permit**

Applicable Federal Requirement:6 NYCRR 201-1.7

Item 11.1:

Where practical, the owner or operator of an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of the ECL.

**Condition 12: Prohibition of Reintroduction of Collected Contaminants to
the air
Effective for entire length of Permit**

Applicable Federal Requirement:6 NYCRR 201-1.8

Item 12.1:

No person shall unnecessarily remove, handle or cause to be handled, collected air

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Condition 13: Exempt Sources - Proof of Eligibility
Effective for entire length of Permit

Applicable Federal Requirement:6 NYCRR 201-3.2 (a)

Item 13.1:

The owner or operator of an emission source or activity that is listed as being exempt may be required to certify that it is operated within the specific criteria described in this Subpart. The owner or operator of any such emission source or activity must maintain all records necessary for demonstrating compliance with this Subpart on-site for a period of five years, and make them available to representatives of the department upon request.

Condition 14: Trivial Sources - Proof of Eligibility
Effective for entire length of Permit

Applicable Federal Requirement:6 NYCRR 201-3.3 (a)

Item 14.1:

The owner or operator of an emission source or activity that is listed as being trivial in this Section may be required to certify that it is operated within the specific criteria described in this Subpart. The owner or operator of any such emission source or activity must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request.

Condition 15: Requirement to Provide Information
Effective for entire length of Permit

Applicable Federal Requirement:6 NYCRR 201-6.4 (a) (4)

Item 15.1:

The owner and/or operator shall furnish to the department, within a reasonable time, any information that the department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the department copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to the administrator along with a claim of confidentiality, if the administrator initiated the request for information or otherwise has need of it.

Condition 16: Right to Inspect
Effective for entire length of Permit

Applicable Federal Requirement:6 NYCRR 201-6.4 (a) (8)

Item 16.1:

The department or an authorized representative shall be allowed upon presentation of credentials and other documents as may be required by law to:

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

- (i) enter upon the permittee's premises where a facility subject to the permitting requirements of this Subpart is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;
- (ii) have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
- (iii) inspect at reasonable times any emission sources, equipment (including monitoring and air pollution control equipment), practices, and operations regulated or required under the permit; and
- (iv) sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

**Condition 17: Required Emissions Tests
Effective for entire length of Permit**

Applicable Federal Requirement:6 NYCRR 202-1.1

Item 17.1:

For the purpose of ascertaining compliance or non-compliance with any air pollution control code, rule or regulation, the commissioner may require the person who owns such air contamination source to submit an acceptable report of measured emissions within a stated time.

**Condition 18: Accidental release provisions.
Effective for entire length of Permit**

Applicable Federal Requirement:40 CFR Part 68

Item 18.1:

If a chemical is listed in Tables 1,2,3 or 4 of 40 CFR §68.130 is present in a process in quantities greater than the threshold quantity listed in Tables 1,2,3 or 4, the following requirements will apply:

- a) The owner or operator shall comply with the provisions of 40 CFR Part 68 and;
- b) The owner or operator shall submit at the time of permit issuance (if not previously submitted) one of the following, if such quantities are present:
 - 1) A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR §68.10(a) or,
 - 2) A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan. Information should be submitted to:

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Risk Management Plan Reporting Center
C/O CSC
8400 Corporate Dr
Carrollton, Md. 20785

**Condition 19: Recycling and Emissions Reduction
Effective for entire length of Permit**

Applicable Federal Requirement:40CFR 82, Subpart F

Item 19.1:

The permittee shall comply with all applicable provisions of 40 CFR Part 82.

The following conditions are subject to annual compliance certification requirements for Title V permits only.

**Condition 20: Emission Unit Definition
Effective for entire length of Permit**

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 20.1:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 1-CHMNG

Emission Unit Description:

This unit consists of landfilled waste from active and closed MSW and C&D landfill areas generating landfill gas and flares used to combust gas from the landfill.

Landfill gas generated from C&D waste is minimal and considered trivial. Landfill gas will also be released as fugitive emissions from the landfill. Volatiles in leachate generated from the landfill areas may also be released as fugitive emissions from the leachate storage lagoon.

**Condition 21: Progress Reports Due Semiannually
Effective for entire length of Permit**

Applicable Federal Requirement:6 NYCRR 201-6.4 (d) (4)

Item 21.1:

Progress reports consistent with an applicable schedule of compliance are to be submitted at least semiannually, or at a more frequent period if specified in the applicable requirement or by the department. Such progress reports shall contain the following:

- (i) dates for achieving the activities, milestones, or compliance required in the schedule of

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

compliance, and dates when such activities, milestones or compliance were achieved; and

(ii) an explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

Condition 22: Operational Flexibility
Effective for entire length of Permit

Applicable Federal Requirement: 6 NYCRR 201-6.4 (f)

Item 22.1:

A permit modification is not required for changes that are provided for in the permit. Such changes include approved alternate operating scenarios and changes that have been submitted and approved pursuant to an established operational flexibility protocol and the requirements of this section. Each such change cannot be a modification under any provision of Title I of the Clean Air Act or exceed, or cause the facility to exceed, an emissions cap or limitation in the permit. The facility owner or operator must incorporate all changes into any compliance certifications, record keeping, and/or reporting required by the permit.

Condition 23: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 6 NYCRR 201-6.4 (f)

Item 23.1:

The Compliance Certification activity will be performed for the Facility.

Item 23.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Operational Flexibility Plan

I. Protocol Objective

The objective of this condition is to maximize operational flexibility at the facility by building into the Title V permit the capability to make certain changes using a protocol. As provided under 6 NYCRR Part 201-6.4(f)(2), changes made under an approved protocol are not subject to the Title V permit modification provisions under 6 NYCRR Part 201-6.6.

II. Protocol

A. Criteria

1. Changes reviewed under this protocol shall be

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

evaluated in accordance with the following criteria:

a. All underlying federal and state requirements with which the new or changed emission source must comply must exist in the Title V permit. Existing permit conditions may be amended to reference or include the new or changed emission source and any related information, and/or subject to DEC approval, new conditions proposed, to provide the appropriate monitoring parameters.

b. Any new or changed emission source shall not be part of a source project that results in a significant net emissions increase that exceeds the New Source Review (NSR) thresholds identified in 6 NYCRR Part 231.

c. The facility shall not use the protocol to make physical changes or changes in the method of operation of existing emissions sources that would require a new or modified federally enforceable cap either to avoid major NSR requirements or to address and comply with other Clean Air Act requirements, such as RACT. Such changes must be addressed via the significant permit modification provisions.

B. Notification Requirements for Changes Reviewed under the Protocol

1. The facility shall notify the Department in writing of the proposed change.

2. Notifications made in accordance with this protocol will include the following documentation:

a. Identification of the Title V permit emission unit, process(es), emission sources and emission points affected by the proposed change with applicable revisions to the Emission Unit structure;

b. Description of the proposed change, including operating parameters;

c. Identification and description of emissions control technology;

d. Documentation of the project's, or emission source's, compliance with respect to all state and/or federally applicable requirements, including the following steps:

i. Calculate the emission rate potential and maximum

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

projected actual annual emission rates for all contaminants affected by the change.

ii. Submit documentation of major NSR program non-applicability for NYSDEC review and approval.

iii. Identify and evaluate the applicability of all regulations likely to be triggered by the new or changed emission source.

iv. Propose any operating and record keeping procedures necessary to ensure compliance.

e. Any other relevant information used for the evaluation of the proposed project or emission source under the Protocol.

C. Review and Approval of Changes

1. The Department shall respond to the permittee in writing with a determination within 15 days of receipt of the notification of the permittee.

2. The Department may require a permit modification, in order to impose new applicable requirements or additional permit conditions if it determines that changes proposed pursuant to notification do not meet the criteria under II. A above or that the changes may have a significant air quality impact or be otherwise potentially significant under SEQRA (6 NYCRR Part 617).

3. The Department may require that the permittee not undertake the proposed change until it completes a more detailed review of the proposed change, which may include potential air quality impacts and/or applicable requirements. The Department's determination shall include a listing of information required for further review, if necessary.

D. Additional Compliance Obligations for Changes Made Under this Protocol

1. Upon commencement of the change, the facility shall comply with all applicable requirements and permit conditions, including any amended or proposed in accordance with II.A.1.a above.

2. The facility shall provide with the semi-annual monitoring report, a summary of the changes made in

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

accordance with this protocol and a statement of the compliance status of each. Changes reported should include all those made during the corresponding period and any earlier changes that have not yet been incorporated into the permit.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

**Condition 24: Visible Emissions Limited
Effective for entire length of Permit**

Applicable Federal Requirement:6 NYCRR 211.2

Item 24.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

**Condition 25: Compliance Certification
Effective for entire length of Permit**

Applicable Federal Requirement:6 NYCRR 212-1.5 (g)

Item 25.1:

The Compliance Certification activity will be performed for the Facility.

Item 25.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

In order to demonstrate that the landfill gas collection system is operating properly, the pressure at each horizontal collector and vertical well shall be monitored on a monthly basis. If positive pressure exists, corrective action shall be taken within 5 days (exceptions for monthly pressure monitoring include: i. fire or increased well temperatures; ii. use of a geomembrane or synthetic covering; or iii. a decommissioned well).

If negative pressure cannot be achieved within 30 days of the initial exceedance, a proposed corrective action plan and schedule shall be submitted to the Department within 30 days of the initial exceedance. Providing the specified corrective measures are taken, an exceedance is

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

not a violation of this condition.

The facility shall maintain records of the monthly monitoring and corrective actions on site.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

**Condition 26: Compliance Certification
Effective for entire length of Permit**

Applicable Federal Requirement: 6 NYCRR 212-1.6 (a)

Item 26.1:

The Compliance Certification activity will be performed for the facility:

The Compliance Certification applies to:

Emission Unit: 1-CHMNG
Process: FLR

Emission Unit: 1-CHMNG
Process: FLR Emission Source: 01LFG

Emission Unit: 1-CHMNG
Process: FLR Emission Source: FL001

Emission Unit: 1-CHMNG
Process: FLR Emission Source: FL002

Emission Unit: 1-CHMNG
Process: FLR Emission Source: FL003

Emission Unit: 1-CHMNG
Process: FLR Emission Source: FL004

Emission Unit: 1-CHMNG
Process: FLR Emission Source: FL005

Emission Unit: 1-CHMNG
Process: FLR Emission Source: FL006

Emission Unit: 1-CHMNG
Process: FLR Emission Source: FL007

Emission Unit: 1-CHMNG
Process: FLR Emission Source: FL008

Emission Unit: 1-CHMNG

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Process: FLR

Emission Source: FLR01

Emission Unit: 1-CHMNG

Process: FLR

Emission Source: FLR02

Item 26.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall cause or allow emissions having an average opacity during any six consecutive minutes of 2 percent or greater from any process emission source, except only the emission of uncombined water. The Department reserves the right to perform or require the performance of an EPA Reference Test Method 9 opacity evaluation at any time during facility operation.

The permittee will conduct observations of visible emissions from the emission unit, process, etc. to which this condition applies daily during facility operations, while the process is in operation and the facility is open. The facility owner or operator will investigate, in a timely manner, any instance where there is cause to believe that visible emissions have the potential to exceed the opacity standard specified below.

The facility owner or operator shall investigate the cause, make any necessary corrections, and verify that the excess visible emissions problem has been corrected. If visible emissions with the potential to exceed the limit specified (except the emission of uncombined water) are observed for three consecutive operating days from the same emission point, the facility owner or operator will notify the Department of the observations within one business day. The facility owner or operator will also perform an EPA Reference Test Method 9 opacity evaluation analysis of the affected emission point and submit the results to the Department.

Daily records of the visible emissions observations, any follow-up Method 9 observations, investigations, and corrective actions taken are to be maintained on site for a period of at least five years from the date of the record. Such records shall include the date and time of each observation, weather conditions, results of the observation, corrective actions taken, and explanations for days when weather conditions were prohibitive.

All records kept pursuant to this condition must be

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

provided to the Department upon request.

Parameter Monitored: OPACITY
 Upper Permit Limit: 20 percent
 Reference Test Method: EPA Reference Test Method 9
 Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)
 Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
 Reports due 30 days after the reporting period.
 Subsequent reports are due every 6 calendar month(s).

**Condition 27: EPA Region 2 address.
 Effective for entire length of Permit**

Applicable Federal Requirement:40CFR 60.4, NSPS Subpart A

Item 27.1:

All requests, reports, applications, submittals, and other communications to the Administrator pursuant to this part shall be submitted in duplicate to the following address:

Director, Division of Enforcement and Compliance Assistance
 USEPA Region 2
 290 Broadway, 21st Floor
 New York, NY 10007-1886

Copies of all correspondence to the administrator pursuant to this part shall also be submitted to the NYSDEC Regional Office issuing this permit (see address at the beginning of this permit) and to the following address:

NYSDEC
 Bureau of Quality Assurance
 625 Broadway
 Albany, NY 12233-3258

**Condition 28: Modification Notification
 Effective for entire length of Permit**

Applicable Federal Requirement:40CFR 60.7(a), NSPS Subpart A

Item 28.1:

Any owner or operator subject to 40 CFR Part 60 shall furnish the Administrator and this office with the following information:

- a notification of any physical or operational change to an existing facility which may increase the emission rate of any air pollutant to which a standard applies, unless the change is specifically exempted under 40 CFR Part 60. The notice shall be post marked 60 days or as soon as practicable before the change is commenced and shall include information describing the precise nature of the change, present and proposed emission control systems,

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

productivity capability of the facility before and after the change, and the expected completion date of the change. The Administrator and/or this Department may request additional information regarding the change.

**Condition 29: Recordkeeping requirements.
Effective for entire length of Permit**

Applicable Federal Requirement:40CFR 60.7(b), NSPS Subpart A

Item 29.1:

Affected owners or operators shall maintain records of occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility; any malfunction of the air pollution control equipment; or any periods during which a continuous monitoring system or monitoring device is inoperative.

**Condition 30: Facility files for subject sources.
Effective for entire length of Permit**

Applicable Federal Requirement:40CFR 60.7(f), NSPS Subpart A

Item 30.1:

The following files shall be maintained at the facility for all affected sources: all measurements, including continuous monitoring systems, monitoring device, and performance testing measurements; all continuous monitoring system performance evaluations; all continuous monitoring device calibration checks; adjustments and maintenance performed on these systems or devices; and all other information required by this part, recorded in permanent form suitable for inspections. The file shall be maintained for at least two years following the date of such measurements, reports, and records.

**Condition 31: Notification Similar to State or Local Agency
Effective for entire length of Permit**

Applicable Federal Requirement:40CFR 60.7(g), NSPS Subpart A

Item 31.1:

If notification substantially similar to that in 40 CFR Part 60.7(a) is required by any other State or local agency, sending the Administrator a copy of that notification will satisfy the requirements of 40 CFR Part 60.7(a).

**Condition 32: Availability of information.
Effective for entire length of Permit**

Applicable Federal Requirement:40CFR 60.9, NSPS Subpart A

Item 32.1:

The availability to the public of information provided to, or otherwise obtained by, the Administrator under this part shall be governed by 40 CFR Part 2.

**Condition 33: Compliance with Standards and Maintenance Requirements
Effective for entire length of Permit**

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Applicable Federal Requirement:40CFR 60.11(d), NSPS Subpart A**Item 33.1:**

At all times, including periods of startup, shutdown, and malfunction, owners and operators of this facility shall, to the extent practicable, maintain and operate any affected facility including associated air pollution control equipment in a manner consistent with good air pollution control practice for minimizing emissions. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the Department and the Administrator which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source.

Condition 34: Circumvention.
Effective for entire length of Permit

Applicable Federal Requirement:40CFR 60.12, NSPS Subpart A**Item 34.1:**

No owner or operator subject to the provisions of this part shall build, erect, install, or use any article, machine, equipment or process, the use of which conceals an emission which would otherwise constitute a violation of an applicable standard. Such concealment includes, but is not limited to, the use of gaseous diluents to achieve compliance with an opacity standard or with a standard which is based on the concentration of a pollutant in the gases discharged to the atmosphere.

Condition 35: Modifications.
Effective for entire length of Permit

Applicable Federal Requirement:40CFR 60.14, NSPS Subpart A**Item 35.1:**

Within 180 days of the completion of any physical or operational change (as defined in section 60.14), compliance with the applicable standards must be achieved.

Condition 36: Reconstruction
Effective for entire length of Permit

Applicable Federal Requirement:40CFR 60.15, NSPS Subpart A**Item 36.1:**

The following shall be submitted to the Administrator prior to reconstruction (as defined in section 60.15):

- 1) a notice of intent to reconstruct 60 days (or as soon as practicable) prior to the action;
- 2) name and address of the owner or operator;
- 3) the location of the existing facility;
- 4) a brief description of the existing facility and the components to be replaced;

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

- 5) a description of the existing air pollution control equipment and the proposed air pollution control equipment;
- 6) an estimate of the fixed capital cost of the replacements and of constructing a comparable entirely new facility;
- 7) the estimated life of the facility after the replacements; and
- 8) a discussion of any economic or technical limitations the facility may have in complying with the applicable standards of performance after the proposed replacements.

**Condition 37: Applicability, designation of affected source, and delegation of authority.
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.760, NSPS Subpart XXX

Item 37.1: The provisions of this subpart apply to each municipal solid waste landfill that commenced construction, reconstruction, or modification after July 17, 2014. Physical or operational changes made to an MSW landfill solely to comply with subparts Cc, Cf, or WWW of this part are not considered construction, reconstruction, or modification for the purposes of this section.

**Condition 38: Compliance Certification
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.762(b)(1), NSPS Subpart XXX

Item 38.1:
The Compliance Certification activity will be performed for the Facility.

Item 38.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES
Monitoring Description:

The owner or operator of an MSW landfill having a design capacity equal to or greater than 2.5 million megagrams and 2.5 million cubic meters, must either comply with 40 CFR 60.762(b)(2) or calculate an NMOC emission rate for the landfill using the procedures specified in 40 CFR 60.764. The NMOC emission rate must be recalculated annually, except as provided in 40 CFR 60.767(b)(1)(ii). The owner or operator of an MSW landfill subject to this subpart with a design capacity greater than or equal to 2.5 million megagrams and 2.5 million cubic meters is subject to part 70 or 71 permitting requirements.

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

(1) If the calculated NMOC emission rate is less than 34 megagrams per year, the owner or operator must:

(i) Submit an annual NMOC emission rate emission report to the Administrator, except as provided for in 40 CFR 60.767(b)(1)(ii); and

(ii) Recalculate the NMOC emission rate annually using the procedures specified in 40 CFR 60.764(a)(1) until such time as the calculated NMOC emission rate is equal to or greater than 34 megagrams per year, or the landfill is closed.

(A) If the calculated NMOC emission rate, upon initial calculation or annual recalculation required in paragraph (b) of this section, is equal to or greater than 34 megagrams per year, the owner or operator must either: Comply with 40 CFR 60.762(b)(2); calculate NMOC emissions using the next higher tier in 40 CFR 60.764; or conduct a surface emission monitoring demonstration using the procedures specified in 40 CFR 60.764(a)(6).

(B) If the landfill is permanently closed, a closure report must be submitted to the Administrator as provided for in 40 CFR 60.767(e).

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

**Condition 39: Compliance Certification
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.762(b)(2), NSPS Subpart XXX

Item 39.1:

The Compliance Certification activity will be performed for the Facility.

Item 39.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

If the calculated NMOC emission rate is equal to or greater than 34 megagrams per year using Tier 1, 2, or 3 procedures, the owner or operator shall either:

(i) Submit a collection and control system design plan prepared by a professional engineer to the Administrator

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

within 1 year as specified in 40 CFR 60.767(c); calculate NMOC emissions using the next higher tier specified in 40 CFR 60.764; or conduct a surface emission monitoring demonstration using the procedures specified in 40 CFR 60.764(a)(6). The collection and control system must meet the requirements of paragraphs (ii) and (iii) below.

(ii) The facility owner or operator shall install and start up a collection and control system that captures the gas generated within the landfill and that meets the requirements of item (c) or (d) below within 30 months after:

(a) The first annual report in which the NMOC emission rate equals or exceeds 34 megagrams per year, unless Tier 2 or 3 sampling demonstrates that the NMOC emission rate is less than 34 megagrams per year, as specified in 40 CFR 60.767(c)(4); or

(b) The most recent NMOC emission rate report in which the NMOC emission rate equals or exceeds 34 megagrams per year based on Tier 2, if the Tier 4 surface emissions monitoring shows a surface methane emission concentration of 500 parts per million methane or greater as specified in 40 CFR 60.767(c)(4)(iii).

(c) An active collection system installed pursuant to item (ii) above must:

(1) Be designed to handle the maximum expected gas flow rate from the entire area of the landfill that warrants control over the intended use period of the gas control system equipment;

(2) Collect gas from each area, cell, or group of cells in the landfill in which the initial solid waste has been placed for a period of 5 years or more if active, or 2 years or more if closed or at final grade;

(3) Collect gas at a sufficient extraction rate; and

(4) Be designed to minimize off-site migration of subsurface gas.

(d) A passive collection system installed pursuant to item (ii) above must:

(1) Comply with the provisions of items (c)(1) - (c)(3) above; and

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

(2) Be installed with liners on the bottom and all sides in all areas in which gas is to be collected. The liners must be installed as required under 40 CFR 258.40.

(iii) The facility owner or operator shall route all the collected gas to a control system that complies with the requirements in either (a), (b), or (c) below:

(a) A non-enclosed flare designed and operated in accordance with the parameters established in 40 CFR 60.18 except as noted in 40 CFR 764(e); or

(b) A control system designed and operated to reduce NMOC by 98 weight-percent, or, when an enclosed combustion device is used for control, to either reduce NMOC by 98 weight percent or reduce the outlet NMOC concentration to less than 20 parts per million by volume, dry basis as hexane at 3 percent oxygen. The reduction efficiency or NMOC concentration must be established by an initial performance test to be completed no later than 180 days after the initial start up of the approved control system using the test methods specified in 40 CFR 60.764(d). The performance test is not required for boilers and process heaters with design heat input capacities equal to or greater than 44 megawatts that burn landfill gas for compliance with this subpart.

(1) If a boiler or process heater is used as the control device, the landfill gas stream must be introduced into the flame zone.

(2) The control device must be operated within the parameter ranges established during the initial or most recent performance test. The operating parameters to be monitored are specified in 40 CFR 60.766.

(c) Route the collected gas to a treatment system that processes the collected gas for subsequent sale or beneficial use such as fuel for combustion, production of vehicle fuel, production of high-Btu gas for pipeline injection, or use as a raw material in a chemical manufacturing process. Venting of treated landfill gas to the atmosphere is not allowed. If the treated landfill gas cannot be routed for subsequent sale or beneficial use, then the treated landfill gas must be controlled according to paragraph (iii)(a) or (iii)(b) above.

(d) All emissions from any atmospheric vent from the gas treatment system are subject to the requirements of

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

paragraphs (iii)(a) and (iii)(b) above. Atmospheric vents located on the condensate storage tank are not part of the treatment system and are exempt from the requirements of paragraphs (iii)(a) and (iii)(b) above.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

Condition 40: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement:40CFR 60.764(a)(3), NSPS Subpart XXX

Item 40.1:

The Compliance Certification activity will be performed for the Facility.

Item 40.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The landfill owner or operator must determine the site-specific NMOC concentration using the following sampling procedure. The landfill owner or operator must install at least two sample probes per hectare, evenly distributed over the landfill surface that has retained waste for at least 2 years. If the landfill is larger than 25 hectares in area, only 50 samples are required. The probes should be evenly distributed across the sample area. The sample probes should be located to avoid known areas of nondegradable solid waste. The owner or operator must collect and analyze one sample of landfill gas from each probe to determine the NMOC concentration using Method 25 or 25C of appendix A of this part. Taking composite samples from different probes into a single cylinder is allowed; however, equal sample volumes must be taken from each probe. For each composite, the sampling rate, collection times, beginning and ending cylinder vacuums, or alternative volume measurements must be recorded to verify that composite volumes are equal. Composite sample volumes should not be less than one liter unless evidence can be provided to substantiate the accuracy of smaller volumes. Terminate compositing before the cylinder approaches ambient pressure where measurement accuracy diminishes. If more than the required number of samples are taken, all samples must be used in the analysis. The landfill owner or operator must divide the NMOC concentration from Method 25 or 25C of appendix A of

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

this part by six to convert from CNMOC as carbon to CNMOC as hexane. If the landfill has an active or passive gas removal system in place, Method 25 or 25C samples may be collected from these systems instead of surface probes provided the removal system can be shown to provide sampling as representative as the two sampling probe per hectare requirement. For active collection systems, samples may be collected from the common header pipe. The sample location on the common header pipe must be before any gas moving, condensate removal, or treatment system equipment. For active collection systems, a minimum of three samples must be collected from the header pipe.

(i) Within 60 days after the date of completing each performance test (as defined in 40 CFR 60.8), the owner or operator must submit the results according to 40 CFR 60.767(i)(1).

(ii) The landfill owner or operator must recalculate the NMOC mass emission rate using Equation 1 or Equation 2 provided in 40 CFR 60.764(a)(1)(i) or (a)(1)(ii) and using the average site-specific NMOC concentration from the collected samples instead of the default value provided in 40 CFR 60.764(a)(1).

(iii) If the resulting NMOC mass emission rate is less than 34 megagrams per year, then the owner or operator must submit a periodic estimate of NMOC emissions in an NMOC emission rate report according to 40 CFR 60.767(b)(1), and must recalculate the NMOC mass emission rate annually as required under 40 CFR 60.762(b). The site-specific NMOC concentration must be retested every 5 years using the methods specified in this section.

(iv) If the NMOC mass emission rate as calculated using the Tier 2 site-specific NMOC concentration is equal to or greater than 34 megagrams per year, the landfill owner or operator must either:

(A) Submit a gas collection and control system design plan within 1 year as specified in 40 CFR 60.767(c) and install and operate a gas collection and control system within 30 months according to 40 CFR 60.762(b)(2)(ii) and (iii);

(B) Determine a site-specific methane generation rate constant and recalculate the NMOC emission rate using the site-specific methane generation rate using the Tier 3 procedures specified in 40 CFR 60.764(a)(4); or

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

(C) Conduct a surface emission monitoring demonstration using the Tier 4 procedures specified in 40 CFR 60.764(a)(6).

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

Condition 41: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.764(a)(4), NSPS Subpart XXX

Item 41.1:

The Compliance Certification activity will be performed for the Facility.

Item 41.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The site-specific methane generation rate constant must be determined using the procedures provided in Method 2E of 40 CFR 60 appendix A. The landfill owner or operator must estimate the NMOC mass emission rate using Equation 1 or Equation 2 in 40 CFR 60.764(a)(1)(i) or (ii) and using a site-specific methane generation rate constant, and the site-specific NMOC concentration as determined in 40 CFR 60.764(a)(3) instead of the default values provided in 40 CFR 60.764(a)(1). The landfill owner or operator must compare the resulting NMOC mass emission rate to the standard of 34 megagrams per year.

(i) If the NMOC mass emission rate as calculated using the Tier 2 site-specific NMOC concentration and Tier 3 site-specific methane generation rate is equal to or greater than 34 megagrams per year, the owner or operator must either:

(A) Submit a gas collection and control system design plan within 1 year as specified in 40 CFR 60.767(c) and install and operate a gas collection and control system within 30 months according to 40 CFR 60.762(b)(2)(ii) and (iii);
or

(B) Conduct a surface emission monitoring demonstration using the Tier 4 procedures specified in 40 CFR 60.764(a)(6).

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

(ii) If the NMOC mass emission rate is less than 34 megagrams per year, then the owner or operator must recalculate the NMOC mass emission rate annually using Equation 1 or Equation 2 in 40 CFR 60.764(a)(1) and using the site-specific Tier 2 NMOC concentration and Tier 3 methane generation rate constant and submit a periodic NMOC emission rate report as provided in 40 CFR 60.767(b)(1). The calculation of the methane generation rate constant is performed only once, and the value obtained from this test must be used in all subsequent annual NMOC emission rate calculations.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

Condition 42: Reporting Requirements - Design Capacity Report Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.767(a), NSPS Subpart XXX

Item 42.1:

Each owner or operator of a municipal solid waste landfill subject to the requirements of 40 CFR 60 Subpart XXX must submit an initial design capacity report to the Administrator.

(1) The initial design capacity report fulfills the requirements of the notification of the date construction is commenced as required by 40 CFR 60.7(a)(1) and must be submitted no later than:

(i) November 28, 2016, for landfills that commenced construction, modification, or reconstruction after July 17, 2014 but before August 29, 2016; or

(ii) Ninety days after the date of commenced construction, modification, or reconstruction for landfills that commence construction, modification, or reconstruction after August 29, 2016.

(2) Initial design capacity report. The initial design capacity report must contain the following information:

(i) A map or plot of the landfill, providing the size and location of the landfill, and identifying all areas where solid waste may be landfilled according to the permit issued by the state, local, or tribal agency responsible for regulating the landfill.

(ii) The maximum design capacity of the landfill. Where the maximum design capacity is specified in the permit issued by the state, local, or tribal agency responsible for regulating the landfill, a copy of the permit specifying the maximum design capacity may be submitted as part of the report. If the maximum design capacity of the landfill is not specified in the permit, the maximum design capacity must be calculated using good engineering practices. The calculations must be provided, along with the relevant parameters as part of the report. The

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

landfill may calculate design capacity in either megagrams or cubic meters for comparison with the exemption values. If the owner or operator chooses to convert the design capacity from volume to mass or from mass to volume to demonstrate its design capacity is less than 2.5 million megagrams or 2.5 million cubic meters, the calculation must include a site-specific density, which must be recalculated annually. Any density conversions must be documented and submitted with the design capacity report. The state, tribal, local agency or Administrator may request other reasonable information as may be necessary to verify the maximum design capacity of the landfill.

(3) An amended design capacity report must be submitted to the Administrator providing notification of an increase in the design capacity of the landfill, within 90 days of an increase in the maximum design capacity of the landfill to meet or exceed 2.5 million megagrams and 2.5 million cubic meters. This increase in design capacity may result from an increase in the permitted volume of the landfill or an increase in the density as documented in the annual recalculation required in 40 CFR 60.768(f).

Condition 43: Compliance Certification
Effective for entire length of Permit

Applicable Federal Requirement: 40CFR 60.767(b), NSPS Subpart XXX

Item 43.1:

The Compliance Certification activity will be performed for the Facility.

Item 43.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Each owner or operator of a municipal solid waste landfill subject to the requirements of 40 CFR 60 Subpart XXX must submit an NMOC emission rate report following the procedure specified in 40 CFR 60.767(i)(2) of this section to the Administrator initially and annually thereafter, except as provided for in paragraph (1)(ii) below. The Administrator may request such additional information as may be necessary to verify the reported NMOC emission rate.

(1) The NMOC emission rate report must contain an annual or 5-year estimate of the NMOC emission rate calculated using the formula and procedures provided in 40 CFR 60.764(a) or (b), as applicable.

(i) The initial NMOC emission rate report may be combined with the initial design capacity report required by 40 CFR 60.767(a) and must be submitted no later than indicated in paragraphs (i)(A) and (B) below. Subsequent NMOC emission rate reports must be submitted annually thereafter, except as provided for in paragraph (ii) below.

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

(A) November 28, 2016, for landfills that commenced construction, modification, or reconstruction after July 17, 2014, but before August 29, 2016, or

(B) Ninety days after the date of commenced construction, modification, or reconstruction for landfills that commence construction, modification, or reconstruction after August 29, 2016.

(ii) If the estimated NMOC emission rate as reported in the annual report to the Administrator is less than 34 megagrams per year in each of the next 5 consecutive years, the owner or operator may elect to submit, following the procedure specified in 40 CFR 60.767(i)(2), an estimate of the NMOC emission rate for the next 5-year period in lieu of the annual report. This estimate must include the current amount of solid waste-in-place and the estimated waste acceptance rate for each year of the 5 years for which an NMOC emission rate is estimated. All data and calculations upon which this estimate is based must be provided to the Administrator. This estimate must be revised at least once every 5 years. If the actual waste acceptance rate exceeds the estimated waste acceptance rate in any year reported in the 5-year estimate, a revised 5-year estimate must be submitted to the Administrator. The revised estimate must cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate.

(2) The NMOC emission rate report must include all the data, calculations, sample reports and measurements used to estimate the annual or 5-year emissions.

(3) Each owner or operator subject to the requirements of this subpart is exempted from the requirements to submit an NMOC emission rate report, after installing a collection and control system that complies with 40 CFR 60.762(b)(2), during such time as the collection and control system is in operation and in compliance with 40 CFR 60.763 and 40 CFR 60.765.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

Condition 44: Compliance Certification
Effective for entire length of Permit

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Applicable Federal Requirement:40CFR 60.768(a), NSPS Subpart XXX

Item 44.1:

The Compliance Certification activity will be performed for the Facility.

Item 44.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Except as provided in 40 CFR 60.767(c)(2), each owner or operator of an MSW landfill subject to the provisions of 40 CFR 60.762(b)(2)(ii) and (iii) must keep for at least 5 years up-to-date, readily accessible, on-site records of the design capacity report that triggered 40 CFR 60.762(b), the current amount of solid waste in-place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. Either paper copy or electronic formats are acceptable.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

Subsequent reports are due every 6 calendar month(s).

**Condition 45: Asbestos-containing waste material standard for active waste disposal sites
Effective for entire length of Permit**

Applicable Federal Requirement:40CFR 61.154, NESHAP Subpart M

Item 45.1:

Owner or operator shall comply with the requirements of 40 CFR Part 61.154 when accepting asbestos-containing waste material from any source required to comply with 40 CFR Part 61.149, 61.150, or 61.155.

****** Emission Unit Level ******

**Condition 46: Emission Point Definition By Emission Unit
Effective for entire length of Permit**

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 46.1:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 1-CHMNG

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Emission Point: EP001	
Height (ft.): 10	Diameter (in.): 2
NYTMN (km.): 4654.8	NYTME (km.): 361.
Emission Point: EP002	
Height (ft.): 10	Diameter (in.): 2
NYTMN (km.): 4654.8	NYTME (km.): 361.
Emission Point: EP003	
Height (ft.): 10	Diameter (in.): 2
NYTMN (km.): 4654.8	NYTME (km.): 361.
Emission Point: EP004	
Height (ft.): 10	Diameter (in.): 2
NYTMN (km.): 4654.8	NYTME (km.): 361.
Emission Point: EP005	
Height (ft.): 10	Diameter (in.): 2
NYTMN (km.): 4654.8	NYTME (km.): 361.
Emission Point: EP006	
Height (ft.): 10	Diameter (in.): 2
NYTMN (km.): 4654.8	NYTME (km.): 361.
Emission Point: EP007	
Height (ft.): 10	Diameter (in.): 2
NYTMN (km.): 4654.8	NYTME (km.): 361.
Emission Point: EP008	
Height (ft.): 10	Diameter (in.): 2
NYTMN (km.): 4654.8	NYTME (km.): 361.
Emission Point: FLARE	
Height (ft.): 28	Diameter (in.): 8
NYTMN (km.): 4654.8	NYTME (km.): 361.
Emission Point: LFG01	
Height (ft.): 22	Diameter (in.): 6
NYTMN (km.): 4654.8	NYTME (km.): 361.
Emission Point: LFG02	
Height (ft.): 36	Diameter (in.): 12
NYTMN (km.): 4654.8	NYTME (km.): 361.

**Condition 47: Process Definition By Emission Unit
Effective for entire length of Permit**

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 47.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Emission Unit: 1-CHMNG

Process: FLR

Source Classification Code: 5-01-004-10

Process Description:

This process consists of the flaring of landfill gas generated by the decomposition of landfilled waste.

Emission Source/Control: 01LFG - Control

Control Type: FLARING

Emission Source/Control: FL001 - Control

Control Type: FLARING

Emission Source/Control: FL002 - Control

Control Type: FLARING

Emission Source/Control: FL003 - Control

Control Type: FLARING

Emission Source/Control: FL004 - Control

Control Type: FLARING

Emission Source/Control: FL005 - Control

Control Type: FLARING

Emission Source/Control: FL006 - Control

Control Type: FLARING

Emission Source/Control: FL007 - Control

Control Type: FLARING

Emission Source/Control: FL008 - Control

Control Type: FLARING

Emission Source/Control: FLR01 - Control

Control Type: FLARING

Emission Source/Control: FLR02 - Control

Control Type: FLARING

Emission Source/Control: CELLV - Process

Emission Source/Control: LANDF - Process

Item 47.2:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 1-CHMNG

Process: LDF

Source Classification Code: 5-01-004-02

Process Description:

Fugitive emissions passively vented from the closed and

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

active municipal solid waste landfills and the leachate holding pond.

Emission Source/Control: CELLV - Process

Emission Source/Control: LANDF - Process

Emission Source/Control: LPOND - Process

**Condition 48: General Control Device Requirements - Flares
Effective for entire length of Permit**

Applicable Federal Requirement: 40CFR 60.18(e), NSPS Subpart A

Item 48.1:

This Condition applies to Emission Unit: 1-CHMNG
Process: FLR

Item 48.2:

Flares used to comply with the provisions of 40 CFR Part 60 Subpart A shall be operated whenever landfill gas is vented to them.

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

STATE ONLY ENFORCEABLE CONDITIONS

****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Emergency Defense - 6 NYCRR 201-1.5

An emergency, as defined in 6 NYCRR subpart 201-2, constitutes an affirmative defense to penalties sought in an enforcement action brought by the department for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:

- (1) an emergency occurred and that the facility owner or operator can identify the cause(s) of the emergency;
- (2) the equipment at the facility was being properly operated and maintained;
- (3) during the period of the emergency the facility owner or operator took all reasonable steps to minimize the levels of emissions that exceeded the emission standards, or other requirements in the permit; and
- (4) the facility owner or operator notified the department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.

(b) In any enforcement proceeding, the facility owner or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or malfunction provision contained in any applicable requirement.

Item B: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state applicable requirements and are not subject to compliance certification requirements unless otherwise noted or required under 6 NYCRR Part 201.

Condition 49: Contaminant List
Effective for entire length of Permit

Applicable State Requirement: ECL 19-0301

Item 49.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit (emission limits, control requirements or compliance monitoring conditions).

CAS No: 007783-06-4
Name: HYDROGEN SULFIDE

Condition 50: Malfunctions and Start-up/Shutdown Activities
Effective for entire length of Permit

Applicable State Requirement: 6 NYCRR 201-1.4

Item 50.1:

(a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.

(b) The facility owner or operator shall compile and maintain records of all equipment maintenance and start-up/shutdown activities when they are expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

the department when required by a permit condition or upon request by the department. Such reports shall state whether an exceedence occurred and if it was unavoidable, include the time, frequency and duration of the exceedence, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous monitoring and quarterly reporting requirements need not submit additional reports of exceedences to the department.

(c) In the event that air contaminant emissions exceed any applicable emission standard due to a malfunction, the facility owner or operator shall notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. In addition, the facility owner or operator shall compile and maintain a record of all malfunctions. Such records shall be maintained at the facility for a period of at least five years and must be made available to the department upon request. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, the air contaminants emitted, and the resulting emission rates and/or opacity.

(d) The department may also require the facility owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions.

(e) A violation of any applicable emission standard resulting from start-up, shutdown, or malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

Condition 51: CLCPA Applicability
Effective for entire length of Permit

Applicable State Requirement:6 NYCRR 201-6.5 (a)

Item 51.1:

Pursuant to The New York State Climate Leadership and Community Protection Act (CLCPA) and Article 75 of the Environmental Conservation Law, emission sources shall comply with regulations to be promulgated by the Department to ensure that by 2030 statewide greenhouse gas emissions are reduced by 40% of 1990 levels, and by 2050 statewide greenhouse gas emissions are reduced by 85% of 1990 levels.

Condition 52: Compliance Demonstration
Effective for entire length of Permit

Applicable State Requirement:6 NYCRR Subpart 257-5

Item 52.1:

The Compliance Demonstration activity will be performed for the Facility.

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Regulated Contaminant(s):

CAS No: 007783-06-4 HYDROGEN SULFIDE

Item 52.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility owner or operator shall not allow emissions of hydrogen sulfide to violate the ambient air quality standard for hydrogen sulfide established in 6NYCRR Part 257-5.

The applicant has demonstrated that hydrogen sulfide emissions for this facility are in compliance with the ambient air quality standard (including fugitive emissions).

The facility owner or operator shall recalculate the hydrogen sulfide emission rate annually and shall verify the parameters used to demonstrate compliance with 6NYCRR Part 257-5 annually. These parameters include, but are not limited to, engineering estimates, hydrogen sulfide concentration in the landfill gas, landfill gas curve, mass balances, process flows, production records, control equipment parameters, manufacturer's or published emission factors, type and quantity of waste accepted, etc. If the results of the hydrogen sulfide analysis indicate a potential exceedance of the hydrogen sulfide emission rate greater than 2.19 lb/hr, the potential to emit rate estimated in the most recent Title V Permit Renewal Application (2020) including total emissions of hydrogen sulfide from the landfill including fugitive emissions, the facility shall notify the Department and subsequently perform an engineering assessment and screen analysis for hydrogen sulfide emissions to demonstrate compliance with the ambient air standard for hydrogen sulfide. At that time a permit modification may be required if the Department determines additional monitoring, control, recordkeeping or reporting is required.

Additionally, the facility owner or operator must investigate, in a timely manner, any instance where there is reason to believe that there is, or has been, an emission increase above those listed on the application, or that the Part 257-5 ambient air quality standard for hydrogen sulfide may have been or continues to be exceeded. In such cases, the facility owner or operator shall investigate the cause, make any corrections, and verify that the potential excess emissions problem has been corrected.

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Annually, in order to verify emissions and show continued compliance with Part 257-5, the owner or operator shall sample the gas generated by the landfill at the main header, prior to the flares. The facility shall collect a sample of LFG from the inlet of the flare at the main header for submission to an approved National ELAP accredited laboratory (or other DEC approved laboratory) to analyze the concentration of total reduced sulfur compounds and hydrogen sulfide in accordance with EPA Method 3C for fixed gases and ASTM D5504 (or a DEC approved equivalent method) for hydrogen sulfide.

All analytical results must be submitted to the Department.

Monitoring Frequency: ANNUALLY
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
Subsequent reports are due every 6 calendar month(s).

****** Emission Unit Level ******

Condition 53: Compliance Demonstration
Effective for entire length of Permit

Applicable State Requirement: 6 NYCRR 257-5.3

Item 53.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: 1-CHMNG

Regulated Contaminant(s):

CAS No: 007783-06-4 HYDROGEN SULFIDE

Item 53.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: AMBIENT AIR MONITORING

Monitoring Description:

Applicable in all levels. In any one-hour period, the average concentration of hydrogen sulfide shall not exceed 0.010 ppm (14 µg/m³).

As per 6 NYCRR 257-5.4(b), all measurements are corrected to a reference temperature of 25 degrees Centigrade and to a reference pressure of 760 millimeters of mercury.

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004

Parameter Monitored: HYDROGEN SULFIDE
Upper Permit Limit: 14 micrograms per cubic meter
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
Subsequent reports are due every 6 calendar month(s).

Permit ID: 8-0728-00004/00017

Facility DEC ID: 8072800004