



PERMIT
Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

Permit Type: Air Title V Facility
Permit ID: 8-9908-00162/00043
Effective Date: 12/02/2016 Expiration Date: 12/01/2021

Permit Issued To: WASTE MANAGEMENT OF NEW YORK LLC
1001 FANNIN STE 4000
HOUSTON, TX 77002

Contact: JEFFREY G RICHARDSON
WASTE MANAGEMENT OF NY
425 PERINTON PKWY
FAIRPORT, NY 14450

Facility: HIGH ACRES LANDFILL & RECYCLING CENTER
425 PERINTON PKWY
FAIRPORT, NY 14450

Contact: JEFFREY G RICHARDSON
WASTE MANAGEMENT OF NY
425 PERINTON PKWY
FAIRPORT, NY 14450

Description:

Renewal and modification of the Title V permit issued June 7, 2006 to add the Potential to Emit (PTE) from the Parkway Expansion Phase III landfill for a 144.5 acre expansion in the town of Macedon.

The 2006 Title V permit covers only the existing landfill including the closed landfill, the Western expansion, and Parkway Expansion Phase I and II, which is a major source of Carbon Monoxide and Nitrogen Oxides. The facility includes a landfill gas to energy facility (LFGTE) with four 3516 caterpillar engines and four 3520 caterpillar engines along with two enclosed flares, used to combust gas from the existing permitted landfill area. This modification would add the Phase III expansion, which will include a new emission source LFEXP for the landfill. This source will produce fugitive emissions, and gas which will be treated by the existing LFGTE facility and enclosed flares.

The acceptance rate remains 1.4 million tons per year, with an increase of approximately 44.5 million cubic yards of space to the existing 26,969,858 cubic yards, resulting in an increase in landfill gas generation rate of 10,320 cfm, for a total peak generation rate from both the existing and expansion landfills of 13,433 cfm.



This modification includes a review under the Prevention of Significant Deterioration (PSD) and Non-Attainment New Source Review (NANSR) programs for non-methane organic compounds (NMOC), carbon monoxide (CO), oxides of nitrogen (NO_x), sulfur dioxide (SO₂), and greenhouse gases (GHGs). The applicant demonstrated that flaring the collected landfill gas with an enclosed flare is considered Best Available Control Technology (BACT) and Lowest Achievable Control Technology (LAER). Information regarding the demonstration of the Lowest Achievable Emission Rate (LAER) and Best Available Control Technology (BACT) are available in the regional office and may be reviewed upon request.

This permit includes requirements for BACT, LAER, New Source Performance Standards (NSPS) for NMOCs, Maximum Available Control Technology (MACT), Reasonably Available Control Technology (RACT), and Emission Reduction Credits.

The applicant will utilize 79.6 tons of NO_x emission reduction credits (ERCs) which represents the total required for the 69.2 TPY of project NO_x emissions times the offset ration of 1.15.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: SCOTT SHEELEY
NYSDEC - REGION 8
6274 E AVON-LIMA RD
AVON, NY 14414

Authorized Signature: _____ Date: ____ / ____ / ____



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



LIST OF CONDITIONS

DEC GENERAL CONDITIONS

Facility Level

Submission of application for permit modification or
renewal-REGION 8 HEADQUARTERS



DEC GENERAL CONDITIONS
****** Facility Level ******

Condition 1: Submission of application for permit modification or renewal-REGION 8 HEADQUARTERS
Applicable State Requirement: 6 NYCRR 621.6 (a)

Item 1.1:

Submission of applications for permit modification or renewal are to be submitted to:
NYSDEC Regional Permit Administrator
Region 8 Headquarters
Division of Environmental Permits
6274 Avon-Lima Road
Avon, NY 14414-9519
(585) 226-2466

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - TITLE V PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: WASTE MANAGEMENT OF NEW YORK LLC
1001 FANNIN STE 4000
HOUSTON, TX 77002

Facility: HIGH ACRES LANDFILL & RECYCLING CENTER
425 PERINTON PKWY
FAIRPORT, NY 14450

Authorized Activity By Standard Industrial Classification Code:
4953 - REFUSE SYSTEMS
5093 - SCRAP AND WASTE MATERIALS

Permit Effective Date: 12/02/2016

Permit Expiration Date: 12/01/2021



LIST OF CONDITIONS

FEDERALLY ENFORCEABLE CONDITIONS

Facility Level

- 1 6 NYCRR 200.6: Acceptable Ambient Air Quality
- 2 6 NYCRR 201-6.4 (a) (7): Fees
- 3 6 NYCRR 201-6.4 (c): Recordkeeping and Reporting of Compliance Monitoring
- 4 6 NYCRR 201-6.4 (c) (2): Records of Monitoring, Sampling, and Measurement
- 5 6 NYCRR 201-6.4 (c) (3) (ii): Compliance Certification
- 6 6 NYCRR 201-6.4 (e): Compliance Certification
- 7 6 NYCRR 202-2.1: Compliance Certification
- 8 6 NYCRR 202-2.5: Recordkeeping requirements
- 9 6 NYCRR 215.2: Open Fires - Prohibitions
- 10 6 NYCRR 200.7: Maintenance of Equipment
- 11 6 NYCRR 201-1.7: Recycling and Salvage
- 12 6 NYCRR 201-1.8: Prohibition of Reintroduction of Collected Contaminants to the air
- 13 6 NYCRR 201-3.2 (a): Exempt Sources - Proof of Eligibility
- 14 6 NYCRR 201-3.3 (a): Trivial Sources - Proof of Eligibility
- 15 6 NYCRR 201-6.4 (a) (4): Requirement to Provide Information
- 16 6 NYCRR 201-6.4 (a) (8): Right to Inspect
- 17 6 NYCRR 201-6.4 (f) (6): Off Permit Changes
- 18 6 NYCRR 202-1.1: Required Emissions Tests
- 19 40 CFR Part 68: Accidental release provisions.
- 20 40CFR 82, Subpart F: Recycling and Emissions Reduction
- 21 6 NYCRR 201-3.2 (b): Exempt Activities - Maintenance of Control Equipment
- 22 6 NYCRR 201-3.3 (b): Trivial Activities - Maintenance of Control Equipment
- 23 6 NYCRR Subpart 201-6: Emission Unit Definition
- 24 6 NYCRR Subpart 201-6: Compliance Certification
- 25 6 NYCRR 201-6.4 (d) (4): Progress Reports Due Semiannually
- 26 6 NYCRR 201-6.4 (f): Compliance Certification
- 27 6 NYCRR 202-1.2: Notification
- 28 6 NYCRR 202-1.3 (a): Acceptable procedures
- 29 6 NYCRR 202-2.3: Required contents of an emission statement.
- 30 6 NYCRR 211.1: Air pollution prohibited
- 31 6 NYCRR Subpart 231-6: Compliance Certification
- 32 6 NYCRR 231-6.3: Compliance Certification
- 33 6 NYCRR Subpart 231-8: Compliance Certification
- 34 6 NYCRR Subpart 231-8: Compliance Certification
- 35 40CFR 60.4, NSPS Subpart A: EPA Region 2 address.
- 36 40CFR 60.7(a), NSPS Subpart A: Modification Notification
- 37 40CFR 60.7(b), NSPS Subpart A: Recordkeeping requirements.
- 38 40CFR 60.7(c), NSPS Subpart A: Compliance Certification
- 39 40CFR 60.7(d), NSPS Subpart A: Excess emissions report.
- 40 40CFR 60.7(e), NSPS Subpart A: Monitoring frequency waiver.
- 41 40CFR 60.7(f), NSPS Subpart A: Facility files for subject sources.

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



- 42 40CFR 60.7(g), NSPS Subpart A: Notification Similar to State or Local Agency
- 43 40CFR 60.8(a), NSPS Subpart A: Performance testing timeline.
- 44 40CFR 60.8(b), NSPS Subpart A: Performance Test Methods - Waiver
- 45 40CFR 60.8(b), NSPS Subpart A: Performance test methods.
- 46 40CFR 60.8(c), NSPS Subpart A: Required performance test information.
- 47 40CFR 60.8(d), NSPS Subpart A: Prior notice.
- 48 40CFR 60.8(e), NSPS Subpart A: Performance testing facilities.
- 49 40CFR 60.8(f), NSPS Subpart A: Number of required tests.
- 50 40CFR 60.9, NSPS Subpart A: Availability of information.
- 51 40CFR 60.11, NSPS Subpart A: Opacity standard compliance testing.
- 52 40CFR 60.12, NSPS Subpart A: Circumvention.
- 53 40CFR 60.14, NSPS Subpart A: Modifications.
- 54 40CFR 60.15, NSPS Subpart A: Reconstruction
- 55 40CFR 60, NSPS Subpart JJJJ: Compliance Certification
- 56 40CFR 60.4246, NSPS Subpart JJJJ: Subpart A provisions that apply to facilities subject to Subpart JJJJ
- 57 40CFR 60.752(b)(2), NSPS Subpart WWW: Standards for air emissions from MSW landfills
- 58 40CFR 60.753(a), NSPS Subpart WWW: Operational standards for collection and control systems
- 59 40CFR 60.753(b), NSPS Subpart WWW: Compliance Certification
- 60 40CFR 60.753(c), NSPS Subpart WWW: Compliance Certification
- 61 40CFR 60.753(c), NSPS Subpart WWW: Compliance Certification
- 62 40CFR 60.753(d), NSPS Subpart WWW: Compliance Certification
- 63 40CFR 60.753(e), NSPS Subpart WWW: Compliance Certification
- 64 40CFR 60.753(f), NSPS Subpart WWW: Compliance Certification
- 65 40CFR 60.753(g), NSPS Subpart WWW: Compliance Certification
- 66 40CFR 60.754(d), NSPS Subpart WWW: Performance Test
- 67 40CFR 60.755(a), NSPS Subpart WWW: Compliance Provisions - collection system
- 68 40CFR 60.755(b), NSPS Subpart WWW: Compliance Provisions - wells
- 69 40CFR 60.755(c), NSPS Subpart WWW: Compliance Provisions - surface methane
- 70 40CFR 60.755(d), NSPS Subpart WWW: Compliance Provisions - instrumentation specifications
- 71 40CFR 60.755(e), NSPS Subpart WWW: Compliance Provisions - Start-up, shutdown, or malfunction
- 72 40CFR 60.756(a), NSPS Subpart WWW: Compliance Certification
- 73 40CFR 60.756(b), NSPS Subpart WWW: Compliance Certification
- 74 40CFR 60.756(f), NSPS Subpart WWW: Compliance Certification
- 75 40CFR 60.757(d), NSPS Subpart WWW: Reporting Requirements - Closure Report
- 76 40CFR 60.757(e), NSPS Subpart WWW: Reporting Requirements - Control Equipment Removal
- 77 40CFR 60.757(g), NSPS Subpart WWW: Reporting requirements - Collection and control system
- 78 40CFR 60.758(a), NSPS Subpart WWW: Compliance Certification
- 79 40CFR 60.758(b), NSPS Subpart WWW: Compliance Certification
- 80 40CFR 60.758(c), NSPS Subpart WWW: Compliance Certification
- 81 40CFR 60.758(d), NSPS Subpart WWW: Compliance Certification
- 82 40CFR 60.758(e), NSPS Subpart WWW: Compliance Certification



- 83 40CFR 60.759(a), NSPS Subpart WWW: Specifications for active collection systems
- 84 40CFR 60.759(c), NSPS Subpart WWW: Specifications for active collection systems
- 85 40CFR 61.154, NESHAP Subpart M: Asbestos-containing waste material standard for active waste disposal sites
- 86 40CFR 63.1955(b), Subpart AAAA: Compliance Certification
- 87 40CFR 63.1980(a), Subpart AAAA: Compliance Certification
- 88 40CFR 63.6665, Subpart ZZZZ: General provisions

Emission Unit Level

- 89 6 NYCRR Subpart 201-6: Emission Point Definition By Emission Unit
- 90 6 NYCRR Subpart 201-6: Process Definition By Emission Unit

EU=E-U0001

- 91 6 NYCRR 212.4 (a): Emissions from new emission sources and/or modifications
- 92 40CFR 60.4243(a)(1), NSPS Subpart JJJJ: Compliance Certification
- 93 40CFR 60.4243(b)(2)(ii), NSPS Subpart JJJJ: Compliance Certification
- 94 40CFR 60.4245(a), NSPS Subpart JJJJ: Compliance Certification
- 95 40CFR 63.6625(h), Subpart ZZZZ: Compliance Certification
- 96 40CFR 63.6655(e), Subpart ZZZZ: Compliance Certification

EU=E-U0001,Proc=001

- 97 6 NYCRR 227-1.3 (a): Compliance Certification
- 98 6 NYCRR 227-2.4 (f) (2): Compliance Certification
- 99 6 NYCRR 227-2.6 (c): Compliance Certification
- 100 6 NYCRR Subpart 231-8: Compliance Certification
- 101 6 NYCRR Subpart 231-8: Compliance Certification
- 102 40CFR 60.752(b)(2)(iii)(C), NSPS Subpart WWW: Compliance Certification

EU=E-U0001,Proc=007

- 103 6 NYCRR 212.6 (a): Compliance Certification
- 104 6 NYCRR Subpart 231-6: Compliance Certification
- 105 6 NYCRR Subpart 231-8: Compliance Certification
- 106 6 NYCRR Subpart 231-8: Compliance Certification

EU=E-U0001,Proc=007,ES=FLAR2

- 107 40CFR 60.752(b)(2)(iii)(B'), NSPS Subpart WWW: Compliance Certification
- 108 40CFR 60.752(b)(2)(iii)(B'), NSPS Subpart WWW: Compliance Certification
- 109 40CFR 60.758(c), NSPS Subpart WWW: Compliance Certification

EU=E-U0001,Proc=007,ES=FLAR3

- 110 40CFR 60.752(b)(2)(iii)(B'), NSPS Subpart WWW: Compliance Certification
- 111 40CFR 60.752(b)(2)(iii)(B'), NSPS Subpart WWW: Compliance Certification
- 112 40CFR 60.758(c), NSPS Subpart WWW: Compliance Certification

EU=E-U0001,Proc=008

- 113 6 NYCRR 227-1.3 (a): Compliance Certification
- 114 6 NYCRR 227-2.4 (f) (2): Compliance Certification
- 115 6 NYCRR 227-2.6 (c): Compliance Certification
- 116 6 NYCRR Subpart 231-8: Compliance Certification
- 117 6 NYCRR Subpart 231-8: Compliance Certification

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



118 40CFR 60.4230(a)(4)(i), NSPS Subpart JJJJ: Applicability of facilities subject to Subpart JJJJ

119 40CFR 60.752(b)(2)(iii)(C), NSPS Subpart WWW: Compliance Certification

STATE ONLY ENFORCEABLE CONDITIONS

Facility Level

120 ECL 19-0301: Contaminant List

121 6 NYCRR 201-1.4: Malfunctions and start-up/shutdown activities

122 6 NYCRR 211.2: Visible Emissions Limited



FEDERALLY ENFORCEABLE CONDITIONS

****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

The items listed below are not subject to the annual compliance certification requirements under Title V. Permittees may also have other obligations under regulations of general applicability.

Item A: Public Access to Recordkeeping for Title V Facilities - 6 NYCRR 201-1.10 (b)

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6 NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

Item B: Timely Application for the Renewal of Title V Permits - 6 NYCRR 201-6.2 (a) (4)

Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Item C: Certification by a Responsible Official - 6 NYCRR 201-6.2 (d) (12)

Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Item D: Requirement to Comply With All Conditions - 6 NYCRR 201-6.4 (a) (2)

The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

Item E: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR 201-6.4 (a) (3)

This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and



reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Item F: Cessation or Reduction of Permitted Activity Not a Defense - 6 NYCRR 201-6.4 (a) (5)

It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in order to maintain compliance with the conditions of this permit.

Item G: Property Rights - 6 NYCRR 201-6.4 (a) (6)

This permit does not convey any property rights of any sort or any exclusive privilege.

Item H: Severability - 6 NYCRR 201-6.4 (a) (9)

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

Item I: Permit Shield - 6 NYCRR 201-6.4 (g)

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i. The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii. The liability of a permittee of the Title V



facility for any violation of applicable requirements prior to or at the time of permit issuance;

iii. The applicable requirements of Title IV of the Act;

iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

Item J: Reopening for Cause - 6 NYCRR 201-6.4 (i)

This Title V permit shall be reopened and revised under any of the following circumstances:

i. If additional applicable requirements under the Act become applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.

ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit is to be reopened, except that the Department may provide



a shorter time period in the case of an emergency.

Item K: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item L: Federally Enforceable Requirements - 40 CFR 70.6 (b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

**MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS
SUBJECT TO ANNUAL CERTIFICATIONS AT ALL TIMES**

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements at all times.

**Condition 1: Acceptable Ambient Air Quality
Effective between the dates of 12/02/2016 and 12/01/2021**

Applicable Federal Requirement: 6 NYCRR 200.6

Item 1.1:

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



emission control required.

Condition 2: Fees
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 201-6.4 (a) (7)

Item 2.1:

The owner and/or operator of a stationary source shall pay fees to the Department consistent with the fee schedule authorized by ECL 72-0303.

Condition 3: Recordkeeping and Reporting of Compliance Monitoring
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 201-6.4 (c)

Item 3.1:

The following information must be included in any required compliance monitoring records and reports:

- (i) The date, place, and time of sampling or measurements;
- (ii) The date(s) analyses were performed;
- (iii)The company or entity that performed the analyses;
- (iv) The analytical techniques or methods used including quality assurance and quality control procedures if required;
- (v) The results of such analyses including quality assurance data where required; and
- (vi) The operating conditions as existing at the time of sampling or measurement.

Any deviation from permit requirements must be clearly identified in all records and reports. Reports must be certified by a responsible official, consistent with Section 201-6.2 of Part 201.

Condition 4: Records of Monitoring, Sampling, and Measurement
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 201-6.4 (c) (2)

Item 4.1:

Compliance monitoring and recordkeeping shall be conducted according to the terms and conditions contained in this permit and shall follow all quality assurance requirements found in applicable regulations. Records of all monitoring data and support information must be retained for a period of at least 5 years from the date of the monitoring, sampling, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.



Condition 5: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 6 NYCRR 201-6.4 (c) (3) (ii)

Item 5.1:

The Compliance Certification activity will be performed for the Facility.

Item 5.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

To meet the requirements of this facility permit with respect to reporting, the permittee must:

Submit reports of any required monitoring at a minimum frequency of every 6 months, based on a calendar year reporting schedule. These reports shall be submitted to the Department within 30 days after the end of a reporting period. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by the responsible official for this facility.

Notify the Department and report permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken. Where the underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations shall be submitted to the permitting authority based on the following schedule:

- (1) For emissions of a hazardous air pollutant (as identified in an applicable regulation) that continue for more than an hour in excess of permit requirements, the report must be made within 24 hours of the occurrence.
- (2) For emissions of any regulated air pollutant, excluding those listed in paragraph (1) of this section, that continue for more than two hours in excess of permit requirements, the report must be made within 48 hours.
- (3) For all other deviations from permit requirements, the report shall be contained in the 6 month monitoring



report required above.

(4) This permit may contain a more stringent reporting requirement than required by paragraphs (1), (2) or (3) above. If more stringent reporting requirements have been placed in this permit or exist in applicable requirements that apply to this facility, the more stringent reporting requirement shall apply.

If above paragraphs (1) or (2) are met, the source must notify the permitting authority by telephone during normal business hours at the Regional Office of jurisdiction for this permit, attention Regional Air Pollution Control Engineer (RAPCE) according to the timetable listed in paragraphs (1) and (2) of this section. For deviations and incidences that must be reported outside of normal business hours, on weekends, or holidays, the DEC Spill Hotline phone number at 1-800-457-7362 shall be used. A written notice, certified by a responsible official consistent with 6 NYCRR Part 201-6.2(d)(12), must be submitted within 10 working days of an occurrence for deviations reported under (1) and (2). All deviations reported under paragraphs (1) and (2) of this section must also be identified in the 6 month monitoring report required above.

The provisions of 6 NYCRR 201-1.4 shall apply if the permittee seeks to have a violation excused unless otherwise limited by regulation. In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets. Notwithstanding any recordkeeping and reporting requirements in 6 NYCRR 201-1.4, reports of any deviations shall not be on a less frequent basis than the reporting periods described in paragraphs (1) and (4) above.

In the case of any condition contained in this permit with a reporting requirement of "Upon request by regulatory agency" the permittee shall include in the semiannual report, a statement for each such condition that the monitoring or recordkeeping was performed as required or requested and a listing of all instances of deviations from these requirements.

In the case of any emission testing performed during the previous six month reporting period, either due to a request by the Department, EPA, or a regulatory requirement, the permittee shall include in the semiannual report a summary of the testing results and shall indicate



whether or not the Department or EPA has approved the results.

All semiannual reports may be submitted electronically or physically. Electronic reports shall be submitted using the Department's Air Compliance and Emissions Electronic-Reporting system (ACE). If the facility owner or operator elects to send physical copies instead, two copies shall be sent to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office) and one copy shall be sent to the Administrator (or his or her representative). Mailing addresses for the above referenced persons are contained in the monitoring condition for 6 NYCRR Part 201-6.4(e), contained elsewhere in this permit.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 6: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 6 NYCRR 201-6.4 (e)

Item 6.1:

The Compliance Certification activity will be performed for the Facility.

Item 6.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Requirements for compliance certifications with terms and conditions contained in this facility permit include the following:

- i. Compliance certifications shall contain:
 - the identification of each term or condition of the permit that is the basis of the certification;
 - the compliance status;
 - whether compliance was continuous or intermittent;
 - the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
 - such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions;



and

- such additional requirements as may be specified elsewhere in this permit related to compliance certification.

ii. The responsible official must include in the annual certification report all terms and conditions contained in this permit which are identified as being subject to certification, including emission limitations, standards, or work practices. That is, the provisions labeled herein as "Compliance Certification" are not the only provisions of this permit for which an annual certification is required.

iii. Compliance certifications shall be submitted annually. Certification reports are due 30 days after the anniversary date of four consecutive calendar quarters. The first report is due 30 days after the calendar quarter that occurs just prior to the permit anniversary date, unless another quarter has been acceptable by the Department.

iv. All annual compliance certifications may be submitted electronically or physically. Electronic reports shall be submitted using the Department's Air Compliance and Emissions Electronic-Reporting system (ACE). If the facility owner or operator elects to send physical copies instead, two copies shall be sent to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office) and one copy shall be sent to the Administrator (or his or her representative). The mailing addresses for the above referenced persons are:

Chief – Stationary Source Compliance Section
USEPA Region 2
Air Compliance Branch
290 Broadway
New York, NY 10007-1866

The address for the RAPCE is as follows:

Regional Air Pollution Control Engineer
NYSDEC Region 8 Headquarters
6274 East Avon-Lima Road
Avon, NY 14414-9519

The address for the BQA is as follows:

NYSDEC
Bureau of Quality Assurance

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



625 Broadway
Albany, NY 12233-3258

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2017.
Subsequent reports are due on the same day each year

Condition 7: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 202-2.1

Item 7.1:

The Compliance Certification activity will be performed for the Facility.

Item 7.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Emission statements shall be submitted on or before April 15th each year for emissions of the previous calendar year.

Monitoring Frequency: ANNUALLY
Reporting Requirements: ANNUALLY (CALENDAR)
Reports due by April 15th for previous calendar year

Condition 8: Recordkeeping requirements
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 202-2.5

Item 8.1:

(a) The following records shall be maintained for at least five years:

(1) a copy of each emission statement submitted to the department; and

(2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.

(b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.

Condition 9: Open Fires - Prohibitions
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 215.2

Item 9.1:



New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162

Except as allowed by Title 6 NYCRR Section 215.3, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.

Item 9.2

Per Section 215.3, burning in an open fire, provided it is not contrary to other law or regulation, will be allowed as follows:

- (a) On-site burning in any town with a total population less than 20,000 of downed limbs and branches (including branches with attached leaves or needles) less than six inches in diameter and eight feet in length between May 15th and the following March 15th. For the purposes of this subdivision, the total population of a town shall include the population of any village or portion thereof located within the town. However, this subdivision shall not be construed to allow burning within any village.
- (b) Barbecue grills, maple sugar arches and similar outdoor cooking devices when actually used for cooking or processing food.
- (c) Small fires used for cooking and camp fires provided that only charcoal or untreated wood is used as fuel and the fire is not left unattended until extinguished.
- (d) On-site burning of agricultural wastes as part of a valid agricultural operation on contiguous agricultural lands larger than five acres actively devoted to agricultural or horticultural use, provided such waste is actually grown or generated on those lands and such waste is capable of being fully burned within a 24-hour period.
- (e) The use of liquid petroleum fueled smudge pots to prevent frost damage to crops.
- (f) Ceremonial or celebratory bonfires where not otherwise prohibited by law, provided that only untreated wood or other agricultural products are used as fuel and the fire is not left unattended until extinguished.
- (g) Small fires that are used to dispose of a flag or religious item, and small fires or other smoke producing process where not otherwise prohibited by law that are used in connection with a religious ceremony.
- (h) Burning on an emergency basis of explosive or other dangerous or contraband materials by police or other public safety organization.
- (i) Prescribed burns performed according to Part 194 of this Title.
- (j) Fire training, including firefighting, fire rescue, and fire/arson investigation training, performed under applicable rules and guidelines of the New York State Department of State's Office of Fire Prevention and Control. For fire training performed on acquired structures, the structures must be emptied and stripped of any material that is toxic, hazardous or likely to emit toxic smoke (such as asbestos, asphalt shingles and vinyl siding or other vinyl products) prior to burning and must be at least 300 feet from other occupied structures. No more than one structure per lot or within a 300 foot radius (whichever is bigger) may be burned in a training exercise.
- (k) Individual open fires as approved by the Director of the Division of Air Resources as may be required in response to an outbreak of a plant or animal disease upon request by the commissioner of the Department of Agriculture and Markets, or for the destruction of invasive plant and insect species.
- (l) Individual open fires that are otherwise authorized under the environmental conservation law, or by rule or regulation of the Department.

**MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS
SUBJECT TO ANNUAL CERTIFICATIONS ONLY IF APPLICABLE**

**The following federally enforceable permit conditions are mandatory for all
Title V permits and are subject to annual compliance certification**



requirements only if effectuated during the reporting period.
[NOTE: The corresponding annual compliance certification for those conditions not effectuated during the reporting period shall be specified as "not applicable".]

Condition 10: Maintenance of Equipment
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 200.7

Item 10.1:

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

Condition 11: Recycling and Salvage
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 201-1.7

Item 11.1:

Where practical, the owner or operator of an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of the ECL.

Condition 12: Prohibition of Reintroduction of Collected Contaminants to the air
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 201-1.8

Item 12.1:

No person shall unnecessarily remove, handle or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Condition 13: Exempt Sources - Proof of Eligibility
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 201-3.2 (a)

Item 13.1:

The owner or operator of an emission source or activity that is listed as being exempt may be required to certify that it is operated within the specific criteria described in this Subpart. The owner or operator of any such emission source or activity must maintain all records necessary for demonstrating compliance with this Subpart on-site for a period of five years, and make them available to representatives of the department upon request.

Condition 14: Trivial Sources - Proof of Eligibility
Effective between the dates of 12/02/2016 and 12/01/2021



Applicable Federal Requirement:6 NYCRR 201-3.3 (a)

Item 14.1:

The owner or operator of an emission source or activity that is listed as being trivial in this Section may be required to certify that it is operated within the specific criteria described in this Subpart. The owner or operator of any such emission source or activity must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request.

Condition 15: Requirement to Provide Information
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 201-6.4 (a) (4)

Item 15.1:

The owner and/or operator shall furnish to the department, within a reasonable time, any information that the department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the department copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to the administrator along with a claim of confidentiality, if the administrator initiated the request for information or otherwise has need of it.

Condition 16: Right to Inspect
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 201-6.4 (a) (8)

Item 16.1:

The department or an authorized representative shall be allowed upon presentation of credentials and other documents as may be required by law to:

- (i) enter upon the permittee's premises where a facility subject to the permitting requirements of this Subpart is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;
- (ii) have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
- (iii) inspect at reasonable times any emission sources, equipment (including monitoring and air pollution control equipment), practices, and operations regulated or required under the permit; and
- (iv) sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

Condition 17: Off Permit Changes
Effective between the dates of 12/02/2016 and 12/01/2021



Applicable Federal Requirement:6 NYCRR 201-6.4 (f) (6)

Item 17.1:

No permit revision will be required for operating changes that contravene an express permit term, provided that such changes would not violate applicable requirements as defined under this Part or contravene federally enforceable monitoring (including test methods), recordkeeping, reporting, or compliance certification permit terms and conditions. Such changes may be made without requiring a permit revision, if the changes are not modifications under any provision of title I of the act and the changes do not exceed the emissions allowable under the permit (whether expressed therein as a rate of emissions or in terms of total emissions) provided that the facility provides the administrator and the department with written notification as required below in advance of the proposed changes within a minimum of seven days. The facility owner or operator, and the department shall attach each such notice to their copy of the relevant permit.

(i) For each such change, the written notification required above shall include a brief description of the change within the permitted facility, the date on which the change will occur, any change in emissions, and any permit term or condition that is no longer applicable as a result of the change.

(ii) The permit shield described in section 6 NYCRR 201-6.4 shall not apply to any change made pursuant to this paragraph.

Condition 18: Required Emissions Tests
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 202-1.1

Item 18.1:

For the purpose of ascertaining compliance or non-compliance with any air pollution control code, rule or regulation, the commissioner may require the person who owns such air contamination source to submit an acceptable report of measured emissions within a stated time.

Condition 19: Accidental release provisions.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40 CFR Part 68

Item 19.1:

If a chemical is listed in Tables 1,2,3 or 4 of 40 CFR §68.130 is present in a process in quantities greater than the threshold quantity listed in Tables 1,2,3 or 4, the following requirements will apply:

a) The owner or operator shall comply with the provisions of 40 CFR Part 68 and;

b) The owner or operator shall submit at the time of permit issuance (if not previously submitted) one of the following, if such quantities are present:

1) A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR §68.10(a) or,

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



2) A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan. Information should be submitted to:

Risk Management Plan Reporting Center
C/O CSC
8400 Corporate Dr
Carrollton, Md. 20785

Condition 20: Recycling and Emissions Reduction
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 82, Subpart F

Item 20.1:

The permittee shall comply with all applicable provisions of 40 CFR Part 82.

The following conditions are subject to annual compliance certification requirements for Title V permits only.

Condition 21: Exempt Activities - Maintenance of Control Equipment
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 201-3.2 (b)

Item 21.1:

Owner of any emission source or unit that is listed as eligible to be exempt in 6 NYCRR Part 201-3.2(c), on the basis of the use of appropriate emission control device shall operate and maintain such device in a manner consistent with good engineering practices.

Condition 22: Trivial Activities - Maintenance of Control Equipment
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 201-3.3 (b)

Item 22.1:

The owner and /or operator of any emission source or unit that is listed as eligible to be trivial in 6 NYCRR Part 201-3.3(c), on the basis of the use of appropriate emission control device shall operate and maintain such device in a manner consistent with good engineering practices.

Condition 23: Emission Unit Definition
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 23.1:

The facility is authorized to perform regulated processes under this permit for:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Emission Unit: E-U0001

Emission Unit Description:

Municipal solid waste landfill with gas collection system and corresponding control/treatment devices. This unit also includes fugitive emissions from the new landfill, the gas collection system and control devices that combust the landfill gas (enclosed landfill gas flares).

Building(s): LANDFILL
POWERPLANT

Condition 24: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 24.1:

The Compliance Certification activity will be performed for the Facility.

Item 24.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Per 6 NYCRR Part 201-6 When additional applicable requirements under the act become applicable to a Title V facility such requirements shall be added to the permit either by reopening the permit or during the renewal process. On July 15, 2016, EPA announced final updates to its New Source Performance Standards (NSPS) for Municipal Solid Waste Landfills (40 CFR Subpart XXX) and Emission Guidelines for Municipal Solid Waste Landfills (40 CFR Subpart Cf).

If either of these requirements become effective during the public noticing of this Title V permit, the applicable provisions of this rule to High Acres Landfill shall be incorporated into this Title V permit prior to it being sent to EPA as a proposed permit.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 25: Progress Reports Due Semiannually
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 201-6.4 (d) (4)



Item 25.1:

Progress reports consistent with an applicable schedule of compliance are to be submitted at least semiannually, or at a more frequent period if specified in the applicable requirement or by the department. Such progress reports shall contain the following:

(i) dates for achieving the activities, milestones, or compliance required in the schedule of compliance, and dates when such activities, milestones or compliance were achieved; and

(ii) an explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

Condition 26: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 6 NYCRR 201-6.4 (f)

Item 26.1:

The Compliance Certification activity will be performed for the Facility.

Item 26.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Operational Flexibility Plan

I. Protocol Objective

The objective of this condition is to maximize operational flexibility at the facility by building into the Title V permit the capability to make certain changes using a protocol. As provided under 6 NYCRR Part 201-6.4(f)(2), changes made under an approved protocol are not subject to the Title V permit modification provisions under 6 NYCRR Part 201-6.6.

II. Protocol

A. Criteria

1. Changes reviewed under this protocol shall be evaluated in accordance with the following criteria:

a. All underlying federal and state requirements with which the new or changed emission source must comply must exist in the Title V permit. Existing permit conditions may be amended to reference or include the new or changed emission source and any related information, and/or subject to DEC approval, new conditions proposed, to provide the appropriate monitoring parameters.



b. Any new or changed emission source shall not be part of a source project that results in a significant net emissions increase that exceeds the New Source Review (NSR) thresholds identified in 6 NYCRR Part 231.

c. The facility shall not use the protocol to make physical changes or changes in the method of operation of existing emissions sources that would require a new or modified federally enforceable cap either to avoid major NSR requirements or to address and comply with other Clean Air Act requirements, such as RACT. Such changes must be addressed via the significant permit modification provisions.

B. Notification Requirements for Changes Reviewed under the Protocol

1. The facility shall notify the Department in writing of the proposed change.

2. Notifications made in accordance with this protocol will include the following documentation:

a. Identification of the Title V permit emission unit, process(es), emission sources and emission points affected by the proposed change with applicable revisions to the Emission Unit structure;

b. Description of the proposed change, including operating parameters;

c. Identification and description of emissions control technology;

d. Documentation of the project's, or emission source's, compliance with respect to all state and/or federally applicable requirements, including the following steps:

i. Calculate the emission rate potential and maximum projected actual annual emission rates for all contaminants affected by the change.

ii. Submit documentation of major NSR program non-applicability for NYSDEC review and approval.

iii. Identify and evaluate the applicability of all regulations likely to be triggered by the new or changed emission source.

iv. Propose any operating and record keeping procedures



necessary to ensure compliance.

e. Any other relevant information used for the evaluation of the proposed project or emission source under the Protocol.

C. Review and Approval of Changes

1. The Department shall respond to the permittee in writing with a determination within 15 days of receipt of the notification of the permittee.

2. The Department may require a permit modification, in order to impose new applicable requirements or additional permit conditions if it determines that changes proposed pursuant to notification do not meet the criteria under II. A above or that the changes may have a significant air quality impact or be otherwise potentially significant under SEQRA (6 NYCRR Part 617).

3. The Department may require that the permittee not undertake the proposed change until it completes a more detailed review of the proposed change, which may include potential air quality impacts and/or applicable requirements. The Department's determination shall include a listing of information required for further review, if necessary.

D. Additional Compliance Obligations for Changes Made Under this Protocol

1. Upon commencement of the change, the facility shall comply with all applicable requirements and permit conditions, including any amended or proposed in accordance with II.A.1.a above.

2. The facility shall provide with the semi-annual monitoring report, a summary of the changes made in accordance with this protocol and a statement of the compliance status of each. Changes reported should include all those made during the corresponding period and any earlier changes that have not yet been incorporated into the permit.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 27: Notification



Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 202-1.2

Item 27.1:

A person who is required by the commissioner to submit a stack test report shall notify the commissioner, in writing, not less than 30 days prior to the test, of the time and date of the test. Such notification shall also include the acceptable procedures to be used to stack test including sampling and analytical procedures. Such person shall allow the commissioner, or his representative, free access to observe stack testing being conducted by such person.

Condition 28: Acceptable procedures

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 202-1.3 (a)

Item 28.1:

Emission testing, sampling and analytical determinations to ascertain compliance with this Subchapter shall be conducted in accordance with test methods acceptable to the commissioner. The Reference Methods contained in part 60, appendix A and part 61, appendix B of title 40 of the Code of Federal Regulations and all future technical revisions, additions or corrections made thereto shall be considered as acceptable test methods for those sources and contaminants for which they are expressly applicable, except where the commissioner has issued a specific method to be used instead of a Reference Method contained in these Federal regulations or where the commissioner determines that one or more alternate methods are also acceptable. The person who owns or operates an air contamination source shall submit the emission test report in triplicate, to the commissioner within 60 days after the completion of tests. In the event such source owner/operator can demonstrate to the commissioner such time is not sufficient, he may request in writing and be granted an extension. Where an opacity emission standard is applicable to the source tested, the emission test report shall include the opacity observation.

Condition 29: Required contents of an emission statement.

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 202-2.3

Item 29.1:

(a) Emission statements shall include the following:

(1) Certification by a duly authorized representative. A duly authorized representative must sign a form provided by the Department to verify the truth, accuracy, and completeness of the emission statement. This certification shall state that, based on information and belief formed after reasonable inquiry by the duly authorized representative, the statements and information in the document are true, accurate, and complete. The certification shall include the full name, title, original signature, date of signature and telephone number of the duly authorized representative.

(2) Facility level information, consisting of:

(i) verification of full name of facility;

(ii) verification of parent company name;



- (iii) verification of street address (physical location) of the facility;
 - (iv) verification of four digit SIC code(s) for the facility;
 - (v) calendar year reportable emissions.
 - (vi) total facility fuel use and fuel sulfur content and heat value (for combustion installations); and,
 - (vii) fugitive emissions.
- (3) Emission point level information, consisting of:
- (i) average hours of operation per day (peak ozone and carbon monoxide seasons);
 - (ii) average days of operation per week (peak ozone and carbon monoxide seasons);
 - (iii) weeks of operation per year (seasonal and annual);
 - (iv) hours of operation per year; and
 - (v) percentage annual throughput (percentage of annual activity by season).
 - (vi) verification of latitude and longitude.
- (4) Process level information, consisting of:
- (i) maximum heat input (for combustion installations);
 - (ii) quantity of fuels consumed (for combustion installations);
 - (iii) estimated actual annual reportable emissions, for each air regulated air pollutant emitted, (in units of pounds per year);
 - (iv) estimated emissions method (see 6 NYCRR Part 202-2.4(b));
 - (v) emission factor(s) (if used to determine actual emissions);
 - (vi) primary and secondary control equipment identification code(s);
 - (vii) control efficiencies achieved by the control equipment. The control efficiency should reflect the total control efficiency from all control equipment for a specific criteria group (e.g., VOCs and NO_x). If the actual control efficiency is unavailable, the design efficiency or the control efficiency limit imposed by a permit shall be used;
 - (viii) annual process rate;
 - (ix) peak ozone season daily process rate.
- (b) Petroleum, volatile organic liquid, and fuel storage and distribution facilities must provide the following additional information:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



(1) tank capacity (including maximum and average liquid height, and working volume);
and

(2) throughput associated with tanks and loading racks (including turnovers per year).

(c) The Department shall provide instructions concerning the emission statements applicable to a particular facility, when the statement is mailed to the facility. These instructions shall include control equipment identification code(s) and estimated emissions method code(s).

Condition 30: Air pollution prohibited
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 211.1

Item 30.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 31: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 231-6

Item 31.1:

The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):
CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 31.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

As part of the New Source Review for the Proposed Landfill Expansion, the facility completed a significant impact level analysis for oxides of nitrogen (NOx) which included the Proposed Landfill Expansion (Emission Source LFEXP) and two enclosed flares in Emission Unit E-U0001 (Emission Sources FLAR2 and FLAR3). The model results were approved. This facility is also subject to 6NYCRR Part 227-2 NOx-RACT.

The facility completed calculations for the PTE for the entire landfill based on the peak gas generated in the



peak year which occurs in approximately 2052. As per the emission factors used for the existing IC engine generator sets, the existing enclosed flares, as well as exempt source emissions, the facility's PTE for NO_x is 171.7 tons/year. The sum of emissions from Emission Unit E-U0001 are limited to 171.7 tons/year calculated on a rolling 12 month total and shall represent the total emissions from the following emission sources: 0ENG1-0ENG4, ENG05-ENG08, FLAR2 and FLAR3 as well as any other trivial and exempt sources of oxides of nitrogen (NO_x).

The facility shall maintain records of the metered landfill gas combusted and percent methane combusted in the 4500 cfm enclosed flare (emission source FLAR2), the proposed enclosed flare (emission source FLEXP) and the 6000 cfm open flare (emission source FLAR3) on a monthly basis. At the end of the month the facility shall calculate the monthly emissions of NO_x from landfill gas combusted through the flares.

Additionally, the facility shall maintain records of metered gas and percent methane delivered to the gas to energy facility on a monthly basis. The facility shall record daily readings of the kilowatt hours (kwhr) from the switchgear and maintain a monthly total of the actual gross electrical output from each engine (emission sources 0ENG1-0ENG4 and ENG05-ENG08) in kilowatt-hours (kWh). At the end of the month the facility shall calculate the monthly emissions of NO_x from the landfill gas combustion at the gas to energy facility.

Flared emissions shall be calculated utilizing emission rates from the most recent performance test. If testing data is not available for the flare, emission factors provided in the permit application for the 4500 cfm enclosed flare (0.06 lb/MMBtu NO_x) and the 6000 cfm open flare (0.06 lb/MMBtu NO_x) shall be used. Emission factors shall be multiplied by the monthly quantity of landfill gas combusted in all flares.

Engine emissions shall be calculated as follows:

Monthly NO_x emissions from engine= [(actual monthly gross electrical output, in kWh) x (1.341 bhp/kW) x (engine NO_x emission factor from most recent performance test, in g/bhp-hr)] / [453.6 g/lb]

The monthly NO_x emissions from each engine will be summed to give a total for all engines operating during each month.



The combined engine and flare monthly NOx emissions shall be added to the previous 11 months of NOx emissions to give a total NOx emission rate over the most recent consecutive 12 month period. The NOx emissions over any consecutive 12 month period shall not exceed 171.7 tons.

Records of all monitoring data and support information shall be retained by the respective emission source operator. The facility shall submit a NOx emission cap certification report semi-annually.

When sufficient new evidence becomes available to substantiate changing any of the emission factors used to calculate the monthly NOx emissions, the Department will discuss utilizing the new emission factors with the applicant prior to the applicant using the revised emission factors.

The facility shall keep records in a format that is acceptable to the Department.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 32: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 231-6.3

Item 32.1:

The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 32.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The potential to emit NOx for emission source LFEXP is 69.2 tons per year. NOx emissions must be offset by a ratio of 1.15 to 1. Therefore, the permittee has obtained 79.6 tons of NOx emission reduction credits in accordance with 6NYCRR Part 231-6.3(d), from the following facilities:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Greenridge Generation LLC
DEC ID# 8-5736-00004
69 tpy

Monroe-Livingston Sanitary Landfill
DEC ID# 8-2856-00008
10.6 tpy

Monitoring Frequency: SINGLE OCCURRENCE
Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 33: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 231-8

Item 33.1:

The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):
CAS No: 007446-09-5 SULFUR DIOXIDE

Item 33.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

As part of the New Source Review for the Proposed Landfill Expansion, the facility completed a significant impact level analysis for sulfur dioxide (SO₂) which included the Proposed Landfill Expansion (Emission Source LFEXP) and two enclosed flares in Emission Unit E-U0001 (Emission Sources FLAR2 and FLAR3). The model results were approved.

The facility completed calculations for the PTE for the entire landfill based on the peak gas generated in the peak year which occurs in approximately 2052. As per the emission factors used for the existing IC engine generator sets and the existing enclosed flares, as well as exempt source emissions, the facility's PTE for SO₂ is 151.5 tons/year. The sum of emissions from Emission Unit E-U0001 are limited to 151.5 tons/year calculated on a rolling 12 month total and shall represent the total emissions from the following emission sources: 0ENG1-0ENG4, ENG05-ENG08, FLAR2 and FLAR3 as well as any other trivial and exempt sources of sulfur dioxide (SO₂).



The facility shall maintain records of the metered landfill gas combusted and percent methane combusted in the 4500 cfm enclosed flare (emission source FLAR2) and the 6000 cfm open flare (emission source FLAR3) on a monthly basis. At the end of the month the facility shall calculate the monthly emissions of SO₂ from landfill gas combusted through the flares.

Additionally, the facility shall maintain records of metered gas and percent methane delivered to the gas to energy facility on a monthly basis. The facility shall record daily readings of the kilowatt hours (kwhr) from the switchgear and maintain a monthly total of the actual gross electrical output from each engine (emission sources 0ENG1-0ENG4 and ENG05-ENG08) in kilowatt-hours (kWh). At the end of the month the facility shall calculate the monthly emissions of SO₂ from the landfill gas combustion at the gas to energy facility.

Flared emissions shall be calculated utilizing emission rates from the most recent performance test. If testing data is not available for the flare, emission factors provided in the permit application for the 4500 cfm enclosed flare and the 6000 cfm open flare of 150 ppm TRS shall be used. Emission factors shall be multiplied by the monthly quantity of landfill gas combusted in all flares.

Engine emissions shall be calculated as follows:

Monthly SO₂ emissions from engine= [(actual monthly gross electrical output, in kWh) x (1.341 bhp/kW) x (engine SO₂ emission factor from most recent performance test, in g/bhp-hr)] / [453.6 g/lb]

The monthly SO₂ emissions from each engine will be summed to give a total for all engines operating during each month.

The combined engine and flare monthly SO₂ emissions shall be added to the previous 11 months of SO₂ emissions to give a total SO₂ emission rate over the most recent consecutive 12 month period. The SO₂ emissions over any consecutive 12 month period shall not exceed 151.5 tons.

Records of all monitoring data and support information shall be retained by the respective emission source operator. The facility shall submit a SO₂ emission cap certification report semi-annually.

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



When sufficient new evidence becomes available to substantiate changing any of the emission factors used to calculate the monthly SO₂ emissions, the Department will discuss utilizing the new emission factors with the applicant prior to the applicant using the revised emission factors.

The facility shall keep records in a format that is acceptable to the Department.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 34: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 231-8

Item 34.1:

The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 000630-08-0 CARBON MONOXIDE

Item 34.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

As part of the New Source Review for the Proposed Landfill Expansion, the facility completed a significant impact level analysis for carbon monoxide (CO) which included the Proposed Landfill Expansion (Emission Source LFEXP) and two enclosed flares in Emission Unit E-U0001 (Emission Sources FLAR2 and FLAR3). The model results were approved.

The facility completed calculations for the PTE for the entire landfill based on the peak gas generated in the peak year which occurs in approximately 2052. As per the emission factors used for the existing IC engine generator sets, the existing enclosed flares, and the proposed flare, as well as exempt source emissions, the facility's PTE for CO is 521.9 tons/year. The sum of emissions from Emission Unit E-U0001 are limited to 521.9 tons/year calculated on a rolling 12 month total and shall represent the total emissions from the following emission sources:



0ENG1-0ENG4, ENG05-ENG08, FLAR2 and FLAR3 as well as any other trivial and exempt sources of carbon monoxide (CO).

The facility shall maintain records of the metered landfill gas combusted and percent methane combusted in the 4500 cfm enclosed flare (emission source FLAR2) and the 6000 cfm open flare (emission source FLAR3) on a monthly basis. At the end of the month the facility shall calculate the monthly emissions of CO from landfill gas combusted through the flares.

Additionally, the facility shall maintain records of metered gas and percent methane delivered to the gas to energy facility on a monthly basis. The facility shall record daily readings of the kilowatt hours (kwhr) from the switchgear and maintain a monthly total of the actual gross electrical output from each engine (emission sources 0ENG1-0ENG4 and ENG05-ENG08) in kilowatt-hours (kWh). At the end of the month the facility shall calculate the monthly emissions of CO from the landfill gas combustion at the gas to energy facility.

Flared emissions shall be calculated utilizing emission rates from the most recent performance test. If testing data is not available for the flare, emission factors provided in the permit application for the 4500 cfm enclosed flare (0.20 lb/MMBtu CO) and the 6000 cfm open flare (0.20 lb/MMBtu CO) shall be used. Emission factors shall be multiplied by the monthly quantity of landfill gas combusted in all flares.

Engine emissions shall be calculated as follows:

Monthly CO emissions from engine= [(actual monthly gross electrical output, in kWh) x (1.341 bhp/kW) x (engine CO emission factor from most recent performance test, in g/bhp-hr)] / [453.6 g/lb]

The monthly CO emissions from each engine will be summed to give a total for all engines operating during each month.

The combined engine and flare monthly CO emissions shall be added to the previous 11 months of CO emissions to give a total CO emission rate over the most recent consecutive 12 month period. The CO emissions over any consecutive 12 month period shall not exceed 521.9 tons.

Records of all monitoring data and support information shall be retained by the respective emission source

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



operator. The facility shall submit a CO emission cap certification report semi-annually.

When sufficient new evidence becomes available to substantiate changing any of the emission factors used to calculate the monthly CO emissions, the Department will discuss utilizing the new emission factors with the applicant prior to the applicant using the revised emission factors.

The facility shall keep records in a format that is acceptable to the Department.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

**Condition 35: EPA Region 2 address.
Effective between the dates of 12/02/2016 and 12/01/2021**

Applicable Federal Requirement:40CFR 60.4, NSPS Subpart A

Item 35.1:

All requests, reports, applications, submittals, and other communications to the Administrator pursuant to this part shall be submitted in duplicate to the following address:

Director, Division of Enforcement and Compliance Assistance
USEPA Region 2
290 Broadway, 21st Floor
New York, NY 10007-1886

Copies of all correspondence to the administrator pursuant to this part shall also be submitted to the NYSDEC Regional Office issuing this permit (see address at the beginning of this permit) and to the following address:

NYSDEC
Bureau of Quality Assurance
625 Broadway
Albany, NY 12233-3258

**Condition 36: Modification Notification
Effective between the dates of 12/02/2016 and 12/01/2021**

Applicable Federal Requirement:40CFR 60.7(a), NSPS Subpart A

Item 36.1:

Any owner or operator subject to 40 CFR Part 60 shall furnish the Administrator and this office



with the following information:

- a notification of any physical or operational change to an existing facility which may increase the emission rate of any air pollutant to which a standard applies, unless the change is specifically exempted under 40 CFR Part 60. The notice shall be post marked 60 days or as soon as practicable before the change is commenced and shall include information describing the precise nature of the change, present and proposed emission control systems, productivity capability of the facility before and after the change, and the expected completion date of the change. The Administrator and/or this Department may request additional information regarding the change.

Condition 37: Recordkeeping requirements.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.7(b), NSPS Subpart A

Item 37.1:

Affected owners or operators shall maintain records of occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility; any malfunction of the air pollution control equipment; or any periods during which a continuous monitoring system or monitoring device is inoperative.

Condition 38: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.7(c), NSPS Subpart A

Item 38.1:

The Compliance Certification activity will be performed for the Facility.

Item 38.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Affected owners or operators shall submit an excess emissions report and/or a summary report form (as defined in 40 CFR 60.7(d)) semi-annually (or more frequently as required by the applicable Subpart or the Administrator), to the Administrator. These reports shall be post marked no later than 30 days after each six (6) month period (or as appropriate), and shall contain the following information:

1) the magnitude of excess emissions computed, any conversion factors used, the date and time of each occurrence, and the process operating time during the reporting period;

2) specific identification of each period of excess emissions that occur during startup, shutdown, or malfunction, where the nature, cause, and corrective



action are provided for a malfunction;

3) the date and time identifying each period during which the continuous monitoring system was inoperative except for zero and span checks and the nature of the system repairs or adjustments; and

4) when no excess emissions have occurred or when the continuous monitoring system(s) have not been inoperative, repaired, or adjusted, such information shall be provided in the report.

Monitoring Frequency: CONTINUOUS

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 39: Excess emissions report.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.7(d), NSPS Subpart A

Item 39.1:

A summary report form, for each pollutant monitored, shall be sent to the Administrator in the form prescribed in Figure 1 of 40 CFR Part 60.7(d).

Condition 40: Monitoring frequency waiver.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.7(e), NSPS Subpart A

Item 40.1: Notwithstanding the frequency of reporting requirements specified in paragraph (c) of this section, an owner or operator who is required by an applicable subpart to submit excess emissions and monitoring systems performance reports (and summary reports) on a quarterly (or more frequent) basis may reduce the frequency of reporting for that standard to semiannual if the conditions in 40 CFR 60.7(e) are met.

Condition 41: Facility files for subject sources.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.7(f), NSPS Subpart A

Item 41.1:

The following files shall be maintained at the facility for all affected sources: all measurements, including continuous monitoring systems, monitoring device, and performance testing measurements; all continuous monitoring system performance evaluations; all continuous monitoring device calibration checks; adjustments and maintenance performed on these systems or devices; and all other information required by this part, recorded in permanent form suitable for inspections. The file shall be maintained for at least two years following the date of such measurements, reports, and records.



Condition 42: Notification Similar to State or Local Agency
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.7(g), NSPS Subpart A

Item 42.1:

If notification substantially similar to that in 40 CFR Part 60.7(a) is required by any other State or local agency, sending the Administrator a copy of that notification will satisfy the requirements of 40 CFR Part 60.7(a).

Condition 43: Performance testing timeline.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.8(a), NSPS Subpart A

Item 43.1:

Within 60 days after achieving the maximum production rate, but not later than 180 days after initial startup of the facility, the owner or operator of the facility shall conduct performance testing and provide the results of such tests, in a written report, to the Administrator.

Condition 44: Performance Test Methods - Waiver
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.8(b), NSPS Subpart A

Item 44.1:

Performance testing shall be conducted in accordance with the methods and procedures prescribed in 40 CFR Part 60 unless the Administrator (1) specifies or approves, in specific cases, the use of a reference method with minor changes in methodology, (2) approves the use of an equivalent method, (3) approves the use of an alternate method the results of which he has determined to be adequate for indicating whether a specific source is in compliance, (4) waives the requirement for performance tests because the owner or operator of a source has demonstrated by other means to the Administrator's satisfaction that the affected facility is in compliance with the standard, or (5) approves shorter sampling times and smaller sample volumes when necessitated by process variables or other factors.

Condition 45: Performance test methods.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.8(b), NSPS Subpart A

Item 45.1:

Performance testing shall be conducted in accordance with the methods and procedures prescribed in 40 CFR 60 or by alternative methods and procedures approved by the Administrator.

Condition 46: Required performance test information.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.8(c), NSPS Subpart A

Item 46.1:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Performance tests shall be conducted under such conditions specified by the Administrator, based upon representative performance data supplied by the owner or operator of the facility.

Condition 47: Prior notice.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.8(d), NSPS Subpart A

Item 47.1:

The owner or operator shall provide the Administrator with prior notice of any performance test at least 30 days in advance of testing.

Condition 48: Performance testing facilities.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.8(e), NSPS Subpart A

Item 48.1:

The following performance testing facilities shall be provided during all tests:

- 1) sampling ports adequate for tests methods applicable to such facility;
- 2) a safe sampling platform;
- 3) a safe access to the sampling platform; and
- 4) utilities for sampling and testing equipment.

Condition 49: Number of required tests.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.8(f), NSPS Subpart A

Item 49.1:

Each performance test shall consist of three separate runs, at the specified duration required in the applicable test method. Compliance with all applicable standards shall be determined by using the arithmetic means of the results of the three runs.

Condition 50: Availability of information.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.9, NSPS Subpart A

Item 50.1:

The availability to the public of information provided to, or otherwise obtained by, the Administrator under this part shall be governed by 40 CFR Part 2.

Condition 51: Opacity standard compliance testing.
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.11, NSPS Subpart A



Item 51.1:

The following conditions shall be used to determine compliance with the opacity standards:

1) observations shall be conducted in accordance with Reference Method 9, in Appendix A of 40 CFR Part 60 (or an equivalent method approved by the Administrator including continuous opacity monitors);

2) the opacity standards apply at all times except during periods of start up, shutdown, and malfunction; and

3) all other applicable conditions cited in section 60.11 of this part.

Condition 52: Circumvention.

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 40CFR 60.12, NSPS Subpart A

Item 52.1:

No owner or operator subject to the provisions of this part shall build, erect, install, or use any article, machine, equipment or process, the use of which conceals an emission which would otherwise constitute a violation of an applicable standard. Such concealment includes, but is not limited to, the use of gaseous diluents to achieve compliance with an opacity standard or with a standard which is based on the concentration of a pollutant in the gases discharged to the atmosphere.

Condition 53: Modifications.

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 40CFR 60.14, NSPS Subpart A

Item 53.1:

Within 180 days of the completion of any physical or operational change (as defined in section 60.14), compliance with the applicable standards must be achieved.

Condition 54: Reconstruction

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 40CFR 60.15, NSPS Subpart A

Item 54.1:

The following shall be submitted to the Administrator prior to reconstruction (as defined in section 60.15):

1) a notice of intent to reconstruct 60 days prior to the action;

2) name and address of the owner or operator;

3) the location of the existing facility;

4) a brief description of the existing facility and the components to be replaced;

5) a description of the existing air pollution control equipment and the proposed air pollution



control equipment;

6) an estimate of the fixed capital cost of the replacements and of constructing a comparable entirely new facility;

7) the estimated life of the facility after the replacements; and

8) a discussion of any economic or technical limitations the facility may have in complying with the applicable standards of performance after the proposed replacements.

Condition 55: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60, NSPS Subpart JJJJ

Item 55.1:

The Compliance Certification activity will be performed for the Facility.

Item 55.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The provisions of 40 CFR 60 Subpart JJJJ are applicable to manufacturers, owners, and operators of stationary spark ignition (SI) internal combustion engines (ICE) that commence construction after June 12, 2006, and where the stationary SI ICE are manufactured:

(i) on or after July 1, 2007, for engines with a maximum engine power greater than or equal to 500 HP (except lean burn engines with a maximum engine power greater than or equal to 500 HP and less than 1350 HP); or

(ii) on or after January 1, 2008, for lean burn engines with a maximum engine power greater than or equal to 500 HP and less than 1350 HP.

For the purposes of this subpart, the date that construction commences is the date the engine is ordered by the owner or operator.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 56: Subpart A provisions that apply to facilities subject to Subpart JJJJ
Effective between the dates of 12/02/2016 and 12/01/2021



2) collect gas from each area, cell or group of cells in the landfill in which the initial solid waste has been placed for a period of 5 years (if active) or 2 years (if closed or at final grade);

3) collect gas at a sufficient extraction rate; and

4) be designed to minimize off-site migration of subsurface gas.

(B) A passive collection system shall:

(1) Comply with the provisions specified in paragraphs (A)(1),(2), and (4) above.

(2) Be installed with liners on the bottom and all sides in all areas in which gas is to be collected. The liners shall be installed as required under 40 CFR Part 258.40 of this title.

iii) Route all the collected gas to a control system that complies with either of the following:

A) is an open flare designed and operated in accordance with 40 CFR 60.18; or

B) is a control system designed and operated to reduce NMOC by 98% (by weight) or, when an enclosed combustion device is used for control, to either reduce NMOC by 98% weight or reduce the NMOC outlet concentration to less than 20 parts per million by volume, dry basis as hexane at 3% oxygen. The reduction efficiency or parts per million by volume shall be established by an initial performance test to be completed no later than 180 days after the initial startup of the approved control system using the test methods specified in 40 CFR Part 60.754(d).

(1) If a boiler or process heater is used as the control device, the landfill gas stream shall be introduced into the flame zone.

(2) The control device shall be operated within the parameter ranges established during the initial or most recent performance test. The operating parameters to be monitored are specified in 40 CFR Part 60.756;

(C) Route the collected gas to a treatment system that processes the collected gas for subsequent sale or use. All emissions from any atmospheric vent from the gas treatment system shall be subject to the requirements of paragraph (iii)(A) or (B) above.

**Condition 58: Operational standards for collection and control systems
Effective between the dates of 12/02/2016 and 12/01/2021**

Applicable Federal Requirement:40CFR 60.753(a), NSPS Subpart

WWW

Item 58.1:

Each owner or operator of an MSW landfill with a gas collection and control system used to comply with the provisions of 40 CFR Part 60.752(b)(2)(ii) shall:

a) Operate the collection system such that gas is collected from each area, cell or



group of cells in the MSW landfill in which solid waste has been in place for:

- 1) 5 years or more if active; or
- 2) 2 years or more if closed or at final grade.

Condition 59: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 40CFR 60.753(b), NSPS Subpart

WWW

Item 59.1:

The Compliance Certification activity will be performed for the Facility.

Item 59.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Operate the collection system with negative pressure at each wellhead except under the following conditions:

- 1) A fire or increased well temperature. The owner or operator shall record instances when positive pressure occurs in efforts to avoid a fire. These records shall be submitted with the annual reports as provided in 40 CFR Part 60.757(f)(1).
- 2) Use of a geomembrane cover or an equivalent synthetic cover. The owner or operator shall develop acceptable pressure limits in the design plan.
- 3) A decommissioned well. A well may experience a static positive pressure after shut down to accommodate for declining flows.

If monitoring demonstrates that the operational requirements are not met, corrective action shall be taken as specified in §60.755(a)(3) through (5) of Subpart WWW.

If corrective actions are taken as specified in §60.755, the monitored exceedance is not a violation of the operational requirements in this section, however the permittee shall report these episodes as deviations.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: LANDFILL GAS

Parameter Monitored: PRESSURE

Upper Permit Limit: 0 pounds per square inch gauge

Monitoring Frequency: MONTHLY

Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE -

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 60: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.753(c), NSPS Subpart

WWW

Item 60.1:

The Compliance Certification activity will be performed for the Facility.

Item 60.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Operate each interior wellhead in the collection system with an oxygen level in the landfill gas less than 5%. The owner or operator may establish a higher operating oxygen level at a particular well. A higher operating value demonstration shall show supporting data that the elevated parameter does not cause fires or significantly inhibit anaerobic decomposition by killing methanogens.

If monitoring demonstrates that the operational requirements are not met, corrective action shall be taken as specified in §60.755(a)(3) through (5) of Subpart WWW.

If corrective actions are taken as specified in §60.755, the monitored exceedance is not a violation of the operational requirements in this section, however the permittee shall report these episodes as deviations.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: LANDFILL GAS

Parameter Monitored: OXYGEN CONTENT

Upper Permit Limit: 4.9 percent

Reference Test Method: Method 3a

Monitoring Frequency: MONTHLY

Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE -

SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 61: Compliance Certification

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.753(c), NSPS Subpart

WWW

Item 61.1:

The Compliance Certification activity will be performed for the Facility.

Item 61.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Operate each interior wellhead in the collection system with a landfill gas temperature less than 55 degrees centigrade. The owner or operator may establish a higher operating temperature at a particular well. A higher operating value demonstration shall show supporting data that the elevated parameter does not cause fires or significantly inhibit anaerobic decomposition by killing methanogens.

If monitoring demonstrates that the operational requirements are not met, corrective action shall be taken as specified in §60.755(a)(3) through (5) of Subpart WWW.

If corrective actions are taken as specified in §60.755, the monitored exceedance is not a violation of the operational requirements in this section, however the permittee shall report these episodes as deviations.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: LANDFILL GAS

Parameter Monitored: TEMPERATURE

Upper Permit Limit: 54.9 degrees Centigrade (or Celsius)

Monitoring Frequency: MONTHLY

Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE - SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 62: Compliance Certification

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.753(d), NSPS Subpart

WWW

Item 62.1:

The Compliance Certification activity will be performed for the Facility.

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Regulated Contaminant(s):

CAS No: 000074-82-8 METHANE

Item 62.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: AMBIENT AIR MONITORING

Monitoring Description:

Operate the collection system so that the methane concentration is less than 500 part per million above background at the surface of the landfill. To determine if this level is exceeded, the owner or operator shall conduct surface testing around the perimeter of the collection area and along a pattern that traverses the landfill at 30 meter intervals and where visual observations indicate elevated concentrations of landfill gas, such as distressed vegetation and cracks or seeps in the cover. The owner or operator may establish an alternative traversing pattern that ensures equivalent coverage. A surface monitoring design plan shall be developed that includes a topographical map with the monitoring route and the rationale for any site-specific deviations from the 30 meter intervals. This plan shall be submitted to the Department for review and approval within 60 days of issuance of this permit. The plan shall be revised as needed for any landfill expansion. Areas with steep slopes or other dangerous areas may be excluded from the surface testing.

If monitoring demonstrates that the operational requirements are not met, corrective action shall be taken as specified in §60.755(c) of Subpart WWW. If corrective actions are taken as specified in §60.755, the monitored exceedance is not a violation of the operational requirements in this section, however the permittee shall report these episodes as deviations.

Parameter Monitored: METHANE

Upper Permit Limit: 499 parts per million (by volume)

Monitoring Frequency: QUARTERLY

Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE -
SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 63: Compliance Certification

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.753(e), NSPS Subpart

WWW

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Item 63.1:

The Compliance Certification activity will be performed for the Facility.

Item 63.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Operate the collection system such that all collected gases are vented to a control system designed and operated in compliance with 40 CFR Part 60.752(b)(2)(iii). In the event the collection or control system is inoperable, the gas mover system shall be shut down and all valves in the collection and control system contributing to venting of the gas to the atmosphere shall be closed within one hour.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 64: Compliance Certification

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.753(f), NSPS Subpart WWW

Item 64.1:

The Compliance Certification activity will be performed for the Facility.

Item 64.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Operate the control or treatment system at all times when the collected gas is routed to the system

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 65: Compliance Certification

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.753(g), NSPS Subpart

WWW

Item 65.1:

The Compliance Certification activity will be performed for the Facility.

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Item 65.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

If monitoring demonstrates that the operational requirements of 40 CFR Part 60.753(b), (c) or (d) are not met, corrective action shall be taken as specified in 40 CFR Part 60.755(a)(3) through (5) or 40 CFR Part 60.755(c). If corrective actions are taken as specified in 40 CFR Part 60.755, the monitored exceedance is not a violation of the operational requirements in 40 CFR Part 60.753.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 66: Performance Test

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.754(d), NSPS Subpart

WWW

Item 66.1:

For the performance test required in 40 CFR Part 60.752(b)(2)(iii)(B), Method 25, 25C or Method 18 of 40 CFR Part 60 Appendix A shall be used to determine compliance with the 98 weight-percent efficiency or the 20 ppmv outlet concentration level, unless another method to demonstrate compliance has been approved by the Administrator as provided by 40 CFR Part 60.752(b)(2)(i)(B). Method 3 or 3A shall be used to determine oxygen for correcting the NMOC concentration as hexane to 3 percent. In cases where the outlet concentration is less than 50 ppm NMOC as carbon (8 ppm NMOC as hexane), Method 25A should be used in place of Method 25. If using method 18, the minimum list of compounds to be tested shall be those published in the most recent Compilation of Air Pollutant Emission Factors (AP-42). The following equation shall be used to calculate efficiency:

$$\text{Control Efficiency} = (\text{NMOC}_{\text{in}} - \text{NMOC}_{\text{out}}) / (\text{NMOC}_{\text{in}})$$

where,

NMOC_{in} = mass of NMOC entering control device

NMOC_{out} = mass of NMOC exiting control device

Condition 67: Compliance Provisions - collection system

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.755(a), NSPS Subpart

WWW

Item 67.1:

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), the specified methods in paragraphs (1)



through (6) below, shall be used to determine whether the gas collection system is in compliance with 40 CFR Part 60.752(b)(2)(ii).

1) For the purposes of calculating the maximum expected gas generation flow rate from the landfill to determine compliance with 40 CFR Part 60.752(b)(2)(ii)(A)(1), the following equation shall be used. The k and L_0 kinetic factors should be those published in the most recent Compilation of Air Pollutant Emissions Factors (AP-42) or other site specific values demonstrated to be appropriate for this site and approved by the Administrator. If k has been determined as specified in 40 CFR Part 60.754(a)(4), the value of k determined from the test shall be used. The active life of the landfill is the age of the landfill plus the estimated number of years until closure.

ii) For waste sites with known year-to-year solid waste acceptance rate:

$$QM = S \sum_{i=1}^n k_i L_{0i} M_i (e^{-k_i t_i})$$

where,

QM = maximum expected gas generation flow rate, cubic meters per year
 k = methane generation rate constant, year⁻¹
 L_0 = methane generation potential, cubic meters per megagram solid waste
 M_i = mass of solid waste in the i th section, megagrams
 t_i = age of the i th section (years).

2) For the purposes of determining sufficient density of gas collectors for compliance with 40 CFR Part 60.752(b)(2)(ii)(A)(2), the owner shall design a system of vertical wells, horizontal collectors, or other collection devices, satisfactory to the Administrator, capable of controlling and extracting gas from all portions of the landfill sufficient to meet all operational and performance standards.

3) For the purpose of demonstrating whether the gas collection system flow rate is sufficient to determine compliance with 40 CFR Part 60.752(b)(2)(ii)(A)(3), the owner or operator shall measure gauge pressure in the gas collection header at each individual well, monthly. If a positive pressure exists, action shall be initiated to correct the exceedance within 5 calendar days, except for the three conditions allowed under 40 CFR Part 60.753(b). If negative pressure cannot be achieved without excess air infiltration within 15 calendar days of the first measurement, the gas collection system shall be expanded to correct the exceedance within 120 days of the initial measurement of positive pressure. Any attempted corrective measure shall not cause exceedances of other operational or performance standards. An alternate timeline for correcting the exceedance may be submitted to the Administrator for approval.

4) Owners or operators are not required to expand the system as required in paragraph (3) above during the first 180 days after gas collection system startup.

5) For the purpose of identifying whether excess air infiltration into the landfill is occurring, the owner or operator shall monitor each well monthly for temperature and nitrogen or oxygen as provided in 40 CFR Part 60.753(c). If a well exceeds one of these operating parameters, action shall be initiated to correct the exceedance within 5 calendar days. If correction of the exceedance cannot be achieved within 15 calendar days of the first measurement, the gas collection system shall be expanded to correct the exceedance within 120 days of the initial exceedance. Any attempted corrective measure shall not cause exceedances of



other operational or performance standards. An alternative timeline for correcting the exceedance may be submitted to the Administrator for approval.

6) An owner or operator seeking to demonstrate compliance with 40 CFR Part 60.752(b)(2)(ii)(A)(4) through the use of a collection system not conforming to the specifications provided in 40 CFR Part 60.759 shall provide information satisfactory to the Administrator as specified in 40 CFR Part 60.752(b)(2)(i)(C) demonstrating that off-site migration is being controlled.

Condition 68: Compliance Provisions - wells
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.755(b), NSPS Subpart

WWW

Item 68.1:

For purposes of compliance with 40 CFR Part 60.753(a), each owner or operator of a controlled landfill shall place each well or design component as specified in the approved design plan as provided in 40 CFR Part 60.752(b)(2)(i). Each well shall be installed no later than 60 days after the date on which the initial solid waste has been in place for a period of:

- 1) 5 years or more if active; or
- 2) 2 years or more if closed or at final grade.

Condition 69: Compliance Provisions - surface methane
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.755(c), NSPS Subpart

WWW

Item 69.1:

The following procedures shall be used for compliance with the surface methane operational standard as provided in 40 CFR Part 60.753(d).

1) After installation of the collection system, the owner or operator shall monitor surface concentrations of methane along the entire perimeter of the collection area and along a pattern that traverses the landfill at 30-meter intervals (or a site-specific established spacing) for each collection area on a quarterly basis using an organic vapor analyzer, flame ionization detector, or other portable monitor meeting the specifications provided in 40 CFR Part 60.755(d).

2) The background concentration shall be determined by moving the probe inlet upwind and downwind outside the boundary of the landfill at a distance of at least 30 meters from the perimeter wells.

3) Surface emission monitoring shall be performed in accordance with section 8.3.1 of Method 21 of 40 CFR Part 60 Appendix A, except that the probe inlet shall be placed within 5 to 10 centimeters of the ground. Monitoring shall be performed during typical meteorological conditions.

4) Any reading of 500 parts per million or more above background at any location shall be recorded as a monitored exceedance and the actions specified in paragraphs (4)(i) through (v) below shall be taken. As long as the specified actions are taken, the exceedance is



not a violation of the operational requirements of 40 CFR Part 60.753(d).

- i) The location of each monitored exceedance shall be marked and the location recorded.
- ii) Cover maintenance or adjustments to the vacuum of the adjacent wells to increase the gas collection in the vicinity of each exceedance shall be made and the location shall be re-monitored within 10 calendar days of detecting the exceedance.
- iii) If the re-monitoring of the location shows a second exceedance, additional corrective action shall be taken and the location shall be monitored again within 10 days of the second exceedance. If the re-monitoring shows a third exceedance for the same location, the action specified in paragraph (4)(v) below shall be taken, and no further monitoring of that location is required until the action specified in paragraph (4)(v) has been taken.
- iv) Any location that initially showed an exceedance but has a methane concentration less than 500 ppm methane above background at the 10-day re-monitoring specified in paragraph (4)(ii) or (iii) below shall be re-monitored 1 month from the initial exceedance. If the 1-month re-monitoring shows a concentration less than 500 parts per million above background, no further monitoring of that location is required until the next quarterly monitoring period. If the 1-month re-monitoring shows an exceedance, the actions specified in paragraph (4)(iii) or (v) shall be taken.
- v) For any location where monitored methane concentration equals or exceeds 500 parts per million above background three times within a quarterly period, a new well or other collection device shall be installed within 120 calendar days of the initial exceedance. An alternative remedy to the exceedance, such as upgrading the blower, header pipes or control device, and a corresponding timeline for installation may be submitted to the Administrator for approval.

5) The owner or operator shall implement a program to monitor for cover integrity and implement cover repairs as necessary on a monthly basis.

**Condition 70: Compliance Provisions - instrumentation specifications
Effective between the dates of 12/02/2016 and 12/01/2021**

Applicable Federal Requirement: 40CFR 60.755(d), NSPS Subpart

WWW

Item 70.1:

Each owner or operator seeking to comply with the provisions in 40 CFR Part 60.755(c) of this section shall comply with the following instrumentation specifications and procedures for surface emission monitoring devices:

- 1) The portable analyzer shall meet the instrument specifications provided in section 6 of Method 21 of 40 CFR Part 60 Appendix A, except that "methane" shall replace all references to VOC.
- 2) The calibration gas shall be methane, diluted to a nominal concentration of 500 parts per million in air.
- 3) To meet the sample, collection, preservation, storage and transport requirements in Section 8.0 of Method 21 of 40 CFR Part 60 Appendix A, the instrument evaluation procedures of section 8.1 of Method 21 shall be used.
- 4) The calibration procedures provided in section 10 of Method 21 of 40 CFR

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Part 60 Appendix A of this part shall be followed immediately before commencing a surface monitoring survey.

Condition 71: Compliance Provisions - Start-up, shutdown, or malfunction
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.755(e), NSPS Subpart

WWW

Item 71.1:

The provisions of this subpart apply at all times, except during periods of start-up, shutdown, or malfunction, provided that the duration of start-up, shutdown, or malfunction shall not exceed 5 days for collection systems and shall not exceed 1 hour for treatment or control devices.

Condition 72: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.756(a), NSPS Subpart

WWW

Item 72.1:

The Compliance Certification activity will be performed for the Facility.

Item 72.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Each owner or operator seeking to comply with 40 CFR Part 60.752(b)(2)(ii)(A) for an active gas collection system shall install a sampling port and a thermometer, other temperature measuring device, or an access port for temperature measurements at each wellhead and:

(1) Measure the gauge pressure in the gas collection header on a monthly basis as provided in 40 CFR Part 60.755(a)(3); and

(2) Monitor nitrogen or oxygen concentration in the landfill gas on a monthly basis as provided in 40 CFR Part 60.755(a)(5); and

(3) Monitor temperature of the landfill gas on a monthly basis as provided in 40CFR Part 60.755(a)(5).

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Condition 73: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.756(b), NSPS Subpart

WWW

Item 73.1:

The Compliance Certification activity will be performed for the Facility.

Item 73.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Each owner or operator seeking to comply with 40 CFR Part 60.752(b)(2)(iii) using an enclosed combustor shall calibrate, maintain, and operate according to the manufacturer's specifications, the following equipment.

(1) A temperature monitoring device equipped with a continuous recorder and having a minimum accuracy of ± 1 percent of the temperature being measured expressed in degrees Celsius or ± 0.5 oC, whichever is greater. A temperature monitoring device is not required for boilers or process heaters with design heat input capacity greater than 44 megawatts.

(2) A device that records flow to or bypass of the control device. The owner or operator shall either:

(i) Install, calibrate, and maintain a gas flow rate measuring device that shall record the flow to the control device at least every 15 minutes; or

(ii) Secure the bypass line valve in the closed position with a car-seal or a lock-and-key type configuration. A visual inspection of the seal or closure mechanism shall be performed at least once every month to ensure that the valve is maintained in the closed position and that the gas flow is not diverted through the bypass line.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 74: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.756(f), NSPS Subpart WWW

Item 74.1:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 000074-82-8 METHANE

Item 74.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: AMBIENT AIR MONITORING

Monitoring Description:

Each owner or operator seeking to demonstrate compliance with 40CFR Part 60.755(c), shall monitor surface concentrations of methane according to the instrument specifications and procedures provided in 40CFR Part 60.755(d). Any closed landfill that has no monitored exceedances of the operational standard in three consecutive quarterly monitoring periods may skip to annual monitoring. Any methane reading of 500 ppm or more above background detected during the annual monitoring returns the frequency for that landfill to quarterly monitoring. The annual monitoring of a closed landfill shall be completed in the second or third quarter if conditions are deemed safe. The landfill usually is covered with snow and/or ice in the first quarter.

For safety purposes, if a section of the landfill is covered with snow and/or ice for an entire quarter, that section of the landfill does not need to be included in the surface scan required for that quarter under 40 CFR 60 Subpart WWW. The facility must return to quarterly surface monitoring in the event that conditions improve (i.e., if the snow and ice melt and the ground surface is again accessible to the monitoring instruments) during the quarterly monitoring period.

Parameter Monitored: METHANE

Upper Permit Limit: 499 parts per million (by volume)

Reference Test Method: EPA RM 21

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

**Condition 75: Reporting Requirements - Closure Report
Effective between the dates of 12/02/2016 and 12/01/2021**



Applicable Federal Requirement:40CFR 60.757(d), NSPS Subpart

WWW

Item 75.1:

Each owner or operator of a controlled landfill shall submit a closure report to the Administrator within 30 days of waste acceptance cessation. The Administrator may request additional information as may be necessary to verify that permanent closure has taken place in accordance with the requirements of 40 CFR Part 258.60 of this title. If a closure report has been submitted to the Administrator, no additional wastes may be placed into the landfill without filing a notification of modification as described under 40 CFR Part 60.7(a)(4).

**Condition 76: Reporting Requirements - Control Equipment Removal
Effective between the dates of 12/02/2016 and 12/01/2021**

Applicable Federal Requirement:40CFR 60.757(e), NSPS Subpart

WWW

Item 76.1:

Each owner or operator of a controlled landfill shall submit an equipment removal report to the Administrator 30 days prior to removal or cessation of operation of the control equipment.

(1) The equipment removal report shall contain all of the following items:

- (i) A copy of the closure report submitted in accordance with 40 CFR Part 60.757(d) of this section;
- (ii) A copy of the initial performance test report demonstrating that the 15 year minimum control period has expired; and
- (iii) Dated copies of three successive NMOC emission rate reports demonstrating that the landfill is no longer producing 50 megagrams or greater of NMOC per year.

(2) The Administrator may request such additional information as may be necessary to verify that all of the conditions for removal in 40 CFR Part 60.752(b)(2)(v) have been met.

**Condition 77: Reporting requirements - Collection and control system
Effective between the dates of 12/02/2016 and 12/01/2021**

Applicable Federal Requirement:40CFR 60.757(g), NSPS Subpart

WWW

Item 77.1:

Each owner or operator seeking to comply with 40 CFR Part 60.752(b)(2)(iii) shall include the following information with the initial performance test report required under 40 CFR Part 60.8:

- 1) A diagram of the collection system showing collection system positioning including all wells, horizontal collectors, surface collectors, or other gas extraction devices, including the locations of any areas excluded from collection and the proposed sites for the future collection system expansion;
- 2) The data upon which the sufficient density of wells, horizontal collectors, surface collectors, or other gas extraction devices and the gas mover equipment sizing are based;



3) The documentation of the presence of asbestos or nondegradable material for each area from which collection wells have been excluded based on the presence of asbestos or nondegradable material;

4) The sum of the gas generation flow rates for all areas from which collection wells have been excluded based on nonproductivity and the calculations of gas generation flow rate for each excluded area; and

5) The provisions for increasing gas mover equipment capacity with increased gas generation flow rate, if the present gas mover equipment is inadequate to move the maximum flow rate expected over the life of the landfill; and

6) The provisions for the control of off-site migration.

Condition 78: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.758(a), NSPS Subpart

WWW

Item 78.1:

The Compliance Certification activity will be performed for the Facility.

Item 78.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), each owner or operator of an MSW landfill subject to the provisions of 40 CFR Part 60.752(b) shall keep for at least 5 years up-to-date, readily accessible, on-site records of the maximum design capacity report which triggered 40 CFR Part 60.752(b), the current amount of solid waste in-place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. Either paper copy or electronic formats are acceptable.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 79: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.758(b), NSPS Subpart

WWW



Item 79.1:

The Compliance Certification activity will be performed for the Facility.

Item 79.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), each owner or operator of a controlled landfill shall keep up-to-date, readily accessible records for the life of the control equipment of the data listed in paragraphs (1) through (4) below as measured during the initial performance test or compliance determination. Records of subsequent tests or monitoring shall be maintained for a minimum of 5 years. Records of the control device vendor specifications shall be maintained until removal.

1) Where an owner or operator seeks to demonstrate compliance with 40 CFR Part 60.752(b)(2)(ii):

i) The maximum expected gas generation flow rate as calculated in 40 CFR Part 60.755(a)(1). The owner or operator may use another method to determine the maximum gas generation flow rate, if the method has been approved by the Administrator.

ii) The density of wells, horizontal collectors, surface collectors, or other gas extraction devices determined using the procedures specified in 40 CFR Part 60.759(a)(1).

2) Where an owner or operator subject to the provisions of this subpart seeks to demonstrate compliance with 40 CFR Part 60.752(b)(2)(iii) through use of an enclosed combustion device other than a boiler or process heater with a design heat input capacity greater than 44 megawatts:

i) The average combustion temperature measured at least every 15 minutes and averaged over the same time period of the performance test.

ii) The percent reduction of NMOC determined as specified in 40 CFR Part 60.752(b)(2)(iii)(B) achieved by the control device.

3) Where an owner or operator subject to the provisions of this subpart seeks to demonstrate



compliance with 40 CFR Part 60.752(b)(2)(iii)(B)(1) through use of a boiler or process heater of any size: a description of the location at which the collected gas vent stream is introduced into the boiler or process heater over the same time period of the performance testing.

4) Where an owner or operator seeks to demonstrate compliance with 40 CFR Part 60.752(b)(2)(iii)(A) through use of an open flare, the flare type (i.e., steam-assisted, air-assisted, or nonassisted), all visible emission readings, heat content determination, flow rate or bypass flow rate measurements, and exit velocity determinations made during the performance test as specified in 40 CFR Part 60.18; continuous records of the flare pilot flame or flare flame monitoring and records of all periods of operations during which the pilot flame of the flare flame is absent.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 80: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 40CFR 60.758(c), NSPS Subpart

WWW

Item 80.1:

The Compliance Certification activity will be performed for the Facility.

Item 80.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), each owner or operator of a controlled landfill shall keep for 5 years up-to-date, readily accessible continuous records of the equipment operating parameters specified to be monitored in 40 CFR Part 60.756 as well as up-to-date, readily accessible records for periods of operation during which the parameter boundaries established during the most recent performance test are exceeded.

1) The following constitute exceedances that shall be recorded and reported under 40 CFR Part 60.757(f):



i) For enclosed combustors except for boilers and process heaters with design heat input capacity of 44 megawatts (150 million British thermal unit per hour) or greater, all 3-hour periods of operation during which the average combustion temperature was more than 28 degrees C below the average combustion temperature during the most recent performance test at which compliance with 40 CFR Part 60.752(b)(2)(iii) was determined.

ii) For boilers or process heaters, whenever there is a change in the location at which the vent stream is introduced into the flame zone as required under paragraph 40 CFR Part 60.758(b)(3)(i) of this section.

2) Each owner or operator shall keep up-to-date, readily accessible continuous records of the indication of flow to the control device or the indication of bypass flow or records of monthly inspections of car-seals or lock-and-key configurations used to seal bypass lines, specified under 40 CFR Part 60.756.

3) Each owner or operator subject to the provisions of this subpart who uses a boiler or process heater with a design heat input capacity of 44 megawatts or greater to comply with 40 CFR Part 60.752(b)(2)(iii) shall keep an up-to-date, readily accessible record of all periods of operation of the boiler or process heater. (Examples of such records could include records of steam use, fuel use, or monitoring data collected pursuant to other State, local, Tribal, or Federal regulatory requirements.)

4) Each owner or operator seeking to comply by use of an open flare shall keep up-to-date, readily accessible continuous records of the flame or flare pilot flame monitoring specified under 40 CFR Part 60.756(c), and up-to-date, readily accessible records of all periods of operation in which the flame or flare pilot flame is absent.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 81: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021



Applicable Federal Requirement:40CFR 60.758(d), NSPS Subpart

WWW

Item 81.1:

The Compliance Certification activity will be performed for the Facility.

Item 81.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), each owner or operator shall keep for the life of the collection system an up-to-date, readily accessible plot map showing each existing and planned collector in the system and providing a unique identification location label for each collector.

1) Each owner or operator shall keep up-to-date, readily accessible records of the installation date and location of all newly installed collectors as specified under 40 CFR Part 60.755(b).

2) Each owner or operator shall keep readily accessible documentation of the nature, date of deposition, amount, and location of asbestos-containing or nondegradable waste excluded from collection as provided in 40 CFR Part 60.759(a)(3)(i) as well as any nonproductive areas excluded from collection as provided in 40 CFR Part 60.759(a)(3)(ii).

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 82: Compliance Certification

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.758(e), NSPS Subpart

WWW

Item 82.1:

The Compliance Certification activity will be performed for the Facility.

Item 82.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES



Monitoring Description:

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), each owner or operator shall keep for at least 5 years up-to-date, readily accessible records of all collection and control system exceedances of the operational standards in 40 CFR Part 60.753, the reading in the subsequent month whether or not the second reading is an exceedance, and the location of each exceedance.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

**Condition 83: Specifications for active collection systems
Effective between the dates of 12/02/2016 and 12/01/2021**

Applicable Federal Requirement:40CFR 60.759(a), NSPS Subpart

WWW

Item 83.1:

Each owner or operator seeking to comply with 40 CFR Part 60.752(b)(2)(i) shall site active collection wells, horizontal collectors, surface collectors, or other extraction devices at a sufficient density throughout all gas producing areas using the following procedures unless alternative procedures have been approved by the Administrator as provided in 40 CFR 60.752(b)(2)(i)(C) and (D):

1) The collection devices within the interior and along the perimeter areas shall be certified to achieve comprehensive control of surface gas emissions by a professional engineer. The following issues shall be addressed in the design: depths of refuse, refuse gas generation rates and flow characteristics, cover properties, gas system expandability, leachate and condensate management, accessibility, compatibility with filling operations, integration with closure end use, air intrusion control, corrosion resistance, fill settlement, and resistance to the refuse decomposition heat.

2) The sufficient density of gas collection devices determined in paragraph (1) above shall address landfill gas migration issues and augmentation of the collection system through the use of active or passive systems at the landfill perimeter or exterior.

3) The placement of gas collection devices determined in paragraph (1) above shall control all gas producing areas, except as provided by paragraphs (3)(i) and (3)(ii) below.

i) Any segregated area of asbestos or nondegradable material may be excluded from collection if documented as provided under 40 CFR Part 60.758(d). The documentation shall provide the nature, date of deposition, location and amount of asbestos or nondegradable material deposited in the area, and shall be provided to the Administrator upon request.

ii) Any nonproductive area of the landfill may be excluded from control, provided that the total of all excluded areas can be shown to contribute less than 1 percent of the total amount of NMOC emissions from the landfill. The amount, location, and age of the material



shall be documented and provided to the Administrator upon request. A separate NMOC emissions estimate shall be made for each section proposed for exclusion, and the sum of all such sections shall be compared to the NMOC emissions estimate for the entire landfill. Emissions from each section shall be computed using the following equation:

$$Q_i = 2 k L_o M_i (e^{-kt_i}) \text{ (CNMOC)} (3.6 \times 10^{-9})$$

where,

Q_i = NMOC emission rate from the i th section, megagrams per year

k = methane generation rate constant, year⁻¹

L_o = methane generation potential, cubic meters per megagram solid waste

M_i = mass of the degradable solid waste in the i th section, megagram

t_i = age of the solid waste in the i th section, years

CNMOC = concentration of nonmethane organic compounds, parts per million

by volume

3.6×10^{-9} = conversion factor

iii) The values for k and CNMOC determined in field testing shall be used, if field testing has been performed in determining the NMOC emission rate or the radii of influence (the distance from the well center to a point in the landfill where the pressure gradient applied by the blower or compressor approaches zero). If field testing has not been performed, the default values for k , L_o and CNMOC provided in 40 CFR Part 60.754(a)(1) or the alternative values from 40 CFR Part 60.754(a)(5) shall be used. The mass of nondegradable solid waste contained within the given section may be subtracted from the total mass of the section when estimating emissions provided the nature, location, age, and amount of the nondegradable material is documented as provided in paragraph (3)(i) above.

Condition 84: Specifications for active collection systems
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.759(c), NSPS Subpart

WWW

Item 84.1:

Each owner or operator seeking to comply with 40 CFR Part 60.752(b)(2)(i)(A) shall convey the landfill gas to a control system in compliance with 40 CFR Part 60.752(b)(2)(iii) through the collection header pipe(s). The gas mover equipment shall be sized to handle the maximum gas generation flow rate expected over the intended use period of the gas moving equipment using the following procedures:

- 1) For existing collection systems, the flow data shall be used to project the maximum flow rate. If no flow data exists, the procedures in paragraph (2) below shall be used.
- 2) For new collection systems, the maximum flow rate shall be in accordance with 40 CFR Part 60.755(a)(1).

Condition 85: Asbestos-containing waste material standard for active waste disposal sites
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 61.154, NESHAP Subpart M



Item 85.1:

Owner or operator shall comply with the requirements of 40 CFR Part 61.154 when accepting asbestos-containing waste material from any source required to comply with 40 CFR Part 61.149, 61.150, or 61.155.

Condition 86: Compliance Certification

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 63.1955(b), Subpart AAAA

Item 86.1:

The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):

CAS No: 0NY100-00-0 TOTAL HAP

Item 86.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

If you are required by 40CFR60.752(b)(2) of subpart WWW, the Federal plan, or an EPA approved and effective State or tribal plan to install a collection and control system, you must comply with the requirements in §§63.1960 through 63.1985 and with the general provisions of part 63 as specified in table 1 of Subpart AAAA.

The facility shall develop and implement a written startup, shutdown, and malfunction (SSM) plan that describes, in detail, procedures for operating and maintaining the source during periods of startup, shutdown, and malfunction; a program of corrective action for malfunctioning process; and air pollution control and monitoring equipment used to comply with this standard.

This plan must be developed by the facility by the compliance date of 40CFR63, subpart AAAA (the landfill NESHAP) and must comply with all of the provisions as listed in §63.6(e)(3)(ii)-(ix) which includes the following provisions:

- During periods of startup, shutdown, and malfunction, the facility must operate and maintain the affected source in accordance with the procedures specified in the SSM plan.

- When actions taken by the owner/operator during a startup, shutdown, or malfunction are consistent with the procedures specified in the affected source's SSM plan, the owner/operator must keep records for that event which



demonstrate that the procedures specified in the plan were followed. In addition, the owner/operator must keep records of these events as specified in §63.10(b), including records of operation and each malfunction of the air pollution control and monitoring equipment. Furthermore, the owner/operator shall confirm that actions taken during the startup, shutdown, and malfunction were consistent with the SSM plan in the semiannual report as required in §63.10(d)(5).

- If an action taken by the facility is not consistent with the SSM plan, and the affected source exceeds the relevant emission standard, then the owner/operator must record the actions taken for that event and must report such actions within 2 working days after commencing actions inconsistent with the SSM plan, followed by a letter within 7 working days after the end of the event.

- EPA or NYSDEC may at any time request in writing that the facility submit a copy of the SSM plan (or a portion thereof) which is maintained at the affected source. Upon receipt of such a request, the facility must promptly submit a copy of the requested plan to EPA or NYSDEC. EPA or NYSDEC must request that the facility submit a SSM plan whenever a member of the public submits a specific and reasonable request to examine or to receive a copy of that plan or portion of a plan. If the facility claims that any portion of such a SSM plan is confidential business information entitled to protection from disclosure under section 114(c) of the Act or 40CFR2.301, the material which is claimed as confidential must be clearly designated in the submission.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 87: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 63.1980(a), Subpart AAAA

Item 87.1:

The Compliance Certification activity will be performed for the Facility.

Item 87.2:

Compliance Certification shall include the following monitoring:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Each owner or operator of a landfill seeking to comply with 40 CFR Part 60.752(b)(2) using an active collection system designed in accordance with 40 CFR Part 60.752(b)(2)(ii) shall submit to the Administrator semiannual reports of the recorded information in paragraphs (1) through (6) below. The initial semiannual report shall be submitted within 180 days of installation and start-up of the collection and control system, and shall include the initial performance test report required under 40 CFR Part 60.8. For enclosed combustion devices and flares, reportable exceedances are defined under 40 CFR Part 60.758(c).

(1) Value and length of time for exceedance of applicable parameters monitored under 40 CFR Part 60.756(a), (b), (c), and (d).

(2) Description and duration of all periods when the gas stream is diverted from the control device through a bypass line or the indication of bypass flow as specified under 40 CFR Part 60.756.

(3) Description and duration of all periods when the control device was not operating for a period exceeding 1 hour and length of time the control device was not operating.

(4) All periods when the collection system was not operating in excess of 5 days.

(5) The location of each exceedance of the 500 parts per million methane concentration as provided in 40 CFR Part 60.753(d) and the concentration recorded at each location for which an exceedance was recorded in the previous month.

(6) The date of installation and the location of each well or collection system expansion added pursuant to paragraphs 40 CFR Part 60.755(a)(3), (b), and (c)(4).

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 88: General provisions
Effective between the dates of 12/02/2016 and 12/01/2021

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Applicable Federal Requirement:40CFR 63.6665, Subpart ZZZZ

Item 88.1:

Table 8 of 40 CFR 63 Subpart ZZZZ shows which parts of the General Provisions 40 CFR 63.1 through 40 CFR 63.15 apply to this facility. Facility is responsible for ensuring they comply with all General Provisions contained in Table 8.

****** Emission Unit Level ******

Condition 89: Emission Point Definition By Emission Unit
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 89.1:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: E-U0001

Emission Point: EP001

Height (ft.): 21

Diameter (in.): 10

NYTMN (km.): 4772.621

NYTME (km.): 306.129

Building:

POWERPLANT

Emission Point: EP002

Height (ft.): 21

Diameter (in.): 10

NYTMN (km.): 4772.621

NYTME (km.): 306.129

Building:

POWERPLANT

Emission Point: EP003

Height (ft.): 21

Diameter (in.): 10

NYTMN (km.): 4772.621

NYTME (km.): 306.129

Building:

POWERPLANT

Emission Point: EP004

Height (ft.): 21

Diameter (in.): 10

NYTMN (km.): 4772.621

NYTME (km.): 306.129

Building:

POWERPLANT

Emission Point: EP007

Height (ft.): 50

Diameter (in.): 144

NYTMN (km.): 4772.943

NYTME (km.): 306.106

Emission Point: EP008

Height (ft.): 60

Diameter (in.): 156

NYTMN (km.): 4772.943

NYTME (km.): 306.106

Emission Point: EP009

Height (ft.): 29

Diameter (in.): 14

NYTMN (km.): 4772.943

NYTME (km.): 306.106

Building:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



POWERPLANT

Emission Point: EP010

Height (ft.): 29

Diameter (in.): 14

NYTMN (km.): 4772.943

NYTME (km.): 306.106

Building:

POWERPLANT

Emission Point: EP011

Height (ft.): 29

Diameter (in.): 14

NYTMN (km.): 4772.943

NYTME (km.): 306.106

Building:

POWERPLANT

Emission Point: EP012

Height (ft.): 29

Diameter (in.): 14

NYTMN (km.): 4772.943

NYTME (km.): 306.106

Building:

POWERPLANT

**Condition 90: Process Definition By Emission Unit
Effective between the dates of 12/02/2016 and 12/01/2021**

Applicable Federal Requirement:6 NYCRR Subpart 201-6

Item 90.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: E-U0001

Process: 001

Source Classification Code: 5-01-004-21

Process Description:

Collected landfill gas will be routed to either the landfill gas-to-energy plants or to the flares. This process is for the engine generator sets (consisting of four (4) Caterpillar 3516 internal combustion engines) that will combust the collected landfill gas to generate electricity for sale. The combustion of landfill gas results in the emission of criteria pollutants.

The landfill gas-to-energy plant also generates emissions from the "crankcase breather vent." Each engine has a crankcase for engine oil. The purpose of the crankcase breather vent is to remove water vapor from the crankcase in order to prevent water from collecting in the oil pan. The water vapor may contain an oil mist. The breather vent in each engine removes the vapors generated within the crankcase and ducts them to a single common emission point called the crankcase breather vent. The mist can be reported as PM. Other insignificant activities include emissions from oil tanks, a condensate tank, and a gas chromatograph vent. Calculations for all of these activities are provided in the application. The emissions have been included in the facility emission summary.

Emission Source/Control: 0ENG1 - Combustion

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Design Capacity: 1,138 horsepower (mechanical)

Emission Source/Control: 0ENG2 - Combustion
Design Capacity: 1,138 horsepower (mechanical)

Emission Source/Control: 0ENG3 - Combustion
Design Capacity: 1,138 horsepower (mechanical)

Emission Source/Control: 0ENG4 - Combustion
Design Capacity: 1,138 horsepower (mechanical)

Emission Source/Control: LANDF - Process
Design Capacity: 20,619,630 cubic meters

Emission Source/Control: LFEXP - Process
Design Capacity: 34,012,070 cubic meters

Item 90.2:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: E-U0001
Process: 006 Source Classification Code: 5-01-004-02
Process Description:

Landfill gas collection system (LGCS) is assumed to be 85% efficient. The remaining 15% is uncollected emissions (fugitive emissions).

Emission Source/Control: LANDF - Process
Design Capacity: 20,619,630 cubic meters

Emission Source/Control: LFEXP - Process
Design Capacity: 34,012,070 cubic meters

Item 90.3:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: E-U0001
Process: 007 Source Classification Code: 5-01-004-10
Process Description:

Landfill gas is combusted in several devices at the High Acres Landfill. Collected landfill gas will be routed to either the CAT 3516 IC Engine landfill gas-to-energy plant, the CAT 3520 IC Engine gas-to-energy plant, or it will be collected and conveyed to an existing 136.3 MMBtu/hr (4500-cfm) enclosed flare (designated as FLAR2-4500 scfm), a 181.7 MMBtu/hr enclosed flare (designated as FLAR3-6000scfm). This process is for landfill gas being conveyed to the flares. The combustion of landfill gas results in the emission of criteria pollutants.

Emission Source/Control: FLAR2 - Control

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Control Type: FLARING

Emission Source/Control: FLAR3 - Control
Control Type: FLARING

Emission Source/Control: LANDF - Process
Design Capacity: 20,619,630 cubic meters

Emission Source/Control: LFEXP - Process
Design Capacity: 34,012,070 cubic meters

Item 90.4:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: E-U0001

Process: 008

Source Classification Code: 4-04-001-63

Process Description:

Collected landfill gas will be routed to either the engine plants or to the flares. This process is for gas routed through the engine plant containing the CAT 3520 internal combustion engines. The engine generator sets will combust the collected landfill gas to generate electricity for sale. The combustion of landfill gas results in the emission of criteria pollutants.

The landfill gas-to-energy plant also generates emissions from the "crankcase breather vent." Each engine has a crankcase for engine oil. The purpose of the crankcase breather vent is to remove water vapor from the crankcase in order to prevent water from collecting in the oil pan. The water vapor may contain an oil mist. The breather vent in each engine removes the vapors generated within the crankcase and ducts them to a single common emission point called the crankcase breather vent. The mist can be reported as PM. Other insignificant activities include emissions from oil tanks, a condensate tank, and a gas chromatograph vent. Calculations for all of these activities are provided in the application. The emissions have been included in the facility emission summary.

Emission Source/Control: ENG05 - Combustion
Design Capacity: 2,233 horsepower (mechanical)

Emission Source/Control: ENG06 - Combustion
Design Capacity: 2,233 horsepower (mechanical)

Emission Source/Control: ENG07 - Combustion
Design Capacity: 2,233 horsepower (mechanical)

Emission Source/Control: ENG08 - Combustion
Design Capacity: 2,233 horsepower (mechanical)

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Emission Source/Control: LANDF - Process
Design Capacity: 20,619,630 cubic meters

Emission Source/Control: LFEXP - Process
Design Capacity: 34,012,070 cubic meters

**Condition 91: Emissions from new emission sources and/or modifications
Effective between the dates of 12/02/2016 and 12/01/2021**

Applicable Federal Requirement:6 NYCRR 212.4 (a)

Item 91.1:

This Condition applies to Emission Unit: E-U0001

Item 91.2:

No person shall cause or allow emissions that exceed the applicable permissible emission rate as determined from Table 2, Table 3, or Table 4 of 6 NYCRR Part 212 for the environmental rating issued by the commissioner.

**Condition 92: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021**

Applicable Federal Requirement:40CFR 60.4243(a)(1), NSPS Subpart

JJJJ

Item 92.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 92.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

If you are an owner or operator of a stationary SI internal combustion engine that is manufactured after July 1, 2008, and must comply with the emission standards specified in §60.4233(a) through (c), you must comply by purchasing an engine certified to the emission standards in §60.4231(a) through (c), as applicable, for the same engine class and maximum engine power. You must also meet the requirements as specified in 40 CFR part 1068, subparts A through D, as they apply to you. If you adjust engine settings according to and consistent with the manufacturer's instructions, your stationary SI internal combustion engine will not be considered out of compliance. In addition, you must meet one of the

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



requirements specified below:

If you operate and maintain the certified stationary SI internal combustion engine and control device according to the manufacturer's emission-related written instructions, you must keep records of conducted maintenance to demonstrate compliance, but no performance testing is required if you are an owner or operator.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 93: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.4243(b)(2)(ii), NSPS Subpart

JJJJ

Item 93.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Item 93.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The owner or operator of a stationary SI internal combustion engine greater than 500 HP must keep a maintenance plan and records of conducted maintenance and must, to the extent practicable, maintain and operate the engine in a manner consistent with good air pollution control practice for minimizing emissions. In addition an initial performance test must be performed and subsequent performance testing every 8,760 hours or 3 years, whichever comes first, thereafter to demonstrate compliance must also be conducted.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 94: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.4245(a), NSPS Subpart JJJJ

Item 94.1:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Monitoring Description:

For operation of a new, reconstructed, or existing stationary engine, the engine's time spent at idle must be minimized during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes, after which time the emission standards applicable to all times other than startup in Tables 1a, 2a, 2c, and 2d to 40 CFR 63 Subpart ZZZZ apply.

Parameter Monitored: DURATION OF START UP

Upper Permit Limit: 30 minutes

Monitoring Frequency: CONTINUOUS

Averaging Method: MAXIMUM - NOT TO BE EXCEEDED PER OCCURRENCE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 96: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 40CFR 63.6655(e), Subpart ZZZZ

Item 96.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Item 96.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The owner or operator must keep records of the maintenance conducted on the stationary RICE in order to demonstrate that he/she operated and maintained the stationary RICE and after-treatment control device (if any) according to the maintenance plan for the following stationary RICE;

- (1) An existing stationary RICE with a site rating of less than 100 brake horsepower located at a major source of HAP emissions.
- (2) An existing stationary emergency RICE.
- (3) An existing stationary RICE located at an area source of HAP emissions subject to management practices as shown in Table 2d to subpart ZZZZ.

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 97: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 227-1.3 (a)

Item 97.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 001

Item 97.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall operate a stationary combustion installation which exhibits greater than 20% opacity (six minute average), except for one six-minute period per hour of not more than 27 percent opacity. The facility will perform a visual observation of each exhaust and crankcase vent on a daily basis during business days (this excludes holidays and weekends). If any opacity is noted, corrective action will be taken immediately or a Method 9 will be performed within 2 business days. The facility shall keep records of daily observations and any corrective action performed in a format acceptable to the Department.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Reference Test Method: EPA Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION

Averaging Method: 6 MINUTE AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 98: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 227-2.4 (f) (2)

Item 98.1:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 001

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 98.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

In order to show compliance with the NO_x RACT standard of sources firing landfill gas of 2.0 grams per brake horsepower-hour, the facility is required to perform the following periodic monitoring for oxides of nitrogen (NO_x) emissions in the exhaust stacks of the 4-CAT 3516 internal combustion (IC) engines (emission sources 0ENG1-0ENG4):

1. NO_x emissions shall be measured monthly, at a stack location acceptable to the Department, while the engine is operating at base load (base load is a normal operating load) using a properly calibrated portable gas analyzer approved for use by the Department.
2. The NO_x measurement will consist of the average of three instantaneous concentration readings that are obtained over a 3 minute period.
3. The first of the three NO_x concentration readings will start after the portable analyzer has sampled engine exhaust for at least one (1) minute.
4. The second and third NO_x concentration readings will occur at consecutive 1 minute intervals.
5. The three NO_x concentration readings will be recorded and their average calculated.
6. The calculated average will be the NO_x measurement for that month and must not exceed 235 ppmvd (corrected to 15% O₂). This limit is within an acceptable range based on the most recent stack test completed on this type of engine at this facility.

If the concentration limit contained in this condition is exceeded, the permittee shall take corrective action as soon as possible, but not later than 24 hours after detection, and shall retake the NO_x measurement as

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



outlined above within 24 hours of taking corrective action.

If corrective action taken does not bring the reading back into compliance with this limit, a new stack test shall be scheduled within 60 days of the initial reading in order to verify that the current operating conditions can meet the 2.0 grams per brake horsepower-hour NO_x RACT standard.

Parameter Monitored: OXIDES OF NITROGEN

Upper Permit Limit: 235 parts per million by volume
(dry, corrected to 15% O₂)

Reference Test Method: Handheld NO_x monitor

Monitoring Frequency: MONTHLY

Averaging Method: 3-MINUTE AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 99: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 6 NYCRR 227-2.6 (c)

Item 99.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 001

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 99.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

In order to show compliance with the NO_x RACT standard of sources firing landfill gas of 2.0 grams per brake horsepower-hour, the facility is required to conduct an emission test under 6NYCRR Part 227-2.6(a)(7). Those engines subject to the more frequent testing requirement and showing compliance with 40 CFR 60 Subpart JJJJ will satisfy this condition. In accordance with this requirement, the facility must:

1) submit a compliance test protocol to the Department for approval at least 30 days prior to emission testing. The conditions of the testing and the locations of the

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



sampling devices must be acceptable to the Department;
and

2) utilize the procedures set forth in 40 CFR Part 60, Appendix A or any other method acceptable to the Department and the Administrator for determining compliance with the NO_x limit of 2.0 grams per brake horsepower-hour, and must, in addition, follow the procedures set forth in 6NYCRR Part 202 as follows:

For stationary internal combustion engines, utilize Method 7, 7E, or 19 from 40 CFR Part 60, Appendix A or another reference method approved by the Department;

3) submit a compliance test report containing the results of the emission test to the Department no later than 60 days after completion of the emission test.

The facility must conduct the required emissions test at 100% +/- 10% load on each engine type determined by the Department. The Department will base its decision using the NO_x emission rates as determined by the portable NO_x analyzer prior to the emissions test.

Prior to renewal of the Title V permit, the facility must complete a performance test utilizing procedures for engine selection and testing as described above. This performance test must be completed no later than 180 days prior to expiration of the Title V permit.

Upper Permit Limit: 2.0 grams per brake horsepower-hour

Reference Test Method: EPA Method 7, 7E or 19

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 100: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 6 NYCRR Subpart 231-8

Item 100.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 001

Regulated Contaminant(s):

CAS No: 000630-08-0 CARBON MONOXIDE

Item 100.2:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The facility must show that they are in compliance with the 521.9 tons/yr limit for carbon monoxide for the existing landfill and the Proposed Expansion landfill and the existing energy plants in Emission Unit E-U0001.

In order to show that the engines are in compliance with the emission rates established in the TV application for the facility, an emission test using 40CFR60 APP A-10, or any other method acceptable to the Department, must be completed on one engine from process 001 (consisting of the CAT 3516 IC engine generator sets. The Department will determine which engine is to be tested by having the facility utilize the same procedures specified under 6NYCRR Part 227-2.6(c) of this permit for emissions testing for oxides of nitrogen in their testing of carbon monoxide.

The facility must conduct the required emissions test at 100% +/- 10% load on an engine selected by the Department. The Department will base its decision using the CO emission rates as determined by the portable CO analyzer prior to the emissions test.

Testing must be completed once per permit term. Those engines subject to the more frequent testing requirement of 40 CFR 60 Subpart JJJJ may satisfy this condition.

If a current engine is replaced, the facility must contact the Department, and the Department reserves the right to require a performance test for the replacement engine. These tests must be completed within 180 days of startup of the replacement engine.

Upper Permit Limit: 521.9 tons per year

Reference Test Method: 40 CFR 60 APP A-10

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 101: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021



Applicable Federal Requirement:6 NYCRR Subpart 231-8

Item 101.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001
Process: 001

Regulated Contaminant(s):
CAS No: 000630-08-0 CARBON MONOXIDE

Item 101.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The facility must show that they are in compliance with the 521.9 tons/yr limit for carbon monoxide for the existing landfill and the Proposed Expansion landfill and the existing energy plants in Emission Unit E-U0001.

In order to show that the engines are in compliance with the emission rates established in the TV application for the facility, the facility must demonstrate that the engines are meeting the 5.59 lb/hr of Carbon Monoxide per engine. The facility is required to perform the following periodic monitoring for carbon monoxide (CO) emissions in the exhaust stacks of the 4-CAT 3516 IC internal combustion (IC) engines (emission sources 0ENG1-0ENG4):

1. CO emissions shall be measured monthly, at a stack location acceptable to the Department, while the engine is operating at +/- 10% of the load recorded during the most recent performance test (or other load approved by the Department) using a properly calibrated portable gas analyzer approved for use by the Department.
2. The CO measurement will consist of the average of three instantaneous concentration readings that are obtained over a 3 minute period.
3. The first of the three CO concentration readings will start after the portable analyzer has sampled engine exhaust for at least one (1) minute.
4. The second and third CO concentration readings will occur at consecutive 1 minute intervals.
5. The three CO concentration readings will be recorded and their average calculated.



6. The calculated average will be the CO measurement for that month and must not exceed the permitted emission rate of the engines. A threshold for CO(ppm) will be established based on the permitted emission factor of the engines and the measured exhaust stack conditions from the most recent performance test.

If the concentration is greater than 110% of the threshold, the permittee shall take corrective action as soon as possible, but not later than 5 business days after detection, and shall retake the CO measurement as outlined above within 24 hours of taking corrective action.

If corrective action taken does not bring the reading back into compliance with this limit, a new stack test shall be scheduled within 60 days of the initial reading in order to verify that the current operating conditions can meet the 5.59 lb/hr limit for carbon monoxide.

If the corrective actions are taken as specified in this Condition, the monitored exceedance is not a violation of the permit operational requirements, however, the permittee shall report these episodes as deviations on the annual compliance certification and the semi-annual monitoring report that cover the monitoring period when the deviations occurred.

Parameter Monitored: CARBON MONOXIDE
Upper Permit Limit: 5.59 pounds per hour
Reference Test Method: See monitoring description
Monitoring Frequency: MONTHLY
Averaging Method: 1-HOUR AVERAGE
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2017.
Subsequent reports are due every 6 calendar month(s).

Condition 102: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 40CFR 60.752(b)(2)(iii)(C), NSPS
Subpart WWW

Item 102.1:
The Compliance Certification activity will be performed for:

Emission Unit: E-U0001
Process: 001

Item 102.2:
Compliance Certification shall include the following monitoring:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

In accordance with 40 CFR §60.752(b)(2)(iii)(C), landfill gas collected from a MSW landfill may be either combusted in an appropriate control device or routed to a treatment system that processes the collected gas for subsequent sale or use.

Treatment is defined by EPA and the Department as compression, dewatering and filtering of particulate. Waste Management has installed the following treatment system:

Filtration: At a minimum, the system will filter landfill gas using a dry filter or similar device (e.g., impaction, interception or diffusion device). The filter shall reduce particulate matter in the gas stream to a size of at least 10 microns.

Dewatering: Landfill gas is de-watered by cooling the superheated gas from the blower in the cooler. Landfill gas is cooled in the cooler, lowering the gas temperature to below the dew point and causing the water in the gas to condense. The condensed water is then trapped in the filters after the cooler. The cooled gas is then reheated prior to entering the gas plant. The system will de-water landfill gas using chillers, air-to-air coolers, dehumidification devices or other dehydration equipment as approved by the Department.

Compression: Landfill gas is extracted from the landfill under vacuum and compressed in a rotary blower. The gas is compressed in the blower such that it is approximately 5 to 7 psi coming out of the blower. The system will compress landfill gas using gas blowers or similar devices approved by the Department.

WMNY shall operate the treatment system at all times according to manufacturer's specifications when gas is routed for subsequent sale or use. WMNY submitted an acceptable monitoring plan to the Department for the treatment system. The plan describes the monitoring for the filtering, dewatering and compression of the landfill gas to assure that the treatment system operates as designed. This monitoring plan shall be followed at all times during operation of the treatment system.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.



New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162

The initial report is due 1/30/2017.
Subsequent reports are due every 6 calendar month(s).

Condition 103: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR 212.6 (a)

Item 103.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001
Process: 007

Item 103.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall operate a stationary combustion installation which exhibits greater than 20% opacity (six minute average), except for one six-minute period per hour of not more than 27 percent opacity. The facility will perform a visual observation of each flare on a daily basis during business days (this excludes holidays and weekends). If any opacity is noted, corrective action will be taken immediately or a Method 9 will be performed within 2 business days. The facility shall keep records of daily observations and any corrective action performed in a format acceptable to the Department.

Parameter Monitored: OPACITY
Upper Permit Limit: 20 percent
Reference Test Method: EPA Method 9
Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING
DESCRIPTION
Averaging Method: 6 MINUTE AVERAGE
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2017.
Subsequent reports are due every 6 calendar month(s).

Condition 104: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 231-6

Item 104.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Process: 007

Regulated Contaminant(s):

CAS No: ONY210-00-0 OXIDES OF NITROGEN

Item 104.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The facility completed a BACT/LAER analysis that was accepted by the Department. According to 40 CFR 60 Subpart WWW, the Department determined that BACT/LAER for the Proposed Landfill Expansion is the gas collection and control (in the form of enclosed flares and piping landfill gas to the energy facility to fuel IC engine generator sets used to generate electricity for sale) system in place at the landfill, and the expansion of this system as part of this project (in the form of enclosed flares).

The facility performed a significant impact level analysis which included the two enclosed flares in emission unit E-U0001. In order to comply with the emission rates that were modeled, the facility must demonstrate that the enclosed flares are meeting the 0.06 lb/MMBtu NOx per flare. The facility is required to perform an emission test on each flare upon request of the Department.

Parameter Monitored: OXIDES OF NITROGEN

Upper Permit Limit: 0.06 pounds per million Btus

Reference Test Method: EPA Method 7, 7E or 19

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 105: Compliance Certification

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 231-8

Item 105.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 007

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Regulated Contaminant(s):
CAS No: 007446-09-5 SULFUR DIOXIDE

Item 105.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The facility completed a BACT analysis that was accepted by the Department. According to 40 CFR 60 Subpart WWW, the Department determined that BACT for the Proposed Landfill Expansion is the gas collection and control (in the form of enclosed flares and piping landfill gas to the energy facility to fuel IC engine generator sets used to generate electricity for sale) system in place at the landfill, and the expansion of this system as part of this project (in the form of enclosed flares).

The facility performed a significant impact level analysis which included the two enclosed flares in emission unit E-U0001. In order to comply with the emission rates that were modeled, the facility must demonstrate that it remains below the facility's PTE for SO₂ of 151.5 tons/year. The facility is required to perform an emission test on each flare upon request of the Department.

Parameter Monitored: SULFUR DIOXIDE
Upper Permit Limit: 151.5 tons per year
Reference Test Method: EPA RM 6
Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION
Averaging Method: 1-HOUR AVERAGE
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2017.
Subsequent reports are due every 6 calendar month(s).

Condition 106: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 231-8

Item 106.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001
Process: 007

Regulated Contaminant(s):
CAS No: 000630-08-0 CARBON MONOXIDE

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Item 106.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The facility completed a BACT analysis that was accepted by the Department. According to 40 CFR 60 Subpart WWW, the Department determined that BACT for the Proposed Landfill Expansion is the gas collection and control (in the form of enclosed flares and piping landfill gas to the energy facility to fuel IC engine generator sets used to generate electricity for sale) system in place at the landfill, and the expansion of this system as part of this project (in the form of enclosed flares).

The facility performed a significant impact level analysis which included the two enclosed flares in emission unit E-U0001. In order to comply with the emission rates that were modeled, the facility must demonstrate that the enclosed flares are meeting the 0.20 lb/MMBtu CO per flare. The facility is required to perform an emission test on each flare upon request of the Department.

Parameter Monitored: CARBON MONOXIDE

Upper Permit Limit: 0.20 pounds per million Btus

Reference Test Method: 40 CFR 60 App A-10

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 107: Compliance Certification

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 40CFR 60.752(b)(2)(iii)('B'), NSPS

Subpart WWW

Item 107.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 007

Emission Source: FLAR2

Regulated Contaminant(s):

CAS No: 0NY998-20-0 NMOC - LANDFILL USE ONLY

Item 107.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The owner or operator of the landfill shall test the

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



control device to verify that the outlet concentration of NMOC from the device is less than 20 parts per million by volume (dry, as hexane, at 3% oxygen), or the owner or operator of the landfill shall test the emissions from the control device to determine that the device is reducing the emission of NMOC by 98% (by weight). Refer to 40 CFR 60.754(d) for the specified test methods.

Parameter Monitored: NMOC - LANDFILL USE ONLY

Upper Permit Limit: 98 percent reduction by weight

Reference Test Method: RM 18, 25, 25A, 25C

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 108: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 40CFR 60.752(b)(2)(iii)('B'), NSPS

Subpart WWW

Item 108.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 007

Emission Source: FLAR2

Regulated Contaminant(s):

CAS No: 0NY998-20-0 NMOC - LANDFILL USE ONLY

Item 108.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The owner or operator of the landfill shall test the control device to verify that the outlet concentration of NMOC from the device is less than 20 parts per million by volume (dry, as hexane, at 3% oxygen), or the owner or operator of the landfill shall test the emissions from the control device to determine that the device is reducing the emission of NMOC by 98% (by weight). Refer to 40 CFR 60.754(d) for the specified test methods.

Parameter Monitored: NMOC - LANDFILL USE ONLY

Upper Permit Limit: 20 parts per million by volume (dry, corrected to 3% oxygen)

Reference Test Method: RM 18, 25, 25A, 25C

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 109: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

**Applicable Federal Requirement: 40CFR 60.758(c), NSPS Subpart
WWW**

Item 109.1:
The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 007

Emission Source: FLAR2

Item 109.2:
Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The average combustion temperature for FLAR2 will be determined by the stack test required by this permit. This flare shall not operate such that the temperature in the stack for any three hour block average is more than 28 degrees Celsius below the average combustion temperature determined during the most recent approved performance test at which compliance with 40 CFR 60.752(b)(2)(iii) was determined. Exceedances of this permit limit are established under the condition for 40CFR 60.758(c).

The most recent stack test performed in April 2009 for flare FLAR2 determined that the average combustion temperature was 1645 degrees F, which corresponds to a lower allowable operating temperature of 1595 degrees F. This allowable operating temperature will be updated when required testing is completed and approved.

Parameter Monitored: TEMPERATURE
Lower Permit Limit: 28 degrees F below the approved
performance test combustion
temperature

Monitoring Frequency: FOUR TIMES PER HOUR
Averaging Method: 3-HOUR BLOCK AVERAGE
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2017.
Subsequent reports are due every 6 calendar month(s).

Condition 110: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



**Applicable Federal Requirement:40CFR 60.752(b)(2)(iii)('B'), NSPS
Subpart WWW**

Item 110.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 007

Emission Source: FLAR3

Regulated Contaminant(s):

CAS No: 0NY998-20-0 NMOC - LANDFILL USE ONLY

Item 110.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The owner or operator of the landfill shall test the control device to verify that the outlet concentration of NMOC from the device is less than 20 parts per million by volume (dry, as hexane, at 3% oxygen), or the owner or operator of the landfill shall test the emissions from the control device to determine that the device is reducing the emission of NMOC by 98% (by weight). Refer to 40 CFR 60.754(d) for the specified test methods.

Parameter Monitored: NMOC - LANDFILL USE ONLY

Upper Permit Limit: 98 percent reduction by weight

Reference Test Method: RM 18, 25, 25A, 25C

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST
METHOD INDICATED

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

**Condition 111: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021**

**Applicable Federal Requirement:40CFR 60.752(b)(2)(iii)('B'), NSPS
Subpart WWW**

Item 111.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 007

Emission Source: FLAR3

Regulated Contaminant(s):

CAS No: 0NY998-20-0 NMOC - LANDFILL USE ONLY

Item 111.2:

Compliance Certification shall include the following monitoring:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The owner or operator of the landfill shall test the control device to verify that the outlet concentration of NMOC from the device is less than 20 parts per million by volume (dry, as hexane, at 3% oxygen), or the owner or operator of the landfill shall test the emissions from the control device to determine that the device is reducing the emission of NMOC by 98% (by weight). Refer to 40 CFR 60.754(d) for the specified test methods.

Parameter Monitored: NMOC - LANDFILL USE ONLY

Upper Permit Limit: 20 parts per million by volume (dry, corrected to 3% oxygen)

Reference Test Method: RM 18, 25, 25A, 25C

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 112: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 40CFR 60.758(c), NSPS Subpart

WWW

Item 112.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 007

Emission Source: FLAR3

Item 112.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The average combustion temperature for FLAR3 will be determined by the stack test required by this permit. This flare shall not operate such that the temperature in the stack for any three hour block average is more than 28 degrees Celsius below the average combustion temperature determined during the most recent approved performance test at which compliance with 40 CFR 60.752(b)(2)(iii) was determined. Exceedances of this permit limit are established under the condition for 40CFR 60.758(c).

The most recent stack test performed in April 2009 for flare FLAR3 determined that the average combustion

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



temperature was 1615 degrees F, which corresponds to a lower allowable operating temperature of 1565 degrees F. This allowable operating temperature will be updated when required testing is completed and approved.

Parameter Monitored: TEMPERATURE

Lower Permit Limit: 28 degrees C below the approved performance test combustion temperature

Monitoring Frequency: FOUR TIMES PER HOUR

Averaging Method: 3-HOUR BLOCK AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 113: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 6 NYCRR 227-1.3 (a)

Item 113.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 008

Item 113.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall operate a stationary combustion installation which exhibits greater than 20% opacity (six minute average), except for one six-minute period per hour of not more than 27 percent opacity. The facility will perform a visual observation of each exhaust and crankcase vent on a daily basis during business days (this excludes holidays and weekends). If any opacity is noted, corrective action will be taken immediately or a Method 9 will be performed within 2 business days. The facility shall keep records of daily observations and any corrective action performed in a format acceptable to the Department.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Reference Test Method: EPA Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Averaging Method: 6 MINUTE AVERAGE
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2017.
Subsequent reports are due every 6 calendar month(s).

Condition 114: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 6 NYCRR 227-2.4 (f) (2)

Item 114.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001
Process: 008

Regulated Contaminant(s):
CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 114.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

In order to show compliance with the NO_x RACT standard of sources firing landfill gas of 2.0 grams per brake horsepower-hour, the facility is required to perform the following periodic monitoring for oxides of nitrogen (NO_x) emissions in the exhaust stacks of the 4-CAT 3520 internal combustion (IC) engines (emission sources 0ENG5-0ENG8):

1. NO_x emissions shall be measured monthly, at a stack location acceptable to the Department, while the engine is operating at base load (base load is a normal operating load) using a properly calibrated portable gas analyzer approved for use by the Department.
2. The NO_x measurement will consist of the average of three instantaneous concentration readings that are obtained over a 3 minute period.
3. The first of the three NO_x concentration readings will start after the portable analyzer has sampled engine exhaust for at least one (1) minute.
4. The second and third NO_x concentration readings will occur at consecutive 1 minute intervals.
5. The three NO_x concentration readings will be recorded

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



and their average calculated.

6. The calculated average will be the NOx measurement for that month and must not exceed 84 ppmvd (corrected to 15% O2). This limit is within an acceptable range based on the most recent stack test completed on this type of engine at this facility.

If the concentration limit contained in this condition is exceeded, the permittee shall take corrective action as soon as possible, but not later than 24 hours after detection, and shall retake the NOx measurement as outlined above within 24 hours of taking corrective action.

If corrective action taken does not bring the reading back into compliance with this limit, a new stack test shall be scheduled within 60 days of the initial reading in order to verify that the current operating conditions can meet the 2.0 grams per brake horsepower-hour NOx RACT standard.

Parameter Monitored: OXIDES OF NITROGEN

Upper Permit Limit: 84 parts per million by volume (dry, corrected to 15% O2)

Reference Test Method: Handheld NOx monitor

Monitoring Frequency: MONTHLY

Averaging Method: 3-MINUTE AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 115: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement: 6 NYCRR 227-2.6 (c)

Item 115.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 008

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

Item 115.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



In order to show compliance with the NO_x RACT standard of sources firing landfill gas of 2.0 grams per brake horsepower-hour, the facility is required to conduct an emission test under 6NYCRR Part 227-2.6(a)(7). Those engines subject to the more frequent testing requirement and showing compliance with 40 CFR 60 Subpart JJJJ will satisfy this condition. In accordance with this requirement, the facility must:

1) submit a compliance test protocol to the Department for approval at least 30 days prior to emission testing. The conditions of the testing and the locations of the sampling devices must be acceptable to the Department; and

2) utilize the procedures set forth in 40 CFR Part 60, Appendix A or any other method acceptable to the Department and the Administrator for determining compliance with the NO_x limit of 2.0 grams per brake horsepower-hour, and must, in addition, follow the procedures set forth in 6NYCRR Part 202 as follows:

For stationary internal combustion engines, utilize Method 7, 7E, or 19 from 40 CFR Part 60, Appendix A or another reference method approved by the Department;

3) submit a compliance test report containing the results of the emission test to the Department no later than 60 days after completion of the emission test.

The facility must conduct the required emissions test at 100% +/- 10% load on each engine type determined by the Department. The Department will base its decision using the NO_x emission rates as determined by the portable NO_x analyzer prior to the emissions test.

Prior to renewal of the Title V permit, the facility must complete a performance test utilizing procedures for engine selection and testing as described above. This performance test must be completed no later than 180 days prior to expiration of the Title V permit.

Upper Permit Limit: 2.0 grams per brake horsepower-hour

Reference Test Method: EPA Method 7, 7E or 19

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 116: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021



Applicable Federal Requirement:6 NYCRR Subpart 231-8

Item 116.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001
Process: 008

Regulated Contaminant(s):
CAS No: 000630-08-0 CARBON MONOXIDE

Item 116.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The facility must show that they are in compliance with the 521.9 tons/yr limit for carbon monoxide for the existing landfill and the Proposed Expansion landfill and the existing energy plants in Emission Unit E-U0001.

In order to show that the engines are in compliance with the emission rates established in the TV application for the facility, the facility must demonstrate that the engines are meeting the 12.31 lb/hr of Carbon Monoxide per engine. The facility is required to perform the following periodic monitoring for carbon monoxide (CO) emissions in the exhaust stacks of the 4-CAT 3520 IC internal combustion (IC) engines (emission sources ENG05-ENG08):

1. CO emissions shall be measured monthly, at a stack location acceptable to the Department, while the engine is operating at +/- 10% of the load recorded during the most recent performance test (or other load approved by the Department) using a properly calibrated portable gas analyzer approved for use by the Department.
2. The CO measurement will consist of the average of three instantaneous concentration readings that are obtained over a 3 minute period.
3. The first of the three CO concentration readings will start after the portable analyzer has sampled engine exhaust for at least one (1) minute.
4. The second and third CO concentration readings will occur at consecutive 1 minute intervals.
5. The three CO concentration readings will be recorded and their average calculated.



6. The calculated average will be the CO measurement for that month and must not exceed the permitted emission rate of the engines. A threshold for CO(ppm) will be established based on the permitted emission factor of the engines and the measured exhaust stack conditions from the most recent performance test.

If the concentration is greater than 110% of the threshold, the permittee shall take corrective action as soon as possible, but not later than 5 business days after detection, and shall retake the CO measurement as outlined above within 24 hours of taking corrective action.

If corrective action taken does not bring the reading back into compliance with this limit, a new stack test shall be scheduled within 60 days of the initial reading in order to verify that the current operating conditions can meet the 12.31 lb/hr limit for carbon monoxide.

If the corrective actions are taken as specified in this Condition, the monitored exceedance is not a violation of the permit operational requirements, however, the permittee shall report these episodes as deviations on the annual compliance certification and the semi-annual monitoring report that cover the monitoring period when the deviations occurred.

Parameter Monitored: CARBON MONOXIDE
Upper Permit Limit: 12.31 pounds per hour
Reference Test Method: See monitoring description
Monitoring Frequency: MONTHLY
Averaging Method: 1-HOUR AVERAGE
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)
Reports due 30 days after the reporting period.
The initial report is due 1/30/2017.
Subsequent reports are due every 6 calendar month(s).

Condition 117: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:6 NYCRR Subpart 231-8

Item 117.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001
Process: 008

Regulated Contaminant(s):
CAS No: 000630-08-0 CARBON MONOXIDE

New York State Department of Environmental Conservation

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



Item 117.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The facility must show that they are in compliance with the 521.9 tons/yr limit for carbon monoxide for the existing landfill and the Proposed Expansion landfill and the existing energy plants in Emission Unit E-U0001.

In order to show that the engines are in compliance with the emission rates established in the SIL model, an emission test using 40CFR60 APP A-10, or any other method acceptable to the Department, must be completed on one engine from process 008 (consisting of the CAT 3520 IC engine generator sets. The Department will determine which engine is to be tested by having the facility utilize the same procedures specified under 6NYCRR Part 227-2.6(c) of this permit for emissions testing for oxides of nitrogen in their testing of carbon monoxide.

The facility must conduct the required emissions test at 100% +/- 10% load on an engine selected by the Department. The Department will base its decision using the CO emission rates as determined by the portable CO analyzer prior to the emissions test.

Testing must be completed once per permit term. Those engines subject to the more frequent testing requirement of 40 CFR 60 Subpart JJJJ may satisfy this condition.

If a current engine is replaced, the facility must contact the Department, and the Department reserves the right to require a performance test for the replacement engine. These tests must be completed within 180 days of startup of the replacement engine.

Upper Permit Limit: 521.9 tons per year

Reference Test Method: 40 CFR 60 APP A-10

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).

Condition 118: Applicability of facilities subject to Subpart JJJJ Effective between the dates of 12/02/2016 and 12/01/2021



Applicable Federal Requirement:40CFR 60.4230(a)(4)(i), NSPS Subpart JJJJ

Item 118.1:

This Condition applies to Emission Unit: E-U0001
Process: 008

Item 118.2: The provisions of 40 CFR 60 Subpart JJJJ are applicable to manufacturers, owners, and operators of stationary spark ignition (SI) internal combustion engines (ICE) that commence construction after June 12, 2006, and where the stationary SI ICE are manufactured on or after July 1, 2007, for engines with a maximum engine power greater than or equal to 500 HP (except lean burn engines with a maximum engine power greater than or equal to 500 HP and less than 1,350 HP). For the purposes of this subpart, the date that construction commences is the date the engine is ordered by the owner or operator.

Condition 119: Compliance Certification
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable Federal Requirement:40CFR 60.752(b)(2)(iii)(C), NSPS Subpart WWW

Item 119.1:

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001
Process: 008

Item 119.2:

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

In accordance with 40 CFR §60.752(b)(2)(iii)(C), landfill gas collected from a MSW landfill may be either combusted in an appropriate control device or routed to a treatment system that processes the collected gas for subsequent sale or use.

Treatment is defined by EPA and the Department as compression, dewatering and filtering of particulate. Waste Management has installed the following treatment system:

Filtration: At a minimum, the system will filter landfill gas using a dry filter or similar device (e.g., impaction, interception or diffusion device). The filter shall reduce particulate matter in the gas stream to a size of



at least 10 microns.

Dewatering: Landfill gas is de-watered by cooling the superheated gas from the blower in the cooler. Landfill gas is cooled in the cooler, lowering the gas temperature to below the dew point and causing the water in the gas to condense. The condensed water is then trapped in the filters after the cooler. The cooled gas is then reheated prior to entering the gas plant. The system will de-water landfill gas using chillers, air-to-air coolers, dehumidification devices or other dehydration equipment as approved by the Department.

Compression: Landfill gas is extracted from the landfill under vacuum and compressed in a rotary blower. The gas is compressed in the blower such that it is approximately 5 to 7 psi coming out of the blower. The system will compress landfill gas using gas blowers or similar devices approved by the Department.

WMNY shall operate the treatment system at all times according to manufacturer's specifications when gas is routed for subsequent sale or use. WMNY submitted an acceptable monitoring plan to the Department for the treatment system. The plan describes the monitoring for the filtering, dewatering and compression of the landfill gas to assure that the treatment system operates as designed. This monitoring plan shall be followed at all times during operation of the treatment system.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 1/30/2017.

Subsequent reports are due every 6 calendar month(s).



STATE ONLY ENFORCEABLE CONDITIONS
****** Facility Level ******

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS
This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Emergency Defense - 6 NYCRR 201-1.5

An emergency, as defined by subpart 201-2, constitutes an affirmative defense to penalties sought in an enforcement action brought by the Department for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) An emergency occurred and that the facility owner or operator can identify the cause(s) of the emergency;

(2) The equipment at the permitted facility causing the emergency was at the time being properly operated and maintained;

(3) During the period of the emergency the facility owner or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) The facility owner or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

Item B: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and



standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS

The following conditions are state applicable requirements and are not subject to compliance certification requirements unless otherwise noted or required under 6 NYCRR Part 201.

Condition 120: Contaminant List

Effective between the dates of 12/02/2016 and 12/01/2021

Applicable State Requirement:ECL 19-0301

Item 120.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 000074-82-8
Name: METHANE

CAS No: 000630-08-0
Name: CARBON MONOXIDE

CAS No: 007446-09-5
Name: SULFUR DIOXIDE

CAS No: 0NY100-00-0
Name: TOTAL HAP

CAS No: 0NY210-00-0
Name: OXIDES OF NITROGEN

CAS No: 0NY998-20-0
Name: NMOC - LANDFILL USE ONLY

Condition 121: Malfunctions and start-up/shutdown activities

Effective between the dates of 12/02/2016 and 12/01/2021



Applicable State Requirement:6 NYCRR 201-1.4

Item 121.1:

(a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.

(b) The facility owner or operator shall compile and maintain records of all equipment malfunctions, maintenance, or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when requested to do so, or when so required by a condition of a permit issued for the corresponding air contamination source. Such reports shall state whether any violations occurred and, if so, whether they were unavoidable, include the time, frequency and duration of the maintenance and/or start-up/shutdown activities, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous stack monitoring and quarterly reporting requirements need not submit additional reports for equipment maintenance or start-up/shutdown activities for the facility to the department.

(c) In the event that emissions of air contaminants in excess of any emission standard in this Subchapter occur due to a malfunction, the facility owner or operator shall compile and maintain records of the malfunction and notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates.

(d) The department may also require the owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions.

(e) A violation of any applicable emission standard resulting from start-up, shutdown, or malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

Condition 122: Visible Emissions Limited
Effective between the dates of 12/02/2016 and 12/01/2021

Applicable State Requirement:6 NYCRR 211.2

Item 122.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.