

Facility DEC ID: 9140200881

**PERMIT  
Under the Environmental Conservation Law (ECL)**

**IDENTIFICATION INFORMATION**

Permit Type: Air State Facility  
 Permit ID: 9-1402-00881/00001  
 Mod 0 Effective Date: 01/16/2020 Expiration Date: 01/15/2030  
 Mod 1 Effective Date: 06/30/2021 Expiration Date: 01/15/2030

Permit Issued To: DIGNIFIED GROUP SERVICES OF WNY INC.  
 906 SENECA ST  
 BUFFALO, NY 14210

Contact: MICHAEL A TOUT  
 906 SENECA ST  
 BUFFALO, NY 14210  
 (716) 828-2228

Facility: DIGNIFIED GROUP SERVICES OF WNY INC.  
 906 SENECA ST  
 BUFFALO, NY 14210

Contact: MICHAEL A TOUT  
 906 SENECA ST  
 BUFFALO, NY 14210  
 (716) 828-2228

Description:  
 This Air State Facility Permit modification adds an emission unit at the facility; a Crawford C1000P Multiple Chambered Cremation/Incinerator (Emission Unit 0-00002). An existing emission unit, Emission Unit 0-00003 is a Facultatieve Technologies ISI 60 Animal Cremator multiple chambered, excess air, natural gas fired cremator. The modification also updates the permit to reflect the revised 6 NYCRR Part 219-4 Incinerators, Crematories rule, which went into effect on March 14, 2020. One of the things that the recently adopted 6 NYCRR Part 219-4 Incinerators, Crematories rule did was to lower the allowed minimum temperature in the secondary chamber (afterburner) from 1800 degrees Fahrenheit to 1600 degrees Fahrenheit. Emission Unit 000002 and Emission Unit 0-00003 are subject to the requirements of 6 NYCRR Part 219 Subpart 4: Incinerators, Crematories, which includes a limit on particulate emissions and an opacity limit; design and operating requirements that mandate the owner or operator of a cremation unit must maintain a one-hour average temperature of at least 1600 degrees Fahrenheit in the secondary combustion chamber, with a minimum residence time for combustion gases of at least one second, at all times remains are being cremated; continuous monitoring of the temperature in the secondary chamber; operator training and certification; monitoring and recordkeeping; preventative/routine maintenance and an annual inspection by a qualified service technician.

Emission Unit 0-00002 consists of one multiple chambered, excess air, random load incinerator, manufactured by Crawford Industrial Group, LLC (formerly Crawford Equipment

**Facility DEC ID: 9140200881**

& Engineering Company), used for the cremation of small animals collected from local veterinarians, small animal hospitals and other sources. The Crawford Model C-1000P incinerator, identified as Emission Source 00002 (primary chamber) and Emission Source Control C0002 (secondary chamber), has a maximum allowable charge rate of 600 lbs and a maximum allowable burn rate of 175 lb/hr. The random load feature allows for the insertion of additional carcasses during the burn cycle. The primary chamber has one, hi/lo modulated, 500,000 BTU/hr gas-fired burner and the secondary chamber has one, fully modulated 1,500,000 BTU/hr gas-fired burner. Residence time is greater than one second in the secondary chamber. The temperature of the secondary chamber is continuously monitored and recorded via a Danaher MRC 5000 digital circle chart recorder. Emissions from the primary chamber are controlled via combustion in the secondary chamber. An electronic gas scanner with control to the primary chamber is located in the hot air duct of the incinerator to control opacity to less than 10%. Emissions from ES Control C0002 are exhausted to the ambient air through Emission Point 00002. A stack test for particulates from Emission Unit 0-00002 was performed on August 28, 2008. The reported stack test results showed an average emission rate of particulates at 0.03 gr/dscf corrected to seven percent oxygen. 6 NYCRR Part 219-4.3(a) states no person may cause or allow emissions of particulates into the outdoor atmosphere from an existing cremation unit in excess of 0.08 grains per dry standard cubic foot of flue gas, corrected to seven percent oxygen. Based on the stack test results, the report was approved and thus 6 NYCRR Part 219-4.5(a) has been completed.

Emission Unit 0-00003 consists of one Facultatieve Technologies ISI 60 Animal Cremator multiple chambered, excess air, natural gas fired cremator. The cremator is used for the cremation of small animals collected from local veterinarians, small animal hospitals and other offsite sources, which is identified as Process 003. The animal carcasses are combusted in the primary chamber, which is identified as Emission Source 00003 in this permit. Emissions from the primary chamber are controlled via combustion in the secondary chamber, identified as Emission Source Control 0003. The cremator has a nominal burn rate of 140 lbs per hour with a maximum batch size of 700 lbs of animal cadavers. The cremator is designed for manual single batch loading. Its automatic controls will function to cremate efficiently with the minimum of operator intervention. Once the secondary chamber reaches 1600 degrees Fahrenheit, the operator will open the door of the primary chamber via automated controls, charge the animal cadaver and then close the door of the primary chamber. All functions of the loading process are controlled by the onboard computer/PLC controller. The cremator has a sight glass where the operator can observe the cremation process and thus determine when the complete cremation process has been fully completed. The secondary chamber of the cremator is equipped with one 1,200,000 BTU/hr gas fired burner. The gross gas input for the complete unit (covers both primary chamber burner and secondary chamber burner) is 2,100,000 BTU/hr. The secondary chamber of the cremator has a residence time of greater than one second. When the cremator is operating, the temperature of the primary chamber and the secondary chamber are controlled by the use of a temperature probe and PLC logic. Emissions from ES 00003 are exhausted to the ambient air through Emission Point 00003. A stack test for particulates from Emission Unit 0-00003 was performed on October 22, 2020. The reported stack test results showed an average emission rate of particulates at 0.05 gr/dscf corrected to seven percent oxygen. 6 NYCRR Part 219-4.3(a) states no person may cause or allow emissions of particulates into the outdoor atmosphere from an existing cremation unit in excess of 0.08 grains per dry standard cubic foot of flue gas, corrected to seven percent oxygen. Based on the stack test results, the report was approved and thus 6 NYCRR Part 219-4.5(a) has been completed.

Facility DEC ID: 9140200881

A New York State Climate Leadership and Community Protection Act (CLCPA) analysis was not required because this permit action is not a significant modification to the existing Air State Facility permit.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: LISA M CZECHOWICZ  
NYSDEC - REGION 9  
270 MICHIGAN AVE  
BUFFALO, NY 14203-2915

Authorized Signature: \_\_\_\_\_ Date: \_\_\_ / \_\_\_ / \_\_\_\_\_

Facility DEC ID: 9140200881

### Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.

Facility DEC ID: 9140200881

**PAGE LOCATION OF CONDITIONS**

**PAGE**

**DEC GENERAL CONDITIONS**

**General Provisions**

- 6 1 Facility Inspection by the Department
- 6 2 Relationship of this Permit to Other Department Orders and Determinations
- 6 3 Applications for permit renewals, modifications and transfers
- 7 4 Permit modifications, suspensions or revocations by the Department

**Facility Level**

- 7 5 Submission of application for permit modification or renewal-REGION 9 HEADQUARTERS

Facility DEC ID: 9140200881

**DEC GENERAL CONDITIONS**  
**\*\*\*\* General Provisions \*\*\*\***  
**GENERAL CONDITIONS - Apply to ALL Authorized Permits.**

**Condition 1: Facility Inspection by the Department**  
**Applicable State Requirement: ECL 19-0305**

**Item 1.1:**  
 The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

**Item 1.2:**  
 The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

**Item 1.3:**  
 A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

**Condition 2: Relationship of this Permit to Other Department Orders and Determinations**  
**Applicable State Requirement: ECL 3-0301 (2) (m)**

**Item 2.1:**  
 Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

**Condition 3: Applications for permit renewals, modifications and transfers**  
**Applicable State Requirement: 6 NYCRR 621.11**

**Item 3.1:**  
 The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

**Item 3.2:**  
 The permittee must submit a renewal application at least 180 days before the expiration of permits for Title V and State Facility Permits.

**Item 3.3**  
 Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Facility DEC ID: 9140200881

**Condition 4: Permit modifications, suspensions or revocations by the Department**  
**Applicable State Requirement: 6 NYCRR 621.13**

**Item 4.1:**

The Department reserves the right to exercise all available authority to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

**\*\*\*\* Facility Level \*\*\*\***

**Condition 5: Submission of application for permit modification or renewal-REGION 9 HEADQUARTERS**  
**Applicable State Requirement: 6 NYCRR 621.6 (a)**

**Item 5.1:**

Submission of applications for permit modification or renewal are to be submitted to:  
NYSDEC Regional Permit Administrator  
Region 9 Headquarters  
Division of Environmental Permits  
270 Michigan Avenue  
Buffalo, NY 14203-2915  
(716) 851-7165

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

**Permit Under the Environmental Conservation Law (ECL)**

ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

IDENTIFICATION INFORMATION

Permit Issued To: DIGNIFIED GROUP SERVICES OF WNY INC.  
906 SENECA ST  
BUFFALO, NY 14210

Facility: DIGNIFIED GROUP SERVICES OF WNY INC.  
906 SENECA ST  
BUFFALO, NY 14210

Authorized Activity By Standard Industrial Classification Code:  
7261 - FUNERAL SERVICE AND CREMATORIES

Mod 0 Permit Effective Date: 01/16/2020

Permit Expiration Date: 01/15/2030

Mod 1 Permit Effective Date: 06/30/2021

Permit Expiration Date: 01/15/2030



**PAGE LOCATION OF CONDITIONS**

**PAGE**

**FEDERALLY ENFORCEABLE CONDITIONS**

**Facility Level**

6 1 6 NYCRR 211.2: Visible Emissions Limited

**STATE ONLY ENFORCEABLE CONDITIONS**

**Facility Level**

8 2 ECL 19-0301: Contaminant List  
 8 1-1 6 NYCRR 201-1.4: Malfunctions and Start-up/Shutdown Activities  
 9 4 6 NYCRR Subpart 201-5: Emission Unit Definition  
 11 5 6 NYCRR 201-5.2 (c): Renewal deadlines for state facility permits  
 11 1-2 6 NYCRR 201-5.3 (c): CLCPA Applicability  
 11 7 6 NYCRR 211.1: Air pollution prohibited  
 12 1-3 6 NYCRR 219-4.4 (a): Compliance Demonstration  
 12 1-4 6 NYCRR 219-4.4 (b): Compliance Demonstration  
 13 1-5 6 NYCRR 219-4.4 (d): Operating Requirements - Allowed Materials  
 13 1-6 6 NYCRR 219-4.4 (e): Compliance Demonstration  
 14 1-7 6 NYCRR 219-4.6 (a): Operator Training and Certification  
 14 1-8 6 NYCRR 219-4.7 (a): Compliance Demonstration  
 15 1-9 6 NYCRR 219-4.8 (a): Compliance Demonstration  
 15 1-10 6 NYCRR 219-4.8 (b): Compliance Demonstration  
 16 1-11 6 NYCRR 219-4.9: Compliance Demonstration

**Emission Unit Level**

17 8 6 NYCRR Subpart 201-5: Emission Point Definition By Emission Unit  
 18 9 6 NYCRR Subpart 201-5: Process Definition By Emission Unit

**EU=0-00002**

19 1-12 6 NYCRR 219-4.3 (a): Compliance Demonstration  
 19 1-13 6 NYCRR 219-4.4 (f): Compliance Demonstration

**EU=0-00003**

20 1-14 6 NYCRR 219-4.3 (a): Compliance Demonstration  
 21 1-15 6 NYCRR 219-4.4 (f): Compliance Demonstration

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

**FEDERALLY ENFORCEABLE CONDITIONS**

Renewal 2/Mod 1/FINAL

\*\*\*\* Facility Level \*\*\*\*

**NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS**

**This section contains terms and conditions which are federally enforceable. Permittees may also have other obligations under regulations of general applicability**

**Item A: Sealing - 6 NYCRR 200.5**

The Commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the Commissioner issued in the case of the violation.

Sealing means labeling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

No person shall operate any air contamination source sealed by the Commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

Unless authorized by the Commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section.

**Item B: Acceptable Ambient Air Quality - 6 NYCRR 200.6**

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

**Item C: Maintenance of Equipment - 6 NYCRR 200.7**

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

**Item D: Unpermitted Emission Sources - 6 NYCRR 201-1.2**

(a) Except as otherwise provided by this Part, construction or operation of a new, modified or existing air contamination source without a registration or permit issued pursuant to this Part is prohibited.

(b) If an existing facility or emission source was subject to the permitting requirements of this Part at the time of construction or modification, and the owner or operator failed to apply for a permit or registration as described in this Part, the owner or operator must apply for a permit or registration in accordance with the provisions of this Part. The facility or emission source is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing emission sources.

**Item E: Recycling and Salvage - 6 NYCRR 201-1.7**

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

**Item F: Prohibition of Reintroduction of Collected Contaminants to the Air - 6 NYCRR 201-1.8**

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

**Item G: Proof of Eligibility for Sources Defined as Exempt Activities - 6 NYCRR 201-3.2 (a)**

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

- Item H: Proof of Eligibility for Sources Defined as Trivial Activities - 6 NYCRR 201-3.3 (a)**  
The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.
- Item I: Required Emission Tests - 6 NYCRR 202-1.1**  
An acceptable report of measured emissions shall be submitted, as may be required by the Commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the Commissioner within the time stated shall be sufficient reason for the Commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6 NYCRR Subpart 202-1.
- Item J: Open Fires Prohibitions - 6 NYCRR 215.2**  
Except as allowed by section 215.3 of 6 NYCRR Part 215, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.
- Item K: Permit Exclusion - ECL 19-0305**  
The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

Clean Air Act brought by the United States or any person.

**Item L: Federally Enforceable Requirements - 40 CFR 70.6 (b)**  
All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

**FEDERAL APPLICABLE REQUIREMENTS**  
**The following conditions are federally enforceable.**

**Condition 1: Visible Emissions Limited**  
**Effective between the dates of 01/16/2020 and 01/15/2030**

**Applicable Federal Requirement: 6 NYCRR 211.2**

**Item 1.1:**  
Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

**STATE ONLY ENFORCEABLE CONDITIONS****\*\*\*\* Facility Level \*\*\*\*****NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS****This section contains terms and conditions which are not federally enforceable.****Permittees may also have other obligations under regulations of general applicability****Item A: Emergency Defense - 6 NYCRR 201-1.5**

An emergency, as defined in 6 NYCRR subpart 201-2, constitutes an affirmative defense to penalties sought in an enforcement action brought by the department for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) an emergency occurred and that the facility owner or operator can identify the cause(s) of the emergency;

(2) the equipment at the facility was being properly operated and maintained;

(3) during the period of the emergency the facility owner or operator took all reasonable steps to minimize the levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) the facility owner or operator notified the department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.

(b) In any enforcement proceeding, the facility owner or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or malfunction provision contained in any applicable requirement.

**Item B: Public Access to Recordkeeping for Facilities With State Facility Permits - 6 NYCRR 201-1.10 (a)**

Where facility owners and/or operators keep records pursuant to compliance with the requirements of 6 NYCRR Subpart 201-5.4, and/or the emission capping requirements of 6 NYCRR Subpart 201-7, the Department will make such

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Facility owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department.

**Item C: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5**

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

**STATE ONLY APPLICABLE REQUIREMENTS**

**The following conditions are state only enforceable.**

**Condition 2: Contaminant List**  
**Effective between the dates of 01/16/2020 and 01/15/2030**

**Applicable State Requirement: ECL 19-0301**

**Item 2.1:**

Emissions of the following contaminants are subject to contaminant specific requirements in this permit (emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY075-00-0  
Name: PARTICULATES

**Condition 1-1: Malfunctions and Start-up/Shutdown Activities**  
**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement: 6 NYCRR 201-1.4**

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

**Item 1-1.1:**

(a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.

(b) The facility owner or operator shall compile and maintain records of all equipment maintenance and start-up/shutdown activities when they are expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when required by a permit condition or upon request by the department. Such reports shall state whether an exceedance occurred and if it was unavoidable, include the time, frequency and duration of the exceedance, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous monitoring and quarterly reporting requirements need not submit additional reports of exceedances to the department.

(c) In the event that air contaminant emissions exceed any applicable emission standard due to a malfunction, the facility owner or operator shall notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. In addition, the facility owner or operator shall compile and maintain a record of all malfunctions. Such records shall be maintained at the facility for a period of at least five years and must be made available to the department upon request. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, the air contaminants emitted, and the resulting emission rates and/or opacity.

(d) The department may also require the facility owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions.

(e) A violation of any applicable emission standard resulting from start-up, shutdown, or malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

**Condition 4: Emission Unit Definition**  
**Effective between the dates of 01/16/2020 and 01/15/2030**

**Applicable State Requirement:6 NYCRR Subpart 201-5**

**Item 4.1(From Mod 1):**

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00002

Emission Unit Description:

This emission unit consists of one multiple chambered, excess air, random load incinerator, manufactured by



Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

Crawford Industrial Group, LLC (formerly Crawford Equipment & Engineering Company), used for the cremation of small animals collected from local veterinarians, small animal hospitals and other sources. The Crawford Model C-1000P incinerator, identified as Emission Source 00002 (primary chamber) and Emission Source Control C0002 (secondary chamber), has a maximum allowable charge rate of 600 lbs and a maximum allowable burn rate of 175 pounds per hour. The standard process of cremation for animal cadavers is to preheat the machine with the secondary chamber (afterburner) reaching a controlled temperature of not less than 1600° F. Once this parameter has been met, the operator will then open the door via automated controls, charge the animal cadaver and then close the door of the primary chamber. The random load feature allows for the insertion of additional carcasses during the burn cycle. The primary chamber has one, hi/lo modulated, 500,000 BTU/hr gas-fired burner and the secondary chamber has one, fully modulated 1,500,000 BTU/hr gas-fired burner. Residence time is greater than one second in the secondary chamber. The temperature of the secondary chamber is continuously monitored and recorded via a Danaher MRC 5000 digital circle chart recorder. Emissions from the primary chamber are controlled via combustion in the secondary chamber. An electronic gas scanner with control to the primary chamber is located in the hot air duct of the incinerator to control opacity to less than 10%. Opacity readings are not recorded. Emissions from ES Control C0002 are exhausted to the ambient air through Emission Point 00002.

Building(s): MAIN

**Item 4.2(From Mod 1):**

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: 0-00003

Emission Unit Description:

The Facultatieve Technologies ISI 60 Animal Cremator is a multiple chamber design (primary and secondary) and will be fired with natural gas. The cremator has a nominal burn rate of 140 pounds per hour with a maximum batch size of 700 pounds of animal cadavers. The cremator is designed for manual single batch loading. Its automatic controls will function to cremate efficiently with the minimum of operator intervention.

The standard process of cremation for animal cadavers in a Facultatieve Technologies cremator is to preheat the machine with the secondary chamber (afterburner) reaching a controlled temperature of not less than 1600° F and the primary chamber is set at ambient temperature. Once these

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

parameters have been met the computerized touch screen instructs the operator to charge the cremator with the animal cadaver into the primary chamber. The operator will then open the door via automated controls, charge the animal cadaver and then close the door of the primary chamber. All functions of the loading process are controlled by the onboard computer/PLC controller. The cremator has a sight glass where the operator can observe the cremation process and thus determine when the complete cremation process has been fully completed. Upon completion of the cremation process, the operator opens the primary chamber door and moves the cremated remains into a cooling area for final disposition. The design of the Facultative Technologies ISI 60 Animal Cremator is to cool down the primary chamber for approximately 60 minutes to a maximum temperature of 600° F prior to the charging of the next animal cadaver.

Building(s): MAIN

**Condition 5: Renewal deadlines for state facility permits**  
**Effective between the dates of 01/16/2020 and 01/15/2030**

**Applicable State Requirement:6 NYCRR 201-5.2 (c)**

**Item 5.1:**

The owner or operator of a facility having an issued state facility permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

**Condition 1-2: CLCPA Applicability**  
**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement:6 NYCRR 201-5.3 (c)**

**Item 1-2.1:**

Pursuant to The New York State Climate Leadership and Community Protection Act (CLCPA) and Article 75 of the Environmental Conservation Law, emission sources shall comply with regulations to be promulgated by the Department to ensure that by 2030 statewide greenhouse gas emissions are reduced by 40% of 1990 levels, and by 2050 statewide greenhouse gas emissions are reduced by 85% of 1990 levels.

**Condition 7: Air pollution prohibited**  
**Effective between the dates of 01/16/2020 and 01/15/2030**

**Applicable State Requirement:6 NYCRR 211.1**

**Item 7.1:**

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

**Condition 1-3: Compliance Demonstration**  
**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement:6 NYCRR 219-4.4 (a)**

**Item 1-3.1:**

The Compliance Demonstration activity will be performed for the Facility.

**Item 1-3.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person may cause or allow emissions to the outdoor atmosphere having a six-minute average opacity of 10 percent or greater from any cremation unit. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation at any time during facility operation.

Parameter Monitored: OPACITY

Upper Permit Limit: 10 percent

Reference Test Method: EPA Reference Test Method 9

Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 1-4: Compliance Demonstration**  
**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement:6 NYCRR 219-4.4 (b)**

**Item 1-4.1:**

The Compliance Demonstration activity will be performed for the Facility.

**Item 1-4.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The owner or operator of a cremation unit must maintain a one-hour average temperature of at least 1600 degrees

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

Fahrenheit in the secondary combustion chamber, with a minimum residence time for combustion gases of at least one second, at all times remains are being cremated.

The owner or operator of a cremation unit must install, operate, calibrate, and maintain, in accordance with manufacturer's instructions, instruments for continuously monitoring and recording the secondary chamber combustion temperature.

Parameter Monitored: TEMPERATURE

Lower Permit Limit: 1600 degrees Fahrenheit for at least one second for residence time

Monitoring Frequency: CONTINUOUS

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 1-5: Operating Requirements - Allowed Materials**  
**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement:6 NYCRR 219-4.4 (d)**

**Item 1-5.1:**

No person may combust materials other than human and animal remains, their associated containers, pathological waste, and incidental animal bedding in any cremation unit unless prior written authorization has been obtained from the Department.

**Condition 1-6: Compliance Demonstration**  
**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement:6 NYCRR 219-4.4 (e)**

**Item 1-6.1:**

The Compliance Demonstration activity will be performed for the Facility.

**Item 1-6.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

No person may cause or allow the combustion of human and animal remains in any cremation unit unless a cremation certification form has been completed. Each cremation certification form shall contain the following information at a minimum:

- (1) The name, title, and affiliation of the person providing the remains for cremation;

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

- (2) An attestation signed by the person providing the remains for cremation attesting that the remains and their container do not contain materials prohibited from being combusted by 6 NYCRR Subpart 219-4;
- (3) The name and signature of the person accepting the remains for cremation; and
- (4) The date the remains were accepted for cremation.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 1-7: Operator Training and Certification**  
**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement:6 NYCRR 219-4.6 (a)**

**Item 1-7.1:**

No cremation unit subject to the requirements of 6 NYCRR Subpart 219-4 is permitted to operate unless it is operated under the onsite supervision of a person possessing a valid crematory operator certification issued by the Department.

**Condition 1-8: Compliance Demonstration**  
**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement:6 NYCRR 219-4.7 (a)**

**Item 1-8.1:**

The Compliance Demonstration activity will be performed for the Facility.

**Item 1-8.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The owner or operator of a crematory facility must inspect each cremation unit at that facility at least once per calendar year. The facility owner or operator shall perform all necessary repairs and routine maintenance in order to ensure that each cremation unit, monitoring device, and control device is operated and maintained in accordance with manufacturer's instructions.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 1-9: Compliance Demonstration**

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

Effective between the dates of 06/30/2021 and 01/15/2030

**Applicable State Requirement:6 NYCRR 219-4.8 (a)**

**Item 1-9.1:**

The Compliance Demonstration activity will be performed for the Facility.

**Item 1-9.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The owner or operator of a crematory facility must maintain the following records at the facility for a period of at least five years:

- (1) Continuous secondary chamber temperature monitoring records indicating the date and time of each cremation performed;
- (2) Operator training and certification records for all operators at the facility;
- (3) A record of the date, time, and cause of all malfunctions and any corrective action taken to resolve them;
- (4) A record of any maintenance performed on each cremation unit, including the annual inspection required by 6 NYCRR Section 219-4.7, and the routine replacement of parts and components; and
- (5) A copy of each cremation certification form created pursuant to 6 NYCRR Subdivision 219-4.4(e).

All records kept pursuant to this condition must be provided to the Department upon request.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 1-10: Compliance Demonstration**

Effective between the dates of 06/30/2021 and 01/15/2030

**Applicable State Requirement:6 NYCRR 219-4.8 (b)**

**Item 1-10.1:**

The Compliance Demonstration activity will be performed for the Facility.

**Item 1-10.2:**

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The owner or operator of a crematory facility must maintain the following records at the facility for the lifetime of each cremation unit installed at the facility:

- (1) Manufacturer's operating instructions for each cremation unit and any associated monitoring equipment or emissions controls; and
- (2) A copy of the most recent stack test submitted to the Department to demonstrate compliance with the requirements of 6 NYCRR Subpart 219-4.

Records kept pursuant to this condition must be provided to the Department upon request.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 1-11: Compliance Demonstration**  
**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement: 6 NYCRR 219-4.9**

**Item 1-11.1:**

The Compliance Demonstration activity will be performed for the Facility.

**Item 1-11.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The owner or operator of a cremation unit constructed on or before March 14, 2020 shall:

- (1) Obtain appropriate operator certifications, as described in 6 NYCRR Section 219-4.6, by March 14, 2021 for each uncertified operator at the facility;
- (2) Demonstrate compliance with the requirements of 6 NYCRR Subpart 219-4 no later than March 14, 2025. A demonstration of final compliance shall include the following information for each existing cremation unit:
  - (i) An emissions testing report, as described in 6 NYCRR

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

Section 219-4.5, indicating that each existing cremation unit meets the particulate matter emission limit specified in 6 NYCRR Subdivision 219-4.3(a);

(ii) Documentation indicating that each existing cremation unit meets the requirements of 6 NYCRR Subpart 219-4;

(iii) Documentation of the certification status of each operator at the facility.

(3) The owner or operator of an existing cremation unit may submit a written request for a single extension of the deadline described in paragraph (2) above. The request shall describe in detail the circumstances necessitating the extension and shall propose a projected final compliance date. The Department, in its sole discretion, shall approve or deny the request on a case by case basis.

For existing cremation units that cannot meet the requirements of Subpart 219-4, the owner or operator shall submit a written plan to the Department that describes the proposed schedule for the replacement or removal of the affected cremation unit. Such written plan must be submitted within 60 days of the owner or operator becoming aware that the unit cannot meet the requirements of Subpart 219-4.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

**\*\*\*\* Emission Unit Level \*\*\*\***

**Condition 8: Emission Point Definition By Emission Unit  
Effective between the dates of 01/16/2020 and 01/15/2030**

**Applicable State Requirement:6 NYCRR Subpart 201-5**

**Item 8.1(From Mod 1):**

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00002

Emission Point: EP002

Height (ft.): 38

Diameter (in.): 24

NYTMN (km.): 4753.62

NYTME (km.): 186.129



Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

**Item 8.2(From Mod 1):**

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: 0-00003

Emission Point: 00003

Height (ft.): 20

Diameter (in.): 18

NYTMN (km.): 4754.034 NYTME (km.): 186.061 Building: MAIN

**Condition 9: Process Definition By Emission Unit**

**Effective between the dates of 01/16/2020 and 01/15/2030**

**Applicable State Requirement:6 NYCRR Subpart 201-5**

**Item 9.1(From Mod 1):**

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00002

Process: 002

Source Classification Code: 5-02-005-05

Process Description:

The Crawford C1000P Multiple Chambered Pathological Cremation/Incineration System is a multiple chamber design (primary and secondary) and will be fired with natural gas. The primary burner and secondary burner are both 1,000,000 BTU/hour.

Emission Source/Control: 00006 - Control

Control Type: INCINERATOR AFTERBURNER

Emission Source/Control: 00005 - Incinerator

Design Capacity: 175 pounds per hour

Waste Feed Method: MANUAL DIRECT FEED

Waste Type: CREMATORY WASTE (INCLUDING HUMAN AND/OR ANIMAL BODY PARTS AND ASSOCIATED ANIMAL BEDDING) ONLY

**Item 9.2(From Mod 1):**

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: 0-00003

Process: 003

Source Classification Code: 3-15-021-01

Process Description:

The Facultative Technologies ISI 60 Animal Cremator is a multiple chamber design (primary and secondary) and will be fired with natural gas. The primary burner is 900,000 BTU/hour and the secondary burner is 1,200,000 BTU/hour.

Emission Source/Control: 00003 - Control

Control Type: INCINERATOR AFTERBURNER

Emission Source/Control: 00004 - Incinerator

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

Design Capacity: 140 pounds per hour  
Waste Feed Method: MANUAL DIRECT FEED  
Waste Type: CREMATORY WASTE (INCLUDING HUMAN AND/OR ANIMAL BODY PARTS AND ASSOCIATED ANIMAL BEDDING) ONLY

**Condition 1-12: Compliance Demonstration**  
**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement:6 NYCRR 219-4.3 (a)**

**Item 1-12.1:**

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00002

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

**Item 1-12.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

No person may cause or allow emissions of particulates into the outdoor atmosphere from an existing cremation unit in excess of 0.08 grains per dry standard cubic foot of flue gas, corrected to seven percent oxygen.

Compliance with this condition will be demonstrated according to the stack testing requirements outlined in 6 NYCRR Section 219-4.5.

Parameter Monitored: PARTICULATES

Upper Permit Limit: 0.08 grains per dry standard cubic foot (corrected to 7% O<sub>2</sub>)

Reference Test Method: EPA Reference Test Method 5

Monitoring Frequency: WHEN THE SOURCE IS OPERATING

Averaging Method: Arithmetic average of stack test runs

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 1-13: Compliance Demonstration**  
**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement:6 NYCRR 219-4.4 (f)**

**Item 1-13.1:**

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00002

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

**Item 1-13.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person may cause or allow human or animal remains to be charged at a crematory facility in excess of the manufacturer's rated hourly capacity of the cremation unit.

The facility owner or operator shall maintain records indicating the weight of remains charged to the cremation unit at the facility for a period of at least five years from the date of the record. Such records must be made available to the Department upon request.

Parameter Monitored: FEED RATE

Upper Permit Limit: 175 pounds per hour

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING  
DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 1-14: Compliance Demonstration**

**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement: 6 NYCRR 219-4.3 (a)**

**Item 1-14.1:**

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00003

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

**Item 1-14.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

No person may cause or allow emissions of particulates into the outdoor atmosphere from an existing cremation unit in excess of 0.08 grains per dry standard cubic foot of flue gas, corrected to seven percent oxygen.

Compliance with this condition will be demonstrated according to the stack testing requirements outlined in 6 NYCRR Section 219-4.5.

Permit ID: 9-1402-00881/00001

Facility DEC ID: 9140200881

Parameter Monitored: PARTICULATES

Upper Permit Limit: 0.08 grains per dry standard cubic  
foot (corrected to 7% O<sub>2</sub>)

Reference Test Method: EPA Reference Test Method 5

Monitoring Frequency: WHEN THE SOURCE IS OPERATING

Averaging Method: Arithmetic average of stack test runs

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 1-15: Compliance Demonstration**

**Effective between the dates of 06/30/2021 and 01/15/2030**

**Applicable State Requirement: 6 NYCRR 219-4.4 (f)**

**Item 1-15.1:**

The Compliance Demonstration activity will be performed for:

Emission Unit: 0-00003

**Item 1-15.2:**

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person may cause or allow human or animal remains to be charged at a crematory facility in excess of the manufacturer's rated hourly capacity of the cremation unit.

The facility owner or operator shall maintain records indicating the weight of remains charged to the cremation unit at the facility for a period of at least five years from the date of the record. Such records must be made available to the Department upon request.

Parameter Monitored: FEED RATE

Upper Permit Limit: 140 pounds per hour

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING  
DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Permit ID: 9-1402-00881/00001**

**Facility DEC ID: 9140200881**