

MAY 11 2004

REMEDIAL INVESTIGATION AND SOIL REMOVAL PROGRAM

FAIRVIEW PLAZA
160 FAIRVIEW AVENUE
HUDSON, NEW YORK 12534
NETC PROJECT #02.05244

APRIL 24, 2004

PREPARED FOR:

MR. ANTHONY FABIANO

65 Maple Avenue
Hudson, New York 12534
&

NYSDEC REGION 4

1150 North Westcott Rd.
Schenectady, New York 12306

0204750

PREPARED BY:

NORTHEASTERN ENVIRONMENTAL TECHNOLOGIES CORP.

1476 NYS Route 50 - P.O. Box 2167
Ballston Spa, New York 12020
(518) 884-8545

"..... providing integrated environmental and geotechnical services"



GEO-ENVIRONMENTAL CONSULTING & PROPERTY MANAGEMENT
SERVICES - SITE ASSESSMENTS - GEOTECHNICAL DRILLING & DPT
PROBE SERVICES - TANK CLOSURES - EXCAVATION SERVICES - SOIL
& GROUNDWATER REMEDIATION - EXPERT TESTIMONY - WASTE
BROKERAGE SERVICES



TABLE OF CONTENTS

| | |
|---------------------------------------|---|
| 1.0 INTRODUCTION | 1 |
| 2.0 BACKGROUND INFORMATION | 1 |
| 3.0 COMPLETED REMEDIAL MEASURES | 2 |
| 4.0 GEOTECHNICAL FINDINGS | 4 |
| 4.0 SOIL QUALITY RESULTS | 4 |
| 5.0 DISCUSSION | 6 |

APPENDICES

| | |
|------------------|--|
| APPENDIX A | NYSDEC "CONTAINED - IN" DOCUMENTS |
| APPENDIX B | ESMI THERMAL SOIL TREATMENT DOCUMENTS |
| APPENDIX C | EFFLUENT WATER QUALITY REPORTS |
| APPENDIX D | REMEDIAL ACTIVITIES - PHOTOGRAPHIC LOG |
| APPENDIX E | FIELD GC SOIL GAS RESULTS |
| APPENDIX F | END POINT SOIL QUALITY REPORT |
| APPENDIX G | NETC STATEMENT OF SERVICES |

1.0 INTRODUCTION

The following information has been assimilated to outline the results of a recently completed "Remedial Investigation and Soil Removal Program" conducted at 160 Fairview Avenue Hudson, NY (hereinafter termed the site). The work was performed in accordance with a technical work plan prepared by NETC and later endorsed by the NYS Department of Environmental Conservation (DEC) dated June 16, 2003. The purpose of this work has been to remove where possible soil and groundwater contamination, specifically Tetrachloroethene (PERC) identified at the rear of the Wash Rite Laundry facility. This work is intended to pursue the administrative closure of Spill Case # 0204750.

In order to address the issues germane to this remedial action, site specific improvements, facility information and available soil and groundwater information previously assimilated by NETC were reviewed and / or considered. A more detailed discussion of the specific activities completed during the soil removal program is included below for consideration.

2.0 BACKGROUND INFORMATION

The subject site, a 21.9 acre of retail plaza, is located on Fairview Ave. (AKA Route 9) in the Town of Greenport, NY. The surrounding Fairview Avenue area is composed of a mixture of retail sales and similar commercial establishments. Municipal water and sewer services exist at the site and in the immediate study area. The documented PERC contamination is attributed to historical dry cleaning activities that occurred at the Wash Rite facility during the period from ± 1972 - 1978. The documented contamination is located adjacent to the rear service entrance of the Wash Rite facility.

A total of (7) soil borings and (7) monitoring wells were installed by NETC in an attempt to delineate the areal and vertical extent of the PERC release. The soil and groundwater data assimilated from this work identified soil contamination to a maximum depth of 15.0 feet with TAGM soil cleanup violations limited to the upper 2.0-foot soil horizon. The presence of low levels of PERC, Trichloroethene and cis-1,2, -Dichloroethene in the groundwater are also limited to the rear of the Wash Rite facility. The lack of detectable levels of chlorinated organic compounds in the network of wells surrounding the Wash Rite facility suggest a limited surface release of PERC east of the Wash Rite facility.

To pursue the administrative closure of Spill Case # 0204750, a focussed source removal program was implemented on November 18, 2003 and completed on December 2, 2003. The remedial services were undertaken to remove ± 888 cu. yds. of contaminated soil and groundwater that would otherwise represent an ongoing threat to the environment. All completed work has occurred exclusively on the subject site.

NETC staff on behalf of the property owner (Mr. Anthony Fabiano), directed the soil removal and disposal services, and provided on site treatment services for contaminated groundwater recovered during the soil removal services. A more

complete accounting of the site conditions encountered and the services completed at the site are presented for your consideration, as follows.

3.0 COMPLETED REMEDIAL MEASURES

The completed remedial measures resulted in an irregular removal zones east of the Wash Rite retail space (see **Figure 1**). As noted NETC staff performed all aspects of the soil removal and project monitoring services. Soil samples collected from the removal zone were continuously subjected to visual, olfactory and volatile organic compound (VOC) head space soil gas analysis using a properly calibrated photoionization detector (PhotoVac Model 2020) and a PhotoVac Model 10S70 field gas chromatography (GC) equipment. Groundwater samples were also collected from the existing network of monitoring wells and analyzed for VOC contamination using the field GC testing methods. The PID and GC testing services were used to direct the soil removal efforts as well as short list end point soil samples for additional laboratory analysis. End point soil samples collected at the site were submitted to Hudson Environmental Services (HES) for the chemical analysis via EPA Method SW846-8260.

The completed source removal program resulted in the removal and thermal treatment of 214.82 tons of soil. Soil removed during this work was temporarily staged on site on 6 mil poly-synthetic liners. Whenever possible uncontaminated soil was used as clean fill. One two-inch diameter monitoring well (i.e., MW-18) was completed in the soil removal zone to facilitate future groundwater monitoring and / or removal services deemed necessary by the government, if any. The recovery well is constructed with 10 feet of Schedule 40 PVC 0.010 inch slotted well screen and ± 6.0 feet of Schedule 40 PVC riser pipe and is completed at the base of the excavation. To facilitate the removal of the soil contamination a total of $\pm 22,100$ gallons of contaminated groundwater was removed during the excavation services. The groundwater dewatering services were necessary to facilitate the recovery of deep contaminated soil horizons. Contaminated groundwater was treated on-site using NETC's mobile air stripper and activated carbon treatment system. Treated groundwater was discharged to the Town of Greenport sanitary sewer system. Start up and shut down effluent samples were collected from the treatment system in accordance with a Town of Greenport temporary discharge permit established for this regulatory matter.

On November 26, 2003 (4) grab and (2) composite soil samples from the stockpiled were subjected to laboratory analysis via EPA Method SW846-8260. The sampling frequency employed was based on the DEC's STARS Memo #1 Guidance Policy for staged soil piles. Mr. Henry Wilkie of the DEC Division of Solid and Hazardous Materials Bureau of Waste & Radiation Management issued a favorable "Contained-In Determination" on March 26, 2004 which lifted the hazardous waste disposal requirements typically imposed for PERC contaminated soil and facilitated the thermal treatment of the material at Environmental Soil Management Inc. (ESMI) Fort Edward, NY facility. The staged soil was thermally treated at the ESMI facility during the period from April 14 - 23, 2004. **Appendix A** contains a copy of the DEC's regulatory determination of thermal treatment of the soil as well as copies of the



Wash Rite Laundry

Concrete Sidewalk

Deep Soil Excavation Area
+/- 18 feet in Depth

MW-18

Extent of Deep
Excavation Area

Hallmark
with Satellite
Post Office

Surface Soil Excavation Area
+/- 1.0 to 3.5 feet in Depth

MW-5

Extent of Surface Soil
Excavation Area

Wood Fence

Gate

Wood Fence

LEGEND

HSA Boring / 2-inch PVC
Monitoring Well Location

DPT Boring / 1-inch PVC
Monitoring Well Location

Notes:

- Map based on Hershberg & Hershberg map no. 000277 dated 9/27/00, revised 10/5/00.
- Wood Fence and Soil Removal Zones locations are approximated.
- Well location based on field measurements.
- Elevations are in feet and based on a datum of 100.0 feet.

Path: common/netc/sites/fairviewplaza/si/maps/washritegwsitemap



**NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.**

2381 Route 9, P.O. Box 2167, Malta, NY 12020
Phone: (518) 899-9684 Fax: (518) 899-5973 e-mail: jwink@atglobal.net

FIGURE 1: Soil Removal Zone
PROJECT: Washrite Facility
Fairview Plaza Hudson, New York

Project # 02.05244

Scale: 1" = 10.0'

Date: 4-18-03

HES laboratory data for the staged soil. **Appendix B** contains the ESMI thermal treatment documents. Copies of HES's effluent water quality reports for the dewatering services are included in **Appendix C**. A photographic log of the completed remedial measures undertaken at the site are included in **Appendix D**.


4.0 GEOTECHNICAL FINDINGS

The unconsolidated deposits encountered in the soil removal zone include in descending order, a ± 15.0 foot cultural fill layer (consisting of gray medium to fine sand, silt, and clay, bricks, concrete and wood) and a dense glaciolacustrine varved clay. Perched groundwater was encountered at a depth of $\pm 3.0 - 5.0$ feet below grade. The soil and groundwater data corresponds closely with previous soil and groundwater data assimilated at the site.

The field GC results for groundwater samples collected from the existing network of monitoring wells were found to unaffected by the chlorinated VOC chemicals of concern. The field GC soil quality results documented during the soil removal services identified the most ostensible soil contamination (i.e., 250.0 to 1,100.0 ppb) generally at depths ranging from ± 1.0 to 3.5 feet below ground surface. Based on the GC soil quality data the soil removal zone ranged from ± 18.0 feet in the northwestern portions of the excavation to $\pm 1.0 - 4.0$ feet in the southeastern portion of the excavation. Subsurface utility lines (i.e., sewer, gas, and telephone) located below the south portion of the excavation have inhibited (and in some cases restricted) the soil removal program. A summary of the field GC soil gas results recorded at the site are included in **Appendix E** for consideration.


5.0 SOIL QUALITY RESULTS

Seven endpoint soil samples were short listed and submitted to HES for laboratory analysis pursuant to the EPA Method SW846-8260 testing criteria. End point soil samples were collected from each of the excavation sidewalls, and three samples were collected from the base of the removal zone (**See Figure 2**). The results identify low level chlorinated VOC contamination in each of the end point soil samples. The most significant chlorinated VOC concentrations were reported in the soil sample collected adjacent to the municipal sewer line in the southern portion of the excavation (i.e., End Point Sample S-32). In most cases the end point soil quality concentrations are below the DEC's TAGM 4046 soil quality clean up objectives. The HES laboratory results generally correlate with field GC soil quality data and concentration trends observed at the site. **Appendix F** contains a summary of the endpoint soil sample results along with a copy of the HES laboratory report.



LEGEND

- HSA Boring / 2-inch PVC Monitoring Well Location
- End Point Soil Sample Location
- DPT Boring / 1-inch PVC Monitoring Well Location



NORTHEASTERN ENVIRONMENTAL TECHNOLOGIES CORP.
 2381 Route 9, P.O. Box 2167, Malta, NY 12020
 Phone: (518) 899-9684 Fax: (518) 899-5973 e-mail: jwink@attglobal.net

FIGURE 2: End Point Soil Sample Locations
PROJECT: Washrite Facility
Fairview Plaza Hudson, New York

| | | |
|--------------------|-------------------|---------------|
| Project # 02.05244 | Scale: 1" = 10.0' | Date: 4-18-03 |
|--------------------|-------------------|---------------|

- Notes:**
- Map based on Hershberg & Hershberg map no. 000277 dated 9/27/00, revised 10/5/00.
 - Wood Fence and Soil Removal Zones locations are approximated.
 - Well location based on field measurements.
 - Elevations are in feet and based on a datum of 100.0 feet.

6.0 DISCUSSION

It is the opinion of this firm that the completed remedial measures have removed (where possible) the source of the chlorinated contaminants of concern. The chlorinated VOC contamination documented in the end point soil samples are generally low in concentration and are in large part inaccessible to conventional excavation equipment. Additional source removal services would necessitate the relocation of numerous buried utility lines. Despite the lower than expected soil removal volumes achieved during the source removal program, the commercial location of the site, the lack of sensitive receptors and the use of municipal water in the study area would appear to reduce the exposure risk posed by the residual chlorinated VOC contaminants that remain at the site.

As outlined in our June 16, 2003 technical work plan, a groundwater quality monitoring program will be instituted to document natural attenuation rates for the residual PERC (and or its daughter compounds) contaminants of concern that remain at the site. Pursuant to your verbal directives two additional wells will be installed down gradient of the soil removal zone to facilitate the ongoing groundwater monitoring services. Unless otherwise directed, quarterly groundwater samples collected from the network of wells will be subjected to the EPA Method 8260 testing criteria or equivalent. Quarterly status reports will be generated and submitted to DEC to document the site conditions and to pursue the administrative closure of Spill Case # 0204750.

APPENDIX A

DEC DIVISION OF SOLID AND HAZARDOUS MATERIALS BUREAU OF WASTE & RADIATION MANAGEMENT - "CONTAINED IN" DETERMINATION DOCUMENTS



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 ROUTE 50 - P.O. Box 2167 BALLSTON SPA, NY 12020
Phone: (518) 884-8545 - Fax: (518) 884-9710

March 26, 2004

Mr. Henry Wilkie
NYS Department of Environmental Cons.
Bureau of Hazardous Waste
& Radiation Management
625 Broadway - 8th Floor
Albany, NY 12233-7258

Dear Mr. Wilkie:

I have prepared this transmittal to request the ability to thermally treat soil removed from the rear of the Wash Rite facility located at the Fairview Plaza 160 Fairview Avenue Hudson, New York (Spill Case # 0204750) at Environmental Soil Management Inc. (ESMI) treatment facility in Fort Edward, NY. Please contact me if the your "contained-out" determination can be used in this manner. The NETC organization and I remain available to assist you with this matter, as necessary.


Sincerely,
Northeastern Environmental Technologies Corporation



Jeffrey T. Wink, President
JTW/sbs

C.c. Mr. Anthony Fabiano
Mr. Henry Wilkie DEC
Mr. William Blain DEC

New York State Department of Environmental Conservation
Division of Solid & Hazardous Materials
Bureau of Hazardous Waste and Radiation Management
625 Broadway, Albany, NY 12233-7258
Phone:(518) 402-8594 • FAX:(518) 402-8646
Website: www.dec.state.ny.us



Erin M. Crotty
Commissioner

March 26, 2004

Jeff Wink
President
Northeastern Environmental Technologies Corp
1476 Route 50
P.O. Box 2167
Ballston Spa, NY 12020

Re: Wash Rite Facilities Retail space, Fairview Plaza
160 Fairview Avenue Hudson, New York (Spill Case # 0204750)
“Contained-In” Determination - 2nd Submittal

Dear Mr. Wink:

This office has reviewed the information that you have provided in your correspondence dated March 25, 2004. Based on the our previous “contained-In” the excavated soil met the Department’s “Contained-in” criteria and met all Land Disposal Restrictions (LDRs) requirements dated January 13, 2004. Therefore, soils from each waste pile do not have to be managed as hazardous waste when transported to ESMI’s Fort Edward Facility for thermal treatment.

Should you have any questions regarding the content of this letter, please do not hesitate to contact me at (518) 402-8594.

Sincerely,

Henry Wilkie
Environmental Engineer 1
Hazardous Waste Engineering Eastern Section

cc: D. Evans
W. Blain, Region 4

ESMI of NEW YORK

FACSIMILE TRANSMITTAL SHEET

| | | | |
|---------------|---------------------------------|-------------------------------------|-------------|
| TO: | Jeff Wink | FROM: | Pete Hansen |
| DATE: | | DATE: | 3/26/2004 |
| FAX NUMBER: | 518-884-9710 | TOTAL NO. OF PAGES INCLUDING COVER: | 2 |
| PHONE NUMBER: | 518-884-8545 | SENDER'S REFERENCE NUMBER: | |
| RE: | Wash Rite Hudson "Contained In" | YOUR REFERENCE NUMBER: | |

URGENT FOR REVIEW PLEASE COMMENT PLEASE REPLY PLEASE RECYCLE

Jeff,

I emailed Henry Wilkie regarding this PERC contaminated soil in Hudson. He sent back an email okaying our facility to receive it, however he wants a letter from you stating where you will be sending it. Attached is the email exchange.

Also, it occurred to me that this is Used Solvents. Foolishly I only looked at the Virgin Solvent Parameters where I have more flexibility about the labwork. With Used Solvents I do need SVOC results as well. My permit does allow me to waive the PCBs and Metals but I definitely need the SVOCs. My apologies. I hope this doesn't cause too big of a problem.

Give me a call if you have any questions.

Pete Hansen

Email: phansen@esmiofny.com

304 TOWPATH ROAD
FORT EDWARD, NEW YORK 12823

(518) 747-5500 FAX (518) 747-1181

NORTHEAST ANALYTICAL, INC.
ENVIRONMENTAL LAB SERVICES
2190 TECHNOLOGY DRIVE
SCHENECTADY, NY 12308
(518) 346-4592 FAX: (518) 381-6055

TELECOPIER COVER SHEET

CONFIDENTIALITY NOTICE:

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS LEGALLY PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED BELOW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPY OF THIS FACSIMILE IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS FACSIMILE IN ERROR, PLEASE IMMEDIATELY NOTIFY US AT (518) 346-4592 AND RETURN THE ORIGINAL MESSAGE TO US AT THE ADDRESS ABOVE VIA THE UNITED STATES POSTAL SERVICE.

DATE: 3/30/04 TIME SENT: 2:35 PM

NUMBER OF PAGES BEING SENT 5 (INCLUDING COVER PAGE).

| NAME | COMPANY | FAX NO. |
|-----------|----------------------------------|----------------|
| Jeff Wink | Northeastern Environmental Tech. | (518) 884-9710 |
| | | |
| | | |

FROM: _____

DELIVER IMMEDIATELY: _____ ROUTINE: _____

ORIGINAL WILL FOLLOW BY:

_____ Regular Mail _____ Overnight Mail _____ Original will not follow

FAX OPERATOR: Michelle Plumadore

COMMENTS: Attached find 8015 GRO results for Project: Fairview Plaza - Hudson, NY
(04030133).

IF YOU HAVE ANY QUESTIONS REGARDING THIS TRANSMITTAL, PLEASE CONTACT OUR OFFICE AT (518) 346-4592, THANK YOU.

S:\FAX\

NORTHEAST ANALYTICAL



ENVIRONMENTAL LAB SERVICES

2190 Technology Drive, Schenectady, NY 12308
(518) 346-4592 • FAX: (518) 381-6055

CERTIFICATE OF ANALYSIS 03/30/2004

NORTHEASTERN ENVIROMENTAL TECH
1476 ROUTE 50
BALLSTON SPA, NY 12020
CONTACT: JEFF WINK

MATRIX : SOIL DATE SAMPLED: 03/24/2004
DATE RECEIVED: 03/25/2004 TIME: 10:30 PROJECT: FAIRVIEW PLAZA
SAMPLED BY: R. EARL LOCATION: HUDSON, NY
CUSTOMER PO: N/A LAB ELAP #: 11078

| NEA ID: | CUSTOMER ID : | METHOD: | RESULTS | PQL | UNITS | DATE ANALYZED |
|---------|---------------|----------------------------|---------|------|-------|---------------|
| AH02925 | GRAB 1 | Method 8015 GRO for Solids | ND | 9800 | µg/kg | 03/29/2004 |

Note: ND (Not Detected) Denotes analyte not detected at a concentration greater than the PQL
PQL (Practical Quantitation Limit) Denotes lowest analyte concentration reportable for the sample

AUTHORIZED SIGNATURE:

Northeast Analytical, Inc.
Robert E. Wagner, Laboratory Director

NORTHEAST ANALYTICAL



ENVIRONMENTAL LAB SERVICES

2190 Technology Drive, Schenectady, NY 12308

(518) 346-4592 • FAX: (518) 381-6055

CERTIFICATE OF ANALYSIS

03/30/2004

NORTHEASTERN ENVIROMENTAL TECH

1476 ROUTE 50

BALLSTON SPA, NY 12020

CONTACT: JEFF WINK

MATRIX : SOIL DATE SAMPLED: 03/24/2004
DATE RECEIVED: 03/25/2004 TIME: 10:30 PROJECT: FAIRVIEW PLAZA
SAMPLED BY: R. EARL LOCATION: HUDSON, NY
CUSTOMER PO: N/A LAB ELAP #: 11078

| NEA ID: | CUSTOMER ID : | METHOD: | RESULTS | PQL | UNITS | DATE ANALYZED |
|---------|---------------|----------------------------|---------|-------|-------|---------------|
| AH02926 | GRAB 2 | Method 8015 GRO for Solids | ND | 10100 | µg/kg | 03/29/2004 |

Note: ND (Not Detected) Denotes analyte not detected at a concentration greater than the PQL

PQL (Practical Quantitation Limit) Denotes lowest analyte concentration reportable for the sample

AUTHORIZED SIGNATURE:

Northeast Analytical, Inc.
Robert E. Wagner, Laboratory Director

NORTHEAST ANALYTICAL



ENVIRONMENTAL LAB SERVICES

2190 Technology Drive, Schenectady, NY 12308
(518) 346-4592 • FAX: (518) 381-6055

CERTIFICATE OF ANALYSIS 03/30/2004

NORTHEASTERN ENVIROMENTAL TECH
1476 ROUTE 50
BALLSTON SPA, NY 12020
CONTACT: JEFF WINK

MATRIX : SOIL DATE SAMPLED: 03/24/2004
DATE RECEIVED: 03/25/2004 TIME: 10:30 PROJECT: FAIRVIEW PLAZA
SAMPLED BY: R. EARL LOCATION: HUDSON, NY
CUSTOMER PO: N/A LAB ELAP #: 11078

| NEA ID: | CUSTOMER ID : | METHOD: | RESULTS | PQL | UNITS | DATE ANALYZED |
|---------|---------------|----------------------------|---------|-------|-------|---------------|
| AH02927 | GRAB 3 | Method 8015 GRO for Solids | ND | 13100 | µg/kg | 03/29/2004 |

Note ND (Not Detected) Denotes analyte not detected at a concentration greater than the PQL
PQL (Practical Quantitation Limit) Denotes lowest analyte concentration reportable for the sample

AUTHORIZED SIGNATURE:

Northeast Analytical, Inc.
Robert E. Wagner, Laboratory Director

CHAIN OF CUSTODY RECORD

NORTHEAST ANALYTICAL, INC.

2190 Technology Drive, Schenectady, NY 12308
 Telephone (518) 346-4592 Fax (518) 381-6055
 www.nealab.com information@nealab.com

PAGE 1 OF 1
 LRF # 04030133
 (NEA USE ONLY)

DISPOSAL REQUIREMENTS: (To be filled in by Client)
 RETURN TO CLIENT
 DISPOSAL BY NORTHEAST ANALYTICAL
 ARCHIVAL BY NORTHEAST ANALYTICAL


Additional charges incurred for disposal (if hazardous) or archival Call for details.

| | | | | | |
|---|---------|--|--------|--|---------------------------------------|
| CLIENT (REPORTS TO BE SENT TO): NETC | | PROJECT/PROJECT NAME: FAIRVIEW PLAZA | | ENTER ANALYSIS AND METHOD NUMBER REQUESTED | |
| PROJECT MANAGER: JEFF WINK | | LOCATION (CITY/STATE) ADDRESS: HUDSON NY | | PRESERVATIVE CODE | |
| PHONE: 518 884-8545 | | REQUIRED TURN AROUND TIME: NORM | | BOTTLE TYPE | |
| SAMPLED BY: (Please Print) KEARL | | NAME OF COURIER (IF USED): | | BOTTLE SIZE | |
| SAMPLING FIRM: NETC | | | | NUMBER OF CONTAINERS | |
| ELECTRONIC RESULTS <input type="checkbox"/> E-MAIL ADDRESS: | | LAB SAMPLE ID | | PREPARED BY | |
| FAXED RESULTS <input type="checkbox"/> FAX #: | | (NEA USE ONLY) | | RECEIVED BY | |
| SAMPLE ID | DATE | TIME | MATRIX | COCTAMP | LOC DISCREPANCIES |
| GRAB 1 | 3-24-04 | 12:30 | SOILC | | Y <input checked="" type="checkbox"/> |
| GRAB 2 | / | / | SOILC | | Y <input checked="" type="checkbox"/> |
| GRAB 3 | / | / | SOILC | | Y <input checked="" type="checkbox"/> |
| GRAB 4 | / | / | SOILC | | Y <input checked="" type="checkbox"/> |
| RECEIVED BY: (Signature) KEARL | | RECEIVED BY: (Signature) JEFF WINK | | RECEIVED BY: (Signature) JEFF WINK | |
| PRINTED NAME KEARL | | PRINTED NAME JEFF WINK | | PRINTED NAME JEFF WINK | |
| COMPANY NETC | | COMPANY NETC | | COMPANY NETC | |
| DATE/TIME 3-24-04 1:00 PM | | DATE/TIME 3/25/04 1:00 PM | | DATE/TIME 3/25/04 11:00 | |
| RECEIVED BY: (Signature) KEARL | | RECEIVED BY: (Signature) JEFF WINK | | RECEIVED BY: (Signature) JEFF WINK | |
| PRINTED NAME KEARL | | PRINTED NAME JEFF WINK | | PRINTED NAME JEFF WINK | |
| COMPANY NETC | | COMPANY NETC | | COMPANY NETC | |
| DATE/TIME 3-24-04 1:00 PM | | DATE/TIME 3/25/04 1:00 PM | | DATE/TIME 3/25/04 11:00 | |
| RECEIVED BY: (Signature) KEARL | | RECEIVED BY: (Signature) JEFF WINK | | RECEIVED BY: (Signature) JEFF WINK | |
| PRINTED NAME KEARL | | PRINTED NAME JEFF WINK | | PRINTED NAME JEFF WINK | |
| COMPANY NETC | | COMPANY NETC | | COMPANY NETC | |
| DATE/TIME 3-24-04 1:00 PM | | DATE/TIME 3/25/04 1:00 PM | | DATE/TIME 3/25/04 11:00 | |

REMARKS:
 HOLD TILL
 CALL

MAR 25 2004
 [Signature]

OTHER NOTES
 RECEIVED BY
 PRINTED NAME
 COMPANY
 DATE/TIME



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

REVISED REPORT
ANALYTICAL TEST RESULTS
 N.Y.S.D.O.H. LAB ID#11140

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/26/03

SAMPLE DESCRIPTION: Stockpile Grab 1

DATE SAMPLE RECD: 12/03/03

MATRIX: Soil

TIME SAMPLED: 12:05 PM

LOCATION: 160 Fairview Ave, Hudson


TYPE SAMPLE: Grab

H.E.S. #: 031203L01

SAMPLER: W.Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Vinyl chloride | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromomethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Methylene chloride | SW846-8260B | 87* | ug/kg | 12/08/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | 800 | ug/kg | 12/08/03 |
| Bromochloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chloroform | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Benzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Trichloroethene | SW846-8260B | 363 | ug/kg | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Dibromomethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Toluene | SW846-8260B | 29 | ug/kg | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Tetrachloroethene | SW846-8260B | 5,787 | ug/kg | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chlorobenzene | SW846-8260B | 16 | ug/kg | 12/08/03 |

*Found in the method blank.



HUDSON ENVIRONMENTAL SERVICES, INC.


Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803
 Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803
 Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: Stockpile Grab 1

H.E.S. #: 031203L01(Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Ethylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| m-Xylene/p-Xylene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| o-Xylene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Styrene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromoform | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Naphthalene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 79 | % | 12/11/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803


Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: Stockpile Grab 2

H.E.S. #: 031203L02 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Ethylbenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| m-Xylene/p-Xylene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| o-Xylene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Styrene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Bromoform | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Bromobenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Naphthalene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 72 | % | 12/11/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/26/03

SAMPLE DESCRIPTION: Stockpile Grab 2

DATE SAMPLE RECD: 12/03/03

MATRIX: Soil

TIME SAMPLED: 12:10 PM

LOCATION: 160 Fairview Ave, Hudson


TYPE SAMPLE: Grab

H.E.S. #: 031203L02

SAMPLER: W. Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Chloromethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Vinyl chloride | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Chloroethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Bromomethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Methylene chloride | SW846-8260B | 57* | ug/kg | 12/08/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | 20 | ug/kg | 12/08/03 |
| Bromochloromethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Chloroform | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Benzene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Trichloroethene | SW846-8260B | 13 | ug/kg | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Dibromomethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Toluene | SW846-8260B | 21 | ug/kg | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Tetrachloroethene | SW846-8260B | 152 | ug/kg | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.9 | ug/kg | 12/08/03 |
| Chlorobenzene | SW846-8260B | 14 | ug/kg | 12/08/03 |

*Found in the method blank.



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803
 Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803
 Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/26/03

SAMPLE DESCRIPTION: Stockpile Grab 3

DATE SAMPLE RECD: 12/03/03

MATRIX: Soil

TIME SAMPLED: 12:15 PM

LOCATION: 160 Fairview Ave, Hudson


TYPE SAMPLE: Grab

H.E.S. #: 031203L03

SAMPLER: W.Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Vinyl chloride | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromomethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Methylene chloride | SW846-8260B | 61* | ug/kg | 12/08/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromochloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chloroform | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Benzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Trichloroethene | SW846-8260B | 75 | ug/kg | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Dibromomethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Toluene | SW846-8260B | 26 | ug/kg | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Tetrachloroethene | SW846-8260B | 665 | ug/kg | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chlorobenzene | SW846-8260B | 14 | ug/kg | 12/08/03 |

*Found in the method blank.



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803


Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: Stockpile Grab3

H.E.S. #: 031203L03 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Ethylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| m-Xylene/p-Xylene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| o-Xylene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Styrene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromoform | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Naphthalene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 80 | % | 12/11/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803
 Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803
 Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/26/03

SAMPLE DESCRIPTION: Stockpile Grab 4

DATE SAMPLE RECD: 12/03/03

MATRIX: Soil

TIME SAMPLED: 12:20 PM

LOCATION: 160 Fairview Ave, Hudson


TYPE SAMPLE: Grab

H.E.S. #: 031203L04

SAMPLER: W.Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Chloromethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Vinyl chloride | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Chloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Bromomethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Methylene chloride | SW846-8260B | 58* | ug/kg | 12/08/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | 38 | ug/kg | 12/08/03 |
| Bromochloromethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Chloroform | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Benzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Trichloroethene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Dibromomethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Toluene | SW846-8260B | 29 | ug/kg | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Tetrachloroethene | SW846-8260B | 33 | ug/kg | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chlorobenzene | SW846-8260B | 13 | ug/kg | 12/08/03 |

*Found in the method blank.



HUDSON ENVIRONMENTAL SERVICES, INC.


Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803
 Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803
 Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: Stockpile Grab4

H.E.S. #: 031203L04 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Ethylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| m-Xylene/p-Xylene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| o-Xylene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Styrene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Bromoform | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Bromobenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Naphthalene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 82 | % | 12/11/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/26/03

SAMPLE DESCRIPTION: Stockpile Composite 1

DATE SAMPLE RECD: 12/03/03

MATRIX: Soil

TIME SAMPLED: PM

LOCATION: 160 Fairview Ave, Hudson


TYPE SAMPLE: Composite

H.E.S. #: 031203L05

SAMPLER: W.Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Chloromethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Vinyl chloride | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Chloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Bromomethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Methylene chloride | SW846-8260B | 54* | ug/kg | 12/08/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | 63 | ug/kg | 12/08/03 |
| Bromochloromethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Chloroform | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Benzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Trichloroethene | SW846-8260B | 13 | ug/kg | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Dibromomethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Toluene | SW846-8260B | 37 | ug/kg | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Tetrachloroethene | SW846-8260B | 94 | ug/kg | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Chlorobenzene | SW846-8260B | 17 | ug/kg | 12/08/03 |

*Found in the method blank.



HUDSON ENVIRONMENTAL SERVICES, INC.


Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803
 Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803
 Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: Stockpile Composite 1

H.E.S. #: 031203L05 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Ethylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| m-Xylene/p-Xylene | SW846-8260B | 12 | ug/kg | 12/08/03 |
| o-Xylene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Styrene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Bromoform | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Bromobenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Naphthalene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 83 | % | 12/11/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/26/03

SAMPLE DESCRIPTION: Stockpile Composite 2

DATE SAMPLE RECD: 12/03/03

MATRIX: Soil

TIME SAMPLED: PM

LOCATION: 160 Fairview Ave, Hudson


TYPE SAMPLE: Composite

H.E.S. #: 031203L06

SAMPLER: W. Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Chloromethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Vinyl chloride | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Chloroethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Bromomethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Methylene chloride | SW846-8260B | 75* | ug/kg | 12/08/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | 97 | ug/kg | 12/08/03 |
| Bromochloromethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Chloroform | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Benzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Trichloroethene | SW846-8260B | 37 | ug/kg | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Dibromomethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Toluene | SW846-8260B | 24 | ug/kg | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Tetrachloroethene | SW846-8260B | 631 | ug/kg | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Chlorobenzene | SW846-8260B | 15 | ug/kg | 12/08/03 |

*Found in the method blank.



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803
 Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803
 Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: Stockpile Composite 2

H.E.S. #: 031203L06 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Ethylbenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| m-Xylene/p-Xylene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| o-Xylene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Styrene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Bromoform | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Bromobenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Naphthalene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.4 | ug/kg | 12/08/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 78 | % | 12/11/03 |

Approval By: *Ronald E. Bortone, P.H.D.*

Date: *12/30/03*

Hudson Environmental Services, Inc. certifies that the services provided were performed in accordance with the New York State Department of Health, Environmental Laboratory Approval Program certification manual. In the event of an error, HES's sole responsibility will be to perform reanalysis at its own expense. HES, Inc. assumes no other liability for damages incurred from the interpretation or use of the analysis provided.

APPENDIX B

ESMI THERMAL SOIL TREATMENT DOCUMENTS



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

4/9/2004

SHORT FORM CONTRACT

CUSTOMER: Northeastern Environmental Technologies
 P.O. Box 2167
 Ballston Spa NY 12020
 Jeff Wink FAX (518) 884-9710

Site Information Wash Rite
 160 Fairview Avenue
 Hudson NY

Services: The following Services shall be provided at the following rates:

Thermal Treatment and Recycling

\$35.00 per processed ton of Solvents contaminated soils **\$90** tons.

ESMI is not responsible for transporter delays or demurrage charges at project site and/or off-loading at ESMI's facility. This contract price is for clay and moisture content to be less than 15% each.

Other Services:

HANDLING OF NON-CONFORMING WASTE MATERIALS:

Soils with clay and moisture contents that are in excess of 15% will be subject to additional charges accordingly. ESMI of NY reserves the right to reject deliveries containing excessive clay and moisture.


7.25% NY State Sales Tax is not included in the above pricing and will be added to the customer's Invoice, unless a properly executed Tax Exempt form is issued to ESMI of NY.


Disposition of Treated Materials. ESMI shall manage the treated materials as * Materials will become the property of ESMI of NY *****

PAYMENT TERMS: Customer shall pay ESMI of NY for services provided: Within 30 Days following delivery of Waste Materials to ESMI of

A 2% Service Charge will be added to all past due accounts. I, being a responsible representative of, do hereby understand and accept the payment terms noted above, and the attached Terms and Conditions.

Acceptance of this Contract includes acceptance of the terms above, attached Terms and Conditions, and all documents incorporated by reference therein.

Signature: 
 Print Name: Jeff Wink
 Title: President


 ESMI of New York
 Todd J. Calder - VP Sales & Marketing NY

From Customer: NET10 To: NET10
 From Order: 6708 To: 6708
 From Material: To: zzzzzzzz

From: 4/14/2004 To: 4/23/2004

| ---Ticket--- | | Truck/Trl'r | Mat'l | ---Material--- | | -----Revenue----- | | | |
|---------------------------------------|---------|-------------|-------|----------------|------------|-------------------|----------|-----------|-------|
| Date | Number | ID | ID | Unit | Net | Mat'l | Delivery | Tax/Misc. | Total |
| Customer: NET10 | | | | | | | | | |
| Order: 6708 | | | | | | | | | |
| 4/14/04 | 2008657 | FABT-1 | SV04 | | 13.36 tn | | | | |
| 4/14/04 | 2008658 | FABT-2 | SV04 | | 14.90 tn | | | | |
| 4/15/04 | 2008696 | FABT-1 | SV04 | | 12.89 tn | | | | |
| 4/15/04 | 2008697 | FABT-2 | SV04 | | 12.64 tn | | | | |
| 4/16/04 | 2008721 | FABT-1 | SV04 | | 14.49 tn | | | | |
| 4/16/04 | 2008722 | FABT-2 | SV04 | | 13.25 tn | | | | |
| 4/19/04 | 2008750 | FABT-1 | SV04 | | 13.93 tn | | | | |
| 4/19/04 | 2008751 | FABT-2 | SV04 | | 15.45 tn | | | | |
| 4/20/04 | 2008781 | FABT-1 | SV04 | | 15.18 tn | | | | |
| 4/20/04 | 2008782 | FABT-2 | SV04 | | 15.03 tn | | | | |
| 4/21/04 | 2008811 | FABT-1 | SV04 | | 14.38 tn | | | | |
| 4/21/04 | 2008812 | FABT-2 | SV04 | | 13.36 tn | | | | |
| 4/22/04 | 2008842 | FABT-1 | SV04 | | 14.07 tn | | | | |
| 4/22/04 | 2008843 | FABT-2 | SV04 | | 13.63 tn | | | | |
| 4/23/04 | 2008891 | FABT-1 | SV04 | | 9.95 tn | | | | |
| 4/23/04 | 2008892 | FABT-2 | SV04 | | 8.31 tn | | | | |
| USED CHLORINATED SOLVENTS Totals | | | | | 214.820 tn | | | | |
| WASH RITE Totals | | | | | 214.820 tn | | | | |
| 160 FAIRVIEW AVE | | | | | | | | | |
| HUDSON, NY | | | | | | | | | |
| NORTHEASTERN ENV. TECHNOLOGIES Totals | | | | | 214.820 tn | | | | |
| Grand Totals | | | | | 214.82 tn | | | | |

APPENDIX C

EFFLUENT WATER QUALITY REPORTS

Shipping -1476 Route 50 Ballston Spa, New York 12020
Mail - P.O. Box 2167 Ballston Spa, New York 12020
Phone (518) 884-8545
Fax (518) 884-9710

Northeastern Environmental Technologies Corporation

Fax

To: Mr. John Mokszycki Town of Greenport **From:** Jeffrey T. Wink – President

Fax: (518) 822-0657

Pages: 1 + Attachments

Phone: (518) 828-3400

Date: 09/26/03

Re: FAIRVIEW PLAZA HUDSON, NY **CC:** Mr. Tony Fabiano 822-1580
SITE (SPILL CASE # 0204750)

Urgent


For Review

Please Comment

Please Reply

Please Recycle

● **Comments:** I have forwarded this information to your attention based input received from representative of your departments. I will contact you once we have a specific schedule for the field work. Please contact me with any specific questions regarding this temporary discharge permit request.



**NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.**

1476 ROUTE 50 - P.O. BOX 2167 BALLSTON SPA, NY 12020
Phone: (518) 884-8545 - Fax: (518) 884-9710

September 26, 2003
Mr. John Mokszycki
Town of Greenport Water Department
600 Town Hall Drive
Hudson, NY 12534

RE: Fairview Plaza Hudson, NY Site

Dear Mr. Mokszycki:

I have enclosed the following information to you to request a temporary discharge permit for the above noted site to facilitate a pending remedial action program that has been approved by the NYS Department of Environmental Conservation Region 4 Spill Unit (DEC). Chlorinated volatile organic contamination (VOC) found to exist at the site is attributed to historical dry cleaning activities. The contamination is located at the rear of the existing Wash Rite Laundry establishment.

To address the VOC contamination we plan a combination of groundwater dewatering and soil excavation services. The focus of the proposed soil removal program will include an area \pm 40 ft. x 40 ft. The vertical extent of soil contamination ranges from \pm 0.0 - 15.0 feet below grade. Available groundwater data indicates the need for excavation dewatering services. NETC will perform and be responsible for all excavation and water pumping services. In accordance with our DEC approved work plan (See Attachment A), on site VOC soil gas monitoring services will be conducted by NETC personnel during the soil removal work. Groundwater within the excavation will be removed and stored in a temporary frac tank. Groundwater which accumulates in the frac tank will be treated daily on site using a mobile treatment system consisting of a trailer mounted air stripper (i.e., Shallow Tray Model 1311). It is our hope to direct the treated groundwater to the Town of Greenport sewer system via the sites existing sanitary sewer line connection.

Maximum discharge rates for the treatment system are 10 gallons per minute however normal operation is 5 gallons per minute. Groundwater treatment levels using the air stripper only are typically less than 10 ppb for all of the VOC's of concern identified thus far at the site. I would expect the project to be completed in less than 10 days. I have attached the projected treatment performance information for your consideration (See Attachment B). As indicated the projections are based on air stripping methods only and assume a safety factor of 25%. The use of activated carbon will be add as an additional measure of treatment for the effluent. Based on the short duration of the dewatering services we propose the effluent laboratory testing services on a start up and shut down basis, with a minimum of sampling frequency of twice per week. Based on the existing groundwater data we proposed the use of EPA Method 8260 testing criteria.

Call me with any questions or if you require additional input from this office. The property owner is very interested in expediting this work. Thank you again for your attention to this important matter. Call me with any questions or if you require additional input from this office.

Sincerely,
Northeastern Environmental Technologies Corporation

Jeffrey F. Wink, President

C.c. Mr. Anthony Fabiano



* GROUNDWATER QUALITY
7-18-02

System Performance Estimate

Client and Proposal Information:

Fairview Plaza
Fairview Avenue
Hudson New York

Series chosen: 1300-P
 Water Flow Rate: 10 gpm 2.3 m3/hr
 Air Flow Rate: 150 scfm 260 m3/hr
 Water Temp: 50 °F 10 °C
 Air Temp: 45 °F 7 °C
 A/W Ratio: 113 :1
 Safety Factor: 25%

| Contaminant | Untreated Influent Effluent Target | SELECTED MODEL Model P 1311 Effluent | | Model P 1321 Effluent | | Model P 1331 Effluent | | Model P 1341 Effluent | | Model P 1351 Effluent | |
|---|---------------------------------------|--|--------------------------|--------------------------|--------------------------|--------------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------------|
| | | lbs/hr | ppmv %removal | lbs/hr | ppmv %removal | lbs/hr | ppmv %removal | lbs/hr | ppmv %removal | lbs/hr | ppmv %removal |
| Vinyl Chloride Solubility 1100 ppm Mwt 62.5 | 3.2 ppb | 0.00 | <1 ppb 0.01 99.11% | 0.00 | <1 ppb 0.01 99.99% | 0.00 | <1 ppb 0.01 100.00% | 0.00 | <1 ppb 0.01 100.00% | 0.00 | <1 ppb 0.01 100.00% |
| 1,1,2-Dichloroethylene Solubility 600 ppm Mwt 96.94 | 2.9 ppb | 0.00 | <1 ppb 0.01 91.59% | 0.00 | <1 ppb 0.01 99.29% | 0.00 | <1 ppb 0.01 99.94% | 0.00 | <1 ppb 0.01 100.00% | 0.00 | <1 ppb 0.01 100.00% |
| 1,1,1-Trichloroethane Solubility 4,400 ppm Mwt 133.41 | 17 ppb | 0.00 | 1 ppb 0.03 93.26% | 0.00 | <1 ppb 0.03 99.55% | 0.00 | <1 ppb 0.03 99.97% | 0.00 | <1 ppb 0.03 100.00% | 0.00 | <1 ppb 0.03 100.00% |
| Tetrachloroethylene Solubility 150 ppm Mwt 165.83 | 175 ppb | 0.00 | 7 ppb 0.21 95.96% | 0.00 | <1 ppb 0.22 99.84% | 0.00 | <1 ppb 0.22 99.99% | 0.00 | <1 ppb 0.22 100.00% | 0.00 | <1 ppb 0.22 100.00% |
| Total ppb | 198 ppb | | 8 ppb | 0 ppb | 0 ppb | 0 ppb | 0 ppb | 0 ppb | 0 ppb | 0 ppb | 0 ppb |
| Total VOC lbs/hr - ppmv | | 0.00 | 0.26 | 0.00 | 0.27 | 0.00 | 0.27 | 0.00 | 0.27 | 0.00 | 0.27 |
| Total | | | 95.71% | | 99.81% | | 99.99% | | 100.00% | | 100.00% |


This report has been generated by ShallowTray Modeler software version 6.12e. This software is designed to assist a skilled operator in predicting the performance of a ShallowTray air stripping system. North East Environmental Products, Inc. (NEEP Systems) is not responsible for incidental or consequential damages resulting from the improper operation of either the software or the air stripping equipment. This software is © Copyright North East Environmental Products, Inc., 2001.

GROUNDWATER ANALYTICAL DATA (EPA 502.2)
FAIRVIEW PLAZA

160 Fairview Avenue Hudson, New York
 July 16 - 18, 2002

| PARAMETER | WATER SAMPLE DESCRIPTION | | | | DEC |
|--------------------------|--------------------------|----------|------------------|------------------|-------|
| | GP-2 (MW-2) | GP-5 | GP-12 (MW-12) | GP-16 (MW-16) | |
| Vinyl Chloride | 3.2 | ND | ND | ND | 2 |
| trans-1,2-Dichloroethene | 2.9 | ND | ND | ND | 5 |
| cis-1,2-Dichloroethene | 25 | ND | ND | ND | 5 |
| Trichloroethene (TCE) | 17 | ND | ND | ND | 5 |
| Tetrachloroethene (PERC) | 175 | ND | ND | ND | 5 |
| Non-Target Peaks | Negative | Negative | Negative | Negative | ----- |
| Total VOCs | 223.1 | ---- | ----- | ----- | ----- |

Notes: All concentrations are in ug/l or ppb (parts per billion)
 DEC = Groundwater quality standards & guidelines (6NYCRR Part 703)
 * Principal organic compound standard for groundwater is 5 ppb



LEGEND

- ⊗ DPT Soil Boring Location
GP-2
- ⊕ Hand Auger Soil Boring
HA-1
- ⊙ DPT Soil Boring /
MW-5 Monitoring Well Location

NOTES:

- Map taken from Hershberg and Hershberg Dwg.: 000411-T1; Dated 2/26/02
- DPT Soil Boring and Well locations are approximated.



NORTHEASTERN ENVIRONMENTAL TECHNOLOGIES CORP.

2381 Route 9, P.O. Box 2167, Malta, NY 12020
Phone: (518) 899-9684 Fax: (518) 899-5973 e-mail: jwink@attglobal.net

FIGURE 2: Wash Rite - DPT Soil Boring Location Map

PROJECT: 160 Fairview Avenue Hudson, N.Y.

Project # 02.05244

Scale: Not to Scale

Date: July 16, 2002



* GROUNDWATER QUALITY 8-13-02

System Performance Estimate

Client and Proposal Information:

Fairview Plaza
Fairview Avenue
Hudson New York

Series chosen: 1300-P
 Water Flow Rate: 10 gpm 2.3 m3/hr
 Air Flow Rate: 150 scfm 260 m3/hr
 Water Temp: 50 °F 10 °C
 Air Temp: 35 °F 2 °C
 A/W Ratio: 113 :1
 Safety Factor: 25%

| Contaminant | Untreated Influent Effluent Target | SELECTED MODEL | | | | |
|---|---------------------------------------|---|---|---|---|---|
| | | Model P 1311 Effluent lbs/hr ppmv %removal | Model P 1321 Effluent lbs/hr ppmv %removal | Model P 1331 Effluent lbs/hr ppmv %removal | Model P 1341 Effluent lbs/hr ppmv %removal | Model P 1351 Effluent lbs/hr ppmv %removal |
| Vinyl Chloride Solubility 1100 ppm Mwt 62.5 | 8.5 ppb | <1 ppb 0.00 0.03 99.10% | <1 ppb 0.00 0.03 99.99% | <1 ppb 0.00 0.03 100.00% | <1 ppb 0.00 0.03 100.00% | <1 ppb 0.00 0.03 100.00% |
| t-1,2-Dichloroethylene Solubility 600 ppm Mwt 96.94 | 1.1 ppb | <1 ppb 0.00 0.00 91.48% | <1 ppb 0.00 0.00 99.27% | <1 ppb 0.00 0.00 99.94% | <1 ppb 0.00 0.00 99.99% | <1 ppb 0.00 0.00 100.00% |
| 1,1,1-Trichloroethane Solubility 4,400 ppm Mwt 133.41 | 8 ppb | <1 ppb 0.00 0.01 93.18% | <1 ppb 0.00 0.01 99.53% | <1 ppb 0.00 0.01 99.97% | <1 ppb 0.00 0.01 100.00% | <1 ppb 0.00 0.01 100.00% |
| Tetrachloroethylene Solubility 150 ppm Mwt 165.83 | 31 ppb | 1 ppb 0.00 0.04 95.90% | <1 ppb 0.00 0.04 99.83% | <1 ppb 0.00 0.04 99.99% | <1 ppb 0.00 0.04 100.00% | <1 ppb 0.00 0.04 100.00% |
| Total | 47 ppb | 2 ppb 0.00 0.08 96.03% | 0 ppb 0.00 0.08 99.81% | 0 ppb 0.00 0.08 99.99% | 0 ppb 0.00 0.08 100.00% | 0 ppb 0.00 0.08 100.00% |



This report has been generated by ShallowTray Modeler software version 6.12e. This software is designed to assist a skilled operator in predicting the performance of a ShallowTray air stripping system. North East Environmental Products, Inc. (NEEP Systems) is not responsible for incidental or consequential damages resulting from the improper operation of either the software or the air stripping equipment. This software is © Copyright North East Environmental Products, Inc., 2001.

GROUNDWATER QUALITY SUMMARY (EPA METHOD 8021B)
FAIRVIEW PLAZA



160 Fairview Avenue Hudson, New York
 August 13, 2002

| PARAMETER | WATER SAMPLE DESCRIPTION | | | | | DEC |
|--------------------------|--------------------------|-------------|--------------|--------------|--------------|--------------|
| | MW-5 | MW-18 | MW-19 | MW-20 | MW-21 | |
| Vinyl Chloride | ND | 8.5 | ND | ND | ND | 2 |
| trans-1,2-Dichloroethene | ND | 1.1 | ND | ND | ND | 5 |
| cis-1,2-Dichloroethene | 0.7 | 16 | ND | ND | ND | 5 |
| Trichloroethene (TCE) | ND | 6 | ND | ND | ND | 5 |
| Tetrachloroethene (PERC) | ND | 31 | ND | ND | ND | 5 |
| Non-Target Peaks | Negative | Negative | Negative | Negative | Negative | ----- |
| Total VOCs | 0.7 | 62.6 | ----- | ----- | ----- | ----- |

Notes: All concentrations are in ug/l or ppb (parts per billion)
 DEC = Groundwater quality standards & guidelines (6NYCRR Part 703)
 * Principal organic compound standard for groundwater is 5 ppb



LEGEND

-  HSA Boring / 2-inch PVC Monitoring Well Location
-  DPT Boring / 1-inch PVC Monitoring Well Location

Notes:

- Map based on Hershberg & Hershberg map no. 000277 dated 9/27/00, revised 10/5/00.
- Well location based on field measurements.
- Elevations are in feet and based on a datum of 100.0 feet.

 MW-21



NORTHEASTERN ENVIRONMENTAL TECHNOLOGIES CORP.

2381 Route 9, P.O. Box 2167, Malta, NY 12020
 Phone: (518) 899-9684 Fax: (518) 899-5973 e-mail: jwink@attglobal.net

FIGURE 2: Wash Rite Facility Soil Boring Location Map

PROJECT: 160 Fairview Plaza Hudson, New York

Project # 02.05244

Scale: 1" = 40.0'

Date: 8-13-02

Shipping -1476 Route 50 Ballston Spa, New York 12020
Mail - P.O. Box 2167 Ballston Spa, New York 12020
Phone (518) 884-8545
Fax (518) 884-9710

Northeastern Environmental Technologies Corporation

Fax

To: Mr. John Mokszycki Town of Greenport **From:** Jeffrey T. Wink – President

Fax: (518) 822-0657 **Pages:** 1

Phone: (518) 828-3400 **Date:** 11/12/03

Re: FAIRVIEW PLAZA HUDSON, NY **CC:** Mr. Tony Fabiano 822-1580

TEMPORARY DISCHARGE PERMIT

Urgent


For Review

Please Comment

Please Reply

Please Recycle

● **Comments:** Please contact me regarding our September 26, 2003 request for the work at the above noted site. Are present schedule for this work would initiate the field services during the week of November 17, 2003. Please call my cell phone 365-1102 if you don't reach me at my office. Thank you in advance for your help with this matter.



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/19/03

SAMPLE DESCRIPTION: Effluent

DATE SAMPLE RECD: 11/25/03

MATRIX: Wastewater

TIME SAMPLED: 12:50 PM


LOCATION: 160 Fairview

TYPE SAMPLE: Grab

H.E.S. #: 031125K02

SAMPLER: T.Scott/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Chloromethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Vinyl chloride | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Chloroethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Bromomethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Trichlorofluoromethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,1-Dichloroethene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Methylene chloride | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,1-Dichloroethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 2,2-Dichloropropane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| cis-1,2-Dichloroethene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Bromochloromethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Chloroform | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,1-Dichloropropene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Carbon Tetrachloride | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Benzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,2-Dichloroethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Trichloroethene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,2-Dichloropropane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Dibromomethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Bromodichloromethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Toluene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Tetrachloroethene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,3-Dichloropropane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Dibromochloromethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,2-Dibromoethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Chlorobenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp

SAMPLE DESCRIPTION: Effluent


H.E.S. #: 031125K02 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Ethylbenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| m-Xylene/p-Xylene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| o-Xylene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Styrene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Bromoform | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Isopropylbenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Bromobenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| n-Propylbenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 2-Chlorotoluene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 4-Chlorotoluene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 4-Isopropyltoluene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| sec-Butylbenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| tert-Butylbenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| n-Butylbenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Hexachlorobutadiene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Naphthalene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <0.5 | ug/l | 12/03/03 |
| Non-Target Peaks | | Negative | | |

Approval By: *Ronald E Barutt, Ph.D.*

Date: 12/17/03

Hudson Environmental Services, Inc. certifies that the services provided were performed in accordance with the New York State Department of Health, Environmental Laboratory Approval Program certification manual. In the event of an error, HES's sole responsibility will be to perform reanalysis at its own expense. HES, Inc. assumes no other liability for damages incurred from the interpretation or use of the analysis provided.



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/26/03

SAMPLE DESCRIPTION: Effluent

DATE SAMPLE RECD: 12/03/03

MATRIX: Groundwater

TIME SAMPLED: 2:30 PM


LOCATION: 160 Fairview Ave, Hudson

TYPE SAMPLE: Grab

H.E.S. #: 031203M07

SAMPLER: W.Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Chloromethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Vinyl chloride | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Bromomethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Chloroethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Methylene chloride | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Trans-1,2-Dichloroethene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Bromochloromethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Chloroform | SW846-8260B | <2.5 | ug/l | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Benzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Trichloroethene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Dibromomethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Toluene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Tetrachloroethene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: Effluent

H.E.S. #: 031203M07 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| Chlorobenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Ethylbenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| m-Xylene-p-Xylene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| o-Xylene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Styrene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Bromoform | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Bromobenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <10 | ug/l | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Naphthalene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| MTBE | SW846-8260B | <0.5 | ug/l | 12/08/03 |
| Non-Target Peaks | | Negative | | |

Approval By: *Donald E. Bault, Ph.D.*

Date: 12/16/03

Hudson Environmental Services, Inc. certifies that the services provided were performed in accordance with the New York State Department of Health, Environmental Laboratory Approval Program certification manual. In the event of an error, HES's sole responsibility will be to perform reanalysis at its own expense. HES, Inc. assumes no other liability for damages incurred from the interpretation or use of the analysis provided.


APPENDIX D

REMEDIAL ACTIVITIES - PHOTOGRAPHIC LOG

NORTHEASTERN ENVIRONMENTAL TECHNOLOGIES CORPORATION



Extent of Surface Soil Excavation
- Utilities located in the foreground



Extent of Excavation East Towards
the Washrite Facility




Removing Construction debris found in the Excavation

Soil Removal Activities
160 Fairview Avenue Hudson, NY


NORTHEASTERN ENVIRONMENTAL TECHNOLOGIES CORPORATION



Beginning Soil Removal Behind Washrite Facility



Extent of Excavation East Towards
the Washrite Facility



Extent of Excavation West Away
the Washrite Facility



Removing Construction debris found in the Excavation

Soil Removal Activities
160 Fairview Avenue Hudson, NY

APPENDIX E

FIELD GC RESULTS



STANDARDS



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net


RAW DATA SHEET

Date: 11/18/03

Page: 1 of 12

Fairview Plaza
Hudson N.Y.


PHOTOVAC



STOP # 352.7
SAMPLE LIBRARY 3 NOV 18 2003 12:44
ANALYSIS # 4 FAIRVIEW PLAZA
INTERNAL TEMP 21 DRY RUN
GAIN 20

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 44.3 | 110.8 mUS |
| UNKNOWN | 2 | 310.5 | 158.3 mUS |


PHOTOVAC



STOP # 332.3
SAMPLE LIBRARY 3 NOV 18 2003 17:24
ANALYSIS # 4 FAIRVIEW PLAZA
INTERNAL TEMP 20 DRY RUN
GAIN 20

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 328.4 | 523.3 mUS |


PHOTOVAC



STOP # 600.0
SAMPLE LIBRARY 3 NOV 18 2003 13:20
ANALYSIS # 3 FAIRVIEW PLAZA
INTERNAL TEMP 13 TANK 1
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 338.3 | 212.4 mUS |


PHOTOVAC



STOP # 323.3
SAMPLE LIBRARY 3 NOV 18 2003 17:15
ANALYSIS # 2 FAIRVIEW PLAZA
INTERNAL TEMP 20 STRING BLANK
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 32.1 | 1.2 US |
| UNKNOWN | 2 | 336.5 | 634.7 mUS |


PHOTOVAC



STOP # 430.8
SAMPLE LIBRARY 3 NOV 18 2003 17:33
ANALYSIS # 4 FAIRVIEW PLAZA
INTERNAL TEMP 23 DRY RUN
GAIN 20

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 232.4 | 333.3 mUS |

PHOTOVAC



STOP # 541.0
SAMPLE LIBRARY 3 NOV 18 2003 20:24
ANALYSIS # 4 FAIRVIEW PLAZA
INTERNAL TEMP 21 STANDARD
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 33.0 | 574.3 mUS |
| UNKNOWN | 3 | 50.7 | 2.8 US |
| UNKNOWN | 4 | 103.4 | 23.5 US |
| UNKNOWN | 5 | 237.3 | 208.8 mUS |



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net


RAW DATA SHEET

Date: 11/18/03

Page: 2 of 12

Fairview Plaza
Hudson N.Y.


PHOTOVAC



dry
Run

STOP # 600.0
SAMPLE LIBRARY 3 NOV 18 2003 22:14
ANALYSIS # 18 FAIRVIEW PLAZA
INTERNAL TEMP 22 DRY RUN
GAIN 20
COMPOUND NAME PEAK R.T. AREA/PPM
UNKNOWN 1 023.3 133.4 µS


PHOTOVAC



STOP # 466.6
SAMPLE LIBRARY 3 NOV 18 2003 23:11
ANALYSIS # 11 FAIRVIEW PLAZA
INTERNAL TEMP 22 STANDARD
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 31.2 | 418.6 µS |
| UN | 2 | 40.2 | 1.8 µS |
| TCE | 3 | 33.5 | 32.84 PPB |
| PERC | 4 | 233.3 | 23.00 PPB |
| UNKNOWN | 5 | 321.8 | 245.3 µS |

PHOTOVAC



STOP # 600.0
SAMPLE LIBRARY 3 NOV 18 2003 23:26
ANALYSIS # 12 FAIRVIEW PLAZA
INTERNAL TEMP 23 STANDARD
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 20.1 | 545.6 µS |
| UNKNOWN | 2 | 35.8 | 173.3 µS |
| UNKNOWN | 3 | 37.1 | 55.69 PPB |
| TCE | 4 | 269.0 | 208.8 µS |
| UNKNOWN | 5 | 384.5 | 15.5 µS |
| UNKNOWN | 6 | 157.3 | 1.5 µS |

PHOTOVAC

CALIBRATED PEAK 4,PERC

SAMPLE LIBRARY 3 NOV 18 2003 23:15
ANALYSIS # 11 FAIRVIEW PLAZA
INTERNAL TEMP 22 STANDARD
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 31.2 | 418.6 µS |
| UNKNOWN | 2 | 40.2 | 1.8 µS |
| TCE | 3 | 33.5 | 32.84 PPB |
| PERC | 4 | 233.3 | 23.00 PPB |
| UNKNOWN | 5 | 321.8 | 245.3 µS |

PHOTOVAC

3 COMPOUND ID # R.T. LIMIT

| | | | |
|--------------|---|-------|-----------|
| PERC | 1 | 233.3 | 0.000 PPB |
| TCE | 2 | 100.1 | 0.000 PPB |
| TOLUENE | 3 | 164.3 | 0.000 PPB |
| ETHYLBENZENE | 4 | 255.1 | 0.000 PPB |
| m-p XYLENE | 5 | 384.5 | 0.000 PPB |
| o-XYLENE | 6 | 157.3 | 0.000 PPB |
| BENZENE | 7 | 77.6 | 0.000 PPB |



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net


RAW DATA SHEET

Date: 11/19/03

Page: 3 of 12

Fairview Plaza
Hudson N.Y.


PHOTOVAC



STOP # 302.8
SAMPLE LIBRARY 3 NOV 19 2003 2:34
ANALYSIS # 1 FAIRVIEW PLAZA
INTERNAL TEMP 21 STANDARD
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 33.1 | 1.0 US |
| UNKNOWN | 2 | 51.0 | 1.8 US |
| TCE | 3 | 103.8 | 78.22 PPB |
| PERC | 4 | 243.5 | 3,128 PPB |
| ETHYLBENZENE | 5 | 341.3 | 6,103 PPB |

PHOTOVAC



STOP # 131.0
SAMPLE LIBRARY 3 NOV 19 2003 3:18
ANALYSIS # 8 FAIRVIEW PLAZA
INTERNAL TEMP 25 STANDARD
GAIN 20 250 MICROLITERS

COMPOUND NAME PEAK R.T. AREA/PPM
UNKNOWN 1 23.6 2.8 US

*(could also be
methylene)*

PHOTOVAC

| 3 | COMPOUND | ID # | R.T. | LIMIT |
|---|----------------|------|-------|-----------|
| | PERC | 1 | 243.5 | 0.000 PPB |
| | TCE | 2 | 101.2 | 0.000 PPB |
| | TOLUENE | 3 | 121.3 | 0.000 PPB |
| | ETHYLBENZENE | 4 | 320.2 | 0.000 PPB |
| | M-P XYLENE | 5 | 400.3 | 0.000 PPB |
| | O-XYLENE | 6 | 478.8 | 0.000 PPB |
| | BENZENE | 7 | 80.3 | 0.000 PPB |
| | VINYL CHLORIDE | 8 | 23.6 | 0.000 PPB |

PHOTOVAC

CALIBRATED PEAK 4, PERC

SAMPLE LIBRARY 3 NOV 19 2003 2:36
ANALYSIS # 1 FAIRVIEW PLAZA
INTERNAL TEMP 21 STANDARD
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 33.1 | 1.0 US |
| UNKNOWN | 2 | 51.0 | 1.8 US |
| TCE | 3 | 103.8 | 33.73 PPB |
| PERC | 4 | 243.5 | 4,000 PPB |
| ETHYLBENZENE | 5 | 341.3 | 7,313 PPB |

PHOTOVAC

3 COMPOUND ID # R.T. LIMIT

| | | | |
|---------------|---|-------|-----------|
| PERC | 1 | 257.4 | 0.000 PPB |
| TCE | 2 | 107.4 | 0.000 PPB |
| CIS-1,2 DCE | 3 | 60.7 | 0.000 PPB |
| TRANS-1,2-DCE | 4 | 50.5 | 0.000 PPB |
| TOLUENE | 5 | 172.4 | 0.000 PPB |
| BENZENE | 6 | 85.1 | 0.000 PPB |
| ETHYLBENZENE | 7 | 380.2 | 0.000 PPB |
| M-P XYLENE | 8 | 418.6 | 0.000 PPB |
| O-XYLENE | 9 | 500.5 | 0.000 PPB |



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net

SOIL SAMPLES S-1 TO S-29



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net

Hudson

10/24/1944

10/24/1944

10/24/1944

15: 1
TERS
WER/PPH
2.1 MUS
2.3 MUS

10/24/1944


RAW DATA SHEET

Date: 11/18/03

Page: 4 of 12

Fairview Plaza
Hudson N.Y.


PHOTOVAC



STOP # 330.1
SAMPLE LIBRARY 3 NOV 18 2003 12:16
ANALYSIS # 1 FAIRVIEW PLAZA
INTERNAL TEMP 17 S-1
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| TRANS-1,2-DCE | 2 | 51.1 | 181.0 PPB |
| PERC | 4 | 280.3 | 98.82 PPB |
| ETHYLBENZENE | 5 | 367.7 | 17.54 PPB |


PHOTOVAC



STOP # 421.0
SAMPLE LIBRARY 3 NOV 18 2003 12:25
ANALYSIS # 2 FAIRVIEW PLAZA
INTERNAL TEMP 18 S-2
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 3 | 34.0 | 2.1 US |
| TCE | 5 | 103.3 | 19.35 PPB |
| PERC | 6 | 241.3 | 1.904 PPM |
| UNKNOWN | 7 | 334.1 | 1.5 US |


PHOTOVAC



STOP # 550.0
SAMPLE LIBRARY 3 NOV 18 2003 13:28
ANALYSIS # 8 FAIRVIEW PLAZA
INTERNAL TEMP 23 S-5
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 27.5 | 3.6 US |
| TRANS-1,2-DCE | 2 | 46.5 | 28.28 PPB |
| CIS-1,2 DCE | 3 | 55.7 | 11.44 PPB |
| UNKNOWN | 4 | 231.3 | 673.8 MUS |
| UNKNOWN | 5 | 313.7 | 553.0 MUS |


PHOTOVAC



STOP # 544.3
SAMPLE LIBRARY 3 NOV 18 2003 12:37
ANALYSIS # 3 FAIRVIEW PLAZA
INTERNAL TEMP 20 S-2
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 30.3 | 323.3 MUS |
| PERC | 3 | 235.3 | 84.72 PPB |
| UNKNOWN | 4 | 323.3 | 469.2 MUS |


PHOTOVAC



STOP # 580.0
SAMPLE LIBRARY 3 NOV 18 2003 13:13
ANALYSIS # 20 FAIRVIEW PLAZA
INTERNAL TEMP 20 S-2
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 26.7 | 6.0 US |
| TRANS-1,2-DCE | 2 | 55.4 | 72.83 PPB |
| UNKNOWN | 3 | 36.7 | 401.0 MUS |
| UNKNOWN | 4 | 230.3 | 7.8 US |
| UNKNOWN | 5 | 313.1 | 510.3 MUS |

PHOTOVAC



STOP # 550.0
SAMPLE LIBRARY 3 NOV 18 2003 15:1
ANALYSIS # 13 FAIRVIEW PLAZA
INTERNAL TEMP 24 S-6
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 2 | 226.5 | 283.1 MUS |
| UNKNOWN | 3 | 305.3 | 112.3 MUS |



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net


RAW DATA SHEET

Date: 11/18/03

Page: 5 of 12

Fairview Plaza
Hudson N.Y.


PHOTOVAC



STOP # 503.6
SAMPLE LIBRARY 3 NOV 18 2003 15:13
ANALYSIS # 14 FAIRVIEW PLAZA
INTERNAL TEMP 24 S-7
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 2 | 308.3 | 363.3 μS |


PHOTOVAC



STOP # 543.1
SAMPLE LIBRARY 3 NOV 18 2003 15:13
ANALYSIS # 18 FAIRVIEW PLAZA: 2
INTERNAL TEMP 23 S-9
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 2 | 313.1 | 132.3 μS |


PHOTOVAC



STOP # 359.3
SAMPLE LIBRARY 3 NOV 18 2003 14:40
ANALYSIS # 10 FAIRVIEW PLAZA
INTERNAL TEMP 24 S-11
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 1 | 359.3 | 132.3 μS |


PHOTOVAC



STOP # 478.2
SAMPLE LIBRARY 3 NOV 18 2003 13:51
ANALYSIS # 9 FAIRVIEW PLAZA
INTERNAL TEMP 24 S-8
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 2 | 312.3 | 343.3 μS |


PHOTOVAC



STOP # 550.0
SAMPLE LIBRARY 3 NOV 18 2003 14:35
ANALYSIS # 11 FAIRVIEW PLAZA
INTERNAL TEMP 25 S-10
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 2 | 312.5 | 410.9 μS |

PHOTOVAC



STOP # 550.0
SAMPLE LIBRARY 3 NOV 18 2003 14:50
ANALYSIS # 12 FAIRVIEW PLAZA
INTERNAL TEMP 24 S-12
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 3 | 305.3 | 110.1 μS |



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net


RAW DATA SHEET

Date: 11/18/03

Page: 6 of 12

Fairview Plaza
Hudson N.Y.


PHOTOVAC



STOP # 328.0
SAMPLE LIBRARY 3 NOV 18 2003 15:42
ANALYSIS # 2 FAIRVIEW PLAZA
INTERNAL TEMP 24 S-13
GAIN 20 250 MICROLITERS

COMPOUND NAME PEAK R.T. AREA/PPM


PHOTOVAC



421.8
LIBRARY 3 NOV 18 2003 16:08
ANALYSIS # 4 FAIRVIEW PLAZA
INTERNAL TEMP 24 S-15
GAIN 20 250 MICROLITERS

PEAK R.T. AREA/PPM

PHOTOVAC




1.3
RT 3 NOV 18 2003 16:25
ANALYSIS # 6 FAIRVIEW PLAZA
INTERNAL TEMP 24 S-17
GAIN 20 250 MICROLITERS

PEAK R.T. AREA/PPM

2 228.3 503.9 045

PHOTOVAC




STOP # 432.0
SAMPLE LIBRARY 3 NOV 18 2003 15:59
ANALYSIS # 3 FAIRVIEW PLAZA
INTERNAL TEMP 25 S-14
GAIN 20 250 MICROLITERS

COMPOUND NAME PEAK R.T. AREA/PPM

UNKNOWN 1 23.2 106.7 045


PHOTOVAC



STOP # 411.8
SAMPLE LIBRARY 3 NOV 18 2003 16:16
ANALYSIS # 5 FAIRVIEW PLAZA
INTERNAL TEMP 25 S-16
GAIN 20 250 MICROLITERS

COMPOUND NAME PEAK R.T. AREA/PPM

PHOTOVAC



STOP # 380.5
SAMPLE LIBRARY 3 NOV 18 2003 16:34
ANALYSIS # 7 FAIRVIEW PLAZA
INTERNAL TEMP 23 S-18
GAIN 20 250 MICROLITERS

COMPOUND NAME PEAK R.T. AREA/PPM



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.


1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net

RAW DATA SHEET

Date: 11/18/03


Page: 7 of 12

Fairview Plaza
Hudson N.Y.




STOP @ 362.4
SAMPLE LIBRARY 3 NOV 18 2003 16:41
ANALYSIS # 8 FAIRVIEW PLAZA
INTERNAL TEMP 24 S-19
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|------|-----------|
| UNKNOWN | 1 | 23.6 | 237.4 mUS |




STOP @ 600.0
SAMPLE LIBRARY 3 NOV 18 2003 17:51
ANALYSIS # 5 FAIRVIEW PLAZA
INTERNAL TEMP 22 S-21
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 1 | 23.0 | 2.7 US |
| UNKNOWN | 2 | 35.5 | 1.0 US |
| UNKNOWN | 3 | 314.3 | 5.3 US |




STOP @ 600.0
SAMPLE LIBRARY 3 NOV 18 2003 18:13
ANALYSIS # 7 FAIRVIEW PLAZA
INTERNAL TEMP 22 S-23
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 23.3 | 1.8 US |
| UNKNOWN | 3 | 32.4 | 136.9 mUS |
| UNKNOWN | 4 | 312.5 | 233.8 mUS |




STOP @ 582.4
SAMPLE LIBRARY 3 NOV 18 2003 17:5
ANALYSIS # 1 FAIRVIEW PLAZA
INTERNAL TEMP 19 S-20
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 32.7 | 5.4 US |
| UNKNOWN | 2 | 42.3 | 234.3 mUS |
| UNKNOWN | 3 | 284.3 | 148.1 mUS |
| UNKNOWN | 4 | 353.7 | 16.0 US |



STOP @ 570.6
SAMPLE LIBRARY 3 NOV 18 2003 18:1
ANALYSIS # 6 FAIRVIEW PLAZA
INTERNAL TEMP 22 S-22
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 26.0 | 1.3 US |
| UNKNOWN | 2 | 29.4 | 1.7 US |
| UNKNOWN | 3 | 36.2 | 5.5 US |
| UNKNOWN | 4 | 55.5 | 483.3 mUS |
| UNKNOWN | 5 | 313.1 | 3.2 US |



STOP @ 600.0
SAMPLE LIBRARY 3 NOV 18 2003 18:24
ANALYSIS # 8 FAIRVIEW PLAZA
INTERNAL TEMP 22 S-24
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 1 | 23.4 | 1.8 US |
| UNKNOWN | 2 | 35.7 | 1.3 US |
| UNKNOWN | 3 | 313.4 | 2.1 US |



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net


RAW DATA SHEET

Date: 11/18/03

Page: 8 of 12

Fairview Plaza
Hudson N.Y.


PHOTOVAC



STOP # 600.0
 SAMPLE LIBRARY 3 NOV 18 2003 18:35
 ANALYSIS # 9 FAIRVIEW PLAZA
 INTERNAL TEMP 22 5-25
 GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 1 | 27.3 | 384.3 μS |
| UNKNOWN | 2 | 225.8 | 248.3 μS |


PHOTOVAC



STOP # 452.9
 SAMPLE LIBRARY 3 NOV 18 2003 23:59
 ANALYSIS # 1 FAIRVIEW PLAZA
 INTERNAL TEMP 19 5-27
 GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 35.3 | 1.4 US |
| PERC | 2 | 252.8 | 10.27 PPB |
| ETHYLBENZENE | 3 | 343.1 | 3.632 PPB |


PHOTOVAC



STOP # 417.6
 SAMPLE LIBRARY 3 NOV 19 2003 0:16
 ANALYSIS # 3 FAIRVIEW PLAZA
 INTERNAL TEMP 20 5-29
 GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 39.1 | 579.5 μS |
| PERC | 2 | 234.3 | 65.22 PPB |
| UNKNOWN | 3 | 318.8 | 212.6 μS |


PHOTOVAC



STOP # 532.6
 SAMPLE LIBRARY 3 NOV 18 2003 18:47
 ANALYSIS # 10 FAIRVIEW PLAZA
 INTERNAL TEMP 23 5-26
 GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 1 | 23.2 | 1.4 US |
| UNKNOWN | 2 | 35.6 | 1.5 US |
| UNKNOWN | 3 | 35.2 | 604.4 μS |
| UNKNOWN | 4 | 231.2 | 18.7 US |
| UNKNOWN | 5 | 313.7 | 230.3 μS |

PHOTOVAC



STOP # 421.1
 SAMPLE LIBRARY 3 NOV 19 2003 0:8
 ANALYSIS # 2 FAIRVIEW PLAZA
 INTERNAL TEMP 20 5-28
 GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 31.4 | 704.3 μS |
| PERC | 2 | 238.7 | 123.8 PPB |
| ETHYLBENZENE | 4 | 323.8 | 2.183 PPB |



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
 Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net

SOIL SAMPLES HA-1 TO HA-10



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net

SOIL SAMPLES HA-1 TO HA-10



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net


RAW DATA SHEET

Date: 11/19/09

Page: 9 of 12

Fairview Plaza
Hudson N.Y.


PHOTOVAC



STOP # 346.2
SAMPLE LIBRARY 3 NOV 19 2003 0:24
ANALYSIS # 4 FAIRVIEW PLAZA
INTERNAL TEMP 21 HA-1
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 1 | 23.6 | 810.2 µS |
| UNKNOWN | 3 | 317.6 | 203.2 µS |


PHOTOVAC



STOP # 423.7
SAMPLE LIBRARY 3 NOV 19 2003 0:38
ANALYSIS # 2 FAIRVIEW PLAZA
INTERNAL TEMP 20
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 1 | 23.1 | 1.0 µS |
| UNKNOWN | 2 | 314.3 | 200.3 µS |


PHOTOVAC



STOP # 371.3
SAMPLE LIBRARY 3 NOV 19 2003 0:53
ANALYSIS # 8 FAIRVIEW PLAZA
INTERNAL TEMP 22 HA-5
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 23.4 | 300.1 µS |
| UNKNOWN | 2 | 55.4 | 233.2 µS |
| TCE | 3 | 36.1 | 4.203 PPB |
| PERC | 4 | 232.8 | 237.4 PPB |
| UNKNOWN | 5 | 316.1 | 201.0 µS |


PHOTOVAC



STOP # 312.5
SAMPLE LIBRARY 3 NOV 19 2003 0:30
ANALYSIS # 5 FAIRVIEW PLAZA
INTERNAL TEMP 22 HA-2
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|------|----------|
| UNKNOWN | 1 | 23.3 | 833.0 µS |


PHOTOVAC



STOP # 451.2
SAMPLE LIBRARY 3 NOV 19 2003 0:47
ANALYSIS # 7 FAIRVIEW PLAZA
INTERNAL TEMP 22 HA-4
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 1 | 23.3 | 1.0 µS |
| UNKNOWN | 3 | 314.3 | 148.4 µS |

PHOTOVAC



STOP # 413.4
SAMPLE LIBRARY 3 NOV 19 2003 1:2
ANALYSIS # 9 FAIRVIEW PLAZA
INTERNAL TEMP 22 HA-6
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 2 | 23.5 | 218.5 µS |
| UNKNOWN | 3 | 315.5 | 203.7 µS |



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net


RAW DATA SHEET

Date: 11/19/03

Page: 10 of 12

Fairview Plaza
Hudson N.Y.


PHOTOVAC



STOP # 452.5
SAMPLE LIBRARY 3 NOV 19 2003 1:11
ANALYSIS # 10 FAIRVIEW PLAZA
INTERNAL TEMP 22 HA-7
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPB |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 20.3 | 1.0 US |
| PERC | 2 | 233.5 | 33.0 PPB |
| UNKNOWN | 3 | 315.2 | 188.0 MUS |


PHOTOVAC



STOP # 514.2
SAMPLE LIBRARY 3 NOV 19 2003 3:1
ANALYSIS # 3 FAIRVIEW PLAZA
INTERNAL TEMP 21 HA-9
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPB |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 30.3 | 333.6 MUS |
| UNKNOWN | 2 | 36.7 | 123.3 MUS |
| UNKNOWN | 3 | 57.2 | 424.4 MUS |
| TCE | 4 | 80.7 | 8.441 PPB |
| PERC | 5 | 233.6 | 161.3 PPB |
| UNKNOWN | 6 | 325.1 | 130.3 MUS |


PHOTOVAC



STOP # 533.3
SAMPLE LIBRARY 3 NOV 19 2003 2:46
ANALYSIS # 4 FAIRVIEW PLAZA
INTERNAL TEMP 22 FAIRVIEW PLAZA
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPB |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 30.7 | 826.0 MUS |
| UNKNOWN | 2 | 57.2 | 462.3 MUS |
| TCE | 3 | 39.3 | 13.18 PPB |
| PERC | 4 | 240.8 | 340.8 PPB |
| UNKNOWN | 5 | 323.0 | 168.0 MUS |

PHOTOVAC



STOP # 353.8
SAMPLE LIBRARY 3 NOV 19 2003 3:9
ANALYSIS # 4 FAIRVIEW PLAZA
INTERNAL TEMP 22 HA-10
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPB |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 23.8 | 736.8 MUS |
| UNKNOWN | 2 | 56.3 | 321.3 MUS |
| TCE | 3 | 37.6 | 10.38 PPB |
| PERC | 4 | 37.0 | 351.2 PPB |
| UNKNOWN | 5 | 320.3 | 125.6 MUS |



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net

WATER SAMPLES



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net


RAW DATA SHEET

Date: 11/18/03

Page: 11 of 12

Fairview Plaza
Hudson N.Y.


PHOTOVAC



STOP # 400.7
SAMPLE LIBRARY 3 NOV 18 2003 13:1
ANALYSIS # 20 FAIRVIEW PLAZA
INTERNAL TEMP 20
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 26.8 | 1.6 US |
| UNKNOWN | 2 | 313.7 | 501.2 mUS |


PHOTOVAC



STOP # 600.0
SAMPLE LIBRARY 3 NOV 18 2003 23:44
ANALYSIS # 13 FAIRVIEW PLAZA
INTERNAL TEMP 23 MW-18
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 23.0 | 26.6 US |
| UNKNOWN | 2 | 46.8 | 320.2 mUS |
| UNKNOWN | 3 | 36.1 | 2.3 US |
| UNKNOWN | 4 | 218.8 | 243.3 mUS |


PHOTOVAC



STOP # 594.0
SAMPLE LIBRARY 3 NOV 18 2003 19:3
ANALYSIS # 1 FAIRVIEW PLAZA
INTERNAL TEMP 17 R=1
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 46.1 | 113.0 mUS |
| UNKNOWN | 3 | 277.1 | 431.3 mUS |
| UNKNOWN | 4 | 368.3 | 1.5 US |


PHOTOVAC



STOP # 450.2
SAMPLE LIBRARY 3 NOV 18 2003 16:50
ANALYSIS # 9 FAIRVIEW PLAZA
INTERNAL TEMP 24 MW-18
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 28.7 | 20.3 US |
| UNKNOWN | 4 | 310.7 | 121.3 mUS |

PHOTOVAC



STOP # 437.4
SAMPLE LIBRARY 3 NOV 18 2003 12:53
ANALYSIS # 5 FAIRVIEW PLAZA
INTERNAL TEMP 22 MW-19
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 28.7 | 20.3 US |
| UNKNOWN | 4 | 310.7 | 121.3 mUS |



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net


RAW DATA SHEET

Date: 11/18/03

Page: 12 of 12

Fairview Plaza
Hudson N.Y.


PHOTOVAC



STOP # 378.1
SAMPLE LIBRARY 3 NOV 18 2003 20:33
ANALYSIS # 5 FAIRVIEW PLAZA
INTERNAL TEMP 22 TANK-1
GAIN 20 1-5 DILUTION

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 28.3 | 270.4 μS |
| UNKNOWN | 2 | 30.3 | 1.4 μS |
| UNKNOWN | 3 | 37.0 | 3.3 μS |
| TCE | 6 | 38.8 | 24.95 PPB |
| PERC | 7 | 233.6 | 647.2 PPB |
| UNKNOWN | 8 | 323.3 | 202.4 μS |


PHOTOVAC



STOP # 365.8
SAMPLE LIBRARY 3 NOV 18 2003 21:1
ANALYSIS # 7 FAIRVIEW PLAZA
INTERNAL TEMP 22 TANK-1
GAIN 20 1-25 DILUTION

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 2 | 29.8 | 220.0 μS |
| UNKNOWN | 3 | 35.2 | 889.5 μS |
| TCE | 4 | 37.2 | 2,333 PPB |
| PERC | 5 | 234.3 | 220.8 PPB |
| UNKNOWN | 6 | 313.7 | 280.2 μS |


PHOTOVAC



STOP # 600.0
SAMPLE LIBRARY 3 NOV 18 2003 13:14
ANALYSIS # 2 FAIRVIEW PLAZA
INTERNAL TEMP 19 TANK-1
GAIN 20 250 MICROLITERS

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|----------|
| UNKNOWN | 1 | 30.4 | 3.3 μS |
| UNKNOWN | 2 | 34.3 | 4.7 μS |
| UNKNOWN | 3 | 53.6 | 243.5 μS |
| UNKNOWN | 4 | 64.2 | 13.4 μS |
| UNKNOWN | 5 | 107.0 | 33.0 μS |
| UNKNOWN | 6 | 261.7 | 337.5 μS |
| UNKNOWN | 7 | 333.2 | 142.3 μS |


PHOTOVAC



STOP # 345.0
SAMPLE LIBRARY 3 NOV 18 2003 20:51
ANALYSIS # 6 FAIRVIEW PLAZA
INTERNAL TEMP 22 TANK-1
GAIN 20 1-20 DILUTION

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 1 | 28.8 | 387.8 μS |
| UNKNOWN | 2 | 30.1 | 786.4 μS |
| UNKNOWN | 4 | 57.0 | 1.5 μS |
| TCE | 5 | 38.4 | 8,557 PPB |
| PERC | 6 | 238.0 | 252.2 PPB |
| UNKNOWN | 7 | 323.3 | 228.3 μS |

PHOTOVAC



STOP # 386.0
SAMPLE LIBRARY 3 NOV 18 2003 21:45
ANALYSIS # 2 FAIRVIEW PLAZA
INTERNAL TEMP 22 TANK-1
GAIN 20 1-50 DILUTION

| COMPOUND NAME | PEAK | R.T. | AREA/PPM |
|---------------|------|-------|-----------|
| UNKNOWN | 3 | 57.2 | 320.7 μS |
| TCE | 4 | 38.5 | 2,238 PPB |
| PERC | 5 | 238.3 | 67.08 PPB |
| UNKNOWN | 6 | 321.5 | 236.2 μS |



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net

APPENDIX F

END POINT SOIL QUALITY REPORT


SOIL QUALITY LABORATORY RESULTS (EPA METHOD SW846-8260)
160 FAIRVIEW AVENUE - WASH RITE EXCAVATION SITE

Sampled on November 19 and 25, 2003

| PARAMETER | SAMPLE DESCRIPTION | | | | | | | DEC Req. Soil Cleanup Objective |
|-----------------------------|--------------------|--------------------|---------------|--------------------|--------------------|--------------------|--------------------|---------------------------------|
| | S-23 | S-30 (2-4 R.) | S-31 (2-4 R.) | S-32 (2-4 R.) | S-33 (2-4 R.) | S-34 (3.0 R.) | S-35 (2.0 R.) | |
| Dichlorodifluoromethane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Chloromethane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Vinyl Chloride | ND | ND | ND | ND | ND | ND | ND | 200 |
| Chloroethane | ND | ND | ND | ND | ND | ND | ND | 1,900 |
| Bromoethane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Trichlorofluoromethane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 1,1-Dichloroethene | ND | ND | ND | ND | ND | ND | ND | 400 |
| Methylene Chloride | 177.0 ^A | 69.0 ^{**} | 52.0 | 48.0 ^{**} | 54.0 ^{**} | 47.0 ^{**} | 46.0 ^{**} | 100 |
| trans-1,2-Dichloroethene | ND | ND | ND | ND | ND | ND | ND | 300 |
| 1,1-Dichloroethane | ND | ND | ND | ND | ND | ND | ND | 200 |
| 2,2-Dichloropropane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| cis-1,2-Dichloroethene | ND | ND | 97.0 | 119.0 | 144.0 | ND | 105.0 | — ^a |
| Bromochloromethane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Chloroform | 13.0 ^{AA} | ND | ND | ND | ND | ND | ND | 300 |
| 1,1,1-Trichloroethane | ND | ND | ND | ND | ND | ND | ND | 800 |
| 1,1-Dichloropropene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Carbon Tetrachloride | ND | ND | ND | ND | ND | ND | ND | 600 |
| Benzene | ND | ND | ND | ND | ND | ND | ND | 60 |
| 1,2-Dichloroethane | ND | ND | ND | ND | ND | ND | ND | 100 |
| Trichloroethene (TCE) | ND | ND | 258.0 | 432.0 | 25.0 | 37.0 | 24.0 | 700 |
| 1,2-Dichloropropane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Dibromomethane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Bromodichloromethane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| cis-1,3-Dichloropropene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Toluene | 13.0 | 27.0 | 19.0 | 30.0 | 21.0 | 24.0 | 18.0 | 1,500 |
| trans-1,3-Dichloropropene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 1,1,2-Trichloroethane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Tetrachloroethene (Perc) | ND | ND | 202.0 | 1,591.0 | 161.0 | 631.0 | 50.0 | 1,400 |
| 1,3-Dichloropropane | ND | ND | ND | ND | ND | ND | ND | 300 |
| Dibromochloromethane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 1,2-Dibromoethane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Chlorobenzene | ND | 16.0 | 17.0 | 16.0 | 16.0 | 15.0 | 15.0 | 1,700 |
| 1,1,1,2-Tetrachloroethane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Ethylbenzene | ND | ND | ND | ND | ND | ND | ND | 5,500 |
| m/p-Xylene | ND | 6.6 | ND | ND | ND | ND | 12.0 | 1,200 |
| o-Xylene | ND | ND | ND | ND | ND | ND | ND | 1,200 |
| Styrene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Bromoform | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Isopropylbenzene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Bromobenzene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 1,1,2,2-Tetrachloroethane | ND | ND | ND | ND | ND | ND | ND | 600 |
| 1,2,3-Trichloropropane | ND | ND | ND | ND | ND | ND | ND | 400 |
| n-Propylbenzene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 2-Chlorotoluene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 4-Chlorotoluene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 1,3,5-Trimethylbenzene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 4-Isopropyltoluene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 1,2,4-Trimethylbenzene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| sec-Butylbenzene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 1,3-Dichlorobenzene | ND | ND | ND | ND | ND | ND | ND | 1,600 |
| tert-Butylbenzene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 1,4-Dichlorobenzene | ND | ND | ND | ND | ND | ND | ND | 8,500 |
| 1,2-Dichlorobenzene | ND | ND | ND | ND | ND | ND | ND | 7,900 |
| n-Butylbenzene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 1,2-Dibromo-3-Chloropropane | ND | ND | ND | ND | ND | ND | ND | — ^a |
| 1,2,4-Trichlorobenzene | ND | ND | ND | ND | ND | ND | ND | 3,400 |
| Hexachlorobutadiene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| Naphthalene | ND | ND | ND | ND | ND | ND | ND | 13,000 |
| 1,2,3-Trichlorobenzene | ND | ND | ND | ND | ND | ND | ND | — ^a |
| MTBE | ND | ND | ND | ND | ND | ND | ND | 1,000 |
| Non-Target Peaks | Negative | Negative | Negative | Negative | Negative | Negative | Negative | — |
| Total VOC's | 13.0 | 49.6 | 645.0 | 2,188.0 | 367.0 | 707.0 | 224.0 | — |

Notes: All concentrations are in ug/kg or ppb (parts per billion)
DEC = Required Soil Cleanup Objective, NYSDEC - TAGM - Determination of Soil Cleanup Objectives and Cleanup Levels, 1994.
* = principal organic contaminant standard for groundwater
** = Found in the method blank

^A = Found in the method blank @ 74 ug/kg
^{AA} = Found in the method blank @ 23 ug/kg



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

ANALYTICAL TEST RESULTS
N.Y.S.D.O.H. LAB ID#11140

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/19/03

SAMPLE DESCRIPTION: S-23

DATE SAMPLE RECD: 11/25/03

MATRIX: Soil

TIME SAMPLED: 4:00 PM

LOCATION: 160 Fairview

TYPE SAMPLE: Grab


H.E.S. #: 031125K01

SAMPLER: T.Scott/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Chloromethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Vinyl chloride | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Chloroethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Bromomethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Trichlorofluoromethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Methylene chloride | SW846-8260B | 177* | ug/kg | 12/03/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| cis-1,2-Dichloroethene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Bromochloromethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Chloroform | SW846-8260B | 13** | ug/kg | 12/03/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Carbon Tetrachloride | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Benzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Trichloroethene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Dibromomethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Bromodichloromethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Toluene | SW846-8260B | 13 | ug/kg | 12/03/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Tetrachloroethene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Dibromochloromethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Chlorobenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |

*Found in the method blank @ 74 ug/kg

**Found in the method blank @ 23 ug/kg



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp

SAMPLE DESCRIPTION: S-23

H.E.S. #: 031125K01 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Ethylbenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| m-Xylene/p-Xylene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| o-Xylene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Styrene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Bromoform | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Isopropylbenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Bromobenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| n-Propylbenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 2-Chlorotoluene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 4-Chlorotoluene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| sec-Butylbenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| tert-Butylbenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| n-Butylbenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Hexachlorobutadiene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Naphthalene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.2 | ug/kg | 12/03/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 81 | % | 12/03/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

ANALYTICAL TEST RESULTS
N.Y.S.D.O.H. LAB ID#11140

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/25/03

SAMPLE DESCRIPTION: S-30/2-4'

DATE SAMPLE RECD: 12/03/03

MATRIX: Soil

TIME SAMPLED: 2:00 PM

LOCATION: 160 Fairview Ave, Hudson


TYPE SAMPLE: Composite

H.E.S. #: 031203M01

SAMPLER: W.Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Chloromethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Vinyl chloride | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Chloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Bromomethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Methylene chloride | SW846-8260B | 69* | ug/kg | 12/08/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Bromochloromethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Chloroform | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Benzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Trichloroethene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Dibromomethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Toluene | SW846-8260B | 27 | ug/kg | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Tetrachloroethene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Chlorobenzene | SW846-8260B | 16 | ug/kg | 12/08/03 |

*Found in the method blank.



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803


Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: S-30/2-4'

H.E.S. #: 031203M01 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Ethylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| m-Xylene/p-Xylene | SW846-8260B | 6.6 | ug/kg | 12/08/03 |
| o-Xylene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Styrene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Bromoform | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Bromobenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Naphthalene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.0 | ug/kg | 12/08/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 83 | % | 12/11/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/25/03

SAMPLE DESCRIPTION: S-31/2-4'

DATE SAMPLE RECD: 12/03/03

MATRIX: Soil

TIME SAMPLED: 2:05 PM


LOCATION: 160 Fairview Ave, Hudson

TYPE SAMPLE: Composite

H.E.S. #: 031203M02

SAMPLER: W.Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Chloromethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Vinyl chloride | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Chloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Bromomethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Methylene chloride | SW846-8260B | 52 | ug/kg | 12/08/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | 97 | ug/kg | 12/08/03 |
| Bromochloromethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Chloroform | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Benzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Trichloroethene | SW846-8260B | 258 | ug/kg | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Dibromomethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Toluene | SW846-8260B | 19 | ug/kg | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Tetrachloroethene | SW846-8260B | 202 | ug/kg | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Chlorobenzene | SW846-8260B | 17 | ug/kg | 12/08/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803


Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: S-31/2-4'

H.E.S. #: 031203M02 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Ethylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| m-Xylene/p-Xylene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| o-Xylene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Styrene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Bromoform | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Bromobenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Naphthalene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.1 | ug/kg | 12/08/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 82 | % | 12/11/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/25/03

SAMPLE DESCRIPTION: S-32/2-4'

DATE SAMPLE RECD: 12/03/03

MATRIX: Soil

TIME SAMPLED: 2:10 PM

LOCATION: 160 Fairview Ave, Hudson


TYPE SAMPLE: Composite

H.E.S. #: 031203M03

SAMPLER: W.Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Chloromethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Vinyl chloride | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Chloroethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Bromomethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Methylene chloride | SW846-8260B | 48* | ug/kg | 12/08/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | 119 | ug/kg | 12/08/03 |
| Bromochloromethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Chloroform | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Benzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Trichloroethene | SW846-8260B | 432 | ug/kg | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Dibromomethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Toluene | SW846-8260B | 30 | ug/kg | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Tetrachloroethene | SW846-8260B | 1,591 | ug/kg | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Chlorobenzene | SW846-8260B | 16 | ug/kg | 12/08/03 |

*Found in the method blank.



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803


Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: S-32/2-4'

H.E.S. #: 031203M03 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Ethylbenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| m-Xylene/p-Xylene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| o-Xylene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Styrene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Bromoform | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Bromobenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Naphthalene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.2 | ug/kg | 12/08/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 81 | % | 12/11/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/25/03

SAMPLE DESCRIPTION: S-33/2-4'

DATE SAMPLE RECD: 12/03/03

MATRIX: Soil

TIME SAMPLED: 2:15 PM


LOCATION: 160 Fairview Ave, Hudson

TYPE SAMPLE: Composite

H.E.S. #: 031203M04

SAMPLER: W.Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Vinyl chloride | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromomethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Methylene chloride | SW846-8260B | 54* | ug/kg | 12/08/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | 144 | ug/kg | 12/08/03 |
| Bromochloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chloroform | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Benzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Trichloroethene | SW846-8260B | 26 | ug/kg | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Dibromomethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Toluene | SW846-8260B | 23 | ug/kg | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Tetrachloroethene | SW846-8260B | 50 | ug/kg | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chlorobenzene | SW846-8260B | 15 | ug/kg | 12/08/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803


Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: S-33/2-4'

H.E.S. #: 031203M04 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Ethylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| m-Xylene/p-Xylene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| o-Xylene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Styrene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromoform | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Naphthalene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 80 | % | 12/11/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803
 Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803
 Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/26/03

SAMPLE DESCRIPTION: S-34/3.0'

DATE SAMPLE RECD: 12/03/03

MATRIX: Soil

TIME SAMPLED: 11:10 AM


LOCATION: 160 Fairview Ave, Hudson

TYPE SAMPLE: Grab

H.E.S. #: 031203M05

SAMPLER: W.Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Vinyl chloride | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromomethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Methylene chloride | SW846-8260B | 47 | ug/kg | 12/08/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromochloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chloroform | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Benzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Trichloroethene | SW846-8260B | 25 | ug/kg | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Dibromomethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Toluene | SW846-8260B | 21 | ug/kg | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Tetrachloroethene | SW846-8260B | 161 | ug/kg | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Chlorobenzene | SW846-8260B | 16 | ug/kg | 12/08/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803


Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: S-34/3-0'

H.E.S. #: 031203M05 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Ethylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| m-Xylene/p-Xylene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| o-Xylene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Styrene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromoform | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Bromobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Naphthalene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.3 | ug/kg | 12/08/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 80 | % | 12/11/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803

Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp. DATE SAMPLED: 11/26/03

SAMPLE DESCRIPTION: S-35/2.0'

DATE SAMPLE RECD: 12/03/03

MATRIX: Soil

TIME SAMPLED: 11:15 AM

LOCATION: 160 Fairview Ave, Hudson


TYPE SAMPLE: Grab

H.E.S. #: 031203M06

SAMPLER: W.Cook/NETC

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|---------------------------|---------------|---------------|--------------|------------------|
| Dichlorodifluoromethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Chloromethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Vinyl chloride | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Chloroethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Bromomethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Trichlorofluoromethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,1-Dichloroethene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Methylene chloride | SW846-8260B | 46* | ug/kg | 12/08/03 |
| trans-1,2-Dichloroethene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,1-Dichloroethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 2,2-Dichloropropane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| cis-1,2-Dichloroethene | SW846-8260B | 105 | ug/kg | 12/08/03 |
| Bromochloromethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Chloroform | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,1,1-Trichloroethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,1-Dichloropropene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Carbon Tetrachloride | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Benzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,2-Dichloroethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Trichloroethene | SW846-8260B | 24 | ug/kg | 12/08/03 |
| 1,2-Dichloropropane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Dibromomethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Bromodichloromethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| cis-1,3-Dichloropropene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Toluene | SW846-8260B | 18 | ug/kg | 12/08/03 |
| trans-1,3-Dichloropropene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,1,2-Trichloroethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Tetrachloroethene | SW846-8260B | 50 | ug/kg | 12/08/03 |
| 1,3-Dichloropropane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Dibromochloromethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,2-Dibromoethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Chlorobenzene | SW846-8260B | 15 | ug/kg | 12/08/03 |

*Found in the method blank



HUDSON ENVIRONMENTAL SERVICES, INC.

Mail: 22 Hudson Falls Rd., So. Glens Falls, NY 12803

Delivery: 211 Ferry Blvd., So. Glens Falls, NY 12803


Phone: 518/747-1060 Fax: 518/747-1062

CLIENT: Northeastern Environmental Technologies, Corp.

SAMPLE DESCRIPTION: S-35/2-0'

H.E.S. #: 031203M06 (Continued)

| <u>PARAMETER</u> | <u>METHOD</u> | <u>RESULT</u> | <u>UNITS</u> | <u>TEST DATE</u> |
|-----------------------------|---------------|---------------|--------------|------------------|
| 1,1,1,2-Tetrachloroethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Ethylbenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| m-Xylene/p-Xylene | SW846-8260B | 12 | ug/kg | 12/08/03 |
| o-Xylene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Styrene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Bromoform | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Isopropylbenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Bromobenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,1,2,2-Tetrachloroethane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,2,3-Trichloropropane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| n-Propylbenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 2-Chlorotoluene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 4-Chlorotoluene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,3,5-Trimethylbenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 4-Isopropyltoluene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,2,4-Trimethylbenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| sec-Butylbenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,3-Dichlorobenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| tert-Butylbenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,4-Dichlorobenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,2-Dichlorobenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| n-Butylbenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,2-Dibromo-3-chloropropane | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,2,4-Trichlorobenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Hexachlorobutadiene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Naphthalene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| 1,2,3-Trichlorobenzene | SW846-8260B | <6.5 | ug/kg | 12/08/03 |
| Non-Target Peaks | | Negative | | |
| Total Solid | EPA 160.3 | 77 | % | 12/11/03 |



HUDSON ENVIRONMENTAL SERVICES, INC.
 Mail: 22 Hudson Falls Road, South Glens Falls, NY 12803
 Delivery: 211 Ferry Blvd., South Glens Falls, NY 12803
 Phone: 518/747-1060 Fax: 518/747-1062

**CHAIN OF CUSTODY RECORD/
 Lab Work Request**

Client NETC Mail Address Po Box 2167
 Client Contact/Person # JODD SCOTT / BILL COOK BALLSTON SPA, NY 12020
 Project Location 160 Fairview Ave, HUDSON
 Purchase Order _____ Phone # (518) 887-8545
 HES Contact _____

| HES Use Only Lab ID | Sample ID / Description | Date Collected | TIME A=a.m. P=p.m. | SAMPLE TYPE C=Composite G=Grab | | # Conts. | ANALYSIS REQUIRED |
|------------------------|-------------------------|----------------|--------------------------|--------------------------------------|-------|-------------|----------------------|
| | | | | MATRIX | C - G | | |
| m01 | S-30/2'-4' | 11/25/03 | A | X | X | 1 | VOCs-EPA Method 8260 |
| m02 | S-31/2'-4' | 11/25/03 | A | X | X | 1 | |
| m03 | S-32/2'-4' | 11/25/03 | A | X | X | 1 | |
| m04 | S-33/2'-4' | 11/25/03 | A | X | X | 1 | |
| m05 | S-34/3.0' | 11/26/03 | A | X | X | 1 | |
| m06 | S-35/2.0' | 11/26/03 | A | X | X | 1 | |
| m07 | Effluent | 11/26/03 | A | X | X | 2 | EPA Method 8260 |

Special Instructions: * 12400 Full 8260 as per TS NETC

| Sample by: (Signature) | Date/Time | Received by: (Signature) | Date/Time |
|------------------------------|-----------|--------------------------|--------------------|
| <i>[Signature]</i> | 11/26/03 | <i>[Signature]</i> | 12/10/03 |
| Relinquished by: (Signature) | Date/Time | Received by: (Signature) | Date/Time |
| <i>[Signature]</i> | 11/26/03 | <i>[Signature]</i> | 12/10/03 |
| Relinquished by: (Signature) | Date/Time | Received by: (Signature) | Date/Time |
| <i>[Signature]</i> | 11/26/03 | <i>[Signature]</i> | 12/10/03 |
| Dispatched by: (Signature) | Date/Time | Method of Shipment: | Date/Time |
| <i>[Signature]</i> | 11/26/03 | HES | 12/10/03 |
| Received @ Laboratory: | Date/Time | Turnaround Time: | Lab Approval: |
| <i>[Signature]</i> | 11/26/03 | 455 | <i>[Signature]</i> |


HES Use Only

Samples Were:
 1. Shipped or Hand Delivered: **NOTES:**
 2. Ambient or Chilled: **NOTES:**
 3. Received Broken/Leaking (Improperly Sealed): **NOTES:**
 4. Properly Preserved: **NOTES:**
 5. Received Within Holding Times: **NOTES:**

COC Tape Was:
 1. Present on Outer Package: **NOTES:**
 2. Unbroken on Outer Package: **NOTES:**
 3. Present on Sample: **NOTES:**
 4. Unbroken on Sample: **NOTES:**

COC Record Was:
 1. Present upon Receipt of Samples: **NOTES:**

Discrepancies Between Sample Labels and COC Record? **NOTES:**



HUDSON ENVIRONMENTAL SERVICES, INC.
 Mail: 22 Hudson Falls Road, South Glens Falls, NY 12803
 Delivery: 211 Ferry Blvd., South Glens Falls, NY 12803
 Phone: 518/747-1060 Fax: 518/747-1062

CHAIN OF CUSTODY RECORD / Lab Work Request

Client NETE Mail Address _____
 Client Contact/Person # TODD SCOTT
 Project Location 160 FAIRVIEW Phone # 834-8545
 Purchase Order _____
 HES Contact _____

| HES Use Only Lab ID | Sample ID / Description | Date Collected | TIME A = a.m. P = p.m. | SAMPLE TYPE | | | # Conts. | ANALYSIS REQUIRED |
|---------------------|-------------------------|----------------|------------------------------|-------------|---|---|----------|-------------------|
| | | | | MATRIX | C | G | | |
| 031125K01 | 160 FAIRVIEW / S-23 | 11/11/03 | A | SOLL | | X | 1 | 8360 Full |
| V KUC | " / EFFLUENT | 11/21/03 | P | H3O | | X | 2 | 8260 Full |
| | | | A | | | | | |
| | | | P | | | | | |
| | | | A | | | | | |
| | | | P | | | | | |
| | | | A | | | | | |
| | | | P | | | | | |
| | | | A | | | | | |
| | | | P | | | | | |

Matrix: SL - Sludge, O - Oil, DW - Drinking Water, GW - Ground Water
 S - Soil, SE - Sediment, SO - Solid
 SW - Surface Water, L - Leachate, A - Air, WI - Wipe
 DS - Drum Solids, DL - Drum Liquids, X - Other, WW - Waste Water

Special Instructions: _____
 Sampled by: (Signature) _____ Date/Time 11/21/03 4:02pm
 Relinquished by: (Signature) _____ Date/Time 11/25/03 11:15
 Relinquished by: (Signature) _____ Date/Time _____
 Dispatched by: (Signature) _____ Method of Shipment: HES
 Received @ Laboratory: _____ Date/Time 11/25/03 11:15
 Turnaround Time: None
 Lab Approval: _____

HES Use Only

Samples Were:
 1. Shipped or Hand Delivered NOTES: _____
 2. Ambient or Chilled NOTES: _____
 3. Received Broken/Leaking (Improperly Sealed) Y _____ N _____
 4. Properly Reserved NOTES: Y _____ N _____
 5. Received Within Holding Times Y _____ N _____

COC Tape Was:
 1. Present on Outer Package Y _____ N _____
 2. Unbroken on Outer Package Y _____ N _____
 3. Present on Sample Y _____ N _____
 4. Unbroken on Sample NOTES: Y _____ N _____

COC Record Was:
 1. Present upon Receipt of Samples Y _____ N _____

Discrepancies Between Sample Labels and COC Record? Y _____ N _____
 NOTES: _____

APPENDIX G

NETC STATEMENT OF SERVICES



**NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.**

1476 Route 50 - P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jwink@attglobal.net

Statement of Services

Northeastern Environmental Technologies Corporation (NETC) recognizes both environmental and business issues critical to corporate America. Guided by regulatory agencies, NETC's innovative problem solving approach preserved the delicate balance between our countries finite natural resources and the goals of business and industry. NETC's cost conscious alternatives are designed to ensure it's clients maximum flexibility when identifying and resolving regulatory and / or environmental issues. The following is an abbreviated list of NETC's Services.

ENVIRONMENTAL SITE ASSESSMENTS

- Site Assessments & Auditing
- Property Acquisition - Divestiture Certification
- Phase 2 and 3 Site Assessments
- Mobile Laboratory Services

CONTAMINANT HYDROLOGY & HAZARDOUS MATERIAL MANAGEMENT

- Storage Tank Management, Testing & Closures
- State and Federal Regulatory compliance
- Remedial Investigation - Feasibility Studies
- Remedial Alternative Technology Studies; QA/QC Design

GROUNDWATER RESOURCE MANAGEMENT

- Permitting
- Management & Source Development
- Well Head Protection
- Numerical and Analytical Modeling

GEOTECHNICAL EVALUATIONS

- Ground Improvement Studies
- SPCC Compliance
- Dewatering & Artificial Recharge
- Deposit Exploration
- Geophysics

SITE REMEDIATION AND MONITORING SERVICES


- UST/AST Closures
- Integrity Testing
- Waste Brokerage
- SPEDS Permitting & Compliance
- Excavation Services
- Soil Gas & Groundwater Recovery Systems

TEST DRILLING / DIRECT PUSH SAMPLING PROGRAMS

- Standard Penetration Tests
- Shelby Tube Samples
- Direct Push Soil & Groundwater Survey
- Core Drilling Services

ENVIRONMENTAL IMPACT STATEMENTS * EXPERT TESTIMONY * OSHA FIELD CERTIFIED

NORTHEASTERN ENVIRONMENTAL TECHNOLOGIES CORPORATION (NETC)



“ Site assessment through remediation ...NETC has the tools for your environmental and geotechnical project work”

ENVIRONMENTAL, TEST DRILLING, DPT PROBE SERVICES & REMEDIATION

For More Information Regarding
NETC Services call (518) 884-8545
or E-mail jwink@ATTGLOBAL.net



1476 Route 50 (Shipping) - P.O. Box 2167 (Mail)
Ballston Spa, NY 12020