

**QUARTERLY DATA SUMMARY REPORT
SOIL VAPOR INTRUSION MONITORING
(MAY – AUGUST 2010)**

NWIRP Bethpage
Bethpage, New York



**Naval Facilities Engineering Command
Mid-Atlantic**

**Contract No. N62470-08-D-1001
Contract Task Order WE06**

November 2010



**QUARTERLY DATA SUMMARY REPORT
SOIL VAPOR INTRUSION MONITORING**

(May - August 2010)

**NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
BETHPAGE, NEW YORK**

**COMPREHENSIVE LONG-TERM
ENVIRONMENTAL ACTION NAVY (CLEAN) CONTRACT**

**Submitted to:
Naval Facilities Engineering Command
Mid-Atlantic
9742 Maryland Avenue
Norfolk, Virginia 23511-3095**

**Prepared and Submitted by:
Tetra Tech NUS, Inc.
234 Mall Boulevard, Suite 260
King of Prussia, Pennsylvania 19406**

**Contract No. N62470-08-D-1001
Contract Task Order WE06**

November 2010

PREPARED UNDER THE DIRECTION OF:

APPROVED FOR SUBMISSION BY:

**DAVE BRAYACK
PROJECT MANAGER
TETRA TECH NUS, INC.
NORFOLK, VIRGINIA**

**JOHN J. TREPANOWSKI, P.E.
PROGRAM MANAGER
TETRA TECH NUS, INC.
KING OF PRUSSIA, PENNSYLVANIA**

TABLE OF CONTENTS

| <u>SECTION</u> | <u>PAGE</u> |
|---|-------------|
| ACRONYMS | A-1 |
| 1.0 INTRODUCTION..... | 1-1 |
| 2.0 FIELD AND SAMPLING ACTIVITIES | 2-1 |
| 3.0 ANALYTICAL RESULTS | 3-1 |
| REFERENCES..... | R-1 |

APPENDICES

**** (SEE ATTACHED CD) ****

| | |
|---|----------------------------------|
| A | SVPM Implant Retrofit Log Sheets |
| B | Air Sampling Log Sheets |
| C | Chain of Custody Records |
| D | Data Analytical Reports |
| E | Data Validation Summaries |

TABLES

NUMBER

| | |
|-----|---|
| 2-1 | Sample Summary |
| 3-1 | Analytical Summary – Home #3 |
| 3-2 | Analytical Summary -- SSD System Stack Sampling |
| 3-3 | Analytical Summary – SVPM Sampling |
| 3-4 | Analytical Summary -- Outdoor Air Sampling |

FIGURES

NUMBER

| | |
|---|---------------------------|
| 1 | General Location Map |
| 2 | Site Location Map |
| 3 | Soil Gas Sampling Results |

ACRONYMS

| | |
|-------------------|---|
| APU | Air Purification Unit |
| AS/SVE | Air Sparging/Soil Vapor Extraction |
| bgs | Below Ground Surface |
| CLEAN | Comprehensive Long-Term Environmental Action Navy |
| COC | Chain of Custody |
| CTO | Contract Task Order |
| °F | Degrees Fahrenheit |
| IND | Indoor air sample |
| INDB | Basement indoor air sample |
| INDL | Living space indoor air sample |
| IS | Initial Sampling |
| mL | Milliliter |
| mL/min | Milliliter per Minute |
| ND | Non Detect |
| NWIRP | Naval Weapons Industrial Reserve Plant |
| NYSDEC | New York State Department of Environmental Conservation |
| NYSDOH | New York State Department of Health |
| ODA | Outdoor air |
| PCE | Tetrachloroethene |
| PID | Photoionization Detector |
| ppm | Parts Per Million |
| PSSD | Post Sub-Slab Depressurization |
| PSVE | Post Soil Vapor Extraction system startup |
| PUS | Post Air Purification Unit Installation Sampling |
| PVC | Polyvinyl Chloride |
| SSB | Sub-Slab |
| SSD | Sub-Slab Depressurization |
| ST | Stack |
| SVPM | Soil Vapor Pressure Monitor |
| TCA | 1,1,1-Trichloroethane |
| TCE | Trichloroethene |
| Tetra Tech | Tetra Tech NUS, Inc. |
| USEPA | United States Environmental Protection Agency |
| VOC | Volatile Organic Compound |
| µg/m ³ | micrograms per cubic meter |

1.0 INTRODUCTION

Tetra Tech NUS Inc. (Tetra Tech) under Contract Task Order (CTO) WE06 prepared this Quarterly Data Summary Report for the Naval Facilities Engineering Command Mid-Atlantic under the Comprehensive Long-Term Environmental Action Navy (CLEAN) contract number N62470-08-D-1001. This Report summarizes field activities conducted during the months of May, June, July, and August 2010. These activities included indoor air, outdoor air, and sub-slab vapor sampling conducted at Home #3, sub-slab depressurization (SSD) system stack monitoring and Soil Vapor Pressure Monitor (SVPM) soil gas sampling on Naval Weapons Industrial Reserve Plant (NWIRP) Bethpage, Long Island, New York and in the residential neighborhood east of Site 1 at NWIRP Bethpage, Long Island (Figures 1 and 2).

Site 1 – Former Drum Marshalling Area was impacted by the historic releases of chlorinated solvents and was remediated via an air sparging/soil vapor extraction (AS/SVE) system between 1998 and 2002. The treatment and remedial goals were based on protection of groundwater. Soil gas testing conducted in January 2008 indicated elevated concentrations of Volatile Organic Compounds (VOCs) existing along the eastern boundary of Site 1 that could potentially affect the adjacent residential neighborhood (Tetra Tech, 2008a). Additional soil gas testing was conducted in the Town of Oyster Bay right-of-ways from October 2008 through January 2009 to evaluate the potential migration of contaminated soil vapor off-site (Tetra Tech, 2009a). Based on evaluation of this soil gas data, indoor air, outdoor air, and sub-slab soil vapor sampling was recommended to evaluate potential vapor intrusion into residential homes.

From January through April 2009, soil vapor intrusion sampling was conducted in the residential neighborhood located east and adjacent to Site 1. A total of 18 residential homes were sampled during investigation activities through April 2009 (Tetra Tech, 2009b). As an interim measure, air purification units (APUs) were placed in homes to treat vapors that may have entered the homes. Based on the sample results, eight homes did not require further sampling/remediation. Due to the sub-slab vapor and indoor air sampling results, SSDs were installed in six residential homes in May 2009. A total of ten homes were sampled in June 2009 to monitor and evaluate mitigation measures installed in homes with APUs, including the six homes with SSD systems (Tetra Tech, 2009c).

In August 2009, the second post SSD system sampling event was conducted. The sampling focused on the collection of indoor air, outdoor air, and SSD system stack samples at the six homes with SSD systems in operation. The August sampling event also included an outdoor air evaluation in and around the neighborhood (Tetra Tech, 2009d). The outdoor air testing was conducted to evaluate outdoor air quality that may affect indoor air concentrations.

The third post SSD sampling event was conducted in November 2009 at ten residential homes. Indoor air samples were collected at all ten homes, while six homes with a SSD system had samples collected from the SSD system stack (Tetra Tech, 2010). APUs were present at all ten homes being sampled. Outdoor air samples were also collected simultaneously during the indoor air sampling to evaluate any influence of ambient air on indoor air quality.

In December 2009, construction of an SVE Containment System along the eastern boundary of Navy property was completed. System start up activities began in December 2009 and were finished in early January 2010. The SVE Containment System is currently in operation at Site 1.

In March 2010, indoor air monitoring activities were conducted at ten residential homes located in the neighborhood adjacent to Site 1. Indoor air and SSD system stack samples were collected from six homes that were equipped with SSD systems and APUs, and indoor air samples were collected from four homes with APUs only. Outdoor air samples were also collected simultaneously during the indoor air sampling to evaluate any influence of ambient air on indoor air quality.

Air and vapor samples were analyzed for VOCs via United States Environmental Protection Agency (USEPA) TO-15 method. With concurrence from the New York State Department of Health (NYSDOH) and the New York State Department of Environmental Conservation (NYSDEC) the TO-15 list was modified to analyze for site specific compounds associated with Site 1. This work was conducted in accordance with the NYSDOH Guidance for Evaluating Soil Vapor Intrusion in the State of New York (NYSDOH, 2006).

2.0 FIELD AND SAMPLING ACTIVITIES

This section summarizes the field events that have taken place during July 2010 and August 2010.

2.1 July 2010 – Home #3

In July 2010, air-monitoring activities were conducted at home #3. The home was not occupied at the time of the sampling event. The two APUs located in the basement and living space were removed and the SSD System was shut off two weeks prior to the indoor air-monitoring event.

A sub-slab (SSB) soil vapor sample, indoor air (basement and living space) sample, and outdoor air sample was collected at Home #3 on July 28, 2010. The outdoor air sample was collected along with an indoor air sample to evaluate potential influence of ambient air on indoor air quality. The field activities for this sampling event are summarized as follows:

- Scheduled sampling with homeowner
- Re-established previous sampling location
- Collected a SSB vapor, indoor air, and outdoor air sample
- Shipped and analyzed samples for the modified TO-15 VOCs

SSB soil vapor, indoor air, and outdoor air samples were collected using SUMMA[®] canisters (6 liter) with pre-set regulators. The temporary SSB soil vapor sample location was installed approximately 10 inches from previous sample locations. The indoor air sample was collected at the center of the basement. The outdoor air sample was placed in an upwind direction, at the South East corner of the back yard. The SSB soil vapor sample, and the indoor and outdoor air samples were obtained over a 24-hour time period.

The average temperature during the July 2010 sampling event was 85 degrees Fahrenheit (°F). The predominant wind direction ranged from south to southeast, while the wind speed was 0 to 5 miles per hour. There was no precipitation during this two-day event.

2.2 August 2010 – SSD Stack and SVPM Soil Gas

In August 2010, the Sub-Slab Depressurization System stacks and the Soil Vapor Pressure Monitors (SVPM) were sampled for the modified TO-15 VOC analysis. Prior to the sampling activities, SVPMs were retrofitted with Geoprobe[®] stainless steel implants to minimize potential surface air infiltration and purge time. SVPM implant retrofit construction logs are located in Appendix A. Tubing (1/4 inch) with a six inch long stainless steel screen was placed in the one inch Polyvinyl Chloride (PVC) casing, down to

the screened interval in each SVPM. Annular space inside the PVC casing was filled with #1 Silica Quartz filter sand and a bentonite seal (approximately two foot thick) was installed approximately two or three feet above the screen. The annular space above the bentonite seal was filled with #1 Silica Quartz filter sand to approximately two feet below the top of casing. A cement and bentonite mix was installed in the remaining two feet of space to the top of casing. The polyethylene tubing was fixed with barbed fittings to a PVC cap and sampling port.

SSD System stack sampling activities began on August 24, 2010, after the completion of Geoprobe implant installation at the SVPMs. A photoionization detector (PID) measurement was collected from the SSD system stack sampling port prior to sample collection. PID measurements ranged between no detection and 1.8 parts per million (ppm) and were recorded on the air sampling log sheets (Appendix B). The SSD system stack samples were collected through polyethylene tubing, which was secured to a brass nipple fitting threaded into the SSD system exhaust sampling port. The SSD stack samples were obtained over a 30-minute time period. Once the sample was collected, the SSD System exhaust sampling port was sealed using a brass plug.

The SVE Containment System was shutdown at the completion of the SSD System stack sampling (August 24, 2010) and prior to SVPM soil gas sampling to avoid potential interferences and ensure collection of a representative soil gas sample. SVPM soil gas sampling was conducted on August 25, 2010 to August 26, 2010. The soil gas sampling procedures for each SVPM are as follows:

- Connect a tee and valve assembly to the sampling port of the SVPM
- Connect the vacuum pump to the tee and valve assembly
- Purge 2,500 to 3,000 milliliter (mL) of air from the soil gas point and sampling line using the vacuum pump at a rate of approximately 100 to 200 milliliter per minute (mL/min).
- Record the flow controller and SUMMA® canister number on the Soil Gas Sample Log Sheet
- Collect soil gas sample with SUMMA® Canister
- Ship and analyzed samples for the modified TO-15 VOCs

The SVE Containment System was re-started upon completion of SVPM sampling.

The average temperature during the August 2010 sampling event was 75 °F. The predominant wind direction was northerly and ranged from northwest to east northeast, while the wind speed was variable averaging 5 to 15 miles per hour during the sampling event. There was no precipitation during this four-day event.

2.3 Sample Management

The air and soil vapor samples collected during this quarter were shipped to Air Toxics Ltd. in Folsom, CA via overnight carrier (Federal Express) for the modified TO-15 analysis list. The sampling procedures for indoor air, outdoor air, sub slab samples, SSD system exhaust stack samples, and SVPM samples were in accordance with NYSDOH Guidance for Evaluating Soil Vapor Intrusion (NYSDOH, 2006).

The field sampling team maintained air sampling log sheets and a field logbook that summarized the following information:

- sample identification
- date and time of sample collection
- sample location description
- identity of samplers
- sampling methods and devices (including canister and regulator ID numbers)
- vacuum before and after samples were collected
- wind speed and direction (for outdoor air sampling)
- ambient temperature (for outdoor air sampling)

Table 2-1 presents a sample summary of the indoor air, outdoor air, SSB soil vapor, SSD system exhaust stack, and SVPM soil gas samples collected. Sample date corresponds to the end of the sample collection period (i.e., 24-hour for indoor air). Sample containers were labeled with a unique sample identifier as presented on Table 2-1.

Additional information regarding sample identification and sample collection was recorded in the field logbook and/or on the corresponding sample log sheets. Sample log sheets were completed for each sample collected and are provided as Appendix B. Chain of Custody (COC) Forms are provided in Appendix C.

2.4 Deviation from Work Plan

The August 2010 Soil Gas Sampling Work Plan Addendum for Site 1 identified additional samples to be collected to evaluate the effectiveness of the SVE Containment System. There were four deviations from the work plan during this quarter. Home #3 was not scheduled to be sampled during the month of July. However, the homeowner is planning to sell the home and requested the removal of the two APUs located in the basement and living space of the home. The NYSDOH and NYSDEC concurred that

indoor air quality samples should be collected from the home without the operation of the mitigation system in order to mimic natural conditions.

Three SVPMs, (SVPM-2007I, SVPM-11, and SVPM-12) were not sampled as scheduled during the August 2010 event. SVPM-2007I was retrofitted with a Geoprobe® implant on August 24, 2010 and was scheduled to be sampled on August 26, 2010. Field crews were unable to purge air from the poly tubing attached to the implant. An air compressor was used in an attempt to clear possible obstructions. The attempt was unsuccessful and the options for repair of the SVPM will be further evaluated. If a repair is not possible, SVPM-2007I will be abandoned and a new point will be installed to the same depth.

SVPM-11 and SVPM-12 were retrofitted with a stainless steel implant in January 2008. Field crews attempted to collect a soil vapor sample from both points during the August 2010 event and were unsuccessful. The implants would not provide a sustained flow of gas. Since the field crew could not increase the flow rate on SVPM-11 or SVPM-12, a sample could not be collected at either location. The repair of SVPM-11 and SVPM-12 will also be further evaluated. If the repairs are not possible, then SVPM-11 and SVPM-12 will be abandoned.

3.0 ANALYTICAL RESULTS

This section summarizes the analytical results from the indoor air, outdoor air, SSB soil vapor, SSD system stack, and SVPM soil gas sampling event conducted during July and August 2010. Based on previous sampling results, it was determined that trichloroethylene (TCE), tetrachloroethene (PCE), and 1,1,1-trichloroethane (TCA) represented the primary chemicals of concern. Therefore, the analytical results for TCE, PCE, and TCA are the focus of the analytical discussions in this section. All reported results are presented in Appendix D. The sample results for Home #3 are summarized in Table 3-1. Details for each of the air and soil gas samples that were collected from Home #3, SSD stacks, and SVPMs are on the air sample log sheets provided in Appendix B. COC forms and the laboratory analytical reports are in Appendix C and D, respectively. Data validation summaries are presented in Appendix E.

Analytical results from the indoor air sampling are compared to the air guideline values presented in the NYSDOH Guidance for Evaluating Soil Vapor Intrusion in the State of New York (NYSDOH, 2006). The air guideline values used for evaluation of indoor air and sub-slab soil vapor are in the table below.

Air Guideline Values for Indoor Air and Sub-Slab Values

| Chemical | Indoor Air Guideline Value ($\mu\text{g}/\text{m}^3$) | Sub-Slab Guidance Value ($\mu\text{g}/\text{m}^3$) |
|-----------------------|---|--|
| Tetrachloroethene | 100 ¹ | 1,000 ² |
| Trichloroethane | 5 ¹ | 250 ² |
| 1,1,1-Trichloroethane | 100 ² | 1,000 ² |

¹ = Value derived from NYSDOH guidance (2006), Table 3.1

² = Value derived from NYSDOH guidance (2006), Table 3.3 (Matrix 1 and 2)

$\mu\text{g}/\text{m}^3$ = micrograms per cubic meter of air

3.1 Home #3

The home was initially sampled on January 22, 2009. After sampling, an APU was installed in the basement as an interim mitigation measure. The sewer utility sump and observable cracks in the basement floor and walls were sealed at this time to reduce these potential pathways for soil vapor to enter the home. Based on the indoor air results, a second APU was installed on the first floor on February 26, 2009. Since the sub-slab concentrations for TCE and TCA were above the NYSDOH guidelines, an SSD system was installed on May 19, 2009 as a supplemental mitigation measure. Based on the SSD stack concentrations observed in September 2009, the SSD fan at Home #3 was upgraded after sample collection in November 2009 to increase the vacuum under the slab of the home.

During the July 2010 sampling event, a SSB soil vapor sample, indoor air sample (basement and living space), and outdoor air sample were collected at Home #3. At the request of the homeowner, the APUs located in the basement and living space were permanently removed. In order to mimic natural conditions in the house, the SSD system was shut off two weeks prior to the sampling event. Sample results from each event are summarized on Table 3-1.

The results of the July 2010 sampling of SSB soil vapor gas indicate that the concentrations of TCE, PCE, and TCA were below the NYSDOH air guideline sub-slab guidance values. In addition, concentrations of TCE, PCE, and TCA in sub slab soil gas have been reduced at an average of 99.9% since the initial sampling event in January 2009. Also, the living space indoor air concentrations and the basement indoor air concentrations, without the operation of the APUs or the SSD system, are below the NYSDOH indoor air guideline values. TCE concentrations decreased by approximately 99.9% in the basement indoor air sample and living space indoor air sample since the initial sampling in January 2009. PCE and TCA have also shown significant decreases in concentrations.

By comparing the SSD System stack sample result collected in August 2010 to the initial stack sample results collected in June 2009 at Home #3, the TCE and TCA concentrations in the soil vapor underneath the home has decreased by approximately 98% and 94%, respectively. PCE had an initial concentration that was significantly lower than the other chemicals of concern, and experienced a 35% reduction.

3.2 SSD Stack Sampling Summary

Five SSD system stack samples were collected during the August 2010 sampling event. TCE concentrations in the five SSD stack samples have been reduced on average by 99.2% since the first sampling event in June 2009. PCE and TCA have similar decreases in concentrations at each SSD stack with TCA decreasing by 98.6% and PCE decreasing by 61.7%. The initial PCE contamination was lower than that of the other chemicals of concern, therefore the reduction of PCE was not as significant as TCE and TCA. Table 3-2 provides an analytical summary of the SSD system stack samples.

3.3 SVPM Sampling Summary

Ten SVPMs were sampled in August 2010 (see table 3-3). Samples were collected 8 feet below ground surface (bgs) (shallow points), 20 to 25 feet bgs (intermediate depth points), and 44 to 49 feet bgs (deep points). An evaluation of chemical constituents over time indicates that TCE, PCE, and TCA concentrations have been reduced since the initial sampling events conducted in 2008. TCA concentrations were reduced approximately 99.9% at all three depths. TCE concentrations at the deep and intermediate depth were reduced approximately 99.6%. The average reduction of TCE at the

shallow depth was 78.5%. PCE had the highest reduction (88%) at the intermediate depth. PCE has decreased at the deep and shallow depth at an average of 89.4% and 49.6%, respectively. Table 3-3 provides an analytical summary of the soil gas sampling.

3.4 Outdoor Air Sampling Summary

During the July 2010 and August 2010 sampling event, outdoor air samples were collected to evaluate potential influence of outdoor air on indoor air quality and to establish ambient outdoor quality. The outdoor air samples are used to represent upwind ambient air data at the time of indoor air sampling and soil vapor sampling. One outdoor air sample was collected during the July 2010 sampling event and four outdoor air samples were collected during the sampling event in August 2010. Table 3-4 provides an analytical summary of the outdoor air sampling conducted during the indoor air sampling events in July 2010 and August 2010. Although TCE, PCE, and PCA were detected in each of the samples, none of the detections were greater than NYSDOH air guideline values.

3.5 Sampling Summary

An SVE Containment System was constructed along the eastern boundary of Site 1 and began full time operation in January 2010. This system is currently operating to prevent further off site migration of contaminated soil vapor and to the extent practical, remediate contaminated soil vapor located off site. Based on the July 2010 sampling results at Home #3, the indoor air concentrations of targeted VOC's are below the NYSDOH air guideline values even without the APU and SSD mitigation systems operating. Also, sample results from the August 2010 event, shows that the SSD system stack concentrations and SVPM soil vapor concentrations have continued to decrease since June 2009, especially after the start up of the SVE Containment System in January 2010.

In November 2010, another round of indoor air monitoring will be conducted in the residential homes to evaluate the effectiveness of the mitigation systems both in the houses and on the Navy property. Off site soil gas testing will continue to be conducted in the residential neighborhood to confirm the effectiveness of the SVE Containment System to prevent further off-site migration.

REFERENCES

New York State Department of Health (NYSDOH), 2006. Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York. October.

Tetra Tech NUS, Inc. (Tetra Tech), 2008a. Site 1-Soil Vapor Investigation. Naval Weapons Industrial Reserve Plant, Bethpage, New York. April.

Tetra Tech NUS, Inc. (Tetra Tech), 2008b. Letter Work Plan-Site 1-Phase II Soil Vapor Investigation. Naval Weapons Industrial Reserve Plant, Bethpage, New York. September.

Tetra Tech NUS, Inc. (Tetra Tech), 2008c. Letter Work Plan-Site 1-Indoor Air Sampling. Naval Weapons Industrial Reserve Plant, Bethpage, New York. December.

Tetra Tech NUS, Inc. (Tetra Tech), 2009a. Site 1 – Phase II Soil Vapor Report, Site 1 – Former Drum Marshalling Area. Naval Weapons Industrial Reserve Plant, Bethpage, New York. August.

Tetra Tech NUS, Inc. (Tetra Tech), 2009b. Data Summary Report Soil Vapor Intrusion Investigation, Site 1 – Former Drum Marshalling Area. Naval Weapons Industrial Reserve Plant, Bethpage, New York. August.

Tetra Tech NUS, Inc. (Tetra Tech), 2009c. Quarterly Data Summary Report Indoor Air and SSD Monitoring (May, June, and July 2009). Naval Weapons Industrial Reserve Plant, Bethpage, New York. October.

Tetra Tech NUS, Inc. (Tetra Tech), 2009d. Quarterly Data Summary Report Indoor Air and SSD Monitoring (August, September, and October 2009). Naval Weapons Industrial Reserve Plant, Bethpage, New York. December.

Tetra Tech NUS, Inc. (Tetra Tech), 2010. Quarterly Data Summary Report Soil Vapor Intrusion Monitoring (November and December 2009, and January 2010). Naval Weapons Industrial Reserve Plant, Bethpage, New York. February.

United States Environmental Protection Agency (USEPA), 1999. Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air Second Edition Compendium Method TO-15 Determination Of Volatile Organic Compounds (VOCs) In Air Collected In Specially- Prepared Canisters And Analyzed By Gas Chromatography/ Mass Spectrometry (GC/MS). January.

TABLES

Table 2-1
Sample Summary
July 2010 and August 2010
Site 1 - Former Drum Marshaling Area
NWIRP Bethpage, New York

| Sample ID | Date(s) Collected | Duration of Sample | Sample Location | Event Type |
|-----------------------|-----------------------|--------------------|-----------------|----------------|
| BPS1-AR003-INDL-5 | 7/27/2010 - 7/28/2010 | 24 Hours | Living Space | PUS/PSSD/PSVE* |
| BPS1-AR003-INDL-5 DUP | 7/27/2010 - 7/28/2010 | 24 Hours | Living Space | PUS/PSSD/PSVE* |
| BPS1-AR003-INDB-5 | 7/27/2010 - 7/28/2010 | 24 Hours | Basement | PUS/PSSD/PSVE* |
| BPS1-AR003-SSB3 | 7/27/2010 - 7/28/2010 | 24 Hours | Subslab | PUS/PSSD/PSVE* |
| BPS1-AR003-ODA3 | 7/27/2010 - 7/28/2010 | 24 Hours | ODA | PUS/PSSD/PSVE* |
| BPSI-AR002-ST05 | 8/24/2010 | 30 Minutes | SSD Stack | PSSD/PSVE** |
| BPS1-AR003-ST05 | 8/24/2010 | 30 Minutes | SSD Stack | PSSD/PSVE** |
| BPS1-AR004-ST05 | 8/24/2010 | 30 Minutes | SSD Stack | PSSD/PSVE** |
| BPS1-AR013-ST05 | 8/24/2010 | 30 Minutes | SSD Stack | PSSD/PSVE** |
| BPS1-AR013-ST05 DUP | 8/24/2010 | 30 Minutes | SSD Stack | PSSD/PSVE** |
| BPS1-AR014-ST05 | 8/24/2010 | 30 Minutes | SSD Stack | PSSD/PSVE** |
| BPS1-AR002-ODA4 | 8/24/2010 | 8 Hours | ODA | PSSD/PSVE** |
| BPS1-SVPM-2002S | 8/25/2010 | 30 Minutes | Soil Gas | PSSD/PSVE** |
| BPS1-SVPM-2002I | 8/25/2010 | 30 Minutes | Soil Gas | PSSD/PSVE** |
| BPS1-SVPM-2002D | 8/25/2010 | 30 Minutes | Soil Gas | PSSD/PSVE** |
| BPS1-SVPM-2003D | 8/25/2010 | 30 Minutes | Basement | PSSD/PSVE** |
| BPS1-SVPM-ODA | 8/25/2010 | 8 Hours | ODA | PSSD/PSVE** |
| BPSI-SVPM-2003I | 8/26/2010 | 30 Minutes | Soil Gas | PSSD/PSVE** |
| BPSI-SVPM-2004I | 8/26/2010 | 30 Minutes | Soil Gas | PSSD/PSVE** |
| BPSI-SVPM-2004I DUP | 8/26/2010 | 30 Minutes | Soil Gas | PSSD/PSVE** |
| BPSI-SVPM-2004D | 8/26/2010 | 30 Minutes | Soil Gas | PSSD/PSVE** |
| BPSI-SVPM-2007D | 8/26/2010 | 30 Minutes | Soil Gas | PSSD/PSVE** |
| BPSI-SVPM-11S | 8/26/2010 | 30 Minutes | Soil Gas | PSSD/PSVE** |
| BPSI-SVPM-12S | 8/26/2010 | 30 Minutes | Soil Gas | PSSD/PSVE** |
| BPSI-SVPM-12S DUP | 8/26/2010 | 30 Minutes | Soil Gas | PSSD/PSVE** |
| BPSI-SVPM-ODA | 8/26/2010 | 8 Hours | ODA | PSSD/PSVE** |

Notes:

DUP = Duplicate Sample

INDB = Basement Indoor Air

INDL = Living Space Indoor Air

ODA = Outdoor Air

PUS = Post Air Purification Unit Installation Sampling

PSSD = Post SSD Startup Sampling

PSVE = Post Soil Vapor Extraction Containment System startup

SSD = Sub-slab Depressurization System

ST = Stack

*Air purification units were permanently removed and the SSD system was temporarily shut down on 7/13/10. Sample collection was completed on 7/28/2010 and the SSD was restarted shortly after the last sample was collected.

**SVE Containment system was shut down approximately 24 hours prior to PSVE sampling

**Table 3-1
Analytical Summary
Home #3
Site 1 - Former Drum Marshaling Area
NWIRP Bethpage, New York**

| Sample ID | Date Collected | Sample Type | Event Type | TCE ($\mu\text{g}/\text{m}^3$) | PCE ($\mu\text{g}/\text{m}^3$) | TCA ($\mu\text{g}/\text{m}^3$) |
|------------------------------------|----------------|--------------|-----------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| INDOOR AIR SAMPLES | | | NYSDOH Air Guideline Value | 5 | 100 | 100* |
| BPS1-AR003-IND2 | 2/18/2009 | Living Space | IS | 110 | 3.1 | 74 |
| BPS1-AR003-IND5 | 3/12/2009 | Living Space | PUS | 2.8 | ND | 5.2 |
| BPS1-AR003-IND5 DUP | 3/12/2009 | Living Space | PUS | 3.0 | ND | 5.5 |
| BPS1-AR003-INDL-01 | 6/23/2009 | Living Space | PSSD | 16 | 2.4 | 30 |
| BPS1-AR003-INDL-02 | 8/26/2009 | Living Space | PSSD | 10 | 0.43 J | 5.2 |
| BPS1-AR003-INDL-03 | 11/17/2009 | Living Space | PSSD | 1.1 | ND | 5.2 |
| BPS1-AR003-INDL-4 | 3/3/2010 | Living Space | PSSD/PSVE | 0.64 | ND | 3.7 |
| BPS1-AR003-INDL-5 | 7/28/2010 | Living Space | PSVE ⁽²⁾ | 0.16 J | 0.28 J | 3.3 |
| BPS1-AR003-INDL-5 DUP | 7/28/2010 | Living Space | PSVE ⁽²⁾ | 0.15 J | 0.28 J | 2.9 |
| BPS1-AR003-IND | 1/22/2009 | Basement | IS | 180 | 4.3 | 95 |
| BPS1-AR003-IND DUP | 1/22/2009 | Basement | IS | 180 | 4.2 | 98 |
| BPS1-AR003-IND3 | 2/26/2009 | Basement | PUS | 34 | 0.75 | 27 |
| BPS1-AR003-IND3 DUP | 2/26/2009 | Basement | PUS | 31 | 0.72 | 27 |
| BPS1-AR003-IND4 | 3/12/2009 | Basement | PUS | 32 | 0.49 J | 41 |
| BPS1-AR003-INDB | 4/30/2009 | Basement | PUS | 52 | 0.38 J | 65 |
| BPS1-AR003-INDB DUP | 4/30/2009 | Basement | PUS | 50 | 0.54 | 64 |
| BPS1-AR003-INDB-01 | 6/23/2009 | Basement | PSSD | 79 | 1.1 | 19 |
| BPS1-AR003-INDB-02 | 8/26/2009 | Basement | PSSD | 27 | 1.3 | 4 |
| BPS1-AR003-INDB-03 | 11/17/2009 | Basement | PSSD ⁽¹⁾ | 5.1 | 0.58 | 0.78 |
| BPS1-AR003-INDB-4 | 3/3/2010 | Basement | PSSD/PSVE | ND | ND | ND |
| BPS1-AR003-INDB-5 | 7/28/2010 | Basement | PSVE ⁽²⁾ | 0.27 J | 0.28 J | 1.9 |
| SUB-SLAB SOIL VAPOR SAMPLES | | | NYSDOH Sub-Slab Guideline | 250* | 1,000* | 1,000* |
| BPS1-AR003-SSB | 1/22/2009 | Subslab | IS | 13,000 | 130 | 10,000 |
| BPS1-AR003-SSB2 | 8/26/2009 | Subslab | PSSD | 260 | 3.7 | 38 |
| BPS1-AR003-SSB3 | 7/28/2010 | Subslab | PSVE ⁽²⁾ | 14 | 0.96 | 2.3 |
| SSD STACK SAMPLES | | | | | | |
| BPS1-AR003-ST01 | 6/22/2009 | SSD Stack | PSSD | 7,700 | 92 | 3,600 |
| BPS1-AR003-ST02 | 8/25/2009 | SSD Stack | PSSD | 10,000 | 170 | 4,200 |
| BPS1-AR003-ST03 | 11/16/2009 | SSD Stack | PSSD | 6,200 | 64 | 2,900 |
| BPS1-AR003-DUP02 | 11/16/2009 | SSD Stack | PSSD | 5,400 | 61 | 2,200 |
| BPS1-AR003-ST04 | 3/2/2010 | SSD Stack | PSSD/PSVE | 3.8 | 0.82 | 0.98 |
| BPS1-AR003-ST05 | 8/24/2010 | SSD Stack | PSSD/PSVE ⁽²⁾ | 4.3 | 2.4 | 2.4 |

Notes:

TCE = Trichloroethene
PCE = Tetrachloroethene
TCA = 1,1,1-Trichloroethane
INDB = Basement indoor air sample
INDL = Living Space indoor air sample
IS = Initial Sampling
PSSD = Post Sub-slab Depressurization (SSD) System Startup Sampling, APU also operating
PUS = Post Air Purification Unit (APU) Installation Sampling
PSVE = Post Soil Vapor Extraction Containment system startup

Highlighted rows show analytical results for this reporting period.

ST = SSD Stack sample
SSB = Sub-slab Sample
ND = not detected
 $\mu\text{g}/\text{m}^3$ = micrograms per cubic meter
J = Estimated Value
BOLD = Concentration exceeds NYSDOH Guideline value

* Value derived from Table 3.3 (Matrix 1 and 2), NYSDOH Guidance for Evaluating Soil Vapor Intrusion in the State of New York (NYSDOH, 2006)

⁽¹⁾ After sample collection in November 2009, the SSD system fan was upgraded to increase the vacuum under the sub-slab of Home #3.

⁽²⁾ Air purification units were removed and the SSD system was temporarily shut down on 7/13/10. Sample collection was completed on 7/28/2010 and the SSD was restarted shortly after the last sample was collected.

Table 3-2
Analytical Summary
SSD System Stack Samples
Site 1 - Former Drum Marshaling Area
NWIRP Bethpage, New York

| Home # | Mitigation Type | Date Collected | Sample ID | Sample Type | Event Type | TCE (µg/m ³) | PCE (µg/m ³) | TCA (µg/m ³) |
|-----------|------------------|----------------|--------------------------------|-------------|------------|-----------------------------|-----------------------------|-----------------------------|
| 2 | APU/SSD | 1/21/2009 | BPS1-AR002-SSB | Subslab | IS | 16,000 | 310 | 15,000 |
| | | 6/22/2009 | BPS1-AR002-ST01 | SSD Stack | PSSD | 11,000 | 280 | 5,900 |
| | | 8/25/2009 | BPS1-AR002-ST02 | SSD Stack | PSSD | 12,000 | 460 | 5,300 |
| | | 8/25/2009 | BPS1-AR002-ST02 DUP | SSD Stack | PSSD | 12,000 | 500 | 5,400 |
| | | 11/16/2009 | BPS1-AR002-ST03 | SSD Stack | PSSD | 9,900 | 330 | 3,800 |
| | | 3/1/2010 | BPS1-AR002-ST04 * | SSD Stack | PSSD/PSVE | 11 | 2.4 | 1.7 |
| | | 3/1/2010 | BPS1-AR002-ST04-DUP * | SSD Stack | PSSD/PSVE | 12 | 2.4 | 1.9 |
| | | 8/24/2010 | BPSI-AR002-ST05 ⁽¹⁾ | SSD Stack | PSSD/PSVE | 9.6 J | 3.9 J | 1.2 J |
| 3 | APU/SSD | 1/22/2009 | BPS1-AR003-SSB | Subslab | IS | 13,000 | 130 | 10,000 |
| | | 8/26/2009 | BPS1-AR003-SSB2 | Subslab | PSSD | 260 | 3.7 | 38 |
| | | 7/28/2010 | BPS1-AR003-SSB3 | Subslab | PSVE only | 25 | 2.0 J | 3.6 J |
| | | 6/22/2009 | BPS1-AR003-ST01 | SSD Stack | PSSD | 7,700 | 92 | 3,600 |
| | | 8/25/2009 | BPS1-AR003-ST02 | SSD Stack | PSSD | 10,000 | 170 | 4,200 |
| | | 11/16/2009 | BPS1-AR003-ST03 | SSD Stack | PSSD | 6,200 | 64 | 2,900 |
| | | 11/16/2009 | BPS1-AR003-ST03 DUP | SSD Stack | PSSD | 5,400 | 61 | 2,200 |
| | | 3/2/2010 | BPS1-AR003-ST04 * | SSD Stack | PSSD/PSVE | 3.8 | 0.82 | 0.98 |
| 8/24/2010 | BPSI-AR003-ST05* | SSD Stack | PSSD/PSVE | 4.3 | 2.4 | 2.4 | | |
| 4 | APU/SSD | 1/21/2009 | BPS1-AR004-SSB | Subslab | IS | 1,400 | 42 | 2,100 |
| | | 6/25/2009 | BPS1-AR004-ST01 | SSD Stack | PSSD | 160 | 2 | 190 |
| | | 6/25/2009 | BPS1-AR004-ST01 DUP | SSD Stack | PSSD | 160 | 1.7 | 180 |
| | | 8/25/2009 | BPS1-AR004-ST02 | SSD Stack | PSSD | 360 | 31 | 210 |
| | | 11/17/2009 | BPS1-AR004-ST03 | SSD Stack | PSSD | 300 | 17 | 140 |
| | | 3/2/2010 | BPS1-AR004-ST04 * | SSD Stack | PSSD/PSVE | 1.8 | 1.5 | 0.21 J |
| | | 8/24/10 | BPSI-AR004-ST05* | SSD Stack | PSSD/PSVE | 2.3 J | 1.9 J | 0.17 J |
| 13 | APU/SSD | 2/26/2009 | BPS1-AR013-SSB | Subslab | IS | 230 | 11 | 420 |
| | | 2/26/2009 | BPS1-AR013-SSB DUP | Subslab | IS | 250 | 12 | 440 |
| | | 6/24/2009 | BPS1-AR013-ST01 | SSD Stack | PSSD | 70 | 68 | 84 |
| | | 8/25/2009 | BPS1-AR013-ST02 | SSD Stack | PSSD | 48 | 8.6 | 58 |
| | | 11/16/2009 | BPS1-AR013-ST03 | SSD Stack | PSSD | 29 | 4.8 | 30 |
| | | 3/2/2010 | BPS1-AR013-ST04 * | SSD Stack | PSSD/PSVE | 1.1 | 1.3 | 1.8 |
| | | 8/24/2010 | BPSI-AR013-ST05* | SSD Stack | PSSD/PSVE | 0.87 | 2.20 | 0.31 J |
| | | 8/24/2010 | BPSI-AR013-ST05 DUP* | SSD Stack | PSSD/PSVE | 0.94 | 2.50 | 0.34 J |
| 14 | APU/SSD | 3/11/2009 | BPS1-AR014-SSB | Subslab | IS | 290 | 15 | 970 |
| | | 6/24/2009 | BPS1-AR014-ST01 | SSD Stack | PSSD | 88 | 13 | 110 |
| | | 8/26/2009 | BPS1-AR014-ST02 | SSD Stack | PSSD | 30 | 10 | 43 |
| | | 11/17/2009 | BPS1-AR014-ST03 | SSD Stack | PSSD | 12 | 5.3 | 13 |
| | | 3/1/2010 | BPS1-AR014-ST04 * | SSD Stack | PSSD/PSVE | 1 | 1.6 | 0.95 |
| | | 8/24/2010 | BPSI-AR014-ST05* | SSD Stack | PSSD/PSVE | 0.55 | 2.90 | 0.34 J |

NOTES:

Bold values indicate exceedance of NYSDOH guideline values

Highlighted rows show analytical results for this reporting period.

* Sample collected after SVE Containment System began operation in January 2010

IS = Initial Sampling

PSSD = Post SSD Installation Sampling

PSVE = Post Soil Vapor Extraction Containment system start up

(1) APUs were removed from the home on 7/13/10.

TABLE 3-3
Analytical Comparison of Detections
Soil Vapor Pressure Monitors
Site 1 - Former Drum Marshalling Area
NWIRP Bethpage, New York

| Depth - bgs | SVPM 11 | | SVPM 12 | | | SVPM 2002 | | | | | | SVPM 2003 | | | | SVPM 2004 | | | | SVPM 2007 | | |
|--------------------------|------------|-----------------|------------|-----------------|---------------------|------------------|-------------------|------------------|-------------------|------------------|-------------------|------------------|-------------------|------------------|-------------------|------------------|-------------------|-----------------------|------------------|-------------------|------------------|-------------------|
| | 24 Feet | | 25 Feet | | | 8 Feet | | 20 Feet | | 44 Feet | | 20 Feet | | 49 Feet | | 20 Feet | | 49 Feet | | 49 Feet | | |
| Sample ID | SVPM11S-24 | BPSI - SVPM-11S | SVPM12S-25 | BPSI - SVPM-12S | BPSI - SVPM-12S DUP | BPSI - SG2002-08 | BPSI - SVPM-2002S | BPSI - SG2002-20 | BPSI - SVPM-2002I | BPSI - SG2002-44 | BPSI - SVPM-2002D | BPSI - SG2003-20 | BPSI - SVPM-2003I | BPSI - SG2003-49 | BPSI - SVPM-2003D | BPSI - SG2004-20 | BPSI - SVPM-2004I | BPSI - SVPM-2004I DUP | BPSI - SG2004-49 | BPSI - SVPM-2004D | BPSI - SG2007-49 | BPSI - SVPM-2007D |
| Date | January-08 | August-10 | January-08 | August-10 | August-10 | October-08 | August-10 | October-08 | August-10 | October-08 | August-10 | October-08 | August-10 | October-08 | August-10 | October-08 | August-10 | August-10 | October-08 | August-10 | October-08 | August-10 |
| VOCs (µg/m3) | | | | | | | | | | | | | | | | | | | | | | |
| Trichloroethene | 7,200 | 3,100 | 73,000 | 1,200 | 1,200 | 34,000 | 17 | 89,000 | 8 | 26,000 | 10 | 82 | 0.36 J | 710 | 5.2 | 550 | 0.28 J | 0.26 J | 600 | 0.47 | 400 | 1.5 |
| Tetrachloroethene | 5,300 | 330 | ND | 55 | 53 | 420 | 3 | 740 | 1.8 | 48 J | 4 | 14 | 5 | 8.9 | 2.5 | 1,000 | 1.8 | 2.1 | 580 | 2.9 | 5.3 J | 2.7 |
| 1,1,1-Trichloroethane | 2,400 | 16 | 36,000 | 71 | 74 | 21,000 | 1.2 | 52,000 | 0.68 | 27,000 | 1 | 170J | 0.23 J | 720J | 1.2 | 460 | 0.20 J | 0.17 J | 480 | 0.33 J | 870 | 1.5 |
| Vinyl Chloride | ND | ND | ND | ND | ND | ND | 0.028 J | ND | ND | ND | 0.022 J | ND | ND | ND | ND | ND | 0.016 J | 0.028 J | ND | 0.042 J | ND | 0.036 J |
| 1,1-Dichloroethane | 63 | ND | 710 | 1.2 J | 1.3 J | 170 | 0.017 J | 680 | 0.014 J | 490 | 0.027 J | 0.49 J | ND | 8.6 | 0.026 J | 44 | 0.072 J | 0.079 J | 74 | 0.030 J | 3.0 J | 0.041 J |
| 1,1-Dichloroethene | ND | ND | 1,700 | ND | ND | 220 | 0.071 J | 890 | 0.037 J | 480 | ND | 2 | ND | 23 | ND | 7.1 | 0.043 J | ND | ND | ND | 13 | ND |
| cis-1,2-Dichloroethene | 860 | 38 | 200J | 140 | 150 | 49 J | ND | 170 | ND | 130 | 0.022 J | ND | ND | 1.6 | ND | 4.6 | ND | ND | ND | ND | ND | 0.95 |
| 1,2-Dichloroethane | ND | ND | ND | ND | ND | ND | 0.076 J | ND | 0.087 J | ND | 0.054 J | ND | ND | ND | 0.063 J | ND | 0.065 J | 0.056 J | ND | 0.078 J | ND | 0.11 J |
| trans-1,2-Dichloroethene | 64 | 4.1 J | ND | 2.2 J | 2.5 J | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 3.9 | 0.015 J | ND | ND | ND | ND | 0.054 J |

bgs - Below Ground Surface
µg/m³ = micrograms per cubic meter
J = estimated value
ND = No Detect

Table 3-4
Analytical Summary
Outdoor Air Sampling
Site 1 - Former Drum Marshalling Area
NWIRP Bethpage, New York

| Sample ID | BPS1-AR003-ODA-3 | BPS1-AR002-ODA-4 | BPS1-SVPM-ODA | BPS1-SVPM-ODA | Frequency of Detections |
|---|------------------|------------------|---------------|---------------|----------------------------|
| Sample Collection Date | 7/28/2010 | 8/24/2010 | 8/25/2010 | 8/26/2010 | |
| Volatile Organics (ug/m³) | | | | | |
| 1,1,1-TRICHLOROETHANE | 0.07 J | 0.062 J | 0.036 J | 0.037 J | 4 of 4 |
| 1,1-DICHLOROETHANE | ND | ND | ND | ND | 0 of 4 |
| 1,1-DICHLOROETHENE | ND | ND | ND | ND | 0 of 4 |
| 1,2-DICHLOROETHANE | 0.27 J | 0.076 J | 0.082 J | 0.10 J | 4 of 4 |
| CIS-1,2-DICHLOROETHENE | ND | ND | ND | 0.026 J | 1 of 4 |
| TETRACHLOROETHENE | 0.16 J | 0.16 J | 0.27 J | 0.24 J | 4 of 4 |
| TRANS-1,2-DICHLOROETHENE | ND | ND | ND | ND | 0 of 4 |
| TRICHLOROETHENE | 0.22 J | 0.048 J | 0.044 J | 0.040 J | 4 of 4 |
| VINYL CHLORIDE | ND | ND | ND | ND | 0 of 4 |

Notes:


Sample collection date indicates the day of collection. Samples ran for 24 hours prior to collection.

µg/m³ = micrograms per cubic meter

ND = Non-Detect Value

J = Estimated Value


FIGURES




TETRA TECH NUS, INC.

GENERAL LOCATION MAP
 NWIRP BETHPAGE
 BETHPAGE, NEW YORK

| | |
|---------------------------|------------------|
| SCALE AS NOTED | |
| FILE 112G01687 | |
| REV 0 | DATE 04/14/09 |
| FIGURE NUMBER FIGURE 1 | |



TETRA TECHNUS, INC.

SITE LOCATION MAP
 SITE 1
 NWIRP
 BETHPAGE, NEW YORK

| | |
|---------------------------|---------------|
| SCALE AS NOTED | |
| FILE 112G01687CM02 | |
| REV 0 | DATE 04/14/09 |
| FIGURE NUMBER FIGURE 2 | |

APPENDICES

APPENDIX A

SVPM Implant Retrofit Log Sheets



**OVERBURDEN
MONITORING WELL SHEET
FLUSH - MOUNT**


WELL NO.: SUPM-20025

Tetra Tech NUS, Inc.

Geoprobe Implant Retrofit for Soil Vapor Pressure Monitor

| | | |
|-------------------------------|-------------------------------|---|
| PROJECT <u>NUEP Bethpage</u> | LOCATION <u>Site 1</u> | DRILLER <u>SUPM previously</u> |
| PROJECT NO. <u>112602019</u> | BORING <u>8123110</u> | DRILLING <u>installed January</u> |
| DATE BEGUN <u>8/23/10</u> | DATE COMPLETED <u>8/23/10</u> | METHOD <u>2009, this document</u> |
| FIELD GEOLOGIST <u>R. Sok</u> | | DEVELOPMENT <u>implant construction</u> |
| GROUND ELEVATION _____ | DATUM _____ | METHOD <u>Only</u> |

ACAD:FORM_MWFM.dwg 07/20/99 INL



ELEVATION TOP OF RISER: _____

TYPE OF SURFACE SEAL: around implant cement/bentonite plug 0.2' to top casing

TYPE OF PROTECTIVE CASING: Flush mount cover
I.D. OF PROTECTIVE CASING: 4"

DIAMETER OF HOLE: 2.25"

TYPE OF RISER PIPE: PVC
RISER PIPE I.D.: 1"

TYPE OF BACKFILL/SEAL: around tubing #1 silica Quartz to 0.2' below TOC to seal

ELEVATION/DEPTH TOP OF SEAL: around implant, 2.00' TOC

TYPE OF SEAL: around poly tubing, 3/8" Bentonite Hole Plug

ELEVATION/DEPTH TOP OF SAND: inside casing, 6.20' TOC

ELEVATION/DEPTH TOP OF SCREEN: 7.32' TOC
TYPE OF SCREEN: PVC
SLOT SIZE x LENGTH: 0.010 slot x 2'

TYPE OF SAND PACK: around implant, #1 silica Quartz

DIAMETER OF HOLE IN BEDROCK: NA

ELEVATION / DEPTH BOTTOM OF SCREEN: 9.32' TOC
ELEVATION / DEPTH BOTTOM OF SAND: 9.32' TOC
ELEVATION/DEPTH BOTTOM OF HOLE: 9.32' TOC
BACKFILL MATERIAL BELOW SAND: WA

7/4" ID Poly tubing

8.72' below TOC
6" stainless steel Geoprobe Implant
9.32' below TOC




**OVERBURDEN
MONITORING WELL SHEET
FLUSH - MOUNT**

WELL NO.: SVPM-2002Z

Tetra Tech NUS, Inc. Geoprobe Implant Retrofit for Soil Vapor Pressure Monitor

| | | |
|---------------------------------|-------------------------------|---|
| PROJECT <u>NIERP - Bethpage</u> | LOCATION <u>Site 1</u> | DRILLER <u>SVPM previously</u> |
| PROJECT NO. <u>112G02019</u> | BORING <u>NA</u> | DRILLING METHOD <u>Installed January 2009. This documents</u> |
| DATE BEGUN <u>8/23/10</u> | DATE COMPLETED <u>8/23/10</u> | DEVELOPMENT METHOD <u>implant construction</u> |
| FIELD GEOLOGIST <u>R. Sak</u> | DATUM _____ | METHOD <u>only</u> |

ACAD:FORM_MWFEM.dwg 07/29/99 INL



1/4" I.D. Poly tubing

22.41' below top
6" stainless steel Geoprobe Implant

21.81' below TOC

ELEVATION TOP OF RISER: _____

TYPE OF SURFACE SEAL: around implant; cement/Bentonite plug - 0.2' to top of casing

TYPE OF PROTECTIVE CASING: Flush mount cover

I.D. OF PROTECTIVE CASING: 6"

DIAMETER OF HOLE: 2.25"

TYPE OF RISER PIPE: PVC

RISER PIPE I.D.: 1"

TYPE OF BACKFILL/SEAL: around tubing; #1 silica Quartz to 0.2' from TOC to rocks

ELEVATION/DEPTH TOP OF SEAL: 16.00' TOC

TYPE OF SEAL: around poly tubing; 3/8" Bentonite Hole Plug

ELEVATION/DEPTH TOP OF SAND: inside casing; 19.51' TOC

ELEVATION/DEPTH TOP OF SCREEN: 20.71' TOC

TYPE OF SCREEN: PVC

SLOT SIZE x LENGTH: 0.010 slot x 2'

TYPE OF SAND PACK: around Implant; #1 silica Quartz

DIAMETER OF HOLE IN BEDROCK: NA

ELEVATION / DEPTH BOTTOM OF SCREEN: 22.71' TOC

ELEVATION / DEPTH BOTTOM OF SAND: 22.71' TOC

ELEVATION/DEPTH BOTTOM OF HOLE: 22.71' TOC

BACKFILL MATERIAL BELOW SAND: NA




OVERBURDEN
MONITORING WELL SHEET
FLUSH - MOUNT

WELL NO.: SVPM-20020

Tetra Tech NUS, Inc. Geoprobe Implant Retrofit for Soil Vapor Pressure Monitor

| | | |
|-------------------------------|-------------------------------|---|
| PROJECT <u>NWZRP Beffrage</u> | LOCATION <u>side 1</u> | DRILLER <u>SVPM previously</u> |
| PROJECT NO. <u>112602019</u> | BORING <u>NA</u> | DRILLING METHOD <u>Installed January 2009. This documents</u> |
| DATE BEGUN <u>8/23/10</u> | DATE COMPLETED <u>8/23/10</u> | DEVELOPMENT METHOD <u>implant construction only.</u> |
| FIELD GEOLOGIST <u>R. Sok</u> | DATUM _____ | |
| GROUND ELEVATION _____ | | |

ACAD:FORM_MWFM.dwg 07/29/99 INL



ELEVATION TOP OF RISER: _____

TYPE OF SURFACE SEAL: around implant: cement / bentonite plug - 0.2' below TOC to TOC

TYPE OF PROTECTIVE CASING: Flush mount cover

I.D. OF PROTECTIVE CASING: 6"

DIAMETER OF HOLE: 2.25"

TYPE OF RISER PIPE: PVC

RISER PIPE I.D.: 1"

TYPE OF BACKFILL/SEAL: around tubing: #1 silica Quartz to 0.2' below to TOC

ELEVATION/DEPTH TOP OF SEAL: 36.0' TOC

TYPE OF SEAL: around poly tubing: 3/8" bentonite hole plug

ELEVATION/DEPTH TOP OF SAND inside casing: 40.00' TOC

ELEVATION/DEPTH TOP OF SCREEN: 41.34' TOC

TYPE OF SCREEN: PVC

SLOT SIZE x LENGTH: 0.010 slot x 2'

TYPE OF SAND PACK: around Implant: #1 silica Quartz

DIAMETER OF HOLE IN BEDROCK: NA

ELEVATION / DEPTH BOTTOM OF SCREEN: 43.34' TOC

ELEVATION / DEPTH BOTTOM OF SAND: 43.34' TOC

ELEVATION/DEPTH BOTTOM OF HOLE: 43.34' TOC

BACKFILL MATERIAL BELOW SAND: NA

1/4" I.D poly tubing

42.50' below TOC

6" stainless steel Geoprobe Implant

43.0' below TOC




**OVERBURDEN
MONITORING WELL SHEET
FLUSH - MOUNT**

WELL NO.: SUPM-2003F

Tetra Tech NUS, Inc. *Geoprobe Implant Retrofit for Soil Vapor Pressure Monitor*

| | | |
|-------------------------------|-------------------------------|---|
| PROJECT <u>NWEAP Berhage</u> | LOCATION <u>Site 1</u> | DRILLER <u>SUPM previously</u> |
| PROJECT NO. <u>112602019</u> | BORING <u>NA</u> | DRILLING <u>installed January</u> |
| DATE BEGUN <u>8/23/10</u> | DATE COMPLETED <u>8/23/10</u> | METHOD <u>2009 This documents</u> |
| FIELD GEOLOGIST <u>P. Sok</u> | DATUM _____ | DEVELOPMENT <u>implant construction</u> |
| GROUND ELEVATION _____ | | METHOD <u>only</u> |

ACAD:FORM_MWFM.dwg 07/29/99 INL





OVERBURDEN
MONITORING WELL SHEET
FLUSH - MOUNT


WELL NO.: 511PM-20030

Tetra Tech NUS, Inc.

Geoprobe Implant Retrofit for Soil Vapor Pressure Monitor

| | | |
|-------------------------------|-------------------------------|---|
| PROJECT <u>NWTRP BPH page</u> | LOCATION <u>S/Lg 1</u> | DRILLER <u>SUM previously</u> |
| PROJECT NO. <u>112602019</u> | BORING <u>NA</u> | DRILLING <u>installed January</u> |
| DATE BEGUN <u>8/23/10</u> | DATE COMPLETED <u>8/23/10</u> | METHOD <u>2009. This document</u> |
| FIELD GEOLOGIST <u>R. Sok</u> | | DEVELOPMENT <u>implant construction</u> |
| GROUND ELEVATION _____ | DATUM _____ | METHOD <u>only</u> |

ACAD: FORM_MWTRM.dwg 07/20/99 INL



ELEVATION TOP OF RISER: _____

TYPE OF SURFACE SEAL: around Implant Cement / Bentonite Plug - 0.2' below TOC to TOC

TYPE OF PROTECTIVE CASING: Flush mount Cover

I.D. OF PROTECTIVE CASING: 6"

DIAMETER OF HOLE: 2.25"

TYPE OF RISER PIPE: PVC

RISER PIPE I.D.: 1"

TYPE OF BACKFILL/SEAL around tubing: #1 silica Quartz to 0.2' below TOC to TOC RIF

ELEVATION/DEPTH TOP OF SEAL: 34.0' TOC

TYPE OF SEAL around poly tubing: 3/8" Bentonite Hole plug

ELEVATION/DEPTH TOP OF SAND inside casing: 38.30' TOC

ELEVATION/DEPTH TOP OF SCREEN: 40.99' TOC

TYPE OF SCREEN: PVC

SLOT SIZE x LENGTH: 0.010 slot x 2'

TYPE OF SAND PACK around implant: #1 silica Quartz

DIAMETER OF HOLE IN BEDROCK: NA

ELEVATION / DEPTH BOTTOM OF SCREEN: 42.99' TOC

ELEVATION / DEPTH BOTTOM OF SAND: 42.99' TOC

ELEVATION/DEPTH BOTTOM OF HOLE: 42.99' TOC

BACKFILL MATERIAL BELOW SAND: NA

FLUSH MOUNT SURFACE CASING WITH LOCK

1/4" I.D. Poly tubing

41.49' below TOC

6" stainless steel Geoprobe Implant

41.99' below TOC

WELL NO.: 5VPM-2004I



OVERBURDEN MONITORING WELL SHEET FLUSH - MOUNT

Tetra Tech NUS, Inc.

Geoprobe Implant Retrofit for Soil Vapor Pressure Monitor

| | | |
|-------------------------------|-------------------------------|---|
| PROJECT <u>WVAP Bethpage</u> | LOCATION <u>Site 1</u> | DRILLER <u>5VPM previously</u> |
| PROJECT NO. <u>112 602019</u> | BORING <u>N/A</u> | DRILLING installed - <u>October</u> |
| DATE BEGUN <u>8/24/10</u> | DATE COMPLETED <u>8/24/10</u> | METHOD <u>2009 This documents</u> |
| FIELD GEOLOGIST <u>R. Sob</u> | | DEVELOPMENT <u>implant construction</u> |
| GROUND ELEVATION _____ | DATUM _____ | METHOD <u>only</u> |

ACAD:FORM_MWFM.dwg 07/29/99 INL

FLUSH MOUNT
SURFACE CASING
WITH LOCK

1/4" ID
poly tubing

24.17' below TOC

6" stainless steel
Geoprobe Implant

24.67' below TOC

ELEVATION TOP OF RISER: _____

TYPE OF SURFACE SEAL: around implant: cement/
Bentonite plug - 0.3' below TOC to TOC

TYPE OF PROTECTIVE CASING: Flush Mount
Cover

I.D. OF PROTECTIVE CASING: 6"

DIAMETER OF HOLE: 2.25"

TYPE OF RISER PIPE: PVC

RISER PIPE I.D.: 1"

TYPE OF BACKFILL/SEAL: around tubing: #1 silica
Quartz to 0.3' below TOC

ELEVATION/DEPTH TOP OF SEAL: 17.80' TOC

TYPE OF SEAL: around poly tubing: 3/8"
Bentonite Hole plug

ELEVATION/DEPTH TOP OF SAND: inside casing: 21.40' TOC

ELEVATION/DEPTH TOP OF SCREEN: 22.97' TOC

TYPE OF SCREEN: PVC
SLOT SIZE x LENGTH: 0.010 slot x 2'

TYPE OF SAND PACK: around implant
#1 silica Quartz

DIAMETER OF HOLE IN BEDROCK: N/A

ELEVATION / DEPTH BOTTOM OF SCREEN: 24.97' TOC

ELEVATION / DEPTH BOTTOM OF SAND: 24.97' TOC

ELEVATION/DEPTH BOTTOM OF HOLE: 24.97' TOC

BACKFILL MATERIAL BELOW SAND: N/A



OVERBURDEN
MONITORING WELL SHEET
FLUSH - MOUNT


WELL NO.: SVPM-20040

Tetra Tech NUS, Inc.

Geoprobe Implant Redesign for Soil Vapor Pressure Monitor

| | | |
|--------------------------------|-------------------------------|-------------------------------------|
| PROJECT <u>NWIRP Bethpage</u> | LOCATION <u>side 1</u> | DRILLER <u>SVPM previously</u> |
| PROJECT NO. <u>112602019</u> | BORING <u>NA</u> | DRILLING installed - <u>October</u> |
| DATE BEGUN <u>8/24/10</u> | DATE COMPLETED <u>8/24/10</u> | METHOD <u>2009. This documents</u> |
| FIELD GEOLOGIST <u>R. Sok.</u> | | DEVELOPMENT implant construction |
| GROUND ELEVATION _____ | DATUM _____ | METHOD <u>only.</u> |

ACAD:FORM_MWFM.dwg 07/28/99 INL



ELEVATION TOP OF RISER: _____

TYPE OF SURFACE SEAL around implant, cement Bentonite plug @ 0.2 below TOC to TOC

TYPE OF PROTECTIVE CASING: Flush mount cover

I.D. OF PROTECTIVE CASING: 6"

DIAMETER OF HOLE: 2.25"

TYPE OF RISER PIPE: PVC

RISER PIPE I.D.: 1"

TYPE OF BACKFILL/SEAL: around tubing, #1 silica Quartz to 0.2 below TOC

ELEVATION/DEPTH TOP OF SEAL: 31.02' TOC

TYPE OF SEAL: around tubing, 3/8" Bentonite Hole plug

ELEVATION/DEPTH TOP OF SAND inside casing, 34.78' TOC

ELEVATION/DEPTH TOP OF SCREEN: 35.38' TOC

TYPE OF SCREEN: PVC

SLOT SIZE x LENGTH: 0.010 slot x 2'

TYPE OF SAND PACK around implant, #1 silica Quartz

DIAMETER OF HOLE IN BEDROCK: NA

ELEVATION / DEPTH BOTTOM OF SCREEN: 37.38' TOC

ELEVATION / DEPTH BOTTOM OF SAND: 37.38' TOC

ELEVATION/DEPTH BOTTOM OF HOLE: 37.38' TOC

BACKFILL MATERIAL BELOW SAND: NA

3/4" I.D. Poly Tubing

36.78' below TOC

6" stainless steel Geoprobe Implant

37.38' below TOC



OVERBURDEN
MONITORING WELL SHEET
FLUSH - MOUNT


WELL NO.: SUPM-2007I

Tetra Tech NUS, Inc.

Geoprobe Implant Retrofit for soil Vapor Pressure Monitor

| | | |
|-------------------------------|-------------------------------|---|
| PROJECT <u>NWTPA Belhage</u> | LOCATION <u>site 1</u> | DRILLER <u>SUPM previously</u> |
| PROJECT NO. <u>112602019</u> | BORING <u>NA</u> | DRILLING METHOD <u>installed - January 2009 this document</u> |
| DATE BEGUN <u>8/24/10</u> | DATE COMPLETED <u>8/24/10</u> | DEVELOPMENT METHOD <u>implant construction only.</u> |
| FIELD GEOLOGIST <u>R. Sok</u> | DATUM _____ | |
| GROUND ELEVATION _____ | | |

ACAD:FORM_MWFM.dwg 07/20/99 INL



FLUSH MOUNT SURFACE CASING WITH LOCK

1/4" ID Poly tubing

21.91' below TOC
6" Stainless Steel Geoprobe Implant
22.41' below TOC

- ELEVATION TOP OF RISER: _____
- TYPE OF SURFACE SEAL: around implant; cement Bentonite plug 0.2' below TOC to TOC
- TYPE OF PROTECTIVE CASING: Flush mount cover
- I.D. OF PROTECTIVE CASING: 6"
- DIAMETER OF HOLE: 2.25"
- TYPE OF RISER PIPE: PVC
- RISER PIPE I.D.: 1"
- TYPE OF BACKFILL/SEAL: around tubing; #1 silica Quartz to 0.2' below TOC
- ELEVATION/DEPTH TOP OF SEAL: 15.70' TOC
- TYPE OF SEAL: around tubing; 3/8" Bentonite Hole Plug
- ELEVATION/DEPTH TOP OF SAND inside casing: 19.04' TOC
- ELEVATION/DEPTH TOP OF SCREEN: 20.41' TOC
- TYPE OF SCREEN: PVC
- SLOT SIZE x LENGTH: 0.010 slot x 2'
- TYPE OF SAND PACK: around implant; #1 silica Quartz
- DIAMETER OF HOLE IN BEDROCK: NA
- ELEVATION / DEPTH BOTTOM OF SCREEN: 22.41' TOC
- ELEVATION / DEPTH BOTTOM OF SAND: 22.41' TOC
- ELEVATION/DEPTH BOTTOM OF HOLE: 22.41' TOC
- BACKFILL MATERIAL BELOW SAND: NA



**OVERBURDEN
MONITORING WELL SHEET
FLUSH - MOUNT**


WELL NO.: SUPM-2007D

Tetra Tech NUS, Inc.

Geoprobe Implant Retrofit for Soil Vapor Pressure Monitor

| | | |
|-------------------------------|-------------------------------|---|
| PROJECT <u>NWIRP Bethpage</u> | LOCATION <u>side 1</u> | DRILLER <u>SUPM previously</u> |
| PROJECT NO. <u>112602019</u> | BORING <u>NA</u> | DRILLING <u>installed January</u> |
| DATE BEGUN <u>8/24/10</u> | DATE COMPLETED <u>8/24/10</u> | METHOD <u>2009, this document</u> |
| FIELD GEOLOGIST <u>R. Sok</u> | | DEVELOPMENT <u>implant construction</u> |
| GROUND ELEVATION _____ | DATUM _____ | METHOD <u>only</u> |

ACAD:FORM_MWFM.dwg 07/28/99 INL



ELEVATION TOP OF RISER: _____

TYPE OF SURFACE SEAL: around implant? cement bentonite plug 0.2 below TOC to TOC

TYPE OF PROTECTIVE CASING: Flush mount cover
I.D. OF PROTECTIVE CASING: 6"

DIAMETER OF HOLE: 2.75"

TYPE OF RISER PIPE: PVC

RISER PIPE I.D.: 1"

TYPE OF BACKFILL/SEAL: around tubing, #1 silica Quartz to 0.2 below TOC

ELEVATION/DEPTH TOP OF SEAL: 33.20' TOC

TYPE OF SEAL: around tubing, 3/8" bentonite Nore Plug

ELEVATION/DEPTH TOP OF SAND: inside casing, 37.40' TOC

ELEVATION/DEPTH TOP OF SCREEN: 38.0' TOC

TYPE OF SCREEN: PVC
SLOT SIZE x LENGTH: 0.010 slot x 2'

TYPE OF SAND PACK: around implant, #1 silica Quartz

DIAMETER OF HOLE IN BEDROCK: NA

ELEVATION / DEPTH BOTTOM OF SCREEN: 40.0' TOC

ELEVATION / DEPTH BOTTOM OF SAND: 40.0' TOC

ELEVATION/DEPTH BOTTOM OF HOLE: 40.0' TOC

BACKFILL MATERIAL BELOW SAND: NA

1/4" ID. Poly tubing

39.50' below TOC

4" stainless steel Geoprobe Implant

40.0' below TOC

APPENDIX B
AIR SAMPLING LOG SHEETS



Project Site Name:
Project No.:

NWIRP Bethpage
112G02019

Sample ID No.:
Sample Location:
Sampled By:

BPS 1 - ARO03-SSB3
Home # 3
RMS

| SAMPLING DATA: | | | | | | |
|------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| 7/28/10 | 0-5 mph | SE-SW | ~85°F | | | |
| 1609 | | | | | | |
| Method: 6L Summa | | | | | | |

| | |
|------------------|-------|
| Summa Canister # | 33323 |
| Filter Type/Flow | 24 hr |

Duplicate (if collected)

| |
|--|
| |
| |

| | | |
|-------------------|-----------|------------|
| Start Time Vacuum | 7/27 1604 | in Hg - 30 |
| End Time Vacuum | 7/28 1609 | in Hg - 5 |

| | |
|--|-------|
| | in Hg |
| | in Hg |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| — | — | — | — |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| — | — | — | |

Readings: BKG - 1.8 ppm
Liters/minute
 60ml @ 3.8
 120ml @ 3.7
 180ml @ 4.3
 240ml @ 4.4 ppm

APU Reading
 E-Meter
 HEPA Life
 Carbon Life

NA

Kwh
hours
hours

SSD Reading
 E-Meter
 Flow rate

NA

Kwh
cfm

Notes:

Subslab location placed adjacent to former locations SSB + SSB2.
 * APUs removed permanently from home on 7/13/10. SSD was shut off on 7/13/10. KLF



Tetra Tech NUS, Inc. AIR SAMPLING LOG SHEET

Project Site Name:
Project No.:

NWIRP Bethpage
112G02019

Sample ID No.:
Sample Location:
Sampled By:

BPS1 - AROO3 - INDR-5
Home # 3
RMS

| SAMPLING DATA: | | | | | | |
|------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| 7/28/10 | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| Time: 1622 | | | | | | |
| Method: 6L Summa | | | | | | |

| | |
|------------------|-------|
| Summa Canister # | 34348 |
| Filter Type/Flow | 24hr |

| | |
|----------------|--|
| Duplicate | |
| (if collected) | |

| | | | |
|-------------------|-----------|-------|------|
| Start Time Vacuum | 7/27 1608 | in Hg | -31 |
| End Time Vacuum | 7/28 1622 | in Hg | -7.5 |

| | |
|--|-------|
| | in Hg |
| | in Hg |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| — | — | — | — |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| — | — | — | |

Readings:
Liters/minute
— @ —
— @ —
— @ —

APU Reading
E-Meter Kwh
HEPA Life NA hours
Carbon Life hours

SSD Reading
E-Meter NA Kwh
Flow rate cfm

Notes:

Indoor air sample collected in middle of basement, near former basement air samples
 * APUs removed permanently from home on 7/13/10. SSD was shut off on 7/13/10
 RLF



Tetra Tech NUS, Inc. **AIR SAMPLING LOG SHEET**

Project Site Name:
Project No.:

NWIRP Bethpage
112G02019

Sample ID No.:
Sample Location:
Sampled By:

BPS1-AR003-INDL-5
Home # 3
RMS

| SAMPLING DATA: | | | | | | |
|------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: 7/28/10 | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: 1625 | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| Method: 6L Summa | | | | | | |

| | |
|------------------|-------|
| Summa Canister # | 12086 |
| Filter Type/Flow | 24hr |

Duplicate
(if collected)

| |
|-------|
| 94602 |
| 24hr |

(Used 1200 for blind dup time)

| | | |
|-------------------|-----------|------------|
| Start Time Vacuum | 7/27 1615 | in Hg -30 |
| End Time Vacuum | 7/28 1625 | in Hg -6.5 |

| | |
|-----------|-------------|
| 7/27 1615 | in Hg -32 |
| 7/28 1626 | in Hg -19.5 |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| — | — | — | — |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| — | — | — | |

Readings:
Liters/minute
— @ —
— @ —
— @ —

APU Reading
E-Meter Kwh
HEPA Life NA hours
Carbon Life hours

SSD Reading
E-Meter NA Kwh
Flow rate cfm

Notes:

Sample collected in between living room and dining room (1st floor) were former INDL samples were collected
 †APUs were removed permanently from home on 7/13/10, SSD was shut off on 7/13/10. KLF



Tetra Tech NUS, Inc. AIR SAMPLING LOG SHEET

Project Site Name:
Project No.:

NWIRP Bethpage
112G02019

Sample ID No.:
Sample Location:
Sampled By:

BPS1-AR003-00A3
Home #3
RMS

| SAMPLING DATA: | | | | | | |
|------------------|------------|--|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| 7/28/10 | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| Time: 1635 | 0-5mph | SE-SW <small>(Variable direction)</small> | ~85°F | | | |
| Method: 6L Summa | | | | | | |

| | |
|------------------|-------|
| Summa Canister # | 16791 |
| Filter Type/Flow | 24hr |

Duplicate
(if collected)

| |
|--|
| |
| |

| | | |
|-------------------|-----------|-------------|
| Start Time Vacuum | 7/28 1628 | in Hg -30 |
| End Time Vacuum | 7/28 1635 | in Hg -10.5 |

| | |
|--|-------|
| | in Hg |
| | in Hg |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| — | — | — | — |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| — | — | — | |

Readings:

Liters/minute

— @ —
— @ —
— @ —

APU

E-Meter
HEPA Life
Carbon Life

Reading

NA
Kwh hours
hours

SSD

E-Meter
Flow rate

Reading

NA
Kwh
cfm

7/28/10 1638
738
NA

Notes:

Outdoor Air sample collected from SE corner of backyard
* APUs removed permanently from home on 7/13/10. SSD was shut off on 7/13/10.
KLF



Project Site Name: NWIRP Bethpage
Project No.: 112G02019

Sample ID No.: BPSI-AR003-ST05
Sample Location: Home # 3
Sampled By: Vince

| SAMPLING DATA: | | | | | | |
|------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| 8-24-10 | NA | | | | | |
| 1454 | | | | | | |
| Method: Summa Canister | | | | | | |

| | |
|------------------|-----------|
| Summa Canister # | 5739 |
| Filter Type/Flow | 30 minute |

| | |
|--------------------------|----|
| Duplicate (if collected) | NA |
|--------------------------|----|

| | | | |
|-------------------|------|-------|------------|
| Start Time Vacuum | -30 | in Hg | 1412 hours |
| End Time Vacuum | -4.5 | in Hg | 1454 hours |

| | |
|--|-------|
| | in Hg |
| | in Hg |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| NA | | | |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| NA | | | |

Readings:

Liters/minute

NA @ _____
@ _____
@ _____

Notes:

- Stack PID reading range 0.0 to 0.6 ppm prior to sampling
 - Meter reading → 789 Kw



Tetra Tech NUS, Inc. SOIL GAS SAMPLING LOG SHEET

Project Site Name: NWIRP Bethpage
Project No.: 112G02019

Sample ID No.: BPS1-AR004-ST05
Sample Location: Home # 4
Sampled By: Vince Shickora / Rob Sak

| SAMPLING DATA: | | | | | | |
|------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| 8-24-10 | NA | | | | | |
| 1500 | | | | | | |
| Method: Summa Canister | | | | | | |

| | |
|------------------|-----------|
| Summa Canister # | 33989 |
| Filter Type/Flow | 30 minute |

Duplicate (if collected)

| | | | |
|-------------------|------|-------|------------|
| Start Time Vacuum | -31 | in Hg | 1420 hours |
| End Time Vacuum | -5.0 | in Hg | 1500 hours |

| | |
|--|-------|
| | in Hg |
| | in Hg |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| NA | | | |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| NA | | | |

Readings:

Liters/minute

NA @
@
@

Notes:

Stack PID readings range 0.0 ppm to 0.3 ppm prior to sampling



Project Site Name: NWIRP Bethpage
Project No.: 112G02019

Sample ID No.: BPS1-AR002-ST05
Sample Location: Home # 2
Sampled By: Vince Shickora / Ras Sok

SAMPLING DATA:

| Date: 8-24-10 | Wind speed (Visual) | Wind Direction (estimated) | Ambient temperature (°F) | Barometric Pressure (in.) | Relative Humidity (%) | Other |
|------------------------|------------------------|-------------------------------|-----------------------------|------------------------------|--------------------------|-------|
| Time: | NA | | | | | |
| Method: Summa Canister | | | | | | |

| | |
|------------------|------------|
| Summa Canister # | 1566 |
| Filter Type/Flow | 30 minutes |

Duplicate (if collected)

| | | | |
|-------------------|------|-------|------------|
| Start Time Vacuum | - 31 | in Hg | 1403 hours |
| End Time Vacuum | | in Hg | |

| | |
|--|-------|
| | in Hg |
| | in Hg |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| NA | | | |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| NA | | | |

Readings:
Liters/minute
NA @ _____
@ _____
@ _____

Void → Bad regulator

Notes:

- Stack PID reading range from 1.0 to 1.8 ppm prior to sampling
- Meter reading → 729 Kw



Project Site Name: NWIRP Bethpage
Project No.: 112G02019

Sample ID No.: BPS1-AR002-5T05
Sample Location: Home # 2
Sampled By: Vince Shuckera / Rob Sok

| SAMPLING DATA: | | | | | | |
|------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| 8-24-10 | NA | | | | | |
| 1544 | | | | | | |
| Method: Summa Canister | | | | | | |

| | |
|------------------|-----------|
| Summa Canister # | 34260 |
| Filter Type/Flow | 30 minute |

Duplicate (if collected) NA

| | | | |
|-------------------|-------|-------|------------|
| Start Time Vacuum | - 31 | in Hg | 1511 hours |
| End Time Vacuum | - 6.5 | in Hg | 1544 hours |

| | |
|--|-------|
| | in Hg |
| | in Hg |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| NA | | | |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| NA | | | |

Readings:
Liters/minute
NA @
@
@

Notes:
- Stack PID readings range from 0.0 to 1.8 ppm prior to sampling
- Meter reading → 729 Kw



Tetra Tech NUS, Inc. SOIL GAS SAMPLING LOG SHEET

Project Site Name:
Project No.:

NWIRP Bethpage
112G02019

Sample ID No.:
Sample Location:
Sampled By:

BPSI-AR013-ST05

Home # 13

Vince Shickora / Rob Sok

| SAMPLING DATA: | | | | | | |
|------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| 8-24-10 | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| Time: 1641 | NA | | | | | |
| Method: Summa Canister | | | | | | |

| | |
|------------------|-----------|
| Summa Canister # | 9920 |
| Filter Type/Flow | 30 minute |

| | |
|--------------------------|-----------|
| Duplicate (if collected) | 9423 |
| | 30 minute |

| | | | |
|-------------------|-----|-------|------------|
| Start Time Vacuum | -31 | in Hg | 1556 hours |
| End Time Vacuum | -75 | in Hg | 1641 |

| | | | |
|--|------|-------|------------|
| | -31 | in Hg | 1556 hours |
| | -4.5 | in Hg | 1641 |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| NA | | | |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| NA | | | |

Readings:
Liters/minute

NA @ _____
@ _____
@ _____

Dup # → BPSI-DUP01-20100824

Notes:

- Stack PID reading range from 0.0 to 0.6 ppm prior to sampling



Tetra Tech NUS, Inc. SOIL GAS SAMPLING LOG SHEET

Project Site Name: NWIRP Bethpage
 Project No.: 112G02019

Sample ID No.: BPS1-AR014-5T05
 Sample Location: Home # 14
 Sampled By: RMG/VAS

| SAMPLING DATA: | | | | | | |
|---------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: 8/24/10 | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: 1647 | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| Method: Summa 6L canister | | | | | | |

| | |
|------------------|--------|
| Summa Canister # | 12013 |
| Filter Type/Flow | 30 min |

Duplicate (if collected)

| |
|--|
| |
| |

| | | |
|-------------------|-----|------------|
| Start Time Vacuum | -31 | in Hg 1607 |
| End Time Vacuum | -3 | in Hg 1647 |

| | |
|--|-------|
| | in Hg |
| | in Hg |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| | | | |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| | | | |

Readings:
 Liters/minute

____ @ ____
 ____ @ ____
 ____ @ ____

Notes:

PID Reading 0.6 ppm prior to start



Tetra Tech NUS, Inc. SOIL GAS SAMPLING LOG SHEET

Project Site Name: NWIRP Bethpage
 Project No.: 112G02019

Sample ID No.: BPS1-AR002-0DA4
 Sample Location: Home # 2
 Sampled By: Vince Shuckock / Rob Sok

| SAMPLING DATA: | | | | | | |
|----------------|------------------------|-------------------------------|-----------------------------|------------------------------|--------------------------|-------|
| Date: 8-24-10 | Wind speed (Visual) | Wind Direction (estimated) | Ambient temperature (°F) | Barometric Pressure (in.) | Relative Humidity (%) | Other |
| Time: 1814 | Method: Summa Canister | ~ 10 to 15 mph | N-NE | ~ 75°F | | |

| | |
|------------------|--------|
| Summa Canister # | 9916 |
| Filter Type/Flow | 8 hour |

Duplicate (if collected)

| |
|--|
| |
| |

| | | | |
|-------------------|-------|-------|------------|
| Start Time Vacuum | -28.5 | in Hg | 1355 hours |
| End Time Vacuum | -11.0 | in Hg | 1814 hours |

| | |
|--|-------|
| | in Hg |
| | in Hg |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| NA | → | → | → |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| NA | → | → | |

Readings:

Liters/minute

NA @ _____
 @ _____
 @ _____

Notes:

Initial PID readings 0.0 ppm Ambient
 - Sample located near NE corner of back yard



Project Site Name: NWIRP Bethpage Sample ID No.: BPSI - SUPM - 2002D - 082510
 Project No.: 112G02019 Sample Location: Home # NA
 Sampled By: Vince Stuckata / Rob Sok

| SAMPLING DATA: | | | | | | |
|-------------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| 8-25-10 | NA | | | | | |
| 1458 | | | | | | |
| Method: <u>Summa Canister</u> | | | | | | |

| | |
|------------------|------------------|
| Summa Canister # | <u>5761</u> |
| Filter Type/Flow | <u>30 minute</u> |

| | |
|--------------------------|-----------|
| Duplicate (if collected) | <u>NA</u> |
|--------------------------|-----------|

| | | | |
|-------------------|-------------|-------|-------------------|
| Start Time Vacuum | <u>-31</u> | in Hg | <u>1418 hours</u> |
| End Time Vacuum | <u>-4.5</u> | in Hg | <u>1458</u> |

| | | |
|--|--|-------|
| | | in Hg |
| | | in Hg |

| He check | Start | Stop | Reading | Reading |
|----------|-------------|-------------|---------------|---------------|
| | <u>1400</u> | <u>1415</u> | <u>75 ppm</u> | <u>75 ppm</u> |

| Purge Data | Start | Stop | Notes: purge rate ~ 200 mL/min |
|------------|-------------|-------------|--------------------------------|
| | <u>1400</u> | <u>1415</u> | |

Ⓢ Concentration of Helium in Test Chamber → 100,000 ppm or greater to ~ 53% Helium

Readings:

Liters/minute

5 min @ 1200 mL/min

10 min @ 2000 mL

15 min @ 3000 mL

Notes:

- Helium detector used → Dielectric (model MGD 2002)
- Pump used → SKC (model 224-PCXR8)
- Flow gauge → Bios-Dry Cal® - DC lite primary flow meter (1 mL to 5 mL range)



Tetra Tech NUS, Inc. SOIL GAS SAMPLING LOG SHEET

Project Site Name: NWIRP Bethpage
Project No.: 112G02019

Sample ID No.: BPS1-SVPM-2003I-082610
Sample Location: Home # NA
Sampled By: RMS/UAS

| SAMPLING DATA: | | | | | | |
|------------------|------------------------|-------------------------------|-----------------------------|------------------------------|--------------------------|-------|
| Date: 8/26/10 | Wind speed (Visual) | Wind Direction (estimated) | Ambient temperature (°F) | Barometric Pressure (in.) | Relative Humidity (%) | Other |
| Time: 1501 | NA | | | | | |
| Method: Summa 6L | | | | | | |

| | |
|------------------|--------|
| Summa Canister # | 5625 |
| Filter Type/Flow | 30 min |

Duplicate (if collected)

| | | | | | | |
|-------------------|------------|------------|--|--|--|--|
| Start Time Vacuum | -31 in Hg | 1424 hours | | | | |
| End Time Vacuum | -4.5 in Hg | 1501 hours | | | | |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| NA | | | |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| NA | | | |

Readings:
Liters/minute
____ @ ____
____ @ ____
____ @ ____

Notes:



Project Site Name: NWIRP Bethpage Sample ID No.: BASI-SUPM-2002I-092510
 Project No.: 112G02019 Sample Location: Home # NA
 Sampled By: Vince Shickora / Rob Sak

| SAMPLING DATA: | | | | | | |
|-------------------------------|------------------------|-------------------------------|-----------------------------|------------------------------|--------------------------|-------|
| Date: <u>8-25-10</u> | Wind speed (Visual) | Wind Direction (estimated) | Ambient temperature (°F) | Barometric Pressure (in.) | Relative Humidity (%) | Other |
| Time: <u>1528</u> | <u>NA</u> | | | | | |
| Method: <u>Summa Canister</u> | | | | | | |

| | |
|------------------|------------------|
| Summa Canister # | <u>34458</u> |
| Filter Type/Flow | <u>30 minute</u> |

| | |
|-----------------------------|-----------|
| Duplicate (if collected) | <u>NA</u> |
| | |
| | |
| | |

| | | | |
|-------------------|--------------|-------|-------------------|
| Start Time Vacuum | <u>-29.5</u> | in Hg | <u>1447 hours</u> |
| End Time Vacuum | <u>-4.5</u> | in Hg | <u>1528 hours</u> |

| He check | Start | Stop | Reading | Reading |
|----------|-------------|-------------|----------------|----------------|
| | <u>1430</u> | <u>1445</u> | <u>0.0 ppm</u> | <u>0.0 ppm</u> |

| Purge Data | Start | Stop | Notes: <u>purge rate ~ 200 mL/min</u> |
|------------|-------------|-------------|---------------------------------------|
| | <u>1430</u> | <u>1445</u> | |

* Concentration of Helium in Test Chamber → 100,000 ppm or greater to ~ 53% Helium

Readings:

Liters/minute

5 min @ 1000 ML

10 min @ 2000 ML

15 min @ 2000 ML

Notes:



Project Site Name: NWIRP Bethpage Sample ID No.: BPsi-SVPM-2002-082510
 Project No.: 112G02019 Sample Location: Home # NA
 Sampled By: Vince Shuckora / Rob Sok

| SAMPLING DATA: | | | | | | |
|-------------------------------|------------------------|-------------------------------|-----------------------------|------------------------------|--------------------------|-------|
| Date: <u>8-25-10</u> | Wind speed (Visual) | Wind Direction (estimated) | Ambient temperature (°F) | Barometric Pressure (in.) | Relative Humidity (%) | Other |
| Time: <u>1625</u> | <u>NA</u> | | | | | |
| Method: <u>Summa Canister</u> | | | | | | |

| | |
|------------------|------------------|
| Summa Canister # | <u>25303</u> |
| Filter Type/Flow | <u>30 minute</u> |

| | |
|-----------------------------|-----------|
| Duplicate (if collected) | <u>NA</u> |
|-----------------------------|-----------|

| | | | |
|-------------------|-------------|-------|-------------------|
| Start Time Vacuum | <u>-31</u> | in Hg | <u>1535 hours</u> |
| End Time Vacuum | <u>-4.5</u> | in Hg | <u>1625 hours</u> |

| | |
|---|-------|
| | in Hg |
| ↓ | in Hg |

| He check | Start | Stop | Reading | Reading |
|----------|-------------|-------------|----------------|----------------|
| | <u>1518</u> | <u>1533</u> | <u>125 ppm</u> | <u>150 ppm</u> |

| Purge Data | Start | Stop | Notes: <u>purge rate ~ 200 mL/min</u> |
|------------|-------------|-------------|---------------------------------------|
| | <u>1518</u> | <u>1533</u> | |

* Concentration in Helium Test chamber → 100,000 ppm or greater to ~ 53% Helium

Readings:

Liters/minute

5 min @ 1000 ML

10 min @ 2000 ML

15 min @ 3000 ML

Notes:



Project Site Name: NWIRP Bethpage
 Project No.: 112G02019

Sample ID No.: BPSI-SVPM-2003D-082510
 Sample Location: Home # NA
 Sampled By: Vince Shuckora / Rob Sok

| SAMPLING DATA: | | | | | | |
|-------------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| <u>8-25-10</u> | <u>NA</u> | | | | | |
| <u>1800</u> | | | | | | |
| <u>Method: Summa Canister</u> | | | | | | → |

| | |
|------------------|------------------|
| Summa Canister # | <u>34349</u> |
| Filter Type/Flow | <u>30 minute</u> |

| | |
|--------------------------|-----------|
| Duplicate (if collected) | <u>NA</u> |
|--------------------------|-----------|

| | | | |
|-------------------|-------------|-------|-------------------|
| Start Time Vacuum | <u>-30</u> | in Hg | <u>1726 hours</u> |
| End Time Vacuum | <u>-4.0</u> | in Hg | <u>1800</u> |

| | |
|---|-------|
| | in Hg |
| ↓ | in Hg |

| He check | Start | Stop | Reading | Reading |
|----------|-------------|-------------|---------------|----------------|
| | | | Initial | Final |
| | <u>1710</u> | <u>1725</u> | <u>50 ppm</u> | <u>0.0 ppm</u> |

| | | | |
|------------|-------------|-------------|---------------------------------------|
| Purge Data | Start | Stop | Notes: <u>purge rate ~ 200 mL/min</u> |
| | <u>1710</u> | <u>1725</u> | |

⊕ Concentration of He in Test chamber → 100,000 ppm to 53%

Readings:
 Liters/minute
5 min @ 1000 ML
10 min @ 2000 ML
15 min @ 3000 ML
 Notes:



Project Site Name: NWIRP Bethpage
 Project No.: 112G02019

Sample ID No.: BPSI-SVPM-ODA-082510
 Sample Location: Home # NA
 Sampled By: Vince Shickora / Rob Sok

| SAMPLING DATA: | | | | | | |
|------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: 8-25-10 | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: 1803 | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| Method: Summa canister | ~ 5 mph | west | ~ 75°F | | | |

| | |
|------------------|--------|
| Summa Canister # | 20944 |
| Filter Type/Flow | 8 hour |

Duplicate
(if collected)

| |
|----|
| NA |
|----|

| | | | |
|-------------------|-----|-------|------------|
| Start Time Vacuum | -31 | in Hg | 1333 hours |
| End Time Vacuum | -15 | in Hg | 1803 |

| | |
|---|-------|
| | in Hg |
| ↓ | in Hg |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| NA | | | → |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| NA | | → | |

Readings:

Liters/minute

NA @ _____
 @ _____
 @ _____

Notes:

- Outdoor air sample applicable to the following locations: SVPM-2002I, SVPM 2002S, SVPM-2003D and SVPM-ODA-082510 (All samples collected on 8/25/10). KLF



Tetra Tech NUS, Inc. SOIL GAS SAMPLING LOG SHEET

Project Site Name: NWIRP Bethpage
Project No.: 112G02019

Sample ID No.: BPSI-SVPM-2004I-092610
Sample Location: Home # NA
Sampled By: Rob Sok / Vince Shickora

| SAMPLING DATA: | | | | | | |
|------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| 8-26-10 | NA | | | | | |
| 0918 | | | | | | |
| Method: Summa Canister | | | | | | |

| | |
|------------------|-----------|
| Summa Canister # | 12021 |
| Filter Type/Flow | 30 minute |

| | |
|--------------------------|-----------|
| Duplicate (if collected) | 33800 |
| | 30 minute |

DUP #2

| | | | |
|-------------------|-------|-------|------------|
| Start Time Vacuum | -28.0 | in Hg | 0844 hours |
| End Time Vacuum | -3.5 | in Hg | 0918 |

Initial Final

| | | | |
|--|-------|-------|------------|
| | -31.0 | in Hg | 0844 hours |
| | -5.0 | in Hg | |

1200 hour sample time for chain-of-custody

| He check | Start | Stop | Reading | Reading |
|------------|-------|------|-------------------------------|---------|
| | 0825 | 0842 | 75 ppm | 0 ppm |
| Purge Data | Start | Stop | Notes: Flow rate ~ 200 mL/min | |
| | 0825 | 0842 | | |

* Concentration of Helium in Test Chamber → 100,000 ppm To 53% Helium

Readings:

Liters/minute

5 min @ 1000 ML

10 min @ 2000 ML

15 min @ 3000 ML

Notes:

Empty box for notes



Project Site Name: NWIRP Bethpage
Project No.: 112G02019

Sample ID No.: BPSI-SVPM-2004D-082610
Sample Location: Home # NA
Sampled By: Rob Sok / Uwee Shickota

| SAMPLING DATA: | | | | | | |
|------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| 8-26-10 | NA | | | | | → |
| 0920 | | | | | | |
| Method: Summa 6L | | | | | | |

| | |
|------------------|-----------|
| Summa Canister # | 33572 |
| Filter Type/Flow | 30 minute |

| | |
|--------------------------|----|
| Duplicate (if collected) | NA |
|--------------------------|----|

| | | | |
|-------------------|-------|-------|------------|
| Start Time Vacuum | -30.0 | in Hg | 0829 hours |
| End Time Vacuum | -4.5 | in Hg | 0920 |

| | |
|---|-------|
| | in Hg |
| ↓ | in Hg |

| He check | Start | Stop | Reading | Reading |
|----------|-------|------|---------|---------|
| | | | Initial | Final |
| | 0813 | | 50 ppm | 25 ppm |

| | | | |
|------------|-------|------|-------------------------------|
| Purge Data | Start | Stop | Notes: Flow rate ~ 200 mL/min |
| | 0813 | | |

⊕ Concentration of Helium in Test Chamber → 100,000 ppm To 53% Helium

Readings:

Liters/minute

- 5 Min @ 1000 ML
- 10 Min @ 2000 ML
- 15 Min @ 3000 ML

Notes:

[Empty box for notes]



Project Site Name: NWIRP Bethpage Sample ID No.: BPSI-5VPM-2007J-082610
 Project No.: 112G02019 Sample Location: Home # NA
 Sampled By: Rob Sok / Vince Shickora

| SAMPLING DATA: | | | | | | |
|-------------------------------|------------|----------------|---------------------|---------------------|-------------------|----------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| <u>8-26-10</u> | <u>NA</u> | | | | | |
| <u>1040</u> | | | | | | |
| <u>Method: Summa canister</u> | | | | | | <u>→</u> |

| | |
|------------------|------------------|
| Summa Canister # | <u>33915</u> |
| Filter Type/Flow | <u>30 minute</u> |

Duplicate
(if collected)

| |
|-----------|
| <u>NA</u> |
| ↓ |
| ↓ |
| ↓ |

| | | | |
|-------------------|---------------|-------|-------------------|
| Start Time Vacuum | <u>- 31.0</u> | in Hg | <u>1003 hours</u> |
| End Time Vacuum | <u>- 3.5</u> | in Hg | <u>1040 hours</u> |

| He check | Start | Stop | Reading | |
|----------|-------------|-------------|----------------|----------------|
| | | | Initial | Final |
| | <u>0946</u> | <u>1001</u> | <u>0.0 ppm</u> | <u>0.0 ppm</u> |

| | | | |
|------------|-------------|-------------|--------------------------------------|
| Purge Data | Start | Stop | Notes: <u>Flow rate ~ 200 mL/min</u> |
| | <u>0946</u> | <u>1001</u> | |

⊛ Concentration of Helium in Test Chamber → 100,000 ppm to 50% Helium

Readings:

Liters/minute

- 5 min @ 1000 ML
- 10 min @ 2000 ML
- 15 min @ 3000 ML

Notes:



Project Site Name: NWIRP Bethpage
Project No.: 112G02019

Sample ID No.: BPSI-SVPM-12~~6~~-082610
Sample Location: Home # NA
Sampled By: Vince Shickora / Rob Sok

| SAMPLING DATA: | | | | | | |
|------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| 8-26-10 | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| Time: 1238 | NA | | | | | → |
| Method: Summa canister | | | | | | |

| | |
|------------------|-----------|
| Summa Canister # | 12679 |
| Filter Type/Flow | 30 minute |

| | |
|--------------------------|-----------|
| Duplicate (if collected) | 14006 |
| | 30 minute |

dup #3*

| | | | |
|-------------------|-------|-------|------------|
| Start Time Vacuum | -31.0 | in Hg | 1159 hours |
| End Time Vacuum | -3.5 | in Hg | 1238 hours |

| | | | |
|--|-------|-------|------------|
| | -30.0 | in Hg | 1159 hours |
| | -5.0 | in Hg | 1238 hours |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| NA | | | |

* 1600 hours recorded on chain of custody

| Purge Data | Start | Stop | Notes: Flow rate ~ 200 ml/min |
|------------|-------|------|-------------------------------|
| | 1143 | 1158 | |

Readings:

Liters/minute

- 5 min @ 1000 ML
- 10 min @ 2000 ML
- 15 min @ 3000 ML

Notes:

[Empty box for notes]



Project Site Name: NWIRP Bethpage
 Project No.: 112G02019

Sample ID No.: BPSI-SUPM-116-082616
 Sample Location: Home # NA
 Sampled By: Vince Shuckora / Rob Sok

| SAMPLING DATA: | | | | | | |
|-------------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: <u>8-26-10</u> | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: <u>1257</u> | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| Method: <u>Summa canister</u> | <u>NA</u> | | | | | → |

| | |
|------------------|------------------|
| Summa Canister # | <u>33886</u> |
| Filter Type/Flow | <u>30 minute</u> |

| | |
|--------------------------|-----------|
| Duplicate (if collected) | <u>NA</u> |
|--------------------------|-----------|

| | | | |
|-------------------|--------------|-------|-------------------|
| Start Time Vacuum | <u>-31.0</u> | in Hg | <u>1219 hours</u> |
| End Time Vacuum | <u>-5.0</u> | in Hg | <u>1257 hours</u> |

| | |
|---|-------|
| | in Hg |
| ↓ | in Hg |

| He check | Start | Stop | Reading |
|-----------|-------|------|---------|
| <u>NA</u> | | | → |

| Purge Data | Start | Stop | Notes: |
|------------|-------------|-------------|-------------------------------|
| | <u>1203</u> | <u>1218</u> | <u>Flow rate ~ 200 mL/min</u> |

Readings:

Liters/minute

5 min @ 1000 ML

10 min @ 2000 ML

15 min @ 3000 ML

Notes:



Tetra Tech NUS, Inc. SOIL GAS SAMPLING LOG SHEET

Project Site Name: NWIRP Bethpage
Project No.: 112G02019

Sample ID No.: BPSI-SVPM-0-0A-082610
Sample Location: Home # NA
Sampled By: Vince Shickora / Rob Sok

| SAMPLING DATA: | | | | | | |
|------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| 8-26-10 | ~ 5 mph | west | ~ 75°F | | | |
| Method: Summa canister | | | | | | |

| | |
|------------------|--------|
| Summa Canister # | 5727 |
| Filter Type/Flow | 8 hour |

| | |
|--------------------------|----|
| Duplicate (if collected) | NA |
|--------------------------|----|

| | | | |
|-------------------|-------|-------|------|
| Start Time Vacuum | -29.0 | in Hg | 0818 |
| End Time Vacuum | -10.5 | in Hg | 1510 |

| | |
|---|-------|
| | in Hg |
| ↓ | in Hg |

| He check | Start | Stop | Reading |
|----------|-------|------|---------|
| NA | | | → |

| Purge Data | Start | Stop | Notes: |
|------------|-------|------|--------|
| NA | | | |

Readings:
Liters/minute
NA @ _____
@ _____
@ _____

Notes:
Outdoor air sample applicable to all samples collected on 8-26-10



Project Site Name:
Project No.:

NWIRP Bethpage
112G02019

Sample ID No.:
Sample Location:
Sampled By:

BPSI-SVPM-2007I-082610
Home # NA
Rob Sok / Vince Shickora

| SAMPLING DATA: | | | | | | |
|------------------------|------------|----------------|---------------------|---------------------|-------------------|-------|
| Date: | Wind speed | Wind Direction | Ambient temperature | Barometric Pressure | Relative Humidity | Other |
| Time: | (Visual) | (estimated) | (°F) | (in.) | (%) | |
| 8-26-10 | NA | | | | | |
| Method: Summa Canister | | | | | | → |

| | |
|------------------|-----------|
| Summa Canister # | 5602 |
| Filter Type/Flow | 30 minute |

Duplicate
(if collected)

| |
|----|
| NA |
|----|

| | | |
|-------------------|--|-------|
| Start Time Vacuum | | in Hg |
| End Time Vacuum | | in Hg |

| | |
|---|-------|
| | in Hg |
| ↓ | in Hg |

| He check | Start | Stop | Initial | Final |
|------------|-------|------|-------------------------------|---------|
| | | | Reading | Reading |
| | 0942 | | 2650 ppm | |
| Purge Data | Start | Stop | Notes: Flow rate ~ 200 ML/min | |
| | 0942 | | | |

⊕ Concentration of Helium in Test chamber → 100,000 ppm To 53% Helium

Readings:

Liters/minute

5 min @ 1000 ML

10 min @ 2000 ML

15 min @ 3000 ML

Notes:

No sample - cannot purge line (air will not pull from tubing.) Well needs repair. KUC

APPENDIX C
CHAIN OF CUSTODY RECORDS



CHAIN-OF-CUSTODY RECORD

Sample Transportation Notice

Relinquishing signature on this document indicates that sample is being shipped in compliance with all applicable local, State, Federal, national, and international laws, regulations and ordinances of any kind. Air Toxics Limited assumes no liability with respect to the collection, handling or shipping of these samples. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Air Toxics Limited against any claim, demand, or action, of any kind, related to the collection, handling, or shipping of samples. D.O.T. Hotline (800) 467-4922

180 BLUE RAVINE ROAD, SUITE B
FOLSOM, CA 95630-4719
(916) 985-1000 FAX (916) 985-1020

Page 1 of 1

Project Manager Dave Brayack
 Collected by: (Print and Sign) Robert Sok
 Company Tetra Tech AUS Email rob.sok@tetratech.com
 Address 5700 Lake Wright Dr City Newfolk State VA Zip 23502
 Phone (757) 618-2104 (cell) Fax

Project Info:
 P.O. # _____
 Project # 112602019
 Project Name NWIRP Bethpage
 Turn Around Time:
 Normal
 Rush
7 day TAT specify
 Lab Use Only
 Pressurized by: _____
 Date: _____
 Pressurization Gas: N₂ He

| Lab I.D. | Field Sample I.D. (Location) | Can # | Date of Collection | Time of Collection | Analyses Requested | Canister Pressure/Vacuum | | |
|----------|--|-------|--------------------|--------------------|--------------------|--------------------------|-------|---------|
| | | | | | | Initial | Final | Receipt |
| O1A | BPS1-AR003-55B3 | 33323 | 7/28/10 | 1609 | TO-15 | -30 | -5 | |
| O2A | BPS1-AR003-IND08-5 | 34348 | 7/28/10 | 1622 | TO-15 | -31 | -7.5 | |
| O3A | BPS1-AR003-INDL-5 | 12086 | 7/28/10 | 1625 | TO-15 | -30 | -6.5 | |
| O4A | BPS1-AR003-00A3 | 10791 | 7/28/10 | 1635 | TO-15 | -30 | -10.5 | |
| O5A | BPS1-DUP01 | 94602 | 7/28/10 | 1200 | TO-15 | -32 | -19.5 | |
| | * Please note vacuum readings on duplicate and check can for enough volume | | | | | | | |
| | * Quick 7-day TAT | | | | | | | |

Relinquished by: (signature) [Signature] Date/Time 7/29 1000
 Relinquished by: (signature) [Signature] Date/Time 7/29 1000
 Received by: (signature) [Signature] Date/Time 7/30/10 915
 Received by: (signature) [Signature] Date/Time 7/30/10 915
 Received by: (signature) _____ Date/Time _____
 Notes: Please call Rob Sok regarding duplicate sample and volume. (757) 466-4904

Lab Use Only
 Shipper Name Fed Ex Air Bill # _____ Temp (°C) NA Condition Good Custody Seats Intact? Yes No None
 Work Order # 1007700



CHAIN-OF-CUSTODY RECORD

Sample Transportation Notice

Relinquishing signature on this document indicates that sample is being shipped in compliance with all applicable local, State, Federal, national, and international laws, regulations and ordinances of any kind. Air Toxics Limited assumes no liability with respect to the collection, handling or shipping of these samples. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Air Toxics Limited against any claim, demand, or action, of any kind, related to the collection, handling, or shipping of samples. D.O.T. Hotline (800) 467-4922

180 BLUE RAVINE ROAD, SUITE B
FOLSOM, CA 95630-4719
(916) 985-1000 FAX (916) 985-1020

Project Manager Dave Brayack
 Collected by: (Print and Sign) Robert Sok
 Company Tetra Tech Email robert.sok@tetra.tech.com
 Address 5200 Lake Whitford City Norfolk State VA Zip 23502
 Phone 757-466-4904 Fax _____

Project Info:
 P.O. # _____
 Project # 112602019
 Project Name CTO-WE06
 Turn Around Time: Normal Rush
 specify _____
 Lab Use Only
 Pressurized by: _____
 Date: _____
 Pressurization Gas: _____
 N₂ He

| Lab I.D. | Field Sample I.D. (Location) | Can # | Date of Collection | Time of Collection | Analyses Requested | Canister Pressure/Vacuum | | | |
|----------|------------------------------|-------|--------------------|--------------------|--------------------|--------------------------|-------|---------|-------------|
| | | | | | | Initial | Final | Receipt | Final (psi) |
| 01A | BPS1 - A R003 - ST05 | 5739 | 8/24/10 | 1454 | TO-15 (short list) | -30 | -4.5 | | |
| 02A | BPS1 - A R004 - ST05 | 33989 | 8/24/10 | 1500 | | -31 | -5 | | |
| 03A | BPS1 - A R002 - ST05 | 34260 | 8/24/10 | 1544 | | -31 | -6.5 | | |
| 04A | BPS1 - A R013 - ST05 | 9920 | 8/24/10 | 1641 | | -31 | -7.5 | | |
| 05A | BPS1 - A R014 - ST05 | 12013 | 8/24/10 | 1647 | | -31 | -3 | | |
| 06A | BPS1 - A R002 - 00A4 | 9910 | 8/24/10 | 1814 | | -28.5 | -11 | | |
| 07A | BPS1 - DUP01 - 20100824 | 9423 | 8/24/10 | 2400 | | -31 | -7.5 | | |
| 08A | BPS1 - SVPM - 20020 - 082510 | 5761 | 8/25/10 | 1458 | | -31 | -4.5 | | |
| 09A | BPS1 - SVPM - 20021 - 082510 | 34458 | 8/25/10 | 1447 | 1528 | -29.5 | -4.5 | | |
| 10A | BPS1 - SVPM - 20025 - 082510 | 25303 | 8/25/10 | 1625 | | -31 | -4.5 | | |

Relinquished by: (signature) [Signature] Date/Time 8/24/10 1800
 Received by: (signature) Monica Morgan Date/Time 8/27/10 915
 Notes: Please use site specific compound list and detection limits
 Relinquished by: (signature) _____ Date/Time _____
 Received by: (signature) _____ Date/Time _____

Temp (°C) NA Condition Good Custody Seals Intact? Yes No None
 Shipper Name FedEx Air Bill # _____
 Work Order # 1008666



CHAIN-OF-CUSTODY RECORD

Sample Transportation Notice

Relinquishing signature on this document indicates that sample is being shipped in compliance with all applicable local, State, Federal, national, and international laws, regulations and ordinances of any kind. Air Toxics Limited assumes no liability with respect to the collection, handling or shipping of these samples. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Air Toxics Limited against any claim, demand, or action, of any kind, related to the collection, handling, or shipping of samples. D.O.T. Hotline (800) 467-4922

180 BLUE RAVINE ROAD, SUITE B
FOLSOM, CA 95630-4719
(916) 985-1000 FAX (916) 985-1020

Page 2 of 3

Project Manager Dave Bayack
 Collected by: (Print and Sign) Robert Sok
 Company SAME City _____ State _____ Zip _____
 Address _____
 Phone _____ Fax _____

Project Info:
 P.O. # _____
 Project # 112602019
 Project Name CTD-WF06

| Lab I.D. | Field Sample I.D. (Location) | Can # | Date of Collection | Time of Collection | Analyses Requested | Canister Pressure/Vacuum | | | |
|----------|------------------------------|-------|--------------------|--------------------|--------------------|--------------------------|-------|---------|-------------|
| | | | | | | Initial | Final | Receipt | Final (psf) |
| 11A | BPS1-SUPM-2003D-082510 | 34349 | 8/25/10 | 1800 | TO-15 | -30 | -4 | | |
| 12A | BPS1-SUPM-00A-082510 | 20944 | 8/25/10 | 1803 | | -31 | -1.5 | | |
| 13A | BPS1-SUPM-2004I-082610 | 12021 | 8/26/10 | 0918 | | -28 | -3.5 | | |
| 14A | BPS1-SUPM-2004D-082610 | 33572 | 8/26/10 | 0920 | | -30 | -4.5 | | |
| 15A | BPS1-SUPM-DUP02-082610 | 33800 | 8/26/10 | 1200 | | -31 | -5 | | |
| 16A | BPS1-SUPM-2007D-082610 | 33915 | 8/26/10 | 1040 | | -31 | -3.5 | | |
| 17A | BPS1-SUPM-12F-082610 | 12679 | 8/26/10 | 1238 | | -31 | -3.5 | | |
| 18A | BPS1-SUPM-11F-082610 | 33886 | 8/26/10 | 1257 | | -31 | -5 | | |
| 19A | BPS1-SUPM-2003I-082610 | 5625 | 8/26/10 | 1501 | | -31 | -4.5 | | |
| 20A | BPS1-DUP03-082610 | 14006 | 8/26/10 | 1600 | | -30 | -5 | | |

Relinquished by: (signature) _____ Date/Time 8/26/10 1800
 Received by: (signature) Monica Morgan Date/Time 8/27/10 915
 Received by: (signature) _____ Date/Time _____
 Relinquished by: (signature) _____ Date/Time _____
 Received by: (signature) _____ Date/Time _____

Notes: Please use site specific compound list and detection limits

Relinquished by: (signature) _____ Date/Time _____
 Received by: (signature) _____ Date/Time _____
 Shipper Name Fed Ex Air Bill # _____
 Temp (°C) NA Condition Good Custody Seals Intact? Yes No None
 Work Order # 1008666



CHAIN-OF-CUSTODY RECORD

Sample Transportation Notice

Relinquishing signature on this document indicates that sample is being shipped in compliance with all applicable local, State, Federal, national, and international laws, regulations and ordinances of any kind. Air Toxics Limited assumes no liability with respect to the collection, handling or shipping of these samples. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Air Toxics Limited against any claim, demand, or action, of any kind, related to the collection, handling, or shipping of samples. D.O.T. Hotline (800) 467-4922

180 BLUE RAVINE ROAD, SUITE B
FOLSOM, CA 95630-4719
(916) 985-1000 FAX (916) 985-1020

Page 3 of 3

Project Manager Dave Bayack
 Collected by: (Print and Sign) Robert Sok Email _____ State _____ Zip _____
 Company SAMF City _____
 Address _____
 Phone _____ Fax _____

Project Info:
 P.O. # _____
 Project # 112602019
 Project Name CTO-WE06

Turn Around Time:
 Normal
 Rush
specify _____

Lab Use Only
 Pressurized by: _____
 Date: _____
 Pressurization Gas: _____
 N₂ _____ He _____

| Lab I.D. | Field Sample I.D. (Location) | Can # | Date of Collection | Time of Collection | Analyses Requested | Canister Pressure/Vacuum | |
|----------|------------------------------|-------|--------------------|--------------------|--------------------|--------------------------|-------------|
| | | | | | | Initial | Final (psf) |
| WA | BPS1-SUPM-00A-082610 | 5727 | 8/26/10 | 1510 | TD-15 | -29 | -10.5 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Relinquished by: (signature) [Signature] Date/Time 8/26/10 1800
 Received by: (signature) Monica Gregson AT Date/Time 8/27/10 915
 Relinquished by: (signature) _____ Date/Time _____
 Received by: (signature) _____ Date/Time _____

Notes: Please use site specific Compound list and detection limits

Relinquished by: (signature) _____ Date/Time _____
 Received by: (signature) _____ Date/Time _____
 Shipper Name Fed Ex Air Bill # _____ Temp (°C) NA Condition Good
 Custody Seals Intact? Yes No None
 Work Order # 1008666

APPENDIX D
DATA ANALYTICAL REPORTS

8/23/2010

Mr. David Brayack

Tetra Tech

Twin Oaks I, Suite 309

5700 Lake Wright Drive

Norfolk VA 23502

Project Name: NWIRP Bethpage

Project #: 112G02019

Workorder #: 1007700B

Dear Mr. David Brayack

The following report includes the data for the above referenced project for sample(s) received on 7/30/2010 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Air Toxics Ltd. for your air analysis needs. Air Toxics Ltd. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott

Project Manager

WORK ORDER #: 1007700B

Work Order Summary

| | | | |
|------------------------|--|------------------|--|
| CLIENT: | Mr. David Brayack Tetra Tech Twin Oaks I, Suite 309 5700 Lake Wright Drive Norfolk, VA 23502 | BILL TO: | Accounts Payable/Pittsburg Tetra Tech EC, Inc. Foster Plaza 7 661 Anderson Drive Pittsburgh, PA 15220-2745 |
| PHONE: | (757) 461-3824 | P.O. # | |
| FAX: | (757) 461-4148 | PROJECT # | 112G02019 NWIRP Bethpage |
| DATE RECEIVED: | 07/30/2010 | CONTACT: | Ausha Scott |
| DATE COMPLETED: | 08/20/2010 | | |

| <u>FRACTION #</u> | <u>NAME</u> | <u>TEST</u> | <u>RECEIPT VAC./PRES.</u> | <u>FINAL PRESSURE</u> |
|-------------------|-------------------|----------------|-------------------------------|---------------------------|
| 01A | BPS1-AR003-SSB3 | Modified TO-15 | 5.0 "Hg | 5 psi |
| 02A | BPS1-AR003-INDB-5 | Modified TO-15 | 0.6 "Hg | 5 psi |
| 03A | BPS1-AR003-INDL-5 | Modified TO-15 | 5.0 "Hg | 5 psi |
| 04A | BPS1-AR003-ODA3 | Modified TO-15 | 11.0 "Hg | 5 psi |
| 05A | BPS1-DUP01 | Modified TO-15 | 17.2 "Hg | 5 psi |
| 06A | Lab Blank | Modified TO-15 | NA | NA |
| 07A | CCV | Modified TO-15 | NA | NA |
| 08A | LCS | Modified TO-15 | NA | NA |

CERTIFIED BY: 

DATE: 08/23/10

Laboratory Director

Certification numbers: CA NELAP - 02110CA, LA NELAP/LELAP- AI 30763,
NY NELAP - 11291, UT NELAP - 9166389892, AZ Licensure AZ0719

Name of Accrediting Agency: NELAP/Florida Department of Health, Scope of Application: Clean Air Act,
Accreditation number: E87680, Effective date: 07/01/09, Expiration date: 06/30/10

Air Toxics Ltd. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Air Toxics Ltd.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630
(916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

**LABORATORY NARRATIVE
Modified TO-15
Tetra Tech
Workorder# 1007700B**

Five 6 Liter Summa Canister (100% Certified) samples were received on July 30, 2010. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

| <i>Requirement</i> | <i>TO-15</i> | <i>ATL Modifications</i> |
|-------------------------------|---|---|
| ICAL %RSD acceptance criteria | +/- 30% RSD with 2 compounds allowed out to < 40% RSD | 30% RSD with 4 compounds allowed out to < 40% RSD |
| Daily Calibration | +/- 30% Difference | <= 30% Difference with four allowed out up to <=40%.; flag and narrate outliers |
| Blank and standards | Zero air | Nitrogen |
| Method Detection Limit | Follow 40CFR Pt.136 App. B | The MDL met all relevant requirements in Method TO-15 (statistical MDL less than the LOQ). The concentration of the spiked replicate may have exceeded 10X the calculated MDL in some cases |
| Sample collection media | Summa canister | ATL recommends use of summa canisters to insure data defensibility, but will report results from Tedlar bags at client request |

Receiving Notes

The Chain of Custody (COC) was not relinquished properly. A year was not provided by the field sampler.

Analytical Notes

As per project specific client request the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified may be false positives.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

- B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).
- J - Estimated value.
- E - Exceeds instrument calibration range.

- S - Saturated peak.
- Q - Exceeds quality control limits.
- U - Compound analyzed for but not detected above the reporting limit.
- UJ- Non-detected compound associated with low bias in the CCV
- N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified
- b-File was quantified by a second column and detector
- r1-File was requantified for the purpose of reissue

Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: BPS1-AR003-SSB3

Lab ID#: 1007700B-01A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|------------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.080 | 0.43 | 0.44 | 2.3 |
| Trichloroethene | 0.080 | 2.7 | 0.43 | 14 |
| Tetrachloroethene | 0.080 | 0.14 | 0.55 | 0.96 |
| cis-1,2-Dichloroethene | 0.16 | 0.0061 J | 0.64 | 0.024 J |
| 1,2-Dichloroethane | 0.16 | 0.34 | 0.65 | 1.4 |

Client Sample ID: BPS1-AR003-INDB-5

Lab ID#: 1007700B-02A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.068 | 0.34 | 0.37 | 1.9 |
| Trichloroethene | 0.068 | 0.050 J | 0.37 | 0.27 J |
| Tetrachloroethene | 0.068 | 0.040 J | 0.46 | 0.28 J |
| 1,2-Dichloroethane | 0.14 | 0.70 | 0.55 | 2.8 |

Client Sample ID: BPS1-AR003-INDL-5

Lab ID#: 1007700B-03A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.080 | 0.60 | 0.44 | 3.3 |
| Trichloroethene | 0.080 | 0.030 J | 0.43 | 0.16 J |
| Tetrachloroethene | 0.080 | 0.042 J | 0.55 | 0.28 J |
| 1,2-Dichloroethane | 0.16 | 0.41 | 0.65 | 1.6 |

Client Sample ID: BPS1-AR003-ODA3

Lab ID#: 1007700B-04A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.11 | 0.013 J | 0.58 | 0.070 J |
| Trichloroethene | 0.11 | 0.040 J | 0.57 | 0.22 J |
| Tetrachloroethene | 0.11 | 0.023 J | 0.72 | 0.16 J |

Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: BPS1-AR003-ODA3

Lab ID#: 1007700B-04A

| | | | | |
|--------------------|------|---------|------|--------|
| 1,2-Dichloroethane | 0.21 | 0.068 J | 0.86 | 0.27 J |
|--------------------|------|---------|------|--------|

Client Sample ID: BPS1-DUP01

Lab ID#: 1007700B-05A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.16 | 0.53 | 0.86 | 2.9 |
| Trichloroethene | 0.16 | 0.028 J | 0.84 | 0.15 J |
| Tetrachloroethene | 0.16 | 0.041 J | 1.1 | 0.28 J |
| 1,2-Dichloroethane | 0.31 | 0.37 | 1.3 | 1.5 |

Client Sample ID: BPS1-AR003-SSB3

Lab ID#: 1007700B-01A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c081919 | Date of Collection: 7/28/10 4:09:00 PM |
| Dil. Factor: | 1.61 | Date of Analysis: 8/20/10 09:16 AM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.080 | 0.43 | 0.44 | 2.3 |
| Trichloroethene | 0.080 | 2.7 | 0.43 | 14 |
| Tetrachloroethene | 0.080 | 0.14 | 0.55 | 0.96 |
| Vinyl Chloride | 0.16 | Not Detected | 0.41 | Not Detected |
| 1,1-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |
| 1,1-Dichloroethane | 0.16 | Not Detected | 0.65 | Not Detected |
| cis-1,2-Dichloroethene | 0.16 | 0.0061 J | 0.64 | 0.024 J |
| 1,2-Dichloroethane | 0.16 | 0.34 | 0.65 | 1.4 |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 107 | 70-130 |
| 1,2-Dichloroethane-d4 | 109 | 70-130 |
| Toluene-d8 | 110 | 70-130 |

Client Sample ID: BPS1-AR003-INDB-5

Lab ID#: 1007700B-02A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c081920 | Date of Collection: 7/28/10 4:22:00 PM |
| Dil. Factor: | 1.37 | Date of Analysis: 8/20/10 09:56 AM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.068 | 0.34 | 0.37 | 1.9 |
| Trichloroethene | 0.068 | 0.050 J | 0.37 | 0.27 J |
| Tetrachloroethene | 0.068 | 0.040 J | 0.46 | 0.28 J |
| Vinyl Chloride | 0.14 | Not Detected | 0.35 | Not Detected |
| 1,1-Dichloroethene | 0.14 | Not Detected | 0.54 | Not Detected |
| 1,1-Dichloroethane | 0.14 | Not Detected | 0.55 | Not Detected |
| cis-1,2-Dichloroethene | 0.14 | Not Detected | 0.54 | Not Detected |
| 1,2-Dichloroethane | 0.14 | 0.70 | 0.55 | 2.8 |
| trans-1,2-Dichloroethene | 0.14 | Not Detected | 0.54 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 95 | 70-130 |
| 1,2-Dichloroethane-d4 | 97 | 70-130 |
| Toluene-d8 | 97 | 70-130 |

Client Sample ID: BPS1-AR003-INDL-5

Lab ID#: 1007700B-03A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c081921 | Date of Collection: 7/28/10 4:25:00 PM |
| Dil. Factor: | 1.61 | Date of Analysis: 8/20/10 10:39 AM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.080 | 0.60 | 0.44 | 3.3 |
| Trichloroethene | 0.080 | 0.030 J | 0.43 | 0.16 J |
| Tetrachloroethene | 0.080 | 0.042 J | 0.55 | 0.28 J |
| Vinyl Chloride | 0.16 | Not Detected | 0.41 | Not Detected |
| 1,1-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |
| 1,1-Dichloroethane | 0.16 | Not Detected | 0.65 | Not Detected |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |
| 1,2-Dichloroethane | 0.16 | 0.41 | 0.65 | 1.6 |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 94 | 70-130 |
| 1,2-Dichloroethane-d4 | 99 | 70-130 |
| Toluene-d8 | 100 | 70-130 |



Client Sample ID: BPS1-AR003-ODA3

Lab ID#: 1007700B-04A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|--------------|---------|--|
| File Name: | c081922 | Date of Collection: 7/28/10 4:35:00 PM |
| Dil. Factor: | 2.12 | Date of Analysis: 8/20/10 11:19 AM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|-------------------|---------------|--------------------|----------------|
| 1,1,1-Trichloroethane | 0.11 | 0.013 J | 0.58 | 0.070 J |
| Trichloroethene | 0.11 | 0.040 J | 0.57 | 0.22 J |
| Tetrachloroethene | 0.11 | 0.023 J | 0.72 | 0.16 J |
| Vinyl Chloride | 0.21 | Not Detected | 0.54 | Not Detected |
| 1,1-Dichloroethene | 0.21 | Not Detected | 0.84 | Not Detected |
| 1,1-Dichloroethane | 0.21 | Not Detected | 0.86 | Not Detected |
| cis-1,2-Dichloroethene | 0.21 | Not Detected | 0.84 | Not Detected |
| 1,2-Dichloroethane | 0.21 | 0.068 J | 0.86 | 0.27 J |
| trans-1,2-Dichloroethene | 0.21 | Not Detected | 0.84 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 4-Bromofluorobenzene | 89 | 70-130 |
| 1,2-Dichloroethane-d4 | 96 | 70-130 |
| Toluene-d8 | 94 | 70-130 |

Client Sample ID: BPS1-DUP01

Lab ID#: 1007700B-05A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | c081923 | Date of Collection: 7/28/10 12:00:00 PM |
| Dil. Factor: | 3.14 | Date of Analysis: 8/20/10 12:01 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.16 | 0.53 | 0.86 | 2.9 |
| Trichloroethene | 0.16 | 0.028 J | 0.84 | 0.15 J |
| Tetrachloroethene | 0.16 | 0.041 J | 1.1 | 0.28 J |
| Vinyl Chloride | 0.31 | Not Detected | 0.80 | Not Detected |
| 1,1-Dichloroethene | 0.31 | Not Detected | 1.2 | Not Detected |
| 1,1-Dichloroethane | 0.31 | Not Detected | 1.3 | Not Detected |
| cis-1,2-Dichloroethene | 0.31 | Not Detected | 1.2 | Not Detected |
| 1,2-Dichloroethane | 0.31 | 0.37 | 1.3 | 1.5 |
| trans-1,2-Dichloroethene | 0.31 | Not Detected | 1.2 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 87 | 70-130 |
| 1,2-Dichloroethane-d4 | 97 | 70-130 |
| Toluene-d8 | 99 | 70-130 |

Client Sample ID: Lab Blank

Lab ID#: 1007700B-06A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|-----------------|---|
| File Name: | c081906a | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 8/19/10 10:23 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.050 | Not Detected | 0.27 | Not Detected |
| Trichloroethene | 0.050 | Not Detected | 0.27 | Not Detected |
| Tetrachloroethene | 0.050 | Not Detected | 0.34 | Not Detected |
| Vinyl Chloride | 0.10 | Not Detected | 0.26 | Not Detected |
| 1,1-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |
| 1,1-Dichloroethane | 0.10 | Not Detected | 0.40 | Not Detected |
| cis-1,2-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |
| 1,2-Dichloroethane | 0.10 | Not Detected | 0.40 | Not Detected |
| trans-1,2-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 89 | 70-130 |
| 1,2-Dichloroethane-d4 | 98 | 70-130 |
| Toluene-d8 | 95 | 70-130 |

Client Sample ID: CCV

Lab ID#: 1007700B-07A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c081902 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 8/19/10 07:08 PM |

| Compound | %Recovery |
|--------------------------|------------------|
| 1,1,1-Trichloroethane | 90 |
| Trichloroethene | 91 |
| Tetrachloroethene | 89 |
| Vinyl Chloride | 84 |
| 1,1-Dichloroethene | 105 |
| 1,1-Dichloroethane | 91 |
| cis-1,2-Dichloroethene | 90 |
| 1,2-Dichloroethane | 88 |
| trans-1,2-Dichloroethene | 92 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 100 | 70-130 |
| 1,2-Dichloroethane-d4 | 100 | 70-130 |
| Toluene-d8 | 103 | 70-130 |

Client Sample ID: LCS

Lab ID#: 1007700B-08A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c081903 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 8/19/10 08:17 PM |

| Compound | %Recovery |
|--------------------------|------------------|
| 1,1,1-Trichloroethane | 83 |
| Trichloroethene | 84 |
| Tetrachloroethene | 84 |
| Vinyl Chloride | 87 |
| 1,1-Dichloroethene | 82 |
| 1,1-Dichloroethane | 80 |
| cis-1,2-Dichloroethene | 80 |
| 1,2-Dichloroethane | 76 |
| trans-1,2-Dichloroethene | 84 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 100 | 70-130 |
| 1,2-Dichloroethane-d4 | 92 | 70-130 |
| Toluene-d8 | 102 | 70-130 |

9/9/2010

Mr. David Brayack

Tetra Tech

Twin Oaks I, Suite 309

5700 Lake Wright Drive

Norfolk VA 23502

Project Name: CTO-WE06

Project #: 112G02019

Workorder #: 1008666A

Dear Mr. David Brayack

The following report includes the data for the above referenced project for sample(s) received on 8/27/2010 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Air Toxics Ltd. for your air analysis needs. Air Toxics Ltd. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott

Project Manager

WORK ORDER #: 1008666A

Work Order Summary

| | | | |
|------------------------|--|------------------|--|
| CLIENT: | Mr. David Brayack Tetra Tech Twin Oaks I, Suite 309 5700 Lake Wright Drive Norfolk, VA 23502 | BILL TO: | Accounts Payable/Pittsburg Tetra Tech EC, Inc. Foster Plaza 7 661 Anderson Drive Pittsburgh, PA 15220-2745 |
| PHONE: | (757) 461-3824 | P.O. # | |
| FAX: | (757) 461-4148 | PROJECT # | 112G02019 CTO-WE06 |
| DATE RECEIVED: | 08/27/2010 | CONTACT: | Ausha Scott |
| DATE COMPLETED: | 09/09/2010 | | |

| <u>FRACTION #</u> | <u>NAME</u> | <u>TEST</u> | <u>RECEIPT VAC./PRES.</u> | <u>FINAL PRESSURE</u> |
|-------------------|------------------------|----------------|-------------------------------|---------------------------|
| 01A | BPS1-AR003-ST05 | Modified TO-15 | 4.0 "Hg | 5 psi |
| 02A | BPS1-AR004-ST05 | Modified TO-15 | 4.0 "Hg | 5 psi |
| 03A | BPS1-AR002-ST05 | Modified TO-15 | 5.0 "Hg | 5 psi |
| 04A | BPS1-AR013-ST05 | Modified TO-15 | 5.2 "Hg | 5 psi |
| 05A | BPS1-AR014-ST05 | Modified TO-15 | 1.8 "Hg | 5 psi |
| 06A | BPS1-AR002-ODA4 | Modified TO-15 | 11.0 "Hg | 5 psi |
| 07A | BPS1-DUP01-20100824 | Modified TO-15 | 2.6 "Hg | 5 psi |
| 08A | BPS1-SVPM-2002D-082510 | Modified TO-15 | 2.6 "Hg | 5 psi |
| 09A | BPS1-SVPM-2002I-082510 | Modified TO-15 | 5.0 "Hg | 5 psi |
| 10A | BPS1-SVPM-2002S-082510 | Modified TO-15 | 2.6 "Hg | 5 psi |
| 11A | Lab Blank | Modified TO-15 | NA | NA |
| 11B | Lab Blank | Modified TO-15 | NA | NA |
| 12A | CCV | Modified TO-15 | NA | NA |
| 12B | CCV | Modified TO-15 | NA | NA |
| 13A | LCS | Modified TO-15 | NA | NA |
| 13AA | LCSD | Modified TO-15 | NA | NA |
| 13B | LCS | Modified TO-15 | NA | NA |


Continued on next page

WORK ORDER #: 1008666A

Work Order Summary

| | | | |
|------------------------|--|------------------|--|
| CLIENT: | Mr. David Brayack Tetra Tech Twin Oaks I, Suite 309 5700 Lake Wright Drive Norfolk, VA 23502 | BILL TO: | Accounts Payable/Pittsburg Tetra Tech EC, Inc. Foster Plaza 7 661 Anderson Drive Pittsburgh, PA 15220-2745 |
| PHONE: | (757) 461-3824 | P.O. # | |
| FAX: | (757) 461-4148 | PROJECT # | 112G02019 CTO-WE06 |
| DATE RECEIVED: | 08/27/2010 | CONTACT: | Ausha Scott |
| DATE COMPLETED: | 09/09/2010 | | |

| <u>FRACTION #</u> | <u>NAME</u> | <u>TEST</u> | <u>RECEIPT VAC./PRES.</u> | <u>FINAL PRESSURE</u> |
|-------------------|-------------|----------------|-------------------------------|---------------------------|
| 13BB | LCSD | Modified TO-15 | NA | NA |

CERTIFIED BY: 
Laboratory Director

DATE: 09/09/10

Certification numbers: CA NELAP - 02110CA, LA NELAP/LELAP- AI 30763,
NY NELAP - 11291, UT NELAP - 9166389892, AZ Licensure AZ0719
Name of Accrediting Agency: NELAP/Florida Department of Health, Scope of Application: Clean Air Act,
Accreditation number: E87680, Effective date: 07/01/09, Expiration date: 06/30/10
Air Toxics Ltd. certifies that the test results contained in this report meet all requirements of the NELAC standards
This report shall not be reproduced, except in full, without the written approval of Air Toxics Ltd.
180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630
(916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

**LABORATORY NARRATIVE
Modified TO-15
Tetra Tech
Workorder# 1008666A**

Ten 6 Liter Summa Canister (100% Certified) samples were received on August 27, 2010. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

| <i>Requirement</i> | <i>TO-15</i> | <i>ATL Modifications</i> |
|-------------------------------|---|---|
| ICAL %RSD acceptance criteria | +/- 30% RSD with 2 compounds allowed out to < 40% RSD | 30% RSD with 4 compounds allowed out to < 40% RSD |
| Daily Calibration | +/- 30% Difference | <= 30% Difference with four allowed out up to <=40%.; flag and narrate outliers |
| Blank and standards | Zero air | Nitrogen |
| Method Detection Limit | Follow 40CFR Pt.136 App. B | The MDL met all relevant requirements in Method TO-15 (statistical MDL less than the LOQ). The concentration of the spiked replicate may have exceeded 10X the calculated MDL in some cases |
| Sample collection media | Summa canister | ATL recommends use of summa canisters to insure data defensibility, but will report results from Tedlar bags at client request |

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

As per project specific client request the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. All The canisters used for this project have been certified to the Reporting Limit for the target analytes included in this workorder. Concentrations that are below the level at which the canister was certified may be false positives.

The recovery of surrogate 4-Bromofluorobenzene in samples BPS1-AR004-ST05 and BPS1-AR002-ST05 was outside control limits due to high level hydrocarbon matrix interference. Data is reported as qualified.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

**Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN**

Client Sample ID: BPS1-AR003-ST05

Lab ID#: 1008666A-01A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|-------------------|---------------|--------------------|----------------|
| 1,1,1-Trichloroethane | 0.078 | 0.43 | 0.42 | 2.4 |
| Trichloroethene | 0.078 | 0.81 | 0.42 | 4.3 |
| Tetrachloroethene | 0.078 | 0.36 | 0.52 | 2.4 |
| 1,1-Dichloroethene | 0.16 | 0.038 J | 0.61 | 0.15 J |
| 1,1-Dichloroethane | 0.16 | 0.013 J | 0.63 | 0.053 J |
| 1,2-Dichloroethane | 0.16 | 0.42 | 0.63 | 1.7 |

Client Sample ID: BPS1-AR004-ST05

Lab ID#: 1008666A-02A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) | |
|------------------------|-------------------|---------------|--------------------|----------------|------------------------------|
| 1,1,1-Trichloroethane | 0.078 | 0.032 J | 0.42 | 0.17 J | Changes from data validation |
| Trichloroethene | 0.078 | 0.43 | 0.42 | 2.3 J | KLF 10/25/10 |
| Tetrachloroethene | 0.078 | 0.28 | 0.52 | 1.9 J | KLF 10/25/10 |
| Vinyl Chloride | 0.16 | 0.018 J | 0.40 | 0.047 J | |
| 1,1-Dichloroethane | 0.16 | 0.015 J | 0.63 | 0.061 J | |
| cis-1,2-Dichloroethene | 0.16 | 0.0060 J | 0.61 | 0.024 J | |
| 1,2-Dichloroethane | 0.16 | 0.038 J | 0.63 | 0.15 J | |

Client Sample ID: BPS1-AR002-ST05

Lab ID#: 1008666A-03A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) | |
|-----------------------|-------------------|---------------|--------------------|----------------|------------------------------|
| 1,1,1-Trichloroethane | 0.080 | 0.22 | 0.44 | 1.2 J | Changes from data validation |
| Trichloroethene | 0.080 | 1.8 | 0.43 | 9.6 J | KLF - 10/25/10 |
| Tetrachloroethene | 0.080 | 0.57 | 0.55 | 3.9 J | KLF - 10/25/10 |
| 1,1-Dichloroethene | 0.16 | 0.012 J | 0.64 | 0.048 J | |
| 1,2-Dichloroethane | 0.16 | 0.014 J | 0.65 | 0.056 J | |

Client Sample ID: BPS1-AR013-ST05

Lab ID#: 1008666A-04A

Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: BPS1-AR013-ST05

Lab ID#: 1008666A-04A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.081 | 0.057 J | 0.44 | 0.31 J |
| Trichloroethene | 0.081 | 0.16 | 0.44 | 0.87 |
| Tetrachloroethene | 0.081 | 0.33 | 0.55 | 2.2 |
| 1,2-Dichloroethane | 0.16 | 0.020 J | 0.66 | 0.082 J |

Client Sample ID: BPS1-AR014-ST05

Lab ID#: 1008666A-05A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|------------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.071 | 0.063 J | 0.39 | 0.34 J |
| Trichloroethene | 0.071 | 0.10 | 0.38 | 0.55 |
| Tetrachloroethene | 0.071 | 0.43 | 0.48 | 2.9 |
| cis-1,2-Dichloroethene | 0.14 | 0.0030 J | 0.56 | 0.012 J |
| 1,2-Dichloroethane | 0.14 | 0.017 J | 0.57 | 0.068 J |

Client Sample ID: BPS1-AR002-ODA4

Lab ID#: 1008666A-06A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.11 | 0.011 J | 0.58 | 0.062 J |
| Trichloroethene | 0.11 | 0.0090 J | 0.57 | 0.048 J |
| Tetrachloroethene | 0.11 | 0.024 J | 0.72 | 0.16 J |
| 1,2-Dichloroethane | 0.21 | 0.019 J | 0.86 | 0.076 J |

Client Sample ID: BPS1-DUP01-20100824

Lab ID#: 1008666A-07A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.074 | 0.062 J | 0.40 | 0.34 J |
| Trichloroethene | 0.074 | 0.18 | 0.40 | 0.94 |
| Tetrachloroethene | 0.074 | 0.37 | 0.50 | 2.5 |

Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: BPS1-DUP01-20100824

Lab ID#: 1008666A-07A

| | | | | |
|--------------------|------|----------|------|----------|
| 1,1-Dichloroethane | 0.15 | 0.0022 J | 0.60 | 0.0088 J |
| 1,2-Dichloroethane | 0.15 | 0.0097 J | 0.59 | 0.039 J |

Client Sample ID: BPS1-SVPM-2002D-082510

Lab ID#: 1008666A-08A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|------------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.074 | 0.19 | 0.40 | 1.0 |
| Trichloroethene | 0.074 | 1.9 | 0.40 | 10 |
| Tetrachloroethene | 0.074 | 0.60 | 0.50 | 4.0 |
| Vinyl Chloride | 0.15 | 0.0085 J | 0.38 | 0.022 J |
| 1,1-Dichloroethane | 0.15 | 0.0066 J | 0.60 | 0.027 J |
| cis-1,2-Dichloroethene | 0.15 | 0.0055 J | 0.58 | 0.022 J |
| 1,2-Dichloroethane | 0.15 | 0.013 J | 0.59 | 0.054 J |

Client Sample ID: BPS1-SVPM-2002I-082510

Lab ID#: 1008666A-09A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.080 | 0.12 | 0.44 | 0.68 |
| Trichloroethene | 0.080 | 1.5 | 0.43 | 8.0 |
| Tetrachloroethene | 0.080 | 0.27 | 0.55 | 1.8 |
| 1,1-Dichloroethene | 0.16 | 0.0093 J | 0.64 | 0.037 J |
| 1,1-Dichloroethane | 0.16 | 0.0035 J | 0.65 | 0.014 J |
| 1,2-Dichloroethane | 0.16 | 0.021 J | 0.65 | 0.087 J |

Client Sample ID: BPS1-SVPM-2002S-082510

Lab ID#: 1008666A-10A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.074 | 0.22 | 0.40 | 1.2 |
| Trichloroethene | 0.074 | 3.1 | 0.40 | 17 |
| Tetrachloroethene | 0.074 | 0.44 | 0.50 | 3.0 |

Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: BPS1-SVPM-2002S-082510

Lab ID#: 1008666A-10A

| | | | | |
|--------------------|------|----------|------|---------|
| Vinyl Chloride | 0.15 | 0.011 J | 0.38 | 0.028 J |
| 1,1-Dichloroethene | 0.15 | 0.018 J | 0.58 | 0.071 J |
| 1,1-Dichloroethane | 0.15 | 0.0043 J | 0.60 | 0.017 J |
| 1,2-Dichloroethane | 0.15 | 0.019 J | 0.59 | 0.076 J |



Client Sample ID: BPS1-AR003-ST05

Lab ID#: 1008666A-01A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|--------------|---------|--|
| File Name: | c090813 | Date of Collection: 8/24/10 2:54:00 PM |
| Dil. Factor: | 1.55 | Date of Analysis: 9/8/10 06:12 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|-------------------|---------------|--------------------|----------------|
| 1,1,1-Trichloroethane | 0.078 | 0.43 | 0.42 | 2.4 |
| Trichloroethene | 0.078 | 0.81 | 0.42 | 4.3 |
| Tetrachloroethene | 0.078 | 0.36 | 0.52 | 2.4 |
| Vinyl Chloride | 0.16 | Not Detected | 0.40 | Not Detected |
| 1,1-Dichloroethene | 0.16 | 0.038 J | 0.61 | 0.15 J |
| 1,1-Dichloroethane | 0.16 | 0.013 J | 0.63 | 0.053 J |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.61 | Not Detected |
| 1,2-Dichloroethane | 0.16 | 0.42 | 0.63 | 1.7 |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.61 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 4-Bromofluorobenzene | 130 | 70-130 |
| 1,2-Dichloroethane-d4 | 90 | 70-130 |
| Toluene-d8 | 91 | 70-130 |



Client Sample ID: BPS1-AR004-ST05

Lab ID#: 1008666A-02A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|--------------------|
| File Name: | c090812 | Date of Collection: | 8/24/10 3:00:00 PM |
| Dil. Factor: | 1.55 | Date of Analysis: | 9/8/10 05:25 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) | |
|--------------------------|-------------------|---------------|--------------------|----------------|--|
| 1,1,1-Trichloroethane | 0.078 | 0.032 J | 0.42 | 0.17 J | <i>Changes from data validation KLF 10/25/10</i> |
| Trichloroethene | 0.078 | 0.43 | 0.42 | 2.3 J | |
| Tetrachloroethene | 0.078 | 0.28 | 0.52 | 1.9 J | |
| Vinyl Chloride | 0.16 | 0.018 J | 0.40 | 0.047 J | |
| 1,1-Dichloroethene | 0.16 | Not Detected | 0.61 | Not Detected | |
| 1,1-Dichloroethane | 0.16 | 0.015 J | 0.63 | 0.061 J | |
| cis-1,2-Dichloroethene | 0.16 | 0.0060 J | 0.61 | 0.024 J | |
| 1,2-Dichloroethane | 0.16 | 0.038 J | 0.63 | 0.15 J | |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.61 | Not Detected | |

J = Estimated value.

Q = Exceeds Quality Control limits of 70% to 130%, due to matrix effects.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 4-Bromofluorobenzene | 135 Q | 70-130 |
| 1,2-Dichloroethane-d4 | 87 | 70-130 |
| Toluene-d8 | 87 | 70-130 |



Client Sample ID: BPS1-AR002-ST05

Lab ID#: 1008666A-03A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|--------------------|
| File Name: | c090814 | Date of Collection: | 8/24/10 3:44:00 PM |
| Dil. Factor: | 1.61 | Date of Analysis: | 9/8/10 07:03 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) | Changes from data validation |
|--------------------------|-------------------|---------------|--------------------|----------------|------------------------------|
| 1,1,1-Trichloroethane | 0.080 | 0.22 | 0.44 | 1.2 J | KLF-1012510 |
| Trichloroethene | 0.080 | 1.8 | 0.43 | 9.6 J | KLF-10125110 |
| Tetrachloroethene | 0.080 | 0.57 | 0.55 | 3.9 J | KLF-10125110 |
| Vinyl Chloride | 0.16 | Not Detected | 0.41 | Not Detected | |
| 1,1-Dichloroethene | 0.16 | 0.012 J | 0.64 | 0.048 J | |
| 1,1-Dichloroethane | 0.16 | Not Detected | 0.65 | Not Detected | |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected | |
| 1,2-Dichloroethane | 0.16 | 0.014 J | 0.65 | 0.056 J | |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected | |

J = Estimated value.

Q = Exceeds Quality Control limits of 70% to 130%, due to matrix effects.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 4-Bromofluorobenzene | 138 Q | 70-130 |
| 1,2-Dichloroethane-d4 | 95 | 70-130 |
| Toluene-d8 | 88 | 70-130 |

Client Sample ID: BPS1-AR013-ST05

Lab ID#: 1008666A-04A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c090816 | Date of Collection: 8/24/10 4:41:00 PM |
| Dil. Factor: | 1.62 | Date of Analysis: 9/8/10 08:39 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.081 | 0.057 J | 0.44 | 0.31 J |
| Trichloroethene | 0.081 | 0.16 | 0.44 | 0.87 |
| Tetrachloroethene | 0.081 | 0.33 | 0.55 | 2.2 |
| Vinyl Chloride | 0.16 | Not Detected | 0.41 | Not Detected |
| 1,1-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |
| 1,1-Dichloroethane | 0.16 | Not Detected | 0.66 | Not Detected |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |
| 1,2-Dichloroethane | 0.16 | 0.020 J | 0.66 | 0.082 J |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 127 | 70-130 |
| 1,2-Dichloroethane-d4 | 90 | 70-130 |
| Toluene-d8 | 91 | 70-130 |

Client Sample ID: BPS1-AR014-ST05

Lab ID#: 1008666A-05A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c090817 | Date of Collection: 8/24/10 4:47:00 PM |
| Dil. Factor: | 1.42 | Date of Analysis: 9/8/10 09:28 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.071 | 0.063 J | 0.39 | 0.34 J |
| Trichloroethene | 0.071 | 0.10 | 0.38 | 0.55 |
| Tetrachloroethene | 0.071 | 0.43 | 0.48 | 2.9 |
| Vinyl Chloride | 0.14 | Not Detected | 0.36 | Not Detected |
| 1,1-Dichloroethene | 0.14 | Not Detected | 0.56 | Not Detected |
| 1,1-Dichloroethane | 0.14 | Not Detected | 0.57 | Not Detected |
| cis-1,2-Dichloroethene | 0.14 | 0.0030 J | 0.56 | 0.012 J |
| 1,2-Dichloroethane | 0.14 | 0.017 J | 0.57 | 0.068 J |
| trans-1,2-Dichloroethene | 0.14 | Not Detected | 0.56 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 125 | 70-130 |
| 1,2-Dichloroethane-d4 | 94 | 70-130 |
| Toluene-d8 | 86 | 70-130 |



Client Sample ID: BPS1-AR002-ODA4

Lab ID#: 1008666A-06A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c090818 | Date of Collection: 8/24/10 6:14:00 PM |
| Dil. Factor: | 2.12 | Date of Analysis: 9/8/10 10:13 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.11 | 0.011 J | 0.58 | 0.062 J |
| Trichloroethene | 0.11 | 0.0090 J | 0.57 | 0.048 J |
| Tetrachloroethene | 0.11 | 0.024 J | 0.72 | 0.16 J |
| Vinyl Chloride | 0.21 | Not Detected | 0.54 | Not Detected |
| 1,1-Dichloroethene | 0.21 | Not Detected | 0.84 | Not Detected |
| 1,1-Dichloroethane | 0.21 | Not Detected | 0.86 | Not Detected |
| cis-1,2-Dichloroethene | 0.21 | Not Detected | 0.84 | Not Detected |
| 1,2-Dichloroethane | 0.21 | 0.019 J | 0.86 | 0.076 J |
| trans-1,2-Dichloroethene | 0.21 | Not Detected | 0.84 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 109 | 70-130 |
| 1,2-Dichloroethane-d4 | 92 | 70-130 |
| Toluene-d8 | 85 | 70-130 |

Client Sample ID: BPS1-DUP01-20100824

Lab ID#: 1008666A-07A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | c090819 | Date of Collection: 8/24/10 |
| Dil. Factor: | 1.47 | Date of Analysis: 9/8/10 10:59 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.074 | 0.062 J | 0.40 | 0.34 J |
| Trichloroethene | 0.074 | 0.18 | 0.40 | 0.94 |
| Tetrachloroethene | 0.074 | 0.37 | 0.50 | 2.5 |
| Vinyl Chloride | 0.15 | Not Detected | 0.38 | Not Detected |
| 1,1-Dichloroethene | 0.15 | Not Detected | 0.58 | Not Detected |
| 1,1-Dichloroethane | 0.15 | 0.0022 J | 0.60 | 0.0088 J |
| cis-1,2-Dichloroethene | 0.15 | Not Detected | 0.58 | Not Detected |
| 1,2-Dichloroethane | 0.15 | 0.0097 J | 0.59 | 0.039 J |
| trans-1,2-Dichloroethene | 0.15 | Not Detected | 0.58 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 125 | 70-130 |
| 1,2-Dichloroethane-d4 | 94 | 70-130 |
| Toluene-d8 | 91 | 70-130 |

Client Sample ID: BPS1-SVPM-2002D-082510

Lab ID#: 1008666A-08A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c090820 | Date of Collection: 8/25/10 2:58:00 PM |
| Dil. Factor: | 1.47 | Date of Analysis: 9/9/10 07:38 AM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.074 | 0.19 | 0.40 | 1.0 |
| Trichloroethene | 0.074 | 1.9 | 0.40 | 10 |
| Tetrachloroethene | 0.074 | 0.60 | 0.50 | 4.0 |
| Vinyl Chloride | 0.15 | 0.0085 J | 0.38 | 0.022 J |
| 1,1-Dichloroethene | 0.15 | Not Detected | 0.58 | Not Detected |
| 1,1-Dichloroethane | 0.15 | 0.0066 J | 0.60 | 0.027 J |
| cis-1,2-Dichloroethene | 0.15 | 0.0055 J | 0.58 | 0.022 J |
| 1,2-Dichloroethane | 0.15 | 0.013 J | 0.59 | 0.054 J |
| trans-1,2-Dichloroethene | 0.15 | Not Detected | 0.58 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 120 | 70-130 |
| 1,2-Dichloroethane-d4 | 94 | 70-130 |
| Toluene-d8 | 105 | 70-130 |



Client Sample ID: BPS1-SVPM-2002I-082510

Lab ID#: 1008666A-09A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|--------------|---------|--|
| File Name: | c090821 | Date of Collection: 8/25/10 3:28:00 PM |
| Dil. Factor: | 1.61 | Date of Analysis: 9/9/10 08:23 AM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|-------------------|---------------|--------------------|----------------|
| 1,1,1-Trichloroethane | 0.080 | 0.12 | 0.44 | 0.68 |
| Trichloroethene | 0.080 | 1.5 | 0.43 | 8.0 |
| Tetrachloroethene | 0.080 | 0.27 | 0.55 | 1.8 |
| Vinyl Chloride | 0.16 | Not Detected | 0.41 | Not Detected |
| 1,1-Dichloroethene | 0.16 | 0.0093 J | 0.64 | 0.037 J |
| 1,1-Dichloroethane | 0.16 | 0.0035 J | 0.65 | 0.014 J |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |
| 1,2-Dichloroethane | 0.16 | 0.021 J | 0.65 | 0.087 J |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 4-Bromofluorobenzene | 118 | 70-130 |
| 1,2-Dichloroethane-d4 | 94 | 70-130 |
| Toluene-d8 | 103 | 70-130 |

Client Sample ID: BPS1-SVPM-2002S-082510

Lab ID#: 1008666A-10A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c090908 | Date of Collection: 8/25/10 4:25:00 PM |
| Dil. Factor: | 1.47 | Date of Analysis: 9/9/10 03:04 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.074 | 0.22 | 0.40 | 1.2 |
| Trichloroethene | 0.074 | 3.1 | 0.40 | 17 |
| Tetrachloroethene | 0.074 | 0.44 | 0.50 | 3.0 |
| Vinyl Chloride | 0.15 | 0.011 J | 0.38 | 0.028 J |
| 1,1-Dichloroethene | 0.15 | 0.018 J | 0.58 | 0.071 J |
| 1,1-Dichloroethane | 0.15 | 0.0043 J | 0.60 | 0.017 J |
| cis-1,2-Dichloroethene | 0.15 | Not Detected | 0.58 | Not Detected |
| 1,2-Dichloroethane | 0.15 | 0.019 J | 0.59 | 0.076 J |
| trans-1,2-Dichloroethene | 0.15 | Not Detected | 0.58 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 129 | 70-130 |
| 1,2-Dichloroethane-d4 | 94 | 70-130 |
| Toluene-d8 | 98 | 70-130 |

Client Sample ID: Lab Blank

Lab ID#: 1008666A-11A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|-----------------|--|
| File Name: | c090809a | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/8/10 02:27 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.050 | Not Detected | 0.27 | Not Detected |
| Trichloroethene | 0.050 | Not Detected | 0.27 | Not Detected |
| Tetrachloroethene | 0.050 | Not Detected | 0.34 | Not Detected |
| Vinyl Chloride | 0.10 | Not Detected | 0.26 | Not Detected |
| 1,1-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |
| 1,1-Dichloroethane | 0.10 | Not Detected | 0.40 | Not Detected |
| cis-1,2-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |
| 1,2-Dichloroethane | 0.10 | Not Detected | 0.40 | Not Detected |
| trans-1,2-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 103 | 70-130 |
| 1,2-Dichloroethane-d4 | 93 | 70-130 |
| Toluene-d8 | 85 | 70-130 |

Client Sample ID: Lab Blank

Lab ID#: 1008666A-11B

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|-----------------|--|
| File Name: | c090907a | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/9/10 01:53 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.050 | Not Detected | 0.27 | Not Detected |
| Trichloroethene | 0.050 | Not Detected | 0.27 | Not Detected |
| Tetrachloroethene | 0.050 | Not Detected | 0.34 | Not Detected |
| Vinyl Chloride | 0.10 | Not Detected | 0.26 | Not Detected |
| 1,1-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |
| 1,1-Dichloroethane | 0.10 | Not Detected | 0.40 | Not Detected |
| cis-1,2-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |
| 1,2-Dichloroethane | 0.10 | Not Detected | 0.40 | Not Detected |
| trans-1,2-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 105 | 70-130 |
| 1,2-Dichloroethane-d4 | 99 | 70-130 |
| Toluene-d8 | 87 | 70-130 |

Client Sample ID: CCV

Lab ID#: 1008666A-12A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | c090802 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/8/10 09:23 AM |

| Compound | %Recovery |
|--------------------------|------------------|
| 1,1,1-Trichloroethane | 91 |
| Trichloroethene | 99 |
| Tetrachloroethene | 113 |
| Vinyl Chloride | 75 |
| 1,1-Dichloroethene | 88 |
| 1,1-Dichloroethane | 85 |
| cis-1,2-Dichloroethene | 83 |
| 1,2-Dichloroethane | 97 |
| trans-1,2-Dichloroethene | 86 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 107 | 70-130 |
| 1,2-Dichloroethane-d4 | 96 | 70-130 |
| Toluene-d8 | 100 | 70-130 |

Client Sample ID: CCV

Lab ID#: 1008666A-12B

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | c090902 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/9/10 09:32 AM |

| Compound | %Recovery |
|--------------------------|------------------|
| 1,1,1-Trichloroethane | 95 |
| Trichloroethene | 98 |
| Tetrachloroethene | 107 |
| Vinyl Chloride | 84 |
| 1,1-Dichloroethene | 94 |
| 1,1-Dichloroethane | 90 |
| cis-1,2-Dichloroethene | 86 |
| 1,2-Dichloroethane | 101 |
| trans-1,2-Dichloroethene | 88 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 105 | 70-130 |
| 1,2-Dichloroethane-d4 | 100 | 70-130 |
| Toluene-d8 | 99 | 70-130 |

Client Sample ID: LCS

Lab ID#: 1008666A-13A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | c090804 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/8/10 10:59 AM |

| Compound | %Recovery |
|--------------------------|------------------|
| 1,1,1-Trichloroethane | 89 |
| Trichloroethene | 93 |
| Tetrachloroethene | 104 |
| Vinyl Chloride | 74 |
| 1,1-Dichloroethene | 77 |
| 1,1-Dichloroethane | 80 |
| cis-1,2-Dichloroethene | 80 |
| 1,2-Dichloroethane | 90 |
| trans-1,2-Dichloroethene | 83 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 109 | 70-130 |
| 1,2-Dichloroethane-d4 | 96 | 70-130 |
| Toluene-d8 | 101 | 70-130 |

Client Sample ID: LCSD

Lab ID#: 1008666A-13AA

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | c090805 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/8/10 11:42 AM |

| Compound | %Recovery |
|--------------------------|------------------|
| 1,1,1-Trichloroethane | 89 |
| Trichloroethene | 92 |
| Tetrachloroethene | 103 |
| Vinyl Chloride | 76 |
| 1,1-Dichloroethene | 78 |
| 1,1-Dichloroethane | 81 |
| cis-1,2-Dichloroethene | 80 |
| 1,2-Dichloroethane | 89 |
| trans-1,2-Dichloroethene | 82 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 105 | 70-130 |
| 1,2-Dichloroethane-d4 | 97 | 70-130 |
| Toluene-d8 | 100 | 70-130 |

Client Sample ID: LCS

Lab ID#: 1008666A-13B

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | c090904 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/9/10 11:39 AM |

| Compound | %Recovery |
|--------------------------|------------------|
| 1,1,1-Trichloroethane | 90 |
| Trichloroethene | 93 |
| Tetrachloroethene | 101 |
| Vinyl Chloride | 77 |
| 1,1-Dichloroethene | 82 |
| 1,1-Dichloroethane | 82 |
| cis-1,2-Dichloroethene | 81 |
| 1,2-Dichloroethane | 96 |
| trans-1,2-Dichloroethene | 84 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 108 | 70-130 |
| 1,2-Dichloroethane-d4 | 105 | 70-130 |
| Toluene-d8 | 100 | 70-130 |

Client Sample ID: LCSD

Lab ID#: 1008666A-13BB

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | c090905 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/9/10 12:22 PM |

| Compound | %Recovery |
|--------------------------|------------------|
| 1,1,1-Trichloroethane | 88 |
| Trichloroethene | 94 |
| Tetrachloroethene | 101 |
| Vinyl Chloride | 75 |
| 1,1-Dichloroethene | 81 |
| 1,1-Dichloroethane | 82 |
| cis-1,2-Dichloroethene | 81 |
| 1,2-Dichloroethane | 97 |
| trans-1,2-Dichloroethene | 83 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 110 | 70-130 |
| 1,2-Dichloroethane-d4 | 104 | 70-130 |
| Toluene-d8 | 100 | 70-130 |

9/16/2010
Mr. David Brayack
Tetra Tech
Twin Oaks I, Suite 309
5700 Lake Wright Drive
Norfolk VA 23502

Project Name: CTO-WE06
Project #: 112G02019
Workorder #: 1008666B

Dear Mr. David Brayack

The following report includes the data for the above referenced project for sample(s) received on 8/27/2010 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Air Toxics Ltd. for your air analysis needs. Air Toxics Ltd. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott
Project Manager

WORK ORDER #: 1008666B

Work Order Summary

| | | | |
|------------------------|--|------------------|--|
| CLIENT: | Mr. David Brayack Tetra Tech Twin Oaks I, Suite 309 5700 Lake Wright Drive Norfolk, VA 23502 | BILL TO: | Accounts Payable/Pittsburg Tetra Tech EC, Inc. Foster Plaza 7 661 Anderson Drive Pittsburgh, PA 15220-2745 |
| PHONE: | (757) 461-3824 | P.O. # | |
| FAX: | (757) 461-4148 | PROJECT # | 112G02019 CTO-WE06 |
| DATE RECEIVED: | 08/27/2010 | CONTACT: | Ausha Scott |
| DATE COMPLETED: | 09/16/2010 | | |

| <u>FRACTION #</u> | <u>NAME</u> | <u>TEST</u> | <u>RECEIPT VAC./PRES.</u> | <u>FINAL PRESSURE</u> |
|-------------------|------------------------|----------------|-------------------------------|---------------------------|
| 11A | BPS1-SVPM-2003D-082510 | Modified TO-15 | 2.5 "Hg | 5 psi |
| 12A | BPS1-SVPM-ODA-082510 | Modified TO-15 | 13.0 "Hg | 5 psi |
| 13A | BPS1-SVPM-2004I-082610 | Modified TO-15 | 4.0 "Hg | 5 psi |
| 14A | BPS1-SVPM-2004D-082610 | Modified TO-15 | 4.5 "Hg | 5 psi |
| 15A | BPS1-SVPM-DUP02-082610 | Modified TO-15 | 4.5 "Hg | 5 psi |
| 16A | BPS1-SVPM-2007D-082610 | Modified TO-15 | 2.5 "Hg | 5 psi |
| 17A | BPS1-SVPM-12S-082610 | Modified TO-15 | 3.5 "Hg | 5 psi |
| 18A | BPS1-SVPM-11S-082610 | Modified TO-15 | 4.0 "Hg | 5 psi |
| 19A | BPS1-SVPM-2003I-082610 | Modified TO-15 | 4.5 "Hg | 5 psi |
| 20A | BPS1-DUP03-082610 | Modified TO-15 | 6.5 "Hg | 5 psi |
| 21A | BPS1-SVPM-ODA-082610 | Modified TO-15 | 10.0 "Hg | 5 psi |
| 22A | Lab Blank | Modified TO-15 | NA | NA |
| 22B | Lab Blank | Modified TO-15 | NA | NA |
| 23A | CCV | Modified TO-15 | NA | NA |
| 23B | CCV | Modified TO-15 | NA | NA |
| 24A | LCS | Modified TO-15 | NA | NA |
| 24AA | LCSD | Modified TO-15 | NA | NA |

Continued on next page

WORK ORDER #: 1008666B

Work Order Summary

| | | | |
|------------------------|--|------------------|--|
| CLIENT: | Mr. David Brayack Tetra Tech Twin Oaks I, Suite 309 5700 Lake Wright Drive Norfolk, VA 23502 | BILL TO: | Accounts Payable/Pittsburg Tetra Tech EC, Inc. Foster Plaza 7 661 Anderson Drive Pittsburgh, PA 15220-2745 |
| PHONE: | (757) 461-3824 | P.O. # | |
| FAX: | (757) 461-4148 | PROJECT # | 112G02019 CTO-WE06 |
| DATE RECEIVED: | 08/27/2010 | CONTACT: | Ausha Scott |
| DATE COMPLETED: | 09/16/2010 | | |

| <u>FRACTION #</u> | <u>NAME</u> | <u>TEST</u> | <u>RECEIPT VAC./PRES.</u> | <u>FINAL PRESSURE</u> |
|-------------------|-------------|----------------|-------------------------------|---------------------------|
| 24B | LCS | Modified TO-15 | NA | NA |
| 24BB | LCSD | Modified TO-15 | NA | NA |

CERTIFIED BY: 

DATE: 09/16/10

Laboratory Director

Certification numbers: CA NELAP - 02110CA, LA NELAP/LELAP- AI 30763,
NY NELAP - 11291, UT NELAP - 9166389892, AZ Licensure AZ0719

Name of Accrediting Agency: NELAP/Florida Department of Health, Scope of Application: Clean Air Act,
Accreditation number: E87680, Effective date: 07/01/09, Expiration date: 06/30/10

Air Toxics Ltd. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Air Toxics Ltd.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630
(916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
Modified TO-15 Std & LL Full Scan
Tetra Tech
Workorder# 1008666B

Eleven 6 Liter Summa Canister (100% Certified) samples were received on August 27, 2010. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the Full Scan mode. The method involves concentrating up to 1.0 liter of air. The concentrated aliquot is then flash vaporized and swept through a water management system to remove water vapor. Following dehumidification, the sample passes directly into the GC/MS for analysis.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

| <i>Requirement</i> | <i>TO-14A</i> | <i>ATL Modifications</i> |
|-------------------------------|---|---|
| ICAL %RSD acceptance criteria | $\leq 30\%$ RSD with 2 compounds allowed out to $\leq 40\%$ RSD | For LL Full Scan only: $\leq 30\%$ RSD with 4 compounds allowed out to $\leq 40\%$ RSD |
| Daily Calibration | +/- 30% Difference | For Std. Full Scan: $\leq 30\%$ Difference with two allowed out up to $\leq 40\%$. ; flag and narrate outliers For LL Full Scan: $\leq 30\%$ Difference with four allowed out up to $\leq 40\%$. ; flag and narrate outliers |
| Blank and standards | Zero air | For LL Full Scan only: Nitrogen |
| Method Detection Limit | Follow 40CFR Pt.136 App. B | The MDL met all relevant requirements in Method TO-15 (statistical MDL less than the LOQ). The concentration of the spiked replicate may have exceeded 10X the calculated MDL in some cases |
| Sample collection media | Summa canister | ATL recommends use of summa canisters to insure data defensibility, but will report results from Tedlar bags at client request |

Receiving Notes

The Chain of Custody (COC) information for sample BPS1-DUP03-082610 did not match the entry on the sample tag with regard to sample identification. The information on the COC was used to process and report the sample.

Analytical Notes

As per project specific client request the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. All The canisters used for this project have been certified to the Reporting Limit for the target analytes included in this workorder. Concentrations that are below the level at which the canister was certified may be false positives.

Samples BPS1-SVPM-12S-082610, BPS1-SVPM-11S-082610 and BPS1-DUP03-082610 were transferred from Low Level analysis to full scan TO-15 due to high levels of target compounds.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: BPS1-SVPM-2003D-082510

Lab ID#: 1008666B-11A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.073 | 0.21 | 0.40 | 1.2 |
| Trichloroethene | 0.073 | 0.96 | 0.39 | 5.2 |
| Tetrachloroethene | 0.073 | 0.37 | 0.50 | 2.5 |
| 1,1-Dichloroethane | 0.15 | 0.0065 J | 0.59 | 0.026 J |
| 1,2-Dichloroethane | 0.15 | 0.016 J | 0.59 | 0.063 J |

Client Sample ID: BPS1-SVPM-ODA-082510

Lab ID#: 1008666B-12A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.12 | 0.0066 J | 0.64 | 0.036 J |
| Trichloroethene | 0.12 | 0.0082 J | 0.63 | 0.044 J |
| Tetrachloroethene | 0.12 | 0.040 J | 0.80 | 0.27 J |
| 1,2-Dichloroethane | 0.24 | 0.020 J | 0.96 | 0.082 J |

Client Sample ID: BPS1-SVPM-2004I-082610

Lab ID#: 1008666B-13A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.078 | 0.037 J | 0.42 | 0.20 J |
| Trichloroethene | 0.078 | 0.053 J | 0.42 | 0.28 J |
| Tetrachloroethene | 0.078 | 0.27 | 0.52 | 1.8 |
| Vinyl Chloride | 0.16 | 0.0062 J | 0.40 | 0.016 J |
| 1,1-Dichloroethene | 0.16 | 0.011 J | 0.61 | 0.043 J |
| 1,1-Dichloroethane | 0.16 | 0.018 J | 0.63 | 0.072 J |
| 1,2-Dichloroethane | 0.16 | 0.016 J | 0.63 | 0.065 J |
| trans-1,2-Dichloroethene | 0.16 | 0.0037 J | 0.61 | 0.015 J |

Client Sample ID: BPS1-SVPM-2004D-082610

Lab ID#: 1008666B-14A

Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: BPS1-SVPM-2004D-082610

Lab ID#: 1008666B-14A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.079 | 0.061 J | 0.43 | 0.33 J |
| Trichloroethene | 0.079 | 0.087 | 0.42 | 0.47 |
| Tetrachloroethene | 0.079 | 0.43 | 0.54 | 2.9 |
| Vinyl Chloride | 0.16 | 0.016 J | 0.40 | 0.042 J |
| 1,1-Dichloroethane | 0.16 | 0.0074 J | 0.64 | 0.030 J |
| 1,2-Dichloroethane | 0.16 | 0.019 J | 0.64 | 0.078 J |

Client Sample ID: BPS1-SVPM-DUP02-082610

Lab ID#: 1008666B-15A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.079 | 0.030 J | 0.43 | 0.17 J |
| Trichloroethene | 0.079 | 0.049 J | 0.42 | 0.26 J |
| Tetrachloroethene | 0.079 | 0.31 | 0.54 | 2.1 |
| Vinyl Chloride | 0.16 | 0.011 J | 0.40 | 0.028 J |
| 1,1-Dichloroethane | 0.16 | 0.020 J | 0.64 | 0.079 J |
| 1,2-Dichloroethane | 0.16 | 0.014 J | 0.64 | 0.056 J |

Client Sample ID: BPS1-SVPM-2007D-082610

Lab ID#: 1008666B-16A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.073 | 0.27 | 0.40 | 1.5 |
| Trichloroethene | 0.073 | 0.29 | 0.39 | 1.5 |
| Tetrachloroethene | 0.073 | 0.40 | 0.50 | 2.7 |
| Vinyl Chloride | 0.15 | 0.014 J | 0.37 | 0.036 J |
| 1,1-Dichloroethane | 0.15 | 0.010 J | 0.59 | 0.041 J |
| cis-1,2-Dichloroethene | 0.15 | 0.24 | 0.58 | 0.95 |
| 1,2-Dichloroethane | 0.15 | 0.027 J | 0.59 | 0.11 J |
| trans-1,2-Dichloroethene | 0.15 | 0.014 J | 0.58 | 0.054 J |



**Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN**

Client Sample ID: BPS1-SVPM-12S-082610

Lab ID#: 1008666B-17A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|-------------------|---------------|--------------------|----------------|
| 1,1-Dichloroethane | 0.76 | 0.29 J | 3.1 | 1.2 J |
| cis-1,2-Dichloroethene | 0.76 | 36 | 3.0 | 140 |
| 1,1,1-Trichloroethane | 0.76 | 13 | 4.1 | 71 |
| Trichloroethene | 0.76 | 220 | 4.1 | 1200 |
| trans-1,2-Dichloroethene | 0.76 | 0.57 J | 3.0 | 2.2 J |
| 1,2-Dichloroethane | 0.76 | 0.58 J | 3.1 | 2.3 J |
| Tetrachloroethene | 0.76 | 8.1 | 5.2 | 55 ug |

*not detected
KLF-10/25/10
55 ug blank contamination*

Client Sample ID: BPS1-SVPM-11S-082610

Lab ID#: 1008666B-18A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|-------------------|---------------|--------------------|----------------|
| cis-1,2-Dichloroethene | 2.1 | 9.7 | 8.2 | 38 |
| 1,1,1-Trichloroethane | 2.1 | 3.0 | 11 | 16 |
| Trichloroethene | 2.1 | 570 | 11 | 3100 |
| trans-1,2-Dichloroethene | 2.1 | 1.0 J | 8.2 | 4.1 J |
| Tetrachloroethene | 2.1 | 49 | 14 | 330 |

Client Sample ID: BPS1-SVPM-2003I-082610

Lab ID#: 1008666B-19A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------------|-------------------|---------------|--------------------|----------------|
| 1,1,1-Trichloroethane | 0.079 | 0.043 J | 0.43 | 0.23 J |
| Trichloroethene | 0.079 | 0.066 J | 0.42 | 0.36 J |
| Tetrachloroethene | 0.079 | 0.74 | 0.54 | 5.0 |

Client Sample ID: BPS1-DUP03-082610

Lab ID#: 1008666B-20A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------|-------------------|---------------|--------------------|----------------|
| 1,1-Dichloroethane | 0.86 | 0.32 J | 3.5 | 1.3 J |

Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: BPS1-DUP03-082610

Lab ID#: 1008666B-20A

| | | | | | |
|--------------------------|------|--------|-----|--------|------------------------------|
| cis-1,2-Dichloroethene | 0.86 | 39 | 3.4 | 150 | |
| 1,1,1-Trichloroethane | 0.86 | 14 | 4.7 | 74 | |
| Trichloroethene | 0.86 | 220 | 4.6 | 1200 | |
| trans-1,2-Dichloroethene | 0.86 | 0.63 J | 3.4 | 2.5 J | |
| 1,2-Dichloroethene | 0.86 | 0.16 J | 3.5 | 0.65 J | not detected RLF 10/25/10 |
| Tetrachloroethene | 0.86 | 7.8 | 5.8 | 53 | blank contamination |

Client Sample ID: BPS1-SVPM-ODA-082610

Lab ID#: 1008666B-21A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|------------------------|-------------------|---------------|--------------------|----------------|
| 1,1,1-Trichloroethane | 0.10 | 0.0068 J | 0.55 | 0.037 J |
| Trichloroethene | 0.10 | 0.0074 J | 0.54 | 0.040 J |
| Tetrachloroethene | 0.10 | 0.036 J | 0.68 | 0.24 J |
| cis-1,2-Dichloroethene | 0.20 | 0.0064 J | 0.80 | 0.026 J |
| 1,2-Dichloroethene | 0.20 | 0.025 J | 0.81 | 0.10 J |



Client Sample ID: BPS1-SVPM-2003D-082510

Lab ID#: 1008666B-11A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|--------------------|
| File Name: | c090909 | Date of Collection: | 8/25/10 6:00:00 PM |
| Dil. Factor: | 1.46 | Date of Analysis: | 9/9/10 03:57 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|-------------------|---------------|--------------------|----------------|
| 1,1,1-Trichloroethane | 0.073 | 0.21 | 0.40 | 1.2 |
| Trichloroethene | 0.073 | 0.96 | 0.39 | 5.2 |
| Tetrachloroethene | 0.073 | 0.37 | 0.50 | 2.5 |
| Vinyl Chloride | 0.15 | Not Detected | 0.37 | Not Detected |
| 1,1-Dichloroethene | 0.15 | Not Detected | 0.58 | Not Detected |
| 1,1-Dichloroethane | 0.15 | 0.0065 J | 0.59 | 0.026 J |
| cis-1,2-Dichloroethene | 0.15 | Not Detected | 0.58 | Not Detected |
| 1,2-Dichloroethane | 0.15 | 0.016 J | 0.59 | 0.063 J |
| trans-1,2-Dichloroethene | 0.15 | Not Detected | 0.58 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 4-Bromofluorobenzene | 124 | 70-130 |
| 1,2-Dichloroethane-d4 | 95 | 70-130 |
| Toluene-d8 | 103 | 70-130 |

Client Sample ID: BPS1-SVPM-ODA-082510

Lab ID#: 1008666B-12A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c090910 | Date of Collection: 8/25/10 6:03:00 PM |
| Dil. Factor: | 2.36 | Date of Analysis: 9/9/10 05:15 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.12 | 0.0066 J | 0.64 | 0.036 J |
| Trichloroethene | 0.12 | 0.0082 J | 0.63 | 0.044 J |
| Tetrachloroethene | 0.12 | 0.040 J | 0.80 | 0.27 J |
| Vinyl Chloride | 0.24 | Not Detected | 0.60 | Not Detected |
| 1,1-Dichloroethene | 0.24 | Not Detected | 0.94 | Not Detected |
| 1,1-Dichloroethane | 0.24 | Not Detected | 0.96 | Not Detected |
| cis-1,2-Dichloroethene | 0.24 | Not Detected | 0.94 | Not Detected |
| 1,2-Dichloroethane | 0.24 | 0.020 J | 0.96 | 0.082 J |
| trans-1,2-Dichloroethene | 0.24 | Not Detected | 0.94 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 115 | 70-130 |
| 1,2-Dichloroethane-d4 | 95 | 70-130 |
| Toluene-d8 | 86 | 70-130 |

Client Sample ID: BPS1-SVPM-2004I-082610

Lab ID#: 1008666B-13A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c090911 | Date of Collection: 8/26/10 9:18:00 AM |
| Dil. Factor: | 1.55 | Date of Analysis: 9/9/10 06:00 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.078 | 0.037 J | 0.42 | 0.20 J |
| Trichloroethene | 0.078 | 0.053 J | 0.42 | 0.28 J |
| Tetrachloroethene | 0.078 | 0.27 | 0.52 | 1.8 |
| Vinyl Chloride | 0.16 | 0.0062 J | 0.40 | 0.016 J |
| 1,1-Dichloroethene | 0.16 | 0.011 J | 0.61 | 0.043 J |
| 1,1-Dichloroethane | 0.16 | 0.018 J | 0.63 | 0.072 J |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.61 | Not Detected |
| 1,2-Dichloroethane | 0.16 | 0.016 J | 0.63 | 0.065 J |
| trans-1,2-Dichloroethene | 0.16 | 0.0037 J | 0.61 | 0.015 J |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 121 | 70-130 |
| 1,2-Dichloroethane-d4 | 92 | 70-130 |
| Toluene-d8 | 99 | 70-130 |

Client Sample ID: BPS1-SVPM-2004D-082610

Lab ID#: 1008666B-14A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c090912 | Date of Collection: 8/26/10 9:20:00 AM |
| Dil. Factor: | 1.58 | Date of Analysis: 9/9/10 06:44 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.079 | 0.061 J | 0.43 | 0.33 J |
| Trichloroethene | 0.079 | 0.087 | 0.42 | 0.47 |
| Tetrachloroethene | 0.079 | 0.43 | 0.54 | 2.9 |
| Vinyl Chloride | 0.16 | 0.016 J | 0.40 | 0.042 J |
| 1,1-Dichloroethene | 0.16 | Not Detected | 0.63 | Not Detected |
| 1,1-Dichloroethane | 0.16 | 0.0074 J | 0.64 | 0.030 J |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.63 | Not Detected |
| 1,2-Dichloroethane | 0.16 | 0.019 J | 0.64 | 0.078 J |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.63 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 126 | 70-130 |
| 1,2-Dichloroethane-d4 | 95 | 70-130 |
| Toluene-d8 | 106 | 70-130 |

Client Sample ID: BPS1-SVPM-DUP02-082610

Lab ID#: 1008666B-15A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | c090913 | Date of Collection: 8/26/10 12:00:00 PM |
| Dil. Factor: | 1.58 | Date of Analysis: 9/9/10 07:23 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.079 | 0.030 J | 0.43 | 0.17 J |
| Trichloroethene | 0.079 | 0.049 J | 0.42 | 0.26 J |
| Tetrachloroethene | 0.079 | 0.31 | 0.54 | 2.1 |
| Vinyl Chloride | 0.16 | 0.011 J | 0.40 | 0.028 J |
| 1,1-Dichloroethene | 0.16 | Not Detected | 0.63 | Not Detected |
| 1,1-Dichloroethane | 0.16 | 0.020 J | 0.64 | 0.079 J |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.63 | Not Detected |
| 1,2-Dichloroethane | 0.16 | 0.014 J | 0.64 | 0.056 J |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.63 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 124 | 70-130 |
| 1,2-Dichloroethane-d4 | 97 | 70-130 |
| Toluene-d8 | 102 | 70-130 |



Client Sample ID: BPS1-SVPM-2007D-082610

Lab ID#: 1008666B-16A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | c090914 | Date of Collection: 8/26/10 10:40:00 AM |
| Dil. Factor: | 1.46 | Date of Analysis: 9/9/10 08:55 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.073 | 0.27 | 0.40 | 1.5 |
| Trichloroethene | 0.073 | 0.29 | 0.39 | 1.5 |
| Tetrachloroethene | 0.073 | 0.40 | 0.50 | 2.7 |
| Vinyl Chloride | 0.15 | 0.014 J | 0.37 | 0.036 J |
| 1,1-Dichloroethene | 0.15 | Not Detected | 0.58 | Not Detected |
| 1,1-Dichloroethane | 0.15 | 0.010 J | 0.59 | 0.041 J |
| cis-1,2-Dichloroethene | 0.15 | 0.24 | 0.58 | 0.95 |
| 1,2-Dichloroethane | 0.15 | 0.027 J | 0.59 | 0.11 J |
| trans-1,2-Dichloroethene | 0.15 | 0.014 J | 0.58 | 0.054 J |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 122 | 70-130 |
| 1,2-Dichloroethane-d4 | 105 | 70-130 |
| Toluene-d8 | 109 | 70-130 |

Client Sample ID: BPS1-SVPM-12S-082610

Lab ID#: 1008666B-17A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|---------------------|
| File Name: | p091411 | Date of Collection: | 8/26/10 12:38:00 PM |
| Dil. Factor: | 1.52 | Date of Analysis: | 9/14/10 04:23 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|-------------------|---------------|--------------------|---|
| Vinyl Chloride | 0.76 | Not Detected | 1.9 | Not Detected |
| 1,1-Dichloroethene | 0.76 | Not Detected | 3.0 | Not Detected |
| 1,1-Dichloroethane | 0.76 | 0.29 J | 3.1 | 1.2 J |
| cis-1,2-Dichloroethene | 0.76 | 36 | 3.0 | 140 |
| 1,1,1-Trichloroethane | 0.76 | 13 | 4.1 | 71 |
| Trichloroethene | 0.76 | 220 | 4.1 | 1200 |
| trans-1,2-Dichloroethene | 0.76 | 0.57 J | 3.0 | 2.2 J |
| 1,2-Dichloroethane | 0.76 | 0.58 J | 3.1 | 2.5 J not detected KIS 10/26/10 |
| Tetrachloroethene | 0.76 | 8.1 | 5.2 | 55 Blank contamination |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| Toluene-d8 | 97 | 70-130 |
| 1,2-Dichloroethane-d4 | 98 | 70-130 |
| 4-Bromofluorobenzene | 99 | 70-130 |

Client Sample ID: BPS1-SVPM-11S-082610

Lab ID#: 1008666B-18A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | p091416 | Date of Collection: 8/26/10 12:57:00 PM |
| Dil. Factor: | 4.13 | Date of Analysis: 9/14/10 06:20 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| Vinyl Chloride | 2.1 | Not Detected | 5.3 | Not Detected |
| 1,1-Dichloroethene | 2.1 | Not Detected | 8.2 | Not Detected |
| 1,1-Dichloroethane | 2.1 | Not Detected | 8.4 | Not Detected |
| cis-1,2-Dichloroethene | 2.1 | 9.7 | 8.2 | 38 |
| 1,1,1-Trichloroethane | 2.1 | 3.0 | 11 | 16 |
| Trichloroethene | 2.1 | 570 | 11 | 3100 |
| trans-1,2-Dichloroethene | 2.1 | 1.0 J | 8.2 | 4.1 J |
| 1,2-Dichloroethane | 2.1 | Not Detected | 8.4 | Not Detected |
| Tetrachloroethene | 2.1 | 49 | 14 | 330 |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| Toluene-d8 | 97 | 70-130 |
| 1,2-Dichloroethane-d4 | 99 | 70-130 |
| 4-Bromofluorobenzene | 100 | 70-130 |



Client Sample ID: BPS1-SVPM-2003I-082610

Lab ID#: 1008666B-19A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|--------------------|
| File Name: | c090915 | Date of Collection: | 8/26/10 3:01:00 PM |
| Dil. Factor: | 1.58 | Date of Analysis: | 9/9/10 09:36 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|-------------------|---------------|--------------------|----------------|
| 1,1,1-Trichloroethane | 0.079 | 0.043 J | 0.43 | 0.23 J |
| Trichloroethene | 0.079 | 0.066 J | 0.42 | 0.36 J |
| Tetrachloroethene | 0.079 | 0.74 | 0.54 | 5.0 |
| Vinyl Chloride | 0.16 | Not Detected | 0.40 | Not Detected |
| 1,1-Dichloroethene | 0.16 | Not Detected | 0.63 | Not Detected |
| 1,1-Dichloroethane | 0.16 | Not Detected | 0.64 | Not Detected |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.63 | Not Detected |
| 1,2-Dichloroethane | 0.16 | Not Detected | 0.64 | Not Detected |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.63 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 4-Bromofluorobenzene | 117 | 70-130 |
| 1,2-Dichloroethane-d4 | 96 | 70-130 |
| Toluene-d8 | 114 | 70-130 |

Client Sample ID: BPS1-DUP03-082610

Lab ID#: 1008666B-20A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|--------------------|
| File Name: | p091415 | Date of Collection: | 8/26/10 4:00:00 PM |
| Dil. Factor: | 1.71 | Date of Analysis: | 9/14/10 05:57 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|-------------------|---------------|--------------------|----------------|
| Vinyl Chloride | 0.86 | Not Detected | 2.2 | Not Detected |
| 1,1-Dichloroethene | 0.86 | Not Detected | 3.4 | Not Detected |
| 1,1-Dichloroethane | 0.86 | 0.32 J | 3.5 | 1.3 J |
| cis-1,2-Dichloroethene | 0.86 | 39 | 3.4 | 150 |
| 1,1,1-Trichloroethane | 0.86 | 14 | 4.7 | 74 |
| Trichloroethene | 0.86 | 220 | 4.6 | 1200 |
| trans-1,2-Dichloroethene | 0.86 | 0.63 J | 3.4 | 2.5 J |
| 1,2-Dichloroethane | 0.86 | 0.16 J | 3.5 | 0.65 J |
| Tetrachloroethene | 0.86 | 7.8 | 5.8 | 53 |

*0.65 only Detected - KLF
10/25/10 - Blank
contamination*

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| Toluene-d8 | 97 | 70-130 |
| 1,2-Dichloroethane-d4 | 99 | 70-130 |
| 4-Bromofluorobenzene | 100 | 70-130 |



Client Sample ID: BPS1-SVPM-ODA-082610

Lab ID#: 1008666B-21A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | c090916 | Date of Collection: 8/26/10 3:10:00 PM |
| Dil. Factor: | 2.01 | Date of Analysis: 9/9/10 10:19 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|--------------------------|----------------------|---------------------------|-----------------------|
| 1,1,1-Trichloroethane | 0.10 | 0.0068 J | 0.55 | 0.037 J |
| Trichloroethene | 0.10 | 0.0074 J | 0.54 | 0.040 J |
| Tetrachloroethene | 0.10 | 0.036 J | 0.68 | 0.24 J |
| Vinyl Chloride | 0.20 | Not Detected | 0.51 | Not Detected |
| 1,1-Dichloroethene | 0.20 | Not Detected | 0.80 | Not Detected |
| 1,1-Dichloroethane | 0.20 | Not Detected | 0.81 | Not Detected |
| cis-1,2-Dichloroethene | 0.20 | 0.0064 J | 0.80 | 0.026 J |
| 1,2-Dichloroethane | 0.20 | 0.025 J | 0.81 | 0.10 J |
| trans-1,2-Dichloroethene | 0.20 | Not Detected | 0.80 | Not Detected |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 111 | 70-130 |
| 1,2-Dichloroethane-d4 | 100 | 70-130 |
| Toluene-d8 | 89 | 70-130 |

Client Sample ID: Lab Blank

Lab ID#: 1008666B-22A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|-----------------|--|
| File Name: | c090907a | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/9/10 01:53 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| 1,1,1-Trichloroethane | 0.050 | Not Detected | 0.27 | Not Detected |
| Trichloroethene | 0.050 | Not Detected | 0.27 | Not Detected |
| Tetrachloroethene | 0.050 | Not Detected | 0.34 | Not Detected |
| Vinyl Chloride | 0.10 | Not Detected | 0.26 | Not Detected |
| 1,1-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |
| 1,1-Dichloroethane | 0.10 | Not Detected | 0.40 | Not Detected |
| cis-1,2-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |
| 1,2-Dichloroethane | 0.10 | Not Detected | 0.40 | Not Detected |
| trans-1,2-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| 4-Bromofluorobenzene | 105 | 70-130 |
| 1,2-Dichloroethane-d4 | 99 | 70-130 |
| Toluene-d8 | 87 | 70-130 |

Client Sample ID: Lab Blank

Lab ID#: 1008666B-22B

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|-----------------|---|
| File Name: | p091406c | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/14/10 12:03 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|--------------------------|------------------------------|--------------------------|-------------------------------|---------------------------|
| Vinyl Chloride | 0.50 | Not Detected | 1.3 | Not Detected |
| 1,1-Dichloroethene | 0.50 | Not Detected | 2.0 | Not Detected |
| 1,1-Dichloroethane | 0.50 | Not Detected | 2.0 | Not Detected |
| cis-1,2-Dichloroethene | 0.50 | Not Detected | 2.0 | Not Detected |
| 1,1,1-Trichloroethane | 0.50 | Not Detected | 2.7 | Not Detected |
| Trichloroethene | 0.50 | 0.15 J | 2.7 | 0.82 J |
| trans-1,2-Dichloroethene | 0.50 | Not Detected | 2.0 | Not Detected |
| 1,2-Dichloroethane | 0.50 | 0.10 J | 2.0 | 0.42 J |
| Tetrachloroethene | 0.50 | 0.20 J | 3.4 | 1.3 J |

J = Estimated value.

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|--------------------------|
| Toluene-d8 | 98 | 70-130 |
| 1,2-Dichloroethane-d4 | 100 | 70-130 |
| 4-Bromofluorobenzene | 99 | 70-130 |

Client Sample ID: CCV

Lab ID#: 1008666B-23A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | c090902 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/9/10 09:32 AM |

| Compound | %Recovery |
|--------------------------|------------------|
| 1,1,1-Trichloroethane | 95 |
| Trichloroethene | 98 |
| Tetrachloroethene | 107 |
| Vinyl Chloride | 84 |
| 1,1-Dichloroethene | 94 |
| 1,1-Dichloroethane | 90 |
| cis-1,2-Dichloroethene | 86 |
| 1,2-Dichloroethane | 101 |
| trans-1,2-Dichloroethene | 88 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 105 | 70-130 |
| 1,2-Dichloroethane-d4 | 100 | 70-130 |
| Toluene-d8 | 99 | 70-130 |

Client Sample ID: CCV

Lab ID#: 1008666B-23B

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | p091402 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/14/10 09:34 AM |

| Compound | %Recovery |
|--------------------------|------------------|
| Vinyl Chloride | 100 |
| 1,1-Dichloroethene | 101 |
| 1,1-Dichloroethane | 101 |
| cis-1,2-Dichloroethene | 101 |
| 1,1,1-Trichloroethane | 102 |
| Trichloroethene | 101 |
| trans-1,2-Dichloroethene | 101 |
| 1,2-Dichloroethane | 103 |
| Tetrachloroethene | 102 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| Toluene-d8 | 99 | 70-130 |
| 1,2-Dichloroethane-d4 | 97 | 70-130 |
| 4-Bromofluorobenzene | 100 | 70-130 |

Client Sample ID: LCS

Lab ID#: 1008666B-24A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|--------------|---------|-----------------------------------|
| File Name: | c090904 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/9/10 11:39 AM |

| Compound | %Recovery |
|--------------------------|-----------|
| 1,1,1-Trichloroethane | 90 |
| Trichloroethene | 93 |
| Tetrachloroethene | 101 |
| Vinyl Chloride | 77 |
| 1,1-Dichloroethene | 82 |
| 1,1-Dichloroethane | 82 |
| cis-1,2-Dichloroethene | 81 |
| 1,2-Dichloroethane | 96 |
| trans-1,2-Dichloroethene | 84 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 4-Bromofluorobenzene | 108 | 70-130 |
| 1,2-Dichloroethane-d4 | 105 | 70-130 |
| Toluene-d8 | 100 | 70-130 |

Client Sample ID: LCSD

Lab ID#: 1008666B-24AA

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|--|
| File Name: | c090905 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/9/10 12:22 PM |

| Compound | %Recovery |
|--------------------------|------------------|
| 1,1,1-Trichloroethane | 88 |
| Trichloroethene | 94 |
| Tetrachloroethene | 101 |
| Vinyl Chloride | 75 |
| 1,1-Dichloroethene | 81 |
| 1,1-Dichloroethane | 82 |
| cis-1,2-Dichloroethene | 81 |
| 1,2-Dichloroethane | 97 |
| trans-1,2-Dichloroethene | 83 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 4-Bromofluorobenzene | 110 | 70-130 |
| 1,2-Dichloroethane-d4 | 104 | 70-130 |
| Toluene-d8 | 100 | 70-130 |

Client Sample ID: LCS

Lab ID#: 1008666B-24B

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|--------------|---------|------------------------------------|
| File Name: | p091403 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/14/10 10:18 AM |

| Compound | %Recovery |
|--------------------------|-----------|
| Vinyl Chloride | 102 |
| 1,1-Dichloroethene | 92 |
| 1,1-Dichloroethane | 98 |
| cis-1,2-Dichloroethene | 100 |
| 1,1,1-Trichloroethane | 102 |
| Trichloroethene | 101 |
| trans-1,2-Dichloroethene | 101 |
| 1,2-Dichloroethane | 98 |
| Tetrachloroethene | 99 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| Toluene-d8 | 99 | 0-130 |
| 1,2-Dichloroethane-d4 | 100 | 0-130 |
| 4-Bromofluorobenzene | 99 | 0-130 |

Client Sample ID: LCSD

Lab ID#: 1008666B-24BB

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|--------------|---------|------------------------------------|
| File Name: | p091404 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 9/14/10 10:35 AM |

| Compound | %Recovery |
|--------------------------|-----------|
| Vinyl Chloride | 104 |
| 1,1-Dichloroethene | 93 |
| 1,1-Dichloroethane | 99 |
| cis-1,2-Dichloroethene | 101 |
| 1,1,1-Trichloroethane | 104 |
| Trichloroethene | 102 |
| trans-1,2-Dichloroethene | 103 |
| 1,2-Dichloroethane | 100 |
| Tetrachloroethene | 104 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| Toluene-d8 | 99 | 0-130 |
| 1,2-Dichloroethane-d4 | 99 | 0-130 |
| 4-Bromofluorobenzene | 101 | 0-130 |

APPENDIX E
DATA VALIDATION SUMMARIES

TO: D. BRAYACK
SDG: 1007700B

PAGE: 2

and was asked to re-analyze the samples on an instrument that would yield lower analyte detection limits with results similar to historical data for the sample site region. The re-analysis data set was validated in this report. Results were similar to original analyses and the detection limits were significantly improved.

Positive results below the Reporting Limit (RL) and above the detection limit were qualified as estimated, (J), due to uncertainty near the detection limit.


The laboratory reported the VOC air result concentrations in units of both ppbv and $\mu\text{g}/\text{m}^3$ on the sample forms. The results in the database and the qualified analytical result concentrations are reported as $\mu\text{g}/\text{m}^3$ only.

EXECUTIVE SUMMARY


Laboratory Performance Issues: None.

Other Factors Affecting Data Quality: Positive results below the Reporting Limit (RL) and above the detection limit were qualified as estimated, (J), due to uncertainty near the detection limit.

The data for these analyses were reviewed with reference to the "Volatile Organic Analysis of Ambient Air In Canister By Method TO-15" EPA Region II SOP #HW-31 Revision #4 October 2006 and the Department of Defense (DoD) document entitled "Quality Systems Manual (QSM) for Environmental Laboratories" (January 2006).



TetraTech NUS
Joseph Kalinyak
Chemist/Data Validator



TetraTech NUS
Joseph A. Samchuck
Data Validation Quality Assurance Officer

Attachments:

1. Appendix A - Qualified Analytical Results
2. Appendix B - Results as Reported by the Laboratory
3. Appendix C - Region II Data Validation Forms
4. Appendix D - Support Documentation

Appendix A

Qualified Analytical Results

Value Qualifier Key (Val Qual)

J – The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.

UJ – The result is an estimated non-detected quantity. The associated numerical value is the approximate concentration of the analyte in the sample.

U - Value is a non-detect as reported by the laboratory.

UR – Non-detected result is considered rejected, (UR), as a result of technical non-compliances.

DATA QUALIFICATION CODE (QUAL CODE)

- A = Lab Blank Contamination
- B = Field Blank Contamination
- C = Calibration Noncompliance (e.g. % RSDs, %Ds, ICVs, CCVs, RRFs, etc.)
- C01 = GC/MS Tuning Noncompliance
- D = MS/MSD Recovery Noncompliance
- E = LCS/LCSD Recovery Noncompliance
- F = Lab Duplicate Imprecision
- G = Field Duplicate Imprecision
- H = Holding Time Exceedance
- I = ICP Serial Dilution Noncompliance
- J = GFAA PDS - GFAA MSA's $r < 0.995$ / ICP PDS Recovery Noncompliance
- K = ICP Interference - includes ICS % R Noncompliance
- L = Instrument Calibration Range Exceedance
- M = Sample Preservation Noncompliance
- N = Internal Standard Noncompliance
- N01 = Internal Standard Recovery Noncompliance Dioxins
- N02 = Recovery Standard Noncompliance Dioxins
- N03 = Clean-up Standard Noncompliance Dioxins
- O = Poor Instrument Performance (e.g. base-line drifting)
- P = Uncertainty near detection limit ($< 2 \times$ IDL for inorganics and $<$ CRQL for organics)
- Q = Other problems (can encompass a number of issues; e.g. chromatography, interferences, etc.)
- R = Surrogates Recovery Noncompliance
- S = Pesticide/PCB Resolution
- T = % Breakdown Noncompliance for DDT and Endrin
- U = % Difference between columns/detectors $>25\%$ for positive results determined via GC/HPLC
- V = Non-linear calibrations; correlation coefficient $r < 0.995$
- W = EMPC result
- X = Signal to noise response drop
- Y = Percent solids $<30\%$
- Z = Uncertainty at 2 sigma deviation is greater than sample activity

| | | | |
|--------------------------|------------|-------------------|------|
| PROJ_NO: 02019 | NSAMPLE | BPS1-DUP01 | |
| SDG: 1007700B | LAB_ID | 1007700B-05A | |
| FRACTION: OV | SAMP_DATE | 7/28/2010 | |
| MEDIA: AIR | QC_TYPE | NM | |
| | UNITS | UG/M3 | |
| | PCT_SOLIDS | | |
| | DUP_OF | BPS1-AR003-INDL-5 | |
| PARAMETER | RESULT | VQL | QLCD |
| 1,1,1-TRICHLOROETHANE | 2.9 | | |
| 1,1-DICHLOROETHANE | 1.3 | U | |
| 1,1-DICHLOROETHENE | 1.2 | U | |
| 1,2-DICHLOROETHANE | 1.5 | | |
| CIS-1,2-DICHLOROETHENE | 1.2 | U | |
| TETRACHLOROETHENE | 0.28 | J | P |
| TRANS-1,2-DICHLOROETHENE | 1.2 | U | |
| TRICHLOROETHENE | 0.15 | J | P |
| VINYL CHLORIDE | 0.8 | U | |

Volatiles

The surrogate spike recoveries for 4-bromofluorobenzene in samples BPS1-AR002-ST05 and BPS1-AR004-ST05 were greater than the laboratory acceptance limits. Positive results in samples BPS1-AR002-ST05 and BPS1-AR004-ST05 were qualified as estimated (J) on this basis.

Additional Comments

The Chain of Custody (COC) information for sample BPS1-DUP03-082610 did not match the sample tag upon receipt. The information on the COC was used to process the sample.

Positive results less than the reporting limit and greater than the detection limit were qualified as estimated (J) due to uncertainty near the detection limit.


The laboratory reported the VOC air result concentrations in units of both ppbv and ug/m^3 on the sample forms. The results in the database and the qualified analytical results are reported in units of ug/m^3 only.

EXECUTIVE SUMMARY

Laboratory Performance Issues: Some results were qualified as estimated due to surrogate recovery noncompliance.

Other Factors Affecting Data Quality: Some results were qualified due to uncertainty near the detection limit.

The data for these analyses were reviewed with reference to the "Volatile Organic Analysis of Ambient Air in Canister by Method TO-15," SOP# HW-31, Revision #4, October 2006, and the Department of Defense (DoD) document entitled "Quality Systems Manual (QSM) for Environmental Laboratories" (January 2006). The text of this report has been formulated to address only those problem areas affecting data quality.



Leigh A. Ciofani
Tetra Tech NUS

Leigh A. Ciofani
Environmental Scientist/Data Validator



Joseph A. Samchuck
Tetra Tech NUS

Joseph A. Samchuck
Data Validation Quality Assurance Officer

Attachments:

- Appendix A – Qualified Analytical Results
- Appendix B – Results as Reported by the Laboratory
- Appendix C – Regional Worksheets
- Appendix D – Support Documentation

APPENDIX A

QUALIFIED ANALYTICAL RESULTS

Data Validation Qualifier Codes:

- A = Lab Blank Contamination
- B = Field Blank Contamination
- C = Calibration Noncompliance (e.g. % RSDs, %Ds, ICVs, CCVs, RRFs, etc.)
- C01 = GC/MS Tuning Noncompliance
- D = MS/MSD Recovery Noncompliance
- E = LCS/LCSD Recovery Noncompliance
- F = Lab Duplicate Imprecision
- G = Field Duplicate Imprecision
- H = Holding Time Exceedance
- I = ICP Serial Dilution Noncompliance
- J = GFAA PDS - GFAA MSA's $r < 0.995$
- K = ICP Interference - includes ICS % R Noncompliance
- L = Instrument Calibration Range Exceedance
- M = Sample Preservation Noncompliance
- N = Internal Standard Noncompliance
- N01 = Internal Standard Recovery Noncompliance Dioxins
- N02 = Recovery Standard Noncompliance Dioxins
- N03 = Clean-up Standard Noncompliance Dioxins
- O = Poor Instrument Performance (e.g. base-line drifting)
- P = Uncertainty near detection limit ($< 2 \times$ IDL for inorganics and $< CRQL$ for organics)
- Q = Other problems (can be any number of issues; e.g. poor chromatography,interferences, etc.)
- R = Surrogates Recovery Noncompliance
- S = Pesticide/PCB Resolution
- T = % Breakdown Noncompliance for DDT and Endrin
- U = % Difference between columns/detectors $>25\%$ for positive results determined via GC/HPLC
- V = Non-linear calibrations; correlation coefficient $r < 0.995$
- W = EMPC result
- X = Signal to noise response drop
- Y = Percent solids $<30\%$
- Z = Uncertainty at 2 sigma deviation is greater than sample activity

| PROJ_NO: 02019 | NSAMPLE | BPS1-AR002-ODAA4 | BPS1-AR002-ST05 | BPS1-AR003-ST05 | BPS1-AR004-ST05 | |
|--------------------------|------------|------------------|-----------------|-----------------|-----------------|------|
| SDG: 1008666A | LAB_ID | 1008666A-06A | 1008666A-03A | 1008666A-01A | 1008666A-02A | |
| FRACTION: OV | SAMP_DATE | 8/24/2010 | 8/24/2010 | 8/24/2010 | 8/24/2010 | |
| MEDIA: AIR | QC_TYPE | NM | NM | NM | NM | |
| | UNITS | UG/M3 | UG/M3 | UG/M3 | UG/M3 | |
| | PCT_SOLIDS | | | | | |
| | DUP_OF | | | | | |
| PARAMETER | RESULT | VQL | QLCD | RESULT | VQL | QLCD |
| 1,1,1-TRICHLOROETHANE | 0.062 J | 0.86 U | P | 1.2 J | 2.4 | R |
| 1,1-DICHLOROETHANE | 0.86 U | 0.84 U | | 0.65 U | 0.053 J | P |
| 1,1-DICHLOROETHANE | 0.84 U | 0.076 J | P | 0.048 J | 0.15 J | P |
| 1,2-DICHLOROETHANE | 0.076 J | 0.84 U | | 0.056 J | 1.7 | |
| CIS-1,2-DICHLOROETHENE | 0.84 U | 0.16 J | P | 0.64 U | 0.61 U | |
| TETRACHLOROETHENE | 0.16 J | 0.84 U | | 3.9 J | 2.4 | |
| TRANS-1,2-DICHLOROETHENE | 0.84 U | 0.048 J | P | 0.64 U | 0.61 U | |
| TRICHLOROETHENE | 0.048 J | 0.54 U | | 9.6 J | 4.3 | |
| VINYL CHLORIDE | 0.54 U | | | 0.41 U | 0.4 U | |
| | | | | RESULT | VQL | QLCD |
| | | | | 0.17 J | 0.061 J | PR |
| | | | | 0.061 J | 0.61 U | PR |
| | | | | 0.15 J | 0.15 J | PR |
| | | | | 0.024 J | 1.9 J | R |
| | | | | 0.61 U | 2.3 J | R |
| | | | | 0.047 J | 0.047 J | PR |

| | | | | | |
|--------------------------|------------|-----------------|-----------------|---------------------|------------------------|
| PROJ_NO: 02019 | NSAMPLE | BPS1-AR013-ST05 | BPS1-AR014-ST05 | BPS1-DUPO1-20100824 | BPS1-SVPM-2002D-082510 |
| SDG: 1008666A | LAB_ID | 1008666A-04A | 1008666A-05A | 1008666A-07A | 1008666A-08A |
| FRACTION: OV | SAMP_DATE | 8/24/2010 | 8/24/2010 | 8/24/2010 | 8/25/2010 |
| MEDIA: AIR | QC_TYPE | NM | NM | NM | NM |
| | UNITS | UG/M3 | UG/M3 | UG/M3 | UG/M3 |
| | PCT_SOLIDS | | | | 0.0 |
| | DUP_OF | | | BPS1-AR013-ST05 | |
| PARAMETER | RESULT | VQL | RESULT | VQL | RESULT |
| 1,1,1-TRICHLOROETHANE | 0.31 J | P | 0.34 J | P | 1 |
| 1,1-DICHLOROETHANE | 0.66 U | | 0.0088 J | P | 0.027 J |
| 1,1-DICHLOROETHANE | 0.64 U | | 0.56 U | | 0.58 U |
| 1,2-DICHLOROETHANE | 0.082 J | P | 0.068 J | P | 0.054 J |
| CIS-1,2-DICHLOROETHENE | 0.64 U | | 0.012 J | P | 0.022 J |
| TETRACHLOROETHENE | 2.2 | | 2.9 | | 4 |
| TRANS-1,2-DICHLOROETHENE | 0.64 U | | 0.56 U | | 0.58 U |
| TRICHLOROETHENE | 0.87 | | 0.55 | | 10 |
| VINYL CHLORIDE | 0.41 U | | 0.36 U | | 0.022 J |

| | | | |
|--------------------------|------------|------------------------|------------------------|
| PROJ_NO: 02019 | NSAMPLE | BPS1-SVPM-2002I-082510 | BPS1-SVPM-2002S-082510 |
| SDG: 1008666A | LAB_ID | 1008666A-09A | 1008666A-10A |
| FRACTION: OV | SAMP_DATE | 8/25/2010 | 8/25/2010 |
| MEDIA: AIR | QC_TYPE | NM | NM |
| | UNITS | UG/M3 | UG/M3 |
| | PCT_SOLIDS | 0.0 | 0.0 |
| | DUP_OF | | |
| PARAMETER | RESULT | VQL | QLCD |
| 1,1,1-TRICHLOROETHANE | 0.68 | | 1.2 |
| 1,1-DICHLOROETHANE | 0.014 J | P | 0.017 J P |
| 1,1-DICHLOROETHANE | 0.037 J | P | 0.071 J P |
| 1,2-DICHLOROETHANE | 0.087 J | P | 0.076 J P |
| CIS-1,2-DICHLOROETHENE | 0.64 U | | 0.58 U |
| TETRACHLOROETHENE | 1.8 | | 3 |
| TRANS-1,2-DICHLOROETHENE | 0.64 U | | 0.58 U |
| TRICHLOROETHENE | 8 | | 17 |
| VINYL CHLORIDE | 0.41 U | | 0.028 J P |

| <u>Compound</u> | <u>Maximum Concentration</u> | <u>Action Level</u> |
|--------------------|------------------------------|-----------------------|
| 1,2-Dichloroethane | 0.42 ug/m ³ | 2.1 ug/m ³ |
| Tetrachloroethene | 1.3 ug/m ³ | 6.5 ug/m ³ |
| Trichloroethene | 0.82 ug/m ³ | 4.1 ug/m ³ |

Action levels of 5x the maximum concentrations were used to evaluate sample concentrations for blank contamination. Sample aliquot and dilution factors were considered in evaluating for blank contamination. No action was necessary because all positive results for these compounds were greater than the corresponding action levels. Positive results for 1,2-dichloroethane less than the associated action level were qualified as non-detected due to blank contamination (U). Positive results less than the reporting limit that were qualified due to blank contamination were raised to the reporting limit.

Additional Comments

The Chain of Custody (COC) information for sample BPS1-DUP03-082610 did not match the sample tag upon receipt. The information on the COC was used to process the sample.

Positive results less than the reporting limit and greater than the detection limit were qualified as estimated (J) due to uncertainty near the detection limit.

The laboratory reported the VOC air result concentrations in units of both ppbv and ug/m³ on the sample forms. The results in the database and the qualified analytical results are reported in units of ug/m³ only.


Samples prepared on 09/09/10 (BPS1-SVPM-12S-082610, BPS1-SVPM-11S-082610, and BPS1-DUP03-082610) had reporting limits of 0.5 ppbv, which is greater than the reporting limits specified in the statement of work, which listed reporting limits of 0.05 ppbv or 0.1 ppbv for all analytes. According to the laboratory narrative, samples BPS1-SVPM-12S-082610, BPS1-SVPM-11S-082610, and BPS1-DUP03-082610 were transferred from Low Level analysis to full scan TO-15 due to high levels of target compounds.

EXECUTIVE SUMMARY

Laboratory Performance Issues: Two sample results were qualified as non-detected due to laboratory method blank contamination.


Other Factors Affecting Data Quality: Some results were qualified due to uncertainty near the detection limit.

The data for these analyses were reviewed with reference to the "Volatile Organic Analysis of Ambient Air in Canister by Method TO-15," SOP# HW-31, Revision #4, October 2006, and the Department of Defense (DoD) document entitled "Quality Systems Manual (QSM) for Environmental Laboratories" (January 2006). The text of this report has been formulated to address only those problem areas affecting data quality.



Tetra Tech NUS

Leigh A. Ciofani
Environmental Scientist/Data Validator



Tetra Tech NUS

Joseph A. Samchuck
Data Validation Quality Assurance Officer

Attachments:

- Appendix A – Qualified Analytical Results
- Appendix B – Results as Reported by the Laboratory
- Appendix C – Regional Worksheets
- Appendix D – Support Documentation

APPENDIX A

QUALIFIED ANALYTICAL RESULTS

Data Validation Qualifier Codes:

- A = Lab Blank Contamination
- B = Field Blank Contamination
- C = Calibration Noncompliance (e.g. % RSDs, %Ds, ICVs, CCVs, RRFs, etc.)
- C01 = GC/MS Tuning Noncompliance
- D = MS/MSD Recovery Noncompliance
- E = LCS/LCSD Recovery Noncompliance
- F = Lab Duplicate Imprecision
- G = Field Duplicate Imprecision
- H = Holding Time Exceedance
- I = ICP Serial Dilution Noncompliance
- J = GFAA PDS - GFAA MSA's $r < 0.995$
- K = ICP Interference - includes ICS % R Noncompliance
- L = Instrument Calibration Range Exceedance
- M = Sample Preservation Noncompliance
- N = Internal Standard Noncompliance
- N01 = Internal Standard Recovery Noncompliance Dioxins
- N02 = Recovery Standard Noncompliance Dioxins
- N03 = Clean-up Standard Noncompliance Dioxins
- O = Poor Instrument Performance (e.g. base-line drifting)
- P = Uncertainty near detection limit ($< 2 \times$ IDL for inorganics and $<$ CRQL for organics)
- Q = Other problems (can be any number of issues; e.g. poor chromatography, interferences, etc.)
- R = Surrogates Recovery Noncompliance
- S = Pesticide/PCB Resolution
- T = % Breakdown Noncompliance for DDT and Endrin
- U = % Difference between columns/detectors $>25\%$ for positive results determined via GC/HPLC
- V = Non-linear calibrations; correlation coefficient $r < 0.995$
- W = EMPC result
- X = Signal to noise response drop
- Y = Percent solids $<30\%$
- Z = Uncertainty at 2 sigma deviation is greater than sample activity

| PROJ_NO: 02019 SDG: 1008666B FRACTION: OV MEDIA: AIR | NSAMPLE LAB_ID SAMP_DATE QC_TYPE UNITS PCT_SOLIDS DUP_OF | BPS1-DJPO3-082610 | | BPS1-SVPM-11S-082610 | | BPS1-SVPM-12S-082610 | | BPS1-SVPM-2003D-082510 | | |
|---|--|--|--|--|--|----------------------|------|------------------------|---------|------|
| | | 1008666B-20A 8/26/2010 NM UG/M3 | 1008666B-18A 8/26/2010 NM UG/M3 | 1008666B-17A 8/26/2010 NM UG/M3 | 1008666B-11A 8/25/2010 NM UG/M3 | | | | | |
| PARAMETER | | RESULT | VQL | QLCD | RESULT | VQL | QLCD | RESULT | VQL | QLCD |
| 1,1,1-TRICHLOROETHANE | | 74 | | | 16 | | | 71 | | |
| 1,1-DICHLOROETHANE | | 1.3 J | P | | 8.4 U | | P | 1.2 J | 0.026 J | P |
| 1,1-DICHLOROETHANE | | 3.4 U | | | 8.2 U | | | 3 U | 0.58 U | |
| 1,2-DICHLOROETHANE | | 3.5 U | A | | 8.4 U | | A | 3.1 U | 0.063 J | P |
| CIS-1,2-DICHLOROETHENE | | 150 | | | 38 | | | 140 | 0.58 U | |
| TETRACHLOROETHENE | | 53 | | | 330 | | | 55 | 2.5 | |
| TRANS-1,2-DICHLOROETHENE | | 2.5 J | P | | 4.1 J | | P | 2.2 J | 0.58 U | |
| TRICHLOROETHENE | | 1200 | | | 3100 | | | 1200 | 5.2 | |
| VINYL CHLORIDE | | 2.2 U | | | 5.3 U | | | 1.9 U | 0.37 U | |

| PROJ_NO: 02019 | NSAMPLE | BPS1-SVPM-2003I-082610 | BPS1-SVPM-2004D-082610 | BPS1-SVPM-2004I-082610 | BPS1-SVPM-2007D-082610 | | | | |
|--------------------------|------------|------------------------|------------------------|------------------------|------------------------|------|---------|-----|------|
| SDG: 1088666B | LAB_ID | 1008666B-19A | 1008666B-14A | 1008666B-13A | 1008666B-16A | | | | |
| FRACTION: OV | SAMP_DATE | 8/26/2010 | 8/26/2010 | 8/26/2010 | 8/26/2010 | | | | |
| MEDIA: AIR | QC_TYPE | NM | NM | NM | NM | | | | |
| | UNITS | UG/M3 | UG/M3 | UG/M3 | UG/M3 | | | | |
| | PCT_SOLIDS | | | | | | | | |
| | DUP_OF | | | | | | | | |
| PARAMETER | RESULT | VQL | QLCD | RESULT | VQL | QLCD | RESULT | VQL | QLCD |
| 1,1,1-TRICHLOROETHANE | 0.23 J | | P | 0.33 J | 0.2 J | P | 1.5 | | |
| 1,1-DICHLOROETHANE | 0.64 U | | P | 0.03 J | 0.072 J | P | 0.041 J | | P |
| 1,1-DICHLOROETHENE | 0.63 U | | P | 0.63 U | 0.043 J | P | 0.58 U | | P |
| 1,2-DICHLOROETHANE | 0.64 U | | P | 0.078 J | 0.065 J | P | 0.11 J | | P |
| CIS-1,2-DICHLOROETHENE | 0.63 U | | P | 0.63 U | 0.61 U | | 0.95 | | |
| TETRACHLOROETHENE | 5 | | | 2.9 | 1.8 | | 2.7 | | |
| TRANS-1,2-DICHLOROETHENE | 0.63 U | | P | 0.63 U | 0.015 J | P | 0.054 J | | P |
| TRICHLOROETHENE | 0.36 J | | P | 0.47 | 0.28 J | P | 1.5 | | |
| VINYL CHLORIDE | 0.4 U | | P | 0.042 J | 0.016 J | P | 0.036 J | | P |

