

EDWARD P. MANGANO
COUNTY EXECUTIVE



SHILA SHAH-GAVNOUDIAS, P.E.
COMMISSIONER

COUNTY OF NASSAU
DEPARTMENT OF PUBLIC WORKS
1194 PROSPECT AVENUE
WESTBURY, NEW YORK 11590-2723

September 2, 2010

New York State Department of
Environmental Conservation
Division of Environmental Remediation
Bureau of Hazardous Site Control
625 Broadway
Albany, New York 12233

Att: Cynthia Whitfield, P.E.
Environmental Engineer II

Re: 2010 Monthly Effluent Monitoring Reports
Nassau County Firemens Training Center, Site # 1-30-042

Ladies and Gentlemen:

Attached is the July 2010 Monthly Effluent Monitoring Report for the groundwater remediation at the Firemens Training Center site in Old Bethpage, New York.

If you have any questions concerning the monthly monitoring reports, please contact Mr. Michael Flaherty, Hydrogeologist III at (516) 571-7514.

Very truly yours,

Joseph L. Davenport, P.E.
Chief Sanitary Engineer
Unit Head, Water/Wastewater Engineering Unit

JLD:cs
Attachment

c: Kenneth G. Arnold, P.E., Assistant to Commissioner
William Spitz, Region 1, NYSDEC
Joseph N. Walker, Assistant Superintendent of Water Supply
Michael Flaherty, Hydrogeologist III

NASSAU COUNTY FIREMAN'S TRAINING CENTER
GROUNDWATER REMEDIATION FACILITY
MONTHLY EFFLUENT MONITORING REPORT
OUTFALL 001

JULY 2010

EFFLUENT PARAMETER	DISCHARGE LIMITATIONS	UNITS	COMPT MDL	WEEK 1 7/6/10	WEEK 2 07/13/10	WEEK 3 07/20/10	WEEK 4 07/27/10
FLOW, DAILY AVG	MONITOR	GPD	NA	517,971	571,371	574,529	560,114
FLOW, DAILY MAX	MONITOR	GPD	NA	522,000	574,500	580,800	572,500
1,1,1-TRICHLOROETHANE	5	µ g/l	1.4	BDL	BDL	BDL	BDL
1,1-DICHLOROETHANE	5	µ g/l	1.1	BDL	BDL	BDL	BDL
1,1-DICHLOROETHENE	5	µ g/l	1.2	BDL	BDL	BDL	BDL
1,2(CIS)-DICHLOROETHENE	5	µ g/l	1.0	BDL	BDL	BDL	BDL
1,2(TRANS)-DICHLOROETHENE	5	µ g/l	1.1	BDL	BDL	BDL	BDL
ACETONE	50	µ g/l	10.0	BDL	BDL	BDL	BDL
BENZENE	0.7	µ g/l	0.7	BDL	BDL	BDL	BDL
CHLOROFORM	7	µ g/l	1.1	BDL	BDL	BDL	BDL
DIBROMOCHLOROMETHANE	50	µ g/l	0.7	BDL	BDL	BDL	BDL
DICHLOROBROMOMETHANE	50	µ g/l	0.9	BDL	BDL	BDL	BDL
m,p-XYLENE	5	µ g/l	2.4	BDL	BDL	BDL	BDL
METHYL ETHYL KEYTONE	50	µ g/l	10.0	BDL	BDL	BDL	BDL
NAPHTHALENE	10	µ g/l	1.7	BDL	BDL	BDL	BDL
o-XYLENE	5	µ g/l	1.3	BDL	BDL	BDL	BDL
TETRACHLOROETHENE	5	µ g/l	1.2	BDL	BDL	BDL	BDL
TOLUENE	5	µ g/l	1.2	BDL	BDL	BDL	BDL
TRICHLOROETHENE	10	µ g/l	1.7	BDL	BDL	BDL	BDL
VINYL CHLORIDE	5	µ g/l	1.1	BDL	BDL	BDL	BDL
TOTAL VOCs		µ g/l					
BIS(2-ETHLHEXYL)PHTHALATE	4.3	µ g/l	1.0	0.0	0.0	0.0	0.0
DIETHYL PHTHALATE	50	µ g/l	1.0	0.0	0.0	0.0	0.0
DIMETHYL PHTHALATE	50	µ g/l	1.0	0.0	0.0	0.0	0.0
DI-N-OCTYL PHTHALATE	50	µ g/l	1.0	0.0	0.0	0.0	0.0
FLUORENE	50	µ g/l	1.0	0.0	0.0	0.0	0.0
PHENANTHRENE	50	µ g/l	1.0	0.0	0.0	0.0	0.0
PYRENE	50	µ g/l	1.0	0.0	0.0	0.0	0.0
ALUMINIUM, TOTAL	2000	µ g/l	40.0	BDL	8.1 J	8.1 J	BDL
ARSENIC, TOTAL	50	µ g/l	48.0	BDL	BDL	BDL	BDL
CHROMIUM, TOTAL	50	µ g/l	2.0	BDL	BDL	BDL	BDL
IRON, TOTAL	600	µ g/l	2.0	53.3	88.5	49.2	33.7
MANGANESE, TOTAL	600	µ g/l	1.0	124.0	139.0	140.0	140.0
NICKEL, TOTAL	2000	µ g/l	5.0	BDL	BDL	BDL	BDL
SUM IRON & MANGANESE	1000	µ g/l	NA	177.3	227.5	189.2	173.7

J - Analyte detected below Quantitation limits