

**Quarterly Monitoring Report  
Third Quarter 2002  
Utility Manufacturing Company  
700 Main Street  
Westbury, New York  
10102**


**October 2002**

**Prepared for:**

**Utility Manufacturing Company  
700 Main Street  
Westbury, New York 11590**

**Prepared by:**

**CA RICH CONSULTANTS, INC.  
17 Dupont Street  
Plainview, New York 11803**



**CA RICH CONSULTANTS, INC.**

CERTIFIED GROUND-WATER AND  
ENVIRONMENTAL SPECIALISTS

e-mail: [eweinstock@carichinc.com](mailto:eweinstock@carichinc.com)

website: [www.carichinc.com](http://www.carichinc.com)

October 14, 2002

**NYSDEC**

50 Wolf Road  
Albany, New York 12233-7010

Attention: Jeffrey Dyber, P.E.

Re: **Quarterly Monitoring Report  
Third Quarter 2002  
Utility Manufacturing Company  
700 Main Street  
Westbury, New York**

Dear Mr. Dyber:

Attached is our Quarterly Monitoring Report for the above-referenced site. We appear to be approaching the termination criteria in both the soil vapor and air sparging systems. As such, we began a program of pulsed sparging in August 2002. Well MW-5 was replaced with well MW-5R during September 2002 and is included in this last round of monitoring. The concentration of VOCs in MW-5R was less than that of the site's upgradient well.

During December 2002, we will collect a full round of groundwater samples and perform NYSDEC ASP, Category B deliverables on these samples. If the results of the December 2002 are similar to those measured in September 2002, the system will be turned off in accordance with the IRM Work Plan.

If there are any questions regarding this Report, please do not hesitate to call our office.

Sincerely,

**CA RICH CONSULTANTS, INC.**

Linda Ross  
Project Geologist

Eric A. Weinstock  
Associate

cc: Audie Kranz  
Miriam Villani, Esq.  
Alali Tamuno, Esq.  
Jacqueline Nealson

Attachments

**TABLE OF CONTENTS**

	Page
1.0 INTRODUCTION	1
2.0 PHYSICAL SITE CHARACTERISTICS	2
3.0 GROUNDWATER MONITORING PROCEDURES	3
4.0 SOIL VAPOR MONITORING PROCEDURES	4
5.0 REMEDIATION SYSTEM MONITORING AND EQUIPMENT TERMINATION CRITERIA	4
6.0 CONCLUSIONS	5
7.0 REFERENCES	6

**FIGURES**

1. SITE PLAN WITH MONITORING LOCATIONS
2. AS-BUILT SITE PLAN WITH SVE WELLS, AS POINTS AND VACUUM MONITORING POINTS


**TABLES**

1. SUMMARY OF ANALYTICAL DETECTIONS IN WELL MW-1
2. SUMMARY OF ANALYTICAL DETECTIONS IN WELL MW-2
3. SUMMARY OF ANALYTICAL DETECTIONS IN WELL MW-3
4. SUMMARY OF ANALYTICAL DETECTIONS IN WELL MW-4
5. SUMMARY OF ANALYTICAL DETECTIONS IN WELL MW-5
6. SUMMARY OF ANALYTICAL DETECTIONS IN WELL MW-6
7. SUMMARY OF ANALYTICAL DETECTIONS IN WELL MW-7S
8. SUMMARY OF ANALYTICAL DETECTIONS IN WELL MW-7I
9. SUMMARY OF ANALYTICAL DETECTIONS IN WELL MW-7D
10. SUMMARY OF ANALYTICAL DETECTIONS IN SOIL VAPOR






**APPENDICIES**


- A. GROUNDWATER LABORATORY DATA
- B. SOIL VAPOR LABORATORY DATA
- C. WELL CONSTRUCTION LOG MW-5R

# FIGURES



Legend

-  Drywell
-  Monitoring Well
-  Storage Trailer
-  Concrete Pad For USTs
-  Multi-Depth Cluster Well




Approximate  
Scale in Feet

**CA RICH CONSULTANTS, INC.**  
 Certified Ground-Water and Environmental Specialists  
 17 Dupont Street, Plainville, New York 11803

**Stephen J. Osmundsen, P.E.**  
 Consulting Engineer  
 513 Centre Island Road, Oyster Bay, New York 11771

TITLE	DATE	11/29/01
	SCALE	As Shown
PROJECT	OWNER	UTILITY MANUFACTURING CORP.
	ADDRESS	700 MAIN STREET NEW CASSEL, NEW YORK
DATE	11/30-1A	S.T.M.
SCALE		E.A.W.



<b>CA RICH CONSULTANTS, INC.</b> Certified Ground-Water and Environmental Specialists 17 Dupont Street, Plainville, New York 11803	
<b>Stephen J. Osmundsen, P.E.</b> Consulting Engineer 513 Centre Island Road, Oyster Bay, New York 11771	
<b>TITLE</b> AS-BUILT SITE PLAN WITH SOIL VAPOR EXTRACTION WELLS, AIR SPARGE POINTS AND VACUUM MONITORING POINTS	<b>DATE</b> 11/29/01
<b>PROJECT NO.</b> 2	<b>SCALE</b> As Shown
<b>DRAWN BY</b> 1130-1E	<b>CHECKED BY</b> S.T.M.
<b>CLIENT</b> UTILITY MANUFACTURING CORP. 700 MAIN STREET NEW CASSEL, NEW YORK	
<b>DATE</b> 11/29/01	<b>APP. BY</b> E.A.W.

**Third Quarter 2002  
Quarterly Monitoring Report  
Utility Manufacturing Company  
700 Main Street  
Westbury, New York  
Site Number: 130043H**

**1.0 INTRODUCTION**

The following Quarterly Monitoring Report was prepared by CA RICH Consultants, Inc. (CA RICH) on behalf of the Utility Manufacturing Company (Utility). This document was prepared in accordance with an Order on Consent, Index Number W1-0795-97-06. For the purposes of this document, the contaminants of concern are perchloroethene (a.k.a. PCE or tetrachloroethene); trichloroethene (TCE); 1,1,1-trichloroethane (TCA) and their degradation products.

The report addresses the remediation of an area of the Upper Glacial Aquifer located in the southwest portion of the property. The estimated thickness of the Upper Glacial Formation at this location is 100 feet and the depth to the water table is approximately 55 feet.

A series of previous investigations were performed at this site by both the NYSDEC and Utility. A detailed summary of these previous investigations is described in the Remedial Investigation prepared for this site. The following is a partial list of these previous investigations.

<u>Investigation</u>	<u>Date</u>
NYS Superfund Contract, Site Investigation Report New Cassel Industrial Area (Ref. 1)	February 1995
NYS Superfund Contract, Multisite PSA Report New Cassel Industrial Area (Ref. 2)	March 1996
NYS Superfund Contract, Multisite PSA Report New Cassel Industrial Area (Ref. 3)	March 1997
Focused Remedial Investigation, Utility Manufacturing/ Wonder King, Anson Environmental, Ltd. (Ref. 4)	January 1999
On-Site Groundwater Investigation, Utility Manufacturing/ Wonder King, Anson Environmental, Ltd. (Ref. 5)	December 2000
Interim Remedial Measures Report , Utility Manufacturing Company, 700 Main Street, Westbury, New York (Ref. 6)	December 2001



## **2.0 PHYSICAL SITE CHARACTERISTICS**

### **2.1 Site History**

The Utility Manufacturing / Wonder King site consists of a parcel approximately one acre in size. The property contains one building that was constructed in 1967. The ground surface around three sides of the building is improved with pavement. A narrow unpaved area exists on the west side of the building. A Site Plan is included as Figure 1.

Utility is a chemical blending and packaging plant that has operated at this facility since 1976. The company manufactures a variety of cleaning and lubricating products for commercial and industrial customers. The building is constructed with a concrete slab on grade and there are no known floor drains within the structure. Raw materials are stored in above ground tanks within the facility that are registered and inspected periodically. There are also two 4,000-gallon underground storage tanks below the rear of the property that store tetrahydrofuran and acetone.

The services of Safety Kleen are used to provide mineral spirits for use in cleaning silk screens in the plant. Safety Kleen disposes of the used mineral spirits and provides the plant with new product on a contract basis. This is the only chemical waste generated at this Facility.

### **2.2 Geologic Setting**

Utility is situated upon the glacial outwash soil deposits of Long Island at an elevation of approximately 120 feet above mean sea level. The Upper Glacial Formation at this site includes a layer of clay that occurs at a depth of approximately 38 to 40 feet below grade in the rear of the parking lot. The configuration of this "40-foot" clay layer based on References 4 and 5 is included in the IRM Work Plan (Ref. 6). Based upon field measurements from the five wells installed during the Remedial Investigation, the regional direction of shallow groundwater flow is to the southwest. The depth of the water table occurring within the underlying Upper Glacial Formation is approximately 55 feet below land surface.

The Upper Glacial Formation is underlain at a depth of approximately 100 feet by the Magothy Formation, the principal water supply aquifer for most of Nassau County. The Magothy Formation is, in turn, underlain by the Raritan Formation. The Raritan Formation is composed of the upper Raritan Clay, a regional confining layer, followed by the more permeable Lloyd Sand. The Lloyd Sand sits directly upon crystalline bedrock.

### **2.3 Evaluation of Previous Groundwater Sample Analyses**

Based on the Remedial Investigation (RI), site wells MW- 1, 2 and 3 are located along the upgradient property boundary of the facility and monitor the quality of the groundwater entering the property. Well MW-4 is installed to monitor perched groundwater that collects on the surface of the "40-foot" clay layer discussed earlier. Well MW-5 is a water table well that monitors the area with the highest levels of VOCs identified at the site. The location of these wells are illustrated on Figure 1. A summary of the May, 1998 RI results for PCE, TCE and TCA are tabulated below:

Compound (in ppb)	Well Numbers				
	MW-1	MW-2	MW-3	MW-4	MW-5
PCE	12.2	148	142	118	876
TCE	ND	ND	11.4	52.1	69.6
TCA	ND	ND	ND	ND	24.4

**3.0 GROUNDWATER MONITORING PROCEDURES**

During the course of work at this Site, numerous wells were installed at different points in time. For the purposes of this Report, the groundwater analytical results from the November 2001 IRM will serve as a starting point with regard to plotting the data versus time. As part of the IRM, a series of compliance wells were designated. The network of monitoring wells consists of the following:

• MW-1	• MW-6
• MW-2	• MDCW-7S
• MW-3	• MDCW-7I
• MW-4	• MDCW-7D
• MW-5	

A map illustrating the locations of these wells is presented on Figure 1. On November 13, 2001 CA RICH returned to these compliance wells and collected a final round of pre-start up samples to serve as a base line for the remediation system.

CA RICH performed the third quarter 2002 round of groundwater sampling on September 17, 2002. Three casing volumes of groundwater were purged from each of these wells using a Groundfos™ groundwater sampling pump. Two 40 mil vials were then filled directly from the pump discharge and placed in a cooler with ice packs. The purge water was containerized. All samples were transported under chain-of-custody documentation by an overnight courier to Chemtech Laboratories in New Jersey.

The results of the sampling program are presented on a well-by-well basis on Tables 1 through 9. In addition to the tabular presentation, plots for the concentration of tertachloroethene verses time are also included.

As shown on the data plots, the air sparging system has resulted in a significant improvement in the quality of the groundwater below this site since the operation of the equipment was initiated. The concentration of tertachloroethene in the site wells decreased to less than 20 ug/l in all of the wells during the past quarter. It should be noted that the 20 ug/l was detected in an upgradient well. The next highest concentration was 12 ug/l in a downgradient well.

The multi-depth cluster well (MDCW-7) is located along the southwestern property line. The shallow well at this location, MDCW-7S decreased in tetrachloroethene concentration from 31 ug/l to 5.6 ug/l. The intermediate depth well (well MDCW-7I) once again showed non detect for tetrachloroethene (less than 1 ug/l). The tetrachloroethene reading for well MDCW-7D remained non detect. Wells MW-2 was dry due to a regional lowering of the water table. The replacement well for MW-5 (Well MW-5R) was installed on September 11, 2002 and had a level of 1.6 ug/l of tetrachloroethene. The well installation diagram for the new MW-5R is included in Appendix C.

Wells MW-1, 4, 5R, 6, 7s, 7i and 7d contained tetrachloroethene at levels less than the concentration detected in upgradient well MW-3, 20 ug/l.

#### **4.0 SOIL VAPOR MONITORING PROCEDURES**

On September 17, 2002, one soil vapor sample was collected from the SVE blower discharge using a SKC™ 0.1 to 1.0 liter per minute field rotameter and two SKC Anasorb CSC sorbent tubes connected in series. The sampling equipment was connected to a sample port located between the blower discharge and the first carbon unit. In addition to the sorbent tube samples, field readings were also measured using an HNU with an 10.2 ev bulb.

Results of the soil vapor sampling program are summarized on Table 10. In addition, plots of the sorbent tube laboratory results and the HNU readings verses days in operation are included. The initial sample collected during the November 15, 2001 pilot test contained 97,000 ug/m<sup>3</sup> of total VOCs – 53,000 ug/m<sup>3</sup> of which were tetrachloroethene. These concentrations decreased steadily during the first quarter of operation, to a VOC total of 5,400 ug/m<sup>3</sup> and 4,100 ug/m<sup>3</sup> of tetrachloroethene. During the second quarter of operation the concentrations decreased to a VOC total of 4,580 ug/m<sup>3</sup> and 3,400 ug/m<sup>3</sup> of tetrachloroethene. During the third quarter of operation the total VOC concentration increased to 10,280 ug/m<sup>3</sup> with 6,800 ug/m<sup>3</sup> of tetrachloroethene.

As described in the O&M Manual, sorbent tube samples are collected on a quarterly basis. The results were added to Table 10 and plotted. This information will be included in future quarterly reports.

#### **5.0 REMEDIATION SYSTEM EQUIPMENT TERMINATION CRITERIA**

The following monitoring schedule has been developed in our IRM Work Plan for the operation of the SVE unit and the AS system. Evaluation of historical plots of the data generated during the operation of this equipment will be used to determine when it is appropriate to shut off the remediation equipment.

##### **5.1 SVE Unit Monitoring and Termination Criteria**

Once the SVE equipment was installed and was ready to be placed into operation, an initial “base line” soil vapor sample of the untreated vapor stream between the exhaust side of the blower and the inlet side of the carbon canisters was collected on November 15, 2001 using absorbent tubes. The sample tubes were sent to an ELAP-approved laboratory for analysis of halogenated volatile organics including PCE, TCE & TCA and their degradation products using GC methodologies. In addition, an 10.2ev HNU™ was also used to screen the amount of VOCs in the untreated vapor stream. Complete laboratory results are attached.

Total VOC measurements using a Photo Ionization Detector (PID) and sorbent tube samples are currently being collected on a quarterly frequency. As the operation of the SVE unit progresses, the PID and sorbent tube data will be plotted versus time of operation on a graph. Once the levels of total VOCs in the SVE wells decreases to a near constant or asymptotic concentration, operation of the system will be suspended. Graphs of the concentration of total VOCs versus time will be compiled after each round of quarterly monitoring.

The SVE also serves to capture off-gassing contaminants from the AS system. Therefore, regardless of the criteria described above, the SVE system will remain in operation as long as the AS system described in the next section is in operation.

As of the date of this report, the SVE system appears to be approaching the termination criteria.

## **5.2 AS System Monitoring and Termination Criteria**

The on-site multi-depth well cluster (MW-7s, i & d), and well MW-5 will serve as compliance points for the operation of this remediation system. Wells MW-1 & 3 will serve as up-gradient monitoring points. Prior to start up of the AS system, "base line" samples were collected from these compliance wells.

The samples from well MW-1 & 3 serve as upgradient monitoring wells to determine the quality of ground water entering the property from upgradient areas. Once placed in full operation, the compliance wells will be sampled on a quarterly basis and analyzed for halogenated volatile organics using EPA method 8010 or 8021. Graphs of the concentration of PCE versus time will be compiled after each round of quarterly monitoring. The system will be kept in operation until the concentration of PCE, TCE, TCA and their degradation products meets the following criteria.

The AS/SVE system will remain in operation until the groundwater samples from the compliance wells indicate that: 1) they meet the Standards, Criteria and Guidance (SCGs) for PCE, TCE, TCA and their degradation products; 2) the data shows that PCE, TCE, TCA and their degradation products have reached an asymptotic condition and the system is no longer effectively removing the contaminants of concern; or, 3) the concentration of PCE, TCE, TCA and their degradation products in the downgradient compliance wells is equal to or less than the concentrations in the up-gradient monitoring wells.

According to Tables 1 through 9, the concentration of PCE, TCE, TCA and their degradation products appear to be approaching an asymptotic condition. In addition, the concentration of PCE, TCE, TCA and their degradation products in the downgradient compliance wells is equal to or less than the concentrations in the upgradient monitoring wells, MW-3. Two of the compliance points MW-7I and MW-7D are less than their SCGs for PCE, TCE, TCA and their degradation products. As such, we propose that the system be shut off after the December 2002 sampling round results are obtained.

## **6.0 CONCLUSION**

The AS/SVE system remained in operation throughout the third quarter of 2002 with no down time. The concentration of tertachloroethene in all of the site wells ranged from a high of 20 ug/l in the upgradient well to no detection. As of the date of this report, we appear to be approaching the termination criteria. The system will remain in operation during the following quarter of operation with the following modification.

The system will continue to be "pulsed" to maximize contaminant removal. We will operate the system from Monday morning to Thursday evening of each week and then turn the compressor off on Thursday evening to Monday morning. The SVE unit will remain in continuous operation. This should facilitate cleanup of the Site.

An NYSDEC, ASP Category B deliverable package will be performed on the December 2002 sampling round. If these results are similar to the September 2002 sampling round, the operation of the AS/SVE system will be terminated in accordance with the IRM Work Plan.

**7.0 REFERENCES**


1. NYSDEC (February 1995), NYS Superfund Contract, Site Investigation Report, New Cassel Industrial Area.
2. NYSDEC, (March 1996), NYS Superfund Contract, Multisite PSA Report, New Cassel Industrial Area.
3. NYSDEC, (March 1997), NYS Superfund Contract, Multisite PSA Report, New Cassel Industrial Area.
4. Anson Environmental, Ltd., (January 1999), Focused Remedial Investigation, Utility Manufacturing/Wonder King,
5. Anson Environmental, Ltd , (December 2000), On-Site Groundwater Investigation, Utility Manufacturing/Wonder King.
6. CA RICH, (December 2001), Interim Remedial Measures Report, Utility Manufacturing Company, 700 Main Street, Westbury, New York

NT Server/Users/Eric/Docs/Utility/qtr mom rpts/3qtr2002- Report

# TABLES



MW-1  
Tetrachloroethene versus time





**Table 2**  
**Summary of Analytical Detections in Well MW-2**  
**for Volatile Organics Compounds in Groundwater**  
**Utility Manufacturing, Westbury, NY**


Well ID Comments/Calendar Quarter Sample depth in feet Date Sampled Days since system start up Days since initial sample	MW-2	MW-2	MW-2	MW-2	MW-2	MW-2	MW-2	MW-2	MW-2	MW-2	MW-2	MW-2	NYSDEC TOGS* values
	Baseline Data	1 Qtr 2002	2 Qtr 2002	3 Qtr 2002	4 Qtr 2002	1 Qtr 2003	2 Qtr 2003	3 Qtr 2003	4 Qtr 2003	1 Qtr 2002	2 Qtr 2002	3 Qtr 2002	4 Qtr 2002
	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
10/29/2001	03/14/2002	06/24/2002	09/17/2002										
-17	119	221	306										
0	136	238	323										
Volatile Organics (EPA METHOD 8021) Units													
Tetrachloroethene	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	5.00
Trichloroethene	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	5.00
cis-1,2-Dichloroethene	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	5.00
trans-1,2-Dichloroethene	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	5.00
Vinyl Chloride	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	2.00
1,1,1 Trichloroethane	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	5.00
1,1Dichloroethane	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	5.00
Chloroethane	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	5.00

Notes:  
 ND: Indicates compound analyzed but not detected at laboratory detection level.  
 ug/L: micrograms per liter or parts per billion.  
 Date of system start up: 11/15/2001

\*NYSDEC Technical and Operational Guidance Series (1.1.1)  
 Ambient Water Quality Standards and Guidance Values; June 1998


Prepared by CA Rich Consultants Inc.

**MW-2**  
Tetrachloroethene versus time






MW-3  
Tetrachloroethene versus time



■ Concentration in ug/L



MW-4  
Tetrachloroethene versus time



Concentration in ug/L

There is no data for dates when the well is dry.

Well dry

Well dry

**Table 5**  
**Summary of Analytical Detections in Well MW-5 (MW-5R)**  
**for Volatile Organics Compounds in Groundwater**  
**Utility Manufacturing, Westbury, NY**


Well ID Comments/Calendar Quarter Sample depth in feet Date Sampled Days since system start up Days since initial sample	MW-5	MW-5	MW-5	MW-5	MW-5R	MW-5	MW-5	MW-5	MW-5	MW-5	NYSDEC TOGS* values
	Baseline Data 55 to 61.5 10/29/2001 -17 0	1 Qtr 2002 dry 03/14/2002 119 136	2 Qtr 2002 dry 06/24/2002 221 238	3 Qtr 2002 dry 09/17/2002 306 323	4 Qtr 2002 dry 59 to 70	1 Qtr 2003	2 Qtr 2003	3 Qtr 2003	4 Qtr 2003		
Volatile Organics (EPA METHOD 8021) Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Tetrachloroethene	220	dry	dry	1.6							5.00
Trichloroethene	24	dry	dry	ND							5.00
cis-1,2-Dichloroethene	25	dry	dry	ND							5.00
trans-1,2-Dichloroethene	ND	dry	dry	ND							5.00
Vinyl Chloride	ND	dry	dry	ND							2.00
1,1,1 Trichloroethane	10	dry	dry	ND							5.00
1,1Dichloroethane	ND	dry	dry	ND							5.00
Chloroethane	ND	dry	dry	ND							5.00

Notes:  
 ND: Indicates compound analyzed but not detected at laboratory detection level.  
 ug/L: micrograms per liter or parts per billion.  
 Date of system start up: 11/15/2001

\*NYSDEC Technical and Operational Guidance Series (1.1.1)  
 Ambient Water Quality Standards and Guidance Values; June 1998

Prepared by CA Rich Consultants Inc.

MW-5 (MW-5R)  
Tetrachloroethene versus time



There is no data for days when the well is dry.

Concentration in ug/L

Well dry

Well dry



**Table 6**  
**Summary of Analytical Detections in Well MW-6**  
**for Volatile Organics Compounds in Groundwater**  
**Utility Manufacturing, Westbury, NY**

Well ID Comments/Calendar Quarter Sample depth in feet Date Sampled Days since system start up Days since initial sample	MW-6 Baseline Data 55 to 95 10/29/2001		MW-6 1 Qtr 2002 55 to 95 03/14/2002		MW-6 2 Qtr 2002 55 to 95 06/24/2002		MW-6 3 Qtr 2002 55 to 95 09/17/2002		MW-6 4 Qtr 2002 55 to 95 09/17/2002		MW-6 1 Qtr 2003		MW-6 2 Qtr 2003		MW-6 3 Qtr 2003		MW-6 4 Qtr 2003		NYSDEC TOGS* values
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
Volatile Organics (EPA METHOD 8021) Units																			
Tetrachloroethene	40	46	46	8.6	8.6	12	12	12	12	12	12	12	12	12	12	12	12	12	5.00
Trichloroethene	4	3.7	3.7	ND	ND	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	5.00
cis-1,2-Dichloroethene	8.9	13	13	4.1	4.1	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.00
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.00
1,1,1 Trichloroethane	1.5	2.4	2.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
1,1Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00

**Notes:**

ND: Indicates compound analyzed but not detected at laboratory detection level.  
 ug/L: micrograms per liter or parts per billion.  
 Date of system start up: 11/15/2001

\*NYSDEC Technical and Operational Guidance Series (1.1.1)  
 Ambient Water Quality Standards and Guidance Values; June 1998

Prepared by CA Rich Consultants Inc.

MW-6  
Tetrachloroethene versus time




Table 7  
 Summary of Analytical Detections in Well MW-7S  
 for Volatile Organics Compounds in Groundwater  
 Utility Manufacturing, Westbury, NY

Well ID	MW-7S	MW-7S	MW-7S	MW-7S	MW-7S	MW-7S	MW-7S	MW-7S	MW-7S	MW-7S	MW-7S	NYSDEC TOGS* values	
Comments/Calendar Quarter	Baseline Data	1 Qtr 2002	2 Qtr 2002	3 Qtr 2002	4 Qtr 2002	1 Qtr 2003	2 Qtr 2003	3 Qtr 2003	4 Qtr 2003	1 Qtr 2003	2 Qtr 2003	3 Qtr 2003	4 Qtr 2003
Sample depth in feet	55 to70	55 to70	55 to70	55 to70	55 to70	55 to70	55 to70	55 to70	55 to70	55 to70	55 to70	55 to70	55 to70
Date Sampled	10/29/2001	03/14/2002	06/24/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002
Days since system start up	-17	119	221	306	306	306	306	306	306	306	306	306	306
Days since initial sample	0	136	238	323	323	323	323	323	323	323	323	323	323
Volatile Organics (EPA METHOD 8021) Units													
Tetrachloroethene	ND	31	8.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6
Trichloroethene	ND	2.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	ND	7.1	2.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1 Trichloroethane	ND	1.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

ND: Indicates compound analyzed but not detected at laboratory detection level.  
 ug/L: micrograms per liter or parts per billion.  
 Date of system start up: 11/15/2001

\*NYSDEC Technical and Operational Guidance Series (1.1.1)  
 Ambient Water Quality Standards and Guidance Values; June 1998

Prepared by CA Rich Consultants Inc.

MW-7S  
Tetrachloroethene versus time




Table 8  
 Summary of Analytical Detections in Well MW-71  
 for Volatile Organics Compounds in Groundwater  
 Utility Manufacturing, Westbury, NY

Well ID	MW--71	MW--71	MW--71	MW--71	MW--71	MW--71	MW--71	MW--71	MW--71	MW--71	MW--71	MW--71	NYSDEC TOGS* values
Comments/Calendar Quarter	Baseline Data	1 Qtr 2002	2 Qtr 2002	3 Qtr 2002	4 Qtr 2002	1 Qtr 2003	2 Qtr 2003	3 Qtr 2003	4 Qtr 2003	1 Qtr 2002	2 Qtr 2002	3 Qtr 2002	4 Qtr 2003
Sample depth in feet	78 to 88	78 to 88	78 to 88	78 to 88	78 to 88	78 to 88	78 to 88	78 to 88	78 to 88	03/14/2002	06/24/2002	09/17/2002	
Date Sampled	10/29/2001	03/14/2002	06/24/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	
Days since system start up	-17	119	221	306	306	306	306	306	306	306	306	306	
Days since initial sample	0	136	238	323	323	323	323	323	323	323	323	323	
Volatiles Organics (EPA METHOD 8021) Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Tetrachloroethene	260	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
Trichloroethene	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
cis-1,2-Dichloroethene	32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.00
1,1,1 Trichloroethane	19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
1,1Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00

Notes:  
 ND: Indicates compound analyzed but not detected at laboratory detection level.  
 ug/L: micrograms per liter or parts per billion.  
 Date of system start up: 11/15/2001

\*NYSDEC Technical and Operational Guidance Series (1.1.1)  
 Ambient Water Quality Standards and Guidance Values; June 1998

Prepared by CA Rich Consultants Inc.

MW-71  
Tetrachloroethene versus time




Table 9  
 Summary of Analytical Detections in Well MW-7D  
 for Volatile Organics Compounds in Groundwater  
 Utility Manufacturing, Westbury, NY


Well ID	MW-7D	MW-7D	MW-7D	MW-7D	MW-7D	MW-7D	MW-7D	MW-7D	MW-7D	MW-7D	MW-7D	NYSDEC TOGS* values	
Comments/Calendar Quarter	Baseline Data	1 Qtr 2002	2 Qtr 2002	3 Qtr 2002	4 Qtr 2002	1 Qtr 2003	2 Qtr 2003	3 Qtr 2003	4 Qtr 2003	1 Qtr 2003	2 Qtr 2003	3 Qtr 2003	4 Qtr 2003
Depth in feet	95 to 105	95 to 105	95 to 105	95 to 105	95 to 105	95 to 105	95 to 105	95 to 105	95 to 105	95 to 105	95 to 105	95 to 105	95 to 105
Date Sampled	10/29/2001	03/14/2002	06/24/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002	09/17/2002
Days since system start up	-17	119	221	306	306	306	306	306	306	306	306	306	306
Days since initial sample	0	136	238	323	323	323	323	323	323	323	323	323	323
Volatile Organics (EPA METHOD 8021)													
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
Trichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.00
1,1,1 Trichloroethane	2.6	1.2	1.6	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	5.00
1,1Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.00

Notes:  
 ND: Indicates compound analyzed but not detected at laboratory detection level.  
 ug/L: micrograms per liter or parts per billion.  
 Date of system start up: 11/15/2001

\*NYSDEC Technical and Operational Guidance Series (1.1.1)  
 Ambient Water Quality Standards and Guidance Values; June 1998

Prepared by CA Rich Consultants Inc.

MW-7D  
Tetrachloroethene versus time



■ Concentration in ug/L




**Table 10**  
**Soil Vapor Extraction Readings**  
**Utility Manufacturing Company**  
**700 Main Street, Westbury, NY**


Date	Number of Days in Operation	HNU Before Carbon*	PCE Before Carbon**	TCE Before Carbon**	DCE Before Carbon**	TCA Before Carbon**	Total VOCs Before Carbon**	Comments
11/15/2001	0	10	53,000	14,000	22,000	8,000	97,000	Pilot Test & System Start-up - tube sample
11/16/2001	1	10						
11/21/2001	6	6.5						
11/28/2001	13	4						
12/06/2001	21	3						
01/04/2002	50	1.8						
02/04/2002	81	1						
03/04/2002	109	0.6	4,100	470	370	460	5,400	1st Qtr.2002 Monitoring - tube sample
03/14/2002	119	0.4	3,400	320	380	480	4,580	2 nd Qtr.2002 Monitoring - tube sample
06/24/2002	221	0.2	6,800	1,100	880	1,500	10,280	3 rd Qtr.2002 Monitoring - tube sample
09/17/2002	306	1						

Notes: \* - HNU field meter with 10.2 ev lamp measures total VOCs in PPM  
 \*\* - All laboratory analyses reported in ug/m3  
 NA - Not Applicable.

HNU vapor readings versus time of operation



Laboratory vapor readings versus time of operation



# APPENDIX A

**ANALYTICAL RESULTS  
SUMMARY****PROJECT NAME: utility****RICH CONSULTANTS  
17 DUPONT STREET  
PLAINVIEW, NY 11803  
5165768844****CHEMTECH PROJECT NO.  
ATTENTION:****P4260  
Mike Yager**

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-1  
 LAB ID: P4260-01  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093021.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #                      COMPOUNDS                                      RESULTS (ug/L)      QUALIFIERS                      MDL (ug/L)

75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	U		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	3.9		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-3  
 LAB ID: P4260-02  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093022.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #	COMPOUNDS	RESULTS (ug/L)	QUALIFIERS	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	U		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	20		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-4  
 LAB ID: P4260-03  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093020.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #	COMPOUNDS	RESULTS (ug/L)	QUALIFIERS	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	4.6		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	5.8		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-5  
 LAB ID: P4260-04  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093023.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #	COMPOUNDS	RESULTS (ug/L)	QUALIFIERS	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	U		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	1.6		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK



Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-6  
 LAB ID: P4260-05  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093024.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #                      COMPOUNDS                                      RESULTS (ug/L)      QUALIFIERS                      MDL (ug/L)

75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	5.8		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	1.1		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	12		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-7S  
 LAB ID: P4260-06  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093025.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #	COMPOUNDS	RESULTS (ug/L)	QUALIFIERS	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	U		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	5.6		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-7I  
 LAB ID: P4260-07  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093026.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #	COMPOUNDS	RESULTS (ug/L)	QUALIFIERS	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	U		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	U		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-7D  
 LAB ID: P4260-08  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093027.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #                      COMPOUNDS                      RESULTS (ug/L)      QUALIFIERS                      MDL (ug/L)

75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	1.3		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	2.5		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	U		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	U		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

**DATA PACKAGE FOR  
VOLATILE ORGANICS**

**PROJECT NAME: utility**

**RICH CONSULTANTS  
17 DUPONT STREET  
PLAINVIEW, NY 11803  
5165768844**

**CHEMTECH PROJECT NO.  
ATTENTION:**

**P4260  
Mike Yager**

A FULL SERVICE ENVIRONMENTAL CORPORATION

**CHEMTECH**

284 Sheffield Street, Mountainside 07092

Tel: 908-789-8900 Fax: 908-789-8922

**COVER PAGE**

COVER PAGE

ProjectID: utility

Order P4260

CustomerName Rich Consultants

LAB SAMPLE NO.

CLIENT SAMPLE NO

P4260-01

MW-1

P4260-02

MW-3

P4260-03

MW-4

P4260-04

MW-5

P4260-05

MW-6

P4260-06

MW-7S

P4260-07

MW-7I

P4260-08

MW-7D

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature: [Signature] Name: Rajkumar, Kalpana

Date: 10/14/12 Title: QA Lead

# CHEMTECH


## QA/QC DELIVERABLES CHECKLIST

Project Number: P4260

THIS FORM HAS BEEN COMPLETED BY CHEMTECH LABORATORY AND ACCOMPANIES ALL DATA DELIVERABLES PACKAGES.

The following laboratory deliverables are included in this analytical report. Any deviations from the accepted methodology and procedures, or performance values outside acceptable ranges are summarized in the Non-Conformance Summary.

	Yes	NA
I. Report Cover Page, Laboratory Certification and Field Sample to Lab Sample ID Cross Reference	<input checked="" type="checkbox"/>	
II. Table of Contents	<input checked="" type="checkbox"/>	
III. Chain of Custody Documents	<input checked="" type="checkbox"/>	
IV. Methodology Summaries	<input checked="" type="checkbox"/>	
V. Laboratory Chronicle and Hold Time Checks	<input checked="" type="checkbox"/>	
VI. Non-Conformance Summary	<input checked="" type="checkbox"/>	
VII. Tabulated Analytical Results	<input checked="" type="checkbox"/>	
VIII. Initial and Continuing Calibration Information		<input checked="" type="checkbox"/>
IX. Tune and Internal Standard Area Summaries (GC/MS)		<input checked="" type="checkbox"/>
X. Quality Control Summary Reports	<input checked="" type="checkbox"/>	
XI. Surrogate Recovery Summary	<input checked="" type="checkbox"/>	
XII. Raw Data Chromatogram, Blank, Samples and QC when applicable		<input checked="" type="checkbox"/>
XIII. Subcontract Data		<input checked="" type="checkbox"/>

  
QA/QC Data Reviewer

10/16/12  
Date

110 Route 4  
Englewood, NJ 07631  
Phone: 201.568.7400 Fax: 201.567.3231

284 Sheffield Street  
Mountainside, NJ 07092  
Tel 908.789.8900 Fax: 908.789.8922



**TABLE OF CONTENTS**  
**PROJECT NUMBER: P4260**

	<u>PAGE #</u>
CHAIN OF CUSTODY	06
METHOD SUMMARIES & LAB CHRONICLES	10
CASE NARRATIVE / NON - CONFORMANCE SUMMARY	13
GC VOLATILE DATA	13
ANALYTICAL RESULTS SUMMARY	16
QC RESULTS SUMMARY	24

**CHEMTECH**

284 Sheffield Street, Mountainside 07092

Tel: 908-789-8900 Fax: 908-789-8922

**CHAIN OF  
CUSTODY  
RECORD**

284 Sheffield Street, Mountainside, NJ 07092  
 (908) 789-8900 Fax (908) 789-8922  
 www.chemtech.net

CHEMTECH JOB NO. 17060 Q.E  
 CHEMTECH QUOTE NO.:

### CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: CALICOR CONSULTANTS, INC.  
 ADDRESS: 17 JURENT STREET  
 CITY: PLAINVIEW STATE: NY ZIP: 11803  
 ATTENTION: MICHAEL YASSER  
 PHONE: SIE SITE 8744 FAX: SIE SITE 8744

### PROJECT INFORMATION

PROJECT NAME: UTILITY MANUFACTURING  
 PROJECT NO.: UTILITY MODERN D.M.  
 PROJECT MANAGER: M. YASSER  
700 MAIN STREET  
 LOCATION: WESTBURY, NEW YORK  
 PHONE: SIE SITE 8744 FAX:

### BILLING INFORMATION

BILL TO: LA RICH CONSULTANTS  
 ADDRESS: 17 JURENT STREET  
 CITY: PLAINVIEW STATE: NY ZIP: 11803  
 ATTENTION: MIKE YASSER PHONE: SIE 576 8744

### DATA TURNAROUND INFORMATION

FAX: \_\_\_\_\_ DAYS \*  
 HARD COPY: \_\_\_\_\_ DAYS \*  
 EDD: \_\_\_\_\_ DAYS \*

\* TO BE APPROVED BY CHEMTECH  
 \*\* NORMAL TURNAROUND TIME - 14 DAYS

### DATA DELIVERABLE INFORMATION

RESULTS ONLY  NY STATE CATEGORY A  
 RESULTS PLUS QC  NY STATE CATEGORY B  
 REGULATORY FORMAT, STATE:  
 NEW JERSEY REDUCED DELIVERABLES  
 CLP  
 EDD FORMAT:

### ANALYSIS

ANALYSIS  
17060 Q.E  
LA RICH CONSULTANTS

CHEMTECH SAMPLE ID	PROJECT IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE	SAMPLE COLLECTION		PRESERVATIVES	COMMENTS
				DATE	TIME		
1.	MW-1	WATER	✓	8/17	1011	A	
2.	MW-3				1159	2	
3.	MW-4				1106	1	
4.	MW-5				1131	2	
5.	MW-6				1214	2	
6.	MW-7S				1340	2	
7.	MW-7I				1409	2	
8.	MW-7D				1450	2	

### SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:
1. <u>A. Spitz</u>	8/17/02	1. _____
RELINQUISHED BY:	DATE/TIME:	RECEIVED BY:
2. _____	1532	2. _____
RELINQUISHED BY:	DATE/TIME:	RECEIVED FOR LAB BY:
3. <u>MS</u>	9/18/02	3. <u>C. Waver</u>

QA REVIEW GENERAL DOCUMENTATION

Project #: P1260

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page)

Check chain-of-custody for proper relinquish/return of samples

Is the chain of custody signed and complete

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

Collect information for each project id from server. Were all requirements followed

✓  
✓  
✓  
✓  
✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody and on login page

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓  
✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

Do requested analyses on Chain of Custody agree with the log-in page

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

Were the samples received within hold time

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓  
✓  
✓  
✓

Non - Conformance /Comments:

1<sup>st</sup> Level QA Review Signature: \_\_\_\_\_

Date: 10/16/02

2<sup>nd</sup> Level QA Review Signature: \_\_\_\_\_

Date: 10/16/02

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following " Results Qualifiers" are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10 U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This is flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as "12 B".
E	Indicates the analyte 's concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.

**CHEMTECH**

284 Sheffield Street, Mountainside 07092

Tel: 908-789-8900 Fax: 908-789-8922

**METHODOLOGY  
REVIEW  
&  
LABORATORY  
CHRONICLE**

**METHODOLOGY**

Volatile Organic by GC

\*Test Methods for Evaluating Solid Wastes, SW846, 3<sup>rd</sup> Edition

\*\* Method 8021B

\* Indicates reference

\*\* Indicates Methods

LABORATORY CHRONICLE

CLIENT: RICH CONSULTANTS  
CLIENT PROJECT: UTILITY  
DATE RECEIVED: 09/18/02  
LABORATORY PROJECT: P4260

<u>SAMPLE DATE</u>	<u>ANALYSIS DATES</u>	<u>ANALYSIS</u>
09/17/02	09/30/02	GC VOLATILE ORGANICS



**CHEMTECH**

284 Sheffield Street, Mountainside 07092  
Tel: 908-789-8900 Fax: 908-789-8922

**CONFORMANCE/  
NON-  
CONFORMANCE  
SUMMARY**

**CHEMTECH** 234 Sheffield Street. Mountainside New Jersey 07092

NEW JERSEY LAB ID#:12013 : NEW YORK LAB ID#: 11376

GC VOA ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY

CHEMTECH PROJECT LAB NUMBER: Purple MATRIX: water

METHOD: SOX Hall

- |  | <u>YES</u>                          | <u>NA</u>                | <u>NO</u>                |
|--|-------------------------------------|--------------------------|--------------------------|
| 1. Chromatograms Labeled/Compounds Identified. (Field samples and Method Blanks)   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Standards Summary Submitted   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3. Calibration - Initial Calibration performed within 30 days before sample analysis and continuing calibration performed within 24 hours of sample analysis, 12 HOURS IF 8000 SERIES METHOD | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4. Blank Contamination - If yes, list compounds and concentrations in each blank:  | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |

VOA Fraction \_\_\_\_\_  
Other \_\_\_\_\_

5. Surrogate Recoveries Meet Criteria

If not met, list those compounds and their recoveries which fall outside the acceptable ranges

VOA Fraction \_\_\_\_\_  
Other \_\_\_\_\_

6. Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria.

If not met, list those compounds and their recoveries which fall outside the acceptable range.

VOA  
Fraction \_\_\_\_\_  
Other \_\_\_\_\_

**CHEMTECH** 284 Sheffield Street, Mountainside New Jersey 07092

NEW JERSEY LAB ID#: 12013 : NEW YORK LAB ID#: 11376

GC VOA ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY(CONTINUED)

YES   NA   NO

7. Extraction Holding Time Met

\_\_\_\_\_  \_\_\_\_\_

If not met, list number of days exceeded for each sample:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

8. Analysis Holding Time Met

\_\_\_\_\_  \_\_\_\_\_

If not met, list number of days exceeded for each sample:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Additional

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

*Steve Mangano*  
Analyst

10-04-02  
Date

*R*  
QA REVIEW

10/4/2  
Date

**CHEMTECH**

**TABULATED ANALYTICAL RESULTS**

**GC VOLATILE ORGANICS**

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-1  
 LAB ID: P4260-01  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093021.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #	COMPOUNDS	RESULTS (ug/L)	QUALIFIERS	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	U		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	3.9		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-3  
 LAB ID: P4260-02  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093022.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #	COMPOUNDS	RESULTS (ug/L)	QUALIFIERS	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	U		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	20		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-4  
 LAB ID: P4260-03  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093020.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #	COMPOUNDS	RESULTS (ug/L)	QUALIFIERS	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	4.6		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	5.8		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-5  
 LAB ID: P4260-04  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093023.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #	COMPOUNDS	RESULTS (ug/L)	QUALIFIERS	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	U		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	1.6		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK



Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-6  
 LAB ID: P4260-05  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093024.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #	COMPOUNDS	RESULTS (ug/L)	QUALIFIERS	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	5.8		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	1.1		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	12		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-7S  
 LAB ID: P4260-06  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093025.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #	COMPOUNDS	RESULTS (ug/L)	QUALIFIERS	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	U		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	5.6		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-7I  
 LAB ID: P4260-07  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093026.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #                      COMPOUNDS                      RESULTS (ug/L)      QUALIFIERS                      MDL (ug/L)

75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	U		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	U		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE	U		1.0
79-01-6	TRICHLOROETHENE	U		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	U		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U = UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

Tabulated Analytical Report  
Method 8021

CLIENT: RICH CONSULTANTS  
 PROJECT: UTILITY  
 SAMPLE ID: MW-7D  
 LAB ID: P4260-08  
 FILENAME: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093027.D  
 BATCH: LB21953

MATRIX: AQUEOUS  
 DATE ANALYZED: 9/30/02  
 ANALYST: PHM  
 DILUTION: 1  
 PROJECT#: P4260

CAS #	COMPOUNDS	RESULTS (ug/L)	QUALIFIERS	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U		1.0
74-87-3	CHLOROMETHANE	U		1.0
75-01-4	VINYL CHLORIDE	U		1.0
74-83-9	BROMOMETHANE	U		1.0
75-00-3	CHLOROETHANE	U		1.0
75-69-4	TRICHLOROFLOUROMETHANE	U		1.0
75-35-4	1,1 DICHLOROETHENE	1.3		1.0
75-09-2	METHYLENE CHLORIDE	U		1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U		1.0
75-34-3	1,1 DICHLOROETHANE	U		1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	U		2.0
67-66-3	CHLOROFORM	U		1.0
74-97-5	BROMOCHLOROMETHANE	U		1.0
71-55-6	1,1,1 TRICHLOROETHANE	2.5		1.0
563-58-6	1,1 DICHLOROPROPENE	U		1.0
56-23-5	CARBON TETRACHLORIDE	U		1.0
107-06-2	1,2 DICHLOROETHANE .	U		1.0
79-01-6	TRICHLOROETHENE	U		1.0
78-87-5	1,2 DICHLOROPROPANE	U		1.0
75-27-4	BROMODICHLOROMETHANE	U		1.0
74-95-3	DIBROMOMETHANE	U		1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U		1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U		1.0
79-00-5	1,1,2-TRICHLOROETHANE	U		1.0
142-28-9	1,3 DICHLOROPROPANE	U		1.0
127-18-4	TETRACHLOROETHENE	U		1.0
124-48-1	DIBROMOCHLOROMETHANE	U		1.0
106-93-4	1,2 DIBROMOETHANE	U		1.0
108-90-7	CHLOROBENZENE	U		1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U		1.0
75-25-2	BROMOFORM	U		1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U		1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U		1.0
108-86-1	BROMOBENZENE	U		1.0
95-49-8	2, CHLOROTOLUENE	U		1.0
106-34-4	4, CHLOROTOLUENE	U		1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U		1.0
87-68-3	HEXACHLOROBUTADIENE	U		1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U		1.0

MDL = METHOD DETECTION LIMIT

U =UNDETECTED BELOW MDL

D = DILUTION

E = EXCEEDED CALIBRATION RANGE, DILUTION TO FOLLOW

B = PRESENT IN ASSOCIATED BLANK

**CHEMTECH**

**QUALITY CONTROL SUMMARY REPORTS**

**GC VOLATILE ORGANICS**

WATER VOLATILE SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: CHEMTECH

Contract: RICH CONSULTANTS

Project No.: P4260

Site: UTILITY

Location: \_\_\_\_\_

Group: 5970-VOA

	SAMPLE NO.	SMC1 (DCE) #	SMC2 (DBFM) #	SMC3 (TOL) #	SMC4 (BFB) #	TOT OUT
01	METHODBLANK1	99	104	103	101	
02	P4212-05MS	113	100	106	112	
03	P4212-05MSD	103	105	105	106	
04	METHODBLANK2	110	108	109	104	
05	MW-4	106	107	107	106	
06	MW-1	114	109	109	106	
07	MW-3	114	108	106	105	
08	MW-5	113	108	109	105	
09	MW-6	114	109	113	109	
10	MW-7S	118	111	109	106	
11	MW-7I	120	111	112	109	
12	MW-7D	121	112	114	110	
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						

QC LIMITS

SMC1 (DCE) = 1,2-Dichloroethane-d4

(68-135)

SMC2 (DBFM) = Dibromofluoromethane

(70-125)

SMC3 (TOL) = Toluene-d8

(70-125)

SMC4 (BFB) = 4-Bromofluorobenzene

(70-125)

# Column to be used to flag recovery values

\* Values outside of contract required QC limits

D System Monitoring Compound diluted out

Method 8021

**Method Blank**

Matrix: WATER

Date: 9/20/02

Filename: C:\HPCHEM\1\DATA\MSVOAF\VF092002\VF092003.D

CAS #	COMPOUNDS	RESULTS (ug/L)	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U	1.0
74-87-3	CHLOROMETHANE	U	1.0
75-01-4	VINYL CHLORIDE	U	1.0
74-83-9	BROMOMETHANE	U	1.0
75-00-3	CHLOROETHANE	U	1.0
75-69-4	TRICHLOROFLOUROMETHANE	U	1.0
75-35-4	1,1 DICHLOROETHENE	U	1.0
75-09-2	METHYLENE CHLORIDE	U	1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U	1.0
75-34-3	1,1 DICHLOROETHANE	U	1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETH	U	2.0
67-66-3	CHLOROFORM	U	1.0
74-97-5	BROMOCHLOROMETHANE	U	1.0
71-55-6	1,1,1 TRICHLOROETHANE	U	1.0
563-58-6	1,1 DICHLOROPROPENE	U	1.0
56-23-5	CARBON TETRACHLORIDE	U	1.0
107-06-2	1,2 DICHLOROETHANE	U	1.0
79-01-6	TRICHLOROETHENE	U	1.0
78-87-5	1,2 DICHLOROPROPANE	U	1.0
75-27-4	BROMODICHLOROMETHANE	U	1.0
74-95-3	DIBROMOMETHANE	U	1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U	1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U	1.0
79-00-5	1,1,2-TRICHLOROETHANE	U	1.0
142-28-9	1,3 DICHLOROPROPANE	U	1.0
127-18-4	TETRACHLOROETHENE	U	1.0
124-48-1	DIBROMOCHLOROMETHANE	U	1.0
106-93-4	1,2 DIBROMOETHANE	U	1.0
108-90-7	CHLOROBENZENE	U	1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U	1.0
75-25-2	BROMOFORM	U	1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U	1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U	1.0
108-86-1	BROMOBENZENE	U	1.0
95-49-8	2, CHLOROTOLUENE	U	1.0
106-34-4	4, CHLOROTOLUENE	U	1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U	1.0
87-68-3	HEXACHLOROBUTADIENE	U	1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U	1.0

MDL - Method Detection Limit

U - Undetected below MDL

COMMENTS:

Method 8021

**Method Blank**

Matrix:WATER

Date: 9/30/02

Filename: C:\HPCHEM\1\DATA\MSVOAF\VF093002\VF093015.D

CAS #	COMPOUNDS	RESULTS (ug/L)	MDL (ug/L)
75-71-8	DICHLORODIFLUOROMETHANE	U	1.0
74-87-3	CHLOROMETHANE	U	1.0
75-01-4	VINYL CHLORIDE	U	1.0
74-83-9	BROMOMETHANE	U	1.0
75-00-3	CHLOROETHANE	U	1.0
75-69-4	TRICHLOROFLOUROMETHANE	U	1.0
75-35-4	1,1 DICHLOROETHENE	U	1.0
75-09-2	METHYLENE CHLORIDE	U	1.0
156-60-5	TRANS-1,2-DICHLOROETHENE	U	1.0
75-34-3	1,1 DICHLOROETHANE	U	1.0
	2,2-DCPRPA+CIS-1,2DICHLOROETH	U	2.0
67-66-3	CHLOROFORM	U	1.0
74-97-5	BROMOCHLOROMETHANE	U	1.0
71-55-6	1,1,1 TRICHLOROETHANE	U	1.0
563-58-6	1,1 DICHLOROPROPENE	U	1.0
56-23-5	CARBON TETRACHLORIDE	U	1.0
107-06-2	1,2 DICHLOROETHANE	U	1.0
79-01-6	TRICHLOROETHENE	U	1.0
78-87-5	1,2 DICHLOROPROPANE	U	1.0
75-27-4	BROMODICHLOROMETHANE	U	1.0
74-95-3	DIBROMOMETHANE	U	1.0
10061-01-5	CIS 1,3 DICHLOROPROPENE	U	1.0
10061-02-6	TRANS 1,3 DICHLOROPROPENE	U	1.0
79-00-5	1,1,2-TRICHLOROETHANE	U	1.0
142-28-9	1,3 DICHLOROPROPANE	U	1.0
127-18-4	TETRACHLOROETHENE	U	1.0
124-48-1	DIBROMOCHLOROMETHANE	U	1.0
106-93-4	1,2 DIBROMOETHANE	U	1.0
108-90-7	CHLOROBENZENE	U	1.0
630-20-6	1,1,1,2 TETRACHLOROETHANE	U	1.0
75-25-2	BROMOFORM	U	1.0
79-34-5	1,1,2,2 TETRACHLOROETHANE	U	1.0
96-18-4	1,2,3 TRICHLOROPROPANE	U	1.0
108-86-1	BROMOBENZENE	U	1.0
95-49-8	2, CHLOROTOLUENE	U	1.0
106-34-4	4, CHLOROTOLUENE	U	1.0
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	U	1.0
87-68-3	HEXACHLOROBUTADIENE	U	1.0
87-61-6	1,2,3 TRICHLOROBENZENE	U	1.0

MDL - Method Detection Limit

U - Undetected below MDL

COMMENTS:



**QC MS/MSD 50PPB Spike**

Sample spiked: P4212-05

Date: 9/20/02

Filename MS:Q:\VF092010.D

Filename MSD:Q:\VF092011.D

Sample ID:Q:\VF092009.D

Matrix:WATER

CAS #	Analyte	Spike Added		Sample MS Conc		% Rec		MSD Conc		MSD		RPD		Upper Limits		Lower Limits		RPD	
		Conc	PPB	Conc	PPB	Flag	Flag	PPB	% Rec	Flag	Flag	Flag	Flag	Limits	Limits	Limits	Limits	Flag	Flag
75-71-8	DICHLORODIFLUOROMETHANE	50	0	56	112			55	111			2	50	150	<20%	50	150	<20%	
74-87-3	CHLOROMETHANE	50	0	58	116			56	113			3	50	150	<20%	50	150	<20%	
75-01-4	VINYL CHLORIDE	50	0	54	109			56	111			2	50	150	<20%	50	150	<20%	
74-83-9	BROMOMETHANE	50	0	62	124			55	109			12	50	150	<20%	50	150	<20%	
75-00-3	CHLOROETHANE	50	0	72	143			59	118			19	50	150	<20%	50	150	<20%	
75-69-4	TRICHLOROFLOUROMETHANE	50	0	65	130			60	119			9	50	150	<20%	50	150	<20%	
75-35-4	1,1 DICHLOROETHENE	50	0	54	109			56	112			3	50	150	<20%	50	150	<20%	
75-09-2	METHYLENE CHLORIDE	50	2	49	93			51	97			4	50	150	<20%	50	150	<20%	
156-60-5	TRANS-1,2-DICHLOROETHENE	50	0	53	106			54	109			2	50	150	<20%	50	150	<20%	
75-34-3	1,1 DICHLOROETHANE	50	0	54	107			55	110			2	50	150	<20%	50	150	<20%	
	2,2-DCPRPA+CIS-1,2DICHLOROETHENE	100	0	102	102			103	103			1	50	150	<20%	50	150	<20%	
67-66-3	CHLOROFORM	50	0	54	109			52	105			4	50	150	<20%	50	150	<20%	
74-97-5	BROMOCHLOROMETHANE	50	0	52	103			53	105			2	50	150	<20%	50	150	<20%	
71-55-6	1,1,1 TRICHLOROETHANE	50	0	55	109			52	104			5	50	150	<20%	50	150	<20%	
563-58-6	1,1 DICHLOROPROPENE	50	0	40	80			41	83			3	50	150	<20%	50	150	<20%	
56-23-5	CARBON TETRACHLORIDE	50	0	50	100			52	104			4	50	150	<20%	50	150	<20%	
107-06-2	1,2 DICHLOROETHANE	50	0	53	105			52	104			1	50	150	<20%	50	150	<20%	
79-01-6	TRICHLOROETHENE	50	0	49	98			51	101			3	50	150	<20%	50	150	<20%	
78-87-5	1,2 DICHLOROPROPANE	50	0	52	105			52	105			0	50	150	<20%	50	150	<20%	
75-27-4	BROMODICHLOROMETHANE	50	0	53	106			52	104			2	50	150	<20%	50	150	<20%	
74-95-3	DIBROMOMETHANE	50	0	53	106			51	101			4	50	150	<20%	50	150	<20%	
10061-01-5	CIS 1,3 DICHLOROPROPENE	50	0	51	102			50	101			1	50	150	<20%	50	150	<20%	
10061-02-6	TRANS 1,3 DICHLOROPROPENE	50	0	54	107			51	103			4	50	150	<20%	50	150	<20%	
79-00-5	1,1,2-TRICHLOROETHANE	50	0	55	109			52	104			5	50	150	<20%	50	150	<20%	
142-28-9	1,3 DICHLOROPROPANE	50	0	54	108			52	104			4	50	150	<20%	50	150	<20%	
127-18-4	TETRACHLOROETHENE	50	0	42	85			44	88			3	50	150	<20%	50	150	<20%	
124-48-1	DIBROMOCHLOROMETHANE	50	0	53	107			53	105			1	50	150	<20%	50	150	<20%	
106-93-4	1,2 DIBROMOETHANE	50	0	53	107			52	103			3	50	150	<20%	50	150	<20%	
108-90-7	CHLOROBENZENE	50	0	49	98			49	99			1	50	150	<20%	50	150	<20%	
630-20-6	1,1,1,2 TETRACHLOROETHANE	50	0	49	98			50	99			1	50	150	<20%	50	150	<20%	
75-25-2	BROMOFORM	50	0	50	99			50	100			1	50	150	<20%	50	150	<20%	
79-34-5	1,1,2,2 TETRACHLOROETHANE	50	0	51	101			50	99			2	50	150	<20%	50	150	<20%	
96-18-4	1,2,3 TRICHLOROPROPANE	50	0	59	117			53	107			10	50	150	<20%	50	150	<20%	
108-86-1	BROMOBENZENE	50	0	49	98			50	100			2	50	150	<20%	50	150	<20%	
95-49-8	2, CHLOROTOLUENE	50	0	47	94			50	100			6	50	150	<20%	50	150	<20%	
106-34-4	4, CHLOROTOLUENE	50	0	43	86			49	99			14	50	150	<20%	50	150	<20%	
96-12-8	1,2-DIBROMO-3-CHLOROPROPANE	50	0	51	102			52	103			1	50	150	<20%	50	150	<20%	
87-68-3	HEXACHLOROBUTADIENE	50	0	41	83			48	96			15	50	150	<20%	50	150	<20%	
87-61-6	1,2,3 TRICHLOROBENZENE	50	0	46	92			52	103			11	50	150	<20%	50	150	<20%	

\* Denotes compound outside control criteria

**CHEMTECH**

284 Sheffield Street Mountainside NJ 07092

Tel. 908-789-8900

**END OF ANALYTICAL RESULTS**

## APPENDIX B

# ECOTEST LABORATORIES, INC.

## ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: [ecotestlab@aol.com](mailto:ecotestlab@aol.com) Website: [www.ecotestlabs.com](http://www.ecotestlabs.com)

LAB NO. 224418.00

09/24/02

C.A. Rich Consultants, Incorporated  
17 Dupont Street  
Plainview, NY 11803

ATTN: Eric Weinstock

PO#:

SOURCE OF SAMPLE: Utility Manufacturing, Utility 3rd Qtr. O&M

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D: 09/17/02 RECEIVED: 09/18/02

TIME COL'D: 1525

MATRIX: Air

SAMPLE: Utility 9/17/02


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Chloromethane	ug/m3	< 150		09/21/02	150	EPA8260
Bromomethane	ug/m3	< 150		09/21/02	150	EPA8260
Dichlorodifluomethane	ug/m3	< 150		09/21/02	150	EPA8260
Vinyl Chloride	ug/m3	< 150		09/21/02	150	EPA8260
Chloroethane	ug/m3	< 150		09/21/02	150	EPA8260
Ethylene Chloride	ug/m3	< 150		09/21/02	150	EPA8260
Trichlorofluomethane	ug/m3	< 150		09/21/02	150	EPA8260
1,1 Dichloroethene	ug/m3	< 150		09/21/02	150	EPA8260
1,1 Dichloroethane	ug/m3	< 150		09/21/02	150	EPA8260
1,2 Dichloroethene	ug/m3	880		09/21/02	300	EPA8260
Chloroform	ug/m3	< 150		09/21/02	150	EPA8260
1,2 Dichloroethane	ug/m3	< 150		09/21/02	150	EPA8260
1,1,1 Trichloroethane	ug/m3	1500		09/21/02	150	EPA8260
Carbon Tetrachloride	ug/m3	< 150		09/21/02	150	EPA8260
Bromodichloromethane	ug/m3	< 150		09/21/02	150	EPA8260
1,2 Dichloropropane	ug/m3	< 150		09/21/02	150	EPA8260
1,3 Dichloropropene	ug/m3	< 150		09/21/02	150	EPA8260
Trichloroethylene	ug/m3	1100		09/21/02	150	EPA8260
Dichlorodibromomethane	ug/m3	< 150		09/21/02	150	EPA8260
1,1,2 Trichloroethane	ug/m3	< 150		09/21/02	150	EPA8260
c-1,3 Dichloropropene	ug/m3	< 150		09/21/02	150	EPA8260
1,2 Dichloroethvinylether	ug/m3	< 150		09/21/02	150	EPA8260
Bromoform	ug/m3	< 150		09/21/02	150	EPA8260
1,1,2,2 Tetrachloroethane	ug/m3	< 150		09/21/02	150	EPA8260
Tetrachloroethene	ug/m3	6800		09/21/02	150	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS: Volume sampled: 1.3 Liters.

DIRECTOR



# ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: [ecotestlab@aol.com](mailto:ecotestlab@aol.com) Website: [www.ecotestlabs.com](http://www.ecotestlabs.com)

LAB NO. 224418.00

09/24/02

C.A. Rich Consultants, Incorporated  
17 Dupont Street  
Plainview, NY 11803

ATTN: Eric Weinstock

PO#:

SOURCE OF SAMPLE: Utility Manufacturing, Utility 3rd Qtr. O&M

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D: 09/17/02 RECEIVED: 09/18/02

TIME COL'D: 1525

MATRIX: Air SAMPLE: Utility 9/17/02


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Chlorobenzene	ug/m3	< 150		09/21/02	150	EPA8260
1,3 Dichlorobenzene (v)	ug/m3	< 150		09/21/02	150	EPA8260
1,2 Dichlorobenzene (v)	ug/m3	< 150		09/21/02	150	EPA8260
1,4 Dichlorobenzene (v)	ug/m3	< 150		09/21/02	150	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS: Volume sampled: 1.3 Liters.  
NIOSH Sorbent tube collection.

DIRECTOR




rn = 33770

NYSDOH ID # 10320

Page 2 of 2

## **APPENDIX C**



**CA RICH CONSULTANTS, INC.**  
CERTIFIED GROUND-WATER AND  
ENVIRONMENTAL SPECIALISTS

September 12, 2002

**NYSDEC**  
Division of Hazardous Waste Remediation  
625 Broadway  
Albany, New York 12233-7015

Attention: Jeffrey Dyber

Re: **Replacement of MW-5**  
**Utility Manufacturing Co. Site**  
**700 Main Street, Westbury, NY**  
**Site ID No.: 130043H**

Dear Mr. Dyber:

Attached is the construction diagram for well MW-5R. We will sample this well during the third quarter 2002 sampling round. The third quarter 2002 sampling round is scheduled to be performed on September 17, 2002.

If there are any questions regarding this letter, please do not hesitate to call our office.


Sincerely,

**CA RICH CONSULTANTS, INC.**

Eric A. Weinstock  
Associate

cc: Audie Kranz  
Miriam Villani, Esq.

NT Server\Files\Users\Eric\Docs\Utility\NYSDEC-MW-5R



DRILLING SUMMARY

Drilling Co.: Tyree Bros. Environmental Services, Inc.  
 Drill Rig Make/Model: CME 75  
 Borehole Diameters: 6 5/8 inches  
 Total Depth: 71 Feet  
 Geologist: Michael T. Yager

WELL DESIGN


Casing Material: Sch. 40 PVC  
 Screen Material: Sch. 40 PVC  
 Slot Size: 20 (0.020) inches  
 Diameter: 4 inches  
 Sand Pack: #2 W.G. Filpro Sand

WELL DEVELOPMENT

MW-5R  
 Method: Grunfos Redi-Flo 2  
 Static Depth to Water: 59.10 Feet  
 Pumping Rate: 0.83 Gal./Min.  
 Volume Pumped: 100 Gallons

TIME LOG

	Started	Completed
Drilling:	<u>9/11/02 8:00 am</u>	<u>9/11/02 11:05 am</u>
Installation:	<u>9/11/02 11:05 am</u>	<u>9/11/02 11:55 am</u>
Development:	<u>9/11/02 12:10 pm</u>	<u>9/11/02 2:10 pm</u>



LEGEND



Bentonite Seal



Drill Cuttings



#2 Morie Sand



Approximate Water Table Surface

**CA RICH CONSULTANTS, INC.**

Certified Ground-Water and Environmental Specialists  
 17 Dupont Street, Plainview, New York 11803

<b>TITLE:</b> GROUNDWATER MONITORING WELL CONSTRUCTION DETAILS FOR MW-5R		<b>DATE:</b> 9/12/02
<b>FIGURE:</b> 1		<b>SCALE:</b> Not to Scale
<b>DRAWING NO.:</b> 1161-1A	UTILITY ENTERPRISES CO., INC. 700 MAIN STREET WESTBURY, NEW YORK	<b>DRAWN BY:</b> M.T.Y. <b>APPR BY:</b> E.A.W.