

RECEIVED

Regulatory Affairs Unit
Bldg. 40, SUNY--Room 219
Stony Brook, NY 11794
(516) 751-7900

30 H 240

ENVIRONMENTAL QUALITY
SECTIONNOTICE OF INCOMPLETE APPLICATIONTO: Mr. Niki Lorian
Slater Electric Inc
45 Sea Cliff Ave.
Glen Cove, N.Y. 11542

January 10, 1983

Permit Applied for: Solid Waste
Part 360 Location: Glen CoveApplication Number: 10-82-1056
(Please refer to this number in all your correspondence).

YOUR APPLICATION FOR THIS PERMIT IS INCOMPLETE UNTIL THE REQUESTED INFORMATION LISTED BELOW IS SUBMITTED TO THIS OFFICE.

— You did not include with your application the full amount of the required fee. Please submit a check or money order in the amount of \$ _____ payable to the Department of Environmental Conservation.

✓ Please submit the following data:

1. Based on the information provided in your letter of 12/28/82, your facility will need a Part 360 permit. Therefore, please submit information on how you will *

— It appears that other DEC permits may be required for your proposed project. For a comprehensive review of this project to be made, you need to submit application(s) for the following permit(s):

If you have reason to request that all permits not be processed simultaneously, please notify the permit agent below to discuss the matter.

— It has been determined that your project is subject to Article 8 of the Environmental Conservation Law, the State Environmental Quality Review Act (SEQR). Your application will be considered complete when:

For further information, contact this office.

Sr. En. Analyst
Permit Agent: Karen Chytalo Telephone Number: 751-7900

If you wish to withdraw your application rather than complete it, please notify the permit agent for refund of application fee. YOUR APPLICATION WILL LAPSE (BE DEEMED WITHDRAWN) IF YOU DO NOT REPLY WITHIN 90 DAYS OF THE DATE OF THIS NOTICE.

* comply with Part 360.8 (a) and (c).

2. Is the perchloroethylene sludge a liquid?

CC: A. LaRuffa ✓
J. Moran
L. Sanna