

PALL

PHASE II REMEDIAL INVESTIGATION REPORT
(VOLUME 2 OF 3: APPENDICES A, B & C)

PALL CORPORATION
30 SEA CLIFF AVENUE
GLEN COVE, NEW YORK

Prepared for:

1-30-053
Pall Corporation
c/o Maupin, Taylor & Ellis, P.A.
Attorneys at Law
3200 Beechleaf Court
Raleigh, North Carolina 27604-9764

and

New York State Department of Environmental Conservation
Bureau of Eastern Remedial Action
Division of Hazardous Waste Remediation
50 Wolf Road
Albany, New York 12233-7010

Prepared by:

Enviro-Sciences, Inc.
312 East Main Street
Patchogue, New York 11772
(631) 207-9005

July 13, 2000



The EDR-Radius Map with GeoCheck®

**Pall Corporation
30 Sea Cliff Avenue
Glen Cove, NY 11542**

Inquiry Number: 0445832.1r

December 21, 1999

The Source For Environmental Risk Management Data

**3530 Post Road
Southport, Connecticut 06490**

Nationwide Customer Service

**Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com**

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary.....	ES1
Topographic Map.....	2
GeoCheck Summary.....	3
Overview Map.....	6
Detail Map.....	7
Map Summary - All Sites.....	8
Map Summary - Sites with higher or the same elevation as the Target Property.....	9
Map Findings.....	10
Orphan Summary.....	524
 <u>APPENDICES</u>	
GeoCheck Version 2.1.....	A1
EPA Waste Codes.....	A4
Government Records Searched / Data Currency Tracking Addendum.....	A6

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer and Other Information

This Report contains information obtained from a variety of public and other sources and Environmental Data Resources, Inc. (EDR) makes no representation or warranty regarding the accuracy, reliability, quality, suitability, or completeness of said information or the information contained in this report. The customer shall assume full responsibility for the use of this report.

NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, EXPRESSED OR IMPLIED, SHALL APPLY AND EDR SPECIFICALLY DISCLAIMS THE MAKING OF SUCH WARRANTIES. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE FOR SPECIAL, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES. COPYRIGHT (C) 1998 BY ENVIRONMENTAL DATA RESOURCES, INC. ALL RIGHTS RESERVED.

Unless otherwise indicated, all trademarks used herein are the property of Environmental Data Resources, Inc. or its affiliates.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc. (EDR). The report meets the government records search requirements of ASTM Standard Practice for Environmental Site Assessments, E 1527-97. Search distances are per ASTM standard or custom distances requested by the user.

The address of the subject property for which the search was intended is:

30 SEA CLIFF AVENUE
GLEN COVE, NY 11542

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the subject property or within the ASTM E 1527-97 search radius around the subject property for the following Databases:

Delisted NPL:..... NPL Deletions
HMIRS:..... Hazardous Materials Information Reporting System
PADS:..... PCB Activity Database System
NPL Lien:..... NPL Liens
MLTS:..... Material Licensing Tracking System
CBS UST:..... Chemical Bulk Storage (CBS) Database
VCP:..... Voluntary Cleanup Agreement
CONSENT:..... Superfund (CERCLA) Consent Decrees
Coal Gas:..... Former Manufactured gas (Coal Gas) Sites.
MINES:..... Mines Master Index File

Unmapped (orphan) sites are not considered in the foregoing analysis.

Search Results:

Search results for the subject property and the search radius, are listed below:

Subject Property:

The subject property was identified in the following government records. For more information on this property see page 10 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
PALL CORPORATION 30 SEA CLIFF AVE GLEN COVE, NY 11542	FINDS RCRIS-LQG NY Spills AST	NYD002054419
COL RIBBON & CARBON MFG CO 30 SEA CLIFF AVE GLEN COVE, NY 11542	FINDS	NY0815644
PALL CORPORATION 30-36 SEA CLIFF AVE GLEN COVE, NY 11542	SHWS	N/A

EXECUTIVE SUMMARY

Surrounding Properties:

Elevations have been determined from the USGS 1 degree Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. EDR's definition of a site with an elevation equal to the subject property includes a tolerance of -10 feet. Sites with an elevation equal to or higher than the subject property have been differentiated below from sites with an elevation lower than the subject property (by more than 10 feet). Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

NPL: Also known as Superfund, the National Priority List database is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund program. The source of this database is the U.S. EPA.

A review of the NPL list, as provided by EDR, and dated 07/22/1999 has revealed that there are 3 NPL sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>APPLIED ENVIRONMENTAL SERVICES</i>	<i>1 SHORE RD PO BOX 329</i>	<i>1 - 2 SW 0</i>		<i>13</i>
<i>MATTIACE PETROCHEMICAL CO., IN</i>	<i>GARVIES POINT ROAD</i>	<i>1 - 2 WNW 0</i>		<i>15</i>
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>LI TUNGSTEN CORP</i>	<i>GARVIES POINT RD.</i>	<i>1 - 2 WNW B0309</i>		<i>356</i>

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-TSD list, as provided by EDR, and dated 09/01/1999 has revealed that there are 4 RCRIS-TSD sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>APPLIED ENVIRONMENTAL SERVICES</i>	<i>1 SHORE RD PO BOX 329</i>	<i>1 - 2 SW 0</i>		<i>13</i>
<i>PHOTOCIRCUITS DIV/KOLLMORGEN C</i>	<i>31 SEA CLIFF AVE</i>	<i>0 - 1/8 SSW A10</i>		<i>133</i>
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>FABRIC LEATHER CORP</i>	<i>40 GARVIES POINT RD</i>	<i>1 - 2 WNW 393</i>		<i>413</i>
<i>EDMOS CORPORATION</i>	<i>20 CARVIES POINT ROAD</i>	<i>1 - 2 WNW CL429</i>		<i>435</i>

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the SHWS list, as provided by EDR, has revealed that there are 6 SHWS sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>PHOTOCIRCUITS CORPORATION</i>	<i>31 SEA CLIFF AVE</i>	<i>0 - 1/8 NNW A5</i>		<i>17</i>

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
SLATER ELECTRIC INC	45 SEA CLIFF AVE	0 - 1/8 WSW	A14	136
RONHILL CLEANERS	71 FOREST AVE	1 - 2 N	CD370	398
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LI TUNGSTEN	63 HERB HILL RD	1 - 2 NW	BG283	338
CROWN DYKMAN	66 HERBHILL ROAD	1 - 2 NW	BG293	346
MATTIACE PETRO CHEM/USEPA II	GARVIES POINT RD	1 - 2 WNW	328	369

CERCLIS: The Comprehensive Environmental Response, Compensation and Liability Information System contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the CERCLIS list, as provided by EDR, and dated 08/26/1999 has revealed that there are 5 CERCLIS sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
APPLIED ENVIRONMENTAL SERVICES	1 SHORE RD PO BOX 329	1 - 2 SW	0	13
MATTIACE PETROCHEMICAL CO., IN	GARVIES POINT ROAD	1 - 2 WNW	0	15
GLEN COVE GAS PLANT	ROUND SWAMP ROAD	1/2 - 1 W	R89	211
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LI TUNGSTEN CORP	GARVIES POINT RD.	1 - 2 WNW	BO309	356
CAPTAIN'S COVE CONDOMINIUMS	GARVIES POINT ROAD	1 - 2 WNW	BO313	359

CERCLIS-NFRAP: As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund Action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

A review of the CERC-NFRAP list, as provided by EDR, and dated 08/26/1999 has revealed that there are 3 CERC-NFRAP sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
PHOTOCIRCUITS DIV/KOLLMORGEN C	31 SEA CLIFF AVE	0 - 1/8 SSW	A10	133
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CROWN DYCKMAN UNIFORM RENTAL I	66 HERBHILL RD	1 - 2 NW	BG276	334
EDMOS CORPORATION	20 CARVIES POINT ROAD	1 - 2 WNW	CL429	435

EXECUTIVE SUMMARY

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 03/01/1999 has revealed that there are 5 CORRACTS sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
APPLIED ENVIRONMENTAL SERVICES	1 SHORE RD PO BOX 329	1 - 2 SW 0		13
PHOTOCIRCUITS DIV/KOLLMORGEN C	31 SEA CLIFF AVE	0 - 1/8 SSW A10		133
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
MATTIACE PETRO CHEM/USEPA II	GARVIES POINT RD	1 - 2 WNW 328		369
FABRIC LEATHER CORP	40 GARVIES POINT RD	1 - 2 WNW 393		413
EDMOS CORPORATION	20 CARVIES POINT ROAD	1 - 2 WNW CL429		435

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the list.

A review of the SWF/LF list, as provided by EDR, and dated 08/27/1999 has revealed that there are 2 SWF/LF sites within approximately 2 miles of the subject property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
GLEN COVE T.S.	100 MORRIS AVE	1 - 2 WNW BB246		311
DOCKSIDE INDUSTRIES	10 GARVIES POINT RD	1 - 2 WNW CS442		444

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Conservation's Spills Information Database.

A review of the LUST list, as provided by EDR, and dated 07/01/1999 has revealed that there are 111 LUST sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
A-1 RECYCLING & SALVAGE	45B SEA CLIFF AVE	0 - 1/8 ENE A11		134
KEYCO MOTOR FREIGHT	45B SEA CLIFF AVE	0 - 1/8 ENE A12		135
SLATER ELECTRIC INC	45 SEA CLIFF AVE	0 - 1/8 WSW A14		136
HARBOR FUEL	10 SEA CLIFF AVE	0 - 1/8 E B17		142
MAN PRODUCTS	100 CARNEY ST	1/8 - 1/4 N E25		149
GLEN COVE SCHOOLS	CEDAR SWAMP ROAD	1/4 - 1/2 N 31		153
TROUSDALL VILLAGE APTS	SEACLEFF AVE	1/4 - 1/2 WSW G34		156
TROUSDELL VILLAGE	SEA CLIFF AVENUE	1/4 - 1/2 WSW G35		157
LEXUS CAR DEALER	20 CEDAR SWAMP RD	1/4 - 1/2 N J43		161
GLEN COVE WATER DISTRICT	KELLY STREET	1/4 - 1/2 NNE 55		168
ST.HYACINAS CHURCH	319 CEDAR SWAMP ROAD	1/4 - 1/2 SSE 56		168
MASSARO BROS FUEL OIL	8 MCGRADY ST	1/4 - 1/2 WSW 58		170
STANKA RESIDENCE	44 FROST POND RD	1/2 - 1 ENE 63		173
HILLMAN RESIDENCE	4 COLONIAL GATE	1/2 - 1 WNW M68		176
GLEN PEARSALL CO OP	30-34 PEARSALL ROAD	1/2 - 1 N N72		178
NORTH SHORE HONDA	611 GLEN COVE RD	1/2 - 1 SSE 102		220
BERNASKI RESIDENCE	19 COLLINS RD	1/2 - 1 ENE 108		226
GUILFU RESIDENCE	17 BESSEL LN	1/2 - 1 W Y114		230
ROBERT PUICCIRELLO	7 LITTLEWORTH LN	1/2 - 1 WSW Z128		238

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
GLEN HEAD MOTORS	664 GLEN COVE RD	1/2 - 1 SSE	AG143	246
GLEN COVE SCHOOL DISTRICT	RIDGE LANE	1/2 - 1 NE	146	248
MARIA HOSTIN	35 HIGH FARMS RD	1/2 - 1 ESE	182	272
COMMANDER	61 LOCUST AVE	1/2 - 1 WSW	AO183	273
FRANK MCHUGH RESIDENCE	133 SEA CLIFF AVE	1 - 2 W	222	298
CHAPPLE RESIDENCE	151 DUBOIS AVE	1 - 2 WSW	AV223	299
LU RESIDENCE	7 DOUGLAS DR	1 - 2 NNW	237	305
LISENA RESIDENCE	15 DOWNING AVE	1 - 2 SW	259	323
FEINSTEIN RESIDENCE	15 POUND HOLLOW RD	1 - 2 ESE	261	324
KEVIN KELLY RESIDENCE	13 PLYMOUTH DR S	1 - 2 SW	BC263	325
ST BONIFACE CHURCH/SCHOOL	145 GLEN AVE	1 - 2 WSW	277	334
MAJOR FUEL CARRIERS CORP	112 FRANKLIN AVE	1 - 2 WSW	BH279	336
PETROLEUM HEAT & POWER	333 CARPENTER AVE	1 - 2 WSW	BJ287	342
GLEN ARMS APTS.	21 BREWSTER ST # 31	1 - 2 NW	BA290	344
TOWN OF OYSTER BAY	200 GLEN HEAD RD	1 - 2 S	BM302	352
TODD TOWNSEND RESIDENCE	20 AUSTRAL AVE	1 - 2 NW	305	354
RESIDENCE	6 SHEPPARD ST	1 - 2 S	BP315	360
LUNDY COMPUTER GRAPHICS	1 ROBERT LANE	1 - 2 SSW	BU325	366
USPS SUPPORT SERVICE	200 SEA CLIFF AVE	1 - 2 W	BT330	371
S GEIRINGER	209 SEA CLIFF AVE	1 - 2 W	BT331	372
CEDARBROOK CLUB	OAK LANE	1 - 2 SE	332	373
HARBOR FUEL OIL	2 LAURIE PL	1 - 2 NE	333	374
COMMUNITY HOSPITAL	ST ANDREWS LANE	1 - 2 N	BW337	376
HARRISON CONFERENCE CTR	DOSORIS LANE	1 - 2 NNW	BZ352	385
HARRISON CONFERENCE CTR	DOSORIS AVENUE	1 - 2 NNW	BZ353	386
NORTHSHORE HOSPITAL	101 SAINT ANDREWS LN	1 - 2 N	BW354	386
GLEN COVE WATER DIST.	DUCK POND ROAD	1 - 2 NE	356	388
R&A BURTIS INC	3 MAPLE PL	1 - 2 SSW	BY357	389
CONNOLLY ELEMENTARY SCHOOL	RIDGE DR.	1 - 2 NNW	367	394
GALVIN RESIDENCE	5 RAYMOND CT	1 - 2 WSW	368	397
CUMBERLAND FARMS	724 GLENHEAD ROAD	1 - 2 SSW	CC372	400
GETTY S/S	665 GLEN COVE AVE	1 - 2 SSW	CE373	401
SUNOCO	670 GLEN COVE @GLENWOOD	1 - 2 SSW	CE385	407
HARRISON RESIDENCE	243 FRANKLIN AVE	1 - 2 WSW	391	412
FARMINGDALE SCHOOL DISTRI	MILL LANE / MILL ROAD	1 - 2 SSW	CG396	416
MONTCLAIR NURSING HOME	2 MEDICAL PLZ	1 - 2 N	CF399	417
ST CHRISTOPHERS CHURCH	101 DOWNING AVE	1 - 2 SW	CJ406	422
RESIDENCE	36 HURON ST	1 - 2 SSW	407	423
MPAC	4 MEDICAL PLZ	1 - 2 N	CF408	423
GLEN COVE MIDDLE SCHOOL	FOREST AVE	1 - 2 N	CK415	427
Not reported	24 CLEMENT ST	1 - 2 NW	CM418	429
Not reported	24 CLEMENT ST	1 - 2 NW	CM419	430
GETTY S/S	178 FOREST AVE	1 - 2 NNE	CN421	431
CLAMPET RESIDENCE	22 LOCUST AVE	1 - 2 SSW	423	432
FAIRVIEW SERVICE/GETTY	178 FOREST AVE	1 - 2 NNE	431	437
CEDARBROOK COUNTRY CLUB	OAK LA / CHICKEN VALL	1 - 2 SE	CP438	441
FRANK IGLESIA	244 FOREST AVE	1 - 2 NNE	CR441	444
GALLO	67 VALENTINE ST	1 - 2 WNW	CT455	461
BLACKMAN RESIDENCE	16 INWOOD RD	1 - 2 N	CV464	466
FRIENDS ACADEMY	DUCK POND RD.	1 - 2 ENE	DA476	479
FRIENDS ACADEMY-MAIN POOL	DUCK POND ROAD	1 - 2 ENE	DA479	481
MIKE FRANCO RESIDENCE	128 WOOSLEY AVE	1 - 2 NW	485	490
MURPHY RESIDENCE	HEDGEMAN'S LANE	1 - 2 ESE	497	499
ANKER'S ELECTRIC	10 S 5TH ST	1 - 2 NNE	DG507	505
GLENWOOD LANDING SCHOOL	60 CODY AVENUE	1 - 2 SSW	DF509	509
ANCHOR ELECTRIC	10 S 5TH ST	1 - 2 NNE	DG512	511

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
COMMANDER OIL	150 WOOLSEY AVE	1 - 2 NW	515	514
PIPING ROCK CLUB	SHEEP LANE	1 - 2 NE	516	514
HOLZKAMP RESIDENCE	12 GROVE ST	1 - 2 SSW	517	515
UNIVERSAL UNLIMITED	PRATT OVAL	1 - 2 NNW	520	517
PETRO	814 CHICKEN VALLEY RD	1 - 2 ESE	DI522	518
KALIMIAN RESIDENCE	814 CHICKEN VALLEY RD	1 - 2 ESE	DI523	519
SLATER RESIDENCE	321 DUCK POND RD	1 - 2 ENE	530	523

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
ST.PATRICK'S RC CHURCH	235 GLEN ST	1/2 - 1 NNW	O79	183
THORO SERVICE CENTER	161 GLEN ST & TOWN PA	1/2 - 1 NNW	W98	216
CITY GLEN COVE POLICE DPT	146 GLEN ST	1/2 - 1 NNW	W104	223
NASSAU DOWNS OTB	20 PRATT BLVD	1/2 - 1 NW	AB135	242
KONICA IMAGING USA INC	71 CHARLES ST	1/2 - 1 NW	AF165	259
HAWKINS COVE OIL	10-12 CHARLES ST	1/2 - 1 NW	AN171	264
HAWKINS COVE FUEL OIL	10 CHARLES ST	1/2 - 1 NW	AN172	265
Not reported	86 GLEN COVE AVE	1/2 - 1 NW	AN180	271
MARJORIE COFIELD RESIDENC	9 CONTINENTAL CT	1/2 - 1 NW	AN184	273
COFIELD RESIDENCE	9 CONTINENTAL CT	1/2 - 1 NW	AN185	274
BARTCO	74 GLEN COVE AVE	1/2 - 1 NW	AN187	275
CHARLES GLEN COVE	19 GLEN ST	1/2 - 1 NW	AS197	282
FLEET BANK	9113 GLEN STREET	1/2 - 1 NW	AS199	283
AMERICAN FUEL	MORRIS AVENUE	1/2 - 1 NW	AS202	285
BUSINESS	17-19 BRIDGE ST	1/2 - 1 NW	AS204	287
A1 CARTING	10A MORRIS AVE	1/2 - 1 NW	AT205	287
NCDPW MAINT GARAGE	MORRIS AVE/PARK PLACE	1/2 - 1 NW	AT206	288
VACANT HOUSE	26 GLEN COVE AVE	1 - 2 NW	AW227	301
BONIFIED READY MIX	47 HERB HILL RD	1 - 2 NW	AW240	307
POWERS CHEMCO TECH	CHARLES STREET	1 - 2 NW	AY266	328
LI TUNGSTEN	63 HERB HILL RD	1 - 2 NW	BG283	338
Not reported	63 HERB HILL RD	1 - 2 NW	BG285	340
HERBHILL ASSOCIATES	66 HERB HILL RD	1 - 2 NW	BG294	347
FABRIC LEATHER CORP	40 GARVIES POINT RD	1 - 2 WNW	393	413
HAWKINS COVE OIL SUPPLY CORP.	10 GARVIES POINT RD	1 - 2 WNW	CS445	447
FIORINO RESIDENCE	9 JEROME DR	1 - 2 WNW	480	487
PAJVELO RESIDENCE	42 MCLOUGHLIN ST	1 - 2 WNW	DC494	497
GLENWOOD LANDING POWER STATION	SHORE ROAD	1 - 2 SW	508	506
MYRON GERENSTEIN RES.	9 WOODLAND RD	1 - 2 WNW	527	521

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 07/01/1999 has revealed that there are 20 UST sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
GLEN HEAD COUNTRY CLUB	240 GLEN COVE RD	1/4 - 1/2 SE	H36	157
RALLYE LEXUS, INC.	20 CEDAR SWAMP RD	1/4 - 1/2 N	J42	161
AUTO-SPA	711 GLEN COVE RD	1/2 - 1 SSE	AP192	279
NORTH SHORE HIGH SCHOOL	450 GLEN COVE AVE	1 - 2 SW	220	297
RC MANAGEMENT	333 GLEN HEAD RD.	1 - 2 SSE	BE260	324
SEA CLIFF SCHOOL	280 CARPENTER AVE	1 - 2 WSW	BH269	329

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
TRIPLE E GULF #120498	700 GLEN COVE AVE	1 - 2 SW	BC273	332
NORTH SHORE MIDDLE SCHOOL	505 GLEN COVE AVE	1 - 2 SSW	BQ308	355
ST. BONIFACE MARTYR R.C.	12 MAIN AVE	1 - 2 W	322	364
GLEN HEAD SCHOOL	7 SCHOOL ST	1 - 2 S	350	384
NORTH SHORE HOSP-GLEN COV	101 SAINT ANDREWS LN	1 - 2 N	BW355	388
FIRST NATL BANK OF L.I.	30 GLEN HEAD RD	1 - 2 SSW	CC365	393
SUNOCO #0007-4096	670 GLEN COVE AVE	1 - 2 SSW	CE383	406
GLEN COVE CENTER FOR NURS	6 MEDICAL PLZ	1 - 2 N	CF397	416
MONTCLAIR NURSING HOME	2 MEDICAL PLZ	1 - 2 N	CF398	417
ST. CHRISTOPHER-OTTILLIE	101 DOWNING AVE	1 - 2 SW	CJ405	421
GLENWOOD LANDING SCHOOL	60 CODY AVE.	1 - 2 SSW	DF505	504
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
BELL ATLANTIC-GLEN COVE	14 CHARLES ST	1/2 - 1 NW	AN198	283
SUNOCO #0014-3180	1 GLEN COVE AVE	1 - 2 NW	AW229	302
LUNN INDUSTRIES, INC.	1 GARVIES POINT RD	1 - 2 WNW	CX465	467

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 07/01/1999 has revealed that there are 35 AST sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
PHOTOCIRCUITS CORPORATION	31 SEA CLIFF AVE	0 - 1/8 NNW	A5	17
LAND ROVER OF GLEN COVE	70 CEDAR SWAMP RD	0 - 1/8 NE	D23	148
GLEN HEAD COUNTRY CLUB	240 GLEN COVE RD	1/4 - 1/2 SE	H37	158
NICK'S AUTO REPAIR CENTRE	SEA CLIFF AVE. & MCGRAD	1/4 - 1/2 WSW	K49	165
TREVI AUTO SERVICE, INC.	170 SEA CLIFF AVE	1/4 - 1/2 W	K52	166
GLEN PEARSALL APARTMENTS	30 PEARSALL AVE # 34	1/2 - 1 N	N71	178
TRANS-PRO TRANSMISSIONS	259 GLEN COVE AVE	1/2 - 1 WSW	S90	211
F & N GRAHAM, INC.	277 GLEN COVE AVE	1/2 - 1 WSW	S94	214
NORTH SHORE HONDA	611 GLEN COVE RD	1/2 - 1 SSE	102	220
SEA CLIFF VILLAGE GARAGE	66 ALTAMONT AVE	1/2 - 1 W	AM170	264
AUTO-SPA	711 GLEN COVE RD	1/2 - 1 SSE	AP192	279
GORDON'S AUTO REPAIR	15 10TH AVE	1 - 2 W	BT321	364
G & H AUTO REPAIR	208 SEA CLIFF AVE	1 - 2 W	BT334	375
TILDEN GLEN HEAD INC.	66 GLEN HEAD RD	1 - 2 SSW	BY344	380
GETTY #58031-F&G SERV	665 GLEN COVE AVE	1 - 2 SSW	CE375	402
GLEN HEAD MOTORS, INC.	664 GLEN COVE AVE	1 - 2 SSW	CE376	402
COVE TIRE CO INC	671 GLEN COVE AVE	1 - 2 SSW	CE380	404
SEDAN & SPORTS OF SEA CLF	343 SEA CLIFF AVE	1 - 2 W	CO425	433
FAIRVIEW SERVICE STATION	178 FOREST AVE	1 - 2 NNE	CN435	439
BROOKVILLE COUNTRY CLUB	210 CHICKEN VALLEY RD	1 - 2 SE	449	456
GIBBONS SCHOOL	WALNUT & SEAMAN RDS	1 - 2 N	460	464
VALLEY MOTORS REPAIRS	336 FOREST AVE	1 - 2 NNE	CW462	465
PASCUCCI'S SERVICE STA.	320 FOREST AVE	1 - 2 NNE	CW469	475
FERRANTE AUTOMOTIVE S/S	107 LANDING RD	1 - 2 NW	474	477
FOREST AVE. TEXACO SER. STA	199 FOREST AVE	1 - 2 NNE	503	503
LOCUST VALLEY COACH & MTR	42 FOREST AVE	1 - 2 NE	DJ528	522
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
FUJICOLOR PROCESSING, INC.	199 GLEN ST	1/2 - 1 NNW	P85	187

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
EXXON 3-2398-GLEN COVE	161 GLEN ST	1/2 - 1 NNW	W96	215
R & R MOTORCARS INC	159 GLEN ST	1/2 - 1 NNW	W99	219
GLEN COVE SENIOR CENTER	130 GLEN ST	1/2 - 1 NNW	X112	229
NORTH COAST SABARU CORP	105 GLEN ST	1/2 - 1 NNW	X130	239
GLEN COVE D.P.W.-GARAGE	100 MORRIS AVE	1 - 2 WNW	BB249	317
BREWER MARINA INC	128 SHORE RD	1 - 2 W	312	358
GLEN COVE YACHT SERVICE	88 SHORE RD	1 - 2 W	343	380
LUNN INDUSTRIES, INC.	1 GARVIES POINT RD	1 - 2 WNW	CX465	467

RAATS: The RCRA Administration Action Tracking System contains records based on enforcement actions issued under RCRA and pertaining to major violators. It includes administrative and civil actions brought by the United States Environmental Protection Agency. The source of this database is the U.S. EPA.

A review of the RAATS list, as provided by EDR, and dated 04/17/1995 has revealed that there are 2 RAATS sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
APPLIED ENVIRONMENTAL SERVICES	1 SHORE RD PO BOX 329	1 - 2 SW	0	13

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
MATTIACE PETRO CHEM/USEPA II	GARVIES POINT RD	1 - 2 WNW	328	369

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-SQG list, as provided by EDR, and dated 09/01/1999 has revealed that there are 66 RCRIS-SQG sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NYSDOT BIN 1036889	RTE 107 OVER SEA CLIFF	0 - 1/8 ENE	A9	132
V-MAN AUTOMOTIVE INC	63 SEA CLIFF AVE	0 - 1/8 WSW	C20	144
PALL CORP	65 SEA CLIFF AVE	0 - 1/8 WSW	C21	144
A & M COLLISION	27 FIRST ST	1/4 - 1/2 NE	I39	159
PORTA SYSTEMS CORP	1 ALEXANDER PL	1/4 - 1/2 N	J45	163
MICRONICS TECHNOLOGY	7 ALEXANDER PL	1/4 - 1/2 N	J46	163
JAMES AUTO WORKS	161 SEA CLIFF AVE	1/4 - 1/2 WSW	K48	164
S & G CLEANERS	10 CEDAR SWAMP RD	1/4 - 1/2 N	L54	167
GOLD COAST COLLISION LTD	161 GLEN COVE AVE	1/2 - 1 W	Q84	186
COVE CLEANERS INC	206A GLEN COVE AVE	1/2 - 1 WSW	U92	212
NORTH SHORE HONDA	611 GLEN COVE RD	1/2 - 1 SSE	102	220
PLANET WASTE MGMT INC	45B SEA CLIFF AVE	1/2 - 1 WSW	118	232
VULPIS JOSEPH	270 GLEN COVE AVE	1/2 - 1 SW	AI140	245
GETTY PETROLEUM CORP	665 GLEN COVE RD	1/2 - 1 SSE	AG142	246
GRAND MOTOR CAR CO LTD	270 GLEN COVE AVE	1/2 - 1 SW	AI144	247
GLEN COVE AVE COLLISION INC	420 GLEN COVE AVE	1/2 - 1 WSW	AH150	250
S&E WASTE OIL SERVICE INC	22 PROMENADE	1/2 - 1 SSW	193	280
JEFF & KARLS AUTO SVC CUMBERLA	724 GLEN COVE RD	1/2 - 1 SSE	AP200	284
HALM INDUSTRIES CO INC	180 GLEN HEAD RD	1 - 2 S	BP306	355
BELIDORO AUTO SVC	126 GLEN HEAD RD	1 - 2 S	316	361

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LUNDY COMPUTER GRAPHICS	1 ROBERT LANE	1 - 2 SSW	BU325	366
PRIMA COLOR	ROBERT LANE	1 - 2 SSW	BU326	368
EAST COAST STONE WORKS INC	1 ROBERT LANE - SE CORN	1 - 2 SSW	BU327	368
LAPADULA AUTO COLLISION INC DB	85 GLEN HEAD RD	1 - 2 S	329	371
N S U HOSPITAL AT GLEN COVE	ST ANDREWS LANE	1 - 2 N	BW336	376
GARYS COACH & COLLISION WORKS	77 ROSLYN AVE	1 - 2 WSW	BX338	377
WERKS I INC DBA JOHN HOWE PORS	77 ROSLYN AVE	1 - 2 WSW	BX339	378
MOZER JAMES - HOMEOWNER	33 MARDEN AVE	1 - 2 WSW	349	384
BILLS BODY WORKS INC	61 FOREST AVE	1 - 2 N	CA361	391
RON HILL CLEANERS	84-86 SCHOOL ST	1 - 2 N	CD369	398
GETTY PETROLEUM CORP	GLENWOOD RD	1 - 2 SSW	CE389	410
CUMBERLAND GULF #120498	700 GLEN COVE	1 - 2 SSW	CI403	420
ST CHRISTOPHER OTTILIE	101 DOWLING AVE	1 - 2 SW	CJ410	425
BLACKTIE FRENCH CLEANERS	193 FOREST AVE	1 - 2 N	CH412	426
GENOVESE DRUG STORES INC #145	215 FOREST AVE	1 - 2 N	CK413	426
PALL CONFERENCE CENTER	77 CRESCENT BEACH RD	1 - 2 NW	CY467	474
BLACK FOREST AUTOWORKS INC	322 FOREST AVE	1 - 2 NNE	CW468	474
APPLE COACH WORKS INC	318 FOREST AVE	1 - 2 NNE	CW470	475
SHADE TREE GARAGE INC THE	244 FOREST AVE	1 - 2 NNE	CW471	475
VAL U CLEAN	159 FOREST AVE	1 - 2 NNE	DG513	512
PAMPER FRENCH CLEANERS & TAILO	109 FOREST AVE	1 - 2 NE	DJ525	520
LOCUST VALLEY COACH & MOTOR WO	42 LOCUST AVE	1 - 2 NE	DJ529	522
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
GLEN COVE CITY OF LEECH CIRCLE	LEECH CIR - NE CORNER	1/4 - 1/2NNW	59	170
NYS DOT BIN 1036900	R1E 107 UNDER HENDRICK	1/2 - 1 NNW	O74	180
BLUE BAY CLEANERS	208 GLEN ST	1/2 - 1 NNW	P81	184
THORO SERVICE CENTER	161 GLEN ST & TOWN PA	1/2 - 1 NNW	W98	216
F & B FLIPSE AUTO BODY	108 GLEN COVE AVE SITE	1/2 - 1 WNW	AC126	237
NORTH COAST SUBARU	105 GLEN ST	1/2 - 1 NNW	X129	239
LIBRA AUTO COLLISION INC	145 GLEN COVE AVE	1/2 - 1 WNW	131	240
GLEN COVE AUTO BODY	5-A CHARLES ST	1/2 - 1 NW	AF136	243
NORTHSHORE ENVIRONMENTAL SOLUT	127 GLEN COVE AVE	1/2 - 1 NW	AJ141	245
GLEN STREET PLAZA	70 GLEN ST	1/2 - 1 NNW	AB149	250
LIGHTNING AUTO BODY	32 MORRIS AVE	1/2 - 1 NW	AK151	251
CLASSIC AUTO BODY	65A GLEN COVE AVE	1/2 - 1 NW	AK163	258
MOBIL OIL CORP SS KFP	43 GLEN COVE AVE	1 - 2 NW	AR216	294
RASON ASPHALT INC	44 MORRIS AVE	1 - 2 WNW	221	297
SUN REFINING & MARKETING	1 GLEN COVE AVE	1 - 2 NW	AW228	302
US POSTAL SERVICE - GLENCOVE B	2 GLENCOVE AVE	1 - 2 NW	AW232	303
CORNICHE CLEANERS	5C BREWSTER ST	1 - 2 NW	AW234	304
STEVENSON PRINTING CO	1 BREWSTER ST	1 - 2 NW	BA245	310
GLEN COVE MARINA	76 SHORE RD	1 - 2 WNW	BB254	320
TI TUNGSTEN	63 HERBKILL RD	1 - 2 NW	BG268	329
SHADE TREE GARAGE THE	66 HERB HILL RD	1 - 2 NW	BG295	348
BREWER MARINA INC	128 SHORE RD	1 - 2 W	312	358
SIMPSON TURNER LTD	26 GARVIES POINT RD	1 - 2 WNW	CL414	426
EDMOS CORPORATION	20 CARVIES POINT ROAD	1 - 2 WNW	CL429	435

EXECUTIVE SUMMARY

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-LQG list, as provided by EDR, and dated 09/01/1999 has revealed that there are 49 RCRIS-LQG sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
APPLIED ENVIRONMENTAL SERVICES	1 SHORE RD PO BOX 329	1 - 2 SW 0		13
MULTIWIRE DIVISION KOLLMORGEN	31 SEA CLIFF AVE	0 - 1/8 NNW A4		16
PHOTOCIRCUITS DIV/KOLLMORGEN C	31 SEA CLIFF AVE	0 - 1/8 SSW A10		133
SLATER ELECTRIC INC	45 SEA CLIFF AVE	0 - 1/8 WSW A14		136
RALLYE MOTORS, INC.	20 CEDAR SWAMP RD	1/4 - 1/2N J40		159
AUTO ADVICE SQUAD INC/THE	166A SEA CLIFF AVE	1/4 - 1/2 WSW K50		166
FAIRVIEW VOLKSWAGEN SERVICE	3A CEDAR SWAMP RD	1/4 - 1/2N L51		166
YORE GALLON CLEANERS	190 GLEN COVE AVE	1/2 - 1 WSW R86		209
GANNON ENT., INC. D/B/A PROFES	347 GLEN COVE AVE	1/2 - 1 WSW Z115		230
GETTY SERVICE STATION	676 RTE 107	1/2 - 1 SSE AG138		244
EXPRESS PRODUCTIONS INC	400 GLEN COVE AVE	1/2 - 1 WSW AH139		244
NORTH SHORE HIGH SCHOOL	450 GLEN COVE AVE	1/2 - 1 WSW AI157		254
TULIP AUTO SERVICE	478 GLEN COVE AVE	1/2 - 1 SW AI176		267
NORM & SONS	1 ST ANDREWS PL	1/2 - 1 NNE 181		271
TROUSDELL VILLAGE	72 SEACLIFF AVE	1/2 - 1 W AO188		276
AUTO SPA OF GLEN HEAD	711 GLEN COVE RD	1/2 - 1 SSE AP189		276
RANGE ROVER LAND	350 GLEN HEAD RD	1 - 2 SSE BD257		322
DUTCH GIRL CLEANERS	3-8 PARK PLZ	1 - 2 S BD281		337
KEITH DEVEAUS CONTRACTING	629 CEDAR SWAMP RD	1 - 2 SSE BL298		350
LILCO GLENHEAD SUBSTATION	GLENHEAD RD	1 - 2 S BM300		351
NORTH SHORE MIDDLE SCHOOL	505 GLEN COVE AVE	1 - 2 SSW BQ307		355
TRANSTECHNOLOGY CORP	1 ROBERT LANE	1 - 2 SSW BU324		365
GLEN HEAD CLEANERS	56 GLEN HEAD RD	1 - 2 SSW BY351		384
FRESH & CLEAN	22 RAILROAD AVE	1 - 2 SSW 359		391
NASSAU COUNTRY CLUB	ST ANDREWS LANE	1 - 2 N 360		391
FIGARI JOSEPH ESTATE OF	65 FOREST AVE	1 - 2 N CB363		392
ACKERMAN ADVERTISING COMM INC	31 GLEN HEAD RD	1 - 2 SSW CC364		393
RON HILL CLEANERS	71 FOREST AVE	1 - 2 N CD371		399
GLENCO CLEANERS	673 GLEN COVE AVE	1 - 2 SSW CE386		409
GLENCO CLEANERS	674 GLEN COVE AVE	1 - 2 SSW CE388		410
GLEN COVE MIDDLE SCHOOL	FOREST AVE	1 - 2 N CK415		427
SUNOCO SERVICE STATION	343 SEA CLIFF AVE	1 - 2 W CO426		433
FAIRVIEW SERVICE STATION	178 FOREST AVE	1 - 2 NNE CN435		439
PIPING ROCK CLUB	PIPING ROCK RD	1 - 2 E 457		462
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NORTH COAST SUBARU	112 GLEN ST	1/2 - 1 NNW X122		235
KAUFMAN BROS PLUMBING SUPPLIES	108 GLEN COVE AVE S-21	1/2 - 1 WNW AC125		237
J & E MACHINE SHOP	99 GLEN ST	1/2 - 1 NNW AE133		241
KONICA IMAGING USA INC	71 CHARLES ST	1/2 - 1 NW AF165		259
EXXON CO USA-GLEN COVE	97 GLEN COVE AVE	1/2 - 1 NW AK168		262
VERONA ASSOCIATES	10A MORRIS AVE	1/2 - 1 NW AT207		289
GLEN COVE CITY OF	BRIDGE ST CITY HALL	1 - 2 NW AS212		292
LILCO GLEN COVE SUBSTATION	S HERB HILL W OF MILL H	1 - 2 NW AW235		304
DRS ERNEST & HEINZE DDS	3 SCHOOL ST	1 - 2 NNW AX238		306
CROWN DYCKMAN UNIFORM RENTAL I	66 HERBHILL RD	1 - 2 NW BG276		334
LI TUNGSTEN	63 HERB HILL RD	1 - 2 NW BG283		338
LIMCO MFG CORP	GARVIES POINT RD	1 - 2 WNW BO304		353
MATTIACE PETRO CHEM/USEPA II	GARVIES POINT RD	1 - 2 WNW 328		369

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
FABRIC LEATHER CORP	40 GARVIES POINT RD	1 - 2	WNW 393	413
LUNN INDUSTRIES INC	1 GARVIES POINT RD	1 - 2	WNW CX466	472

ERNS: The Emergency Response Notification System records and stores information on reported releases of oil and hazardous substances. The source of this database is the U.S. EPA.

A review of the ERNS list, as provided by EDR, and dated 10/28/1999 has revealed that there are 3 ERNS sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
12 ROONEY COURT	12 ROONEY COURT	1/2 - 1	WNW M66	175
24 CLEMENT STREET	24 CLEMENT STREET	1 - 2	NW CM420	431
24 CLEMENTS STREET	24 CLEMENTS STREET	1 - 2	NW CM424	433

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 04/01/1999 has revealed that there are 130 FINDS sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
APPLIED ENVIRONMENTAL SERVICES	1 SHORE RD PO BOX 329	1 - 2	SW 0	13
MULTIWIRE DIVISION KOLLMORGEN	31 SEA CLIFF AVE	0 - 1/8	NNW A4	16
NYSDOT BIN 1036889	RTE 107 OVER SEA CLIFF	0 - 1/8	ENE A9	132
PHOTOCIRCUITS DIV/KOLLMORGEN C	31 SEA CLIFF AVE	0 - 1/8	SSW A10	133
SLATER ELECTRIC INC	45 SEA CLIFF AVE	0 - 1/8	WSW A14	136
TWEEZERMAN INC.	55 SEAA CLIFF AVENUE	0 - 1/8	WSW C19	143
V-MAN AUTOMOTIVE INC	63 SEA CLIFF AVE	0 - 1/8	WSW C20	144
PALL CORP	65 SEA CLIFF AVE	0 - 1/8	WSW C21	144
FAIREY IND. CER. LTD/CLEAN WAT	85 HAZEL ST.	0 - 1/8	N E24	149
A & M COLLISION	27 FIRST ST	1/4 - 1/2NE	I39	159
RALLYE MOTORS, INC.	20 CEDAR SWAMP RD	1/4 - 1/2N	J40	159
PORTA SYSTEMS CORP	1 ALEXANDER PL	1/4 - 1/2N	J45	163
MICRONICS TECHNOLOGY	7 ALEXANDER PL	1/4 - 1/2N	J46	163
JAMES AUTO WORKS	161 SEA CLIFF AVE	1/4 - 1/2WSW	K48	164
AUTO ADVICE SQUAD INC/THE	166A SEA CLIFF AVE	1/4 - 1/2WSW	K50	166
FAIRVIEW VOLKSWAGEN SERVICE	3A CEDAR SWAMP RD	1/4 - 1/2N	L51	166
S & G CLEANERS	10 CEDAR SWAMP RD	1/4 - 1/2N	L54	167
GOLD COAST COLLISION LTD	161 GLEN COVE AVE	1/2 - 1	W Q84	186
YORE GALLON CLEANERS	190 GLEN COVE AVE	1/2 - 1	WSW R86	209
GLEN COVE GAS PLANT	ROUND SWAMP ROAD	1/2 - 1	W R89	211
COVE CLEANERS INC	206A GLEN COVE AVE	1/2 - 1	WSW U92	212
NORTH SHORE HONDA	611 GLEN COVE RD	1/2 - 1	SSE 102	220
GANNON ENT., INC. D/B/A PROFES	347 GLEN COVE AVE	1/2 - 1	WSW Z115	230
PLANET WASTE MGMT INC	45B SEA CLIFF AVE	1/2 - 1	WSW 118	232

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
GETTY SERVICE STATION	676 RTE 107	1/2 - 1 SSE	AG138	244
EXPRESS PRODUCTIONS INC	400 GLEN COVE AVE	1/2 - 1 WSW	AH139	244
VULPIS JOSEPH	270 GLEN COVE AVE	1/2 - 1 SW	AI140	245
GETTY PETROLEUM CORP	665 GLEN COVE RD	1/2 - 1 SSE	AG142	246
GRAND MOTOR CAR CO LTD	270 GLEN COVE AVE	1/2 - 1 SW	AI144	247
GLEN COVE AVE COLLISION INC	420 GLEN COVE AVE	1/2 - 1 WSW	AH150	250
NORTH SHORE HIGH SCHOOL	450 GLEN COVE AVE	1/2 - 1 WSW	AI157	254
TULIP AUTO SERVICE	478 GLEN COVE AVE	1/2 - 1 SW	AI176	267
NORM & SONS	1 ST ANDREWS PL	1/2 - 1 NNE	181	271
TROUSDELL VILLAGE	72 SEACLIFF AVE	1/2 - 1 W	AO188	276
AUTO SPA OF GLEN HEAD	711 GLEN COVE RD	1/2 - 1 SSE	AP189	276
S&E WASTE OIL SERVICE INC	22 PROMENADE	1/2 - 1 SSW	193	280
JEFF & KARLS AUTO SVC CUMBERLA	724 GLEN COVE RD	1/2 - 1 SSE	AP200	284
RANGE ROVER LAND	350 GLEN HEAD RD	1 - 2 SSE	BD257	322
NORTH SHORE S.D.	112 FRANKLIN AVE.	1 - 2 WSW	BH280	336
DUTCH GIRL CLEANERS	3-8 PARK PLZ	1 - 2 S	BD281	337
KEITH DEVEAUS CONTRACTING	629 CEDAR SWAMP RD	1 - 2 SSE	BL298	350
LILCO GLENHEAD SUBSTATION	GLENHEAD RD	1 - 2 S	BM300	351
HALM INDUSTRIES CO INC	180 GLEN HEAD RD	1 - 2 S	BP306	355
NORTH SHORE MIDDLE SCHOOL	505 GLEN COVE AVE	1 - 2 SSW	BQ307	355
BELIDORO AUTO SVC	126 GLEN HEAD RD	1 - 2 S	316	361
TRANSTECHNOLOGY CORP	1 ROBERT LANE	1 - 2 SSW	BU324	365
LUNDY COMPUTER GRAPHICS	1 ROBERT LANE	1 - 2 SSW	BU325	366
PRIMA COLOR	ROBERT LANE	1 - 2 SSW	BU326	368
EAST COAST STONE WORKS INC	1 ROBERT LANE - SE CORN	1 - 2 SSW	BU327	368
LAPADULA AUTO COLLISION INC DB	85 GLEN HEAD RD	1 - 2 S	329	371
N S U HOSPITAL AT GLEN COVE	ST ANDREWS LANE	1 - 2 N	BW336	376
GARYS COACH & COLLISION WORKS	77 ROSLYN AVE	1 - 2 WSW	BX338	377
WERKS I INC DBA JOHN HOWE PORS	77 ROSLYN AVE	1 - 2 WSW	BX339	378
MOZER JAMES - HOMEOWNER	33 MARDEN AVE	1 - 2 WSW	349	384
GLEN HEAD CLEANERS	56 GLEN HEAD RD	1 - 2 SSW	BY351	384
FRESH & CLEAN	22 RAILROAD AVE	1 - 2 SSW	359	391
NASSAU COUNTRY CLUB	ST ANDREWS LANE	1 - 2 N	360	391
BILLS BODY WORKS INC	61 FOREST AVE	1 - 2 N	CA361	391
FIGARI JOSEPH ESTATE OF	65 FOREST AVE	1 - 2 N	CB363	392
ACKERMAN ADVERTISING COMM INC	31 GLEN HEAD RD	1 - 2 SSW	CC364	393
CONNOLLY ELEMENTARY SCHOOL	RIDGE DR.	1 - 2 NNW	367	394
RON HILL CLEANERS	84-86 SCHOOL ST	1 - 2 N	CD369	398
RON HILL CLEANERS	71 FOREST AVE	1 - 2 N	CD371	399
COVE CAR CARE CTR	571 GLEN COVE AVE	1 - 2 SSW	CE379	404
GLENCO CLEANERS	673 GLEN COVE AVE	1 - 2 SSW	CE386	409
GLENCO CLEANERS	674 GLEN COVE AVE	1 - 2 SSW	CE388	410
GETTY PETROLEUM CORP	GLENWOOD RD	1 - 2 SSW	CE389	410
CUMBERLAND GULF #120498	700 GLEN COVE	1 - 2 SSW	CI403	420
ST CHRISTOPHER OTTILIE	101 DOWLING AVE	1 - 2 SW	CJ410	425
BLACKTIE FRENCH CLEANERS	193 FOREST AVE	1 - 2 N	CH412	426
GENOVESE DRUG STORES INC #145	215 FOREST AVE	1 - 2 N	CK413	426
GLEN COVE MIDDLE SCHOOL	FOREST AVE	1 - 2 N	CK415	427
SUNOCO SERVICE STATION	343 SEA CLIFF AVE	1 - 2 W	CO426	433
FAIRVIEW SERVICE STATION	178 FOREST AVE	1 - 2 NNE	CN435	439
PIPING ROCK CLUB	PIPING ROCK RD	1 - 2 E	457	462
PALL CONFERENCE CENTER	77 CRESCENT BEACH RD	1 - 2 NW	CY467	474
BLACK FOREST AUTOWORKS INC	322 FOREST AVE	1 - 2 NNE	CW468	474
APPLE COACH WORKS INC	318 FOREST AVE	1 - 2 NNE	CW470	475
SHADE TREE GARAGE INC THE	244 FOREST AVE	1 - 2 NNE	CW471	475
FRIENDS ACADEMY	DUCK POND RD.	1 - 2 ENE	DA476	479

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
UNIVERSAL UNLTD INC	PRATT OVAL & CHESTNUT S	1 - 2 NNW	499	500
VAL U CLEAN	159 FOREST AVE	1 - 2 NNE	DG513	512
US POSTAL SERVICE	115 FOREST AVENUE	1 - 2 NE	DJ524	520
PAMPER FRENCH CLEANERS & TAILO	109 FOREST AVE	1 - 2 NE	DJ525	520
LOCUST VALLEY COACH & MOTOR WO	42 LOCUST AVE	1 - 2 NE	DJ529	522
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
GLEN COVE CITY OF LEECH CIRCLE	LEECH CIR - NE CORNER	1/4 - 1/2 NNW	59	170
NYS DOT BIN 1036900	RTE 107 UNDER HENDRICK	1/2 - 1 NNW	O74	180
BLUE BAY CLEANERS	208 GLEN ST	1/2 - 1 NNW	P81	184
THORO SERVICE CENTER	161 GLEN ST & TOWN PA	1/2 - 1 NNW	W98	216
NORTH COAST SUBARU	112 GLEN ST	1/2 - 1 NNW	X122	235
KAUFMAN BROS PLUMBING SUPPLIES	108 GLEN COVE AVE S-21	1/2 - 1 WNW	AC125	237
F & B FLIPSE AUTO BODY	108 GLEN COVE AVE SITE	1/2 - 1 WNW	AC126	237
NORTH COAST SUBARU	105 GLEN ST	1/2 - 1 NNW	X129	239
LIBRA AUTO COLLISION INC	145 GLEN COVE AVE	1/2 - 1 WNW	131	240
J & E MACHINE SHOP	99 GLEN ST	1/2 - 1 NNW	AE133	241
GLEN COVE AUTO BODY	5-A CHARLES ST	1/2 - 1 NW	AF136	243
NORTHSHORE ENVIRONMENTAL SOLUT	127 GLEN COVE AVE	1/2 - 1 NW	AJ141	245
GLEN STREET PLAZA	70 GLEN ST	1/2 - 1 NNW	AB149	250
LIGHTNING AUTO BODY	32 MORRIS AVE	1/2 - 1 NW	AK151	251
GLEN COVE (C) WTP	100 MORRIS AVENUE	1/2 - 1 NW	AJ158	255
CLASSIC AUTO BODY	65A GLEN COVE AVE	1/2 - 1 NW	AK163	258
KONICA IMAGING USA INC	71 CHARLES ST	1/2 - 1 NW	AF165	259
EXXON CO USA-GLEN COVE	97 GLEN COVE AVE	1/2 - 1 NW	AK168	262
NORTHERN TYPE PRINTING, INC.	10 MORRIS AVENUE	1/2 - 1 NW	AJ169	263
VERONA ASSOCIATES	10A MORRIS AVE	1/2 - 1 NW	AT207	289
GLEN COVE CITY OF	BRIDGE ST CITY HALL	1 - 2 NW	AS212	292
MOBIL OIL CORP SS KFP	43 GLEN COVE AVE	1 - 2 NW	AR216	294
RASON ASPHALT INC	44 MORRIS AVE	1 - 2 WNW	221	297
SUN REFINING & MARKETING	1 GLEN COVE AVE	1 - 2 NW	AW228	302
US POSTAL SERVICE	2 GLEN COVE AVE	1 - 2 NW	AW230	303
CORNICHE CLEANERS	5C BREWSTER ST	1 - 2 NW	AW234	304
LILCO GLEN COVE SUBSTATION	S HERB HILL W OF MILL H	1 - 2 NW	AW235	304
DRS ERNEST & HEINZE DDS	3 SCHOOL ST	1 - 2 NNW	AX238	306
POWERS CHEMCO	26 CHARLES ST.	1 - 2 NW	AY241	308
STEVENSON PRINTING CO	1 BREWSTER ST	1 - 2 NW	BA245	310
GLEN COVE MARINA	76 SHORE RD	1 - 2 WNW	BB254	320
TI TUNGSTEN	63 HERBKILL RD	1 - 2 NW	BG268	329
WINDSOR FUEL CO, INC	CHARLES ST & HERB HILL	1 - 2 NW	AY270	330
CROWN DYCKMAN UNIFORM RENTAL I	66 HERBHILL RD	1 - 2 NW	BG276	334
LI TUNGSTEN	63 HERB HILL RD	1 - 2 NW	BG283	338
SHADE TREE GARAGE THE	66 HERB HILL RD	1 - 2 NW	BG295	348
LIMCO MFG CORP	GARVIES POINT RD	1 - 2 WNW	BO304	353
LI TUNGSTEN CORP	GARVIES POINT RD.	1 - 2 WNW	BO309	356
BREWER MARINA INC	128 SHORE RD	1 - 2 W	312	358
CAPTAIN'S COVE CONDOMINIUMS	GARVIES POINT ROAD	1 - 2 WNW	BO313	359
MATTIACE PETRO CHEM/USEPA II	GARVIES POINT RD	1 - 2 WNW	328	369
FABRIC LEATHER CORP	40 GARVIES POINT RD	1 - 2 WNW	393	413
SIMPSON TURNER LTD	26 GARVIES POINT RD	1 - 2 WNW	CL414	426
EDMOS CORPORATION	20 CARVIES POINT ROAD	1 - 2 WNW	CL429	435
LUNN INDUSTRIES INC	1 GARVIES POINT RD	1 - 2 WNW	CX466	472

EXECUTIVE SUMMARY

TRIS: The Toxic Chemical Release Inventory System identifies facilities that release toxic chemicals to the air, water, and land in reportable quantities under SARA Title III, Section 313. The source of this database is the U.S. EPA.

A review of the TRIS list, as provided by EDR, and dated 12/31/1997 has revealed that there are 2 TRIS sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
PHOTOCIRCUITS DIV/KOLLMORGEN C	31 SEA CLIFF AVE	0 - 1/8 SSW	A10	133
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
KONICA IMAGING USA INC	71 CHARLES ST	1/2 - 1 NW	AF165	259

TSCA: The Toxic Substances Control Act identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site. The United States Environmental Protection Agency has no current plan to update and/or re-issue this database.

A review of the TSCA list, as provided by EDR, and dated 12/31/1994 has revealed that there are 2 TSCA sites within approximately 2 miles of the subject property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
KONICA IMAGING USA INC	71 CHARLES ST	1/2 - 1 NW	AF165	259
LI TUNGSTEN	63 HERB HILL RD	1 - 2 NW	BG283	338

SPILLS: The Spills Information Database from The Department of Environmental Conservation.

A review of the NY Spills list, as provided by EDR, has revealed that there are 251 NY Spills sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
PHOTO CIRCUITS CORP	31 SEA CLIFF AVE	0 - 1/8 NNW	A6	45
PHOTOCIRCUITS CORP.	31 SEA CLIFF AVE	0 - 1/8 NNW	A7	46
PHOTO CIRCUITS	33 SEA CLIFF AVE	0 - 1/8 W	A8	132
PHOTO CIRCUITS	13 SEA CLIFF AVE	0 - 1/8 E	A13	135
SLATER ELECTRIC INC	45 SEA CLIFF AVE	0 - 1/8 WSW	A14	136
SUNRISE OIL	45 SEA CLIFF AVE	0 - 1/8 WSW	A15	141
SLATTER ELECTRIC	45 SEA CLIFF AVE	0 - 1/8 WSW	A16	141
HARBOR FUEL CO	SEACLIFF AVE/GLEN COVE	0 - 1/8 E	B18	143
ANGS S/S	73 CEDAR SWAMP RD	0 - 1/8 NE	D22	144
Not reported	129 CEDAR SWAMP ROAD	1/8 - 1/4 SE	27	150
RESIDENCE	20 GROVE ST	1/4 - 1/2 N	30	153
AA&M CARTING	SEACLIFF AVE / GLENKE	1/4 - 1/2 WSW	G33	155
MICHAEL SUOZZI RESIDENCE	31 1ST ST	1/4 - 1/2 NE	I38	158
RALLEY LEXUS MOTOR	20 CEDAR SWAMP RD	1/4 - 1/2 N	J41	160
RALLY MOTORS	20 CEDAR SWAMP RD	1/4 - 1/2 N	J44	162
MARY CHASE RESIDENCE	15 CHERRY LN	1/4 - 1/2 E	47	164
HOFFMAN RESIDENCE	50 PORTER PL	1/4 - 1/2 NW	53	167
BADE RESIDENCE	13 ARBOR PL	1/4 - 1/2 W	57	169
PETRO FUEL OIL	38 ELM AVE	1/4 - 1/2 NNE	60	171
GLEN COVE CITY	77 VALENTINE AVE	1/2 - 1 WSW	61	172
DRESSLER RESIDENCE	8 DUKE PL	1/2 - 1 WNW	62	172
FRANK ROEHRIG RESIDENCE	12 EMERALD DR	1/2 - 1 WSW	64	174

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
PALATINUS RESIDENCE	15 ROONEY CT	1/2 - 1 WNW	M67	175
GERALDO CAPRARELLA	27 GUILFOY ST	1/2 - 1 ENE	69	177
THERESA HEILIG RESIDENCE	5 CENTRAL AVE	1/2 - 1 NW	70	177
LILCO	34 PEARSALL AVE	1/2 - 1 N	N73	179
NOOR RESIDENCE	117 FROST POND RD	1/2 - 1 E	75	180
COMMANDER	27 SUNSET AVE	1/2 - 1 NW	76	181
FARBER RESIDENCE	140 POUND HOLLOW RD	1/2 - 1 SE	77	181
UNK	GLEN COVE AVE/DONAHUGH	1/2 - 1 W	78	182
RA BURTIS FUEL OIL	1 LAMARCUS AVE	1/2 - 1 W	Q82	185
LILCO	GLEN COVE / SEA CLIFF	1/2 - 1 W	R83	186
NOBECK S/S	GLEN COVE ROAD/8TH AVEN	1/2 - 1 W	87	209
B&M STATIONERY	215 GLEN COVE AVE	1/2 - 1 W	R88	210
FIRESTONE	277 GLEN COVE AVE	1/2 - 1 WSW	S93	213
TROTТА'S JUNKYARD	13 CHADWICK ST	1/2 - 1 WSW	V95	214
HARBOR FUEL CO	36 HILLCREST DR	1/2 - 1 SSE	100	219
MOBIL GAS STATION	311 GLEN COVE AVE	1/2 - 1 WSW	U105	224
GENE STEFANO	311 GLEN COVE AVE	1/2 - 1 WSW	U106	225
TROTТА	8 CHADWICK ST	1/2 - 1 WSW	V109	227
MICRO BIO MEDICS INC	329 GLEN COVE AVE	1/2 - 1 WSW	U111	228
BLACK RESIDENCE	41 CROMWELL PL	1/2 - 1 W	113	229
NORTH SHORE OIL CO	9 MATTHEWS HTS	1/2 - 1 W	Y116	231
BREEN RESIDENCE	80 THE PROMENADE	1/2 - 1 S	AA117	232
JEFF FLETCHER RESIDENCE	67 THE PROMENADE	1/2 - 1 S	AA119	233
UNK	20 SALEM WAY	1/2 - 1 SSW	120	233
AUTO SPA	369 GLEN COVE AVE	1/2 - 1 WSW	Z121	234
MARJORIE WEIR RESIDENCE	214 FROST POND RD	1/2 - 1 E	AD127	237
DAVID DIGIOVANNI RESIDENC	14 FRANKLIN AVE	1/2 - 1 WSW	Z132	240
DELFAVERO RESIDENCE	44 8TH AVE	1/2 - 1 W	134	241
GETTY S/S	RTE 107 / GLEN COVE R	1/2 - 1 SSE	AG137	243
RESIDENT	3 KEITH PL / FROST PO	1/2 - 1 E	AD145	247
COMMANDER OIL	3 CEDAR LN	1/2 - 1 S	153	252
MCAHON RESIDENCE	37 GLEN AVE	1/2 - 1 WSW	154	252
GETTY GAS STATION	676 GLEN COVE RD	1/2 - 1 SSE	AG156	254
Not reported	6 SHERMAN RD	1/2 - 1 NE	162	257
IFO	687 GLEN COVE RD	1/2 - 1 SSE	AG164	258
TULIP AUTO SERVICE	478 GLEN COVE AVE	1/2 - 1 SW	A1176	267
AUTO SPA OF GLEN HEAD	711 GLEN COVE RD	1/2 - 1 SSE	AP189	276
Not reported	97 ALTAMONT AVE	1/2 - 1 W	AM190	278
LILCO	82 SEA CLIFF AVE	1/2 - 1 W	AO196	282
GRONDA RESIDENCE	41 FRANKLIN AVE	1/2 - 1 N	203	286
RESIDENCE	32 STILLMAN RD	1 - 2 ENE	209	290
HAROLD KOLB RESIDENCE	20 TERRY CT	1 - 2 SW	AU213	292
Not reported	6 RAYNHAM RD	1 - 2 NNE	214	293
COMMANDER OIL	8 TERRY CT	1 - 2 SW	AU217	295
Not reported	3 DARBY PLACE/GLEN COVE	1 - 2 SW	AU218	296
Not reported	NEXT TO 80 WALNUT RD.	1 - 2 N	219	296
Not reported	155 DUBOIS AVE	1 - 2 WSW	AV226	301
PARRIS RESIDENCE	10 HIGH FARMS RD	1 - 2 E	233	303
Not reported	15 RINI CT	1 - 2 E	236	305
Not reported	131 8TH AVE	1 - 2 W	239	307
Not reported	RT 107 / GLEN HEAD RO	1 - 2 SSE	AZ242	308
AUTO SPA	711 GLEN COVE / GLEN	1 - 2 SSE	AZ243	309
TEXACO S/S	GLEN HEAD RD / GLEN C	1 - 2 SSE	AZ244	310
SIMMERMAN RESIDENCE	3 FALMOUTH LN	1 - 2 SW	BC255	321
Not reported	GLEN COVE AVE/HARBOR WA	1 - 2 SW	256	321
MORNING ENTERPRISES	350 GLEN HEAD RD	1 - 2 SSE	BD258	322

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Dist / Dir	Map ID	Page
Not reported	17 RELLIM DR	1 - 2 NE	BF262	325
LILCO PLANT	GLEN COVE RD / GLEN H	1 - 2 SSE	BE264	326
HOMEOWNER	6 RELLIM DR	1 - 2 NE	BF267	328
COMMANDER PETRO	9 EDWARDS LAND	1 - 2 NE	BI272	331
ISLAND TRANSPORTATION	700 GLEN COVE AVE	1 - 2 SW	BC274	332
GULF S/S	700 GLEN COVE AVE	1 - 2 SW	BC275	333
GEORGE MUNSON	322 CARPENTER AVE	1 - 2 WSW	BJ278	335
PYZ AL COMPANY	240 GLEN HEAD RD	1 - 2 S	282	337
EILEEN KENNEDY RESIDENCE	348 CARPENTER AVE	1 - 2 WSW	296	348
LEWIS VALENTE NURSERY	627 CEDAR SWAMP RD	1 - 2 SSE	BL297	349
RESIDENCE	7 EDWARDS LN	1 - 2 NE	BI299	350
RESIDENCE	10 KAREN RD	1 - 2 NE	BN301	351
SALMON RESIDENCE	8 KAREN RD	1 - 2 NE	BN303	353
MORANTE RESIDENCE	10 MADISON AVE	1 - 2 NW	310	357
Not reported	FRANKLIN AVE/NORTH MAIN	1 - 2 WSW	BR311	358
ESTLER RESIDENCE	142 MAIN AVE	1 - 2 WSW	314	360
MOBIL S/S	MAIN / FRANKLIN ST	1 - 2 WSW	BR317	361
RESIDENCE	37 VIOLA DR	1 - 2 NE	BS318	362
Not reported	40 VIOLA DR	1 - 2 ENE	BS319	363
NORTH SHORE JR HIGH	505 GLEN COVE AVE	1 - 2 SSW	320	363
LUNDY ELECTRONICS	1 ROBERTS LN	1 - 2 SSW	BU323	365
LUNDY COMPUTER GRAPHICS	1 ROBERT LANE	1 - 2 SSW	BU325	366
YASTRUB RESIDENCE	159 SAINT ANDREWS LN	1 - 2 N	BV335	375
CHOPARDS RESIDENCE	147 SAINT ANDREWS LN	1 - 2 N	BV340	378
TOWNSEND RESIDENCE	34 MARDEN AVE	1 - 2 WSW	341	379
Not reported	30 SHEPPARD AVENUE	1 - 2 S	342	380
LILCO	66 GLEN HEAD RD	1 - 2 SSW	BY345	381
NO SHORE COMMUNITY HOSPIT	134 SAINT ANDREWS LN	1 - 2 N	346	381
GLEN COVE HOSP.	WALNUT RD / ST ANDREWS	1 - 2 N	347	382
MELILLO RESIDENCE	32 ROSE AVE	1 - 2 NW	348	383
NORTHSHORE HOSPITAL	101 SAINT ANDREWS LN	1 - 2 N	BW354	386
COMMANDER OIL	PHILLIPS / FOREST AVE	1 - 2 NNW	CA358	390
ARNOLD SORENSON RESIDENCE	15 DOSORIS LN	1 - 2 NNW	BZ362	392
EXXON CO./USA	FOREST AVE / BRYCE AV	1 - 2 N	CB366	393
GLEN HEAD MOTORS	664 GLEN COVE AVE	1 - 2 SSW	CE374	401
HAWKINS COVER OIL SUPPLY	7 PHILLIPS RD	1 - 2 NNW	377	403
PISANO ROSERRO LANDSCAPE	18 PRESTWICK TER	1 - 2 N	378	404
SUNOCO	670 GLEN COVE AVE	1 - 2 SSW	CE381	405
COVE TIRE	671 GLEN COVE AVE	1 - 2 SSW	CE382	405
MYSTIC TRANSPORT	670 GLEN COVE AVE	1 - 2 SSW	CE384	406
SUNOCO	670 GLEN COVE @GLENWOOD	1 - 2 SSW	CE385	407
GETTY S/S	GLEN COVE AVE/GLEN HEAD	1 - 2 SSW	CE387	409
GETTY PETROLEUM	GLEN COVE AVE/GLENWOOD	1 - 2 SSW	CE390	411
PERGAMENT SHOPPING CENTER	FOREST AVENUE/WALNUT	1 - 2 N	CF392	412
WINDSOR FUEL OIL CO	23 COLES ST	1 - 2 NW	394	414
APARTMENT BUILDING	70 SUMMIT AVE	1 - 2 W	395	415
UNK	CLINTON ST / ST.JAMES	1 - 2 N	CH400	418
CALO RESIDENCE	6 GLENWOOD RD	1 - 2 SSW	CG401	419
CALLO RESIDENCE	6 GLENWOOD RD	1 - 2 SSW	CG402	419
KYTOSKI RESIDENCE	9 CLEVELAND PL	1 - 2 NW	404	421
Not reported	GLEN COVE AVENUE/WALNUT	1 - 2 SSW	CI409	424
FADROWSKY RESIDENCE	29 VALENTINE ST	1 - 2 NW	416	428
PUERTES RESIDENCE	7 KIRKWOOD DR	1 - 2 N	CK417	428
WASNIEWSKI RESIDENCE	32 WILLIAM ST	1 - 2 SSW	422	431
MIKE REILLY RESIDENCE	37 WOOLSEY AVE	1 - 2 NNW	427	434
Not reported	2 WREN CT	1 - 2 S	428	434

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
MARANIA OIL	84 CHICKEN VALLEY RD	1 - 2 SE	CP432	437
Not reported	14 CHERRYWOOD ROAD	1 - 2 ENE	433	438
GRENNAN RESIDENCE	45 VALENTINE ST	1 - 2 NW	CQ434	439
KAUFMAN RESIDENCE	42 JEROME DR	1 - 2 WNW	436	440
KANDELIA RESIDENCE	48 VALENTINE ST	1 - 2 NW	CQ437	441
ALIJWITCZ RESIDENCE	19 MILLER ST	1 - 2 NW	439	442
ROME LEVINE RESIDENCE	46 CRESCENT BEACH RD	1 - 2 NW	440	443
DADSON REALTY	7 12TH ST	1 - 2 NNE	CR446	454
COATES RESIDENCE	200 PIPING ROCK RD	1 - 2 ENE	447	455
Not reported	25 CARPENTER ST	1 - 2 WNW	CT448	456
PADDISON RESIDENCE	43 HENRY DR	1 - 2 WNW	450	457
KAUFMAN RESIDENCE	26 SMITH ST	1 - 2 SSW	451	458
GILBERT RESIDENCE	15 TOWNSEND ST	1 - 2 SSW	CU452	459
SANFRATELLO RESIDENCE	24 N YEW ST	1 - 2 NNW	453	459
ANNA YANES RESIDENCE	18 CARPENTER ST	1 - 2 WNW	CT454	460
LILCO	SEAMEN RD/29 / 31 INW	1 - 2 N	CV456	461
UNK	203 PROSPECT AVE	1 - 2 WSW	458	463
FRANK HOLLISTER	26 TOWNSEND ST	1 - 2 SSW	CU461	464
UNK CONSTRUCTION CO	10 SYLVIA ST	1 - 2 SSW	463	465
KIM KYUNG RESIDENCE	31 HENRY DR	1 - 2 WNW	472	476
GORDON RESIDENCE	87 CRESCENT BEACH RD	1 - 2 NW	CY473	477
ANDREIEZ RESIDENCE	18 BRIARWOOD DR	1 - 2 N	CZ475	478
NORWOOD RESIDENCE	22 SYLVIA ST	1 - 2 SSW	477	480
FISHER RESIDENCE	23 BUCKEYE RD	1 - 2 NNW	478	481
KEVIN COSTELLO	383 LITTLEWORTH LN	1 - 2 WSW	481	487
SCHLAU RESIDENCE	9 HIGH PINES	1 - 2 NNW	482	488
LILCO	35 HITCHING POST LN	1 - 2 N	483	489
ERMARINO RESIDENCE	17 SHERWOOD RD	1 - 2 NNW	484	490
Not reported	8 FOXBORO LN	1 - 2 SSE	DB486	491
STUART LEVY RESIDENCE	8 FOXBORO LN	1 - 2 SSE	DB487	492
LARRY HANSLEY RESIDENCE	28 BRIARWOOD DR	1 - 2 N	CZ488	493
NORTH SHORE OIL CO	25 BRIARWOOD DR	1 - 2 N	CZ489	493
EVANS FUEL CO	20 UNDERHILL RD	1 - 2 NE	490	494
PUGLIESE RESIDENCE	15 MECHANIC ST	1 - 2 WNW	492	495
MESH RESIDENCE	6 MICHAELS LN	1 - 2 S	DD495	497
RITE WAY TOWING SERVICE	136 NORTH ST	1 - 2 NNE	498	500
CANTER RESIDENCE	4 MICHAELS LN	1 - 2 S	DD500	500
CARUSI RESIDENCE	2 HOGALAND LANE	1 - 2 SSE	501	501
JACQUE RESIDENCE	10 EDSON LN	1 - 2 SSE	502	502
ZEMBIS RESIDENCE	4 SCOTT PL	1 - 2 N	DE504	503
HURWITZ RESIDENCE	14 SCOTT PL	1 - 2 N	DE506	504
BIATA RESIDENCE	8 KING STREET	1 - 2 SSW	511	510
GALOS RESIDENCE	16 COOLIDGE AVE	1 - 2 SSW	518	516
LEWIS OIL	174 HEGEMANS LN	1 - 2 SE	519	516
LEIS RESIDENCE	3 SIMONSON CT	1 - 2 S	521	518
JOSEPH D'ANIELLO RESIDENC	45 ASH ST	1 - 2 NE	DJ526	520
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
Not reported	200 CARNEY ST	1/8 - 1/4 NNW	E26	150
UNK LANDLORD	11 CAPOBIANCO ST	1/8 - 1/4 NNW	F28	151
Not reported	HAZEL STREET/GROVE STRE	1/4 - 1/2 N	F29	152
C&J S/S	297 GLEN ST	1/2 - 1 N	65	174
MCLAUGHLIN & CRAMER	220 GLEN ST	1/2 - 1 NNW	P80	184
RESIDENCE	228 GLEN COVE AVE	1/2 - 1 WNW	T91	211
EXXON STATION	161 GLEN ST	1/2 - 1 NNW	W97	215

EXECUTIVE SUMMARY

Lower Elevation	Address	Dist / Dir	Map ID	Page
THORO SERVICE CENTER	161 GLEN ST & TOWN PA	1/2 - 1	NNW W98	216
TROTTO AUTO WRECKING	218 GLEN COVE AVE	1/2 - 1	WNW T101	220
ALL AMERICAN PETROLEUM	146 GLEN ST	1/2 - 1	NNW W103	222
LILCO	143 GLEN ST	1/2 - 1	NNW W107	225
DUKE PERRY	206 GLEN COVE AVE	1/2 - 1	WNW 110	227
LYDIA (SISTER)	48 PULASKI ROAD	1/2 - 1	NNW AB123	235
DREWERY RESIDENCE	2 CONTINENTAL CT	1/2 - 1	NW 124	236
NCDPW	MORRIS AVE X GLEN COVE	1/2 - 1	NW AK147	248
GLEN ST PLAZA DEVELOP COR	70 GLEN ST	1/2 - 1	NNW AB148	249
LILCO	MORRIS AVE / GLEN COV	1/2 - 1	NW AJ152	251
CAVALIERI AUTO PARTS	112 GLEN COVE AVE	1/2 - 1	NW AJ155	253
Not reported	GLEN STREET E/O PULASKI	1/2 - 1	NNW AE159	255
HONDA PLUS SERVICE	108 GLEN COVE AVE	1/2 - 1	NW AK160	256
MANHOLE #10484	65 GLEN ST	1/2 - 1	NNW AL161	256
KONICA IMAGING USA INC	71 CHARLES ST	1/2 - 1	NW AF165	259
JBT TRUCKING	65 GLEN COVE AVE / CH	1/2 - 1	NW AF166	261
EXXON S/S	97 GLEN COVE AVE	1/2 - 1	NW AK167	262
EXXON CO USA-GLEN COVE	97 GLEN COVE AVE	1/2 - 1	NW AK168	262
GETTY S/S	90 GLEN COVE AVENUE	1/2 - 1	NW AN173	265
JD POSILLICO INC	GLEN COVE AVE/CHARLES S	1/2 - 1	NW AN174	266
HAWKINS COVE	10-12 CHARLES ST	1/2 - 1	NW AN175	267
LILCO	DUCK POND ROAD	1/2 - 1	NNW AL177	268
AMERADA HESS S/S	86 GLEN COVE AVE	1/2 - 1	NW AN178	269
HESS	86 GLEN COVE AVE	1/2 - 1	NW AN179	270
Not reported	74 GLEN COVE AVE	1/2 - 1	NW AN186	275
LI PAINT COMPANY	69 GLEN COVE AVE	1/2 - 1	NW AN191	278
POWELL RESIDENCE	10 HARMONY LN	1/2 - 1	WNW AQ194	280
TROFFA'S S/S	62 GLEN COVE AVE	1/2 - 1	NW AR195	281
GLENWOOD OIL TERMINAL	1 SHORE RD	1/2 - 1	WNW AQ201	284
UNK	8 MORRIS AVE	1/2 - 1	NW AT208	289
PLANET CARDING	10 MORRIS AVE	1 - 2	WNW 210	290
LILCO	N. GLEN ST. / SCHOOL	1 - 2	NW AS211	291
J&S SERVICE STATION	43 GLEN COVE AVE	1 - 2	NW AR215	294
J.V.P. TERMITE ASSOC.	115 PUTNAM AVE	1 - 2	WNW 224	299
Not reported	29 GLEN COVE AVE	1 - 2	NW AW225	300
SUNOCO	1 GLEN COVE AVE	1 - 2	NW AW231	303
UNIVERSAL RECYCLING INC	100 MORRIS AVE	1 - 2	WNW BB248	316
COMMANDER FUEL	21-31 BREWSTER AVENUE	1 - 2	NW AX250	317
THE GLEN ARMS	21 BREWSTER ST	1 - 2	NW AX251	318
VESSEL SEA SHELTER	76 SHORE RD	1 - 2	WNW BB252	318
VESSEL-LYDIA	76 SHORE RD	1 - 2	WNW BB253	319
GLEN COVE MARINA	76 SHORE RD	1 - 2	WNW BB254	320
POWER CHEMCO	CHARLES STREET	1 - 2	NW AY265	327
WINDSOR FUEL CO, INC	CHARLES ST & HERB HILL	1 - 2	NW AY270	330
KONICA IMAGING USA INC	CHARLES ST / HERBHILL	1 - 2	NW AY271	331
UNK	63 HERB HILL RD	1 - 2	NW BG284	340
OLD LEE TUNGSTEN PROPERTY	63 HERB HILL RD	1 - 2	NW BG286	341
QUALITY MARINE	100 SHORE RD	1 - 2	WNW BK288	343
QUALITY MARINE SERVICE	100 SHORE RD	1 - 2	WNW BK289	343
NORTHBOUND MOTORS	66 HERB HILL RD	1 - 2	NW BG291	345
HERBHILL ASSOC	66 HERB HILL RD	1 - 2	NW BG292	345
MATTIACE PETRO CHEM/USEPA II	GARVIES POINT RD	1 - 2	WNW 328	369
USCG	42 THE BLVD	1 - 2	W 411	425
EDMOS WAREHOUSE	GARVIES POINT ROAD	1 - 2	WNW CL430	436
R&A	10 GARVIES POINT RD	1 - 2	WNW CS443	445
HAWKINS COVE OIL SERVICE	10 GARVIES POINT RD	1 - 2	WNW CS444	446

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HAWKINS COVE OIL SUPPLY CORP.	10 GARVIES POINT RD	1 - 2	WNW CS445	447
ROLL RESIDENCE	237 12TH AVE	1 - 2	W 459	463
LUNN INDUSTRIES INC	1 GARVIES POINT RD	1 - 2	WNW CX466	472
SPINRAD RESIDENCE	48 MCLOUGHLIN ST	1 - 2	WNW DC491	495
MEENAN OIL	31 BARRY DR	1 - 2	WNW 493	496
COMMANDER OIL	17 WOODRIDGE LN	1 - 2	WSW 496	498
NORTHSHORE HOME SALES	109 C GLENWOOD ROAD	1 - 2	SW DH510	510
HARTMANN	1 LARSEN AVENUE	1 - 2	SW DH514	513

CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the CBS AST list, as provided by EDR, and dated 07/01/1999 has revealed that there are 6 CBS AST sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
PHOTOCIRCUITS CORP.	31 SEA CLIFF AVE	0 - 1/8	NNW A7	46
SLATER ELECTRIC INC	45 SEA CLIFF AVE	0 - 1/8	WSW A14	136
FRIENDS ACADEMY-MAIN POOL	DUCK POND ROAD	1 - 2	ENE DA479	481
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
FUJICOLOR PROCESSING, INC.	199 GLEN ST	1/2 - 1	NNW P85	187
GLEN COVE SEWAGE TREATMENT PLA	100 MORRIS AVE	1 - 2	WNW BB247	312
GLENWOOD LANDING POWER STATION	SHORE ROAD	1 - 2	SW 508	506

MOSF UST: Major Oil Storage Facilities Database. Facilities are licensed pursuant to Article 12 of the Navigation Law, 6 NYCRR Part 610 and 17 NYCRR Part 30. These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater. Includes MOSF's licensed or closed since April 1, 1986, (responsibility was transferred from DOT on October 13, 1985) plus available data obtained from DOT facilities licensed since Article 12 became law on April 1, 1978.

A review of the MOSF UST list, as provided by EDR, and dated 07/01/1999 has revealed that there is 1 MOSF UST site within approximately 2 miles of the subject property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HAWKINS COVE OIL SUPPLY CORP.	10 GARVIES POINT RD	1 - 2	WNW CS445	447

MOSF AST: Major Oil Storage Facilities Database. Facilities are licensed pursuant to Article 12 of the Navigation Law, 6 NYCRR Part 610 and 17 NYCRR Part 30. These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater. Includes MOSF's licensed or closed since April 1, 1986, (responsibility was transferred from DOT on October 13, 1985) plus available data obtained from DOT facilities licensed since Article 12 became law on April 1, 1978.

A review of the MOSF AST list, as provided by EDR, and dated 07/01/1999 has revealed that there is 1 MOSF AST site within approximately 2 miles of the subject property.

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>HAWKINS COVE OIL SUPPLY CORP.</i>	<i>10 GARVIES POINT RD</i>	<i>1 - 2</i>	<i>WNW CS445</i>	<i>447</i>

HSWDS: The Hazardous Substance Waste Disposal Site Inventory includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-registry sites which the U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared.

A review of the HSWDS list, as provided by EDR, and dated 05/17/1999 has revealed that there is 1 HSWDS site within approximately 2 miles of the subject property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>LILCO, GLEN COVE GAS PLANT</i>	<i>STANCO AND GROVE STREET</i>	<i>1/4 - 1/2 NNW</i>	<i>F32</i>	<i>154</i>

RODS: Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid the cleanup.

A review of the ROD list, as provided by EDR, has revealed that there are 2 ROD sites within approximately 2 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>APPLIED ENVIRONMENTAL SERVICES</i>	<i>1 SHORE RD PO BOX 329</i>	<i>1 - 2</i>	<i>SW 0</i>	<i>13</i>
<i>MATTIACE PETROCHEMICAL CO., IN</i>	<i>GARVIES POINT ROAD</i>	<i>1 - 2</i>	<i>WNW 0</i>	<i>15</i>

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
POWERS CHEMCO	SHWS, NY Spills
RASON ASPALT, INC.	SWF/LF
GIOVANNIELLO RESIDENCE	LUST
CHEMCO TECHNOLOGIES	FINDS, LUST
CITY OF GLEN COVE	LUST
CITY OF GLEN COVE	LUST
LIRR	LUST
GARVIES POINT PRESERVE	LUST
MORRIS AVENUE	LUST
MORRIS AVENUE	LUST
RESIDENCE	LUST
GARVIES POINT PRESERVE	UST
GLEN ARMS APARTMENTS	UST
KONICA GRAPHIC IMAGING IN	UST, AST
HARRISON CONFERENCE CNTR.	UST
GLEN COVE KELLY ST WELL	UST, AST
RASON ASPALT INC.	UST, AST
GLEN COVE ROXBURY WELL	UST, AST
GLEN COVE SEAMAN RD STA.	UST
GLEN HEAD WELL STATION	UST
SEA CLIFF WELL STATION	UST
K.A.DEASY SCHOOL	AST
GLEN COVE H.S.ADM/BUS/GAR	AST
GLEN COVE DUCK POND RD ST	AST
ALPINE MOTORS	AST
ROAD MAINTENANCE GARAGE	AST
UNIVERSAL UNLIMITED, INC.	AST
NORTH SHORE CNTRY CLUB	AST
LONG ISLAND PAINT	RCRIS-SQG, FINDS
EMPOWER CORP	FINDS, RCRIS-LQG
LONG ISLAND POWER AUTH ORCHARD SUB	RCRIS-LQG
GLEN SPEY LL RADIO STATION	FINDS, RCRIS-LQG
GLEN HEAD WELL STATION	CBS UST, NY Spills
KONICA GRAPHIC IMAGING INTERNATIONAL	CBS UST
KELLY ST.-ROXSURY-DUCK POND STA.-	CBS UST
SEA CLIFF WELL STATION	CBS UST
WELL #11	CBS AST
WELL #27	CBS AST

TOPOGRAPHIC MAP - 0445832.1r - Enviro-Sciences, Inc.



- Major Roads
- Contour Lines
- Waterways
- Earthquake epicenter, Richter 5 or greater
- Closest Federal Well in quadrant
- Closest State Well in quadrant
- Closest Public Water Supply Well

(HD) Closest Hydrogeological Data

0 1/2 1 2 Miles

TARGET PROPERTY: Pall Corporation
 ADDRESS: 30 Sea Cliff Avenue
 CITY/STATE/ZIP: Glen Cove NY 11542
 LAT/LONG: 40.8523 / 73.6209

CUSTOMER: Enviro-Sciences, Inc.
 CONTACT: Susan H. Nieves
 INQUIRY #: 0445832.1r
 DATE: December 21, 1999 1:09 pm

GEOCHECK VERSION 2.1 SUMMARY

TARGET PROPERTY COORDINATES

Latitude (North): 40.852299 - 40° 51' 8.3"
Longitude (West): 73.620903 - 73° 37' 15.3"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 616247.7
UTM Y (Meters): 4523065.0

USGS TOPOGRAPHIC MAP ASSOCIATED WITH THIS SITE

Target Property: 2440073-G5 HICKSVILLE, NY

GEOLOGIC AGE IDENTIFICATION†

Geologic Code: Qp
Era: Cenozoic
System: Quaternary
Series: Pleistocene

ROCK STRATIGRAPHIC UNIT‡

Category: Stratified Sequence

GROUNDWATER FLOW INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, including well data collected on nearby properties, regional groundwater flow information (from deep aquifers), or surface topography.‡

AQUIFLOW™ Search Radius: 2,000 Miles. The following table shows sites where groundwater flow and depth information was reported. Additional AQUIFLOW™ site information may be available in the GeoCheck® section at the end of this report.

<u>MAP ID</u>	<u>DISTANCE FROM TP</u>	<u>DIRECTION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported			

General Topographic Gradient at Target Property: General WNW

General Hydrogeologic Gradient at Target Property: No hydrogeologic data available.

† Source: P.G. Schruben, R.E. Arndt, and W.J. Bawiec: Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map. USGS Digital Data Series DDS - 11 (1994)
‡ U.S. EPA Ground Water Handbook, Vol. I: Ground Water and Contamination, Office of Research and Development EPA/625/6-90/016a, Chapter 4, page 78, September 1990
** EDR AQUIFLOW™ information System of hydrogeologically determined groundwater flow directions at specific locations. See the data pages at the end of this report for a complete description.

GEOCHECK VERSION 2.1 SUMMARY

Site-Specific Hydrogeological Data*:

Search Radius: 2.0 miles
 Location Relative to TP: 1/2 - 1 Mile West
 Site Name: Glen Cove Gas Plant
 Site EPA ID Number: NYD986881696
 Groundwater Flow Direction: GENERALLY S.
 Inferred Depth to Water: approximately 67 feet.
 Hydraulic Connection: Information is not available about the hydraulic connection between the surficial and lower aquifers, but the two aquifers underlying the surficial aquifer are hydraulically connected.
 Sole Source Aquifer: A sole source aquifer is present at or near the site
 Data Quality: Information is inferred in the CERCLIS investigation report(s)

FEDERAL DATABASE WELL INFORMATION

WELL QUADRANT	DISTANCE FROM TP	LITHOLOGY	DEPTH TO WATER TABLE
Eastern	>2 Miles	Sand	22 ft.

STATE DATABASE WELL INFORMATION

WELL QUADRANT	DISTANCE FROM TP
Northern	1 - 2 Miles
Eastern	>2 Miles
Southern	1/4 - 1/2 Mile
Western	1/8 - 1/4 Mile

PUBLIC WATER SUPPLY SYSTEM INFORMATION

Searched by Nearest PWS.

NOTE: PWS System location is not always the same as well location.

PWS Name: STUART,WALKER,ZIMMER WATER SUP
 68 GLEN COVE AVENUE
 OYSTER BAY (T), NY 11542

Location Relative to TP: 1/8 - 1/4 Mile West

PWS currently has or has had major violation(s) or enforcement: No

AREA RADON INFORMATION:

State Radon Information for GLEN COVE:

Number of sites tested: 4

Average (pCi/L)	Geometric Mean (pCi/L)	Geometric Std Dev.	Maximum (pCi/L)	% Homes >4 pCi/L	% Homes >20 pCi/L
2.0	1.8	1.6	2.7	4.5	0.0

EPA Radon Zone for NASSAU County: 3

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

GEOCHECK VERSION 2.1 SUMMARY


AREA RADON INFORMATION

NASSAU COUNTY, NY

Number of sites tested: 226

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.640 pCi/L	98%	2%	0%
Basement	1.100 pCi/L	98%	2%	0%

OVERVIEW MAP - 0445832.1r - Enviro-Sciences, Inc.



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites (if requested)
- National Priority List Sites
- Landfill Sites

- Power transmission lines
- Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- ▨ Wetlands per National Wetlands Inventory (1994)

TARGET PROPERTY: Pall Corporation
 ADDRESS: 30 Sea Cliff Avenue
 CITY/STATE/ZIP: Glen Cove NY 11542
 LAT/LONG: 40.8523 / 73.6209

CUSTOMER: Enviro-Sciences, Inc.
 CONTACT: Susan H. Nieves
 INQUIRY #: 0445832.1r
 DATE: December 21, 1999 12:51 pm

DETAIL MAP - 0445832.1r - Enviro-Sciences, Inc.



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites (if requested)
- ▲ Sensitive Receptors
- National Priority List Sites
- Landfill Sites

- Power transmission lines
- Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- ▨ Wetlands per National Wetlands Inventory (1994)

0 1/16 1/8 1/4 Miles

TARGET PROPERTY: Pall Corporation
 ADDRESS: 30 Sea Cliff Avenue
 CITY/STATE/ZIP: Glen Cove NY 11542
 LAT/LONG: 40.8523 / 73.6209

CUSTOMER: Enviro-Sciences, Inc.
 CONTACT: Susan H. Nieves
 INQUIRY #: 0445832.1r
 DATE: December 21, 1999 1:07 pm

MAP FINDINGS SUMMARY SHOWING ALL SITES

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NPL		2.000	0	0	0	0	3	3
Delisted NPL		2.000	0	0	0	0	0	0
RCRIS-TSD		2.000	1	0	0	0	3	4
State Haz. Waste	X	2.000	2	0	0	0	4	6
CERCLIS		2.000	0	0	0	1	4	5
CERC-NFRAP		2.000	1	0	0	0	2	3
CORRACTS		2.000	1	0	0	0	4	5
State Landfill		2.000	0	0	0	0	2	2
LUST		2.000	4	1	7	28	71	111
UST		2.000	0	0	2	2	16	20
AST	X	2.000	2	0	3	11	19	35
RAATS		2.000	0	0	0	0	2	2
RCRIS Sm. Quan. Gen.		2.000	3	0	6	21	36	66
RCRIS Lg. Quan. Gen.	X	2.000	3	0	3	15	28	49
HMIRS		2.000	0	0	0	0	0	0
PADS		2.000	0	0	0	0	0	0
ERNS		2.000	0	0	0	1	2	3
FINDS	X	2.000	8	0	9	39	74	130
TRIS		2.000	1	0	0	1	0	2
NPL Liens		2.000	0	0	0	0	0	0
TSCA		2.000	0	0	0	1	1	2
MLTS		2.000	0	0	0	0	0	0
NY Spills	X	2.000	9	3	10	77	152	251
CBS UST		2.000	0	0	0	0	0	0
CBS AST		2.000	2	0	0	1	3	6
MOSF UST		2.000	0	0	0	0	1	1
MOSF AST		2.000	0	0	0	0	1	1
HSWDS		2.000	0	0	1	0	0	1
VCP		2.000	0	0	0	0	0	0
ROD		2.000	0	0	0	0	2	2
CONSENT		2.000	0	0	0	0	0	0
Coal Gas		2.000	0	0	0	0	0	0
MINES		TP	NR	NR	NR	NR	NR	0

TP = Target Property

NR = Not Requested at this Search Distance

* Sites may be listed in more than one database

<p align="center">MAP FINDINGS SUMMARY SHOWING ONLY SITES HIGHER THAN OR THE SAME ELEVATION AS TP</p>
--

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NPL		2.000	0	0	0	0	2	2
Delisted NPL		2.000	0	0	0	0	0	0
RCRIS-TSD		2.000	1	0	0	0	1	2
State Haz. Waste	X	2.000	2	0	0	0	1	3
CERCLIS		2.000	0	0	0	1	2	3
CERC-NFRAP		2.000	1	0	0	0	0	1
CORRACTS		2.000	1	0	0	0	1	2
State Landfill		2.000	0	0	0	0	0	0
LUST		2.000	4	1	7	11	59	82
UST		2.000	0	0	2	1	14	17
AST	X	2.000	2	0	3	6	15	26
RAATS		2.000	0	0	0	0	1	1
RCRIS Sm. Quan. Gen.		2.000	3	0	5	10	24	42
RCRIS Lg. Quan. Gen.	X	2.000	3	0	3	9	19	34
HMIRS		2.000	0	0	0	0	0	0
PADS		2.000	0	0	0	0	0	0
ERNS		2.000	0	0	0	1	2	3
FINDS	X	2.000	8	0	8	20	49	85
TRIS		2.000	1	0	0	0	0	1
NPL Liens		2.000	0	0	0	0	0	0
TSCA		2.000	0	0	0	0	0	0
MLTS		2.000	0	0	0	0	0	0
NY Spills	X	2.000	9	1	9	43	118	180
CBS UST		2.000	0	0	0	0	0	0
CBS AST		2.000	2	0	0	0	1	3
MOSF UST		2.000	0	0	0	0	0	0
MOSF AST		2.000	0	0	0	0	0	0
HSWDS		2.000	0	0	0	0	0	0
VCP		2.000	0	0	0	0	0	0
ROD		2.000	0	0	0	0	2	2
CONSENT		2.000	0	0	0	0	0	0
Coal Gas		2.000	0	0	0	0	0	0
MINES		TP	NR	NR	NR	NR	NR	0

TP = Target Property

NR = Not Requested at this Search Distance

* Sites may be listed in more than one database

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Coal Gas Site Search: No site was found in a search of Real Property Scan's ENVIROHAZ database.

A3
Target
Property

PALL CORPORATION
30 SEA CLIFF AVE
GLEN COVE, NY 11542

FINDS
RCRIS-LQG
NY Spills
AST

EDR ID Number
EPA ID Number

1000273944
NYD002054419

RCRIS:

Owner: Not reported
Contact: LAURIE KRISS
(516) 671-4000
Record Date: 09/25/1980
Classification: Large Quantity Generator

BIENNIAL REPORTS:

Last Biennial Reporting Year: 1997

Waste	Quantity (Lbs)	Waste	Quantity (Lbs)
D001	64941.15	D002	4162.00
D009	5400.00	D035	1376.15
F003	6989.15	F005	1376.15
U037	83.00	U041	83.00

Used Oil Recyc: No

Violation Status: Violation information exist

There are 9 violation record(s) reported at this site:

Evaluation	Area of Violation	Date of Compliance
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	01/24/1995
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	12/14/1993
	Generator-All Requirements	12/14/1993
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	02/04/1992
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	01/10/1990
	Generator-Land Ban Requirements	12/21/1989
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	02/28/1989
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	07/18/1986
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	06/27/1985

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:

AIRS Facility System (AIRS/AFS)
National Compliance Database (NCDB)

SPILLS:

Spill Number:	8808374	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	(516) 671-4000
Investigator:	MIRZA FD	SWIS:	28
Caller Name:	DAN RUSSELL	Caller Agency:	CITY OF GLEN COVE
Caller Phone:	(516) 676-2000	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	PALL CORP		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PALL CORPORATION (Continued)

1000273944

Spiller Address: 30 SEACLIFF AVENUE
GLEN COVE, NY

Spill Class: Not reported
Spill Closed Dt: 01/20/1989
Spill Cause: Equipment Failure
Water Affected: GLEN COVE CREEK
Spill Notifier: Other
Spill Date: 01/20/1989 09:35
Cleanup Ceased: 01/20/1989

Resource Affected: Surface Water
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 01/20/1989 10:50

Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 04/28/1999
Is Updated: False

Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/25/1989
Date Region Sent Summary to Central Office: Not reported

Remark: SPILLED SANTOFLEX #13 TOXIC TO FRESHWATER MARINE LIFE. INSOLUBLE IN WATE
R.OSHA LISTED HAZ MAT.ABSORBANTS IN PLACE IN GLEN COVE CREEK. CLEANUP BY
PALL CORP. NCDH ADVISED BY CITY OF GLEN COVE

DEC Remarks: 01/20/89: 150 GALS OF LIQUID REMOVED.

Nassau County AST:

Facility ID:	000004	Tank ID:	0001
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4500
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Other	Material Type:	Waste
Description:	CAUSTICS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	01/56
Total Tanks:	1		

A2 COL RIBBON & CARBON MFG CO
Target 30 SEA CLIFF AVE
Property GLEN COVE, NY 11542

FINDS 1001357339
NY0815644

FINDS:

Other Pertinent Environmental Activity Identified at Site:
AIRS Facility System (AIRS/AFS)

A1 PALL CORPORATION
Target 30-36 SEA CLIFF AVE
Property GLEN COVE, NY 11542

SHWS S102872762
N/A

SHWS:

Facility ID:	1300538	EPA ID:	Not reported
Region:	1	Site Type:	Structure
Acres:	4.66 Acres	User:	Pall Corporation
Owner:	Multiple Site Owners		
Operator:	Pall Corporation 30 Sea Cliff Avenue Glen Cove, NY 11542		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PALL CORPORATION (Continued)

S102872762

Classification: SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION REQUIRED.

Hazardous Waste Disposed: From 1948 To 1971

Analytical Data Available: Groundwater Soil

Applicable Standards Exceeded: Groundwater

Geotechnical Information: Sand gravel

Depth to Groundwater: Approximately 6 feet

Legal Action Type: State Consent Order

Remedial Action: Not reported

Nature of Action: Not reported

Enforcement Status: Negotiations in Progress

Hazardous Waste: Mishandling, incidental spillage or improper disposal of hazardous wastes relative to the various activities at this site have resulted in contamination of the local groundwater.

Site Description: The Pall Corporation site is located in the Sea Cliff Avenue Industrial Area. It includes both the Pall Corporation and August Thomsen facilities. Pall, which manufactures filtration products, was founded in 1946 and moved to 30 Sea Cliff Avenue some years later. August Thomsen is located north of Pall Corporation, at 36 Sea Cliff Avenue, and this property was a research and development facility for Pall's Aerospace Division until 1971. August Thomsen is currently involved in the manufacture of pastry bags and tubes. Pall Corporation stored solvents on both of these properties in the past. Spent solvents were released to the ground. This is confirmed by the presence of volatile organic compounds such as tetrachloroethene and trichloroethene in the soil. These solvents were also found in the groundwater at levels much higher than would be produced by any potential upgradient source. These compounds in particular, were likely mismanaged, spilled or disposed of at the site. Some of the data is from a 1994 Preliminary Site Assessment, which is largely a compendium of previous investigations, and an interpretation of those results. The Division of Environmental Enforcement (DEE) issued a State Superfund Referral in November 1997. Additional investigations were conducted by the owner prior to submitting a delist petition. As part of the Focused Remedial Investigation (FRI), fieldwork began on February 17, 1998 and concluded on March 9, 1998. Further investigation is appropriate due to elevated levels of VOCs in the groundwater (140,000 ppb PCE, 1500 ppb TCE, and 10,000 ppb 1-2 DCE). The PRP is currently negotiating a consent order for an RI/FS Phase II investigation.

Environmental Problems: Tetrachloroethylene (FOO1) - unknown

Trichloroethylene (FOO1) - unknown

Health Problems: Soil and groundwater are contaminated with volatile organics. Exposure to contaminated soil are not expected as access to the site is restricted by fencing. Exposure to contaminated groundwater is not expected because public water serves the area. Three public supply wells at the Carney Street wellfield (located in the Sea Cliff Industrial Area Perimeters) were closed in 1977 due to an impact from the contaminant plume. The groundwater contamination could affect other area public supply wells. Water quality of the public water supply wells is monitored on a regular frequency to safeguard the drinking water supply.

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MATTIACE PETROCHEMICAL CO., INC. (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000996582

NPL:

ID:	02NY058
Date Listed:	3/31/89 (FINAL)
EPA ID:	NYD000512459
Haz. Rank Score:	31.90
Status:	LISTED ON NPL
Rank:	904
Group:	19
Ownership:	Private
Permit:	RCRA
Site Activities:	Leaking Containers
Site Activities:	Spill
Site Activities:	Tank, above ground
Site Activities:	Other Manufacturing/Industrial
Site Condition:	Contam. Ground Water
Waste Type:	Chlorinated Organics
Waste Type:	Solvents
Waste Form:	Not reported
Contaminant:	Media Affected:
1,1,2-TRICHLOROETHYLENE (TCE)	Ground Water
XYLENE	Ground Water
TETRACHLOROETHENE	Ground Water
CHLOROFORM	Not reported
CARBON TETRACHLORIDE	Not reported
1,1-DICHLOROETHANE	Not reported
ETHYLBENZENE	Ground Water
Distance to nearest Population:	Not reported
Population within a 1 Mile Radius:	More than 10,000 People
Vertical Distance to Aquifer:	Not reported
Ground Water Use:	Not Used as Drinking Water, Alternative Source Available
Distance to nearest Surface Water:	Less than 1,000 Feet

ROD:

Full-text of USEPA Record of Decision(s) is available from EDR.

A4
NNW
< 1/8
14
Higher

MULTIWIRE DIVISION KOLLMORGEN CORP
31 SEA CLIFF AVE
GLEN COVE, NY 11542

FINDS
RCRIS-LQG
1000414013
NYD096920608

RCRIS:

Owner:	KOLLMORGEN CORPORATION (212) 555-1212
Contact:	ERV OZOLINS (516) 938-2000
Record Date:	08/25/1983
Classification:	Large Quantity Generator

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MULTIWIRE DIVISION KOLLMORGEN CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000414013

Used Oil Recyc: No

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

AIRS Facility System (AIRS/AFS)

National Compliance Database (NCDB)

A5
NNW
< 1/8
14
Higher

PHOTOCIRCUITS CORPORATION

31 SEA CLIFF AVE
GLEN COVE, NY 11542

SHWS
AST

S101443142
N/A

SHWS:

Facility ID:	130009	EPA ID:	NYD09620483
Region:	1	Site Type:	Structure
Acres:	9.97 Acres	User:	Powers Chemco/Kollmorgen/Photocircuits

Owner: Photocircuits Corporation

31 Sea Cliff Avenue
Glen Cove, NY 11542

Operator: Photocircuits Corporation

31 Sea Cliff Avenue
Glen Cove, NY 11542

Classification: SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION
REQUIRED.

Hazardous Waste Disposed: From 1954 To present

Analytical Data Available: Groundwater soil

Applicable Standards Exceeded: Groundwater

Geotechnical Information: Silty and sandy till

Depth to Groundwater: Approximately 4 feet

Legal Action Type: State Consent Order

Remedial Action: In Progress

Nature of Action: IRM

Enforcement Status: Order Signed

Hazardous Waste: Soil on the premises has been contaminated with VOCs, and this contamination has spread to the underlying sole-source aquifer.

Site Description: Photocircuits Corporation is one of several properties that comprise the Sea Cliff Avenue Industrial Area. The property was formerly owned by Powers Chemco (1954-1971) & Kollmorgen Corporation (1971-1986). Kollmorgen and Photocircuits manufactured printed circuit boards. Past investigations of this area have documented high concentrations of chlorinated organics in the groundwater underlying the site. To identify the source of these contaminants, a Preliminary Site Assessment (PSA) was conducted by the Nassau County Department of Public Works (NCDPW) through a Municipal Delegation Agreement with the NYSDEC. The investigation relied largely on compilation and interpretation of existing raw data. The PSA report noted the presence of volatile organic compounds (VOCs), particularly 1,1,1-trichloroethane (1,1,1-TCA), in the soil and groundwater associated with these premises, and identifies Photocircuits as a source of methylene chloride, 1,1,1-TCA and tetrachloroethene. The concentration in the aquifer is also well above the applicable standard, and is thereby presenting a significant threat to the environment. In January of 1997, a site investigation was conducted by a consultant. Based on the results of this investigation, a Remedial Investigation/Interim Remedial Measure Work Plan was finalized in March 1997, and was executed in 1997, and was executed in 1998. An Interim Remedial Measure design is

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Environmental Problems: scheduled for completion in the spring of 1999.
1,1,1-Trichloroethane (TCA (F001)) - unknown
Health Problems: Soils and groundwater are contaminated with volatile organics.
Exposures to contaminated soil are not expected because access to the site is restricted by fencing. Exposure to contaminated groundwater is not expected because public water serves the area. Three public supply wells at the Carney Street Wellfield (located at the perimeter of Sea Cliff Industrial Area) were closed in 1977 due to impact from the contaminant plume. The groundwater contamination could affect other area public supply wells, but water quality is monitored regularly.

Nassau County AST:

Facility ID:	000003	Tank ID:	0003
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	5000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Fiberglass	Material Type:	Waste
Description:	COPPER CHLORIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/80
Total Tanks:	109		

Facility ID:	000003	Tank ID:	0009
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	6000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SULPHURIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/72
Total Tanks:	109		

Facility ID:	000003	Tank ID:	0010
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	5500
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Fiberglass	Material Type:	Fresh/Product
Description:	COPPER SULFATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/72
Total Tanks:	109		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID:	000003	Tank ID:	0011
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	4000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Fiberglass	Material Type:	Fresh/Product
Description:	COPPER SULFATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/72
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0014
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	4000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Fiberglass	Material Type:	Fresh/Product
Description:	SODIUM PERSULFATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/72
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0016
Tank Location:	Indoors, Aboveground	Capacity (Gal):	5500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	COPPER SULFATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/72
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0019
Tank Location:	Indoors, Aboveground	Capacity (Gal):	7000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Fiberglass	Material Type:	Fresh/Product
Description:	AMMONIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/84
Total Tanks:	109		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: PAINTED [e.g. asphaltic]
Piping Type: Steel/Iron
Description: ~~SODIUM HYDROXIDE~~
Leak Detect: NONE
Dispense Method: Submersible
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0023
Capacity (Gal): 5500
Tank Material: STEEL

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 04/72

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: FIBERGLASS REINFORCED PLASTIC
Piping Type: Fiberglass
Description: HYDROGEN SULFIDE
Leak Detect: NONE
Dispense Method: Submersible
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0024
Capacity (Gal): 6000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 04/80

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: FIBERGLASS REINFORCED PLASTIC
Piping Type: Fiberglass
Description: ~~SODIUM HYDROXIDE~~
Leak Detect: NONE
Dispense Method: Submersible
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0025
Capacity (Gal): 6000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 04/80

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0036
Capacity (Gal): 300
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 01/83

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID:	000003	Tank ID:	0037
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	01/83
Fill Type:	Pumped		
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0038
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SODIUM CHLORIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	01/83
Fill Type:	Pumped		
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0039
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	01/83
Fill Type:	Pumped		
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0040
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	01/83
Fill Type:	Pumped		
Total Tanks:	109		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: SODIUM HYDROXIDE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0041
Capacity (Gal): 300
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 01/83

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0042
Capacity (Gal): 300
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 01/83

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0043
Capacity (Gal): 300
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 01/83

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0044
Capacity (Gal): 300
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 01/83

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0045
Capacity (Gal): 300
Tank Material: Fiberglass Reinforced Plastic
Material Type: Fresh/Product
Containment: DIKING AND PAD
Product Gauge: No
Install Date: 01/83

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0046
Capacity (Gal): 300
Tank Material: Fiberglass Reinforced Plastic
Material Type: Fresh/Product
Containment: DIKING AND PAD
Product Gauge: No
Install Date: 01/83

Facility ID: 000003
Tank Location: Outdoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: HYDROGEN PEROXIDE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0058
Capacity (Gal): 6000
Tank Material: Fiberglass Reinforced Plastic
Material Type: Fresh/Product
Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 04/80

Facility ID: 000003
Tank Location: indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WASTE TREATMENT
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0059
Capacity (Gal): 6000
Tank Material: Fiberglass Reinforced Plastic
Material Type: Fresh/Product
Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 04/80

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: INORGANICS, MISC
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0061
Capacity (Gal): 15000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 04/80

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: INORGANICS, MISC
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0062
Capacity (Gal): 15000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 04/80

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: INORGANICS, MISC
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0063
Capacity (Gal): 15000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 04/80

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: INORGANICS, MISC
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0064
Capacity (Gal): 15000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 04/80

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Steel/Iron
Description: INORGANICS, MISC
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0068
Capacity (Gal): 12000
Tank Material: STEEL

Material Type: Waste

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/80

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WASTE TREATMENT
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0069
Capacity (Gal): 8000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Waste

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/80

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WASTE TREATMENT
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0070
Capacity (Gal): 8000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Waste

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/80

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0083
Capacity (Gal): 900
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 10/78

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID:	000003	Tank ID:	0096
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1400
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	PLATING SOLUTION, COPPER		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	04/81
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0097
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1400
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	PLATING SOLUTION, COPPER		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	04/81
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0098
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1400
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	PLATING SOLUTION, COPPER		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	04/81
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0099
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1400
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	PLATING SOLUTION, COPPER		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	04/81
Total Tanks:	109		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: PLATING SOLUTION, TIN/LEAD
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0100
Capacity (Gal): 1400
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/81

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: NICKEL PLATING SOLUTION
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0101
Capacity (Gal): 1400
Tank Material: STEEL

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/81

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: PLATING SOLUTION, TIN
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0102
Capacity (Gal): 700
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/81

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0103
Capacity (Gal): 600
Tank Material: STEEL

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/81

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: SODIUM PERSULFATE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0104
Capacity (Gal): 400
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/81

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0107
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/81

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0108
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/81

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0109
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/81

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0110
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/81

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0111
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/81

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0112
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/81

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0113
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 04/81

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID:	000003	Tank ID:	0114
Tank Location:	Indoors, Aboveground	Capacity (Gal):	600
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	04/81
Total Tanks:	109		

Facility ID:	000003	Tank ID:	0115
Tank Location:	Indoors, Aboveground	Capacity (Gal):	600
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	NITRIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	04/81
Total Tanks:	109		

Facility ID:	000003	Tank ID:	0116
Tank Location:	Indoors, Aboveground	Capacity (Gal):	550
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	POTASSIUM PERMANGANATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	07/84
Total Tanks:	109		

Facility ID:	000003	Tank ID:	0117
Tank Location:	Indoors, Aboveground	Capacity (Gal):	775
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	07/84
Total Tanks:	109		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0118
Capacity (Gal): 275
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 07/84

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: SODIUM HYDROXIDE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0119
Capacity (Gal): 275
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 07/84

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0120
Capacity (Gal): 275
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 07/84

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0122
Capacity (Gal): 275
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 07/84

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0123
Capacity (Gal): 275
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 07/84

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: DIETHYLENE GLYCOL N-BUTYL ETHER
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0124
Capacity (Gal): 275
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 07/84

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0125
Capacity (Gal): 275
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 07/84

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0126
Capacity (Gal): 275
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 07/84

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0128
Capacity (Gal): 120
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 11/75

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Steel/Iron
Description: TRICHLOROETHANE, 1,1,1-
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0154
Capacity (Gal): 100
Tank Material: STEEL

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 01/75

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: AMMONIUM HYDROXIDE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0159
Capacity (Gal): 200
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 01/80

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0160
Capacity (Gal): 50
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 01/80

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID:	000003	Tank ID:	0161
Tank Location:	Indoors, Aboveground	Capacity (Gal):	200
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	AMMONIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	OTHER
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	01/80
Total Tanks:	109		

Facility ID:	000003	Tank ID:	0162
Tank Location:	Indoors, Aboveground	Capacity (Gal):	50
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	OTHER
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	01/80
Total Tanks:	109		

Facility ID:	000003	Tank ID:	0163
Tank Location:	Indoors, Aboveground	Capacity (Gal):	100
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ELECTRO-BRITE 880 (SOLDER STRIP)		
Leak Detect:	NONE	Containment:	OTHER
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	01/80
Total Tanks:	109		

Facility ID:	000003	Tank ID:	0164
Tank Location:	Indoors, Aboveground	Capacity (Gal):	100
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	OTHER
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	01/80
Total Tanks:	109		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: COPPER CHLORIDE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0165
Capacity (Gal): 200
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 01/85

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0166
Capacity (Gal): 50
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 01/85

Facility ID: 000003
Tank Location: Outdoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: PAINTED [e.g. asphaltic]
Piping Type: Steel/Iron
Description: OIL, FUEL #2
Leak Detect: NONE
Dispense Method: Gravity
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0170
Capacity (Gal): 20000
Tank Material: STEEL

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 11/89

Facility ID: 000003
Tank Location: Outdoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: OTHER
Piping Type: Steel/Iron
Description: HYDROCHLORIC ACID
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0171
Capacity (Gal): 150
Tank Material: STEEL

Material Type: Waste

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 06/89

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID:	000003	Tank ID:	0172
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	150
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER		
Piping Type:	Steel/Iron	Material Type:	Waste
Description:	SULPHURIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	06/89
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0173
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	5000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER		
Piping Type:	Steel/Iron	Material Type:	Waste
Description:	POLYETHYLENE GLYCOL		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	06/89
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0174
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1234
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	GLYCOLIC ACID "HYDROXYETHANOIC ACID"		
Leak Detect:	OTHER	Containment:	OTHER
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	08/95
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0175
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1015
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	GLYCOLIC ACID "HYDROXYETHANOIC ACID"		
Leak Detect:	OTHER	Containment:	OTHER
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	08/95
Total Tanks:	109		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: OTHER
Dispense Method: Gravity
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0176
Capacity (Gal): 1015
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: OTHER
Dispense Method: Gravity
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0177
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: OTHER
Dispense Method: Gravity
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0178
Capacity (Gal): 1015
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: OTHER
Dispense Method: Gravity
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0179
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: OTHER
Dispense Method: Gravity
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0180
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Gravity
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0181
Capacity (Gal): 990
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0182
Capacity (Gal): 1425
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0183
Capacity (Gal): 1425
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0184
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0185
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0186
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0187
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0188
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0189
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0190
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0191
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0192
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0193
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0194
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0195
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0196
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0197
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0198
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0199
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0200
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0201
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0202
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: AMMONIUM CHLORIDE
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Total Tanks: 109

Tank ID: 0203
Capacity (Gal): 7200
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 08/95

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID:	000003	Tank ID:	0204
Tank Location:	Indoors, Aboveground	Capacity (Gal):	3200
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	AMMONIUM CHLORIDE		
Leak Detect:	OTHER	Containment:	OTHER
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	08/95
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0218
Tank Location:	Indoors, Aboveground	Capacity (Gal):	5500
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Other	Material Type:	Waste
Description:	SULPHURIC ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/96
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0219
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Other	Material Type:	Waste
Description:	SULPHURIC ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/96
Total Tanks:	109		
Facility ID:	000003	Tank ID:	0220
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SULPHURIC ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/96
Total Tanks:	109		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Facility ID:	000003	Tank ID:	0221
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	HYDROCHLORIC ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/96
Total Tanks:	109		

Facility ID:	000003	Tank ID:	0222
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SULPHURIC ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/96
Total Tanks:	109		

A6
NNW
< 1/8
14
Higher

PHOTO CIRCUITS CORP
31 SEA CLIFF AVE
GLEN COVE, NY

NY Spills S102446244
N/A

SPILLS:

Spill Number:	9609700	Region of Spill:	1
Facility Contact:	KEVIN HILDRETH	Facility Tele:	(516) 674-1274
Investigator:	NONE	SWIS:	28
Caller Name:	KEVIN HILDRETH	Caller Agency:	PHOTO CIRCUITS CORP.
Caller Phone:	(516) 674-1274	Caller Extension:	Not reported
Notifier Name:	MAINTENANCE EMPLOYEES	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	KEVIN HILDRETH	Spiller Phone:	(516) 674-1274
Spiller:	PHOTO CIRCUITS CORP		
Spiller Address:	31 SEACLIFF AVENUE GLEN COVE, NY 11542		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	11/04/1996		
Spill Cause:	Equipment Failure	Resource Affected:	Surface Water
Water Affected:	GLENCOVE CREEK	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	11/04/1996 07:00	Reported to Dept:	11/04/1996 10:38
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	11/05/1996		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTO CIRCUITS CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102446244

Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 11/04/1996
Date Region Sent Summary to Central Office: Not reported
Remark: underground wastewater pipe broke - 10000 gal is an estimate at this time - most is affecting the surrounding soil and some got into the creek - noticed at 7am - shut down at 9am after realizing what the water was - repairs to start shortly
DEC Remarks: Not reported

A7
NNW
< 1/8
14
Higher

PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE
GLEN COVE, NY 11542

CBS AST
NY Spills

S102095703
N/A

SPILLS:

Spill Number: 9302725
Facility Contact: Not reported
Investigator: GJBONS
Caller Name: JIM MARTINO
Caller Phone: (516) 659-1917
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: PHOTO CIRCUITS
Spiller Address: Not reported
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/02/1994
Spill Cause: Other
Water Affected: Not reported
Spill Notifier: Fire Department
Spill Date: 05/29/1993 12:30
Cleanup Ceased: 09/02/1994
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 09/06/1994
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/02/1993
Date Region Sent Summary to Central Office: Not reported
Remark: EXPLOSION IN BLDG, ROOF COLLAPSED IN VAT ROOM. STEAM USED TO RUN DRYING PROCESS. CARBON PELLETS SCATTERED OVER AREA. 2-55 GAL CHEM DRUMS IN AREA
DEC Remarks: 09/02/94: PELLETS PICKED UP & DISPOSED OF, DISPOSAL RECPTS RECEIVED, NO FURTHER ACTION NEEDED AT THIS TIME. 10/10/95: This is additional information about material spilled from the translation of the old spill file : CARBON PELLETS.

This is the most recent NY SPILLS record for this site.
The NY SPILLS database contains 1 additional record for this site.
Please contact your EDR Account Executive for more information.

CBS AST:

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 03/90
Capacity (Gal): 6000
Tank Type: Fiberglass reinforced plastic [FRP]
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: None Haz Percent: 30
Leak Detection: None
Overfill Protection: Not reported
Chemical: Ammonium chloride Tank Closed: Not reported
PBS Number: Not reported SWIS Code: 2805
MOSF Number: Not reported CAS Number: 12125029
SPDES Number: 0-225177 ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP. Facility Town: GLEN COVE (C)
Emrgncy Contact: CHARLES NEHRIG Emrgncy Phone: (516) 674-1052
Certified Date: 19981214 Expiration Date: 20001209
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False Date Entered: 12/09/88 07:56:46
Last Test: Not reported Due Date: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 10
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Install Date: 04/72
Capacity (Gal): 2000
Tank Type: Fiberglass reinforced plastic [FRP]
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: None
Leak Detection: None
Overfill Protection: 4/4
Chemical: Ammonium chloride
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 30
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Pipe Location: Aboveground
Haz Percent: 100
Tank Closed: 06/96
SWIS Code: 2805
CAS Number: 12125029
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Date Entered: 12/09/88 07:57:25
Due Date: Not reported
Telephone: (516) 674-1000
CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: Major Data Missing (which is on the certificate)
Tank Location: Aboveground
Install Date: 04/72
Capacity (Gal): 8000
Tank Type: Fiberglass reinforced plastic [FRP]
Substance: Not reported
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Location: Aboveground

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

S102095703

Pipe Containment:	None	Haz Percent:	0
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Ammonium chloride	Tank Closed:	04/83
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	12125029
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/09/88 07:59:08
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	14		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	02/88		
Capacity (Gal):	6000		
Tank Type:	Stainless steel alloy		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	NONE	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	20
Leak Detection:	None		
Overfill Protection:	4/4		
Chemical:	Ammonium chloride	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	12125029
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/09/88 07:59:38
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	22		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	04/72		
Capacity (Gal):	8400		
Tank Type:	Steel/carbon steel		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	STEEL/IRON	Pipe Location:	Underground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	58
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7664417
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/09/88 08:00:55
Last Test:	Not reported	Due Date:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 26
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.

31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 05/91
Capacity (Gal): 3800
Tank Type: Fiberglass reinforced plastic [FRP]
Substance: Single Hazardous Substance on DEC List

Extrnl Protection: None

Intrnl Protection: None

Tank Containment: Diking

Pipe Type: PLASTIC

Pipe Internal: None

Pipe External: None

Pipe Containment: None

Leak Detection: None

Overfill Protection: Not reported

Chemical: Not reported

PBS Number: Not reported

MOSF Number: Not reported

SPDES Number: 0-225177

Facility Type: Manufacturing

Operator: PHOTOCIRCUITS CORP.

Emrgncy Contact: CHARLES NEHRIG

Certified Date: 19981214

Owner type: Corporate/Commercial

Owner Sub Type: Not reported

Mail Name: PHOTOCIRCUITS CORP.

Mail Contact: CHARLES NEHRIG

31 SEA CLIFF AVE.
GLEN COVE, NY 11542

Mail Phone: (516) 674-1000

Tank Secret: False

Last Test: Not reported

Certificate Needs to be Printed: False

Fiscal Amt for Registration Fee Correct: True

Renewal Has Been Printed for Facility: True

Total Capacity of All Active Tanks(gal): 205930

Unique Tank Id Number: 23

Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001

Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.

Telephone: (516) 674-1000

Date Entered: 12/09/88 08:02:39
Due Date: Not reported

Pipe Location: Aboveground

Haz Percent: 15

Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 1310732
ICS Number: 1-178469

Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 07/80
Capacity (Gal): 5750
Tank Type: Fiberglass reinforced plastic [FRP]
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: None
Leak Detection: None
Overfill Protection: Not reported
Chemical: Sodium hydrosulfide
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Pipe Location: Aboveground
Haz Percent: 45
Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 16721805
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209

Date Entered: 12/09/88 08:07:11
Due Date: Not reported

Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 19
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Telephone: (516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 07/94
Capacity (Gal): 5500
Tank Type: Fiberglass reinforced plastic [FRP]

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	31
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7647010
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/09/88 08:10:17
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	2		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	01/80		
Capacity (Gal):	6000		
Tank Type:	Stainless steel alloy		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	OTHER	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	50
Leak Detection:	None		
Overfill Protection:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7722841
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/09/88 08:12:46
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	20		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99

CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		

Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	08/88		
Capacity (Gal):	6000		
Tank Type:	Stainless steel alloy		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	STEEL/IRON	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	100
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	75092
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 17
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Date Entered: 12/09/88 08:11:58
Due Date: Not reported
CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: Minor Data Missing
Tank Location: Aboveground
Install Date: 04/75
Capacity (Gal): 2000
Tank Type: Fiberglass reinforced plastic [FRP]
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: None
Leak Detection: None
Overfill Protection: 4/4
Chemical: Not reported
Tank Closed: 04/75
PBS Number: Not reported
SWIS Code: 2805
MOSF Number: Not reported
CAS Number: 7647010
SPDES Number: 0-225177
ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Certified Date: 19981214
Expiration Date: 20001209
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Date Entered: 12/09/88 08:16:54
Tank Secret: False
Due Date: Not reported
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORP. (Continued)

S102095703

Total Capacity of All Active Tanks(gal): 205930

Unique Tank Id Number: 13

Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active

Total Tanks: 72

Tank Status: In Service

Tank Error Status: No Missing Data

Tank Location: Aboveground on crib, rack or cradle

Install Date: 09/90

Capacity (Gal): 6000

Tank Type: Fiberglass reinforced plastic [FRP]

Substance: Single Hazardous Substance on DEC List

Extrnl Protection: None

Intrnl Protection: None

Tank Containment: Diking

Pipe Type: PLASTIC

Pipe Location: Aboveground

Pipe Internal: None

Pipe External: None

Pipe Containment: None

Haz Percent: 31

Leak Detection: None

Overfill Protection: Not reported

Chemical: Not reported

Tank Closed: Not reported

PBS Number: Not reported

SWIS Code: 2805

MOSF Number: Not reported

CAS Number: 7647010

SPDES Number: 0-225177

ICS Number: 1-178469

Facility Type: Manufacturing

Operator: PHOTOCIRCUITS CORP.

Facility Town: GLEN COVE (C)

Emrgncy Contact: CHARLES NEHRIG

Emrgncy Phone: (516) 674-1052

Certified Date: 19981214

Expiration Date: 20001209

Owner type: Corporate/Commercial

Owner Sub Type: Not reported

Mail Name: PHOTOCIRCUITS CORP.

Mail Contact: CHARLES NEHRIG

31 SEA CLIFF AVE.
GLEN COVE, NY 11542

Mail Phone: (516) 674-1000

Tank Secret: False

Date Entered: 12/09/88 08:17:49

Last Test: Not reported

Due Date: Not reported

Certificate Needs to be Printed: False

Fiscal Amt for Registration Fee Correct: True

Renewal Has Been Printed for Facility: True

Total Capacity of All Active Tanks(gal): 205930

Unique Tank Id Number: 18

Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	04/80		
Capacity (Gal):	6000		
Tank Type:	Stainless steel alloy		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	STAINLESS STEEL ALLOY	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	50
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7722841
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/09/88 08:20:02
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	30		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		

CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		

Facility Status:	Active
Total Tanks	72
Tank Status:	In Service
Tank Error Status:	No Missing Data
Tank Location:	Aboveground on crib, rack or cradle
Install Date:	07/63
Capacity (Gal):	5500
Tank Type:	Stainless steel alloy
Substance:	Single Hazardous Substance on DEC List
Extrnl Protection:	None
Intrnl Protection:	None

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

S102095703

Tank Containment:	Diking	Pipe Location:	Aboveground
Pipe Type:	PLASTIC		
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	50
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	1310732
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/09/88 08:20:54
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	6		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	07/78		
Capacity (Gal):	5500		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking	Pipe Location:	Aboveground
Pipe Type:	PLASTIC		
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	30
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Ammonium chloride	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	12125029

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing	Facility Town:	GLEN COVE (C)
Operator:	PHOTOCIRCUITS CORP.	Emrgncy Phone:	(516) 674-1052
Emrgncy Contact:	CHARLES NEHRIG	Expiration Date:	20001209
Certified Date:	19981214		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000	Date Entered:	12/09/88 08:21:29
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	24		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	10/80		
Capacity (Gal):	5750		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	50
Leak Detection:	None		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	1310732
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORP. (Continued)

S102095703

GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 25
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Date Entered: 12/09/88 08:22:15
Due Date: Not reported

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 08/89
Capacity (Gal): 6000
Tank Type: Stainless steel alloy
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: None
Pipe External: None
Pipe Containment: None
Leak Detection: None
Overfill Protection: Not reported
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Pipe Location: Aboveground
Haz Percent: 93
Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 7664939
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209

Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 12
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Date Entered: 12/09/88 08:23:00
Due Date: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Facility Status: Active
Total Tanks 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 04/83
Capacity (Gal): 6000
Tank Type: Stainless steel alloy
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: STAINLESS STEEL ALLOY Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: None Haz Percent: 100
Leak Detection: None
Overfill Protection: Not reported
Chemical: Not reported Tank Closed: 00/00
PBS Number: Not reported SWIS Code: 2805
MOSF Number: Not reported CAS Number: 71556
SPDES Number: 0-225177 ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG Facility Town: GLEN COVE (C)
Certified Date: 19981214 Emrgncy Phone: (516) 674-1052
Owner type: Corporate/Commercial Expiration Date: 20001209
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False Date Entered: 12/09/88 08:23:50
Last Test: Not reported Due Date: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 16
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Facility Status: Active
Total Tanks 72
Tank Status: In Service
Tank Error Status: No Missing Data

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	04/80		
Capacity (Gal):	6000		
Tank Type:	Stainless steel alloy		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	STAINLESS STEEL ALLOY	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	100
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	71556
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/09/88 08:24:20
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	15		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	06/91		
Capacity (Gal):	4000		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Pipe External:	None		
Pipe Containment:	None	Haz Percent:	10
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7758987
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	03/15/91 08:56:25
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	4		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	04/89		
Capacity (Gal):	6000		
Tank Type:	Stainless steel alloy		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	37
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	07/94
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	50000
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 3
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Date Entered: 03/15/91 08:56:40
Due Date: Not reported

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 01/84
Capacity (Gal): 7000
Tank Type: Fiberglass reinforced plastic [FRP]
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: None
Leak Detection: None
Overfill Protection: Not reported
Chemical: Ammonium chloride
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Pipe Location: Aboveground
Haz Percent: 30
Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 12125029
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Date Entered: 03/15/91 08:58:28

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	Yes		
Date Pre-Printed Renewal App Form Was Last Printed:		06/07/99	
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP. 31 SEA CLIFF AVE. GLEN COVE, NY 11542 (516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	06/85		
Capacity (Gal):	5500		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	85
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7447394
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG 31 SEA CLIFF AVE. GLEN COVE, NY 11542 (516) 674-1000		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	03/15/91 09:00:51
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	21		
Date Pre-Printed Renewal App Form Was Last Printed:		06/07/99	
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 04/83
Capacity (Gal): 5000
Tank Type: Fiberglass reinforced plastic [FRP]
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: None
Leak Detection: None
Overfill Protection: Not reported
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 14
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

Pipe Location: Aboveground
Haz Percent: 100
Tank Closed: 02/94
SWIS Code: 2805
CAS Number: 71556
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Date Entered: 03/15/91 09:02:32
Due Date: Not reported
Telephone: (516) 674-1000

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 10/78
Capacity (Gal): 4200

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Tank Type:	Stainless steel alloy		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	20
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	60004
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	03/26/91 10:13:44
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	13		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		

CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	Not reported		
Capacity (Gal):	4000		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	85
Leak Detection:	None		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Overfill Protection:	Not reported	Tank Closed:	Not reported
Chemical:	Not reported	SWIS Code:	2805
PBS Number:	Not reported	CAS Number:	7447394
MOSF Number:	Not reported	ICS Number:	1-178469
SPDES Number:	0-225177		
Facility Type:	Manufacturing	Facility Town:	GLEN COVE (C)
Operator:	PHOTOCIRCUITS CORP.	Emrgncy Phone:	(516) 674-1052
Emrgncy Contact:	CHARLES NEHRIG	Expiration Date:	20001209
Certified Date:	19981214		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000	Date Entered:	03/26/91 10:54:36
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	7		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		

CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		

Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	09/91		
Capacity (Gal):	6000		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	85
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7447394
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 5
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Date Entered: 03/26/91 10:55:06
Due Date: Not reported
CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 01/89
Capacity (Gal): 3700
Tank Type: Fiberglass reinforced plastic [FRP]
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: None
Leak Detection: None
Haz Percent: 30
Overfill Protection: Not reported
Chemical: Ammonium chloride
Tank Closed: Not reported
PBS Number: Not reported
SWIS Code: 2805
MOSF Number: Not reported
CAS Number: 12125029
SPDES Number: 0-225177
ICS Number: 1-178469
Facility Type: Manufacturing
Facility Town: GLEN COVE (C)
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Emrgncy Phone: (516) 674-1052
Certified Date: 19981214
Expiration Date: 20001209
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Date Entered: 03/26/91 10:55:51
Tank Secret: False
Due Date: Not reported
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 9
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 05/78
Capacity (Gal): 4100
Tank Type: Fiberglass reinforced plastic [FRP]
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: None
Leak Detection: None
Overfill Protection: Not reported
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Pipe Location: Aboveground

Haz Percent: 12

Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 60004
ICS Number: 1-178469

Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209

Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported

Date Entered: 03/26/91 10:56:27
Due Date: Not reported

Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 11
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Facility Status:	Active	
Total Tanks	72	
Tank Status:	In Service	
Tank Error Status:	No Missing Data	
Tank Location:	Aboveground on crib, rack or cradle	
Install Date:	09/78	
Capacity (Gal):	4100	
Tank Type:	Fiberglass reinforced plastic [FRP]	
Substance:	Single Hazardous Substance on DEC List	
Extrnl Protection:	None	
Intrnl Protection:	None	
Tank Containment:	Diking	
Pipe Type:	PLASTIC	Pipe Location: Aboveground
Pipe Internal:	None	
Pipe External:	None	
Pipe Containment:	None	Haz Percent: 15
Leak Detection:	None	
Overfill Protection:	Not reported	
Chemical:	Not reported	Tank Closed: 00/00
PBS Number:	Not reported	SWIS Code: 2805
MOSF Number:	Not reported	CAS Number: 7631905
SPDES Number:	0-225177	ICS Number: 1-178469
Facility Type:	Manufacturing	
Operator:	PHOTOCIRCUITS CORP.	Facility Town: GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone: (516) 674-1052
Certified Date:	19981214	Expiration Date: 20001209
Owner type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Mail Name:	PHOTOCIRCUITS CORP.	
Mail Contact:	CHARLES NEHRIG 31 SEA CLIFF AVE. GLEN COVE, NY 11542	
Mail Phone:	(516) 674-1000	
Tank Secret:	False	Date Entered: 03/27/91 07:30:52
Last Test:	Not reported	Due Date: Not reported
Certificate Needs to be Printed:	False	
Fiscal Amt for Registration Fee Correct:	True	
Renewal Has Been Printed for Facility:	True	
Total Capacity of All Active Tanks(gal):	205930	
Unique Tank Id Number:	8	
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99	
CBS Number:	1-000001	Telephone: (516) 674-1000
Owner:	PHOTOCIRCUITS CORP. 31 SEA CLIFF AVE. GLEN COVE, NY 11542 (516) 674-1000	
Facility Status:	Active	
Total Tanks	72	
Tank Status:	In Service	
Tank Error Status:	No Missing Data	
Tank Location:	Aboveground on crib, rack or cradle	
Install Date:	05/95	
Capacity (Gal):	3200	
Tank Type:	Fiberglass reinforced plastic [FRP]	
Substance:	Single Hazardous Substance on DEC List	
Extrnl Protection:	None	

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Intrnl Protection:	None	Pipe Location:	Aboveground
Tank Containment:	Remote Impounding Area		
Pipe Type:	PLASTIC		
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Remote Impounding Area	Haz Percent:	32
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Ammonium chloride	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	12125029
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	06/05/95 09:00:10
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	27		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	7		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/95		
Capacity (Gal):	3200		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Remote Impounding Area	Pipe Location:	Aboveground
Pipe Type:	PLASTIC		
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Remote Impounding Area	Haz Percent:	28
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Ammonium chloride	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

MOSF Number:	Not reported	CAS Number:	12125029
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing	Facility Town:	GLEN COVE (C)
Operator:	PHOTOCIRCUITS CORP.	Emrgncy Phone:	(516) 674-1052
Emrgncy Contact:	CHARLES NEHRIG	Expiration Date:	20001209
Certified Date:	19981214		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	06/05/95 09:00:21
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	28		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks:	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/95		
Capacity (Gal):	7200		
Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Remote Impounding Area		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Remote Impounding Area	Haz Percent:	28
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Ammonium chloride	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	12125029
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing	Facility Town:	GLEN COVE (C)
Operator:	PHOTOCIRCUITS CORP.	Emrgncy Phone:	(516) 674-1052
Emrgncy Contact:	CHARLES NEHRIG	Expiration Date:	20001209
Certified Date:	19981214		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 29
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Date Entered: 06/05/95 09:00:45
Due Date: Not reported
CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 05/95
Capacity (Gal): 250
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Remote Impounding Area
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Remote Impounding Area
Leak Detection: Other
Overfill Protection: 4/4
Pipe Location: Aboveground
Haz Percent: 5
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Tank Closed: 06/96
SWIS Code: 2805
CAS Number: 1310732
ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 30
Date Entered: 06/05/95 09:05:08
Due Date: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Date Pre-Printed Renewal App Form Was Last Printed:

06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000

Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 05/95
Capacity (Gal): 200
Tank Type: Stainless steel alloy
Substance: Single Hazardous Substance on DEC List

Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Remote Impounding Area

Pipe Type: PLASTIC Pipe Location: Aboveground

Pipe Internal: None
Pipe External: None
Pipe Containment: Remote Impounding Area Haz Percent: 93

Leak Detection: Other
Overfill Protection: 4/4

Chemical: Not reported Tank Closed: Not reported

PBS Number: Not reported SWIS Code: 2805

MOSF Number: Not reported CAS Number: 7664939

SPDES Number: 0-225177 ICS Number: 1-178469

Facility Type: Manufacturing Facility Town: GLEN COVE (C)

Operator: PHOTOCIRCUITS CORP. Emergency Phone: (516) 674-1052

Emergency Contact: CHARLES NEHRIG Expiration Date: 20001209

Certified Date: 19981214

Owner type: Corporate/Commercial

Owner Sub Type: Not reported

Mail Name: PHOTOCIRCUITS CORP.

Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542

Mail Phone: (516) 674-1000

Tank Secret: False

Last Test: Not reported

Date Entered: 06/05/95 09:05:29

Due Date: Not reported

Certificate Needs to be Printed: False

Fiscal Amt for Registration Fee Correct: True

Renewal Has Been Printed for Facility: True

Total Capacity of All Active Tanks(gal): 205930

Unique Tank Id Number: 31

Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000

Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active

Total Tanks: 72

Tank Status: In Service

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/95		
Capacity (Gal):	470		
Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Remote Impounding Area		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Remote Impounding Area	Haz Percent:	10
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Ammonium chloride	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	12125029
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	06/05/95 09:05:49
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	32		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/95		
Capacity (Gal):	470		
Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Remote Impounding Area		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Remote Impounding Area	Haz Percent:	28
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Ammonium chloride	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	12125029
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	06/05/95 09:06:00
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	33		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		

CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		

Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on curb, rack or cradle		
Install Date:	05/95		
Capacity (Gal):	1100		
Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Remote Impounding Area		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Remote Impounding Area	Haz Percent:	4
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Ammonium chloride	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	12125029
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 34
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Date Entered: 06/05/95 09:06:18
Due Date: Not reported

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 05/95
Capacity (Gal): 1100
Tank Type: Plastic
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Remote Impounding Area
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Remote Impounding Area
Leak Detection: Other
Overfill Protection: 4/4
Chemical: Ammonium chloride
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Pipe Location: Aboveground
Haz Percent: 7
Tank Closed: 00/00
SWIS Code: 2805
CAS Number: 12125029
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 35
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Date Entered: 06/05/95 09:06:27
Due Date: Not reported

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 05/95
Capacity (Gal): 1100
Tank Type: Plastic
Substance: More than one Hazardous Substance on DEC List

Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Remote Impounding Area
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Remote Impounding Area
Leak Detection: Other
Overfill Protection: 4/4
Pipe Location: Aboveground
Haz Percent: 28

Chemical: Ammonium chloride
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Tank Closed: 00/00
SWIS Code: 2805
CAS Number: 12125029
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209

Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 36
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Date Entered: 06/05/95 09:06:37
Due Date: Not reported

CBS Number: 1-000001
Telephone: (516) 674-1000

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORP. (Continued)

S102095703

Owner:	PHOTOCIRCUITS CORP. 31 SEA CLIFF AVE. GLEN COVE, NY 11542 (516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/95		
Capacity (Gal):	328		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Remote Impounding Area		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Remote Impounding Area	Haz Percent:	14
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7758987
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG 31 SEA CLIFF AVE. GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	06/05/95 09:09:55
Test Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	37		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP. 31 SEA CLIFF AVE. GLEN COVE, NY 11542 (516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/95		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Capacity (Gal):	1050		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Remote Impounding Area		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Remote Impounding Area	Haz Percent:	11
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7758987
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG 31 SEA CLIFF AVE. GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	06/05/95 09:10:04
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	38		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP. 31 SEA CLIFF AVE GLEN COVE, NY 11542 (516) 674-1000		
Facility Status:	Active		
Total Tanks:	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/95		
Capacity (Gal):	3950		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Remote Impounding Area		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Remote Impounding Area	Haz Percent:	14

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7758987
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	06/05/95 09:10:14
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	39		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99

CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		

Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/95		
Capacity (Gal):	250		
Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Remote Impounding Area		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Remote Impounding Area	Haz Percent:	14
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	06/96
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7758987
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 40
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Date Entered: 06/05/95 09:10:26
Due Date: Not reported
CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 05/95
Capacity (Gal): 6000
Tank Type: Stainless steel alloy
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: STAINLESS STEEL ALLOY
Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Other
Overfill Protection: ^^^
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Date Entered: 06/05/95 09:10:54
Due Date: Not reported
Certificate Needs to be Printed: False

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 41
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 05/95
Capacity (Gal): 10000
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List

Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None

Pipe Containment: Diking Haz Percent: 31
Leak Detection: Other
Overfill Protection: 5/5

Chemical: Not reported Tank Closed: Not reported
PBS Number: Not reported SWIS Code: 2805
MOSF Number: Not reported CAS Number: 7647010
SPDES Number: 0-225177 ICS Number: 1-178469

Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emergncy Contact: CHARLES NEHRIG Facility Town: GLEN COVE (C)
Certified Date: 19981214 Emergncy Phone: (516) 674-1052
Expiration Date: 20001209

Owner type: Corporate/Commercial

Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542

Mail Phone: (516) 674-1000

Tank Secret: False Date Entered: 06/05/95 09:11:26
Last Test: Not reported Due Date: Not reported

Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 42
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

(516) 674-1000
Facility Status: Active
Total Tanks 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 05/95
Capacity (Gal): 4000
Tank Type: Plastic
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Haz Percent: 31
Leak Detection: Other
Overfill Protection: 5/5
Chemical: Not reported
Tank Closed: Not reported
PBS Number: Not reported
SWIS Code: 2805
MOSF Number: Not reported
CAS Number: 7647010
SPDES Number: 0-225177
ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Facility Town: GLEN COVE (C)
Emrgncy Contact: CHARLES NEHRIG
Emrgncy Phone: (516) 674-1052
Certified Date: 19981214
Expiration Date: 20001209
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Date Entered: 06/05/95 09:11:48
Tank Secret: False
Due Date: Not reported
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 43
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
CBS Number: 1-000001
Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Facility Status: Active
Total Tanks 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 05/95
Capacity (Gal): 4000
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	19
Leak Detection:	Other		
Overfill Protection:	5/5		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7664939
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	06/05/95 09:11:56
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	44		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/95		
Capacity (Gal):	5500		
Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	19
Leak Detection:	Other		
Overfill Protection:	5/5		
Chemical:	Not reported	Tank Closed:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 45
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
SWIS Code: 2805
CAS Number: 7664939
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Date Entered: 06/05/95 09:12:07
Due Date: Not reported

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 07/96
Capacity (Gal): 200
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Other
Overfill Protection: Not reported
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Pipe Location: Aboveground
Haz Percent: 25
Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 1310732
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Mail Contact:	CHARLES NEHRIG 31 SEA CLIFF AVE. GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/16/96 13:29:04
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	46		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP. 31 SEA CLIFF AVE. GLEN COVE, NY 11542 (516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	07/96		
Capacity (Gal):	240		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	25
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	1310732
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG 31 SEA CLIFF AVE. GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/16/96 13:29:14
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORP. (Continued)

S102095703

Unique Tank Id Number: 47
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 03/96
Capacity (Gal): 1500
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking Haz Percent: 2
Leak Detection: Other
Overfill Protection: 2/2
Chemical: Not reported Tank Closed: Not reported
PBS Number: Not reported SWIS Code: 2805
MOSF Number: Not reported CAS Number: 107153
SPDES Number: 0-225177 ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP. Facility Town: GLEN COVE (C)
Emrgncy Contact: CHARLES NEHRIG Emrgncy Phone: (516) 674-1052
Certified Date: 19981214 Expiration Date: 20001209
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False Date Entered: 12/16/96 13:29:50
Last Test: Not reported Due Date: Not reported

Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 49
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks 72

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 03/96
Capacity (Gal): 1500
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Haz Percent: 2
Leak Detection: Other
Overfill Protection: 2/2
Chemical: Not reported
Tank Closed: Not reported
PBS Number: Not reported
SWIS Code: 2805
MOSF Number: Not reported
CAS Number: 107153
SPDES Number: 0-225177
ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Facility Town: GLEN COVE (C)
Emrgncy Contact: CHARLES NEHRIG
Emrgncy Phone: (516) 674-1052
Certified Date: 19981214
Expiration Date: 20001209
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Date Entered: 12/16/96 13:30:20
Tank Secret: False
Due Date: Not reported
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 50
Date Pro Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001
Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 03/96
Capacity (Gal): 1500
Tank Type: Plastic
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	2
Leak Detection:	Other		
Overfill Protection:	2/2		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	107153
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/16/96 13:30:27
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	51		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks:	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	03/96		
Capacity (Gal):	1500		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking	Pipe Location:	Aboveground
Pipe Type:	PLASTIC		
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	2
Leak Detection:	Other		
Overfill Protection:	2/2		
Chemical:	Not reported	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	107153
SPDES Number:	0-225177	ICS Number:	1-178469

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORP. (Continued)

S102095703

Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emergency Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 52
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Facility Town: GLEN COVE (C)
Emergency Phone: (516) 674-1052
Expiration Date: 20001209
Date Entered: 12/16/96 13:30:34
Due Date: Not reported

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 03/96
Capacity (Gal): 500
Tank Type: Plastic
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Other
Overfill Protection: 2/2
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emergency Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Pipe Location: Aboveground
Haz Percent: 1
Tank Closed: 00/00
SWIS Code: 2805
CAS Number: 7664939
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emergency Phone: (516) 674-1052
Expiration Date: 20001209

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Mail Phone:	(516) 674-1000	Date Entered:	12/16/96 13:30:46
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	53		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP. 31 SEA CLIFF AVE. GLEN COVE, NY 11542 (516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	03/96		
Capacity (Gal):	500		
Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	1
Leak Detection:	Other		
Overfill Protection:	2/2		
Chemical:	Not reported	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7664939
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Owner:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE, NY
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG 31 SEA CLIFF AVE. GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000	Date Entered:	12/16/96 13:31:09
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	54		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 03/96
Capacity (Gal): 300
Tank Type: Plastic
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking Haz Percent: 1
Leak Detection: Other
Overfill Protection: 2/2
Chemical: Not reported Tank Closed: Not reported
PBS Number: Not reported SWIS Code: 2805
MOSF Number: Not reported CAS Number: 7664939
SPDES Number: 0-225177 ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG Facility Town: GLEN COVE (C)
Certified Date: 19981214 Emrgncy Phone: (516) 674-1052
Owner type: Corporate/Commercial Expiration Date: 20001209
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False Date Entered: 12/16/96 13:31:15
Last Test: Not reported Due Date: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 55
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Tank Location:	Aboveground on crib, rack or cradle	
Install Date:	03/96	
Capacity (Gal):	300	
Tank Type:	Plastic	
Substance:	More than one Hazardous Substance on DEC List	
Extrnl Protection:	None	
Intrnl Protection:	None	
Tank Containment:	Diking	
Pipe Type:	PLASTIC	Pipe Location: Aboveground
Pipe Internal:	None	
Pipe External:	None	
Pipe Containment:	Diking	Haz Percent: 1
Leak Detection:	Other	
Overfill Protection:	2/2	
Chemical:	Not reported	Tank Closed: Not reported
PBS Number:	Not reported	SWIS Code: 2805
MOSF Number:	Not reported	CAS Number: 7664939
SPDES Number:	0-225177	ICS Number: 1-178469
Facility Type:	Manufacturing	
Operator:	PHOTOCIRCUITS CORP.	Facility Town: GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone: (516) 674-1052
Certified Date:	19981214	Expiration Date: 20001209
Owner type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Mail Name:	PHOTOCIRCUITS CORP.	
Mail Contact:	CHARLES NEHRIG	
	31 SEA CLIFF AVE.	
	GLEN COVE, NY 11542	
Mail Phone:	(516) 674-1000	
Tank Secret:	False	Date Entered: 12/16/96 13:31:22
Last Test:	Not reported	Due Date: Not reported
Certificate Needs to be Printed:	False	
Fiscal Amt for Registration Fee Correct:	True	
Renewal Has Been Printed for Facility:	True	
Total Capacity of All Active Tanks(gal):	205930	
Unique Tank Id Number:	56	
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99	
Phone Number:	1-000001	Telephone: (516) 674-1000
Owner:	PHOTOCIRCUITS CORP.	
	31 SEA CLIFF AVE.	
	GLEN COVE, NY 11542	
	(516) 674-1000	
Facility Status:	Active	
Total Tanks:	72	
Tank Status:	In Service	
Tank Error Status:	No Missing Data	
Tank Location:	Aboveground on crib, rack or cradle	
Install Date:	08/96	
Capacity (Gal):	300	
Tank Type:	Plastic	
Substance:	More than one Hazardous Substance on DEC List	
Extrnl Protection:	None	
Intrnl Protection:	None	
Tank Containment:	Diking	
Pipe Type:	PLASTIC	Pipe Location: Aboveground
Pipe Internal:	None	

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	28
Leak Detection:	Other		
Overfill Protection:	2/2		
Chemical:	Not reported	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	1336216
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/16/96 13:31:34
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	57		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	12/95		
Capacity (Gal):	2000		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	28
Leak Detection:	Other		
Overfill Protection:	3/3		
Chemical:	Not reported	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	1336216
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/16/96 13:32:14
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	58		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	01/96		
Capacity (Gal):	250		
Tank Type:	Stainless steel alloy		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	STAINLESS STEEL ALLOY	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	31
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7664939
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/16/96 13:32:37

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	59		
Date Pre-Printed Renewal App Form Was Last Printed:		06/07/99	
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP. 31 SEA CLIFF AVE. GLEN COVE, NY 11542 (516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	07/96		
Capacity (Gal):	3500		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	12
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7447394
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	1998 1214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG 31 SEA CLIFF AVE. GLEN COVE, NY 11542 (516) 674-1000		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/16/96 13:33:10
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	62		
Date Pre-Printed Renewal App Form Was Last Printed:		06/07/99	
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 07/96
Capacity (Gal): 1200
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Other
Overfill Protection: 4/4
Chemical: Ammonium chloride
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 63
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

Pipe Location: Aboveground
Haz Percent: 25
Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 12125029
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Date Entered: 12/16/96 13:33:32
Due Date: Not reported
Telephone: (516) 674-1000

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 07/96
Capacity (Gal): 500

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	15
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	1310732
SRDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/16/96 13:33:44
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	64		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	07/96		
Capacity (Gal):	500		
Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	12
Leak Detection:	Other		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Overfill Protection:	4/4	Tank Closed:	Not reported
Chemical:	Not reported	SWIS Code:	2805
PBS Number:	Not reported	CAS Number:	7447394
MOSF Number:	Not reported	ICS Number:	1-178469
SPDES Number:	0-225177		
Facility Type:	Manufacturing	Facility Town:	GLEN COVE (C)
Operator:	PHOTOCIRCUITS CORP.	Emrgncy Phone:	(516) 674-1052
Emrgncy Contact:	CHARLES NEHRIG	Expiration Date:	20001209
Certified Date:	19981214		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/16/96 13:34:03
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	65		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99

CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		

Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	07/96		
Capacity (Gal):	1200		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	25
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Ammonium chloride	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	12125029
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/16/96 13:34:30
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	66		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	07/96		
Capacity (Gal):	500		
Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	15
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	"SWIS" Code:	2805
MOSF Number:	Not reported	CAS Number:	1310732
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/16/96 13:34:46
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 67
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 07/96
Capacity (Gal): 500
Tank Type: Plastic
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Other
Overfill Protection: 4/4

Pipe Location: Aboveground

Haz Percent: 15

Chemical: Not reported Tank Closed: Not reported
PBS Number: Not reported SWIS Code: 2805
MOSF Number: Not reported CAS Number: 1310732
SPDES Number: 0-225177 ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG Facility Town: GLEN COVE (C)
Certified Date: 19981214 Emrgncy Phone: (516) 674-1052
Owner type: Corporate/Commercial Expiration Date: 20001209
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG

31 SEA CLIFF AVE.
GLEN COVE, NY 11542

Mail Phone: (516) 674-1000

Tank Secret: False Date Entered: 12/16/96 13:34:55
Last Test: Not reported Due Date: Not reported

Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 68
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	03/96		
Capacity (Gal):	1000		
Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	23
Leak Detection:	Other		
Overfill Protection:	2/2		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7447394
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	02/04/97 08:27:58
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	48		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	01/96		
Capacity (Gal):	250		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORP. (Continued)

S102095703

Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	31
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7647010
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	02/04/97 08:43:02
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	60		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	01/96		
Capacity (Gal):	6000		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking	Pipe Location:	Aboveground
Pipe Type:	PLASTIC		
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	31
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

MOSF Number:	Not reported	CAS Number:	7647010
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	02/04/97 08:43:17
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	61		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	10/98		
Capacity (Gal):	4300		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	50
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	1310732
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORP. (Continued)

S102095703

31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Mail Phone:
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 66
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

Date Entered: 12/11/98 10:09:42
Due Date: Not reported

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Telephone: (516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 10/98
Capacity (Gal): 4300
Tank Type: Plastic
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Other
Overfill Protection: Not reported
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Pipe Location: Aboveground
Haz Percent: 30
Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 7758987
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209

Date Entered: 12/11/98 10:10:00
Due Date: Not reported

Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 67

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Date Pre-Printed Renewal App Form Was Last Printed:

06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000

Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active

Total Tanks 72

Tank Status: In Service

Tank Error Status: No Missing Data

Tank Location: Aboveground on crib, rack or cradle

Install Date: 10/98

Capacity (Gal): 4300

Tank Type: Plastic

Substance: More than one Hazardous Substance on DEC List

Extrnl Protection: None

Intrnl Protection: None

Tank Containment: Diking

Pipe Type: PLASTIC

Pipe Location: Aboveground

Pipe Internal: None

Pipe External: None

Pipe Containment: Diking

Haz Percent: 80

Leak Detection: Other

Overfill Protection: Not reported

Chemical: Not reported

Tank Closed: Not reported

PBS Number: Not reported

SWIS Code: 2805

MOSF Number: Not reported

CAS Number: 1310732

SPDES Number: 0-225177

ICS Number: 1-178469

Facility Type: Manufacturing

Operator: PHOTOCIRCUITS CORP.

Facility Town: GLEN COVE (C)

Emrgncy Contact: CHARLES NEHRIG

Emrgncy Phone: (516) 674-1052

Certified Date: 19981214

Expiration Date: 20001209

Owner type: Corporate/Commercial

Owner Sub Type: Not reported

Mail Name: PHOTOCIRCUITS CORP.

Mail Contact: CHARLES NEHRIG

31 SEA CLIFF AVE.

GLEN COVE, NY 11542

Mail Phone: (516) 674-1000

Tank Secret: False

Date Entered: 12/11/98 10:10:14

Last Test: Not reported

Due Date: Not reported

Certificate Needs to be Printed: False

Fiscal Amt for Registration Fee Correct: True

Renewal Has Been Printed for Facility: True

Total Capacity of All Active Tanks(gal): 205930

Unique Tank Id Number: 68

Date Pre-Printed Renewal App Form Was Last Printed:

06/07/99

CBS Number: 1-000001

Telephone: (516) 674-1000

Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active

Total Tanks 72

Tank Status: In Service

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Tank Error Status:	No Missing Data	
Tank Location:	Aboveground on crib, rack or cradle	
Install Date:	10/98	
Capacity (Gal):	4300	
Tank Type:	Plastic	
Substance:	More than one Hazardous Substance on DEC List	
Extrnl Protection:	None	
Intrnl Protection:	None	
Tank Containment:	Diking	
Pipe Type:	PLASTIC	Pipe Location: Aboveground
Pipe Internal:	None	
Pipe External:	None	
Pipe Containment:	Diking	Haz Percent: 80
Leak Detection:	Other	
Overfill Protection:	Not reported	
Chemical:	Not reported	Tank Closed: Not reported
PBS Number:	Not reported	SWIS Code: 2805
MOSF Number:	Not reported	CAS Number: 1310732
SPDES Number:	0-225177	ICS Number: 1-178469
Facility Type:	Manufacturing	
Operator:	PHOTOCIRCUITS CORP.	Facility Town: GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone: (516) 674-1052
Certified Date:	19981214	Expiration Date: 20001209
Owner type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Mail Name:	PHOTOCIRCUITS CORP.	
Mail Contact:	CHARLES NEHRIG	
	31 SEA CLIFF AVE.	
	GLEN COVE, NY 11542	
Mail Phone:	(516) 674-1000	
Tank Secret:	False	Date Entered: 12/11/98 10:10:22
Last Test:	Not reported	Due Date: Not reported
Certificate Needs to be Printed:	False	
Fiscal Amt for Registration Fee Correct:	True	
Renewal Has Been Printed for Facility:	True	
Total Capacity of All Active Tanks(gal):	205930	
Unique Tank Id Number:	69	
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99	
CBS Number:	1-000001	Telephone: (516) 674-1000
Owner:	PHOTOCIRCUITS CORP.	
	31 SEA CLIFF AVE.	
	GLEN COVE, NY 11542	
	(516) 674-1000	
Facility Status:	Active	
Total Tanks	72	
Tank Status:	In Service	
Tank Error Status:	No Missing Data	
Tank Location:	Aboveground	
Install Date:	10/98	
Capacity (Gal):	1000	
Tank Type:	Stainless steel alloy	
Substance:	Single Hazardous Substance on DEC List	
Extrnl Protection:	None	
Intrnl Protection:	None	
Tank Containment:	Diking	
Pipe Type:	STAINLESS STEEL ALLOY	Pipe Location: Aboveground

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	10
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7722841
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/11/98 10:10:52
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	70		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	10/98		
Capacity (Gal):	1100		
Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking	Pipe Location:	Aboveground
Pipe Type:	PLASTIC		
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	20
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	60004
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 71
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Date Entered: 12/11/98 10:11:27
Due Date: Not reported

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 10/98
Capacity (Gal): 500
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Other
Overfill Protection: Not reported
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Pipe Location: Aboveground
Haz Percent: 55
Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 7722841
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 72
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Date Entered: 12/11/98 10:11:43
Due Date: Not reported

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 10/98
Capacity (Gal): 500
Tank Type: Plastic
Substance: More than one Hazardous Substance on DEC List

Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Location: Aboveground

Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Other
Haz Percent: 55

Overfill Protection: Not reported
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 7722841
ICS Number: 1-178469

Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emergency Contact: CHARLES NEHRIG
Facility Town: GLEN COVE (C)
Emergency Phone: (516) 674-1052
Certified Date: 19981214
Expiration Date: 20001209

Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG

31 SEA CLIFF AVE.
GLEN COVE, NY 11542

Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Date Entered: 12/11/98 10:12:00
Due Date: Not reported

Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 73
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001
Telephone: (516) 674-1000

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 10/98
Capacity (Gal): 375
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Other
Overfill Protection: Not reported
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported

Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 74
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

Pipe Location: Aboveground
Haz Percent: 27
Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 50000
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Date Entered: 12/11/98 10:12:29
Due Date: Not reported

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 10/98

Telephone: (516) 674-1000

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Capacity (Gal):	375		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	26
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	1310732
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/11/98 10:12:49
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	75		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	10/98		
Capacity (Gal):	375		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	26

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Leak Detection:	Other	Tank Closed:	Not reported
Overfill Protection:	Not reported	SWIS Code:	2805
Chemical:	Not reported	CAS Number:	1310732
PBS Number:	Not reported	ICS Number:	1-178469
MOSF Number:	Not reported	Facility Town:	GLEN COVE (C)
SPDES Number:	0-225177	Emrgncy Phone:	(516) 674-1052
Facility Type:	Manufacturing	Expiration Date:	20001209
Operator:	PHOTOCIRCUITS CORP.		
Emrgncy Contact:	CHARLES NEHRIG		
Certified Date:	19981214		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000	Date Entered:	12/11/98 10:12:56
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	76		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	10/98		
Capacity (Gal):	1000		
Tank Type:	Plastic		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking	Pipe Location:	Aboveground
Pipe Type:	PLASTIC		
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	20
Leak Detection:	Other		
Overfill Protection:	Not reported	Tank Closed:	Not reported
Chemical:	Not reported	SWIS Code:	2805
PBS Number:	Not reported	CAS Number:	7722841
MOSF Number:	Not reported	ICS Number:	1-178469
SPDES Number:	0-225177		
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORP. (Continued)

S102095703

Owner type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Mail Name:	PHOTOCIRCUITS CORP.	
Mail Contact:	CHARLES NEHRIG	
	31 SEA CLIFF AVE.	
	GLEN COVE, NY 11542	
Mail Phone:	(516) 674-1000	
Tank Secret:	False	Date Entered: 12/11/98 10:13:15
Last Test:	Not reported	Due Date: Not reported
Certificate Needs to be Printed:	False	
Fiscal Amt for Registration Fee Correct:	True	
Renewal Has Been Printed for Facility:	True	
Total Capacity of All Active Tanks(gal):	205930	
Unique Tank Id Number:	77	
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99	
CBS Number:	1-000001	Telephone: (516) 674-1000
Owner:	PHOTOCIRCUITS CORP.	
	31 SEA CLIFF AVE.	
	GLEN COVE, NY 11542	
	(516) 674-1000	
Facility Status:	Active	
Total Tanks	72	
Tank Status:	In Service	
Tank Error Status:	No Missing Data	
Tank Location:	Aboveground	
Install Date:	10/98	
Capacity (Gal):	375	
Tank Type:	Plastic	
Substance:	More than one Hazardous Substance on DEC List	
Extrnl Protection:	None	
Intrnl Protection:	None	
Tank Containment:	Diking	
Pipe Type:	PLASTIC	Pipe Location: Aboveground
Pipe Internal:	None	
Pipe External:	None	
Pipe Containment:	Diking	Haz Percent: 6
Leak Detection:	Other	
Overfill Protection:	Not reported	
Chemical:	Not reported	Tank Closed: Not reported
PBS Number:	Not reported	SWIS Code: 2805
MOSF Number:	Not reported	CAS Number: 7664939
SPDES Number:	0-225177	ICS Number: 1-178469
Facility Type:	Manufacturing	
Operator:	PHOTOCIRCUITS CORP.	Facility Town: GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone: (516) 674-1052
Certified Date:	19981214	Expiration Date: 20001209
Owner type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Mail Name:	PHOTOCIRCUITS CORP.	
Mail Contact:	CHARLES NEHRIG	
	31 SEA CLIFF AVE.	
	GLEN COVE, NY 11542	
Mail Phone:	(516) 674-1000	
Tank Secret:	False	Date Entered: 12/11/98 10:13:34
Last Test:	Not reported	Due Date: Not reported
Certificate Needs to be Printed:	False	

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 78
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.

31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 10/98
Capacity (Gal): 3000
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List

Extrnl Protection: None

Intrnl Protection: None

Tank Containment: Diking

Pipe Type: PLASTIC

Pipe Location: Aboveground

Pipe Internal: None

Pipe External: None

Pipe Containment: Diking

Haz Percent: 1

Leak Detection: Other

Overfill Protection: Not reported

Chemical: Not reported

Tank Closed: Not reported

PBS Number: Not reported

SWIS Code: 2805

MOSF Number: Not reported

CAS Number: 7647010

SPDES Number: 0-225177

ICS Number: 1-178469

Facility Type: Manufacturing

Operator: PHOTOCIRCUITS CORP.

Facility Town: GLEN COVE (C)

Emrgncy Contact: CHARLES NEHRIG

Emrgncy Phone: (516) 674-1052

Certified Date: 19981214

Expiration Date: 20001209

Owner type: Corporate/Commercial

Owner Sub Type: Not reported

Mail Name: PHOTOCIRCUITS CORP.

Mail Contact: CHARLES NEHRIG

31 SEA CLIFF AVE.
GLEN COVE, NY 11542

Mail Phone: (516) 674-1000

Tank Secret: False

Date Entered: 12/11/98 10:13:53

Last Test: Not reported

Due Date: Not reported

Certificate Needs to be Printed: False

Fiscal Amt for Registration Fee Correct: True

Renewal Has Been Printed for Facility: True

Total Capacity of All Active Tanks(gal): 205930

Unique Tank Id Number: 79

Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000

Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

(516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 10/98
Capacity (Gal): 3000
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Haz Percent: 1
Leak Detection: Other
Overfill Protection: Not reported
Chemical: Not reported
Tank Closed: Not reported
PBS Number: Not reported
SWIS Code: 2805
MOSF Number: Not reported
CAS Number: 1310732
SPDES Number: 0-225177
ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Facility Town: GLEN COVE (C)
Emrgncy Contact: CHARLES NEHRIG
Emrgncy Phone: (516) 674-1052
Certified Date: 19981214
Expiration Date: 20001209
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Date Entered: 12/11/98 10:14:11
Last Test: Not reported
Due Date: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 80
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001
Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 10/98
Capacity (Gal): 220
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Other		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Other	Haz Percent:	31
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7647010
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/11/98 10:14:43
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	81		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks:	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	10/98		
Capacity (Gal):	220		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Other		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Other	Haz Percent:	50
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS CORP. (Continued)

S102095703

PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	1310732
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/11/98 10:15:22
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	82		
Date Pre-Printed Renewal App Form Was Last Printed:			06/07/99
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	07/98		
Capacity (Gal):	330		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Other		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	25
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	1310732
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 83
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Date Entered: 12/11/98 10:15:42
Due Date: Not reported
CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 07/98
Capacity (Gal): 220
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Other
Pipe Type: PLASTIC
Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Other
Haz Percent: 26
Overfill Protection: Not reported
Chemical: Not reported
Tank Closed: Not reported
PBS Number: Not reported
SWIS Code: 2805
MOSF Number: Not reported
CAS Number: 1310732
SPDES Number: 0-225177
ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Expiration Date: 20001209
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Date Entered: 12/11/98 10:15:52
Due Date: Not reported
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Unique Tank Id Number: 84
Date Pre-Printed Renewal App Form Was Last Printed:

06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 07/98
Capacity (Gal): 200
Tank Type: Fiberglass coated steel
Substance: Single Hazardous Substance on DEC List

Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking

Pipe Type: PLASTIC

Pipe Location: Aboveground

Pipe Internal: None

Pipe External: None

Pipe Containment: Diking

Haz Percent: 93

Leak Detection: Other

Overfill Protection: Not reported

Chemical: Not reported

Tank Closed: Not reported

PBS Number: Not reported

SWIS Code: 2805

MOSF Number: Not reported

CAS Number: 7664939

SPDES Number: 0-225177

ICS Number: 1-178469

Facility Type: Manufacturing

Operator: PHOTOCIRCUITS CORP.

Facility Town: GLEN COVE (C)

Emrgncy Contact: CHARLES NEHRIG

Emrgncy Phone: (516) 674-1052

Certified Date: 19981214

Expiration Date: 20001209

Owner type: Corporate/Commercial

Owner Sub Type: Not reported

Mail Name: PHOTOCIRCUITS CORP.

Mail Contact: CHARLES NEHRIG

31 SEA CLIFF AVE.

GLEN COVE, NY 11542

Mail Phone: (516) 674-1000

Tank Secret: False

Date Entered: 12/11/98 10:16:43

Last Test: Not reported

Due Date: Not reported

Certificate Needs to be Printed: False

Fiscal Amt for Registration Fee Correct: True

Renewal Has Been Printed for Facility: True

Total Capacity of All Active Tanks(gal): 205930

Unique Tank Id Number: 85

Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Facility Status: Active
Total Tanks 72

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	07/98		
Capacity (Gal):	330		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	3
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7664382
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/11/98 10:17:35
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	86		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	07/98		
Capacity (Gal):	220		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

S102095703

Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	3
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7664382
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/11/98 10:18:04
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	87		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		

CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	07/98		
Capacity (Gal):	600		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	20
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	1310732
SPDES Number:	0-225177	ICS Number:	1-178469

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Facility Type:	Manufacturing	Facility Town:	GLEN COVE (C)
Operator:	PHOTOCIRCUITS CORP.	Emergency Phone:	(516) 674-1052
Emergency Contact:	CHARLES NEHRIG	Expiration Date:	20001209
Certified Date:	19981214		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/11/98 10:18:46
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	88		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	07/98		
Capacity (Gal):	400		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	1
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7664939
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emergency Contact:	CHARLES NEHRIG	Emergency Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Mail Phone:	(516) 674-1000	Date Entered:	12/11/98 10:19:30
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	89		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP. 31 SEA CLIFF AVE. GLEN COVE, NY 11542 (516) 674-1000		
Facility Status:	Active		
Total Tanks:	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	07/98		
Capacity (Gal):	600		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking	Pipe Location:	Aboveground
Pipe Type:	PLASTIC		
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	1
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7664382
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG 31 SEA CLIFF AVE. GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000	Date Entered:	12/11/98 10:20:54
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	90		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: 07/98
Capacity (Gal): 4000
Tank Type: Fiberglass reinforced plastic [FRP]
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Remote Impounding Area
Pipe Type: PLASTIC Pipe Location: Aboveground
Pipe Internal: None
Pipe External: None
Pipe Containment: Remote Impounding Area Haz Percent: 19
Leak Detection: Other
Overfill Protection: Not reported
Chemical: Not reported Tank Closed: Not reported
PBS Number: Not reported SWIS Code: 2805
MOSF Number: Not reported CAS Number: 7664939
SPDES Number: 0-225177 ICS Number: 1-178469
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emergency Contact: CHARLES NEHRIG Facility Town: GLEN COVE (C)
Certified Date: 19981214 Emergency Phone: (516) 674-1052
Owner type: Corporate/Commercial Expiration Date: 20001209
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False Date Entered: 12/11/98 10:22:41
Last Test: Not reported Due Date: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 91
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

CBS Number: 1-000001 Telephone: (516) 674-1000
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Tank Location: Aboveground on crib, rack or cradle
Install Date: 10/98
Capacity (Gal): 200
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Other
Overfill Protection: Not reported
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 92
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99

Pipe Location: Aboveground

Haz Percent: 15

Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 7664939
ICS Number: 1-178469

Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209

Date Entered: 12/11/98 10:23:20
Due Date: Not reported

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000

Telephone: (516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 10/98
Capacity (Gal): 6000
Tank Type: Plastic
Substance: More than one Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None

Pipe Location: Aboveground

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

S102095703

Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	93
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7664939
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19981214	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/11/98 10:23:42
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	93		
Date Pre-Printed Renewal App Form Was Last Printed:	06/07/99		

CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP.		
	31 SEA CLIFF AVE.		
	GLEN COVE, NY 11542		
	(516) 674-1000		

Facility Status:	Active		
Total Tanks	72		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	11/93		
Capacity (Gal):	3600		
Tank Type:	Plastic		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	16
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	7681529
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PHOTOCIRCUITS CORP. (Continued)

S102095703

Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Last Test: Not reported
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): 205930
Unique Tank Id Number: 94
Date Pre-Printed Renewal App Form Was Last Printed: 06/07/99
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Date Entered: 12/11/98 10:24:09
Due Date: Not reported

CBS Number: 1-000001
Owner: PHOTOCIRCUITS CORP.
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
(516) 674-1000
Telephone: (516) 674-1000

Facility Status: Active
Total Tanks: 72
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 11/98
Capacity (Gal): 3600
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None
Intrnl Protection: None
Tank Containment: Diking
Pipe Type: PLASTIC
Pipe Internal: None
Pipe External: None
Pipe Containment: Diking
Leak Detection: Other
Overfill Protection: Not reported
Chemical: Not reported
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: 0-225177
Facility Type: Manufacturing
Operator: PHOTOCIRCUITS CORP.
Emrgncy Contact: CHARLES NEHRIG
Certified Date: 19981214
Owner type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: PHOTOCIRCUITS CORP.
Mail Contact: CHARLES NEHRIG
31 SEA CLIFF AVE.
GLEN COVE, NY 11542
Mail Phone: (516) 674-1000
Tank Secret: False
Pipe Location: Aboveground
Haz Percent: 16
Tank Closed: Not reported
SWIS Code: 2805
CAS Number: 7681529
ICS Number: 1-178469
Facility Town: GLEN COVE (C)
Emrgncy Phone: (516) 674-1052
Expiration Date: 20001209
Date Entered: 12/11/98 10:24:16

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORP. (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102095703

Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	95		
Date Pre-Printed Renewal App Form Was Last Printed:		06/07/99	
CBS Number:	1-000001	Telephone:	(516) 674-1000
Owner:	PHOTOCIRCUITS CORP. 31 SEA CLIFF AVE. GLEN COVE, NY 11542 (516) 674-1000		
Facility Status:	Active		
Total Tanks	72		
Tank Status:	in Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	01/78		
Capacity (Gal):	4100		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	30
Leak Detection:	Other		
Overfill Protection:	Not reported		
Chemical:	Ammonium chloride	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	12125029
SPDES Number:	0-225177	ICS Number:	1-178469
Facility Type:	Manufacturing		
Operator:	PHOTOCIRCUITS CORP.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	CHARLES NEHRIG	Emrgncy Phone:	(516) 674-1052
Certified Date:	19991211	Expiration Date:	20001209
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	PHOTOCIRCUITS CORP.		
Mail Contact:	CHARLES NEHRIG 31 SEA CLIFF AVE. GLEN COVE, NY 11542 (516) 674-1000		
Mail Phone:	(516) 674-1000		
Tank Secret:	False	Date Entered:	12/11/98 10:24:41
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	205930		
Unique Tank Id Number:	8		
Date Pre-Printed Renewal App Form Was Last Printed:		06/07/99	

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

A8
West
< 1/8
40
Higher

PHOTO CIRCUITS
33 SEA CLIFF AVE
GLEN COVE, NY

Database(s)
EDR ID Number
EPA ID Number

NY Spills
S103828015
N/A

SPILLS:

Spill Number: 9813638
Facility Contact: UNKNOWN
Investigator: FORD
Caller Name: ANNONOYMOS
Caller Phone: Not reported
Notifier Name: SAME
Notifier Phone: Not reported
Spiller Contact: UNKNOWN
Spiller: PHOTO CIRCUITS
Spiller Address: 33 SEACLIFF AVENUE
GLEN COVE, NY

Region of Spill: 1
Facility Tele: () -
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: SAME
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 05/21/1999

Spill Cause: Unknown

Water Affected: UNKNOWN

Spill Notifier: Citizen

Spill Date: 02/06/1999 12:00

Cleanup Ceased: Not reported

Last Inspection: Not reported

Cleanup Meets Standard: True

Recommended Penalty: No Penalty

Spiller Cleanup Date: Not reported

Enforcement Date: Not reported

Investigation Complete: Not reported

UST Involvement: False

Spill Record Last Update: 05/24/1999

Is Updated: False

Corrective Action Plan Submitted: Not reported

Date Spill Entered In Computer Data File: 02/08/1999

Date Region Sent Summary to Central Office: Not reported

Remark: CALLER REPORTED KNOWN MATERIAL WAS RELEASED FROM ABOVE COMPANY INTO A S
TREAM IN AREA. CALLER HUNG UP BEFORE PROVIDING ANY FURTHER INFO.

DEC Remarks: Not reported

A9
ENE
< 1/8
88
Higher

NYS DOT BIN 1036889
RTE 107 OVER SEA CLIFF AVE
GLEN COVE, NY 11542

RCRIS-SQG
FINDS
1000890355
NY0000348441

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

NYSDOT BIN 1036889 (Continued)

1000890355

RCRIS:

Owner: NYSDOT
(516) 471-6253

Contact: BERNARD ESPOSITO
(516) 471-6253

Record Date: 05/26/1994

Classification: Not reported

Used Oil Recyc: No

Violation Status: No violations found

A10
SSW
< 1/8
113
Higher

PHOTOCIRCUITS DIV/KCLLMORGEN CORP
31 SEA CLIFF AVE
GLEN COVE, NY 11542

FINDS 1000415427
RCRIS-LQG NYD096920483
TRIS
RCRIS-TSD
CORRACTS
CERC-NFRAP

CERCLIS-NFRAP Classification Data:

Site Incident Category: Not reported
Ownership Status: Other
Site Description: PHOTOCIRCUITS PRODU PRINTED CIRCUIT BOARDS FOR ELECTR IND.
METALPLATING IS DONE WITH COPPER,TIN,NICKEL, & GOLD. CHROME-PLATING
HAS BEEN DISCONTINUED. HYDROCARBON SOLVENTS USED FOR CLEANING IMAGE
FORMATION. VARIOUS WSTE STREAMS ARE PRODUCED.
PHOTOCIRCUITS PRODU PRINTED CIRCUIT BOARDS FOR ELECTR IND.
METALPLATING IS DONE WITH COPPER,TIN,NICKEL, & GOLD. CHROME-PLATING
HAS BEEN DISCONTINUED. HYDROCARBON SOLVENTS USED FOR CLEANING IMAGE
FORMATION. VARIOUS WSTE STREAMS ARE PRODUCED.

Federal Facility: Not a Federal Facility
NPL Status: Not on the NPL

CERCLIS-NFRAP Assessment History:

Assessment: DISCOVERY Completed: 19861006
Assessment: PRELIMINARY ASSESSMENT Completed: 19861230
Assessment: SITE INSPECTION Completed: 19890927

CERCLIS-NFRAP Alias Name(s):

PHOTOCIRCUITS DIV/KOLLMORGEN CORP

CORRACTS Data:

Prioritization: Low
Status: RCRA Facility Assessment Completed

RCRIS Corrective Action Summary:

Effective Date: 03/30/1997
Legal Authority: RCRA 7003 or equivalent

RCRIS:

Owner: KOLLMORGEN CORP
(203) 327-7222

Contact: JOSEPH SHAULYS
(516) 448-1000

Record Date: 08/13/1980

Classification: Large Quantity Generator, TSDF

BIENNIAL REPORTS:

Last Biennial Reporting Year: 1997

Waste	Quantity (Lbs)	Waste	Quantity (Lbs)
D001	20484.10	D002	10538247.92

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PHOTOCIRCUITS DIV/KOLLMORGEN CORP (Continued)

1000415427

D006	760.00	D008	792090.90
D011	2067614.00	D018	760.00
D027	760.00	D039	760.00
D040	760.00	F006	2067614.00

Used Oil Recyc: No

TSDF Activities: Not reported

Violation Status: Violation information exist

There are 9 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	06/26/1999
	Generator-Land Ban Requirements	06/26/1999
	Generator-All Requirements	06/26/1999
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	06/01/1995
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	08/12/1988
	Generator-Land Ban Requirements	12/05/1988
Non-Financial Record Review	Generator-All Requirements	09/23/1988
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	02/26/1987
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	02/26/1987

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

A11
ENE
< 1/8
143
Higher

A-1 RECYCLING & SALVAGE
45B SEA CLIFF AVE
GLEN COVE, NY

LUST

S102659807
N/A

LUST:

Spill Number: 9012049
Facility Contact: Not reported
Investigator: DEROSA
Caller Name: MARK MILLWATER
Caller Phone: (516) 759-9318
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: A-1 RECYCLING & SALVAGE
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 03/22/91
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 02/15/91 14:00
Cleanup Ceased: 03/22/91
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 03/22/91
Is Updated: False

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: TANK SPEC
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 671-1910

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 02/15/91 16:27

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

A-1 RECYCLING & SALVAGE (Continued)

S102659807

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/20/91
Date Region Sent Summary to Central Office: / /
DEC Remarks: 03/22/91: TANK REMOVAL, 10 YDS REMOVED. NO FURTHER ACTION NEEDED.
Spill Cause: 5K TANK TEST INCONCLUSIVE, CONSIDERED FAILURE, 5K, TANK SPEC TESTER

A12
ENE
< 1/8
143
Higher

KEYCO MOTOR FREIGHT
45B SEA CLIFF AVE
GLEN COVE, NY

LUST

S102659763
N/A

LUST:

Spill Number: 8800337
Facility Contact: Not reported
Investigator: GOERTZ FD
Caller Name: MIKE
Caller Phone: (516) 864-1772
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: KEYCO MOTOR FREIGHT
Spiller Address: 45B SEACLIFF AVENUE
GLEN COVE, NY

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: UNICO
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Not reported
Spill Closed Dt: 05/20/88
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 04/11/88 11:00
Cleanup Ceased: 05/20/88
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Record Last Update: 03/18/99
Is Updated: False

Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 04/11/88 12:08

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/12/88
Date Region Sent Summary to Central Office: / /
DEC Remarks: 05/06/88: UNICO RETESTED ALL 3 TANKS AFTER UNICO INSTALLED STICKLINES TO
BLEED AIRPOCKETS & SYSTEMS PASSED. DEC NOT PRESENT DURING RETEST.
Spill Cause: 2-4K TANKS WITH WATER IN THEM, 1-4K DIESEL. ALL THREE FAILED. UNICO TEST
ER.

A13
East
< 1/8
213
Higher

PHOTO CIRCUITS
13 SEA CLIFF AVE
GLEN COVE, NY

NY Spills

S102094765
N/A

SPILLS:

Spill Number: 8710216
Facility Contact: Not reported
Investigator: WALEK FD

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PHOTO CIRCUITS (Continued)

S102094765

Caller Name: INSPECTOR MAGEE
Caller Phone: (516) 566-5868
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: PHOTO CIRCUITS
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 08/02/1988
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 03/07/1988 08:30
Cleanup Ceased: 08/02/1988
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/11/1999
Is Updated: False

Caller Agency: NCFM
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: Surface Water
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 03/07/1988 08:37

Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/09/1988
Date Region Sent Summary to Central Office: Not reported

Remark: GASOLINE IN CREEK. NO ACTION YET. FIRE DEPT ON WAY. LEAKING GASOLINE TANK FROM A PRIVATE COMPANY

DEC Remarks: 08/02/88: AREA ALL CLEAN. NO FURTHER ACTION NEEDED. RGM HIRED BY SPILLER. GENERATED 3-55 GAL DRUMS OF CONT SOIL, SPEEDY DRY & ABSORBANTS.

A14
WSW
< 1/8
248
Higher

SLATER ELECTRIC INC
45 SEA CLIFF AVE
GLEN COVE, NY 11542

FINDS 1000400658
RCRIS-LQG NYD002036564
SHWS
CBS AST
LUST
NY Spills

RCRIS:

Owner: SLATER ELECTRIC INC
(212) 555-1212

Contact: GALLAS GUNTHER
(516) 671-7000

Record Date: 07/23/1980

Classification: Large Quantity Generator

Used Oil Recyc: No

Violation Status: Violation information exist

There are 2 violation record(s) reported at this site:

Evaluation
Compliance Evaluation Inspection (CEI)

Area of Violation
Generator-All Requirements

Date of
Compliance
03/22/1995

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

SLATER ELECTRIC INC (Continued)

1000400658

Compliance Evaluation Inspection (CEI)
Compliance Evaluation Inspection (CEI)

Generator-All Requirements
Generator-All Requirements

03/22/1995
09/25/1986

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
AIRS Facility System (AIRS/AFS)

SHWS:

Facility ID:	130053A	EPA ID:	Not reported
Region:	1	Site Type:	Structure
Acres:	7.96 Acres	User:	Slater Electric / Enal Development Corp.
Owner:	Alpha Forty Five, L.L.C. 31 Sea Cliff Avenue Glen Cove, NY 11542		
Operator:	Slater Devel. Corp. - Pass & Seymour 45 Sea Cliff Avenue Glen Cove, NY 11542		

Classification: SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION REQUIRED.

Hazardous Waste Disposed: From 1959 To present
Analytical Data Available: Groundwater Soil
Applicable Standards Exceeded: Groundwater
Geotechnical Information: Sand and gravel
Depth to Groundwater: 8 feet
Legal Action Type: State Consent Order
Remedial Action: In Design
Nature of Action: IRM
Enforcement Status: Order Signed
Hazardous Waste: Mishandling, incidental spillage or improper disposal of hazardous wastes relative to the various activities at this site have resulted in contamination of the local groundwater and may have contributed to impacts on a nearby public water supply well

Site Description: The Pass and Seymour property is located in the Sea Cliff Avenue Industrial Area. It was constructed in 1959 and used as an industrial facility by Slater Electric. Additions to the building were made in 1981. During 1988, Pass and Seymour, Legrande began operations at the premises, which is currently owned by Enal Development Corporation. Pass and Seymour produces electric components using an injection molding process. There are indoor and outdoor drum storage areas. The manufacturing process includes a degreasing operation which uses tetrachloroethylene (PCE) as the solvent. The solvent is stored in two tanks located outside of the building. The Preliminary Site Assessment (PSA), completed in 1994, utilized existing data from previous investigations. The PSA showed that PCE was found in the soil beneath the site, indicating past disposal of this compound on the property. PCE was also found in the groundwater under the site, at concentrations well above the applicable NYS Class GA standard. This contamination is evidently originating at the Sea Cliff Avenue property, and because of the levels found, it is presenting a significant threat to the environment. Specifically, in 1977, the Carney Street Public Supply Wells were no longer able to be used as source of potable water. Contamination from the site probably contributed to the levels of volatile organic compounds (VOCs) which caused the restricted usage of the wells. A site investigation was carried out in January 1997. Based on the results of this investigation, a Remedial Investigation/Interim

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

SLATER ELECTRIC INC (Continued)

1000400658

Remedial Measure (R/IRM) workplan was finalized in March 1997 and was conducted in 1998. An IRM design is scheduled for completion in the spring of 1999.

Environmental Problems:

Health Problems:

Tetrachloroethylene (FOO1) - unknown

Soil and groundwater are contaminated with volatile organics, primarily tetrachloroethene. Exposure to contaminated soil is not expected as site access is restricted. Exposure to contaminated groundwater is not expected because the area is served by public water. Three public water supply wells at the Carney Street Wellfield were closed in 1977 due to an impact from a contaminant plume. The groundwater contamination could affect other area public supply wells; however, water quality of the public water supply is monitored on a regular basis to safeguard the drinking water supply.

LUST:

Spill Number: 8707417
Facility Contact: Not reported
Investigator: O'NEILL
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: SLATER ELECTRIC INC.
Spiller Address: 45 SEACLIFF AVENUE
GLEN COVE, NY 11542

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 671-7000

Spill Class: Not reported
Spill Closed Dt: 06/29/89
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 11/30/87 12:30

Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 11/30/87 13:21

Cleanup Ceased: 06/29/89
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Record Last Update: 07/03/89
Is Updated: False
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/02/87
Date Region Sent Summary to Central Office: / /

DEC Remarks: / / : SHUTDOWN. SLATER ELECTRIC WILL PUMP OUT. 06/29/89: MONITORING WELLS AT THIS LOCATION HAVE NOT SHOWED FLOATING OR DISSOLVED PRODUCT FOR OVER A YEAR. THE TANK HAS BEEN FILLED WITH CEMENT.

Spill Cause: 10K U/G FAILED PETROTITE TEST-NO LEAK RATE-WOULDN'T HOLD IN STANDPIPE

SPILLS:

Spill Number: 8700223
Facility Contact: Not reported
Investigator: WALEK FD
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SLATER ELECTRIC INC (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000400658

Spiller Contact: Not reported
Spiller: SLATER ELECTRIC
Spiller Address: 45 SEACLIFF AVENUE
GLEN COVE, NY

Spiller Phone: Not reported

Spill Class: Not reported
Spill Closed Dt: 04/10/1987
Spill Cause: Deliberate
Water Affected: GLEN COVE CREEK
Spill Notifier: Citizen
Spill Date: 04/08/1987 12:00

Resource Affected: Surface Water
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 04/08/1987 13:48

Cleanup Ceased: 04/10/1987

Last Inspection: Not reported

Cleanup Meets Standard: True

Recommended Penalty: No Penalty

Spiller Cleanup Date: Not reported

Enforcement Date: Not reported

Investigation Complete: Not reported

UST Involvement: False

Spill Record Last Update: 02/23/1999

Is Updated: False

Corrective Action Plan Submitted: Not reported

Date Spill Entered In Computer Data File: 04/10/1987

Date Region Sent Summary to Central Office: Not reported

Remark: EMPLOYEE CHANGING OIL IN THEIR CARS IN PARKING LOT AND THROWING OIL AND
FILTERS INTO CREEK.

DEC Remarks: / / : 4/9/87 DEC TO INVESTIGATE AND FOUND NOTHING.

CBS AST:

CBS Number: 1-000038

Telephone: (516) 671-7000

Owner: ENAL DEVELOPEMENT CORP
ONE EXECUTIVE BLVD
YONKERS, NY 10701
(914) 965-3990

Facility Status: Active

Total Tanks: 0

Tank Status: Temp. Out of Service

Tank Error Status: No Missing Data

Tank Location: Aboveground on crib, rack or cradle

Install Date: 07/90

Capacity (gall): 275

Tank Type: Steel/carbon steel

Substance: Single Hazardous Substance on DEC List

Extrnl Protection: Other

Intrnl Protection: None

Tank Containment: Diking

Pipe Type: GALVANIZED STEEL

Pipe Location: Aboveground

Pipe Internal: None

Pipe External: None

Pipe Containment: Other

Haz Percent: 100

Leak Detection: None

Overfill Protection: Not reported

Chemical: Not reported

Tank Closed: 00/00

PBS Number: Not reported

SWIS Code: 2805

MOSF Number: Not reported

CAS Number: 127184

SPDES Number: Not reported

ICS Number: 1-178473

Facility Type: Manufacturing

Operator: SLATER ELECTRIC INC.

Facility Town: GLEN COVE (C)

Emrgncy Contact: SLATER ELECTRIC INC.

Emrgncy Phone: (516) 671-7000

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

SLATER ELECTRIC INC (Continued)

1000400658

Certified Date:	19950502	Expiration Date:	19970606
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	A.V.R. REALTY COMPANY		
Mail Contact:	JOSEPH CAMPAGNOLO		
	711 STEWART AVENUE		
	GARDEN CITY, NY 11530		
Mail Phone:	(516) 222-0317		
Tank Secret:	False	Date Entered:	04/07/89 08:11:17
Last Test:	Not reported	Due Date:	Not reported
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	No		
Unique Tank Id Number:	00009		
Date Pre-Printed Renewal App Form Was Last Printed:	03/03/97		
CBS Number:	1-000038	Telephone:	(516) 671-7000
Owner:	ENAL DEVELOPEMENT CORP		
	ONE EXECUTIVE BLVD		
	YONKERS, NY 10701		
	(914) 965-3990		
Facility Status:	Active		
Total Tanks	0		
Tank Status:	Temp. Out of Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	07/90		
Capacity (Gal):	275		
Tank Type:	Steel/carbon steel		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Other		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	GALVANIZED STEEL	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Other	Haz Percent:	100
Leak Detection:	None		
Overtill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
MOSF Number:	Not reported	CAS Number:	127184
SPDES Number:	Not reported	ICS Number:	1-178473
Facility Type:	Manufacturing		
Operator:	SLATER ELECTRIC INC.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	SLATER ELECTRIC INC.	Emrgncy Phone:	(516) 671-7000
Certified Date:	19950502	Expiration Date:	19970606
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	A.V.R. REALTY COMPANY		
Mail Contact:	JOSEPH CAMPAGNOLO		
	711 STEWART AVENUE		
	GARDEN CITY, NY 11530		
Mail Phone:	(516) 222-0317		
Tank Secret:	False	Date Entered:	04/07/89 08:11:32
Last Test:	Not reported	Due Date:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SLATER ELECTRIC INC (Continued)

1000400658

Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Total Capacity of All Active Tanks(gal): No
Unique Tank Id Number: 00010
Date Pre-Printed Renewal App Form Was Last Printed: 03/03/97

A15
WSW
< 1/8
248
Higher

SUNRISE OIL
45 SEA CLIFF AVE
GLEN COVE, NY

NY Spills

S102093731
N/A

SPILLS:

Spill Number: 8606257
Facility Contact: Not reported
Investigator: ACAMPORA FD
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: SUNRISE OIL
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 01/20/1987
Spill Cause: Unknown
Water Affected: GLEN COVE CREEK
Spill Notifier: Affected Persons
Spill Date: 01/08/1987 08:30
Cleanup Ceased: 01/20/1987
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/18/1999
Is Updated: False

Region of Spill: 1
Facility Tele: (349) 750-
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: In Sewer
Spill Source: Tank Truck
PBS Number: Not reported
Reported to Dept: 01/08/1987 08:57

Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/12/1987
Date Region Sent Summary to Central Office: Not reported
Remarks: 20K U/G TANK CAP LEFT OFF STICK LINE.
DEC Remarks: / / : NCDH NOTIFIED. / / : NCDH NOTIFIED. SPILLER HIRED MPC. 1/13
/87 2550 GALS OIL/WATER REMOVED & 10 YDS.

A16
WSW
< 1/8
248
Higher

SLATTER ELECTRIC
45 SEA CLIFF AVE
GLEN COVE, NY

NY Spills

S102095345
N/A

SPILLS:

Spill Number: 8806630
Facility Contact: Not reported
Investigator: PARISH FD
Caller Name: MR. CHIODO

Region of Spill: 1
Facility Tele: (516) 671-7000
SWIS: 28
Caller Agency: NCFC

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

SLATTER ELECTRIC (Continued)

S102095345

Caller Phone: (516) 742-3191
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: SLATTER ELECTRIC
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 11/09/1988
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Citizen
Spill Date: 11/08/1988 12:55
Cleanup Ceased: 11/09/1988
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 04/20/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 11/09/1988
Date Region Sent Summary to Central Office: Not reported
Remark: BROKEN GASKET ON OIL FILTER. SLATTER HIRED MPC TO CLEANUP. 254 GALS OIL & WATER REMOVED. 4-5 YDS OF SOIL REMOVED. DRAINAGE FLUSHED & BOOMS LEFT IN UNTIL NEXT RAIN. MPC TO DISPOSE OF DEBRIS-LEFT ON SITE
DEC Remarks: Not reported

Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: In Sewer
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 11/08/1988 13:30

B17
East
< 1/8
282
Higher

HARBOR FUEL
10 SEA CLIFF AVE
GLEN COVE, NY

LUST

S102618961
N/A

LUST:

Spill Number: 8701073
Facility Contact: Not reported
Investigator: T/T/F
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: HARBOR FUEL
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/09/97
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 05/07/87 16:00
Cleanup Ceased: / /
Last Inspection: / /
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: / /

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 676-2500
Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 05/07/87 16:12

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

TWEEZERMAN INC. (Continued)

EDR ID Number
EPA ID Number

1000961928

FINDS:

Other Pertinent Environmental Activity Identified at Site:
National Compliance Database (NCDB)

C20
WSW
< 1/8
528
Higher

V-MAN AUTOMOTIVE INC
63 SEA CLIFF AVE
GLEN COVE, NY 11542

RCRIS-SQG 1000555559
FINDS NYD986980977

RCRIS:

Owner: L & R REALTY
(516) 676-0100

Contact: JACK ROSSEL
(516) 676-3059

Record Date: 09/30/1991

Classification: Small Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

C21
WSW
< 1/8
559
Higher

PALL CORP
65 SEA CLIFF AVE
GLEN COVE, NY 11542

RCRIS-SQG 1000790249
FINDS NYD987017274

RCRIS:

Owner: PALL CORP
(516) 671-4000

Contact: ELSA VALENTE
(516) 671-4000

Record Date: 10/05/1992

Classification: Small Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

D22
NE
< 1/8
585
Higher

ANGS S/S
73 CEDAR SWAMP RD
GLEN COVE, NY

NY Spills S103565270
N/A

SPILLS:

Spill Number: 9009792
Facility Contact: ROBERT ZUCCALA, PRESIDENT
Investigator: HAAS WELL
Caller Name: TIM WALSH
Caller Phone: (516) 444-0320
Notifier Name: TIM WALSH
Notifier Phone: (516) 444-0320

Region of Spill: 1
Facility Tele: (516) 759-5239
SWIS: 28
Caller Agency: DEC SPILLS REG 1
Caller Extension: Not reported
Notifier Agency: DEC SPILLS REG 1
Notifier Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

S & G CLEANERS (Continued)

1000107347

Used Oil Recyc: No

Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

55
NNE
1/4-1/2
2270
Higher

**GLEN COVE WATER DISTRICT
KELLY STREET
GLEN COVE, NY**

LUST

S101339959
N/A

LUST:

Spill Number:	9409395	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	T/T/F	SWIS:	28
Caller Name:	PAT VOLINO	Caller Agency:	A VOLINO & SONS
Caller Phone:	(516) 334-0414	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	GLEN COVE WATER DISTRICT		
Spiller Address:	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	11/10/94		
Spill Cause:	Tank Test Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	Not reported
Spill Date:	10/13/94 16:30	Reported to Dept:	10/14/94 07:47
Cleanup Ceased:	11/10/94		
Last Inspection:	/ /		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	/ /		
Enforcement Date:	/ /		
Investigation Complete:	/ /		
UST Involvement:	False		
Spill Record Last Update:	11/17/94		
Is Updated:	False		
Corrective Action Plan Submitted:	/ /		
Date Spill Entered In Computer Data File:	10/22/94		
Date Region Sent Summary to Central Office:	/ /		
DEC Remarks:	11/10/94: MANWAY GASKET REPAIRED AT TANK TOP, NO CONTAMINATION ENCOUNTER ED, SYSTEM PASSED RETEST 10/13/94, NO FURTHER ACTION.		
Spill Cause:	A VOLINO & SONS TESTER		

56
SSE
1/4-1/2
2286
Higher

**ST.HYACINAS CHURCH
319 CEDAR SWAMP ROAD
GLEN HEAD, NY**

LUST

S100148881
N/A

LUST:

Spill Number:	8702021	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	O'NEILL FD	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-1GD

(Page 1 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : H.S.A.
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 3.24
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-1GD Elev.:
0	0			Blacktop				Cover
2	-2							Concrete
4	-4							
6	-6							
8	-8							
10	-10	SM		Silty sand, brown, medium to coarse sand, some gravel	5 50-6"		0.3	Portland Cement
12	-12							
14	-14							
16	-16							
18	-18							
20	-20	SP		Gravelly sand, medium to coarse grained, some silt, brown	16 29 50-5"		0.3	
22	-22							
24	-24							
26	-26							
28	-28							Casing
30	-30	SP		Gravelly sand, medium to coarse grained, some silt, brown	8 47 50-3"		0.1	
32	-32							
34	-34							
36	-36							
38	-38							
40	-40	SM		Silty sand, brown, fine to coarse grained, some clay, some gravel	7 13 28		0.0	Natural Fill
42	-42							
44	-44							
46	-46							
48	-48							
50	-50	SP					0.1	

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-1GD


(Page 2 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : H.S.A.
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 3.24
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-1GD Elev.:
50	-50	SP		Gravelly sand, light brown, fine to coarse sand, some clay	22 43 50		0.1	
52	-52							
54	-54							
56	-56							
58	-58							
60	-60	SM		Sandy silt, fine to medium sand, brown	30		0.1	
62	-62	ML		Sandy silt, fine to medium sand, brown	50-31			
64	-64							
66	-66							
68	-68							
70	-70	SM		Silty sand, brown, fine to medium grained	22 43 42		0.1	
72	-72							
74	-74							
76	-76	SP		Silty sand, brown, fine to medium grained	18 47 50-31		0.1	
78	-78							
80	-80	SM		Silty sand, light brown, fine to medium grained	22 40 44 39		0.0	
82	-82							
84	-84							
86	-86	SP		Sand, light brown, fine to coarse grained	10 27 30		0.0	
88	-88							
90	-90	SP		Sand, light brown, fine to coarse grained	22 43 50-51		0.0	
92	-92							
94	-94							
96	-96	SM		Silty sand, light brown, fine to medium grained	18 40 50-41		0.0	
98	-98							
100								





ENVIRO-SCIENCES, INC.
 312 East Main Street
 Patchogue, New York 11772
 Phone: (516) 207-9005
 Fax: (516) 207-3614

LOG OF BORING MW-1PI

(Page 1 of 1)


Pall Corporation
 30 Sea Cliff Avenue
 Glen Cove, New York

Drilling Company : Fenley & Nicol
 Company Rep. : Chuck/Chris
 Drilling Method : H.S.A.
 Logged By : Matt Bernstein
 Project Number : M371

Top of Casing : 87.64
 DTW (5/6/99) : 5.09
 Well Diameter : 2"
 Material Construction : Sch. 40 PVC Flush Joint
 Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 87.89	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
0	88			Hand digging				
2	86							
4	84							
6	82	SM		Silty sand w/ fine grained sands, yellowish-orange to light brown. No odor. Minimal moisture. Some small rocks	42	85	0.0	
8	80							
10	78	SM		Saturated, silty sand with some rocks, fine grained sands	46	45	0.0	
12	76	SW		Saturated, light brown, coarse sand w/ some rocks/pebbles. No odor				
14	74							
16	72	SW		Saturated, light to dark brown, coarse grained sands w/ some small rocks/pebbles. No odor	45	50	0.0	
18	70							
20	68	SW		Saturated, light to dark brown, coarse and medium grained sands w/ some small rocks/pebbles. No odor	26	80	0.0	
22	66							
24	64							
26	62	SW		Saturated, light brown, coarse and medium grained sands w/ little rocks/pebbles. No odor	101	85	0.0	
28	60							
30	58	SM		Saturated, fine grained sands w/ some silt. Trace small rocks/pebbles. Dark brown in color. No odor	72	50	0.0	
32	56							
34	54							
36	52	CL		Light gray clay of medium plasticity, no rocks/pebbles. No odor	142	45	0.0	
38	50							
40	48	ML		Saturated, light brown, silty clay w/ some fine grained sands. No odor. No rocks/pebbles.	134	45	0.0	
42	46							
44	44							
46	42	CL		Saturated, light brown clay. No rocks/pebbles. No odor	41	50	0.0	
48	40	ML		Saturated, silty clay w/ fine sand. No rocks/pebbles. No odor				
50	38							
52	36	CL		Saturated, light brown-gray clay of medium to low plasticity. No rocks/pebbles. No odor	21	45	0.0	
54	34							
56	32	SM		Saturated, silty sand, light brown w/ no rocks/pebbles.	82	40	0.0	
58	30							
60								

Well: MW-1PI
 Elev.: 87.64



Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-1PD

(Page 1 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Erik Gustafson
Project Number : M371

Top of Casing : 87.42
DTW (5/6/99) : 4.51
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 87.74	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
0	87			Hand digging, 1-1/2" asphalt. Brown, medium sand, little cobble, little gravel, dry				Well: MW-1PD Elev.: 87.74
2	85				100			Cover
4	83							Concrete
6	81	SP		Brown, damp coarse to medium sand, little cobble	29	15	1.4	
8	79							Cement Grout
10	77	GM		Saturated, brown, fine sand, little gravel	69	19	0.0	
12	75							
14	73							
16	71	SP		Saturated, light brown to white coarse sand and gravel	130	40	2.0	
18	69							
20	67	SP		Saturated, gray to white, coarse sand, some gravel	75	10	0.5	
22	65							Casing
24	63							
26	61	GP		Saturated, gray gravel and coarse sand. Trace cobble	82	10	0.0	Drill Cuttings
28	59							
30	57	SC		Saturated, brown to orange, fine to medium sand, 5" clay layer (brown) at approximately 31'	22	60	0.0	
32	55							
34	53							
36	51	OL		Saturated, gray, fine clay	60	65	0.0	
38	49							
40		CL			85	0.0		

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772











LOG OF BORING MW-1PD

(Page 2 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Erik Gustafson
Project Number : M371

Top of Casing : 87.42
DTW (5/6/99) : 4.51
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 87.74	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-1PD Elev.: 87.74	
40	47	CL		6" brown, saturated clay layer; 6" brown, fine, saturated silt; 6" brown to gray, saturated clay	10	65	0.0		
42	45								
44	43	OL		Saturated, gray turned to brown, fine clay	11	60	0.0		
46	41								
48	39								
50	37	ML		Saturated, brown silt and medium sand. Rock present, (reason for low % recovery)	26	15	0.0		
52	35	CL							
54	33	SW		Saturated, brown, coarse to medium sand. Little silt, little clay. Trace gravel	46	15	0.0		
56	31								
58	29								
60	27	CL		Saturated, brown clay w/ brown medium sand above	55	50	0.0		
62	25								
64	23	CL		Saturated, brown clay w/ brown coarse to medium sand above	64	65	0.0		
66	21								
68	19								
70	17	CL		Saturated, brown clay, some gravel mixed in with clay	76	50	0.0		
72	15								
74	13								
76	11	CL		Saturated, brown clay, some gravel. Trace cobble	56	50	0.0		
78	9								
80		CL			90	0.0			

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-1PD

(Page 3 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Erik Gustafson
Project Number : M371

Top of Casing : 87.42
DTW (5/6/99) : 4.51
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 87.74	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
80	7	CL		Saturated, brown clay, some gravel, coarse to medium sand was present above clay	76	90	0.0	<p>Well: MW-1PD Elev.: 87.74</p> <p>Drill Cuttings Cement Grout Bentonite Seal Casing Screen #2 Morie Gravel FP</p>
82	5							
84	3							
86	1	SP		Saturated, brown, coarse to medium sand and clay. Trace fine gravel	41	10	0.0	
88	-1							
90	-3	SW		Saturated, brown, coarse to medium sand, some clay, trace gravel	26	30	0.0	
92	-5							
94	-7							
96	-9	SC		Saturated, brown clay and coarse sand, little gravel, trace medium to fine sand	18	50	0.0	
98	-11							
100	-13	SC		Saturated, brown clay, some medium to fine sands, little gravel, trace coarse sand	55	50	0.0	
102	-15							
104	-17							
106	-19							
108	-21							
110	-23							
112	-25							
114	-27							
116	-29							
118	-31							
120								



ENVIRO-SCIENCES, INC.
312 East Main Street
Patchogue, New York 11772
Phone: (516) 207-9005
Fax: (516) 207-3614

LOG OF BORING MW-2AI

(Page 1 of 1)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 82.28
DTW (5/6/99) : 1.72
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 82.65	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
0	82			Hand digging, dark gray-black sand, fine and medium grained w/ some silt. Small rocks/pebbles. No odor				Cover
2	80	SM						Concrete
4	78						0.0	
6	76	SW		Saturated, light brown, medium to coarse grained sands with some small rocks/pebbles. Slight odor	53	20	0.0	Cement Grout
8	74							
10	72	SP		Saturated, light brown, medium grained sands w/ no rocks/pebbles. No odor	23	80	0.0	
12	70							
14	68							
16	66	SP		Saturated, light brown, medium grained sand w/ no rocks/pebbles. No odor	26	90	0.0	
18	64							Native Fill
20	62	SP		Saturated, light brown, medium grained sand w/ no rocks/pebbles. No odor	28	85	0.0	Casing
22	60							
24	58							
26	56	SP		Saturated, light brown, fine to medium grained sand w/ no rocks/pebbles. No odor	24	90	0.0	
28	54							
30	52	SP		Saturated, light brown, fine to medium grained sand w/ no rocks/pebbles. No odor	53	100	0.0	Cement Grout
32	50							Bentonite Seal
34	48							
36	46	CL		Saturated, light brown clay w/ fine sand. Trace small rocks/pebbles. No odor	45	40	0.0	
38	44							
40	42	SP		Saturated, light brown sand, medium grained w/ trace small rocks/pebbles	49	75	0.0	
42	40	ML		Saturated light brown silt w/ sand. No rocks/pebbles.				
44	38							#2 Morie Gravel FP
46	36	SP		Saturated, very light gray, medium grained sand w/ no rocks/pebbles. No odor	76	100	0.0	Screen
48	34							
50	32	SP		Saturated, light brown, fine grained sand w/ no rocks/pebbles. No odor.	93	40	0.0	
52	30							
54	28							
56	26	SP		Saturated, light brown, fine grained sand w/ no rocks/pebbles. No odor	250	70	0.0	
58	24							
60								

08-03-1999 C:\WTECH\5ACE\GEO\MW-2AI.BOR

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772







LOG OF BORING MW-2AD

(Page 1 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matthew Bernstein
Project Number : M371

Top of Casing : 82.35
DTW (5/6/99) : 1.28
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 82.69	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
0	82			Hand digging, dark gray-black, medium grained sand w/ some silt. Some rocks/pebbles. No odor				Well: MW-2AD Elev.: 82.69
2	80							Cover
4	78							Concrete
6	76	SW		Saturated, light brown, gravelly sand w/ large amount of rocks/pebbles. Very slight odor	22	30	0.0	Cement Grout
8	74							
10	72			Zero recovery	39	0		
12	70							
14	68							
16	66	SP		Saturated, light brown, medium grained sand w/ trace rocks/pebbles. No odor	13	80	0.0	
18	64							
20	62	SP		Saturated, light brown, medium grained sand w/ trace rocks/pebbles. No odor	26	85	0.0	Native Fill
22	60							Casing
24	58							
26	56	SP		Saturated, light brown, medium grained sand w/ trace rocks/pebbles. No odor	16	50	0.0	
28	54							
30	52	SP		Saturated, light brown, medium grained sand w/ trace rocks/pebbles. No odor	25	75	0.0	
32	50							
34	48							
36	46	SW		Saturated, light brown, fine grained sandy gravel w/ lots of small rocks/pebbles. No odor	14	45	0.0	
38	44							
40		SW			40	0.0		

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-2AD

(Page 2 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matthew Bernstein
Project Number : M371

Top of Casing : 82.35
DTW (5/6/99) : 1.28
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 82.69	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
40	42	SW		Saturated, light brown, gravelly sand w/ lots of small rocks/pebbles. No odor	40	40	0.0	
42	40							
44	38							
46	36	SP		Saturated, very light gray, medium to fine grained sand w/ no rocks/pebbles. No odor	33	80		
48	34							
50	32	SP		Saturated, very light gray, medium to fine grained sand w/ no rocks/pebbles. No odor	44	75	0.0	
52	30	CL						
54	28							
56	26	SP		Saturated, very light gray, medium to fine grained sand w/ no rocks/pebbles. No odor	33	70	0.0	Native Fill
58	24							
60	22	SP		Saturated, very light gray, medium to fine grained sand w/ no rocks/pebbles. No odor	34	80	0.0	Casing
62	20							
64	18							
66	16			No recovery	63			
68	14							
70	12	SP		Saturated, very light, gray medium grained sand w/ no rocks/pebbles. No odor	73	100	0.0	Cement Grout
72	10							
74	8							Bentonite Seal
76	6	SP		Saturated, very light, gray medium to fine grained sand w/ no rocks/pebbles. No odor	35	90	0.0	#2 Morie Gravel FP
78	4							
80		SP			80	0.0		Screen

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772







LOG OF BORING MW-2AD

(Page 3 of 3)


Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matthew Bernstein
Project Number : M371

Top of Casing : 82.35
DTW (5/6/99) : 1.28
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 82.69	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID
80	2	SP		Saturated, very light, gray medium to fine grained sand w/ no rocks/pebbles. No odor	30	80	0.0
82	0						
84	-2						
86	-4	SP		Saturated, very light, gray medium to fine grained sand w/ no rocks/pebbles. No odor	16	70	0.0
88	-6						
90	-8	SP		Saturated, very light, gray medium to fine grained sand w/ no rocks/pebbles. No odor	21	85	0.0
92	-10						
94	-12						
96	-14	SP		Saturated, very light, gray medium to fine grained sand w/ no rocks/pebbles. No odor	37	95	0.0
98	-16						
100	-18	SP		Saturated, very light gray, medium to fine grained sand w/ no rocks/pebbles. No odor	25	90	0.0
102	-20						
104	-22						
106	-24	SP		Saturated, very light gray, medium to fine grained sand w/ no rocks/pebbles. No odor	152	80	0.0
108	-26						
110	-28						
112	-30						
114	-32						
116	-34						
118	-36						
120							

Well: MW-2AD
Elev.: 82.69



Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-2GI

(Page 1 of 1)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : H.S.A.
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 0.67
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-2GI Elev.:
0	0			Blacktop				Cover
2	-2							Concrete
4	-4							
6	-6	SP		Gravelly sand, brown, medium to coarse grained, medium dense	10 16			Portland Cement
8	-8							
10	-10	GP		Sandy gravel, light brown, medium to coarse sand, dense	7 10 39			
12	-12							
14	-14							
16	-16	SM		Silty sand, brown, fine to medium grained, some gravel, medium dense	15 40 11			
18	-18							Native Fill
20	-20	SP		Gravelly sand, fine to coarse grained, brown, some silt, medium dense	6 15 28			Casing
22	-22							
24	-24							
26	-26	SM		Silty sand, brown to orangish-brown, fine to medium grained, some gravel, medium dense	21 40 15			
28	-28							
30	-30	SM		Silty sand, brown to orangish-brown, fine to medium grained, some gravel, medium dense	8 25 19			Bentonite Seal
32	-32							
34	-34							
36	-36	SM		Sandy clay, off-white, orange mottling, some gravel, very stiff	17 19 38			
38	-38							
40	-40	SP		Sand, off-white, fine to coarse grained, medium dense	3 5 14			#1 Well Gravel
42	-42							
44	-44							
46	-46	SP		Sand, off-white, fine to coarse grained, medium dense	10 25 9			Screen
48	-48							
50								



ENVIRO-SCIENCES, INC.
 312 East Main Street
 Patchogue, New York 11772
 Phone: (516) 207-9005
 Fax: (516) 207-3614

LOG OF BORING MW-4PI

(Page 1 of 1)

Pall Corporation
 30 Sea Cliff Avenue
 Glen Cove, New York

Drilling Company : Fenley & Nicol
 Company Rep. : Chuck/Chris
 Drilling Method : H.S.A.
 Logged By : Erik Gustafson
 Project Number : M371

Top of Casing : 84.68
 DTW (5/6/99) : 3.41
 Well Diameter : 2"
 Material Construction : Sch. 40 PVC Flush Joint
 Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 84.93	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
0	85			Hand digging; 2-1/2" asphalt. Light brown, coarse and medium sand, some odor present. Black coarse sand and gravel. Odor present				Well: MW-4PI Elev.: 84.93
5	80	GP		Saturated, light brown-gray coarse sand and gravel, trace medium sand, trace cobble. Faint odor	132	50	4.5	Cover Concrete
10	75	GP		Saturated, brown, coarse sand and gravel. Trace clay, trace medium sand	50	70	0.0	Cement Grout
15	70	SM		Saturated, brown, medium and fine sand. Little coarse sand, trace fine gravel	27	60	0.0	
20	65	GP		Saturated, reddish-brown gravel. Some coarse sand, 2" of silt was present above the gravel	130	60	0.0	
25	60	SW		Saturated, brown, medium sand. Little coarse sand, little fine sand, trace gravel	63	60	1.8	Casing Drill Cuttings
30	55	SM		Saturated, brown, medium sand. A rock was present at opening of spoon (reason for poor recovery)	84	50	0.0	
35	50	ML		Saturated, brown-gray silt. Trace clay, trace fine sand, trace gravel	70	50	0.0	Cement Grout Bentonite Pellets
40	45	ML		Saturated, brown fine sand and silt	45	40	1.0	
45	40	SM		Saturated, brown fine sand. Little silt, trace clay.	26	50	0.0	
50	35	CL		Saturated, gray clay. Little silt, trace fine sand	56	60	0.0	#2 Morie Gravel FP Screen
55	30	CL		Saturated, gray clay, little fine sand, little silt	44		0.0	
60								



ENVIRO-SCIENCES, INC.
 312 East Main Street
 Patchogue, New York 11772
 Phone: (516) 207-9005
 Fax: (516) 207-3614

LOG OF BORING MW-4PD

(Page 1 of 3)


Pall Corporation
 30 Sea Cliff Avenue
 Glen Cove, New York

Drilling Company : Fenley & Nicol
 Company Rep. : Chuck/Chris
 Drilling Method : H.S.A.
 Logged By : Matt Bernstein
 Project Number : M371

Top of Casing : 84.75
 DTW (5/6/99) : 3.06
 Well Diameter : 2"
 Material Construction : Sch. 40 PVC Flush Joint
 Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 84.97	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
0	85			Hand digging, medium to coarse brown sands w/ some rocks/pebbles. Slight odor				
2	83							
4	81							
6	79	SW		Saturated, brown, coarse sands w/ some rocks/small pebbles. Slight odor	64	50	3.5	
8	77							
10	75	SM		Saturated, light brown, medium grained sand w/ some silt and clay. Trace small rocks/pebbles. No odor	36	50	0.0	
12	73							
14	71							
16	69	SW		Saturated, brown, medium to coarse sand. Little amount of small rocks/pebbles. No odor	43	85	0.0	
18	67							
20	65	SM		Saturated, brown, fine grained sand w/ trace silt. Trace small rocks/pebbles. No odor	45	60	0.0	
22	63							
24	61							
26	59	SW		Saturated, light brown, coarse sand w/ 35-50% small rocks/pebbles. No odor	60	20	0.0	
28	57							
30	55	SW		Saturated, fine to medium grained sand w/ trace small rocks/pebbles. No odor	77	50	0.0	
32	53							
34	51							
36	49	SW		Saturated, light brown sand, fine to medium grained. No rocks/pebbles. No odor	62	55	0.0	
38	47							
40								

Well: MW-4PD
 Elev.: 84.97



Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-4PD

(Page 2 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 84.75
DTW (5/6/99) : 3.06
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 84.97	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-4PD Elev.: 84.97
40	45	SW		Saturated, light brown, fine to medium sand w/ trace silt, trace small rocks/pebbles. No odor	71	45	0.0	<p>Native Fill</p> <p>Casing</p>
42	43							
44	41							
46	39	CL		Greyish-brown clay of medium plasticity, no rocks or odor	44	85	0.0	
48	37	SP		Yellowish-orange, fine grained sand w/ no rocks/pebbles				
50	35							
52	33	CL		Saturated, olive gray clay of medium plasticity w/ no odor or rocks/pebbles	32	75	0.0	
54	31							
56	29	SP		Saturated, fine grained, yellowish-brown sand w/ no odor or rocks/pebbles	30	75	0.0	
58	27	CL		Saturated, olive gray, medium plasticity w/ no odor or rocks/pebbles				
60	25							
62	23	SM		Saturated, light brown, fine grained sand w/ trace silt. No odor or rocks/pebbles.	26	70	0.0	
64	21							
66	19	CL		Saturated, olive gray clay of medium plasticity w/ no rocks/pebbles. No odor	55	35	0.0	
68	17							
70	15	SC		Saturated, light brown-olive gray sandy clay. Trace small pebbles. No odor	60	25	0.0	
72	13							
74	11							
76	9			Saturated, light brown-olive gray sandy clay. Trace small pebbles. No odor	70	10	0.0	
78	7							
80		CL			55	0.0		

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772








LOG OF BORING MW-4PD

(Page 3 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 84.75
DTW (5/6/99) : 3.06
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 84.97	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
80	5	CL		Saturated, olive gray clay of medium plasticity w/ some fine sand. No odor or rocks/pebbles	44	55	0.0	Native Fill
82	3							Cement Grout
84	1							Bentonite Seal
86	-1	SP		Saturated, light brown, coarse grained sand w/ some small pebbles.	25	50	0.0	Casing
		CL		Saturated, olive-gray clay of medium plasticity w/ no rocks/pebbles. No odor				
88	-3							
90	-5	SC		Saturated, light brown sand, coarse grained w/ some light gray clay of medium plasticity. No rocks/pebbles. No odor	15	45	0.0	
92	-7							
94	-9							
96	-11	SC		Saturated, light brown-light gray clayey sand w/ very little, if any plasticity. No rocks/pebbles. No odor	21	50	0.0	Screen
98	-13							#2 Morie Gravel FP
100	-15	SC		Saturated, very light gray, fine sand/clay mixture. No rocks/pebbles. No plasticity. No odor	23	70	0.0	
102	-17							
104	-19							
106	-21	SC		Saturated, very light gray, fine sand/clay mixture. No rocks/pebbles. No plasticity. No odor	39	45	0.0	
108	-23							
110	-25							
112	-27							
114	-29							
116	-31							
118	-33							
120								



ENVIRO-SCIENCES, INC.
 311 East Main Street
 Patchogue, New York 11772
 Phone: (516) 207-9005
 Fax: (516) 207-3614

LOG OF BORING MW-5PI

(Page 1 of 1)

Pall Corporation
 30 Sea Cliff Avenue
 Glen Cove, New York

Drilling Company : Fenley & Nicol
 Company Rep. : Chuck/Chris
 Drilling Method : H.S.A.
 Logged By : Matt Bernstein
 Project Number : M371

Top of Casing : 83.11
 DTW (5/6/99) : 1.62
 Well Diameter : 2"
 Material Construction : Sch. 40 PVC Flush Joint
 Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 83.53	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-5PI Elev.: 83.53
0	83			Hand digging, dark gray-black organic sand, medium plasticity. Trace small rocks/pebbles. Water encountered at approximately 3' bg. Clay has strong odor				Cover
2	81	OH					104	Concrete
4	79							
6	77	GC		Saturated, dark gray-black clayey gravel w/ rocks/pebbles. Strong odor	23	50	27.2	Cement Grout
8	75							
10	73	GC		Saturated, dark gray sand-clay-gravel mixture. Sand is very coarse grained. Some small rocks/pebbles. Some odor	58	15	16.3	
12	71							
14	69							
16	67	SC		Saturated, dark gray-black clayey sand. Sand is medium to coarse grained. Some small rocks/pebbles. Strong odor	62	55	41.2	
18	65							Native Fill
20	63	GC		Saturated, dark brown clayey gravel w/ coarse sand. Small rocks/pebbles spread throughout. Some odor	82	50	26.4	Casing
22	61							
24	59							
26	57	SW		Saturated, dark brown coarse grained sand w/ some small rocks/pebbles. Slight odor	71	20	0.0	
28	55							
30	53	SW		Saturated, dark brown coarse grained sand w/ some small rocks/pebbles. Slight odor	80	35	0.0	Cement Grout
32	51							Bentonite Seal
34	49							
36	47	SW		Saturated, light brown, coarse and medium grained sands w/ some rocks/pebbles. No odor	97	35	0.0	
38	45							
40	43	SW		Saturated, yellowish-orange, gravelly sand w/ rocks/pebbles mixed throughout. No odor	72	50	0.0	
42	41							
44	39							#2 Morie Gravel FP
46	37	SW		Saturated, yellowish-orange, coarse grained sand. Some small rocks/pebbles. No odor	75	40	0.0	Screen
48	35							
50	33	SW		Saturated, light brown, medium and fine grained sands w/ a little amount of small rocks/pebbles. No odor	70	35	0.0	PVC Riser
52	31							
54	29							
56	27	SW		Saturated, light brown, medium and fine grained sands w/ a little amount of small rocks/pebbles. No odor	72	45	0.0	
58	25							
60								



ENVIRO-SCIENCES, INC.
 312 East Main Street
 Patchogue, New York 11772
 Phone: (516) 307-9003
 Fax: (516) 307-3614

LOG OF BORING MW-5PD

(Page 1 of 3)


Pall Corporation
 30 Sea Cliff Avenue
 Glen Cove, New York

Drilling Company : Fenley & Nicol
 Company Rep. : Chuck/Chris
 Drilling Method : H.S.A.
 Logged By : Matt Bernstein
 Project Number : M371

Top of Casing : 83.29
 DTW (5/6/99) : 2.05
 Well Diameter : 2"
 Material Construction : Sch. 40 PVC Flush Joint
 Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 83.66	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
0	83			Hand digging, dark gray-black sand, medium grain w/ a little clay. No odor. Some rocks/pebbles. Saturated at 4' bg				
2	81	SC					0.0	
4	79							
6	77							
8	75							
10	73	SW		Saturated, dark gray-black gravelly sand w/ some rocks/pebbles. Slight odor	46	50	0.3	
12	71							
14	69							
16	67	SW		Saturated, dark gray-black, medium to coarse grained sands w/ some rocks/pebbles. No odor	31	40	0.0	
18	65							
20	63	SW		Saturated, light brown, medium to coarse sand w/ some rocks/small pebbles. No odor	40	55	0.0	
22	61							
24	59							
26	57	SW		Saturated, light brown, medium to coarse sand w/ some rocks/small pebbles. No odor	100	25	0.0	
28	55							
30	53	SW		Saturated, light brown, medium to coarse sand w/ some rocks/pebbles. No odor	127	40	0.0	
32	51							
34	49							
36	47	SW		Saturated, light brown, medium to coarse sand w/ some rocks/small pebbles. No odor	85	10	0.0	
38	45							
40					110	20	0.0	

Well: MW-5PD
 Elev.: 83.66



Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-5PD

(Page 2 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 83.29
DTW (5/6/99) : 2.05
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 83.66	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
40	43	SW		Saturated, light brown, gravelly sand w/ coarse and medium grained sands. Some rocks/small pebbles. No odor	20	0.0	0.0	
42	41							
44	39							
46	37			No recovery	46	0		
48	35							
50	33	SW		Saturated, light brown sand w/ some rocks/pebbles. No odor	80	60	0.0	
52	31	ML		Turned to light brown clay with trace medium grained sand and no rocks/pebbles.				
54	29							
56	27	SP		Saturated, light brown fine grained sand w/ no rocks/pebbles. No odor	115	70	0.0	
58	25							
60	23	SP		Saturated, light brown fine grained sand w/ no rocks/pebbles. No odor	130	70	0.0	
62	21							
64	19							
66	17	SM		Saturated, light brown fine grained silty sand w/ no rocks/pebbles. No odor	140	70	0.0	
68	15							
70	13	SM		Saturated, light brown fine grained silty sand w/ no rocks/pebbles. No odor	171	50	0.0	
72	11							
74	9							
76	7	SM		Saturated, light brown fine grained silty sand w/ trace small rocks/pebbles. No odor	40	65	0.0	
78	5							
80		SW			75	0.0	0.0	

Well: MW-5PD
Elev.: 83.66

Native Fill

Casing

Cement Grout

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-5PD

(Page 3 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 83.29
DTW (5/6/99) : 2.05
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"


Depth in ft	Surf. Elev. 83.66	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
80	3	SW		Saturated, light brown, medium to coarse sand w/ trace small rocks/pebbles. No odor	65	75	0.0	Cement Grout
82	1							Bentonite Seal
84	-1							
86	-3	SW		Saturated, light brown, medium to coarse sand w/ no rocks/pebbles. No odor	110	65	0.0	Casing
88	-5							
90	-7	SW		Saturated, light brown, medium to coarse grained sand w/ no rocks/pebbles. No odor	90	55	0.0	
92	-9							
94	-11							#2 Morie Gravel FP
96	-13	SW		Saturated, light brown, medium to coarse grained sand w/ trace small rocks/pebbles. No odor	121	75	0.0	Screen
98	-15							
100	-17	SW		Saturated, light brown-pinkish, medium to coarse grained sand w/ trace small rocks/pebbles. No odor		75	0.0	Riser
102	-19							
104	-21							
106	-23	SW		Saturated, pinkish, medium to coarse grained sand w/ trace small rocks/pebbles. No odor	80	80	0.0	
108	-25							
110	-27							
112	-29							
114	-31							
116	-33							
118	-35							
120								

CA RICH CONSULTANTS, INC.

Certified Ground-Water and Environmental Specialists

PROJECT: Pall Corporation, Glen Cove, NY

WELL I.D.: MW-6P



DRILLING SUMMARY

Drilling Co: Delta Well & Pump Co.

Drillers: Joe Guggino

Drill Rig Make/Model: Failing F-10

Borehole Diameters: 8"

Total Depth: 65'

Drilling Fluid: None

Depth to Water: 4.8'

Supervisory Geologist: Steven Sobstyl

WELL DESIGN

Casing Material: PVC

Diameter: 4"

Length: 50'

Screen Material: PVC

Diameter: 4"

Length: 10'

Slot Size: 20 (0.020)

Setting: 60-50

Filter Material: Morie #2

Setting: 60-43

Seals Material: Bentonite

Setting: 43-40

Grout: Portland cement/bentonite

Setting: 40- 1

Surface Casing Material: Flush

Setting: Flush

TIME LOG

	Started	Completed
Drilling:	8-13-92	8-13-92
Installation:	8-14-92	8-14-92
Development:	8-17-92	8-17-92

WELL DEVELOPMENT

Method: Centrifugal Pump

Static Depth to Water: 2.2'

Pumping Depth to Water: 32'

Pumping Rate: .5 GPM

Volume Pumped: 110 Gallons

CA RICH CONSULTANTS, INC.

Project: Pall Corporation

Location: 30 Sea Cliff Avenue

Boring Number: MW-6P

Date Drilled: 8-13-92

Drilling Company: Delta Well & Pump Co.

Water Table Depth: 4.8'

Total Depth: 65 feet

Method Used: Hollow Stem Auger

Inspector: Steven Sobstyl

Organic Vapor Instruments: Organic Vapor Analyzer

Depth (feet)	Blows/6" 130 lbs.	Sample Interval Depth (ft.)	Adv./ Recov.	Organic Vapor PPM	Sample Description	Strata	Comments Time, etc.
0	Post Hole Digger	0-2	N/A	0	Surface: asphalt over gravel fill Clayey SAND; tan, medium-coarse with rounded cobbles		2:45 pm
5							
10	10-8-10-12	10-12	24"/22"	0	Silty SAND; tan, medium-coarse; some grey, silty clay and rounded gravel		
15							
20	43-25-19-18	20-22	24"/6"	0	Clayey SAND; tan, fine-coarse and rounded gravel		
25							
30	35-20-31-28	30-32	24"/24"	0	Clayey SAND; tan, fine-coarse; some silt and rounded gravel		
35							
40	50-43-38-31	40-42	24"/20"	0	Silty SAND; tan-grey, fine-coarse; very silty with rounded gravel		
45							
50	11-7-18-40	50-52	24"/18"	0	Silty SAND; tan-grey, fine-coarse		
55							
60	5-8-10-12	60-62	24"/20"	3	Silty SAND; tan-grey, fine-coarse		
65							End 65 ft.



ENVIRO-SCIENCES, INC.
 312 East Main Street
 Patchogue, New York 11772
 Phone: (516) 207-9005
 Fax: (516) 207-3614

LOG OF BORING MW-6PD

(Page 1 of 3)

Pall Corporation
 30 Sea Cliff Avenue
 Glen Cove, New York

Drilling Company : Fenley & Nicol
 Company Rep. : Chuck/Chris
 Drilling Method : H.S.A.
 Logged By : Matt Bernstein
 Project Number : M371

Top of Casing : 89.19
 DTW (5/6/99) : 4.81
 Well Diameter : 2"
 Material Const. : Sch.40 PVC Flush Joint
 Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 89.57	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-6PD Elev.: 87.64
0	89			Hand digging, mixed fill type material, no discernable odor				Cover
2	87						00.0	Concrete
4	85							
6	83	CH		Saturated, dark brown, highly plastic clay, no rocks/pebbles	74	45	0.0	
8	81	GC		Mixture of clay with coarse sands/pebbles				
10	79	ML		Saturated, dark brown, silty clay with fine sands, no odor, little rocks/pebbles	72	45	0.0	
12	77							
14	75							
16	73	ML		Saturated, yellow-orange silt w/ very fine sands, small pebbles spread throughout, no odor	81	100	0.0	
18	71							
20	69	ML		Light brown-orange, saturated silt w/ very fine sand, trace amount of small pebbles, no odor	45	90	0.0	Cement Grout Casing
22	67							
24	65							
26	63	SM		Saturated light brown, very coarse sands w/ small rocks/pebbles, little silt mixed in, no odor	48	70	0.0	
28	61							
30	59	SP		Saturated light brown, medium-fine sand w/ trace small pebbles, no odor	32	65	0.0	
32	57							
34	55							
36	53	SP		Saturated light brown, medium-fine sand w/ trace small pebbles	95	65	0.0	
38	51	SW		Turned very coarse sand w/ rocks/pebbles, no odor				
40								

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-6PD

(Page 2 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 89.19
DTW (5/6/99) : 4.81
Well Diameter : 2"
Material Const. : Sch.40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 89.57	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID
40	49	SM		Saturated, light gray-brown silty sand w/ very fine grained sand, no rocks/pebbles, no odor	78	35	0.0
42	47						
44	45	SP		Saturated, light brown, medium-fine grained sand w/ trace small pebbles	90	45	0.0
46	43	SW		Turned very coarse sand w/ some rocks and small pebbles, no odor			
48	41						
50	39	SW		Saturated, light brown, medium-coarse grained sands w/ little small rocks/pebbles, no odor	84	40	0.0
52	37						
54	35						
56	33	SW		Saturated, light brown-gray, medium-coarse sands with little small rocks/pebbles, no odor	101	45	0.0
58	31						
60	29	SW		Saturated, light brown-gray, medium-coarse sands with little small rocks/pebbles, no odor	108	35	0.0
62	27						
64	25						
66	23	SM		Saturated, light brown silty sand w/ trace small rocks/pebbles, no odor	89	45	0.0
68	21						
70	19	SM		Saturated, light brown silty sand w/ trace small rocks/pebbles, no odor, sand is fine grained	80	65	1.2
72	17						
74	15						
76	13	SM		Saturated, dark brown, medium-coarse sand w/ some small rocks/pebbles	44	90	0.0
78	11	CL		Becoming thick clay of medium plasticity			
80							

Well: MW-6PD
Elev.: 87.64

Cement Grout

Bentonite Seal

Casing

Native Fill

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772







LOG OF BORING MW-6PD

(Page 3 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 89.19
DTW (5/6/99) : 4.81
Well Diameter : 2"
Material Const. : Sch.40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 89.57	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
80	9	SC		Saturated, light brown clay sand w/ trace rocks/pebbles, no odor				
82	7				35	100	0.0	
84	5							
86	3	SW		Saturated, light brown, fine-medium grained sands w/ trace small rocks/pebbles, no odor	19	100	0.0	
88	1							
90	-1	SW		Saturated light brown, fine-medium grained sand w/ small rocks/pebbles, no odor	15	45	0.0	
92	-3							
94	-5							
96	-7	SW		Saturated, light brown, fine-medium coarse sand w/ some silt, no odor, trace small pebbles	66	45	0.0	
98	-9							
100	-11	SC		Saturated, light brown-gray clay sand w/ trace small rocks, no odor	31	40	0.0	
102	-13							
104	-15							
106	-17	SC		Saturated, light brown-gray w/ some redish color, clay sand, no rocks/pebbles, not odor	60	40	0.0	
108	-19							
110	-21							
112	-23							
114	-25							
116	-27							
118	-29							
120								

Well: MW-6PD
Elev.: 87.64




FIGURE 3-1 Drilling Log

FLUOR DANIEL GTI



Monitoring Well MW-7P

Project Pall Corporation/August Thomsen Owner Pall Corporation
 Location Sea Cliff Avenue, Glen Cove, N.Y. Proj. No. 04100-0297
 Surface Elev. _____ Total Hole Depth 20 ft. Diameter 8.75 in.
 Top of Casing 56.52 ft. Water Level Initial 5.5 ft. Static _____
 Screen: Dia 4 in. Length 15 ft. Type/Size .020 ovc in.
 Casing: Dia 4 in. Length 3 ft. Type pvc
 Fill Material #1 Morie gravel pack Rig/Core _____
 Drill Co. _____ Method Hollow stem auger
 Driller Carl Log By Daniel Smith Date 11/18/96 Permit # _____
 Checked By Daniel Smith License No. _____

See Site Map
For Boring Location

COMMENTS:

Depth (ft.)	Well Completion	PID (ppm)	Sample ID	Blow Count/ Recovery	Graphic Log	USCS Class.	Description (Color, Texture, Structure) Trace < 10%, Little 10% to 20%, Some 20% to 35%, And 35% to 50%
-2							
0							Hand-dug to 5 feet.
2						SP	Dark brown, dry, medium to fine SAND, some cobbles, some gravel, little clay.
4							
6						SW	Dark brown, wet, medium to fine SAND and SILT. No odor.
8							
10						SW	Dark brown/gray, very wet, medium to fine SAND, very homogenous.
12							
14						SW	Dark brown/gray, very wet, fine SAND and SILT.
16							
18							
20							End of exploration at 20 feet.
22							
24							

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-8PS

(Page 1 of 1)


Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 88.28
DTW (5/6/99) : 5.15
Well Diameter : 2"
Material Const. : Sch.40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 88.51	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID
0	88			Hand digging, dark brown, fine grained silty sand w/ trace small rocks/pebbles, no odor			
2	86	SM					0.0
4	84						
6	82	SM		Saturated, dark brown silt w/ fine grained sand, trace small rocks/pebbles, no odor	21	50	0.0
8	80						
10	78	SP		Saturated, light brown, fine grained sand with a little amount of small rocks/pebbles, no odor	49	70	0.0
12	76						
14	74	SW		Saturated, light brown, medium grained sand w/ some small rocks, no odor	41	60	0.0
16	72						
18	70						
20							

Well: MW-8PS
Elev.: 88.51





ENVIRO-SCIENCES, INC.
 312 East Main Street
 Patchogue, New York 11772
 Phone: (516) 207-9003
 Fax: (516) 207-3614

LOG OF BORING MW-8PI

(Page 1 of 1)

Pall Corporation
 30 Sea Cliff Avenue
 Glen Cove, New York

Drilling Company : Fenley & Nicol
 Company Rep. : Chuck/Chris
 Drilling Method : H.S.A.
 Logged By : Matt Bernstein
 Project Number : M371

Top of Casing : 88.02
 DTW (5/6/99) : 4.98
 Well Diameter : 2"
 Material Construction : Sch. 40 PVC Flush Joint
 Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 88.45	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
0	88							Well: MW-8PI Elev.: 88.45
2	86	SM		Hand digging, dark brown, silty sand. Sand is fine grained. Trace small rocks/pebbles. No odor				Cover
4	84							Concrete
6	82	SM		Saturated, dark brown silt w/ fine grained sand. Trace small rocks/pebbles. No odor	30	60	0.0	Cement Grout
8	80							
10	78	SP		Saturated, light brown, fine grained sand w/ a little amount of small rocks/pebbles. No odor	39	60	0.0	
12	76							
14	74	SW		Saturated, light brown, medium grained sand w/ some rocks/pebbles. No odor	21	55	0.0	
16	72							
18	70							Native Fill
20	68	SW		Saturated, light brown, medium grained sand w/ some rocks/pebbles. No odor	51	40	0.0	Casing
22	66							
24	64	SW		Saturated, light brown gravelly sand w/ medium grained sand. Lots of small rocks/pebbles. No odor	19	40	0.0	
26	62							
28	60							
30	58	SW		Saturated, light brown sand w/ medium grains. Some rocks/pebbles. No odor	48	50	0.0	Cement Grout
32	56							Bentonite Seal
34	54	SW		Saturated, light brown sand, medium grained w/ some rocks/pebbles. No odor	34	15	0.0	
36	52							
38	50							
40	48	ML		Saturated, light brown silt w/ some fine grained sand and some small rocks/pebbles. No odor	29	50	0.0	
42	46							
44	44	ML		Saturated, light gray silt. Trace small rocks/pebbles. No odor	27	40	0.0	#2 Morie Gravel FP
46	42							Screen
48	40							
50	38	ML		Saturated, light gray silt. Trace small rocks/pebbles. No odor	20	30	0.0	
52	36							
54	34	ML		Saturated, light gray silt. Trace small rocks/pebbles. No odor	24	40		
56	32							
58								



ENVIRO-SCIENCES, INC.
312 East Main Street
Patchogue, New York 11772
Phone: (516) 207-9003
Fax: (516) 207-3614

LOG OF BORING MW-10PS

(Page 1 of 1)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 82.89
DTW (5/6/99) : 2.94
Well Diameter : 2"
Material Const. : Sch.40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 83.29	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID
0	83			Hand dug, light brown, medium-coarse grained sand w/ some small rocks/pebbles, no odor			
2	81					0.0	
4	79	SW		Saturated, olive-gray, medium-coarse grained sands w/ some small rocks/pebbles, no odor	47	60	0.0
6	77						
8	75						
10	73			No recovery	50	0	
12	71						
14	69						
16	67	SW		Saturated, olive-gray, fine and medium coarse sand w/ trace small rocks/pebbles	41	75	0.0
		ML		Saturated, olive-gray silt w/ some sand, no rocks/pebbles, no odor			
18							

Well: MW-10PS
Elev.: 83.29

Cover
Concrete
Cement Grout
Casing
Bentonite Seal
Screen
#2 Morie Gravel FP
2' PVC Riser
Cap



ENVIRO-SCIENCES, INC.
312 East Main Street
Patchogue, New York 11772
Phone: (516) 207-9005
Fax: (516) 207-3614

LOG OF BORING MW-10PI

(Page 1 of 1)

Pall Corporation
30 SeaCliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 83.26
DTW (5/6/99) : 2.75
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 83.59	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
0	83			Hand digging, dark gray-black silty fine sand w/ some rocks/pebbles. No odor				Well: MW-10PI Elev.: 83.59
2	81	ML					1.1	Cover
4	79							Concrete
6	77	SW		Saturated, brown gravelly sand w/ trace silt and some rocks/pebbles. No odor	89	45	6.7	Cement Grout
8	75							
10	73	SW		Saturated, brown, medium and fine grained sands w/ trace silt and a little amount of small rocks/pebbles. No odor	73	40	6.1	
12	71							
14	69							
16	67	SW		Saturated, light brown, gravelly sand w/ large amount of small rocks/pebbles. No odor	45	25	1.1	
18	65							Native Fill
20	63	SW		Saturated, light brown, gravelly sand w/ large amounts of small rocks/pebbles. No odor	63	55	1.6	Casing
22	61							
24	59							
26	57	SW SM		Saturated, light brown, gravelly sand w/ large amounts of small rocks/pebbles. No odor	21	60	0.0	
28	55			Silty sand, yellowish-orange w/ fine sand and no rocks/pebbles. No odor				
30	53	SM			58	40	0.0	Cement Grout
32	51			Saturated, yellowish-orange, fine grained sand w/ some small rocks/pebbles. No odor				Bentonite Seal
34	49							
36	47	SP		Saturated, light brown, fine grained sand w/ no rocks/pebbles. No odor	67		0.0	
38	45							
40	43	SM		Saturated, light brown silty sand w/ no rocks/pebbles. No odor	59	55	0.0	
42	41							
44	39							
46	37	SM SM		Saturated, light brown silty sand w/ no rocks/pebbles. No odor (.5' interval of silt)	40	100	0.0	#2 Morie Gravel FP
48	35			Saturated, light brown silty sand w/ no rocks/pebbles. No odor				Screen
50	33			Saturated, light brown silty sand w/ no rocks/pebbles. No odor				
52	31	ML			40	15	0.0	PVC Blank
54	29			Saturated, light brown silt w/ trace fine grained sand. No rocks/pebbles. No odor				
56	27	ML			72	45	0.0	
58	25			Saturated, light brown silt w/ trace fine grained sand. No rocks/pebbles. No odor				
60								

08-03-1999 C:\MTECH\5\ACEGEO\MW-10PI BOR

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-10PD

(Page 1 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 83.79
DTW (5/6/99) : 2.62
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 84.31	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
0	84			Hand digging, dark brown sand, fine and medium grained w/ some silt and trace small rocks/pebbles. No odor				Well: MW-10PD Elev.: 84.31
2	82	SM					0.0	Cover
4	80							Concrete
6	78	SM		Saturated, dark brown, fine to medium grained sand w/ some silt and trace small rocks/pebbles. No odor	42	25	1.4	Cement Grout
8	76							
10	74	SW		Saturated, light brown, medium to coarse grained sands, some small rocks/pebbles. No odor. Sands are finer from 11-12'	36	40	1.5	
12	72							
14	70							
16	68	SW		Saturated, light brown, fine to coarse grained sands, some small rocks/pebbles. No odor	25	50	1.8	
18	66							
20	64	SW		Saturated, light brown gravelly sand w/ a lot of small rocks/pebbles. No odor	65	45	0.6	Casing
22	62							
24	60							Native Fill
26	58	SW		Saturated, yellowish-orange gravelly sand w/ a lot of small rocks/pebbles. No odor	70	30	1.8	
28	56							
30	54	SP		Saturated, light brown, fine grained sand w/ trace small rocks/pebbles. No odor	21	90	0.0	
32	52							
34	50							
36	48	SP		Saturated, light brown, fine grained sand w/ trace small rocks/pebbles. No odor	70	80	0.0	
38	46							
40								

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772










LOG OF BORING MW-10PD

(Page 2 of 3)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 83.79
DTW (5/6/99) : 2.62
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 84.31	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	
40	44	SP		Saturated, light brown, fine grained sand w/ no rocks/pebbles. No odor	34	75	0.0	 <p>Casing</p> <p>Native Fill</p>
42	42							
44	40							
46	38	SP		Saturated, light brown, fine grained sand w/ no rocks/pebbles. No odor	49	95	0.0	
48	36							
50	34	SM		Saturated, light brown silt w/ fine grained sand. No rocks/pebbles. No odor	27	80	0.0	
52	32							
54	30							
56	28	SM		Saturated, light brown silt w/ fine grained sand. No rocks/pebbles. No odor	32	50	0.0	
58	26							
60	24	SM		Saturated, very light gray silt w/ fine grained sands. No rocks/pebbles. No odor	40	50	0.0	
62	22							
64	20							
66	18	SP		Saturated, light brown, medium grained sands w/ no rocks/pebbles. No odor	52	60	0.0	
68	16							
70	14	SM		Saturated, very light gray silt w/ fine grained sands. No rocks/pebbles. No odor	39	45	0.0	
72	12							
74	10							
76	8	ML		Saturated, very light gray silt w/ some fine sand. No rocks/pebbles. No odor	30	90	0.0	
78	6							
80		SP			75	0.0		

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772







LOG OF BORING MW-10PD

(Page 3 of 3)


Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Matt Bernstein
Project Number : M371

Top of Casing : 83.79
DTW (5/6/99) : 2.62
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev. 84.31	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID
80	4	SP		Saturated, light gray, medium grained sand. No rocks/pebbles. No odor	78	75	0.0
82	2						
84	0						
86	-2	SP		Saturated, light gray, medium grained sand. No rocks/pebbles. No odor	105	75	0.0
88	-4						
90	-6	SP		Saturated, light gray, medium grained sand. No rocks/pebbles. No odor	29	60	0.0
92	-8						
94	-10						
96	-12	SP		Saturated, light gray, medium grained sand. No rocks/pebbles. No odor	32	45	4.2
98	-14						
100	-16	SP		Saturated, light gray, medium grained sand. No rocks/pebbles. No odor	106	65	0.0
102	-18						
104	-20						
106	-22	SP		Saturated, light gray, medium grained sand. No rocks/pebbles. No odor	109	75	0.0
108	-24						
110	-26						
112	-28						
114	-30						
116	-32						
118	-34						
120							

Well: MW-10PD
Elev.: 84.31



Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-11PS

(Page 1 of 1)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : Hollow Stem Auger
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 2.38
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in Feet	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID (ppm)	Well: MW-11PS Elev.:
0				Blacktop				Cover
2								Concrete
4								Portland Cement
6		SP		Gravelly sand, brown, medium to coarse grained (saturated), dense	4			Bentonite Seal
8					21			
10					32			
12					30			
14								Casing
								#1 Well Gravel
								Screen

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772










LOG OF BORING MW-11PI

(Page 1 of 1)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : Hollow Stem Auger
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 2.82
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in Feet	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID (ppm)	Well: MW-11PI Elev.:
0				Blacktop				Cover
2								Concrete
4								
6		SP		Gravelly sand, brown, medium to coarse grained (saturated), dense				Portland Cement
8								
10		SP		Gravelly sand, light brown, medium to coarse grained, some clay, loose				
12								
14								
16		SP		Gravelly sand, light brown, medium to coarse grained, some clay, loose, light gray in last 6"				
18								
20		SP		Gravelly sand, brown, medium to coarse sand, loose				Native Fill
22								
24								Casing
26		SP		Gravelly sand, brown, medium to coarse sand, loose				
28								
30		GP		Quartz gravel (3" of recovery)				Bentonite Seal
32								
34								
36		SP		Gravelly sand, light brown, medium to coarse grained, medium dense				
38								
40		SP		Gravelly sand, light brown, medium to coarse grained, medium dense				#1 Well Gravel
42								
44								Screen
46		SP		Gravelly sand, light brown, medium to coarse, medium dense				
48								
50								

02-23-2000 C:\MTECH\BACEG\BOMW-11PI BOR

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772










LOG OF BORING MW-11PD

(Page 1 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : Hollow Stem Auger
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 2.64
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in Feet	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID (ppm)	Well: MW-11PD Elev.:
0				Blacktop				Cover
2								Concrete
4								
6		SP		Gravelly sand, brown, medium to coarse grained (saturated), dense	24 23 30		0.7	Portland Cement
8								
10		SP		Gravelly sand, light brown, medium to coarse grained, some clay, loose	5 5 10		0.0	
12								
14								
16		SP		Gravelly sand, light brown, medium to coarse grained, some clay, loose, light gray in last 6"	8 13 12		0.3	
18								
20		SP		Gravelly sand, brown, medium to coarse sand, loose	7 6 10		0.3	
22								
24								
26		SP		Gravelly sand, brown, medium to coarse sand, loose	25 27 8		0.0	Casing
28								
30		GP		Quartz gravel (3" of recovery)	7 20 10		N/M	Native Fill
32								
34								
36		SP		Gravelly sand, light brown, medium to coarse grained, medium dense	48 46 17		0.0	
38								
40		SP		Gravelly sand, light brown, medium to coarse grained, medium dense	30 20 8		0.0	
42								
44								
46		SP		Gravelly sand, light brown, medium to coarse, medium dense	16 20 30		0.2	
48								
50		SC					0.5	

02-23-2000 C:\MTECH5\BACEGEMW-11PD.BOR

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-11PD


(Page 2 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : Hollow Stem Auger
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 2.64
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in Feet	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID (ppm)	Well: MW-11PD Elev.:
50		SC		Clayey sand, brown, fine to medium grained sand, dense	24		0.5	
52					31			
54		SC		Clayey sand, brown, fine to medium grained, trace gravel, very dense	17		0.3	
56					55			
58								
60		SC		Clayey sand, brown, fine to medium grained, no gravel, dense	13		0.1	
62					26			
64								
66		SP		Gravelly sand, brown, fine to coarse sand, some clay, medium dense	16		0.4	
68					19			
70		SC		Clayey sand, brown, fine coarse, some gravel, dense	13		0.3	
72					25			
74								
76		SP		Sand, brown, fine to medium grained, little gravel and clay, dense	12		0.0	
78					36			
80		SP		Sand, light gray to off-white, fine to medium grained, dense	14		0.7	
82					23			
84					22			
86		SP		Sand, light brown to light reddish, fine to medium grained, dense	18		2.7	
88					23			
90		SP		Sand, light brown, fine to medium grained, dense	11		6.4	
92					26			
94					40			
96		SP		Sand, light brown, fine to medium grained, dense	15		1.1	
98					50			
00								



Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-12PS

(Page 1 of 1)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : Hollow Stem Auger
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 2.75
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in Feet	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID (ppm)	Well: MW-12PS Elev.:
0				Blacktop				Cover
2								Concrete
4								Portland Cement
6		GP		Sandy gravel, medium to coarse sand, brown, dense				Casing
8								Bentonite Seal
10		SP		Gravelly sand, medium to coarse grained, brown, dense				#1 Well Gravel
12								Screen
14								

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772










LOG OF BORING MW-12PI

(Page 1 of 1)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : Hollow Stem Auger
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 3.73
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in Feet	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID (ppm)	Well: MW-12PI Elev.:
0				Blacktop				Cover
2								Concrete
4								
6		GP		Sandy gravel, medium to coarse sand, brown, dense				Portland Cement
8								
10		SP		Gravelly sand, medium to coarse grained, brown, dense				
12								
14								
16		SP		Gravelly sand, medium to coarse grained, brown, medium dense				
18								
20		SP		Gravelly sand, brown, fine to coarse grained, loose, some silt				
22								
24								
26		SM		Silty sand, brown, fine to medium grained, medium dense, some gravel				Casing
28								
30		SM		Silty sand, brown to reddish brown, fine to medium grained				Native Fill
32								
34								
36		SM		Silty sand, brown to reddish brown, fine to medium grained				
38								
40		SM		Silty sand, orangish-brown, fine to medium grained, dense				
42								
44								
46		SM		Silty sand, orangish-brown, fine to medium grained, dense				
48								
50								

02-23-2000 C:\MTECH\SPALL\MW-12PI.BOR

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772










LOG OF BORING MW-12PD

(Page 1 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : Hollow Stem Auger
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 3.38
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in Feet	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID (ppm)	Well: MW-12PD Elev.:
0				Blacktop				Cover
2								Concrete
4								
6		GP		Sandy gravel, medium to coarse sand, brown, dense	37 32 35		0.3	Portland Cement
8								
10		SP		Gravelly sand, medium to coarse grained, brown, dense	18 15 33		1.3	
12								
14								
16		SP		Gravelly sand, medium to coarse grained, brown, medium dense	38 30 11		3.8	
18								
20		SP		Gravelly sand, brown, fine to coarse grained, loose, some silt	33 30 3		2.6	
22								
24								
26		SM		Silty sand, brown, fine to medium grained, medium dense, some gravel	11 9 20		0.5	
28								
30		SM		Silty sand, brown to reddish brown, fine to medium grained	18 14 14		0.0	Casing
32								Native Fill
34								
36		SM		Silty sand, brown to reddish brown, fine to medium grained	5 12 25 27		0.7	
38								
40		SM		Silty sand, orangish-brown, fine to medium grained, dense	88 33 45 48		1.0	
42								
44								
46		SM		Silty sand, orangish-brown, fine to medium grained, dense	7 18 20 50		2.0	
48								
50		SM					5.0	

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-12PD


(Page 2 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : Hollow Stem Auger
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 3.38
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in Feet	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID (ppm)	Well: MW-12PD Elev.:
50		SM		Silty sand, brown, fine to medium grained sand, medium dense	10 25		5.8	
52								
54								
56		SC CL		Silty clay, medium brown, very stiff, some sand	8 23		1.4	
58								
60		SM		Silty sand, brown, fine to medium grained, medium dense	8 25		0.6	
62								
64								
66		SP		Gravelly sand, brown, medium to coarse grained, loose	6 25		0.0	
68								
70		SM		Silty sand, brown, fine to medium grained, loose	6 25		0.2	
72								
74								
76		SP		Gravelly sand, light brown, medium to coarse grained, medium dense	6 27		0.0	
78								
80		SC		Sandy, light brown to light gray, fine grained sand, very stiff	10 32		0.0	
82								
84								
86		SC		Sand, gray, fine to medium grained, loose	8 20		0.0	
88								
90		SP		Clayey sand, gray, fine to medium sand, dense	2 5		0.8	
92								
94								
96		SC			8 20		0.8	
98								
100								



02-23-2000 C:\MTECH\SPALL\MW-12PD BOR

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772




LOG OF BORING MW-13PS

(Page 1 of 1)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : H.S.A.
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 4.68
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-13PS Elev.:
0	0			Blacktop				Cover
								Concrete
2	-2	SP		Sand, brown, fine to medium grained, medium dense				
4	-4							Portland Cement
6	-6							Casing
8	-8	SM		Sand, brown, fine to medium grained, medium dense				Bentonite Seal
10	-10							
12	-12	SM		Silty sand, brown, fine to medium grained, medium dense				#1 Well Gravel
14								Screen

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-13PI

(Page 1 of 1)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : Hollow Stem Auger
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 4.48
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in Feet	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID (ppm)	Well: MW-13PI Elev.:
0				Blacktop (No split spoons, logged from drill cuttings)				Cover
2								Concrete
4								
6		SP		Sand, brown, fine to medium grained, medium dense				Portland Cement
8								
10		SM		Sand, brown, fine to medium grained, medium dense				
12								
14								
16		SM		Silty sand, brown, fine to medium grained, medium dense				
18								
20		SM		Silty sand, brown, fine to medium grained, medium dense				Native Fill
22								
24								Casing
26		SM		Silty sand, fine to medium grained, brown, very dense				
28								
30		SM		Silty sand, fine to medium grained, brown, medium dense				
32								Bentonite Seal
34								
36		SC		Sand and clay, brown to gray, fine to medium sand, very stiff				
38		CL		Sand and clay, brown to gray, fine to medium sand, very stiff				
40								
42		SC		Clayey sand, brown, medium to coarse grained, some gravel, medium dense				#1 Well Gravel
44								
46		SC		Clayey sand, brown, medium to coarse grained, some gravel, very dense				Screen
48								
50								

02-23-2000 C:\MTECH\BACEG\BOW-MW-13PI.BOR

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772










LOG OF BORING MW-13PD

(Page 1 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : Hollow Stem Auger
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 5.19
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in Feet	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID (ppm)	
0				Blacktop				Cover
2								Concrete
4								
6		SP		Sand, brown, fine to medium grained, medium dense	10 10 13		0.0	Portland Cement
8								
10		SM		Sand, brown, fine to medium grained, medium dense	10 14 16		0.0	
12								
14								
16		SM		Silty sand, brown, fine to medium grained, medium dense	5 13 15		1.1	
18								
20		SM		Silty sand, brown, fine to medium grained, medium dense	6 10 22		0.3	
22								
24								
26		SM		Silty sand, fine to medium grained, brown, very dense	8 18 50		1.5	Casing
28								
30		SM		Silty sand, fine to medium grained, brown, medium dense	17 14 13		0.4	Native Fill
32								
34								
36		SC CL		Sand and clay, brown to gray, fine to medium sand, very stiff	7 12 20		0.1	
38								
40		SC		Clayey sand, brown, medium to coarse grained, some gravel, medium dense	8 13 15		0.0	
42								
44								
46		SC		Clayey sand, brown, medium to coarse grained, some gravel, very dense	5 5 50		0.3	
48								
50		SP					0.0	

02-23-2000 C:\MTECH\BACE\GEOMW-13PD.BOR

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-13PD

(Page 2 of 2)


Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : Hollow Stem Auger
Logged By : Jim Morrison
Project Number : M371

Top of Casing :
DTW (1/13/00) : 5.19
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in Feet	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID (ppm)
50		SP		Gravelly sand, medium to coarse grained, brown, very dense	1		0.0
52					1		
54							
56		SC		Clayey sand, brown, fine to medium grained, some gravel, dense	10		0.3
58					25		
60					42		
62		SP		Gravelly sand, brown to gray, medium to coarse, dense	4		0.0
64					17		
66					34		
68		SP		Gravelly sand, brown to gray, medium to coarse dense	4		0.0
70					10		
72					33		
74		SP		Sandy light brown, medium to coarse, some gravel, dense	6		0.0
76					10		
78					32		
80		SM		Silty sand, brown, fine to medium grained, some gravel, very dense	8		0.1
82					23		
84					50		
86		SP		Gravel and sand, brown, medium to coarse grained, medium dense	6		0.2
88					25		
90					32		
92		SC		Clayey sand, brown, medium to coarse sand, some gravel	10		0.1
94					25		
96					40		
98		SP		Gravelly sand, medium to coarse grained, brown, medium dense	8		0.5
100					11		
					29		
		SP		Sand, light brown, medium to coarse grained, medium dense	9		1.0
					11		
					30		

Well: MW-13PD
Elev.:



Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-14PCD

(Page 1 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Jorge Salcedo
Project Number : M371

Top of Casing :
DTW (1/13/00) : 6.20
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-14PCD Elev.:
0	0			(No spoons taken - logged by drill cuttings)				Cover
2	-2	GP		Large cobbles and rocks (boulders) in clayey sand matrix				Concrete
4	-4							
6	-6							
8	-8							
10	-10							
12	-12							
14	-14							
16	-16							
18	-18							
20	-20			(No spoons taken - logged by drill cuttings). Alternating layers of				
22	-22			light brown to medium brown, silty, clayey sand				
24	-24	SC/SM						
26	-26							
28	-28							
30	-30							
32	-32							
34	-34							
36	-36							
38	-38							
40	-40			(No spoons taken - logged by drill cuttings). Increasingly finer with				
42	-42			depth, clayey to silty sands				
44	-44	SC/SM						
46	-46							
48	-48							
50	-50	SM						

02-23-2000 C:\MTECH\BMT\TECH\SV\ACE\GEOMW-14PCD.BOR

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-14PCD

(Page 2 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Jorge Salcedo
Project Number : M371

Top of Casing :
DTW (1/13/00) : 6.20
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-14PCD Elev.:
50	-50	SM		(No spoons taken - logged by drill cuttings). Increasingly finer with depth, clayey to silty sands				
52	-52							
54	-54							
56	-56							
58	-58							
60	-60							
62	-62							
64	-64							
66	-66							
68	-68							
70	-70	SM/SC		(No spoons taken - logged by drill cuttings). Alternates between harder and softer resistance				
72	-72							
74	-74							
76	-76							
78	-78							
80	-80							
82	-82							
84	-84							
86	-86							
88	-88							
90	-90	SP		(No spoons taken - logged by drill cuttings). Coarser towards bottom				
92	-92							
94	-94							
96	-96							
98	-98							
100								

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-15PCD

(Page 1 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Jorge Salcedo
Project Number : M371

Top of Casing :
DTW :
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-14PCD Elev.:
0	0			(No spoons taken - logged by drill cuttings)				<div> <div>Cover</div> <div>Concrete</div> <div>Bentonite Seal</div> </div>
2	-2							
4	-4							
6	-6							
8	-8							
10	-10							
12	-12							
14	-14							
16	-16							
18	-18							
20	-20							
22	-22							
24	-24							
26	-26							
28	-28							
30	-30							
32	-32							
34	-34							
36	-36							
38	-38							
40	-40							
42	-42							
44	-44							
46	-46							
48	-48							
50								<div>Native Fill</div> <div>Casing</div>

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-15PCD


(Page 2 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck/Chris
Drilling Method : H.S.A.
Logged By : Jorge Salcedo
Project Number : M371

Top of Casing :
DTW :
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-14PCD Elev.:
50	-50							
52	-52							
54	-54							
56	-56							
58	-58							
60	-60							
62	-62							
64	-64							
66	-66							
68	-68							
70	-70							
72	-72							
74	-74							
76	-76							
78	-78							
80	-80							
82	-82							
84	-84							
86	-86							
88	-88							
90	-90							
92	-92							
94	-94							
96	-96							
98	-98							
100								



Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-16PCI

(Page 1 of 1)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : H.S.A.
Logged By : Jorge Salcedo
Project Number : M371

Top of Casing :
DTW (1/13/00) : 8.07
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-16PCI Elev.:
0	0			(No spoons taken, logged from drill cuttings)				Cover
2	-2							Concrete
4	-4							
6	-6							
8	-8							Cement Grout
10	-10							
12	-12							
14	-14							Native Fill
16	-16							
18	-18							
20	-20							
22	-22							
24	-24							
26	-26							Casing
28	-28							Bentonite Seal
30	-30							
32	-32							
34	-34							
36	-36							
38	-38							
40	-40							
42	-42							Sand Pack
44	-44							
46	-46							
48	-48							Screen
50	-50			Hit large rock, unable to go deeper, auger refusal				
52	-52							
54	-54							

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772




LOG OF BORING MW-16PCD

(Page 1 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : H.S.A.
Logged By : Jorge Salcedo
Project Number : M371

Top of Casing :
DTW (1/13/00) : 8.16
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-16PCD Elev.:
0	0			(No spoons taken, logged from drill cuttings)				Cover
2	-2							Concrete
4	-4							
6	-6	SC		Fill, sub-base, gravel, stone and clayey sand				
8	-8							Cement Grout
10	-10							
12	-12							
14	-14							
16	-16							
18	-18							
20	-20	SC/SM		Light to medium brown, medium grained, clayey sand (slight silt content)				
22	-22							
24	-24							
26	-26							Casing
28	-28							Native Fill
30	-30							
32	-32							
34	-34							
36	-36	SC/SM		Light brown, silty fine and very fine sand				
38	-38							
40	-40							
42	-42							
44	-44							
46	-46							
48	-48							
50		SP/SM						

02-23-2000 A WTECHSACEGEMW-16PCD BOR

Enviro-Sciences, Inc.
312 E. Main Street
Patchogue, New York 11772

LOG OF BORING MW-16PCD

(Page 2 of 2)

Pall Corporation
30 Sea Cliff Avenue
Glen Cove, New York

Drilling Company : Fenley & Nicol
Company Rep. : Chuck
Drilling Method : H.S.A.
Logged By : Jorge Salcedo
Project Number : M371

Top of Casing :
DTW (1/13/00) : 8.16
Well Diameter : 2"
Material Construction : Sch. 40 PVC Flush Joint
Screen Slot Size : 0.020"

Depth in ft	Surf. Elev.	USCS	GRAPHIC	DESCRIPTION	Blow Count	% Rec- overy	PID	Well: MW-16PCD Elev.:
50	-50	SP/SM		Slightly silty, medium to fine grained sand				
52	-52							
54	-54							
56	-56							
58	-58							
60	-60							
62	-62							
64	-64							
66	-66							
68	-68							
70	-70							
72	-72							
74	-74							
76	-76							
78	-78			Increasingly finer with depth, clayey to silty sand				
80	-80							
82	-82							
84	-84							
86	-86							
88	-88							
90	-90							
92	-92	SM/SP		Fine to medium grained, slightly silty, brown sand				
94	-94							
96	-96							
98	-98							
100	-100							

02-23-2000 A:\WTECH5\AGEG\ONMW-16PCD BOR

Native Fill

Casing

Bentonite Seal

Sand Pack

Screen

Monitoring Well:MW1G-S

Depth to Water (feet): 3.65
Total Well Depth (feet): 15.21
Casing Diameter (inches): 2
Water Column (feet): 11.56
Water Column Volume (gallons): 1.9

Date: 01/18/2000
Samplers: Baldwin

Purging Information

Start Time: 1108
End Time: 1131
Purge Rate (gpm): 1.8
Total Volume Removed (gallons): 15

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1109	1117	1125	1131						
Volume (gallons)	1	5	10	15						
pH	5.81	5.84	5.84	5.84						
Temperature (deg. C)	10.3	10.8	11	11.1						
Conductivity (mS/cm)	0.503	0.494	0.495	0.497						
DO (mg/L)	0.46	0.76	1.05	1.09						
Turbidity (NTU)	999	999	10	4						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1140 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW1G-I

Depth to Water (feet): 3.24
Total Well Depth (feet): 92.45
Casing Diameter (inches): 2
Water Column (feet): 89.21
Water Column Volume (gallons): 14.3

Date: 01/18/2000
Samplers: Baldwin

Purging Information

Start Time: 855
End Time: 940
Purge Rate (gpm): 1.2
Total Volume Removed (gallons): 60

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time	856	907	917	930	940					
Volume (gallons)	1	15	30	45	60					
pH	6.12	6.01	5.85	5.65	5.79					
Temperature (deg. C)	9.7	11.4	12.4	12.3	12.4					
Conductivity (mS/cm)	0.364	0.417	0.393	0.39	0.396					
DO (mg/L)	3.27	2.87	2.92	3.58	3.68					
Turbidity (NTU)	10	59	10	10	10					
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 0950 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW1G-D

Depth to Water (feet): 3.24
Total Well Depth (feet): 92.45
Casing Diameter (inches): 2
Water Column (feet): 89.21
Water Column Volume (gallons): 14.3

Date: 01/18/2000
Samplers: Baldwin

Purging Information

Start Time: 855
End Time: 940
Purge Rate (gpm): 1.2
Total Volume Removed (gallons): 60

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	856	907	917	930	940					
Volume (gallons)	1	15	30	45	60					
pH	6.12	6.01	5.85	5.65	5.79					
Temperature (deg. C)	9.7	11.4	12.4	12.3	12.4					
Conductivity (mS/cm)	0.364	0.417	0.393	0.39	0.396					
DO (mg/L)	3.27	2.87	2.92	3.58	3.68					
Turbidity (NTU)	10	59	10	10	10					
Odor										
Film										

Comments/Observations:

Sampling InformationSample Time: 0950Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW1P

Depth to Water (feet): 5.64
Total Well Depth (feet): 10.98
Casing Diameter (inches): 4
Water Column (feet): 5.34
Water Column Volume (gallons): 3.6

Date: 01/18/2000
Samplers: Morrison

Purging Information

Start Time: 1328
End Time: 1336
Purge Rate (gpm): 1.5
Total Volume Removed (gallons): 12

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1328	1331	1334	1336						
Volume (gallons)	0	4	8	12						
pH	10.52	10.58	10.57	10.42						
Temperature (deg. C)	10.3	11.8	11.7	11.8						
Conductivity (mS/cm)	0.162	0.383	0.47	0.496						
DO (mg/L)	0.48	0.33	0.55	0.48						
Turbidity (NTU)	294	62	7	9						
Odor										
Film										

Comments/Observations:

Sampling InformationSample Time: 1350Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Collected field duplicate sample from this well. Duplicate sample labelled MW1P-S (1245)

Monitoring Well:MW1P-I

Depth to Water (feet): 5.87
Total Well Depth (feet): 48.15
Casing Diameter (Inches): 2
Water Column (feet): 42.28
Water Column Volume (gallons): 6.8

Date: 01/18/2000
Samplers: Morrison

Purging Information

Start Time: 1237
End Time: 1307
Purge Rate (gpm): UNTIL DRY
Total Volume Removed (gallons): DRY 3 TIMES

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time	1237	1252	1307							
Volume (gallons)	N/M	N/M	N/M							
pH	10.55	10.42	10.31							
Temperature (deg. C)	14	14.7	14.9							
Conductivity (mS/cm)	0.361	0.355	0.395							
DO (mg/L)	0.97	0.79	0.67							
Turbidity (NTU)	18	3	35							
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1315 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW1P-D

Depth to Water (feet): 5.69
Total Well Depth (feet): 96.8
Casing Diameter (inches): 2
Water Column (feet): 91.11
Water Column Volume (gallons): 14.6

Date: 01/18/2000
Samplers: Morrison

Purging Information

Start Time: 1130
End Time: 1210
Purge Rate (gpm): UNTIL DRY
Total Volume Removed (gallons): DRY 3 TIMES

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time	1130	1150	1210							
Volume (gallons)	N/M	N/M	N/M							
pH	10.2	10.2	10.09							
Temperature (deg. C)	13.4	14.4	14.5							
Conductivity (mS/cm)	0.304	0.302	0.361							
DO (mg/L)	0.07	0.68	0.52							
Turbidity (NTU)	10	78	100							
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1220 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well: MW2A

Depth to Water (feet): 1.87
Total Well Depth (feet): 14.01
Casing Diameter (inches): 4
Water Column (feet): 12.14
Water Column Volume (gallons): 8.01

Date: 01/14/2000
Samplers: Morrison

Purging Information

Start Time: 953
End Time: 1006
Purge Rate (gpm): 2
Total Volume Removed (gallons): 26

Purge Method: Centrifugal pump
Submersible Pump ☒
Bailer
Other:

Time	953	957	1001	1006						
Volume (gallons)	0	8	16	26						
pH	6.55	6.71	6.53	6.48						
Temperature (deg. C)	13.5	14	13.7	13.6						
Conductivity (mS/cm)	0.575	0.491	0.465	0.474						
DO (mg/L)	3.51	1.84	1.92	1.97						
Turbidity (NTU)	97	10	10	10						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1025 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW2A-1

Depth to Water (feet): 2.33
Total Well Depth (feet): 49.9
Casing Diameter (inches): 2
Water Column (feet): 47.57
Water Column Volume (gallons): 7.62

Date: 01/14/2000Samplers: Morrison**Purging Information**

Start Time: 914
End Time: 926
Purge Rate (gpm): 2
Total Volume Removed (gallons): 24

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	914	918	922	926						
Volume (gallons)	0	8	16	24						
pH	6.2	6.27	6.16	6.12						
Temperature (deg. C)	13.3	14.4	14.6	14.5						
Conductivity (mS/cm)	0.297	0.297	0.295	0.295						
DO (mg/L)	2.92	1.7	1.62	1.69						
Turbidity (NTU)	10	436	11	10						
Odor										
Film										

Comments/Observations:

Sampling InformationSample Time: 0945 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW2A-D

Depth to Water (feet): 1.98
Total Well Depth (feet): 105
Casing Diameter (inches): 2
Water Column (feet): 103.02
Water Column Volume (gallons): 16.5

Date: 01/14/2000
Samplers: Morrison

Purging Information

Start Time: 820
End Time: 848
Purge Rate (gpm): 1.8
Total Volume Removed (gallons): 50

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	820	829	838	848						
Volume (gallons)	0	17	34	50						
pH	3.73	5.22	5.76	5.84						
Temperature (deg. C)	12.1	12.6	14.2	14.1						
Conductivity (mS/cm)	0.385	0.232	0.222	0.22						
DO (mg/L)	6.72	8.34	8.5	8.54						
Turbidity (NTU)	10	32	2	2						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 0905 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW2G-S

Depth to Water (feet): 1.24
Total Well Depth (feet): 15.64
Casing Diameter (inches): 2
Water Column (feet): 14.4
Water Column Volume (gallons): 2.3

Date: 01/18/2000
Samplers: Morrison

Purging Information

Start Time: 1016
End Time: 1022
Purge Rate (gpm): 1.5
Total Volume Removed (gallons): 9

Purge Method: Centrifugal pump
Submersible Pump ☒
Bailer
Other:

Time	1016	1018	1020	1022						
Volume (gallons)	0	3	6	9						
pH	11.51	11.2	11.04	10.86						
Temperature (deg. C)	11.4	12.5	12.5	12.6						
Conductivity (mS/cm)	0.446	0.447	0.443	0.444						
DO (mg/L)	0.74	1.4	0.8	0.77						
Turbidity (NTU)	999	510	172	110						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1035 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW2G-I

Depth to Water (feet): 0.67
Total Well Depth (feet): 49.71
Casing Diameter (inches): 2
Water Column (feet): 49.04
Water Column Volume (gallons): 7.9

Date: 01/18/2000
Samplers: Morrison

Purging Information

Start Time: 948
End Time: 1000
Purge Rate (gpm): 2
Total Volume Removed (gallons): 24

Purge Method: Centrifugal pump _____
Submersible Pump X _____
Bailer _____
Other: _____

Time	948	952	956	1000						
Volume (gallons)	0	8	16	24						
pH	12.52	10.75	10.08	9.97						
Temperature (deg. C)	13.1	14.2	13.9	14						
Conductivity (mS/cm)	0.294	0.298	0.295	0.294						
DO (mg/L)	3.74	2.67	2.4	2.41						
Turbidity (NTU)	70	537	142	63						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1010 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW2G-D

Depth to Water (feet): 0.3
Total Well Depth (feet): 98.77
Casing Diameter (inches): 2
Water Column (feet): 98.47
Water Column Volume (gallons): 15.8

Date: 01/18/2000
Samplers: Morrison

Purging Information

Start Time: 855
End Time: 930
Purge Rate (gpm): 2
Total Volume Removed (gallons): 70

Purge Method: Centrifugal pump
Submersible Pump ☒
Bailer
Other:

Time	855	905	915	925	930					
Volume (gallons)	0	20	40	60	70					
pH	10.72	9.53	10.85	10.98	11.02					
Temperature (deg. C)	8.2	13	12.9	12.8	12.9					
Conductivity (mS/cm)	0.281	0.446	0.445	0.45	0.45					
DO (mg/L)	1.51	2.56	2.38	2.8	2.69					
Turbidity (NTU)	10	999	242	10	10					
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 0940 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Collected equipment blank sample (FB-3) at 0935 prior to sampling well

Monitoring Well:MW2P

Depth to Water (feet): 4.08
Total Well Depth (feet): 15.6
Casing Diameter (inches): 4
Water Column (feet): 11.52
Water Column Volume (gallons): 7.6

Date: 01/18/2000
Samplers: Morrison

Purging Information

Start Time: 1434
End Time: 1450
Purge Rate (gpm): 2
Total Volume Removed (gallons): 32

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1434	1439	1445	1450						
Volume (gallons)	0	10	22	32						
pH	10.15	10.12	10.06	10.02						
Temperature (deg. C)	9.3	11.1	11.8	10.9						
Conductivity (mS/cm)	0.338	0.327	0.345	0.338						
DO (mg/L)	0.25	0.47	1.48	1.35						
Turbidity (NTU)	305	135	152	107						
Odor										
Film										

Comments/Observations:

Sampling InformationSample Time: 1505Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Collected equipment blank sample (FB-4) at 1500 prior to sampling well.

Monitoring Well:MW3P

Depth to Water (feet): 4.02
Total Well Depth (feet): 15.25
Casing Diameter (inches): 4
Water Column (feet): 11.23
Water Column Volume (gallons): 7.42

Date: 01/17/2000
Samplers: Morrison

Purging Information

Start Time: 826
End Time: 910
Purge Rate (gpm): UNTIL DRY
Total Volume Removed (gallons): DRY 3 TIMES

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	826	845	910							
Volume (gallons)	N/M	N/M	N/M							
pH	5.96	6.59	6.94							
Temperature (deg. C)	8.5	12.9	9.9							
Conductivity (mS/cm)	2.66	3.64	4.35							
DO (mg/L)	2.7	2.74	2.05							
Turbidity (NTU)	999	999	999							
Odor										
Film										

Comments/Observations: Purge water black and very turbid

Sampling Information

Sample Time: 0925 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW4P

Depth to Water (feet): 3.18
Total Well Depth (feet): 23.9
Casing Diameter (inches): 4
Water Column (feet): 20.72
Water Column Volume (gallons): 13.7

Date: 01/16/2000
Samplers: Morrison

Purging Information

Start Time: 1311
End Time: 1341
Purge Rate (gpm): 1.5
Total Volume Removed (gallons): 45

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1311	1321	1331	1341						
Volume (gallons)	0	15	30	45						
pH	5.83	5.83	5.99	6						
Temperature (deg. C)	16.8	17.6	17.6	17.8						
Conductivity (mS/cm)	0.308	0.306	0.319	0.323						
DO (mg/L)	2.78	1.02	2.47	2.53						
Turbidity (NTU)	93	49	10	10						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1350 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW4P-1

Depth to Water (feet): 3.84
Total Well Depth (feet): 105
Casing Diameter (inches): 2
Water Column (feet): 101.16
Water Column Volume (gallons): 16.2

Date: 01/16/2000
Samplers: Morrison

Purging Information

Start Time: 1141
End Time: 1218
Purge Rate (gpm): 1.8
Total Volume Removed (gallons): 66

Purge Method: Centrifugal pump
Submersible Pump ☒
Bailer
Other:

Time	1141	1150	1200	1209	1218					
Volume (gallons)	0	16	34	50	66					
pH	6.34	6.53	6.28	6.17	6.2					
Temperature (deg. C)	16.4	16	15.8	15.7	15.7					
Conductivity (mS/cm)	0.402	0.359	0.328	0.315	0.314					
DO (mg/L)	2.03	0.47	1.29	3.38	3.26					
Turbidity (NTU)	9	10	6	10	10					
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1225 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Collected equipment blank sample (FB-2) at 1220 prior to sampling well

Monitoring Well:MW4P-D

Depth to Water (feet): 3.84
Total Well Depth (feet): 105
Casing Diameter (inches): 2
Water Column (feet): 101.16
Water Column Volume (gallons): 16.2

Date: 01/16/2000
Samplers: Morrison

Purging Information

Start Time: 1141
End Time: 1218
Purge Rate (gpm): 1.8
Total Volume Removed (gallons): 66

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time	1141	1150	1200	1209	1218				
Volume (gallons)	0	16	34	50	66				
pH	6.34	6.53	6.28	6.17	6.2				
Temperature (deg. C)	16.4	16	15.8	15.7	15.7				
Conductivity (mS/cm)	0.402	0.359	0.328	0.315	0.314				
DO (mg/L)	2.03	0.47	1.29	3.38	3.26				
Turbidity (NTU)	9	10	6	10	10				
Odor									
Film									

Comments/Observations:

Sampling Information

Sample Time: 1225 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Collected equipment blank sample (FB-2) at 1220 prior to sampling well

Monitoring Well:MW5P-I

Depth to Water (feet): 2.13
Total Well Depth (feet): 50.54
Casing Diameter (inches): 2
Water Column (feet): 48.41
Water Column Volume (gallons): 8.1

Date: 01/14/2000
Samplers: Baldwin

Purging Information

Start Time: 1234
End Time: 1300
Purge Rate (gpm): 1.9
Total Volume Removed (gallons): 50

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1234	1244	1256	1300						
Volume (gallons)	0	18	36	50						
pH	6.3	6.1	6.2	6.1						
Temperature (deg. C)	14	16	16	16						
Conductivity (mS/cm)	0.29	0.4	0.4	0.39						
DO (mg/L)	1.4	1.4	1.3	1.4						
Turbidity (NTU)	1	1	1	1						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1310 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Collected matrix spike and matrix spike duplicate samples from this well

Monitoring Well:MW5P-D

Depth to Water (feet): 2.69
Total Well Depth (feet): 99.02
Casing Diameter (inches): 2
Water Column (feet): 96.37
Water Column Volume (gallons): 16

Date: 01/14/2000
Samplers: Baldwin

Purging Information

Start Time: 1142
End Time: 1208
Purge Rate (gpm): 2.5
Total Volume Removed (gallons): 55

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1142	1150	1158	1208						
Volume (gallons)	0	17	34	55						
pH	10	8.5	6.6	6.3						
Temperature (deg. C)	15	13	14	13						
Conductivity (mS/cm)	0.45	0.63	0.68	0.68						
DO (mg/L)	4.4	1.5	1.5	1.5						
Turbidity (NTU)	1	999	5	1						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1220 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Collected Field duplicate sample of this well. Duplicate sample labelled MW5P-S (1200)

Monitoring Well:MWSP

Depth to Water (feet): 5.12
Total Well Depth (feet): 58.87
Casing Diameter (inches): 4
Water Column (feet): 53.75
Water Column Volume (gallons): 35.5

Date: 01/17/2000
Samplers: Morrison

Purging Information

Start Time: 1300
End Time: 1415
Purge Rate (gpm): 2
Total Volume Removed (gallons): 120

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1300	1330	1345	1400	1415					
Volume (gallons)	0	30	60	90	120					
pH	7.04	7.07	7.02	6.94	6.46					
Temperature (deg. C)	15	14.1	14.5	14.1	14.8					
Conductivity (mS/cm)	0.773	0.89	0.857	0.97	0.96					
DO (mg/L)	4.82	0.88	1.24	1.74	1.43					
Turbidity (NTU)	10	10	10	7	10					
Odor										
Film										

Comments/Observations: Pump stopped at 1310. Pump replaced and restarted at 1330.

Sampling Information

Sample Time: 1430 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW6P-D

Depth to Water (feet): 5.44
Total Well Depth (feet): 100.15
Casing Diameter (inches): 2
Water Column (feet): 94.71
Water Column Volume (gallons): 15.2

Date: 01/17/2000
Samplers: Morrison

Purging Information

Start Time: 1341
End Time: 1444
Purge Rate (gpm): UNTIL DRY
Total Volume Removed (gallons): DRY 3 TIMES

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1341	1401	1424	1444						
Volume (gallons)	N/M	N/M	N/M	N/M						
pH	7.14	7.05	7.07	6.98						
Temperature (deg. C)	11.1	10.2	11.3	11.5						
Conductivity (mS/cm)	0.795	1.27	1.86	1.84						
DO (mg/L)	0.66	0.86	1.91	1.76						
Turbidity (NTU)	64	4	10	26						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1455 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations: Collected MS/MSD-2 from this well.

Monitoring Well:MW7P

Depth to Water (feet): 4.67
Total Well Depth (feet): 17.56
Casing Diameter (inches): 4
Water Column (feet): 12.89
Water Column Volume (gallons): 8.51

Date: 01/17/2000
Samplers: Morrison

Purging Information

Start Time: 1020
End Time: 1040
Purge Rate (gpm): 2
Total Volume Removed (gallons): 40

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1020	1025	1030	1035	1040					
Volume (gallons)	0	10	20	30	40					
pH	7.35	6.4	5.93	6.01	5.95					
Temperature (deg. C)	13	14.1	14.4	14.5	14.7					
Conductivity (mS/cm)	0.236	0.251	0.379	0.381	0.394					
DO (mg/L)	2.15	0.47	1.6	1.57	1.29					
Turbidity (NTU)	25	55	130	141	140					
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1110 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW6P-S

Depth to Water (feet): 6.09
Total Well Depth (feet): 14.93
Casing Diameter (inches): 2
Water Column (feet): 8.87
Water Column Volume (gallons): 1.5

Date: 01/18/2000
Samplers: Baldwin

Purging Information

Start Time: 1406
End Time: 1420
Purge Rate (gpm): UNTIL DRY
Total Volume Removed (gallons): DRY TWICE

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1406	1420								
Volume (gallons)	N/M	N/M								
pH	6.37	6.2								
Temperature (deg. C)	12.8	12.5								
Conductivity (mS/cm)	0.41	0.419								
DO (mg/L)	1.52	2.66								
Turbidity (NTU)	10	999								
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1440 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW8P-I

Depth to Water (feet): 5.84
Total Well Depth (feet): 49.7
Casing Diameter (inches): 2
Water Column (feet): 43.88
Water Column Volume (gallons): 7.3

Date: 01/18/2000
Samplers: Baldwin

Purging Information

Start Time: 1255
End Time: 1340
Purge Rate (gpm): 0.5
Total Volume Removed (gallons): 23

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time	1255	1310	1319	1340						
Volume (gallons)	1	7.5	15	23						
pH	7.19	6.94	6.89	6.91						
Temperature (deg. C)	12.1	15.1	16	16.3						
Conductivity (mS/cm)	0.685	0.725	0.739	0.73						
DO (mg/L)	4.43	1.68	0.72	0.67						
Turbidity (NTU)	10	999	999	10						
Odor										
Film										

Comments/Observations:

Sampling InformationSample Time: 1400Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Collected field duplicate sample from this well. Duplicate sample labelled MW8P-D (1315).

Monitoring Well:GC5-S

Depth to Water (feet): 93.5
Total Well Depth (feet): 108
Casing Diameter (inches): 4
Water Column (feet): 12.5
Water Column Volume (gallons): 8.25

Date: 01/20/2000
Samplers: Morrison

Purging Information

Start Time: 1400
End Time: 1415
Purge Rate (gpm): 2
Total Volume Removed (gallons): 30

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1400	1405	1410	1415						
Volume (gallons)	0	10	20	30						
pH	5.62	5.5	5.53	5.61						
Temperature (deg. C)	12.9	14.3	14.5	14.5						
Conductivity (mS/cm)	0.396	0.405	0.398	0.396						
DO (mg/L)	5.29	5.28	5.31	5.41						
Turbidity (NTU)	10	10	10	10						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1430 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Collected MS/MSD-3 sample from this well.

Monitoring Well:GC5-D

Depth to Water (feet): 94.54
Total Well Depth (feet): 254
Casing Diameter (inches): 4
Water Column (feet): 159.46
Water Column Volume (gallons): 105

Date: 01/20/2000
Samplers: Morrison

Purging Information

Start Time: 1130
End Time: 1340
Purge Rate (gpm): 2
Total Volume Removed (gallons): 250

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1140	1240	1340							
Volume (gallons)	0	120	250							
pH	7.17	5.9	5.75							
Temperature (deg. C)	13.9	13.4	13.7							
Conductivity (mS/cm)	0.14	0.13	0.135							
DO (mg/L)	7.14	7.4	7.55							
Turbidity (NTU)	10	10	10							
Odor										
Film										

Comments/Observations:

Sampling InformationSample Time: 1345Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:GC8-S

Depth to Water (feet): 89.24
Total Well Depth (feet): 107
Casing Diameter (inches): 4
Water Column (feet): 17.76
Water Column Volume (gallons): 11.8

Date: 01/20/2000
Samplers: Morrison

Purging Information

Start Time: 1450
End Time: 1508
Purge Rate (gpm): 2
Total Volume Removed (gallons): 36

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1450	1456	1502	1508						
Volume (gallons)	0	12	24	36						
pH	5.23	5.33	5.47	5.54						
Temperature (deg. C)	13.3	15.7	16.3	16.5						
Conductivity (mS/cm)	0.315	0.319	0.318	0.317						
DO (mg/L)	5.63	5.79	5.89	5.79						
Turbidity (NTU)	10	10	10	10						
Odor										
Film										

Comments/Observations:

Sampling InformationSample Time: 1520Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:GC8-D

Depth to Water (feet): 51.31
Total Well Depth (feet): 189
Casing Diameter (inches): 4
Water Column (feet): 137.69
Water Column Volume (gallons): 91

Date: 01/20/2000
Samplers: Morrison

Purging Information

Start Time: 1530
End Time: 1700
Purge Rate (gpm): 3
Total Volume Removed (gallons): 270

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1535	1600	1630	1700						
Volume (gallons)	0	90	180	270						
pH	5.75	6	6.03	6						
Temperature (deg. C)	15.5	15.7	15.8	15.6						
Conductivity (mS/cm)	0.181	0.187	0.184	0.182						
DO (mg/L)	6.65	7.2	7.26	7.28						
Turbidity (NTU)	10	10	10	10						
Odor										
Film										

Comments/Observations:

Sampling InformationSample Time: 1705Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:GC9-S

Depth to Water (feet): 45.66
Total Well Depth (feet): 61
Casing Diameter (inches): 4
Water Column (feet): 15.34
Water Column Volume (gallons): 10.21

Date: 01/20/2000
Samplers: Morrison

Purging Information

Start Time: 1715
End Time: 1727
Purge Rate (gpm): 3
Total Volume Removed (gallons): 36

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1715	1719	1723	1727						
Volume (gallons)	0	12	24	36						
pH	5.35	5.8	5.62	5.59						
Temperature (deg. C)	12.2	12.5	12.9	12.8						
Conductivity (mS/cm)	0.191	0.186	0.181	0.182						
DO (mg/L)	5.94	5.94	5.97	5.69						
Turbidity (NTU)	270	150	10	10						
Odor										
Film										

Comments/Observations:

Sampling InformationSample Time: 1740Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Collected Field Duplicate (FD-5) sample from this well. FD-5 labelled GC9-D (1710)

Monitoring Well:MW10P-S

Depth to Water (feet): 2.97
Total Well Depth (feet): 15.2
Casing Diameter (inches): 2
Water Column (feet): 12.23
Water Column Volume (gallons): 2

Date: 01/14/2000
Samplers: Baldwin

Purging Information

Start Time: 940
End Time: 1009
Purge Rate (gpm): 1
Total Volume Removed (gallons): 23

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time	944	947	952	956	1002	1009				
Volume (gallons)	0	3	8	13	18	23				
pH	6	6.1	6.1	6.1	6.1	6.1				
Temperature (deg. C)	12	13	14	14	14	14				
Conductivity (mS/cm)	0.44	0.36	0.33	0.35	0.34	0.34				
DO (mg/L)	1.6	0.9	1.1	1.1	1.1	1.1				
Turbidity (NTU)	999	999	999	54	17	10				
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1015 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW10P-S

Depth to Water (feet): 2.97
Total Well Depth (feet): 15.2
Casing Diameter (inches): 2
Water Column (feet): 12.23
Water Column Volume (gallons): 2

Date: 01/14/2000
Samplers: Baldwin

Purging Information

Start Time: 940
End Time: 1009
Purge Rate (gpm): 1
Total Volume Removed (gallons): 23

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time-	944	947	952	956	1002	1009				
Volume (gallons)	0	3	8	13	18	23				
pH	6	6.1	6.1	6.1	6.1	6.1				
Temperature (deg. C)	12	13	14	14	14	14				
Conductivity (mS/cm)	0.44	0.36	0.33	0.35	0.34	0.34				
DO (mg/L)	1.6	0.9	1.1	1.1	1.1	1.1				
Turbidity (NTU)	999	999	999	54	17	10				
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1015 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW10P-I

Depth to Water (feet): 3.1
Total Well Depth (feet): 48.67
Casing Diameter (Inches): 2
Water Column (feet): 45.57
Water Column Volume (gallons): 7.6

Date: 01/14/2000
Samplers: Baldwin

Purging Information

Start Time: 903
End Time: 920
Purge Rate (gpm): 2.5
Total Volume Removed (gallons): 23

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	903	911	916	920						
Volume (gallons)	0	7.6	15.8	23						
pH	6.2	6.3	6.3	6.3						
Temperature (deg. C)	13	13	14	14						
Conductivity (mS/cm)	0.57	0.6	0.61	0.62						
DO (mg/L)	5	1.6	1.8	1.8						
Turbidity (NTU)	1	4	1	1						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 0930 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW10P-D

Depth to Water (feet): 3.31
Total Well Depth (feet): 99.04
Casing Diameter (inches): 2
Water Column (feet): 95.37
Water Column Volume (gallons): 16

Date: 01/14/2000
Samplers: Baldwin

Purging Information

Start Time: 812
End Time: 842
Purge Rate (gpm): 2.5
Total Volume Removed (gallons): 50

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time	814	822	831	842						
Volume (gallons)	0	16	32	50						
pH	4.3	5.8	5.9	6						
Temperature (deg. C)	9	11	12	13						
Conductivity (mS/cm)	0.41	0.21	0.2	0.21						
DO (mg/L)	7.3	7.4	7.3	7.5						
Turbidity (NTU)	1	45	1	1						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 0850 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW11P-S

Depth to Water (feet): 2.38
Total Well Depth (feet): 15.06
Casing Diameter (inches): 2
Water Column (feet): 12.68
Water Column Volume (gallons): 2.03

Date: 01/14/2000
Samplers: Morrison

Purging Information

Start Time: 1330
End Time: 1338
Purge Rate (gpm): 1
Total Volume Removed (gallons): 8

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time	1330	1332	1335	1338						
Volume (gallons)	0	2	5	8						
pH	6.33	6.34	6.37	6.39						
Temperature (deg. C)	10.8	12.9	12.9	12.9						
Conductivity (mS/cm)	0.603	0.592	0.605	0.596						
DO (mg/L)	0.33	0.57	0.9	0.85						
Turbidity (NTU)	999	999	999	999						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1355 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well: MW11P-I

Depth to Water (feet): 2.82
Total Well Depth (feet): 50.15
Casing Diameter (inches): 2
Water Column (feet): 47.33
Water Column Volume (gallons): 7.58

Date: 01/14/2000
Samplers: Morrison

Purging Information

Start Time: 1245
End Time: 1301
Purge Rate (gpm): 2
Total Volume Removed (gallons): 32

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1245	1249	1253	1257	1301					
Volume (gallons)	0	8	16	24	32					
pH	6.55	6.15	6.02	6.03	5.99					
Temperature (deg. C)	15.7	15.7	15.4	16.1	15.9					
Conductivity (mS/cm)	0.3	0.341	0.354	0.358	0.354					
DO (mg/L)	3.39	0.71	1.41	0.55	0.54					
Turbidity (NTU)	10	238	26	10	10					
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1325 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW11P-D

Depth to Water (feet): 2.64
Total Well Depth (feet): 95.2
Casing Diameter (inches): 2
Water Column (feet): 92.56
Water Column Volume (gallons): 14.81

Date: 01/14/2000
Samplers: Morrison

Purging Information

Start Time: 1200
End Time: 1224
Purge Rate (gpm): 2
Total Volume Removed (gallons): 48

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1200	1208	1216	1224						
Volume (gallons)	0	16	32	48						
pH	7.6	7.3	6.4	6.28						
Temperature (deg. C)	15.7	14.2	14	14.2						
Conductivity (mS/cm)	0.374	0.563	0.578	0.585						
DO (mg/L)	7.85	0.67	0.78	0.71						
Turbidity (NTU)	10	467	11	10						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1240 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW12P-S

Depth to Water (feet): 2.75
Total Well Depth (feet): 14.75
Casing Diameter (inches): 2
Water Column (feet): 12
Water Column Volume (gallons): 1.92

Date: 01/16/2000
Samplers: Morrison

Purging Information

Start Time: 1045
End Time: 1051
Purge Rate (gpm): 1.5
Total Volume Removed (gallons): 9

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1045	1047	1049	1051						
Volume (gallons)	0	3	6	9						
pH	5.79	5.68	5.69	5.81						
Temperature (deg. C)	13.2	13.6	13.7	13.6						
Conductivity (mS/cm)	0.342	0.34	0.346	0.352						
DO (mg/L)	1.72	0.38	0.35	0.47						
Turbidity (NTU)	999	999	999	999						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1115 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW12P-I

Depth to Water (feet): 3.38
Total Well Depth (feet): 99.58
Casing Diameter (inches): 2
Water Column (feet): 96.2
Water Column Volume (gallons): 15.4

Date: 01/16/2000
Samplers: Morrison

Purging Information

Start Time: 918
End Time: 953
Purge Rate (gpm): 1.8
Total Volume Removed (gallons): 63

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time	918	926	937	946	953					
Volume (gallons)	0	14	30	45	63					
pH	6.1	6.22	6.1	6.17	6.18					
Temperature (deg. C)	15.2	14.8	15	15	15					
Conductivity (mS/cm)	0.301	0.281	0.281	0.288	0.287					
DO (mg/L)	4.56	3.54	4.53	5.62	4.8					
Turbidity (NTU)	10	257	192	146	98					
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1000 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW12P-D

Depth to Water (feet): 2.38
Total Well Depth (feet): 15.06
Casing Diameter (inches): 2
Water Column (feet): 12.68
Water Column Volume (gallons): 2.03

Date: 01/16/2000
Samplers: Morrison

Purging Information

Start Time: 1330
End Time: 1338
Purge Rate (gpm): 1
Total Volume Removed (gallons): 8

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1330	1332	1335	1338						
Volume (gallons)	0	2	5	8						
pH	6.33	6.34	6.37	6.39						
Temperature (deg. C)	10.8	12.9	12.9	12.9						
Conductivity (mS/cm)	0.603	0.592	0.605	0.596						
DO (mg/L)	0.33	0.57	0.9	0.85						
Turbidity (NTU)	999	999	999	999						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1355 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW13P-S

Depth to Water (feet): 4.68
Total Well Depth (feet): 14.89
Casing Diameter (inches): 2
Water Column (feet): 10.21
Water Column Volume (gallons): 1.7

Date: 01/17/2000
Samplers: Nieves

Purging Information

Start Time: 1300
End Time: 1306
Purge Rate (gpm): 1
Total Volume Removed (gallons): 6

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time -	1300	1302	1304	1306						
Volume (gallons)	0	2	4	6						
pH	7.3	6.7	6.4	6.5						
Temperature (deg. C)	12	13	13	13						
Conductivity (mS/cm)	1.14	1.1	1.1	1.1						
DO (mg/L)	1.7	1	1.7	2						
Turbidity (NTU)	99	59	59	42						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1325 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW13P-1

Depth to Water (feet): 4.48
Total Well Depth (feet): 49.93
Casing Diameter (inches): 2
Water Column (feet): 45.45
Water Column Volume (gallons): 7.3

Date: 01/17/2000
Samplers: Nieves

Purging Information

Start Time: 1054
End Time: 1124
Purge Rate (gpm): UNTIL DRY
Total Volume Removed (gallons): DRY 3 TIMES

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1054	1113	1124							
Volume (gallons)	N/M	N/M	N/M							
pH	7.33	7.5	7.42							
Temperature (deg. C)	11.7	12.2	10.2							
Conductivity (mS/cm)	1.15	1.17	1.47							
DO (mg/L)	2.57	2.48	2.81							
Turbidity (NTU)	14	133	10							
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1135 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW13P-D

Depth to Water (feet): 5.19
Total Well Depth (feet): 94.1
Casing Diameter (inches): 2
Water Column (feet): 88.91
Water Column Volume (gallons): 14.3

Date: 01/17/2000
Samplers: Nieves

Purging Information

Start Time: 955
End Time: 1020
Purge Rate (gpm): 2
Total Volume Removed (gallons): 50

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time	955	1003	1011	1020						
Volume (gallons)	0	16	32	50						
pH	9.85	9.09	8.45	7.42						
Temperature (deg. C)	10.6	12.5	12.7	13						
Conductivity (mS/cm)	0.475	0.383	0.34	0.42						
DO (mg/L)	1.89	1.28	2.97	2.55						
Turbidity (NTU)	308	190	307	136						
Odor										
Film										

Comments/Observations:

Sampling Information

Sample Time: 1045 Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW14PC-D

Depth to Water (feet): 6.2
Total Well Depth (feet): 100
Casing Diameter (inches): 2
Water Column (feet): 93.8
Water Column Volume (gallons): 15

Date: 01/19/2000
Samplers: Morrison

Purging Information

Start Time: 1255
End Time: 1325
Purge Rate (gpm): 2
Total Volume Removed (gallons): 60

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time	1255	1305	1310	1315	1320	1325				
Volume (gallons)	3	20	30	40	50	60				
pH	7.87	7.78	7.78	7.81	7.85	7.87				
Temperature (deg. C)	14.8	14.3	14.8	15.3	15.1	15.2				
Conductivity (mS/cm)	0.837	1.1	1.1	1.12	1.13	1.11				
DO (mg/L)	2.49	2.02	2	1.19	1.18	1.28				
Turbidity (NTU)	6	10	10	10	10	10				
Odor										
Film										

Comments/Observations:

Sampling InformationSample Time: 1340Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW16PC-I

Depth to Water (feet): 8.07
Total Well Depth (feet): 50
Casing Diameter (inches): 2
Water Column (feet): 41.93
Water Column Volume (gallons): 6.8

Date: 01/19/2000
Samplers: Morrison

Purging Information

Start Time: 1016
End Time: 1135
Purge Rate (gpm): 0.5
Total Volume Removed (gallons): 25

Purge Method: Centrifugal pump
Submersible Pump X
Bailer
Other:

Time	1016	1022	1028	1036	1120	1135				
Volume (gallons)	0	3	6	10	20	25				
pH	6.96	7.32	7.04	7.19	6.64	6.77				
Temperature (deg. C)	15.4	15.6	16.7	16.6	16.5	16.4				
Conductivity (mS/cm)	0.387	0.594	0.546	0.548	0.488	0.484				
DO (mg/L)	1.54	0.86	0.42	0.76	0.8	0.89				
Turbidity (NTU)	30	999	999	999	999	999				
Odor										
Film										

Comments/Observations:

Sampling InformationSample Time: 1145Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations:

Monitoring Well:MW16PC-D

Depth to Water (feet): 8.16
Total Well Depth (feet): 100
Casing Diameter (inches): 2
Water Column (feet): 91.84
Water Column Volume (gallons): 15

Date: 01/19/2000
Samplers: Morrison

Purging Information

Start Time: 1045
End Time: 1115
Purge Rate (gpm): 2
Total Volume Removed (gallons): 60

Purge Method: Centrifugal pump _____
Submersible Pump X
Bailer _____
Other: _____

Time	1045	1055	1105	1115						
Volume (gallons)	0	20	40	60						
pH	7.18	6.8	6.22	6.05						
Temperature (deg. C)	15.7	15.7	15.9	15.7						
Conductivity (mS/cm) •	0.293	0.281	0.277	0.281						
DO (mg/L)	3.92	3.74	3.86	3.79						
Turbidity (NTU)	130	999	115	50						
Odor										
Film										

Comments/Observations:

Sampling InformationSample Time: 1130Sampling Method/Equipment: Disposable Bailer

Analyte Group	Bottle Type	Number	Preservation	Method #
VOCs	VOA	2	HCL	624
methane				
ethane/ethene				
eH				
Sulfate				
pH				
Asbestos				
Other:				

Comments/Observations: