


**Environmental
Resources
Management**

105 Maxess Road
Suite 316
Melville, NY 11747
(631) 756-8900
<http://www.erm.com>

30 July 2018
ERM Reference No. 0097881

Mr. Kevin Willis
Remedial Project Manager – Fulton Avenue Superfund Site
New York Remediation Branch
United States Environmental Protection Agency, Region II
290 Broadway, 20th Floor
New York, NY 10007-1866



Re: Second Quarter 2018 Progress Report
150 Fulton Avenue NPL Site - Operable Unit I
USEPA Consent Judgment No. CV-09-3917
DOJ Ref. No. 90-11-2-09329
Garden City Park Industrial Site NYSDEC#130073

Dear Mr. Willis:

On behalf of Genesco Inc. (Settling Defendant), this letter transmits the Second Quarter 2018 (April - June) Progress Report for the Fulton Avenue Superfund Site (Site).

OPERABLE UNIT 1 REMEDIAL DESIGN & INTERIM REMEDIAL ACTION

During the reporting period, remedial action (RA) activities continued as specified in the U.S. Environmental Protection Agency's (EPA) 30 September 2015 Amendment to the interim remedial action selected in the EPA's 28 September 2007 Operable Unit One (OU1) Record of Decision (ROD) for the Site. The OU1 Remedial Design (RD) and RA activities (the Work) are being implemented in accordance with the revised OU1 Consent Judgment (2016 CJ) and revised OU1 Statement of Work (2016 SOW) approved by the Court on 15 August 2016, and the EPA-approved OU1 RD Work Plan, final version dated 16 August 2017.

During 2016-2017, remedial design (RD) activities included installation of new groundwater monitoring wells, preparation and/or update of guiding documents were completed and approved by EPA, completion of required evaluations and submittal of resultant deliverables to EPA. Thus, RD activities were completed and remaining significant OU1 RA activities for which the Settling Defendant is responsible are long-term groundwater monitoring and reporting, and maintenance of the associated groundwater monitoring wells and the sub-slab depressurization/venting system (SSDS) at the 150 Fulton Avenue property. The Incorporated Village of Garden City (VGC) operates public supply wells 13 & 14 and the associated air stripper treatment systems, which are not under the Settling Defendant's control.

Long-Term Groundwater Monitoring

Groundwater monitoring continued in accordance with Attachment 1 of the 2016 SOW: Monitoring Well Sampling Program (see attached Table 1) and the OU1 RA Schedule (Figure 3 of the OU1 Site Management Plan {SMP}). Long-term groundwater monitoring well network locations are shown on the area map presented as Figure 1. Key events for the reporting period included:

- The March 2018 groundwater sample laboratory data deliverables were received, and validated by a third-party data validation contractor (Environmental Data Services, Inc.). The deliverable report is presented in Attachment 1 which includes the laboratory data deliverables, validation reports and updated historic groundwater sampling result data summary tables and charts for each well that plot concentration trends versus time for select predominant compounds in groundwater; and
- During the week of 11 June 2018, 28 groundwater samples were collected from Groups 2 & 3 wells (plus quality assurance/quality control (QA/QC) samples).

The June 2018 groundwater sampling events included the collection of 28 samples from Groups 2 & 3 wells that following monitoring wells:

- MWs 21A-D;
- MW-27 (intervals A - H);
- MW-26 (intervals A - H); and
- MW-28 (intervals A - H).

The Work was performed in accordance with the EPA-approved QAPP for the Site. The conventional monitoring wells were purged and sampled using bladder pumps. Multi-level groundwater monitoring wells were purged and sampled in accordance with the manufacturer's instructions using nitrogen as a drive gas. Field parameters (pH, specific conductance, turbidity, dissolved oxygen, temperature and oxidation-reduction potential) were monitored from the pump discharge into a flow-through cell to ensure stabilization of parameters prior to conclusion of the purging and collection of groundwater sample.

All groundwater and QA/QC samples were analyzed for volatile organic compounds (VOCs) using EPA Method 8260C by SGS Accutest Laboratories of Dayton, New Jersey (SGS Accutest). SGS Accutest is a New York State Department of Health (NYSDOH) Environmental Laboratory Accreditation Program (ELAP)-certified laboratory (Certification ID 10983) and certified to perform the analytical methods used for this sampling event.

Analytical laboratory data deliverables for June groundwater monitoring event are being validated by a third-party data validation contractor (Environmental Data Services, Inc.). Validated results of the June 2018 groundwater sample laboratory data deliverables will be submitted to EPA on or before 10 August 2018.

IDW & Temporary Storage Area:

The IDW generated from the March groundwater sampling event (monitoring well purge water) was containerized in drums and temporarily stored in the secure staging area at the 150 Fulton Avenue property. Innovative Waste Recycling Technologies coordinated disposal of the purge water as a F002 hazardous waste at a properly permitted facility (Republic Environmental Systems in Hatsfield, PA) in accordance with all Federal, state and local regulations. The drums were picked up and transported for disposal on 10 May 2018.

The IDW generated from the June groundwater sampling event (monitoring well purge water) is temporarily stored in the secure staging area at the 150 Fulton Avenue property. Innovative Waste Recycling Technologies is coordinating disposal of the purge water as a F002 hazardous waste at a properly permitted facility (Republic Environmental Systems in Hatsfield, PA) in accordance with all Federal, state and local regulations.

The fenced staging area at the 150 Fulton Avenue property used for temporary storage of IDW was aged, damaged and in need of repair to ensure it remains usable as a secure area. A local fence contractor (Williams Fence) was retained and completed repairs, as it will continued to be used in support of the long-term groundwater monitoring program. The work was completed and inspected by ERM in May 2018.

EPA Data Deliverable Format Updates - Groundwater Sampling Results

EPA requested that groundwater monitoring data since 2011 be submitted in the new EPA electronic data deliverable (EDD) format. Groundwater sample result EDDs for 2015 through March 2018 were successfully completed, i.e., the files passed the EPA data checker program and submitted to EPA.

150 Fulton Avenue Sub-Slab Depressurization System

As offered to EPA on 1 December 2017, one sub-slab soil vapor/indoor air sampling event was performed on 28-29 June (approximately six months after the fan installation) at the 150 Fulton Avenue property. Access was coordinated with the property owner (Gordon-Atlantic) and building tenant (New York Business Systems), and EPA was notified in advance of the sampling event. A total of 20 samples were collected using six-liter Summa[®] canisters outfitted with flow regulators over a 24-hour period. All samples were transported by courier and submitted to SGS Accutest for VOC analysis using EPA Method TO-15. These samples included seven co-located sub-slab soil vapor/indoor air sample sets at the EPA vapor monitoring point locations, three individual indoor air samples, a composite vent stack sample, an outdoor ambient air sample, and a QA/QC duplicate.

Analytical laboratory data deliverables for June sub-slab soil vapor/indoor air sampling event are being validated by a third-party data validation contractor (Environmental Data Services, Inc.).

VGC Water Supply Well Monitoring

The VGC continued operation, maintenance and monitoring (OM&M), and protection (treatment) of VGC water supply wells 13 and 14. In July 2018, the VGC provided a partial set of new sampling results (January through April 2018) and pumpage records for VGC water supply wells 9, 13 and 14. According to the VGC, nearby Well No. 9 has not run since 2017 and Well No. 14 was out of service during January and February, but was sampled on 1 February 2018.

The new data were incorporated into the existing database set, and used to update corresponding charts for the Well Nos. 13 & 14 showing PCE and TCE concentrations versus time, and historic monthly pumpage versus time to evaluate recent contaminant concentration trends depicted in the same. The updated charts for Well Nos. 13 & 14 are presented as Figures 2 & 3, respectively.

Figure 4 presents average concentrations of PCE and TCE (and the corresponding PCE/TCE ratio) for each of the three wells by year (2001 - 2017) and plots of average annual PCE and TCE concentrations versus time for each of the three wells for comparative viewing.

The data and resultant plots indicate that since 2007, both maximum observed and annual average concentrations of PCE have been declining in Well Nos. 13 & 14. Concentrations of TCE have been declining in Well No. 13, and are beginning to decline in Well No. 14. A brief summary that puts the relative concentrations in perspective is presented in the table below.

VGC Well	Dominant Compound Historic High	2007 Average (µg/L)	2017 Average (µg/L)	Difference of Averages	% Change of Averages
No. 13 (N-07058)		6/4/2007			
PCE	1020	722.6	331.3	-391.3	-54%
TCE	91.5	90.0	41.6	-48.4	-54%
No. 14 (N-08339)		10/27/2007			
PCE	769	370.1	102.0	-268.1	-72%
TCE	69	38.9	38.8	-0.1	0%

UPCOMING 3rd QUARTER 2018 ACTIVITIES

Groundwater Monitoring

Long-term groundwater monitoring will continue in accordance with groups/schedules established in the 2016 SOW (Table 1) and indicated in the OU1 RA Schedule (Figure 3 of the SMP) the:

- Validated results of the June 2018 groundwater sample laboratory data deliverables will be submitted to EPA in a data transmittal under separate cover on or before 10 August 2018; and
- Next long-term groundwater sampling event will consist of sampling the Groups 2 & 3 wells (MWs 26A-H, 27A-H, 28A-H and 21A-D) and is scheduled for the week of 3 September 2018.

Investigative Derived Waste

The IDW generated from the June and September groundwater sampling events (monitoring well purge water) are/will be temporarily stored in the secure staging area at the 150 Fulton Avenue property. The wastes will be managed, characterized and properly disposed of at a permitted facility in accordance with all Federal, state and local regulations. The June and September IDW will be disposed of in August 2018 and late September 2018, respectively.

150 Fulton Avenue Sub-Slab Depressurization System

The January 2018 fan installation activities and measured vacuum results were presented along with a photo log in the 1st Quarter 2018 Quarterly Progress Report. That information along with the validated June 2018 sampling results will be presented in the 3rd Quarter 2018 Quarterly Progress Report in October 2018. Based on those results, a potential scope and frequency of future monitoring will be considered and discussed with EPA to establish an appropriate monitoring/reporting program.

VGC Water Supply Well Monitoring

A new set of sampling and pumpage records for VGC water supply wells 9, 13 and 14 through September 2018 will be obtained, and the updated charts and tables will be presented in the 3rd Quarter 2018 Progress Report.

If you should you have any questions or wish to discuss the content of this progress report, please do not hesitate to call me at (631) 756-8920.

Sincerely,



Chris W. Wenczel, P.G.
Principal Consultant

Attachments

cc: Andrea Leshak, Esq., USEPA
Doug Garbarini, USEPA
Robert Kambic, USDOJ
Steven M. Scharf, P.E., NYSDEC
John Swartwout, NYSDEC
Thor Urness, Esq., Bradley
Melissa Ballengee Alexander, Esq., Bradley
James Periconi, Esq., Periconi, LLC
Roger Sisson, Esq., Genesco Inc.
James Perazzo, ERM Consulting & Engineering, Inc.

Table 1
OU1 Long-Term Monitoring Well Sampling Program
Fulton Avenue Superfund Site
Garden City Park, New York



Per 2016 SOW Attachment 1: Monitoring Well Sampling Program

Group 1 Wells are as follows:

GCP-01 S/D
GCP 08
GCP-18 S/D
GCP-15S
MW15 A-B
MW20 A-C
MW22 A-C
MW23 A-D

Group 1 Wells shall be sampled and analyzed at the following frequency:

The first sampling round shall commence within 20 days of EPA approval of the RD Work Plan, and sampling shall be performed every 24 months thereafter.

Group 2 Wells are as follows:

MW21 A-D

Group 2 Wells shall be sampled and analyzed at the following frequency:



Year 1 - quarterly, to commence approximately 30 days after completion of construction of MW21 D and MW28 A-H
Year 2 - semi-annually (every six months)
Year 3 - semi-annually (every six months)
Year 4 - no sampling and analysis
Year 5 (and beyond) - once in year 5 and every 24 months thereafter.

Group 3 Wells are as follows:

MW26 A-H
MW27 A-H
MW28 A-H

Group 3 Wells shall be sampled and analyzed at the following frequency:

Year 1 - quarterly, to commence approximately 30 days after completion of construction of MW21 D and MW28 A-H
Year 2 - 9 of 24 zones with EPA approval of the specific zones, semi-annually (every six months)
Year 3 - 9 of 24 zones with EPA approval of the specific zones, semi-annually (every six months)
Year 4 - no sampling and analysis
Year 5 (and beyond) - once in year 5 and every 24 months thereafter.



HISTORICAL EXTENT OF OU1 PLUME (TETRACHLOROETHENE {PCE}-DOMINANT PLUME) WHERE THE TOTAL VOLATILE ORGANIC CONCENTRATION WAS >100 UG/L
 HISTORICAL EXTENT OF OU2 PLUME (TRICHLOROETHENE {TCE}-DOMINANT PLUME) WHERE THE TOTAL VOLATILE ORGANIC CONCENTRATION WAS >100 UG/L
 * NOTE:
 THE AREAL EXTENT OF CHLORINATED VOLATILE ORGANIC COMPOUNDS DEPICTED IN THIS FIGURE IS BASED ON THE MAXIMUM CONCENTRATIONS DETECTED IN GROUNDWATER SAMPLES OBTAINED FROM VERTICAL PROFILE TEMPORARY WELLS INSTALLED DURING 1999 - 2000, AND PERMANENT WELLS DURING SEPTEMBER 2001 - MAY 2005.
 GENERALIZED GROUNDWATER FLOW PATH

Long-Term Groundwater Monitoring Well Network Well Locations Fulton Avenue Superfund Site Garden City/Garden City Park, NY			
PREPARED FOR Genesco Inc.			
Environmental Resources Management		FIGURE 1	
DRAWN BY EMF	SCALE AS SHOWN	DATE 10/04/16	JOB NO. 0097881

FIGURE 2
HISTORICAL TETRACHLOROETHENE & TRICHLOROETHENE CONCENTRATIONS AND MONTHLY WELL PUMPAGE: JANUARY 2007 - APRIL 2018
PUBLIC WATER SUPPLY WELL # N-07058 (GARDEN CITY WELL NO. 13), GARDEN CITY, NEW YORK





FIGURE 3
HISTORICAL TETRACHLOROETHENE & TRICHLOROETHENE CONCENTRATIONS AND MONTHLY WELL PUMPAGE: JANUARY 2007 - APRIL 2018
PUBLIC WATER SUPPLY WELL # N-08339 (GARDEN CITY WELL NO. 14), GARDEN CITY, NEW YORK



Well N-08339 is screened 308-358 feet below land surface.







FIGURE 4
HISTORIC AVERAGE TETRACHLOROETHENE AND TRICHLOROETHENE CONCENTRATIONS BY YEAR 2001 - 2017
GARDEN CITY PUBLIC WATER SUPPLY WELL NOS. 9, 13 14, GARDEN CITY, NEW YORK



Year	2001		2002		2003		2004		2005		2006		2007		2008		2009		2010		2011		2012		2013		2014		2015		2016		2017		
	Compound	PCE	TCE	PCE	TCE	PCE	TCE	PCE	TCE	PCE	TCE	PCE	TCE	PCE	TCE	PCE	TCE	PCE	TCE	PCE	TCE	PCE	TCE	PCE	TCE	PCE	TCE	PCE	TCE	PCE	TCE				
Well No. 13 (N-07058)	Average Concentration	128.0	57.8	211.8	67.0	271.7	59.0	263.6	65.3	335.0	73.9	488.3	85.8	722.6	90.0	603.4	88.5	539.5	90.3	508.3	86.1	454.3	80.2	345.4	59.7	385.5	62.5	381.1	63.4	385.1	57.1	357.0	48.3	331.3	41.6
	Ratio PCE/TCE	2.2		3.2		4.6		4.0		4.5		5.7		8.0		6.8		6.0		5.9		5.7		5.8		6.2		6.0		6.7		7.4		8.0	
Well No. 14 (N-08339)	Average Concentration	152.0	83.6	168.7	68.2	243.3	76.2	168.6	46.9	264.2	58.6	385.0	66.5	370.1	38.9	412.4	75.0	278.1	46.3	241.2	46.2	222.8	41.7	244.1	43.1	255.8	46.6	242.1	45.9	219.9	38.8	213.6	27.1	102.0	13.1
	Ratio PCE/TCE	1.8		2.5		3.2		3.6		4.5		5.8		9.5		5.5		6.0		5.2		5.3		5.7		5.5		5.3		5.7		7.9		8.0	
Well No. 9 (N-03881)	Average Concentration	2.1	7.0	6.6	37.5	7.9	44.0	11.6	76.0	13.7	92.0	21.0	93.0	31.6	109.0	32.0	94.8	36.4	97.5	33.9	84.6	42.0	90.0	35.7	78.1	39.5	80.2	40.1	79.6	42.8	81.2	41.8	79.8	39.4	81.2
	Ratio PCE/TCE	0.3		0.2		0.2		0.2		0.1		0.3		0.3		0.3		0.4		0.4		0.5		0.5		0.5		0.5		0.5		0.5		0.5	

Concentrations are in ug/l (ppb).






ATTACHMENT 1

FIELD MONITORING PARAMETERS SUMMARY

MARCH 2018 GROUNDWATER SAMPLING RESULTS

VOC CONCENTRATION VERSUS TIME PLOTS FOR EACH WELL

DATA VALIDATION REPORTS



ATTACHMENT 1

**Re: March 2018 Groundwater Sampling Results
150 Fulton Avenue NPL Site - Operable Unit I
USEPA Consent Judgment No. CV-09-3917
DOJ Ref. No. 90-11-2-09329
Garden City Park Industrial Site NYSDEC#130073**

The long-term groundwater monitoring program is being implemented in accordance with the schedule provided in Attachment 1 of the 2016 SOW: Monitoring Well Sampling Program (see attached Table 1), and the EPA-approved 2017 Quality Assurance Project Plan (QAPP) for the Site.

The third quarterly sampling event was completed during 5 - 12 March 2018, and included collection of groundwater samples from all Group 2 and Group 3 wells (Table 1). A total of 28 groundwater samples (plus quality assurance/quality control (QA/QC) samples) were collected using USEPA-approved low-flow sampling methodologies from the following monitoring wells:

- Conventional Wells MWs 21A - D
- Multi-level Well MW-26 (intervals A - H)
- Multi-level Well MW-27 (intervals A - H)
- Multi-level Well MW-28 (intervals A - H)

The long-term groundwater monitoring well network locations are shown in Figure 1. The conventional monitoring wells were purged and sampled using bladder pumps. Multi-level groundwater monitoring wells were purged and sampled in accordance with the manufacturer's instructions using nitrogen as a drive gas. Field parameters (pH, specific conductance, turbidity, dissolved oxygen, temperature and oxidation-reduction potential) were monitored from the pump discharge into a flow-through cell to ensure stabilization of parameters prior to conclusion of the purging and collection of groundwater samples.

All groundwater and QA/QC samples were analyzed for volatile organic compounds (VOCs) using EPA Method 8260C by SGS Accutest Laboratories of Dayton, New Jersey. SGS Accutest is a New York State Department of Health (NYSDOH) Environmental Laboratory Accreditation Program (ELAP)-certified laboratory (Certification ID 10983) and certified to perform the analytical method used for this sampling event.

Analytical laboratory data deliverables (Accutest Laboratories) for the March groundwater monitoring event were received and validated by a third-party data validation contractor (Environmental Data Services, Inc.).

The data validation reports with Form 1 reporting sheets, a table summarizing field monitoring parameters (Table 2), and an updated plot of select predominant VOC concentrations (tetrachloroethene {PCE}, trichloroethene {TCE} and 1,2-dichloroethene {1,2-DCE}) versus time plot for each well are attached. The complete laboratory data deliverable files are being submitted under separate cover in Adobe PDF format and packaged in a Winzip compressed format bundle file.



The validated data are summarized in Table 3, where concentrations of positively-detected compounds are highlighted in blue shading and are compared to the associated compound-specific New York State Groundwater Quality Standards or Guidance Values (GWQS or GV) for Class GA (potable groundwater) as identified within Table 3. Concentrations exceeding their respective GWQSs or GVs are bolded and highlighted in orange shading.

Table 4 presents an updated historic groundwater sampling result data summary PCE, TCE and 1,2-DCE concentrations in each well.

Detected concentrations of PCE, TCE and 1,2-DCE in the March 2018 groundwater samples are summarized below. Note that incremental letters A, B, C, indicate increasing depth and “-” = Not Detected.

Well	Screen Depth Interval (Feet)	PCE (µg/L)	TCE (µg/L)	1,2-DCE (µg/L)
MW-21A	120 - 130	-	-	-
MW-21B	330 - 340	4	0.79	-
MW-21C	390 - 400	202	19.4	2.5
MW-21D	447 - 457	11.4	-	-
MW-26A	224 - 234	-	-	-
MW-26B	266 - 276	0.89	-	-
MW-26C	320 - 330	0.58	-	-
MW-26D	345 - 355	9.1	1.2	-
MW-26E	372 - 382	1.1	9.2	2.3
MW-26F	405 - 415	25.2	12.9	5.3
MW-26G	438 - 448	8.6	24.8	-
MW-26H	474 - 484	1.7	22.1	-
MW-27A	192 - 202	-	-	-
MW-27B	236 - 246	-	-	-
MW-27C	284 - 294	-	-	-
MW-27D	324 - 334	-	-	-
MW-27E	364 - 374	-	-	-
MW-27F	408 - 418	-	-	-
MW-27G	438 - 448	2.8	1.4	-
MW-27H	472 - 482	-	0.32	6.5
MW-28A	92 - 102	-	-	-
MW-28B	214 - 224	-	-	-
MW-28C	312 - 322	-	-	-
MW-28D	340 - 350	0.85	-	-
MW-28E	362 - 372	0.78	-	-
MW-28F	398 - 408	1.3	-	-
MW-28G	434 - 444	0.62	-	-
MW-28H	485 - 495	0.68	-	-

Table 2
Summary of Field Monitoring Parameters
Fulton Avenue Superfund Site, Garden City Park, New York



Sample Location	Sample Parameter	2017		2018	Summary			
		Sep-18	Dec-18	Mar-18	Minimum	Maximum	Range	Average
GCP-01S	pH (su)	6.10	-	-	6.1	6.1	0	6.10
	Temperature (C°)	16.76	-	-	16.76	16.76	0	16.76
	Specific Conductivity (mS/cm)	0.651	-	-	0.651	0.651	0	0.65
	ORP (mV)	-43	-	-	-43	-43	0	-43.00
	Turbidity (ntu)	0.0	-	-	0	0	0	0.00
	Dissolved Oxygen (mg/L)	1.53	-	-	1.53	1.53	0	1.53
GCP-01D	pH (su)	5.62	-	-	5.62	5.62	0	5.62
	Temperature (C°)	20.31	-	-	20.31	20.31	0	20.31
	Specific Conductivity (mS/cm)	0.313	-	-	0.313	0.313	0	0.31
	ORP (mV)	292	-	-	292	292	0	292.00
	Turbidity (ntu)	3.0	-	-	3	3	0	3.00
	Dissolved Oxygen (mg/L)	3.46	-	-	3.46	3.46	0	3.46
GCP-08	pH (su)	6.35	-	-	6.35	6.35	0	6.35
	Temperature (C°)	20.40	-	-	20.4	20.4	0	20.40
	Specific Conductivity (mS/cm)	0.739	-	-	0.739	0.739	0	0.74
	ORP (mV)	168	-	-	168	168	0	168.00
	Turbidity (ntu)	4.0	-	-	4	4	0	4.00
	Dissolved Oxygen (mg/L)	0.86	-	-	0.86	0.86	0	0.86
GCP-15S	pH (su)	4.99	-	-	4.99	4.99	0	4.99
	Temperature (C°)	17.25	-	-	17.25	17.25	0	17.25
	Specific Conductivity (mS/cm)	0.379	-	-	0.379	0.379	0	0.38
	ORP (mV)	303	-	-	303	303	0	303.00
	Turbidity (ntu)	0.0	-	-	0	0	0	0.00
	Dissolved Oxygen (mg/L)	8.81	-	-	8.81	8.81	0	8.81
MW15A	pH (su)	9.42	-	-	9.42	9.42	0	9.42
	Temperature (C°)	21.01	-	-	21.01	21.01	0	21.01
	Specific Conductivity (mS/cm)	0.153	-	-	0.153	0.153	0	0.15
	ORP (mV)	70	-	-	70	70	0	70.00
	Turbidity (ntu)	11.2	-	-	11.2	11.2	0	11.20
	Dissolved Oxygen (mg/L)	5.31	-	-	5.31	5.31	0	5.31
MW15B	pH (su)	7.20	-	-	7.2	7.2	0	7.20
	Temperature (C°)	17.42	-	-	17.42	17.42	0	17.42
	Specific Conductivity (mS/cm)	0.308	-	-	0.308	0.308	0	0.31
	ORP (mV)	-148	-	-	-148	-148	0	-148.00
	Turbidity (ntu)	30.8	-	-	30.8	30.8	0	30.80
	Dissolved Oxygen (mg/L)	1.90	-	-	1.9	1.9	0	1.90
GCP-18S	pH (su)	6.11	-	-	6.11	6.11	0	6.11
	Temperature (C°)	16.58	-	-	16.58	16.58	0	16.58
	Specific Conductivity (mS/cm)	0.862	-	-	0.862	0.862	0	0.86
	ORP (mV)	-36	-	-	-36	-36	0	-36.00
	Turbidity (ntu)	0.0	-	-	0	0	0	0.00
	Dissolved Oxygen (mg/L)	0.99	-	-	0.99	0.99	0	0.99
GCP-18D	pH (su)	5.80	-	-	5.8	5.8	0	5.80
	Temperature (C°)	18.08	-	-	18.08	18.08	0	18.08
	Specific Conductivity (mS/cm)	0.466	-	-	0.466	0.466	0	0.47
	ORP (mV)	200	-	-	200	200	0	200.00
	Turbidity (ntu)	58.4	-	-	58.4	58.4	0	58.40
	Dissolved Oxygen (mg/L)	0.76	-	-	0.76	0.76	0	0.76
MW20A	pH (su)	9.05	-	-	9.05	9.05	0	9.05
	Temperature (C°)	17.26	-	-	17.26	17.26	0	17.26
	Specific Conductivity (mS/cm)	0.148	-	-	0.148	0.148	0	0.15
	ORP (mV)	56	-	-	56	56	0	56.00
	Turbidity (ntu)	25.8	-	-	25.8	25.8	0	25.80
	Dissolved Oxygen (mg/L)	0.92	-	-	0.92	0.92	0	0.92
MW20B	pH (su)	9.20	-	-	9.2	9.2	0	9.20
	Temperature (C°)	17.66	-	-	17.66	17.66	0	17.66
	Specific Conductivity (mS/cm)	0.203	-	-	0.203	0.203	0	0.20
	ORP (mV)	40	-	-	40	40	0	40.00
	Turbidity (ntu)	18.3	-	-	18.3	18.3	0	18.30
	Dissolved Oxygen (mg/L)	0.88	-	-	0.88	0.88	0	0.88
MW20C	pH (su)	10.22	-	-	10.22	10.22	0	10.22
	Temperature (C°)	18.23	-	-	18.23	18.23	0	18.23
	Specific Conductivity (mS/cm)	2.41	-	-	2.41	2.41	0	2.41
	ORP (mV)	-52	-	-	-52	-52	0	-52.00
	Turbidity (ntu)	41.0	-	-	41	41	0	41.00
	Dissolved Oxygen (mg/L)	5.30	-	-	5.3	5.3	0	5.30
MW21A	pH (su)	9.78	10.03	9.67	9.67	10.03	0.36	9.83
	Temperature (C°)	17.76	14.51	13.23	13.23	17.76	4.53	15.17
	Specific Conductivity (mS/cm)	0.300	0.556	16.7	0.3	16.7	16.4	5.85
	ORP (mV)	-52	-197	157	-197	157	354	-30.67
	Turbidity (ntu)	10.4	19.0	28.4	10.4	28.4	18	19.27
	Dissolved Oxygen (mg/L)	0.82	0.00	3.06	0	3.06	3.06	1.29
MW21B	pH (su)	8.90	6.65	9.64	6.65	9.64	2.99	8.40
	Temperature (C°)	17.40	14.90	13.60	13.6	17.4	3.8	15.30
	Specific Conductivity (mS/cm)	0.439	0.360	0.569	0.36	0.569	0.209	0.46
	ORP (mV)	-8	-47	-117	-117	-8	109	-57.33
	Turbidity (ntu)	17.3	81.3	71.9	17.3	81.3	64	56.83
	Dissolved Oxygen (mg/L)	1.19	0.59	2.96	0.59	2.96	2.37	1.58
MW21C	pH (su)	9.64	7.27	8.87	7.27	9.64	2.37	8.59
	Temperature (C°)	17.21	14.44	13.66	13.66	17.21	3.55	15.10
	Specific Conductivity (mS/cm)	0.381	0.163	0.296	0.163	0.381	0.218	0.28
	ORP (mV)	-70	-120	-149	-149	-70	79	-113.00
	Turbidity (ntu)	25.4	95.5	131	25.4	131	105.6	83.97
	Dissolved Oxygen (mg/L)	2.42	0.00	3.04	0	3.04	3.04	1.82
MW21D	pH (su)	9.16	7.18	9.25	7.18	9.25	2.07	8.53
	Temperature (C°)	16.39	9.83	12.94	9.83	16.39	6.56	13.05
	Specific Conductivity (mS/cm)	0.272	0.113	0.218	0.113	0.272	0.159	0.20
	ORP (mV)	-154	-180	-157	-180	-154	26	-163.67
	Turbidity (ntu)	9.1	0.0	17.2	0	17.2	17.2	8.77
	Dissolved Oxygen (mg/L)	2.61	1.18	5.44	1.18	5.44	4.26	3.08
MW22A	pH (su)	9.04	-	-	9.04	9.04	0	9.04
	Temperature (C°)	21.09	-	-	21.09	21.09	0	21.09
	Specific Conductivity (mS/cm)	0.433	-	-	0.433	0.433	0	0.43
	ORP (mV)	-18	-	-	-18	-18	0	-18.00
	Turbidity (ntu)	178	-	-	178	178	0	178.00
	Dissolved Oxygen (mg/L)	0.56	-	-	0.56	0.56	0	0.56
MW22B	pH (su)	8.80	-	-	8.8	8.8	0	8.80
	Temperature (C°)	18.02	-	-	18.02	18.02	0	18.02
	Specific Conductivity (mS/cm)	0.205	-	-	0.205	0.205	0	0.21
	ORP (mV)	18	-	-	18	18	0	18.00
	Turbidity (ntu)	218	-	-	218	218	0	218.00
	Dissolved Oxygen (mg/L)	1.38	-	-	1.38	1.38	0	1.38

Note:
(1) su Standard Units
(2) C° Degrees Celsius
(3) mS/cm millisiemens per centimeter
(4) mV millivolt
(5) ntu Nephelometric Turbidity Units
* Unable to obtain due to port malfunction

Table 2
Summary of Field Monitoring Parameters
Fulton Avenue Superfund Site, Garden City Park, New York



Sample Location	Sample Parameter	2017		2018	Summary			
		Sep-18	Dec-18	Mar-18	Minimum	Maximum	Range	Average
MW22C	pH (su)	8.68	-	-	8.68	8.68	0	8.68
	Temperature (C°)	17.75	-	-	17.75	17.75	0	17.75
	Specific Conductivity (mS/cm)	0.153	-	-	0.153	0.153	0	0.15
	ORP (mV)	62	-	-	62	62	0	62.00
	Turbidity (ntu)	35.9	-	-	35.9	35.9	0	35.90
	Dissolved Oxygen (mg/L)	0.78	-	-	0.78	0.78	0	0.78
MW23A	pH (su)	9.38	-	-	9.38	9.38	0	9.38
	Temperature (C°)	19.88	-	-	19.88	19.88	0	19.88
	Specific Conductivity (mS/cm)	0.230	-	-	0.23	0.23	0	0.23
	ORP (mV)	-34	-	-	-34	-34	0	-34.00
	Turbidity (ntu)	59.4	-	-	59.4	59.4	0	59.40
	Dissolved Oxygen (mg/L)	1.67	-	-	1.67	1.67	0	1.67
MW23B	pH (su)	5.90	-	-	5.9	5.9	0	5.90
	Temperature (C°)	19.17	-	-	19.17	19.17	0	19.17
	Specific Conductivity (mS/cm)	0.233	-	-	0.233	0.233	0	0.23
	ORP (mV)	18	-	-	18	18	0	18.00
	Turbidity (ntu)	9.0	-	-	9	9	0	9.00
	Dissolved Oxygen (mg/L)	0.58	-	-	0.58	0.58	0	0.58
MW23C	pH (su)	10.08	-	-	10.08	10.08	0	10.08
	Temperature (C°)	17.62	-	-	17.62	17.62	0	17.62
	Specific Conductivity (mS/cm)	0.327	-	-	0.327	0.327	0	0.33
	ORP (mV)	-84	-	-	-84	-84	0	-84.00
	Turbidity (ntu)	2.3	-	-	2.3	2.3	0	2.30
	Dissolved Oxygen (mg/L)	7.76	-	-	7.76	7.76	0	7.76
MW23D	pH (su)	6.02	-	-	6.02	6.02	0	6.02
	Temperature (C°)	18.83	-	-	18.83	18.83	0	18.83
	Specific Conductivity (mS/cm)	0.204	-	-	0.204	0.204	0	0.20
	ORP (mV)	42	-	-	42	42	0	42.00
	Turbidity (ntu)	6.9	-	-	6.9	6.9	0	6.90
	Dissolved Oxygen (mg/L)	1.11	-	-	1.11	1.11	0	1.11
MW26A	pH (su)	*	7.51	6.68	6.68	7.51	0.83	7.10
	Temperature (C°)	*	11.71	9.29	9.29	11.71	2.42	10.50
	Specific Conductivity (mS/cm)	*	0.129	0.276	0.129	0.276	0.147	0.20
	ORP (mV)	*	-141	-83	-141	-83	58	-112.00
	Turbidity (ntu)	*	4.6	11.7	4.6	11.7	7.1	8.15
	Dissolved Oxygen (mg/L)	*	0.00	3.64	0	3.64	3.64	1.82
MW26B	pH (su)	4.87	5.81	5.87	4.87	5.87	1	5.52
	Temperature (C°)	15.80	12.5	10.67	10.67	15.8	5.13	12.99
	Specific Conductivity (mS/cm)	0.199	0.234	0.214	0.199	0.234	0.035	0.22
	ORP (mV)	161	65	124	65	161	96	116.67
	Turbidity (ntu)	0.0	0.0	4.0	0	4	4	1.33
	Dissolved Oxygen (mg/L)	1.22	1.42	3.79	1.22	3.79	2.57	2.14
MW26C	pH (su)	5.58	6.06	5.88	5.58	6.06	0.48	5.84
	Temperature (C°)	18.82	13.39	11.73	11.73	18.82	7.09	14.65
	Specific Conductivity (mS/cm)	0.283	0.150	0.323	0.15	0.323	0.173	0.25
	ORP (mV)	10	23	-10	-10	23	33	7.67
	Turbidity (ntu)	0.0	0.0	3.9	0	3.9	3.9	1.30
	Dissolved Oxygen (mg/L)	3.01	0.07	2.91	0.07	3.01	2.94	2.00
MW26D	pH (su)	8.53	8.47	8.30	8.3	8.53	0.23	8.43
	Temperature (C°)	22.59	12.86	11.84	11.84	22.59	10.75	15.76
	Specific Conductivity (mS/cm)	0.209	0.333	0.325	0.209	0.333	0.124	0.29
	ORP (mV)	-195	-303	-276	-303	-195	108	-258.00
	Turbidity (ntu)	0.0	3.6	2.4	0	3.6	3.6	2.00
	Dissolved Oxygen (mg/L)	0.00	1.43	2.49	0	2.49	2.49	1.31
MW26E	pH (su)	8.33	8.04	7.74	7.74	8.33	0.59	8.04
	Temperature (C°)	16.91	12.92	12.47	12.47	16.91	4.44	14.10
	Specific Conductivity (mS/cm)	0.245	0.119	0.263	0.119	0.263	0.144	0.21
	ORP (mV)	-163	-195	-227	-227	-163	64	-195.00
	Turbidity (ntu)	0.0	0.0	2.8	0	2.8	2.8	0.93
	Dissolved Oxygen (mg/L)	3.48	0.00	3.56	0	3.56	3.56	2.35
MW26F	pH (su)	8.55	8.81	8.87	8.55	8.87	0.32	8.74
	Temperature (C°)	23.49	13.43	11.68	11.68	23.49	11.81	16.20
	Specific Conductivity (mS/cm)	0.214	0.301	0.276	0.214	0.301	0.087	0.26
	ORP (mV)	-156	-267	-188	-267	-156	111	-203.67
	Turbidity (ntu)	0.0	1.6	0.0	0	1.6	1.6	0.53
	Dissolved Oxygen (mg/L)	0.01	0.63	1.06	0.01	1.06	1.05	0.57
MW26G	pH (su)	5.69	6.41	6.43	5.69	6.43	0.74	6.18
	Temperature (C°)	18.17	12.26	10.90	10.9	18.17	7.27	13.78
	Specific Conductivity (mS/cm)	0.227	0.255	0.234	0.227	0.255	0.028	0.24
	ORP (mV)	18	-50	-77	-77	18	95	-36.33
	Turbidity (ntu)	0.0	0.0	0.2	0	0.2	0.2	0.07
	Dissolved Oxygen (mg/L)	0.33	0.50	1.59	0.33	1.59	1.26	0.81
MW26H	pH (su)	9.25	7.51	9.02	7.51	9.25	1.74	8.59
	Temperature (C°)	16.85	11.46	10.39	10.39	16.85	6.46	12.90
	Specific Conductivity (mS/cm)	0.163	0.075	0.148	0.075	0.163	0.088	0.13
	ORP (mV)	-191	-132	-238	-238	-132	106	-187.00
	Turbidity (ntu)	0	0.1	1.1	0	1.1	1.1	0.40
	Dissolved Oxygen (mg/L)	0.78	0.00	2.63	0	2.63	2.63	1.14
MW27A	pH (su)	5.28	5.53	4.72	4.72	5.53	0.81	5.18
	Temperature (C°)	22.71	12.25	10.81	10.81	22.71	11.9	15.26
	Specific Conductivity (mS/cm)	0.147	0.077	0.183	0.077	0.183	0.106	0.14
	ORP (mV)	158	81	261	81	261	180	166.67
	Turbidity (ntu)	0.6	13.6	4.1	0.6	13.6	13	6.10
	Dissolved Oxygen (mg/L)	1.19	0.00	2.97	0	2.97	2.97	1.39
MW27B	pH (su)	6.50	7.27	7.21	6.5	7.27	0.77	6.99
	Temperature (C°)	15.20	12.44	10.28	10.28	15.2	4.92	12.64
	Specific Conductivity (mS/cm)	0.227	0.246	0.231	0.227	0.246	0.019	0.23
	ORP (mV)	-121	-138	-123	-138	-121	17	-127.33
	Turbidity (ntu)	0.0	0.0	2.4	0	2.4	2.4	0.80
	Dissolved Oxygen (mg/L)	0.68	0.17	1.17	0.17	1.17	1	0.67
MW27C	pH (su)	4.96	6.23	5.19	4.96	6.23	1.27	5.46
	Temperature (C°)	16.51	12.08	10.75	10.75	16.51	5.76	13.11
	Specific Conductivity (mS/cm)	0.231	0.126	0.275	0.126	0.275	0.149	0.21
	ORP (mV)	138	12	165	12	165	153	105.00
	Turbidity (ntu)	0.0	0.0	1.2	0	1.2	1.2	0.40
	Dissolved Oxygen (mg/L)	1.73	0.18	3.78	0.18	1.73	1.55	0.96
MW27D	pH (su)	6.70	7.46	6.92	6.7	7.46	0.76	7.03
	Temperature (C°)	21.55	11.14	9.00	9	21.55	12.55	13.90
	Specific Conductivity (mS/cm)	0.215	0.238	0.228	0.215	0.238	0.023	0.23
	ORP (mV)	-106	-164	-135	-164	-106	58	-135.00
	Turbidity (ntu)	2.3	0.0	1.3	0	2.3	2.3	1.20
	Dissolved Oxygen (mg/L)	1.04	0.81	3.06	0.81	3.06	2.25	1.64
MW27E	pH (su)	8.89	8.77	8.48	8.48	8.89	0.41	8.71
	Temperature (C°)	17.75	12.23	10.33	10.33	17.75	7.42	13.44
	Specific Conductivity (mS/cm)	0.251	0.123	0.253	0.123	0.253	0.13	0.21
	ORP (mV)	-129	-240	-213	-240	-129	111	-194.00
	Turbidity (ntu)	0.0	0.0	3.4	0	3.4	3.4	1.13
	Dissolved Oxygen (mg/L)	1.76	1.54	1.06	1.06	1.76	0.7	1.45

Note:
(1) su Standard Units (4) mV millivolt
(2) C° Degrees Celsius (5) ntu Nephelometric Turbidity Units
(3) mS/cm millisiemens per centimeter * Unable to obtain due to port malfunction

Table 2
Summary of Field Monitoring Parameters
Fulton Avenue Superfund Site, Garden City Park, New York



Sample Location	Sample Parameter	2017		2018	Summary			
		Sep-18	Dec-18	Mar-18	Minimum	Maximum	Range	Average
MW27F	pH (su)	6.54	7.11	6.89	6.54	7.11	0.57	6.85
	Temperature (C°)	16.36	12.41	11.28	11.28	16.36	5.08	13.35
	Specific Conductivity (mS/cm)	0.248	0.259	0.252	0.248	0.259	0.011	0.25
	ORP (mV)	-90	-102	-60	-102	-60	42	-84.00
	Turbidity (ntu)	0.0	0.0	1.0	0	1	1	0.33
	Dissolved Oxygen (mg/L)	0.99	0.16	2.50	0.16	2.5	2.34	1.22
MW27G	pH (su)	7.18	6.62	6.63	6.62	7.18	0.56	6.81
	Temperature (C°)	21.22	11.78	10.05	10.05	21.22	11.17	14.35
	Specific Conductivity (mS/cm)	0.185	0.218	0.208	0.185	0.218	0.033	0.20
	ORP (mV)	-82	-118	-47	-118	-47	71	-82.33
	Turbidity (ntu)	0.8	0.0	0.9	0	0.9	0.9	0.57
	Dissolved Oxygen (mg/L)	0.45	0.57	2.03	0.45	2.03	1.58	1.02
MW27H	pH (su)	5.81	5.08	4.78	4.78	5.81	1.03	5.22
	Temperature (C°)	21.02	10.48	11.85	10.48	21.02	10.54	14.45
	Specific Conductivity (mS/cm)	0.267	0.731	0.985	0.267	0.985	0.718	0.66
	ORP (mV)	-116	-7	-65	-116	-7	109	-62.67
	Turbidity (ntu)	9.9	22.4	12.9	9.9	22.4	12.5	15.07
	Dissolved Oxygen (mg/L)	0.57	0.00	2.55	0	2.55	2.55	1.04
MW28A	pH (su)	5.49	6.05	6.30	5.49	6.3	0.81	5.95
	Temperature (C°)	20.13	12.22	12.56	12.22	20.13	7.91	14.97
	Specific Conductivity (mS/cm)	0.353	0.370	0.363	0.353	0.37	0.017	0.36
	ORP (mV)	223	122	35	35	223	188	126.67
	Turbidity (ntu)	14.7	0.0	3.3	0	14.7	14.7	6.00
	Dissolved Oxygen (mg/L)	6.29	6.74	4.28	4.28	6.74	2.46	5.77
MW28B	pH (su)	5.99	6.99	7.86	5.99	7.86	1.87	6.95
	Temperature (C°)	16.83	10.59	10.57	10.57	16.83	6.26	12.66
	Specific Conductivity (mS/cm)	0.385	0.192	0.314	0.192	0.385	0.193	0.30
	ORP (mV)	21	-116	-125	-125	21	146	-73.33
	Turbidity (ntu)	27.7	27.0	10.8	10.8	27.7	16.9	21.83
	Dissolved Oxygen (mg/L)	2.00	0.00	1.52	0	2	2	1.17
MW28C	pH (su)	6.42	7.29	7.90	6.42	7.9	1.48	7.20
	Temperature (C°)	16.83	10.18	11.40	10.18	16.83	6.65	12.80
	Specific Conductivity (mS/cm)	0.379	0.407	0.317	0.317	0.407	0.09	0.37
	ORP (mV)	-97	-164	-144	-164	-97	67	-135.00
	Turbidity (ntu)	0.0	2.0	0.2	0	2	2	0.73
	Dissolved Oxygen (mg/L)	0.70	0.30	0.94	0.3	0.94	0.64	0.65
MW28D	pH (su)	6.36	6.53	7.28	6.36	7.28	0.92	6.72
	Temperature (C°)	17.38	7.30	12.99	7.3	17.38	10.08	12.56
	Specific Conductivity (mS/cm)	0.248	0.112	0.260	0.112	0.26	0.148	0.21
	ORP (mV)	10	-32	-227	-227	10	237	-83.00
	Turbidity (ntu)	2.6	0.6	5.8	0.6	5.8	5.2	3.00
	Dissolved Oxygen (mg/L)	1.04	0.00	2.37	0	2.37	2.37	1.14
MW28E	pH (su)	5.62	6.12	6.70	5.62	6.7	1.08	6.15
	Temperature (C°)	21.00	8.00	9.68	8	21	13	12.89
	Specific Conductivity (mS/cm)	0.254	0.078	0.190	0.078	0.254	0.176	0.17
	ORP (mV)	75	50	-43	-43	75	118	27.33
	Turbidity (ntu)	0.0	0.0	1.9	0	1.9	1.9	0.63
	Dissolved Oxygen (mg/L)	3.79	0.00	1.62	0	3.79	3.79	1.80
MW28F	pH (su)	6.03	6.15	6.49	6.03	6.49	0.46	6.22
	Temperature (C°)	18.14	8.07	11.16	8.07	18.14	10.07	12.46
	Specific Conductivity (mS/cm)	0.272	0.204	0.224	0.204	0.272	0.068	0.23
	ORP (mV)	94	30	-80	-80	94	174	14.67
	Turbidity (ntu)	1.8	0.0	2.2	0	2.2	2.2	1.33
	Dissolved Oxygen (mg/L)	4.05	1.34	2.51	1.34	4.05	2.71	2.63
MW28G	pH (su)	5.72	6.25	6.47	5.72	6.47	0.75	6.15
	Temperature (C°)	22.00	7.77	9.77	7.77	22	14.23	13.18
	Specific Conductivity (mS/cm)	0.288	0.223	0.150	0.15	0.288	0.138	0.22
	ORP (mV)	97	-17	-24	-24	97	121	18.67
	WT14	Turbidity (ntu)						
	Dissolved Oxygen (mg/L)							
WT934	pH (su)							
	Temperature (C°)							
	Specific Conductivity (mS/cm)							
	ORP (mV)							
	Turbidity (ntu)							
	Dissolved Oxygen (mg/L)							

Note:
(1) su Standard Units (4) mV millivolt
(2) C° Degrees Celsius (5) ntu Nephelometric Turbidity Units
(3) mS/cm millisiemens per centimeter * Unable to obtain due to port malfunction

Table 4
Summary of Historic Ground Water Monitoring Well Sample Results for Select Predominant Compounds
Fulton Avenue Superfund Site, Garden City Park, New York




GCP01				GCP01D				GCP02				GCP03				GCP04				GCP05				GCP06			
Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE
12/06/84	3,700	3.0	0.0	08/16/95	145	2.9	5.0	12/06/84	150	440	0.0	11/29/85	0.0	0.0	0.0	11/27/85	450	830	NA	11/27/85	0.0	0.0	NA				
03/27/85	3,400	4.0	0.0	09/09/98	0.0	0.0	0.0	03/27/85	17.0	54.0	0.0	12/20/85	240	82.0	16.0	12/19/85	310	210	0.0	12/20/85	0.0	0.0	0.0				
12/18/85	36,000	350	1,400	10/02/01	16.0	0.3	0.2	12/18/85	200	96.0	14.0	04/27/89	6.0	220	87.0	10/12/90	9.0	3.0	1.0	04/26/89	0.0	1.0	0.0				
01/17/86	50,000	350	780	07/14/03	15.0	0.3	0.0	04/26/89	170	52.0	5.0	10/12/90	4.0	23.0	10.0	07/09/91	120	10.0	14.0	11/09/90	3.0	0.0	0.0				
04/19/89	3,700	160	190	08/13/03	28.0	0.5	0.0	11/09/90	48.0	7.0	5.0	03/25/91	2.0	25.0	12.0	01/17/92	28.0	120	2.0	01/08/91	5.0	0.0	0.0				
11/09/90	360	3.0	0.0	12/19/03	3.0	0.0	0.0	01/08/91	230	8.0	12.0	07/09/91	2.0	17.0	6.0	06/18/92	92.0	620	6.0	01/13/92	11.0	23.0	0.0				
01/17/92	1,400	11.0	1.0	05/10/04	4.0	0.0	0.0	01/17/92	43.0	18.0	6.0	01/13/92	4.0	12.0	4.0	08/23/93	64.0	300.0	13.0	06/17/92	11.0	23.0	0.0				
06/18/92	13,000	75.0	49.0	12/08/04	5.0	0.0	0.0	06/18/92	44.0	48.0	23.0	06/16/92	12.0	89.0	50.0	04/21/94	88.0	55.0	0.0	08/23/93	9.0	14.0	0.0				
08/27/93	20,000	3,100	650	05/20/05	4.0	0.0	0.0	08/23/93	16.0	30.0	34.0	08/20/93	8.0	31.0	25.0	05/10/95	810	41.0	NS	04/25/94	0.0	0.0	0.0				
04/21/94	7,900	530	0.0	11/03/05	16.0	0.0	0.0	04/21/94	15.0	25.0	17.0	04/21/94	6.8	42.0	24.0	06/07/00	19.4	11.5	1.6	09/12/01	8.0	4.0	0.1				
05/10/95	3,600	150	0.0	06/07/06	2.8	0.0	0.0	05/09/95	2.4	11.0	0.0	05/10/95	2.4	38.0	0.0	09/10/01	10.0	20.0	3.0								
08/16/95	3,200	110	0.0	12/22/06	9.3	0.0	0.0	06/18/96	4.0	6.0	3.0	09/21/01	2.0	22.0	10.0	11/15/11	1.9	0.0	0.0								
09/09/98	1,200	21.0	5.0	12/18/08	42.8	0.6	0.5	09/10/01	0.0	0.0	0.0					03/04/15	1.0	0.0	0.0								
10/02/01	2,600	2,200	360	11/14/11	13.8	0.7	2.5																				
08/13/03	5,900	110	100	03/02/15	2.0	0.0	0.0																				
12/17/03	440	180	750	9/11/2017	3.6	0.0	0.0																				
05/10/04	220	28.0	39.0																								
12/08/04	3,300	160	9.0																								
05/20/05	610	16.0	3.0																								
11/03/05	580	120	0.0																								
06/07/06	325	10.3	0.0																								
12/22/06	1,940	63.0	0.0																								
12/18/08	1,420	1,350	24.5																								
11/14/11	198	24.7	24.0																								
12/16/11	984	129	22.9																								
01/28/14	2,400	1,700	569																								
01/28/14	2,480	1,600	547																								
03/03/15	210	12.9	3.5																								
05/06/15	1,920	354	284																								
9/11/2017	933	251	143																								
Min	198	3.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	1.0	0.0	0.0	Min	0.9	3.0	0.0	Min	0.0	0.0	0.0
Max	50,000	3,100	1,400	Max	145	2.9	5.0	Max	230.0	440.0	34.0	Max	240.0	220.0	87.0	Max	810.0	620.0	14.0	Max	450.0	830.0	5.0	Max	11.0	23.0	0.1
Average	5,797.3	439.2	198.5	Average	19.4	0.3	0.5	Average	72.3	61.2	9.2	Average	24.1	50.1	20.3	Average	127.9	96.0	5.0	Average	148.3	124.8	2.9	Average	4.7	6.5	0.0

GCP07S				GCP07D				GCP08				GCP09				GCP10S				GCP10D				GCP11S			
Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE
11/01/85	1,700	60.0	28.0	01/22/92	343	10.2	7.6	01/01/85	67.0	0.0	0.0	11/01/85	16.0	0.0	0.0	01/09/92	6.8	0.0	0.0	01/08/92	26.6	0.6	0.0				
12/19/85	2,300	100	52.0	06/16/92	170	15.0	9.0	12/19/85	250	1.0	0.0	12/19/85	36.0	0.0	0.0	06/10/92	0.0	0.0	0.0	06/04/98	0.0	0.0	0.0				
04/19/89	50.0	29.0	3.0	08/20/93	190	9.0	21.0	04/26/89	320	3.0	0.0	09/21/90	17.0	0.0	0.0	08/16/93	0.0	0.0	0.0	09/07/01	0.0	3.0	0.0				
09/21/90	29,000	830	520	04/21/94	44.0	0.0	0.0	09/21/90	87.0	1.0	0.0	12/31/90	4.0	0.0	0.0	04/26/94	6.8	42.0	24.0								
10/02/90	10,000	470	380	08/18/95	220	11.0	13.0	12/31/90	28.0	0.0	0.0	01/08/91	14.0	0.0	0.0	01/28/99	0.0	0.0	0.0								
01/02/91	3,900	190	76.0	09/02/99	0.0	0.0	0.0	01/13/92	72.0	1.0	0.0	01/13/92	4.0	0.0	0.0	09/05/01	0.0	0.0	0.0								
01/22/92	430	18.0	0.0	09/07/01	8.0	0.6	0.0	06/16/92	1,600	87.0	490	06/16/92	11.0	0.0	0.0												
06/18/92	280	0.0	0.0	03/06/15	6.5	0.2	0.0	08/26/93	470	54.0	570	08/26/93	9.0	0.0	0.0												
08/27/93	84.0	11.0	1.0					04/25/94	650	110	530	04/25/94	24.0	0.0	0.0												
04/22/94	30.0	8.7	2.3					09/28/01	1,800	12.0	2.0	09/22/95	110	0.0	14.0												
08/18/95	0.0	1.2	0.0					08/18/03	940	27.0	43.0	10/01/01	47.0	4.0	2.0												
09/07/01	1.0	0.0	0.0					12/17/03	350	17.0	12.0	11/14/11	0.0	0.0	0.0												
03/06/15	3.8	0.0	0.0					05/10/04	200	40.0	66.0	03/06/15	0.0	0.0	0.0												
								12/08/04	710	16.0	150																
								05/19/05	520	56.0	140																
								11/04/05	280	26.0	67.0																
								06/07/06	120	8.8	16.2																
								12/22/06	27.5	2.8	1.0																
								12/18/08	32.5	4.0	107																
								11/14/11	4.6	0.6	8.4																
								01/28/14	1.6	0.0	0.9																
								03/03/15	1.9	0.0	0.6																
								05/07/15	1.1	0.0	1.0																
								09/12/17	305	168	837																
Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	1.1	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0
Max	29,000	830	520	Max	343	15.0	21.0	Max	1,800	168	837	Max	110	4.0	14.0	Max	6.8	42.0	24.0	Max	6.2	0.8	0.0	Max	26.6	3.0	0.0
Average	3,675.3	132.1	81.7	Average	122.7	5.7	6.3	Average	368.3	26.5	126.8	Average	22.5	0.3	1.2	Average	2.3	7.0	4.0	Average	2.5	0.1	0.0	Average	8.9	1.2	0.0

All values are in micrograms per liter (µg/l).
 0.0 = Not detected at or above the method detection limit.
 NA = Not analyzed.

Table 4

Summary of Historic Ground Water Monitoring Well Sample Results for Select Predominant Compounds
Fulton Avenue Superfund Site, Garden City Park, New York



GCP12S				GCP12D				GCP13S				GCP13D				GCP14S				GCP14D				GCP15S																																																																															
Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE																																																																												
01/08/92	62.0	0.8	0.0	01/08/92	144	55.7	9.0	01/07/92	10.0	1.9	1.0	01/07/92	56.8	105	1.7	01/07/92	23.9	0.0	0.0	01/07/92	152.0	4.7	1.7	01/08/92	18.5	0.2	0.0	12/23/98	0.0	0.0	0.0	06/04/98	0.0	0.0	0.0	05/11/00	59.4	60.6	0.0	11/16/95	1.4	4.0	0.0	06/10/98	24.3	42.6	0.0	12/09/98	0.0	0.0	0.0	09/26/01	0.0	0.0	0.0	09/17/01	0.0	0.0	0.0	05/11/00	10.0	11.0	0.0	08/18/97	1.3	3.0	0.0	05/11/00	13.0	0.0	0.0	09/28/01	0.0	0.0	0.0	09/26/01	0.0	0.0	0.0	09/17/01	10.0	11.0	0.0	07/09/98	1.2	2.4	0.0	09/10/01	10.0	17.0	0.4	03/04/15	0.0	0.0	0.0	03/04/15	8.9	0.4	0.0	05/21/03	0.0	0.0	0.0
Min	0.0	0.0	0.0	Min	10.0	11.0	0.0	Min	0.6	1.0	0.0	Min	10.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Max	62.0	0.8	0.0	Max	144.0	60.6	9.0	Max	10.0	4.0	1.0	Max	56.8	105.0	1.7	Max	23.9	0.0	0.0	Max	152.0	16.0	1.7	Max	18.5	0.2	0.0	Average	20.7	0.3	0.0	Average	71.3	44.8	2.3	Average	2.9	2.5	0.2	Average	6.0	0.0	0.0	Average	49.5	5.3	0.7	Average	1.4	0.0	0.0																				

MW15A				MW15B				GCP16S				GCP17S				GCP17D				GCP18S				GCP18D																																																																																																																																																																																																																																															
Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE																																																																																																																																																																																																																																												
07/20/01	12.0	2.0	8.0	07/20/01	1,500	97.0	9.0	01/13/92	9.2	25.3	0.7	08/22/95	5,600	0.0	0.0	08/22/95	7,100	0.0	0.0	08/17/95	780	330	3,700	08/17/95	4.2	0.0	4.2	09/26/01	5.0	0.6	0.4	09/26/01	88.0	9.0	0.8	04/26/94	0.0	0.0	0.0	06/18/96	2,000	34.0	0.0	09/09/98	53.0	1.0	0.0	06/18/96	850	260	2,000	09/09/98	0.0	0.0	0.0	10/03/01	22.0	2.0	4.0	10/03/01	1,200	95.0	9.0	11/26/96	0.7	0.8	0.0	09/09/98	29,000	600	58.0	10/01/01	4.0	0.2	0.3	09/19/01	220	66.0	781	09/19/01	2.0	0.5	0.4	05/21/03	72.0	9.0	4.0	05/21/03	680	68.0	50.0	09/06/01	1.0	10.0	8.0	10/04/01	21.0	10.0	12.0	12/16/11	0.4	0.0	0.0	09/19/01	52.0	28.0	3,200	08/14/03	7.0	0.0	0.0	08/11/03	400	57.0	18.0	12/16/03	2.0	0.0	0.2	12/16/03	440	54.0	4.0	12/18/03	5.0	0.0	0.0	12/16/03	2.0	0.0	0.2	05/07/04	220	23.0	7.0	05/07/04	470	56.0	4.0	05/10/04	1.0	0.0	0.0	12/09/04	1,100	120	33.0	12/09/04	150	40.0	4.0	12/08/04	0.3	0.0	0.0	11/02/05	2,000	240	69.0	05/17/05	310	54.0	5.0	05/19/05	1.0	0.0	0.0	05/31/06	1,880	173	56.2	11/02/05	250	39.0	3.0	11/03/05	0.4	0.0	0.0	12/21/06	2,390	182	78.8	05/31/06	251	37.4	3.1	06/07/06	2.3	0.0	0.0	12/19/08	1,440	95.2	76.0	12/21/06	293	37.7	3.1	12/22/06	69.8	4.5	178	12/19/08	1,440	95.2	76.0	12/19/08	174	23.7	1.9	12/18/08	53.6	13.4	292	11/11/11	1,120	51.9	50.3	11/11/11	185	15.0	2.0	11/14/11	2.0	0.0	0.8	03/04/15	243	16.2	13.8	03/03/15	0.6	0.0	0.0	12/16/11	2.5	0.0	0.9	05/05/15	399	21.8	21.9	05/05/15	67.4	4.6	0.5	05/07/15	1.5	0.6	6.1	09/11/17	7.2	0.8	0.9	09/12/17	48.2	3.6	0.0	09/08/17	4.5	0.6	17.2
Min	2.0	0.0	0.2	Min	0.6	0.0	0.0	Min	0.0	0.0	0.0	Min	1.4	0.0	0.0	Min	0.4	0.0	0.0	Min	0.0	0.0	0.8	Min	0.0	0.0	0.0	Max	2,390	240	78.8	Max	1,500	97	50	Max	9.2	25.3	8.0	Max	29,000	600	58.0	Max	7,100	1.0	0.3	Max	1,100	330	6,300	Max	7.0	0.5	4.2	Average	747.8	69.1	29.1	Average	392.2	40.2	6.1	Average	2.7	9.0	2.2	Average	7,324.5	128.8	14.0	Average	1,789.4	0.3	0.1	Average	196.5	62.4	1,486.3	Average	1.6	0.0	0.3																																																																																																																																																																																				

GCP19S				MW20A				MW20B				MW20C				MW21A				MW21B				MW21C																																																																																																																																																																																																																																																																																											
Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE																																																																																																																																																																																																																																																																																								
08/17/95	7,900.0	0.0	0.0	04/24/01	0.0	0.0	0.0	05/15/01	0.0	34.0	0.3	05/14/01	0.0	0.0	0.0	05/29/01	200	42.0	0.3	07/19/01	290.0	1.0	0.0	06/18/96	2,100.0	23.0	0.0	09/18/01	0.0	0.0	0.0	09/18/01	0.0	12.0	0.0	09/24/01	16.0	4.0	0.0	09/24/01	27.0	1.0	0.0	01/12/99	233.0	28.1	3.9	04/30/15	0.0	0.0	0.0	04/30/15	0.0	0.0	0.0	05/22/03	490	32.0	0.0	05/22/03	1,800	0.0	0.0	06/07/00	17.6	2.6	0.3	09/07/17	0.0	0.0	0.0	09/07/17	0.0	0.0	0.0	08/14/03	16.0	0.0	0.0	08/12/03	1,600	8.0	0.0	09/19/01	6.0	41.0	1.0	12/15/03	860	25.0	0.0	12/15/03	350.0	4.0	0.0	11/16/11	1.1	0.0	0.3	05/06/04	1,000	5.0	8.0	05/06/04	1,000	5.0	8.0	12/15/03	860	25.0	0.0	12/07/04	1,200	9.0	0.0	09/02/09	1.9	0.0	0.0	09/02/09	3.8	0.0	0.0	12/07/04	1,500	37.0	0.0	05/13/05	1,000	36.0	0.0	01/05/10	1.3	0.0	0.0	01/05/10	1.3	0.0	0.0	05/13/05	1,000	43.0	4.0	11/01/05	260.0	9.0	9.0	12/20/06	5.7	0.0	0.0	12/20/06	5.7	0.0	0.0	06/01/06	1,130	63.5	2.7	06/01/06	3,330	28.7	7.4	09/02/09	1.9	0.0	0.0	09/02/09	3.8	0.0	0.0	08/21/07	2,310	97.7	1.9	08/21/07	9.6	0.2	1.0	01/05/10	1.3	0.0	0.0	01/05/10	1.3	0.0	0.0	12/20/06	2,410	32.4	18.0	12/20/06	2,410	32.4	18.0	01/05/10	1.3	0.0	0.0	01/05/10	422	25.5	12.3	05/12/10	2,230	78.9	8.5	05/12/10	2,230	78.9	8.5	05/12/10	1.3	0.0	0.0	05/12/10	2,230	78.9	8.5	10/29/10	454	12.4	4.0	10/29/10	454	12.4	4.0	03/05/15	1.5	1.1	0.5	03/05/15	1.3	0.0	0.0	03/05/15	1.5	1.1	0.5	03/05/15	1.3	0.0	0.0	05/01/15	1,470	154	14.5	05/01/15	318	18.8	2.3	05/01/15	1,470	154	14.5	05/01/15	318	18.8	2.3	09/12/17	975	158	10.1	09/12/17	181	14.3	2.3	09/12/17	975	158	10.1	09/12/17	181	14.3	2.3	12/19/17	1,120	203	8.8	12/19/17	267	22.5	2.4	12/19/17	1,120	203	8.8	12/19/17	267	22.5	2.4	03/09/18	4	0.79	0.0	03/09/18	202	19.4	2.5	03/09/18	4	0.79	0.0	03/09/18	202	19.4	2.5
Min	1.1	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	1.5	0.8	0.0	Min	1.3	0.0	0.0	Max	7,900.0	41.0	3.9	Max	0.0	0.0	0.0	Max	0.0	34.0	0.3	Max	3.9	5.3	0.0	Max	18.0	0.9	0.0	Max	2,570	217	24.8	Max	3,330	84.6	18.0	Average	1,709.6	15.8	0.9	Average	0.0	0.0	0.0	Average	0.0	11.5	0.1	Average	1.1	1.6	0.0	Average	6.2	0.1	0.0	Average	1,269.0	92.1	7.1	Average	1,203.5	21.6	4.6																																																																																																																																																																																																																																

All values are in micrograms per liter (µg/l).
0.0 = Not detected at or above the method detection limit.
NA = Not analyzed.

Table 4
Summary of Historic Ground Water Monitoring Well Sample Results for Select Predominant Compounds
Fulton Avenue Superfund Site, Garden City Park, New York



MW21D				MW22A				MW22B				MW22C				MW23A				MW23B				MW23C			
Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE
11/05/17	115	2.8	0.0	05/15/01	1.0	0.0	0.0	05/16/01	1.0	0.0	0.0	05/16/01	0.4	0.0	0.0	04/24/01	0.4	2.0	0.0	04/24/01	23.0	210	0.0	07/23/01	15.0	35.0	0.5
12/15/17	188.0	7.7	0.59	09/21/01	3.0	0.0	0.0	09/21/01	0.6	0.0	0.0	09/21/01	0.5	0.4	0.0	09/20/01	0.7	0.0	0.0	09/20/01	3.0	21.0	0.2	09/20/01	3.0	4.0	0.0
03/09/18	11.4	0.0	0.0	05/08/15	0.7	0.0	0.0	10/04/01	0.9	0.0	0.0	05/04/15	0.2	0.0	0.0	05/05/04	0.0	6.0	0.0	12/13/04	8.0	79.0	0.0	05/05/04	38.0	240	4.0
				09/06/17	0.0	0.0	0.0	05/04/15	0.0	0.0	0.0	09/06/17	0.0	0.0	0.0	12/06/04	0.0	0.0	0.0	05/18/05	2.0	11.0	2.0	12/06/04	30.0	160	1.0
																05/18/05	12.0	170	0.0	05/18/05	39.0	290	2.0				
																10/31/05	0.0	4.0	0.0	10/31/05	28.0	130	1.0				
																06/06/06	0.0	5.5	0.0	06/06/06	12.3	191	0.36				
																12/20/06	0.0	4.0	0.0	12/20/06	12.3	179	0.38				
																08/22/07	0.0	5.7	0.0	12/19/06	11.3	102	0.0				
																12/22/08	0.0	0.5	0.0	08/22/07	8.4	137	0.3				
																11/10/11	0.0	0.0	0.0	12/22/08	6.0	96.9	0.5				
																05/04/15	0.0	0.3	0.0	11/10/11	3.5	37.2	0.3				
																09/08/17	0.0	3.0	0.0	04/30/15	3.0	30.8	0.0				
																				09/08/17	0.7	5.9	0.0				
Min	11	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	2.0	11.0	0.0	Min	0.7	4.0	0.0
Max	188	7.7	0.6	Max	3.0	0.0	0.0	Max	1.0	0.0	0.0	Max	0.5	0.4	0.0	Max	2.0	9.0	0.0	Max	23.0	210	2.0	Max	49.3	290	4.0
Average	105	3.5	0.2	Average	1.2	0.0	0.0	Average	0.5	0.0	0.0	Average	0.3	0.1	0.0	Average	0.2	3.1	0.0	Average	8.7	105.4	0.3	Average	22.5	127.0	1.1

MW23D				MW24A				MW24B				MW25A				M5				M6				MW26A			
Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE
07/23/01	0.5	10.0	0.0	08/13/01	24.0	39.0	0.6	08/14/01	5.0	6.0	0.0	07/19/01	77.0	96.0	2.0	05/22/89	0.0	0.0	0.0	05/22/89	24.4	89.4	0.0	05/04/04	0.0	0.0	0.0
09/20/01	0.0	0.4	0.0	09/25/01	0.5	0.2	0.0	09/25/01	21.0	39.0	0.6	09/27/01	62.0	82.0	2.0	06/16/89	0.0	0.7	0.0	06/16/89	33.2	88.3	0.0	12/03/04	0.0	0.0	0.0
05/05/04	2.0	8.0	0.0	05/01/15	12.1	81.2	1.3	05/01/15	4.8	5.8	0.2	05/06/15	13.9	19.3	1.5	07/11/90	0.0	0.0	0.0	07/11/90	41.4	99.0	0.6	05/16/05	0.0	0.0	0.0
12/06/04	0.4	3.0	0.0													08/20/90	0.0	0.0	0.0	08/20/90	70.6	119	1.9	10/31/05	0.0	0.0	0.0
05/18/05	2.0	8.0	0.0													04/18/91	0.0	0.0	0.0	04/18/91	37.7	93.7	0.0	06/05/06	0.0	0.0	0.0
11/02/05	0.0	0.0	0.0													05/20/92	0.0	0.0	0.0	01/15/92	23.0	67.6	0.8	12/18/06	0.0	0.0	0.0
06/06/06	10.5	62.9	0.0													07/06/93	0.0	0.0	0.0	05/20/92	42.2	261	1.2	08/20/07	0.0	0.0	0.0
12/19/06	9.9	51.1	0.4													08/12/94	0.0	0.0	0.0	07/06/93	32.2	103	1.3	12/17/08	0.0	0.0	0.0
08/22/07	1.5	10.5	0.0													02/06/97	0.0	0.0	0.0	11/02/94	55.4	92.7	1.0	08/31/09	0.0	0.0	0.0
12/22/08	6.8	73.2	0.4													06/03/98	0.0	0.0	0.0	02/06/97	0.0	0.0	0.0	01/07/10	0.0	0.0	0.0
11/10/11	9.7	92.0	0.8													09/27/01	0.0	0.0	0.0	06/03/98	1.5	2.5	0.0	05/10/10	0.0	0.0	0.0
05/04/15	9.4	84.1	0.5													05/05/15	0.3	0.0	0.0	09/27/01	10.0	14.0	0.2	11/07/11	0.0	0.0	0.0
09/08/17	5.2	93.9	0.0																	05/15/15	1.3	1.1	0.0	10/03/17	0.0	0.0	0.0
																								12/18/17	0.0	0.0	0.0
																								03/08/18	0.0	0.0	0.0
Min	0.0	0.0	0.0	Min	0.5	0.2	0.0	Min	4.8	5.8	0.0	Min	13.9	19.3	1.5	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0
Max	10.5	93.9	0.8	Max	24.0	81.2	1.3	Max	21.0	39.0	0.6	Max	77.0	96.0	2.0	Max	0.3	0.7	0.0	Max	70.6	261	1.9	Max	0.0	0.0	0.0
Average	4.5	38.2	0.2	Average	12.2	40.1	0.6	Average	10.3	16.9	0.3	Average	51.0	65.8	1.8	Average	0.0	0.1	0.0	Average	28.7	79.3	0.5	Average	0.0	0.0	0.0

MW26B				MW26C				MW26D				MW26E				MW26F				MW26G				MW26H			
Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE
05/04/04	0.0	0.0	0.0	05/04/04	0.0	0.0	0.0	05/04/04	0.0	0.0	0.0	05/03/04	0.0	0.0	0.0	05/03/04	0.0	0.0	0.0	05/03/04	5.0	30.0	0.0	05/03/04	0.0	0.0	0.0
12/03/04	0.0	0.0	0.0	12/03/04	0.0	0.0	0.0	12/03/04	0.0	0.0	0.0	12/03/04	0.0	0.0	0.0	12/03/04	0.4	4.0	0.6	12/03/04	5.0	35.0	0.4	12/03/04	0.0	0.0	0.0
05/16/05	0.0	0.0	0.0	05/16/05	0.0	0.0	0.0	05/16/05	0.0	0.0	0.0	05/16/05	0.0	0.0	0.0	05/16/05	0.9	10.0	1.0	05/16/05	9.0	72.0	0.8	05/16/05	0.0	0.0	0.0
10/31/05	0.0	0.0	0.0	10/31/05	0.0	0.0	0.0	10/31/05	0.0	0.0	0.0	10/31/05	0.0	0.0	0.0	10/31/05	1.0	10.0	0.8	10/31/05	6.0	42.0	0.4	10/31/05	0.0	0.0	0.0
06/05/06	0.0	0.0	0.0	06/05/06	0.0	0.0	0.0	06/05/06	0.0	0.0	0.0	06/05/06	0.0	0.9	0.0	06/05/06	4.3	32.8	2.4	06/05/06	8.4	53.2	0.57	06/05/06	0.0	0.0	0.0
12/18/06	0.0	0.0	0.0	12/18/06	0.0	0.0	0.0	12/18/06	0.0	0.0	0.0	12/18/06	0.0	0.0	0.0	12/18/06	3.5	23.5	1.4	12/18/06	4.9	31.7	0.0	12/18/06	0.0	0.0	0.0
08/20/07	0.0	0.0	0.0	08/20/07	0.0	0.0	0.0	08/20/07	0.0	0.0	0.0	08/20/07	0.0	0.9	0.0	08/20/07	0.42	0.0	1.1	08/20/07	0.52	4.2	0.0	08/20/07	0.0	0.0	0.0
12/17/08	0.0	0.0	0.0	12/17/08	0.0	0.0	0.0	12/17/08	1.0	0.0	0.0	12/17/08	0.0	0.9	0.0	12/17/08	0.57	4.6	0.9	12/17/08	2.2	15.1	0.3	12/17/08	0.0	0.0	0.0
08/31/09	0.0	0.0	0.0	08/31/09	0.0	0.0	0.0	08/31/09	0.54	0.0	0.0	08/31/09	0.6	2.2	0.0	08/31/09	0.55	3.4	0.7	08/31/09	5.1	21.2	0.89	08/31/09	0.0	0.0	0.0
01/07/10	0.0	0.0	0.0	01/07/10	0.0	0.0	0.0	01/07/10	0.0	0.64	0.0	01/07/10	2.0	4.4	0.0	01/07/10	0.0	2.5	1.5	01/07/10	6.1	21.6	1.4	01/07/10	0.0	0.64	0.0
05/10/10	0.0	0.0	0.0	05/10/10	0.0	0.0	0.0	05/10/10	0.0	1.6	0.0	05/10/10	3.8	7.7	0.0	05/10/10	0.4	3.0	0.0	05/10/10	7.0	19.9	1.9	05/10/10	0.0	1.7	0.0
11/07/11	0.0	0.0	0.0	11/07/11	0.0	0.0	0.0	11/07/11	0.52	0.3	0.0	11/07/11	12.5	7.0	2.2	11/07/11	4.7	3.9	3.1	11/07/11	11.7	24.3	3.8	11/07/11	0.5	9.9	0.5
05/06/15	0.44	0.0	0.0	05/06/15	0.36	0.0	0.0	03/09/15	3.5	0.7	0.2	03/09/15	24.1	8.3	1.8	03/09/15	42.0	16.3	6.0	03/09/15	13.1	34.9	1.2	03/09/15	1.9	22.7	0.2
10/03/17	0.80	0.0	0.0	10/02/17	0.00	0.0	0.0	05/06/15	2.3	0.6	0.5	05/06/15	15.1	7.4	2.1	05/06/15	30.9	12.5	7.6	05/06/15	8.4	37.7	1.2	05/06/15	1.5	18.2	0.3
12/18/17	0.83	0.0	0.0	12/18/17	0.69	0.0	0.0	10/02/17	6.3	1.3	0.0	10/02/17	10.5	12.2	2.6	10/02/17											

Table 4
Summary of Historic Ground Water Monitoring Well Sample Results for Select Predominant Compounds
Fulton Avenue Superfund Site, Garden City Park, New York



MW27A				MW27B				MW27C				MW27D				MW27E				MW27F				MW27G			
Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE
05/03/04	0.0	0.0	0.0	05/03/04	0.0	0.0	0.0	05/03/04	0.0	0.0	0.0	05/03/04	0.0	0.0	0.0	05/03/04	0.0	0.0	0.0	05/03/04	0.0	0.0	0.0	05/03/04	0.0	0.0	0.0
12/02/04	0.0	0.0	0.0	12/02/04	0.0	0.0	0.0	12/02/04	0.0	0.0	0.0	12/02/04	0.0	0.0	0.0	12/02/04	0.0	0.0	0.0	12/02/04	0.0	0.0	0.0	12/02/04	0.0	0.0	0.0
05/12/05	0.0	0.0	0.0	05/12/05	0.0	0.0	0.0	05/12/05	0.0	0.0	0.0	05/12/05	0.0	0.0	0.0	05/12/05	0.0	0.0	0.0	05/12/05	0.0	0.0	0.0	05/12/05	0.0	0.0	0.0
11/01/05	0.0	0.0	0.0	11/1/2005	0.0	0.0	0.0	11/1/2005	0.0	0.0	0.0	11/1/2005	0.0	0.0	0.0	11/1/2005	0.0	0.0	0.0	11/1/2005	0.0	0.0	0.0	11/1/2005	0.0	0.4	0.0
06/02/06	0.0	0.0	0.0	06/02/06	0.0	0.0	0.0	06/02/06	0.0	0.0	0.0	06/02/06	0.0	0.0	0.0	06/02/06	0.0	0.0	0.0	06/02/06	0.0	0.0	0.0	06/02/06	0.0	0.0	0.0
12/15/06	0.0	0.0	0.0	12/15/06	0.0	0.0	0.0	12/15/06	0.0	0.0	0.0	12/15/06	0.0	0.0	0.0	12/15/06	0.0	0.0	0.0	12/15/06	0.0	0.0	0.0	12/15/06	0.0	1.8	0.0
08/23/07	0.0	0.0	0.0	08/23/07	0.0	0.0	0.0	08/23/07	0.0	0.0	0.0	08/23/07	0.0	0.0	0.0	08/23/07	0.0	0.0	0.0	08/23/07	0.0	0.0	0.0	08/23/07	0.0	0.0	0.0
12/16/08	0.0	0.0	0.0	12/16/08	0.0	0.0	0.0	12/16/08	0.0	0.0	0.0	12/16/08	0.0	0.0	0.0	12/16/08	0.0	0.0	0.0	12/16/08	0.0	0.0	0.0	12/16/08	0.4	4.2	0.0
09/01/09	0.0	0.0	0.0	09/01/09	0.0	0.0	0.0	09/01/09	0.0	0.0	0.0	09/01/09	0.0	0.0	0.0	09/01/09	0.0	0.0	0.0	09/01/09	0.0	0.0	0.0	09/01/09	0.97	8.4	NA
01/06/10	0.0	0.0	0.0	01/06/10	0.0	0.0	0.0	01/06/10	0.0	0.0	0.0	01/06/10	0.0	0.0	0.0	01/06/10	0.0	0.0	0.0	01/06/10	0.0	0.0	0.0	01/06/10	0.0	4.1	0.0
05/11/10	0.0	0.0	0.0	05/11/10	0.0	0.0	0.0	05/11/10	0.0	0.0	0.0	05/11/10	0.0	0.0	0.0	05/11/10	0.0	0.0	0.0	05/11/10	0.0	0.0	0.0	05/11/10	0.0	1.9	0.0
11/07/11	0.0	0.0	0.0	12/20/11	0.0	0.0	0.0	12/20/11	0.0	0.0	0.0	11/08/11	0.0	0.0	0.0	11/08/11	0.0	0.0	0.0	11/08/11	0.0	0.0	0.0	11/08/11	0.3	2.5	0.0
05/07/15	0.0	0.0	0.0	05/07/15	0.0	0.0	0.0	05/07/15	0.0	0.0	0.0	05/07/15	0.0	0.0	0.0	05/07/15	0.0	0.0	0.0	05/07/15	0.0	0.0	0.0	03/09/15	1.5	2.5	0.0
09/13/17	0.0	0.0	0.0	09/13/17	0.0	0.0	0.0	10/03/17	0.0	0.0	0.0	09/13/17	0.0	0.0	0.0	10/03/17	0.0	0.0	0.0	09/13/17	0.0	0.0	0.0	05/07/15	1.0	1.1	0.0
12/20/17	0.0	0.0	0.0	12/20/17	0.0	0.0	0.0	12/20/17	0.0	0.0	0.0	12/20/17	0.0	0.0	0.0	12/20/17	0.0	0.0	0.0	12/20/17	0.0	0.0	0.0	09/13/17	3.5	1.7	0.0
03/05/18	0.0	0.0	0.0	03/05/18	0.0	0.0	0.0	03/05/18	0.0	0.0	0.0	03/05/18	0.0	0.0	0.0	03/05/18	0.0	0.0	0.0	03/05/18	0.0	0.0	0.0	12/20/17	3.8	2.0	0.0
																								03/05/18	2.8	1.4	0.0
Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0
Max	0.0	0.0	0.0	Max	0.0	0.0	0.0	Max	0.0	0.0	0.0	Max	0.0	0.0	0.0	Max	0.0	0.0	0.0	Max	0.0	0.0	0.0	Max	3.8	8.4	0.0
Average	0.0	0.0	0.0	Average	0.0	0.0	0.0	Average	0.0	0.0	0.0	Average	0.0	0.0	0.0	Average	0.0	0.0	0.0	Average	0.0	0.0	0.0	Average	0.8	1.9	0.0

MW27H				MW28A				MW28B				MW28C				MW28D				MW28E				MW28F			
Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE	Date	PCE	TCE	cis-1,2-DCE
05/03/04	0.0	0.0	0.0	09/14/17	0.0	0.0	0.0	09/14/17	0.0	0.0	0.0	09/14/17	0.5	0.0	0.0	09/14/17	0.0	0.0	0.0	09/14/17	0.0	0.0	0.0	09/14/17	0.0	0.0	0.0
12/02/04	0.0	0.0	0.0	12/21/17	0.0	0.0	0.0	12/21/17	0.0	0.0	0.0	12/21/17	0.0	0.0	0.0	12/21/17	1.1	0.0	0.0	12/21/17	1.2	0.0	0.0	12/21/17	0.95	0.0	0.0
05/12/05	0.0	0.0	0.0	03/06/18	0.0	0.0	0.0	03/06/18	0.0	0.0	0.0	03/06/18	0.0	0.0	0.0	03/06/18	0.850	0.0	0.0	03/06/18	0.78	0.0	0.0	03/06/18	1.3	0.0	0.0
11/1/2005	0.0	0.0	0.0																								
06/02/06	0.0	0.0	0.0																								
12/15/06	0.0	0.0	0.0																								
08/23/07	0.0	0.0	0.0																								
12/16/08	0.0	0.0	0.0																								
09/01/09	0.0	0.0	0.0																								
01/06/10	0.0	0.0	0.0																								
05/11/10	0.0	0.0	0.0																								
11/08/11	0.0	1.0	0.0																								
03/09/15	0.3	1.5	0.7																								
05/07/15	0.0	0.6	1.6																								
09/13/17	0.0	1.8	6.8																								
12/20/17	0.0	0.0	6.5																								
03/05/18	0.0	0.32	6.5																								
Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0	Min	0.5	0.0	0.0	Min	0.0	0.0	0.0	Min	0.0	0.0	0.0
Max	0.3	1.8	6.8	Max	0.0	0.0	0.0	Max	0.0	0.0	0.0	Max	0.0	0.0	0.0	Max	1.1	0.0	0.0	Max	1.2	0.0	0.0	Max	1.3	0.0	0.0
Average	0.0	0.3	1.3	Average	0.0	0.0	0.0	Average	0.0	0.0	0.0	Average	0.0	0.0	0.0	Average	0.8	0.0	0.0	Average	0.7	0.0	0.0	Average	0.8	0.0	0.0

All values are in micrograms per liter (µg/l).
 0.0 = Not detected at or above the method detection limit.
 NA = Not analyzed.

Table 4
Summary of Historic Ground Water Monitoring Well Sample Results for Select Predominant Compounds
Fulton Avenue Superfund Site, Garden City Park, New York



MW28G			
Date	PCE	TCE	cis-1,2-DCE
09/14/17	0.0	0.0	0.0
12/21/17	0.77	0.0	0.0
03/06/18	0.62	0.0	0.0
Min	0.0	0.0	0.0
Max	0.8	0.0	0.0
Average	0.5	0.0	0.0

MW28H			
Date	PCE	TCE	cis-1,2-DCE
09/14/17	0.0	0.0	0.0
12/21/17	0.54	0.0	0.0
03/06/18	0.68	0.0	0.0
Min	0.0	0.0	0.0
Max	0.7	0.0	0.0
Average	0.4	0.0	0.0

E9B			
Date	PCE	TCE	cis-1,2-DCE
07/17/86	20.4	36.3	0.0
02/04/87	15.3	18.1	0.0
07/29/88	0.0	0.0	0.0
07/21/89	8.0	0.0	0.0
10/13/89	1.8	0.4	0.0
06/21/90	3.1	1.5	0.0
06/24/91	0.0	0.0	0.0
01/09/92	14.4	1.1	0.0
01/08/93	2.9	1.3	0.0
07/28/94	1.8	0.4	0.0
02/26/97	3.2	0.0	0.0
09/12/01	2.0	0.4	0.4
Min	0.0	0.0	0.0
Max	20.4	36.3	0.4
Average	6.1	5.0	0.0

M51			
Date	PCE	TCE	cis-1,2-DCE
10/22/93	0.0	4.6	0.0
08/15/94	0.2	12.2	0.5
03/03/99	0.0	7.5	0.0
09/25/01	0.0	6.0	0.0
Min	0.0	4.6	0.0
Max	0.2	12.2	0.5
Average	0.1	7.6	0.1

M52			
Date	PCE	TCE	cis-1,2-DCE
10/22/93	0.0	0.0	0.0
08/15/94	2.9	0.0	1.1
02/26/97	1.9	0.0	0.0
09/25/01	0.7	0.3	0.0
Min	0.0	0.0	0.0
Max	2.9	0.3	1.1
Average	1.4	0.1	0.3

N-02227			
Date	PCE	TCE	cis-1,2-DCE
09/17/01	10.0	4.0	0.1
Min	10.0	4.0	0.1
Max	10.0	4.0	0.1
Average	10.0	4.0	0.1

VOW1D			
Date	PCE	TCE	cis-1,2-DCE
4/26/99	111	7.0	0.0
7/14/99	47.6	8.1	0.0
10/26/99	0.5	0.0	0.0
6/7/00	0.7	0.0	0.0
3/19/01	0.0	0.0	0.0
6/14/01	0.0	0.0	0.0
11/15/11	1.6	0.0	0.0
Min	0.0	0.0	0.0
Max	111	8.1	0.0
Average	23.1	2.2	0.0


VOW3D			
Date	PCE	TCE	cis-1,2-DCE
4/26/99	22,200	224	1.6
7/14/99	11,700	2,410	0.0
10/26/99	705	745	50.1
6/7/00	99.1	87.7	12.7
9/29/00	27.8	26.7	1.0
3/19/01	64.2	18.9	28.8
6/14/01	4.9	3.3	0.0
11/15/11	1.6	0.0	0.0
12/16/11	1.2	0.0	0.0
Min	1.2	0.0	0.0
Max	22,200	2,410	50.1
Average	3,867.1	390.6	10.5

VOW4D			
Date	PCE	TCE	cis-1,2-DCE
4/26/99	53,700	0.0	0.0
7/14/99	36,700	1,040	0.0
10/26/99	6,800	2,600	401
1/24/00	2,140	4,380	1,290
6/7/00	897	3,540	2,374
9/29/00	134.0	928	1,562
1/3/01	55.8	929	1,570
3/19/01	0.0	117	13,244
6/14/01	1.6	2.5	19.4
9/6/01	6.3	10.0	5.0
11/15/11	2.9	0.4	0.0
12/16/11	1.8	0.4	0.0
12/16/11	1.9	0.4	0.0
Min	0.0	0.0	0.0
Max	53,700	4,380	13243.7
Average	7726.3	1042.1	1574.2


VEW1			
Date	PCE	TCE	cis-1,2-DCE
11/15/11	2.5	0.3	0.0
12/16/11	3.1	0.5	0.0
Min	2.5	0.3	0.0
Max	3.1	0.5	0.0
Average	2.8	0.4	0.0

All values are in micrograms per liter (µg/l).
 0.0 = Not detected at or above the method detection limit.
 NA = Not analyzed.


Well MW21A
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 120 to 130 Feet Below Ground Surface




Well MW21B
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 330 to 340 Feet Below Ground Surface




Well MW21C
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 390 to 400 Feet Below Ground Surface




Well MW21D
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 447 to 457 Feet Below Ground Surface




Well MW26A
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 224 to 234 Feet Below Ground Surface




Well MW26B
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 266 to 276 Feet Below Ground Surface




Well MW26C
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 320 to 330 Feet Below Ground Surface




Well MW26D
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 345 to 355 Feet Below Ground Surface




Well MW26E
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 372 to 382 Feet Below Ground Surface




Well MW26F
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 405 to 415 Feet Below Ground Surface




Well MW26G
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 438 to 448 Feet Below Ground Surface




Well MW26H
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 474 to 484 Feet Below Ground Surface




Well MW27A
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 192 to 202 Feet Below Ground Surface




Well MW27B
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 236 to 246 Feet Below Ground Surface




Well MW27C
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 284 to 294 Feet Below Ground Surface




Well MW27D
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 324 to 334 Feet Below Ground Surface




Well MW27E
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 364 to 374 Feet Below Ground Surface




Well MW27F
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 408 to 418 Feet Below Ground Surface




Well MW27G
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 438 to 448 Feet Below Ground Surface




Well MW27H
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 472 to 482 Feet Below Ground Surface




Well MW28A
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 92 to 102 Feet Below Ground Surface




Well MW28B
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 214 to 224 Feet Below Ground Surface




Well MW28C
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 312 to 322 Feet Below Ground Surface




Well MW28D
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 340 to 350 Feet Below Ground Surface




Well MW28E
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 362 to 372 Feet Below Ground Surface




Well MW28F
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 398 to 408 Feet Below Ground Surface



Well MW28G
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 434 to 444 Feet Below Ground Surface



Well MW28H
Summary of Historic Groundwater Sampling Results
PCE, TCE and cis-1,2-DCE Concentrations Vs. Time
Screen Zone Interval: 485 to 495 Feet Below Ground Surface



DATA USABILITY SUMMARY REPORT (DUSR)

Site: Fulton Avenue Site, Garden City Park, New York

Laboratory: SGS Dayton, New Jersey

SGS Job ID: JC61767, JC61849, JC61943, JC62073, JC62192

Date: April 27, 2018

EDS Sample ID	Client Sample ID	Laboratory Sample ID	Matrix
1	MW27H-476.5-030518	JC61767-1	Aqueous
2	MW27G-443-030518	JC61767-2	Aqueous
3	MW27F-413.5-030518	JC61767-3	Aqueous
4	FB030518	JC61767-4	QC
5	TB030518	JC61767-5	QC
6	MW27E-369-030518	JC61767-6	Aqueous
7	MW27D-329.5-030518	JC61767-7	Aqueous
8	MW27C-289-030518	JC61767-8	Aqueous
9	MW27A-197-030518	JC61849-1	Aqueous
10	MW27B-241.5-030518	JC61849-2	Aqueous
11	MW28A-97-030618	JC61849-3	Aqueous
11 MS	MW28A-97-030618 (MS)	JC61849-3S	Aqueous
11 MSD	MW28A-97-030618 (MSD)	JC61849-3D	Aqueous
12	MW28B-219.5-030618	JC61849-4	Aqueous
13	MW28C-317-030618	JC61849-5	Aqueous
14	MW28D-345.5-030618	JC61849-6	Aqueous
15	MW28E-367-030618	JC61849-7	Aqueous
16	MW28F-403.5-030618	JC61849-8	Aqueous
17	MW28G-439-030618	JC61849-9	Aqueous
18	MW28H-490.5-030618	JC61849-10	Aqueous
19	FB030618	JC61849-11	QC
20	TB030618	JC61849-12	QC
21	FB030818	JC61943-1	QC
22	TB030818	JC61943-2	QC
23	MW26A-229-030818	JC61943-3	Aqueous
24	MW26B-271.5-030818	JC61943-4	Aqueous
25	MW26C-325-030818	JC61943-5	Aqueous
26	MW26D-350.5-030818	JC61943-6	Aqueous
27	DUP030818 (MW26C-325)	JC61943-7	Aqueous
28	MW26E-377-030818	JC61943-8	Aqueous
29	MW26F-410.5-030818	JC61943-9	Aqueous

EDS Sample ID	Client Sample ID	Laboratory Sample ID	Matrix
30	MW26G-443-030818	JC61943-10	Aqueous
31	MW26H-478.5-030818	JC61943-11	Aqueous
32	FB030918	JC62073-1	QC
33	TB030918	JC62073-2	QC
34	DUP030918 (MW21D-452)	JC62073-3	Aqueous
35	MW21B-335-030918	JC62073-4	Aqueous
36	MW21C-395-030918	JC62073-5	Aqueous
37	MW21D-452-030918	JC62073-6	Aqueous
38	FB031218	JC62192-1	QC
39	TB031218	JC62192-2	QC
40	MW21A-125-031218	JC62192-3	Aqueous
40 MS	MW21A-125-031218(MS)	JC62192-3S	Aqueous
40 MSD	MW21A-125-031218(MSD)	JC62192-3D	Aqueous

Note (s): The lab reports positively identified results between the reporting limit (RL) and the method detection limit (MDL) with a “J”. These results are considered estimated, however still valid and useable for project objectives.

The lab reports non-detects as “ND” on the Form Is. Data for this project present non-detects with a “U”. Any qualification that requires non-detects to be qualified as estimated, “UJ”, will be presented on the Form Is as “ND J”.

The sample IDs for EDS IDs 23-31 were modified per request from how they initially appeared on the COC. All IDs are correct as presented on the Form Is.

VOLATILE ORGANIC COMPOUNDS

USEPA SW-846 8260C

The analytical method, the NYSDEC ASP, the USEPA CLP National Functional Guidelines for Organic Data Review (January 2017) and the reviewer’s professional judgment were used in evaluating the data in this summary report.

Holding Times (HT) - All HT criteria were met.

Surrogates - All surrogate percent recoveries (%R) met QC criteria.

Matrix Spike/Matrix Spike Duplicate (MS/MSD) - An MS/MSD was collected and analyzed on EDS ID 11 and 40. The lab also analyzed an MS on EDS ID 23 and 28 and provided batch QC. All %R and relative percent difference (RPD) met QC criteria, except the following.

EDS ID	Compound (s)	MS/MSD %R Bias	RPD	Qualifier
11	Bromochloromethane	Low	OK	UJ
	Bromoform	Low (MSD only)	OK	NA
	Chlorobenzene	Low	OK	UJ
	Cyclohexane	OK	OUT	NA
	Dibromochloromethane	Low (MSD only)	OK	NA
	1,2-Dibromoethane	Low	OK	UJ
	1,2-Dichlorobenzene	Low (MSD only)	OK	NA
	1,3-Dichlorobenzene	Low	OK	UJ
	1,4-Dichlorobenzene	Low	OK	UJ
	trans-1,3-Dichloropropene	Low (MSD only)	OK	NA
	Isopropylbenzene	Low (MSD only)	OK	NA
	Styrene	Low (MSD only)	OK	NA
	1,2,4-Trichlorobenzene	Low (MSD only)	OK	NA
23	1,2-Dibromo-3-chloropropane	High	OK	None – ND

NA – Not Applicable. Qualification not performed unless both MS & MSD have deficient %R.

Blank Spike (BS) – All %R met QC criteria except those in the table below. Any BS applicable to QC samples only is not listed.

BS Batch	Compound	%R Bias	Associated EDS IDs	Qualifier
V1A7615	Acetone	High	32-37	None – All ND
V4D3724	Acetone	High	40	None – ND

Method Blank (MB) - The MBs exhibited no target compounds.

Field Blank (FB) – The FBs exhibited no target compounds.

Trip Blank (TB) – The TBs exhibited no target compounds.

GC/MS Tuning - All of the instrument tunes met QC criteria.

Initial Calibration (ICAL) - The ICAL exhibited %RSD and mean relative response factor (RRF) values within QC criteria.

Continuing Calibration (CCV) – The CCVs exhibited percent deviation (%D) and RRF values within QC criteria, except the following. The lab has noted several compounds not meeting CCV criteria, however the %D met validation criteria and no qualification is required.

CCV	Compound	Associated EDS IDs	Qualifier
V4D3718-CC3663	Acetone 1,2-Dichloroethane	9-20	UJ - All ND
V4B3304-CC3238	Acetone 2-Butanone	25	UJ - ND

Internal Standard (IS) Area Performance - All internal standards met area response and retention time (RT) criteria.

Blind Field Duplicate - Results met %D criteria.

Sample Analysis – EDS ID 36 was reanalyzed at a dilution due to tetrachloroethene (PCE) exceeding the calibration range of the instrument in the initial analysis. The lab has noted this on the Form I. The dilution was justified. The result for PCE is reported from the diluted analysis. All other results are reported from the initial analysis. No qualification of the sample data is required.

No other issues were observed.

Data Qualifier	Definition
None	The compound was positively identified at the associated numerical value which is the concentration of the compound in the sample.
U (ND)	Non-Detect. The compound was analyzed for, but not detected. The associated numerical value is the RL. The value is usable as a non-detect at the RL.
J	Estimated value. The compound was detected at a concentration below the RL but greater than the MDL or, the value was designated as estimated as a result of the data validation criteria. The value is usable as an estimated result.
UJ (ND J)	The compound was analyzed for, but not detected. The associated numerical value is the RL. The value is an estimated quantity due to a QC exceedance. The value is usable as a non-detect at the estimated RL.

SGS North America Inc.

Report of Analysis

Page 1 of 2

MW27H

Client Sample ID:	MW24H -476.5-030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61767-1	Date Received:	03/05/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86016.D	1	03/08/18 17:06	JP	n/a	n/a	V4D3716
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	107	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane ^a	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	113	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	6.5	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	0.38	1.0	0.22	ug/l	J
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

MW27H

Client Sample ID:	MW24H-476.5-030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61767-1	Date Received:	03/05/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

4.1
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	0.47	1.0	0.25	ug/l	J
79-20-9	Methyl Acetate	12.6	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	2.2	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	0.32	1.0	0.27	ug/l	J
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW27G-443-030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61767-2	Date Received:	03/05/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86017.D	1	03/08/18 17:34	JP	n/a	n/a	V4D3716
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane ^a	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW27G-443-030518 Lab Sample ID: JC61767-2 Matrix: AQ - Ground Water Method: SW846 8260C Project: Genesco, 150 Fulton Avenue, Garden City, NY	Date Sampled: 03/05/18 Date Received: 03/05/18 Percent Solids: n/a
---	---

4.2
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	2.8	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	1.4	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW27F-413.5-030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61767-3	Date Received:	03/05/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86018.D	1	03/08/18 18:03	JP	n/a	n/a	V4D3716
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane ^a	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW27F-413.5-030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61767-3	Date Received:	03/05/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		80-120%
17060-07-0	1,2-Dichloroethane-D4	113%		81-124%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	FB030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61767-4	Date Received:	03/05/18
Matrix:	AQ - Field Blank Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D85986.D	1	03/07/18 14:23	JP	n/a	n/a	V4D3715
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB030518	Date Sampled: 03/05/18
Lab Sample ID: JC61767-4	Date Received: 03/05/18
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.4
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		80-120%
17060-07-0	1,2-Dichloroethane-D4	110%		81-124%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	104%		80-120%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	TB030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61767-5	Date Received:	03/05/18
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D85987.D	1	03/07/18 14:52	JP	n/a	n/a	V4D3715
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB030518 Lab Sample ID: JC61767-5 Matrix: AQ - Trip Blank Water Method: SW846 8260C Project: Genesco, 150 Fulton Avenue, Garden City, NY	Date Sampled: 03/05/18 Date Received: 03/05/18 Percent Solids: n/a
---	---

4.5
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	93%		80-120%
17060-07-0	1,2-Dichloroethane-D4	109%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW27E-369-030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61767-6	Date Received:	03/05/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86019.D	1	03/08/18 18:32	JP	n/a	n/a	V4D3716
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane ^a	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW27E-369-030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61767-6	Date Received:	03/05/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	116%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW27D-329.5-030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61767-7	Date Received:	03/05/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86020.D	1	03/08/18 19:01	JP	n/a	n/a	V4D3716
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane ^a	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW27D-329.5-030518	Date Sampled: 03/05/18
Lab Sample ID: JC61767-7	Date Received: 03/05/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.7
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW27C-289-030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61767-8	Date Received:	03/05/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86021.D	1	03/08/18 19:30	JP	n/a	n/a	V4D3716
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane ^a	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW27C-289-030518	Date Sampled: 03/05/18
Lab Sample ID: JC61767-8	Date Received: 03/05/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.8
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW27A-197-030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61849-1	Date Received:	03/06/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86038.D	1	03/09/18 12:33	JP	n/a	n/a	V4D3718
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW27A-197-030518	Date Sampled: 03/05/18
Lab Sample ID: JC61849-1	Date Received: 03/06/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.1
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate ^a	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		80-120%
17060-07-0	1,2-Dichloroethane-D4	107%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	106%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW27B-241.5-030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61849-2	Date Received:	03/06/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86039.D	1	03/09/18 13:02	JP	n/a	n/a	V4D3718
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW27B-241.5-030518	Date Sampled:	03/05/18
Lab Sample ID:	JC61849-2	Date Received:	03/06/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate ^a	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	94%		80-120%
17060-07-0	1,2-Dichloroethane-D4	110%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	106%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW28A- 2 97-030618	Date Sampled:	03/06/18
Lab Sample ID:	JC61849-3	Date Received:	03/06/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86033.D	1	03/09/18 10:01	JP	n/a	n/a	V4D3718
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	J
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	J
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	J
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	J
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	J
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW28A-297-030618	Date Sampled: 03/06/18
Lab Sample ID: JC61849-3	Date Received: 03/06/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.3
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate ^a	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	0.27	1.0	0.25	ug/l	J
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	94%		80-120%
17060-07-0	1,2-Dichloroethane-D4	110%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	106%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW28B-219.5-030618	Date Sampled:	03/06/18
Lab Sample ID:	JC61849-4	Date Received:	03/06/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86040.D	1	03/09/18 13:31	JP	n/a	n/a	V4D3718
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW28B-219.5-030618 Lab Sample ID: JC61849-4 Matrix: AQ - Ground Water Method: SW846 8260C Project: Genesco, 150 Fulton Avenue, Garden City, NY	Date Sampled: 03/06/18 Date Received: 03/06/18 Percent Solids: n/a
---	---

4.4
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate ^a	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	0.85	1.0	0.25	ug/l	J
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	93%		80-120%
17060-07-0	1,2-Dichloroethane-D4	106%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	107%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW28C-317-030618	Date Sampled:	03/06/18
Lab Sample ID:	JC61849-5	Date Received:	03/06/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86041.D	1	03/09/18 14:00	JP	n/a	n/a	V4D3718
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW28C-317-030618 Lab Sample ID: JC61849-5 Matrix: AQ - Ground Water Method: SW846 8260C Project: Genesco, 150 Fulton Avenue, Garden City, NY	Date Sampled: 03/06/18 Date Received: 03/06/18 Percent Solids: n/a
---	---

4.5
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate ^a	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	32.0	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	93%		80-120%
17060-07-0	1,2-Dichloroethane-D4	106%		81-124%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	106%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW28D-345.5-030618	Date Sampled:	03/06/18
Lab Sample ID:	JC61849-6	Date Received:	03/06/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86042.D	1	03/09/18 14:29	JP	n/a	n/a	V4D3718
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW28D-345.5-030618 Lab Sample ID: JC61849-6 Matrix: AQ - Ground Water Method: SW846 8260C Project: Genesco, 150 Fulton Avenue, Garden City, NY	Date Sampled: 03/06/18 Date Received: 03/06/18 Percent Solids: n/a
---	---

4.6
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate ^a	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	0.85	1.0	0.50	ug/l	J
108-88-3	Toluene	1.8	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	94%		80-120%
17060-07-0	1,2-Dichloroethane-D4	107%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW28E-367-030618	Date Sampled:	03/06/18
Lab Sample ID:	JC61849-7	Date Received:	03/06/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86043.D	1	03/09/18 14:58	JP	n/a	n/a	V4D3718
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW28E-367-030618	Date Sampled: 03/06/18
Lab Sample ID: JC61849-7	Date Received: 03/06/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.7
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate ^a	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	0.78	1.0	0.50	ug/l	J
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		80-120%
17060-07-0	1,2-Dichloroethane-D4	111%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	106%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW28F-403.5-030618	Date Sampled:	03/06/18
Lab Sample ID:	JC61849-8	Date Received:	03/06/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86044.D	1	03/09/18 15:26	JP	n/a	n/a	V4D3718
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW28F-403.5-030618	Date Sampled: 03/06/18
Lab Sample ID: JC61849-8	Date Received: 03/06/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.8
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate ^a	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	1.3	1.0	0.50	ug/l	
108-88-3	Toluene	1.7	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	115%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	106%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW28G-439-030618	Date Sampled:	03/06/18
Lab Sample ID:	JC61849-9	Date Received:	03/06/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86045.D	1	03/09/18 15:55	JP	n/a	n/a	V4D3718
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW28G-439-030618 Lab Sample ID: JC61849-9 Matrix: AQ - Ground Water Method: SW846 8260C Project: Genesco, 150 Fulton Avenue, Garden City, NY	Date Sampled: 03/06/18 Date Received: 03/06/18 Percent Solids: n/a
---	---

4.9
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate ^a	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	0.62	1.0	0.50	ug/l	J
108-88-3	Toluene	0.61	1.0	0.25	ug/l	J
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	107%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW28H-490.5-030618	Date Sampled:	03/06/18
Lab Sample ID:	JC61849-10	Date Received:	03/06/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86046.D	1	03/09/18 16:24	JP	n/a	n/a	V4D3718
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW28H-490.5-030618	Date Sampled:	03/06/18
Lab Sample ID:	JC61849-10	Date Received:	03/06/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate ^a	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	0.68	1.0	0.50	ug/l	J
108-88-3	Toluene	0.97	1.0	0.25	ug/l	J
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	108%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	FB030618	Date Sampled:	03/06/18
Lab Sample ID:	JC61849-11	Date Received:	03/06/18
Matrix:	AQ - Field Blank Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86047.D	1	03/09/18 16:53	JP	n/a	n/a	V4D3718
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB030618 Lab Sample ID: JC61849-11 Matrix: AQ - Field Blank Water Method: SW846 8260C Project: Genesco, 150 Fulton Avenue, Garden City, NY	Date Sampled: 03/06/18 Date Received: 03/06/18 Percent Solids: n/a
---	---

4.11
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate ^a	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		80-120%
17060-07-0	1,2-Dichloroethane-D4	113%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	107%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	TB030618	Date Sampled:	03/06/18
Lab Sample ID:	JC61849-12	Date Received:	03/06/18
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86048.D	1	03/09/18 17:21	JP	n/a	n/a	V4D3718
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB030618 Lab Sample ID: JC61849-12 Matrix: AQ - Trip Blank Water Method: SW846 8260C Project: Genesco, 150 Fulton Avenue, Garden City, NY	Date Sampled: 03/06/18 Date Received: 03/06/18 Percent Solids: n/a
--	---

4.12
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate ^a	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	106%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID: FB030818	Date Sampled: 03/08/18
Lab Sample ID: JC61943-1	Date Received: 03/08/18
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4B80008.D	1	03/09/18 17:29	HT	n/a	n/a	V4B3302
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB030818	Date Sampled: 03/08/18
Lab Sample ID: JC61943-1	Date Received: 03/08/18
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.1
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	86%		80-120%
17060-07-0	1,2-Dichloroethane-D4	94%		81-124%
2037-26-5	Toluene-D8	93%		80-120%
460-00-4	4-Bromofluorobenzene	96%		80-120%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	TB030818	Date Sampled:	03/08/18
Lab Sample ID:	JC61943-2	Date Received:	03/08/18
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4B80009.D	1	03/09/18 17:57	HT	n/a	n/a	V4B3302
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB030818	Date Sampled:	03/08/18
Lab Sample ID:	JC61943-2	Date Received:	03/08/18
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

4.2
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	91%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		81-124%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	93%		80-120%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW26A-229-030818	Date Sampled:	03/08/18
Lab Sample ID:	JC61943-3	Date Received:	03/08/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4B79998.D	1	03/09/18 12:47	HT	n/a	n/a	V4B3302
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	12.5	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	7.5	10	4.8	ug/l	J
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	1.2	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW26A-229-030818	Date Sampled: 03/08/18
Lab Sample ID: JC61943-3	Date Received: 03/08/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.3
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	2.4	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	90%		80-120%
17060-07-0	1,2-Dichloroethane-D4	97%		81-124%
2037-26-5	Toluene-D8	93%		80-120%
460-00-4	4-Bromofluorobenzene	94%		80-120%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW26B-271.5-030818	Date Sampled:	03/08/18
Lab Sample ID:	JC61943-4	Date Received:	03/08/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4B79999.D	1	03/09/18 13:15	HT	n/a	n/a	V4B3302
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW26B-271.5-030818	Date Sampled: 03/08/18
Lab Sample ID: JC61943-4	Date Received: 03/08/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.4
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	0.89	1.0	0.50	ug/l	J
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	93%		80-120%
17060-07-0	1,2-Dichloroethane-D4	98%		81-124%
2037-26-5	Toluene-D8	90%		80-120%
460-00-4	4-Bromofluorobenzene	94%		80-120%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW26C-325-030818	Date Sampled:	03/08/18
Lab Sample ID:	JC61943-5	Date Received:	03/08/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4B80044.D	1	03/12/18 15:14	HT	n/a	n/a	V4B3304
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	J
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW26C-325-030818 Lab Sample ID: JC61943-5 Matrix: AQ - Ground Water Method: SW846 8260C Project: Genesco, 150 Fulton Avenue, Garden City, NY	Date Sampled: 03/08/18 Date Received: 03/08/18 Percent Solids: n/a
---	---

4.5
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	0.58	1.0	0.50	ug/l	J
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	89%		80-120%
17060-07-0	1,2-Dichloroethane-D4	96%		81-124%
2037-26-5	Toluene-D8	91%		80-120%
460-00-4	4-Bromofluorobenzene	98%		80-120%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW26D-350.5-030818	Date Sampled:	03/08/18
Lab Sample ID:	JC61943-6	Date Received:	03/08/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B158837.D	1	03/12/18 12:34	SS	n/a	n/a	V2B7068
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW26D-350.5-030818	Date Sampled: 03/08/18
Lab Sample ID: JC61943-6	Date Received: 03/08/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.6
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	9.1	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	1.2	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	110%		80-120%
17060-07-0	1,2-Dichloroethane-D4	103%		81-124%
2037-26-5	Toluene-D8	95%		80-120%
460-00-4	4-Bromofluorobenzene	97%		80-120%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	DUP030818	Date Sampled:	03/08/18
Lab Sample ID:	JC61943-7	Date Received:	03/08/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B158841.D	1	03/12/18 14:35	SS	n/a	n/a	V2B7068
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: DUP030818 Lab Sample ID: JC61943-7 Matrix: AQ - Ground Water Method: SW846 8260C Project: Genesco, 150 Fulton Avenue, Garden City, NY	Date Sampled: 03/08/18 Date Received: 03/08/18 Percent Solids: n/a
--	---

4.7
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	0.62	1.0	0.50	ug/l	J
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	112%		80-120%
17060-07-0	1,2-Dichloroethane-D4	104%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	97%		80-120%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW26E-377-030818	Date Sampled:	03/08/18
Lab Sample ID:	JC61943-8	Date Received:	03/08/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B158833.D	1	03/12/18 10:33	SS	n/a	n/a	V2B7068
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	2.3	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW26E-377-030818	Date Sampled: 03/08/18
Lab Sample ID: JC61943-8	Date Received: 03/08/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.8
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	1.1	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	9.2	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		81-124%
2037-26-5	Toluene-D8	95%		80-120%
460-00-4	4-Bromofluorobenzene	96%		80-120%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW26F-410.5-030818	Date Sampled:	03/08/18
Lab Sample ID:	JC61943-9	Date Received:	03/08/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B158834.D	1	03/12/18 11:04	SS	n/a	n/a	V2B7068
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	5.3	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW26F-410.5-030818	Date Sampled: 03/08/18
Lab Sample ID: JC61943-9	Date Received: 03/08/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.9
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	25.2	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	12.9	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		81-124%
2037-26-5	Toluene-D8	95%		80-120%
460-00-4	4-Bromofluorobenzene	98%		80-120%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW26G-443-030818	Date Sampled:	03/08/18
Lab Sample ID:	JC61943-10	Date Received:	03/08/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B158835.D	1	03/12/18 11:34	SS	n/a	n/a	V2B7068
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW26G-443-030818	Date Sampled:	03/08/18
Lab Sample ID:	JC61943-10	Date Received:	03/08/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	8.6	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	24.8	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		80-120%
17060-07-0	1,2-Dichloroethane-D4	102%		81-124%
2037-26-5	Toluene-D8	95%		80-120%
460-00-4	4-Bromofluorobenzene	99%		80-120%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW26H-478.5-030818	Date Sampled:	03/08/18
Lab Sample ID:	JC61943-11	Date Received:	03/08/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B158836.D	1	03/12/18 12:04	SS	n/a	n/a	V2B7068
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW26H-478.5-030818	Date Sampled: 03/08/18
Lab Sample ID: JC61943-11	Date Received: 03/08/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

4.11
4

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	1.7	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	22.1	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		80-120%
17060-07-0	1,2-Dichloroethane-D4	103%		81-124%
2037-26-5	Toluene-D8	95%		80-120%
460-00-4	4-Bromofluorobenzene	97%		80-120%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID: FB030918	Date Sampled: 03/09/18
Lab Sample ID: JC62073-1	Date Received: 03/09/18
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A178933.D	1	03/14/18 01:38	GA	n/a	n/a	V1A7615
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^b	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB030918		Date Sampled: 03/09/18
Lab Sample ID: JC62073-1		Date Received: 03/09/18
Matrix: AQ - Field Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Genesco, 150 Fulton Avenue, Garden City, NY		

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	100%		81-124%
2037-26-5	Toluene-D8	93%		80-120%
460-00-4	4-Bromofluorobenzene	97%		80-120%

- (a) This compound in BS is outside in house QC limits bias high.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID: TB030918	Date Sampled: 03/09/18
Lab Sample ID: JC62073-2	Date Received: 03/09/18
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	1A178934.D	1	03/14/18 02:03	GA	n/a	n/a	V1A7615

Run #1	Purge Volume
Run #2	5.0 ml

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^b	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB030918	Date Sampled:	03/09/18
Lab Sample ID:	JC62073-2	Date Received:	03/09/18
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	98%		81-124%
2037-26-5	Toluene-D8	94%		80-120%
460-00-4	4-Bromofluorobenzene	98%		80-120%

- (a) This compound in BS is outside in house QC limits bias high.
(b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID: DUP030918	Date Sampled: 03/09/18
Lab Sample ID: JC62073-3	Date Received: 03/09/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A178935.D	1	03/14/18 02:28	GA	n/a	n/a	V1A7615
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^b	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID: MW21B-335-030918	Date Sampled: 03/09/18
Lab Sample ID: JC62073-4	Date Received: 03/09/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A178936.D	1	03/14/18 02:53	GA	n/a	n/a	V1A7615
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^b	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW21B-335-030918	Date Sampled: 03/09/18
Lab Sample ID: JC62073-4	Date Received: 03/09/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	3.9	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	0.79	1.0	0.27	ug/l	J
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		80-120%
17060-07-0	1,2-Dichloroethane-D4	98%		81-124%
2037-26-5	Toluene-D8	94%		80-120%
460-00-4	4-Bromofluorobenzene	96%		80-120%

- (a) This compound in BS is outside in house QC limits bias high.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW21C-395-030918	Date Sampled:	03/09/18
Lab Sample ID:	JC62073-5	Date Received:	03/09/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D86194.D	1	03/15/18 16:12	JP	n/a	n/a	V4D3725
Run #2	1A178937.D	2.5	03/14/18 03:18	GA	n/a	n/a	V1A7615

Run #	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane ^a	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane ^a	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	0.31	1.0	0.21	ug/l	J
107-06-2	1,2-Dichloroethane ^a	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	1.3	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	2.5	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW21C-395-030918	Date Sampled:	03/09/18
Lab Sample ID:	JC62073-5	Date Received:	03/09/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	202 ^b	2.5	1.3	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	19.4	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%	105%	80-120%
17060-07-0	1,2-Dichloroethane-D4	111%	100%	81-124%
2037-26-5	Toluene-D8	100%	94%	80-120%
460-00-4	4-Bromofluorobenzene	105%	98%	80-120%

(a) Associated CCV outside of control limits high, sample was ND.

(b) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID:	MW21D-452-030918	Date Sampled:	03/09/18
Lab Sample ID:	JC62073-6	Date Received:	03/09/18
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A178938.D	1	03/14/18 03:43	GA	n/a	n/a	V1A7615
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^b	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW21D-452-030918	Date Sampled: 03/09/18
Lab Sample ID: JC62073-6	Date Received: 03/09/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	11.4	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		81-124%
2037-26-5	Toluene-D8	94%		80-120%
460-00-4	4-Bromofluorobenzene	97%		80-120%

- (a) This compound in BS is outside in house QC limits bias high.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.6
4

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID: FB031218	Date Sampled: 03/12/18
Lab Sample ID: JC62192-1	Date Received: 03/13/18
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	4D86163.D	1	03/14/18 21:16	JP	n/a	n/a	V4D3724

Run #1	Purge Volume
Run #2	5.0 ml

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane ^b	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB031218	Date Sampled:	03/12/18
Lab Sample ID:	JC62192-1	Date Received:	03/13/18
Matrix:	AQ - Field Blank Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Genesco, 150 Fulton Avenue, Garden City, NY		

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	107%		80-120%

(a) This compound in BS is outside in house QC limits bias high.

(b) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID: TB031218	Date Sampled: 03/12/18
Lab Sample ID: JC62192-2	Date Received: 03/13/18
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	4D86164.D	1	03/14/18 21:45	JP	n/a	n/a	V4D3724

Run #1	Purge Volume
Run #2	5.0 ml

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane ^b	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB031218	Date Sampled: 03/12/18
Lab Sample ID: JC62192-2	Date Received: 03/13/18
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	106%		80-120%

(a) This compound in BS is outside in house QC limits bias high.

(b) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID: MW21A-125-031218	Date Sampled: 03/12/18
Lab Sample ID: JC62192-3	Date Received: 03/13/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Genesco, 150 Fulton Avenue, Garden City, NY	

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	4D86165.D	1	03/14/18 22:14	JP	n/a	n/a	V4D3724

Run #1	Purge Volume
Run #2	5.0 ml

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.38	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane ^b	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.63	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.69	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.21	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.50	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.50	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.50	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	1.9	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW21A-125-031218		Date Sampled: 03/12/18
Lab Sample ID: JC62192-3		Date Received: 03/13/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Genesco, 150 Fulton Avenue, Garden City, NY		

VOA TCL List

CAS No.	Compound	Result	RL	MDL	Units	Q
98-82-8	Isopropylbenzene	ND	1.0	0.25	ug/l	
79-20-9	Methyl Acetate	ND	5.0	3.1	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	1.8	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	1.0	0.50	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.60	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		80-120%
17060-07-0	1,2-Dichloroethane-D4	112%		81-124%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	107%		80-120%

(a) This compound in BS is outside in house QC limits bias high.

(b) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4