



November 8, 2004

New York State Department of Environmental Conservation  
Division of Environmental Remediation  
Bureau of Construction Services, 12<sup>th</sup> Floor  
625 Broadway  
Albany, New York 12233-7013

Attn: Jeffrey E. Trad, P.E.  
Environmental Engineer 2

Re: **Sonia Road Landfill**  
**NYSDEC Site Number 152013**  
**Post Closure Groundwater Monitoring Program**  
**3<sup>rd</sup> Quarter 2004 Sampling Results**


Dear Mr. Trad:

Transmitted herewith for your review and consideration is one copy of the following Post Closure Groundwater Monitoring Program Quarterly Sampling Results for the Sonia Road Landfill:

1. 3<sup>rd</sup> Quarter 2004 (Routine Sampling Event)

As always, please do not hesitate to contact my office with any questions regarding the aforementioned.

Sincerely,

  
Francis D. Ribaudo, P.E.  
Associate Engineer

encl.

cc: E. Hofmeister, IRRA President  
A. Sanchez, IRRA Vice President Operations w/encl.  
P. DiMaria, P.E., Chief Engineer  
K. Wentz, Jr. CPG - D & B  
File



**ISLIP  
RESOURCE  
RECOVERY  
AGENCY**  
ISLIP, NEW YORK



**Sonia Road Landfill  
Town of Islip, New York**

**Post Closure Groundwater  
Monitoring Program  
Quarterly Sampling Results  
Third Quarter 2004  
(Routine Sampling Event)**

October 2004



**DVIRKA AND BARTILUCCI**  
CONSULTING ENGINEERS  
A DIVISION OF WILLIAM F. GOBULICH ASSOCIATES, P.C.

**POST CLOSURE GROUNDWATER MONITORING PROGRAM  
QUARTERLY SAMPLING RESULTS  
THIRD QUARTER 2004**

**(ROUTINE SAMPLING EVENT)**

**SONIA ROAD LANDFILL  
WEST BRENTWOOD, NEW YORK**

**PREPARED FOR**

**ISLIP RESOURCE RECOVERY AGENCY  
TOWN OF ISLIP, NEW YORK**

**BY**

**DVIRKA AND BARTILUCCI CONSULTING ENGINEERS  
WOODBURY, NEW YORK**

**OCTOBER 2004**

**SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
QUARTERLY SAMPLING RESULTS  
THIRD QUARTER 2004  
(ROUTINE SAMPLING EVENT)**

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
<b>1.0</b>	<b>INTRODUCTION</b> .....	1-1
1.1	Purpose.....	1-1
1.2	Site Location and Description.....	1-1
<b>2.0</b>	<b>MONITORING WELL NETWORK AND GROUNDWATER SAMPLE LOCATIONS</b> .....	2-1
<b>3.0</b>	<b>SAMPLING AND ANALYTICAL PROCEDURES</b> .....	3-1
3.1	Groundwater Level Measurement.....	3-1
3.2	Groundwater Sampling.....	3-1
3.3	Organic Vapor and Combustible Gas Monitoring.....	3-2
3.4	Analytical Parameters.....	3-3
<b>4.0</b>	<b>ANALYTICAL RESULTS</b> .....	4-1
4.1	Field Parameters.....	4-1
4.2	Groundwater Samples.....	4-1
4.2.1	Leachate Indicators .....	4-1
4.2.2	Historic Leachate Indicators .....	4-3
4.2.3	Inorganic Parameters.....	4-7
4.2.4	Historic Inorganic Parameters.....	4-8
4.3	Organic Vapor and Combustible Gas Monitoring.....	4-18
<b>5.0</b>	<b>DATA VALIDATION</b> .....	5-1
<b>6.0</b>	<b>GROUNDWATER LEVEL MEASUREMENTS AND FLOW DIRECTION</b> .....	6-1



TABLE OF CONTENTS (continued)

<u>Section</u>	<u>Title</u>	<u>Page</u>
<b>7.0</b>	<b>CONCLUSIONS AND RECOMMENDATIONS.....</b>	<b>7-1</b>
7.1	Conclusions.....	7-1
7.2	Recommendations.....	7-2

**List of Appendices**

	Historic and Current Groundwater Sample Results - Leachate Indicators .....	A-1
	Historic and Current Groundwater Sample Results - Inorganic Parameters.....	A-2
	Historic Groundwater Sample Results - Volatile Organic Compounds .....	A-3
	Historic Trend Graphs - Alkalinity, Iron Plus Manganese, Total Dissolved Solids and Specific Conductivity Results from Selected Monitoring Wells.....	A-4
	Field Forms - Field Observation Logs.....	B-1
	Field Forms - Daily Equipment Calibration Logs .....	B-2
	Chain-of-Custody Forms .....	C
	Data Validation Forms.....	D

**List of Figures**

1-1	Site Location Map.....	1-2
2-1	Groundwater Monitoring Well Locations.....	2-2
6-1	Water Table Elevation Contour Map – August 19, 2004 .....	6-4
6-2	Intermediate Depth Potentiometric Surface Elevation Contour Map – August 19, 2004 .....	6-5
6-3	Deep Potentiometric Surface Elevation Contour Map – August 19, 2004.....	6-6

TABLE OF CONTENTS (continued)

**List of Tables**

---

2-1	Summary of Monitoring Well Construction Details.....	2-3
2-2	Wells Sampled as Part of the Post Closure Groundwater Monitoring Program .....	2-6
4-1	Summary of Final Field Parameter Results and Field Data – Third Quarter 2004 .....	4-2
4-2	Summary of Concentration Trends for Leachate Indicator Parameters – Third Quarter 2004 .....	4-4
4-3	Summary of Concentration Trends for Inorganic Parameters – Third Quarter 2004 .....	4-9
6-1	Monitoring Well Groundwater Elevation Measurements - Second Quarter 2004 – August 19, 2004 .....	6-2

# Section 1



## **1.0 INTRODUCTION**

This report presents the results of the Post Closure Groundwater Monitoring Program conducted during the third quarter 2004 for the Sonia Road Landfill. The sampling program was conducted for the Town of Islip and administered by the Islip Resource Recovery Agency (IRRA) in conformance with the Sampling and Analysis Plan (SAP) prepared by Dvirka and Bartilucci Consulting Engineers (D&B), dated December 2001. The Sampling and Analysis Plan is part of the Sonia Road Post Closure Monitoring and Maintenance Plan (Volume 3 of 4).


### **1.1 Purpose**

The purpose of the Post Closure Groundwater Monitoring Program is to monitor groundwater quality and flow direction following capping and closure of the Sonia Road Landfill.

This Post Closure Groundwater Monitoring Program Report includes discussions of the sample locations, sampling procedures, laboratory analyses, field and analytical results, data validation, groundwater level measurements and flow direction. In addition, this report includes a comparison of the analytical results of this sampling event (August 2004) to applicable New York State groundwater quality standards and guidance values, and groundwater sample results obtained during the previous sampling event (second quarter 2004).

### **1.2 Site Location and Description**

The Sonia Road Landfill is a capped and closed inactive municipal solid waste landfill owned by the Town of Islip. The landfill is located at 1355 Howells Road in the hamlet of Brentwood in the western portion of the Town and is in close proximity to the western town boundary between the Towns of Islip and Babylon. The location of the Sonia Road Landfill is shown on Figure 1-1.



SOURCE: U.S.G.S. GREENLAWN, N.Y. AND BAY SHORE WEST, N.Y. QUADRANGLES

SCALE: 1"=2000'

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 SITE LOCATION MAP



The landfill property is 42.2 acres in area and is approximately rectangular in shape. The landfill is bounded to the north by industrial properties, to the east by residential properties, to the south by Deer Park Street with residential properties beyond, and to the west by Howell's Road, Secatogue Road and Corbin Avenue with industrial properties beyond. In the southwest corner of the site is one residential parcel (Tax Map No. 221-2-1), which is not part of landfill property described above. At the northwest corner of the property is a 0.5-acre parcel owned by the Town of Islip (Tax Map No. 198-5-7.3), which is identified as a paper street. Given that the waste mass extends onto this parcel, it is considered as part of the landfill property, and as a result, the overall landfill property is considered to be 42.7 acres. At and abutting the northeast corner of the landfill property is the western extension of Sonia Road for which the facility is named.

The landfill property itself is zoned Industrial I and Industrial II with a small portion along the southeastern boundary zoned as residential.

To the southwest of the landfill property is the West Brentwood Middle School, which is located on the west side of Howell's Road. Beyond the school property to the south and west is the headwaters of Sampawams Creek. Sampawams Creek is fed by groundwater discharge as well as storm water drainage systems for the surrounding areas. Sampawams Creek runs from north to south and discharges into the Guggenheim Lakes, which are located north of the Southern State Parkway. Sampawams Creek generally describes the western boundary of the Town of Islip and the eastern boundary of the Town of Babylon.

The Sonia Road Landfill has been owned by the Town of Islip since 1965. Prior to 1965, the site was privately owned and used as a source of mined sand and gravel. As a result of this mining operation, virtually all of the site was disturbed, including the removal of vegetation, topsoil and underlying minerals. The mining operation was extensive with the removal of minerals progressing to and below the water table. Removal of minerals below the water table was accomplished through the use of dredging equipment. This activity resulted in the formation of a groundwater lake over a significant portion (40% to 50%) of the site. It is reported that dredging may have removed materials to a depth of 50 feet below the water table. Soil borings

constructed as part of the remedial investigation confirmed that waste lies at least 36 feet below the water table.

In 1965, the Town of Islip took title to the Sonia Road property and began a landfilling operation for the disposal of municipal solid waste. Landfilling of the site occurred between 1965 and 1977. The most active period of landfilling occurred between 1965 and 1974. It has been estimated that between 1.5 and 2.0 million cubic yards of waste was disposed of at the site. There are no weigh records to substantiate this estimate.

The landfill reportedly accepted all municipal solid waste delivered to the site. This waste is reported to have included wood, concrete, metal, plastic, glass, household waste in the form of refuse, rubbish, demolition materials and yard wastes (particularly leaves). It is also reported that junk automobiles were routinely disposed at the facility and that underground fires were common.

The Sonia Road Landfill was capped in the Fall of 2000. The landfill capping system covers an area of approximately 40 acres. The capping system includes an active landfill gas management system, an on-site storm water management system and a perimeter road constructed around the entire site, surfaced with recycled concrete aggregate. The storm water management system consists of a series of drainage swales, catch basins, buried storm water piping, dry wells and two recharge basins. Storm water associated with the northeast corner of the property is discharged to a series of dry wells (leaching rings) in the area of Sonia Road. The remainder of the site storm water is directed to Recharge Basins 1 and 2 located on the west side of the property. Recharge Basin 1 is located adjacent to the main entrance gate located on Corbin Avenue and Recharge Basin 2 is located in the southwest corner of the property. For the majority of the site, drainage swales are located on the in-board side of the perimeter road.

## Section 2

---




## **2.0 MONITORING WELL NETWORK AND GROUNDWATER SAMPLE LOCATIONS**

The monitoring well network for the Sonia Road Landfill consists of 36 wells. Well locations are shown on Figure 2-1. The monitoring wells were constructed in 12 well clusters, with each cluster comprising a shallow (S) well, intermediate (I) well and deep (D) well. All 36 wells are utilized for water level measurements. Well construction information for all wells is summarized in Table 2-1.

Twenty-three (23) wells are included as part of the Post Closure Monitoring Program. The sampled wells are listed in Table 2-2.

Twenty-two (22) of the 23 monitoring wells were sampled as part of the third quarter 2004 Post Closure Groundwater Sampling event. Monitoring well MW-02S could not be sampled due to a well casing obstruction at approximately 23 feet below ground surface.



**LEGEND:**

-  GROUNDWATER MONITORING WELL AND DESIGNATION
- MW-10S



SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM

**GROUNDWATER MONITORING WELL LOCATIONS**

Table 2-1

**SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
SUMMARY OF MONITORING WELL CONSTRUCTION DETAILS**

**MONITORING WELLS**

Well Designation	Completed Date	Well Diameter (inches)	Screen Type	Total Depth (feet below ground surface)	Elevation Below Measurement Point (feet)	Elevation Relative to Mean Sea Level (feet)	Measuring Point Elevation (feet above mean sea level)
MW-01D <sup>(1)</sup>	10/14/97	4	SS	106	96-106	(-32) - (-42)	64.53
MW-01I <sup>(1)</sup>	10/6/97	4	SS	78	68 - 78	(-2) - (-12)	65.36
MW-01S <sup>(1)</sup>	1/5/95	4	PVC	29	19-29	47 - 37	66.01
MW-02D <sup>(1)</sup>	10/13/97	4	SS	116	106 - 116	(-27) - (-37)	79.01
MW-02I <sup>(1)</sup>	10/1/97	4	SS	72	62 - 72	16 - 7	78.75
MW-02S <sup>(1)</sup>	1/4/95	4	PVC	43	33 - 43	45 - 35	77.98
MW-03D <sup>(1)</sup>	9/30/97	4	SS	107	97 - 107	(-26) - (-36)	70.50
MW-03I <sup>(1)</sup>	1/9/95	4	PVC	84	79 - 84	(-8) - (-13)	70.77
MW-03S <sup>(1)</sup>	1/6/95	4	PVC	32	22 - 32	49 - 39	70.76
MW-04D <sup>(1)</sup>	10/6/97	4	SS	114	104 - 114	(-35) - (-45)	69.03
MW-04I <sup>(1)</sup>	9/29/97	4	SS	71	61 - 71	8 - (-2)	69.31
MW-04S <sup>(1)</sup>	1/6/95	4	PVC	34	24 - 34	48 - 38	71.10
MW-05D <sup>(1)</sup>	10/10/97	4	SS	116	106 - 116	(-35) - (-45)	70.96
MW-05I <sup>(1)</sup>	10/2/97	4	SS	70	60 - 70	11 - 1	70.26
MW-05S <sup>(1)</sup>	10/4/97	4	SS	34	19 - 34	52 - 37	70.28

Screen Setting

**SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
SUMMARY OF MONITORING WELL CONSTRUCTION DETAILS**

Table 2-1 (continued)

MONITORING WELLS							
Well Designation	Date Completed	Well Diameter (inches)	Screen Type	Total Depth (feet below ground surface)	Elevation Below Measurement Point (feet)	Mean Sea Level (feet) Relative to Elevation ----- Screen Setting	Measuring Point Elevation (feet above mean sea level)
MW-06D <sup>(1)</sup>	10/1/97	4	SS	117	107 - 117	(-32) - (-42)	75.03
MW-06I <sup>(1)</sup>	9/25/97	4	SS	76	66 - 76	9 - (-1)	74.53
MW-06S <sup>(1)</sup>	9/24/97	4	SS	37	22 - 37	53 - 38	74.45
MW-07D <sup>(1)</sup>	10/8/97	4	SS	122	112 - 122	(-37) - (-47)	75.04
MW-07I <sup>(1)</sup>	9/26/97	4	SS	74	64 - 74	9 - (-1)	73.45
MW-07S <sup>(1)</sup>	9/28/97	4	SS	34	19 - 34	54 - 39	72.83
MW-10D <sup>(2)</sup>	10/15/97	4	SS	96	86 - 96	(-29) - (-39)	56.34
MW-10I <sup>(2)</sup>	10/7/97	4	SS	69	59 - 69	(-3) - (-13)	56.16
MW-10S <sup>(2)</sup>	10/8/97	4	SS	19	4 - 19	53 - 38	56.65
MW-11D <sup>(1)</sup>	10/16/97	4	SS	94	84 - 94	(-24) - (-34)	60.19
MW-11I <sup>(1)</sup>	10/11/97	4	SS	71	61 - 71	(-1) - (-11)	60.38
MW-11S <sup>(1)</sup>	10/13/97	4	SS	19	4 - 19	56 - 41	59.87
MW-12D <sup>(1)</sup>	10/15/97	4	SS	98	88 - 98	(-29) - (-39)	58.61
MW-12I <sup>(1)</sup>	10/10/97	4	SS	70	60 - 70	(-1) - (-11)	58.92
MW-12S <sup>(1)</sup>	10/13/97	4	SS	19	4 - 19	55 - 40	58.79

**SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
SUMMARY OF MONITORING WELL CONSTRUCTION DETAILS**

**MONITORING WELLS**

Well Designation	Date Completed	Well Diameter (inches)	Screen Type	Total Depth (feet below ground surface)	Screen Setting		
					Elevation Below Measurement Point (feet)	Mean Sea Level (feet)	Measuring Point Elevation (feet above mean sea level)
MW-13D <sup>(3)</sup>	10/16/97	4	SS	119	109 - 119	(-38) - (-48)	70.37
MW-13I <sup>(3)</sup>	10/7/97	4	SS	71	61 - 71	9 - (-1)	70.30
MW-13S <sup>(3)</sup>	10/8/97	4	SS	37	22 - 37	49 - 34	70.51
MW-14D <sup>(3)</sup>	10/17/97	4	SS	105	95 - 105	(-30) - (-40)	64.58
MW-14I <sup>(3)</sup>	10/9/97	4	SS	71	61 - 71	4 - (-6)	64.57
MW-14S <sup>(3)</sup>	10/14/97	4	SS	30	15 - 30	50 - 35	64.55

Notes:

PVC Polyvinyl chloride  
SS Stainless steel

<sup>(1)</sup>Monitoring wells surveyed by Municipal Land Survey, P.C., August 2001.  
<sup>(2)</sup>Monitoring wells surveyed by YEC, Inc., November 1997.  
<sup>(3)</sup>Monitoring wells surveyed by YEC, Inc., September 2000.

Wells identified in **bold type** were modified during the construction of the landfill capping system to adjust the top of the well (reference point) to accommodate the thickness of the capping system. Wells MW-1IS, MW-1II and MW-1ID were modified to address grade changes at the well locations. SOURCE: Dvirka and Bartilucci Remedial Investigation/Feasibility Study (RI/FS) dated April 1998 and surveys noted above.

Table 2-1 (continued)

SONIA ROAD LANDFILL

POST CLOSURE GROUNDWATER MONITORING PROGRAM

SUMMARY OF MONITORING WELL CONSTRUCTION DETAILS

**MONITORING WELLS**

Well Designation	Date Completed	Well Diameter (inches)	Screen Type	Total Depth (feet below ground surface)	Screen Setting		
					Elevation Below Measurement Point (feet)	Mean Sea Level (feet)	Measuring Point Elevation (feet above mean sea level)
MW-13D <sup>(3)</sup>	10/16/97	4	SS	119	109 - 119	(-38) - (-48)	70.37
MW-13I <sup>(3)</sup>	10/7/97	4	SS	71	61 - 71	9 - (-1)	70.30
MW-13S <sup>(3)</sup>	10/8/97	4	SS	37	22 - 37	49 - 34	70.51
MW-14D <sup>(3)</sup>	10/17/97	4	SS	105	95 - 105	(-30) - (-40)	64.58
MW-14I <sup>(3)</sup>	10/9/97	4	SS	71	61 - 71	4 - (-6)	64.57
MW-14S <sup>(3)</sup>	10/14/97	4	SS	30	15 - 30	50 - 35	64.55

Notes:

PVC Polyvinyl chloride  
SS Stainless steel

<sup>(1)</sup>Monitoring wells surveyed by Municipal Land Survey, P.C., August 2001.  
<sup>(2)</sup>Monitoring wells surveyed by YEC, Inc., November 1997.  
<sup>(3)</sup>Monitoring wells surveyed by YEC, Inc., September 2000.

Wells identified in **bold type** were modified during the construction of the landfill capping system to adjust the top of the well (reference point) to accommodate the thickness of the capping system. Wells MW-1IS, MW-1II and MW-1ID were modified to address grade changes at the well locations. SOURCE: Dvirka and Bartilucci Remedial Investigation/Feasibility Study (RI/FS) dated April 1998 and surveys noted above.

**Table 2-2**

**SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
WELLS SAMPLED AS PART OF THE POST CLOSURE  
GROUNDWATER MONITORING PROGRAM**

MW-01D	MW-03S	MW-05S	MW-11I
MW-01I	MW-04D	MW-06D	MW-11S
MW-01S	MW-04I	MW-06I	MW-12D
MW-02D	MW-04S	MW-06S	MW-12I
MW-02I	MW-05D	MW-07I	MW-12S
MW-02S	MW-05I	MW-11D	

# Section 3



### **3.0 SAMPLING AND ANALYTICAL PROCEDURES**

Sampling procedures for the Sonia Road Landfill site are described in the Sampling and Analysis Plan (SAP). Dedicated and disposable sampling equipment was used whenever possible in accordance with the SAP. All nondisposable equipment was decontaminated before first use on-site and between uses in accordance with the procedures described in the SAP. The following sections provide brief discussions of the procedures used during groundwater level measurements, organic vapor and combustible gas monitoring, groundwater sampling and sample analysis.

#### **3.1 Groundwater Level Measurement**

Prior to collecting the groundwater samples, synoptic water level measurements were obtained from all 36 monitoring wells for determination of groundwater elevations and groundwater flow direction. Groundwater level measurements were obtained from a survey measuring point on each well using an electronic water level indicator to an accuracy of 0.01 foot. A discussion of the groundwater level measurement results and groundwater flow direction is provided in Section 6.0.

#### **3.2 Groundwater Sampling**

Prior to collection of each groundwater sample, 3 to 5 well volumes were purged from the well. Well purging was accomplished by first measuring the static water level in the well and calculating the standing water volume. A decontaminated submersible pump was used to purge each well.

During the purging process, field parameters (pH, specific conductance, temperature, oxidation-reduction potential (Eh), dissolved oxygen and turbidity) were monitored and recorded. When the values of the field parameters, except turbidity, equilibrated within 10% based on the last two readings, the turbidity of the groundwater was less than 50 Nephelometric



Turbidity Units (NTUs) and at least three well volumes had been removed, well purging was considered complete.

Groundwater samples were collected using new, dedicated, disposable polyethylene bailers and polypropylene rope. Samples were collected immediately after purging. Filled sample bottles were stored in ice-filled coolers with the chain-of-custody forms and delivered on the day of collection to H2M Laboratories, Inc. for analysis. H2M Laboratories, Inc. is approved by the New York State Department of Health under the Environmental Laboratory Approval Program (ELAP) for the analyses performed.

Appropriate quality assurance/quality control (QA/QC) samples, which included field blanks, matrix spike and matrix spike duplicate (MS/MSD) sets and blind duplicates, were collected in accordance with the SAP.

Purge water from all on-site wells and all wells immediately adjacent to the landfill property was disposed directly into the nearest landfill capping system drainage swale. Purge water generated from off-site well clusters 11 and 12 was pumped into a tank truck, transported to the landfill and discharged into the landfill's on-site Recharge Basin 1 in accordance with the SAP.

Analytical results are summarized in Appendix A and are discussed in Section 4.2. Field forms for the third quarter 2004 sampling event, including field observation logs and daily equipment calibration logs, are contained in Appendices B-1 and B-2, respectively, and the chain-of-custody forms are provided in Appendix C.

### **3.3 Organic Vapor and Combustible Gas Monitoring**


Total organic vapor and combustible gas measurements were collected in all 36 monitoring wells. Organic vapors were measured using a flame ionization detector (FID). Combustible gas was measured using a portable multi-gas meter. Gas monitoring results represent headspace measurements collected during the synoptic groundwater level

measurements. The results of the organic vapor and combustible gas monitoring are provided in Section 4.3.

### **3.4 Analytical Parameters**

Groundwater samples collected during the third quarter 2004 sampling event were analyzed for 6 NYCRR Part 360 Routine Parameters, including leachate indicators and inorganic parameters. Samples were analyzed in accordance with SW-846 methods as specified in the NYCRR Part 360 regulations. The analytical results for the groundwater samples are discussed in Section 4.2.

# Section 4



## **4.0 ANALYTICAL RESULTS**

### **4.1 Field Parameters**

Table 4-1 provides a summary of the final field parameter values and field data measured for the third quarter 2004 sampling event.

### **4.2 Groundwater Samples**

The third quarter 2004 analytical results for the groundwater samples, compared to NYSDEC Class GA groundwater standards and guidance values and to previous sample results, are provided in Appendices A-1 (leachate indicator parameters) and A-2 (inorganic parameters). Appendix A-3 contains historic volatile organic compound (VOC) sample results. Appendix A-4 contains historic trend graphs for alkalinity, iron plus manganese, total dissolved solids and specific conductivity from selected upgradient and downgradient monitoring wells.

#### **4.2.1 Leachate Indicators**

The results of the leachate indicators for the groundwater samples are presented in Appendix A-1. As shown in the results table in Appendix A-1, three leachate indicator parameters, ammonia, bromide and chloride, were detected at concentrations exceeding Class GA groundwater standards and guidance values in 8 of the 22 wells sampled during the third quarter 2004 sampling event. The remaining 14 wells did not contain any leachate indicator parameters at concentrations exceeding Class GA groundwater standards or guidance values. The leachate indicators that exceeded the Class GA groundwater standards or guidance values are discussed below.

#### **Ammonia**

The groundwater standard for ammonia (2 milligrams per liter [mg/l]) was exceeded in six (6) wells (MW-03S, MW-04S, MW-04L, MW-04D, MW-05S and MW-06S). Ammonia

Table 4-1

**SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
SUMMARY OF FINAL FIELD PARAMETER RESULTS AND FIELD DATA –  
THIRD QUARTER 2004**

Monitoring Well	pH	Temperature (°C)	Specific Conductance (mS/cm)	Turbidity (NTU)	DO (mg/l)	Eh (mV)	Organic Vapor Screening and Combustible Gas Reading	
							FID (ppm)	% LEL
MW-01D	5.46	13.64	3.92	14.1	1.08	330	0	0
MW-01I	6.20	13.89	0.271	14.2	1.59	334	0	0
MW-01S	5.87	12.98	0.724	3.1	0.92	137	0	0
MW-02D	4.72	13.74	0.103	16.2	10.35	420	20	0
MW-02I	4.41	14.20	0.137	28.4	3.79	385	150	0
MW-02S	NS	NS	NS	NS	NS	NS	0	0
MW-03D	NS	NS	NS	NS	NS	NS	0	0
MW-03I	NS	NS	NS	NS	NS	NS	0	0
MW-03S	6.22	19.11	0.508	7.1	1.70	-38	0	0
MW-04D	6.42	14.41	0.553	41	1.76	-85	0	0
MW-04I	6.03	15.74	0.591	10.8	5.35	-11	0	0
MW-04S	5.93	16.50	0.732	6.5	1.90	-12	0	0
MW-05D	6.03	17.33	0.195	4.8	7.67	224	0	0
MW-05I	6.15	16.94	0.357	12.2	3.59	5	0	0
MW-05S	6.04	18.87	0.649	20.9	5.69	59	0	0
MW-06D	5.50	14.40	0.108	10.8	1.51	66	0	0
MW-06I	5.49	16.47	0.721	9.1	1.36	87	0	0
MW-06S	5.91	18.63	0.748	23.7	1.81	-34	0	0
MW-07D	NS	NS	NS	NS	NS	NS	0	0
MW-07I	4.90	14.29	0.213	17.2	1.22	375	0	0
MW-07S	NS	NS	NS	NS	NS	NS	0	0
MW-10D	NS	NS	NS	NS	NS	NS	0	0
MW-10I	NS	NS	NS	NS	NS	NS	0	0
MW-10S	NS	NS	NS	NS	NS	NS	0	0
MW-11D	4.69	14.95	0.070	40	6.59	304	0	0
MW-11I	5.26	15.57	0.058	7.4	1.62	307	0	0
MW-11S	5.89	18.90	0.254	3.9	1.94	258	0	0
MW-12D	4.87	16.62	0.030	0.9	9.72	362	0	0
MW-12I	4.54	15.97	0.040	14.1	6.05	342	0	0
MW-12S	5.75	18.26	0.194	3.2	3.70	264	0	0
MW-13D	NS	NS	NS	NS	NS	NS	0	0
MW-13I	NS	NS	NS	NS	NS	NS	0	0
MW-13S	NS	NS	NS	NS	NS	NS	0	0
MW-14D	NS	NS	NS	NS	NS	NS	0	0
MW-14I	NS	NS	NS	NS	NS	NS	0	0
MW-14S	NS	NS	NS	NS	NS	NS	0	0

Notes:

- ppm: parts per million
- °C: Degrees Celsius
- FID: Flame Ionization Detector
- mS/cm: Millisiemens per centimeter
- LEL: Lower Explosive Limit
- NTU: Nephelometric Turbidity Unit
- mV: Millivolt
- DO: Dissolved oxygen
- Eh: Oxidation-reduction potential
- mg/l: Milligrams per liter
- NS: Not sampled

Final field parameter readings were measured upon completion of sample collection.

concentrations in these wells ranged from 2.28 mg/l in well MW-03S to 11.1 mg/l well MW-06S.

#### Bromide

The guidance value for bromide (2 mg/l) was exceeded in well MW-06D, which contained a concentration of 3.1 mg/l.

#### Chloride

The groundwater standard for chloride (250 mg/l) was exceeded in well MW-01D, which contained a concentration of 896 mg/l.

#### 4.2.2 Historic Leachate Indicators

A comparison of the leachate indicator results in the 22 wells sampled between the third quarter 2004 to the second quarter 2004 sampling events is provided below. Since well MW-02S was not sampled during the third quarter 2004 sampling event, it is not included in the comparison. Concentration trends and exceedances for each well are summarized in Table 4-2. Historic data for leachate indicator parameters are summarized in Appendix A-1.

#### Alkalinity

Seven (7) of the 22 wells sampled showed an increase (defined as a change of at least 20% compared to the previous results) in alkalinity concentrations. The wells that showed an increase are MW-04D, MW-05S, MW-06S, MW-06I, MW-06D, MW-07I and MW-12I. Seven (7) wells (MW-01S, MW-01D, MW-02I, MW-05I, MW-05D, MW-11I and MW-11D) showed a decrease (defined as a change of at least 20% compared to the previous results) in alkalinity concentrations. The remaining 8 wells were consistent (defined as within 20% of previous results).

Table 4-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 SUMMARY OF CONCENTRATION TRENDS FOR LEACHATE INDICATOR PARAMETERS - THIRD QUARTER 2004

Well	Location	Alkalinity	Ammonia	Biochemical Oxygen Demand	Bromide	Chemical Oxygen Demand	Chloride	Hardness	Nitrate	Total Phenols	Sulfate	Total Organic Carbon	Total Dissolved Solids	Total Kjeldahl Nitrogen
MW-01S	Upgradient	D	D	C	I	C	C	D	I	C	C	D	C	C
MW-01I	Upgradient	C	D	C	C	C	I	D	C	C	D	C	D	D
MW-01D	Upgradient	D	D	C	C	I	I	D	I	C	I	D	I	I
MW-02D	Upgradient	C	C	C	I	D	I	D	C	C	D	D	C	C
MW-03S	Downgradient	C	I	D	I	D	I	D	D	C	D	C	I	C
MW-04S	Downgradient	C	C	D	C	C	C	D	D	C	D	C	I	C
MW-04I	Downgradient	C	C	C	C	D	C	D	I	C	D	C	I	C
MW-04D	Downgradient	I	I	D	C	D	I	D	C	C	D	C	I	C
MW-05S	Downgradient	I	I	D	I	D	C	D	I	C	D	C	I	I
MW-05I	Downgradient	D	D	D	C	C	D	D	I	C	I	D	I	D
MW-05D	Downgradient	D	D	C	I	C	C	D	I	C	C	C	I	C
MW-06S	Sidegradient	I	I	I	I	D	D	D	D	C	D	I	I	I
MW-06I	Sidegradient	I	D	C	C	C	C	D	D	C	I	C	C	C
MW-06D	Sidegradient	I	D	C	I	C	I	D	C	C	D	C	C	I
MW-07I	Upgradient	I	D	I	C	D	C	D	I	C	C	C	C	I
MW-11S	Upgradient	C	D	C	D	D	C	D	I	C	C	C	C	D
MW-11I	Upgradient	D	D	D	D	C	D	D	I	C	C	C	I	C
MW-11D	Upgradient	D	C	C	C	D	C	D	C	C	C	C	I	I
MW-12S	Upgradient	C	D	C	I	C	C	D	I	C	I	C	C	C
MW-12I	Upgradient	I	C	C	C	C	I	D	I	C	C	C	I	I
MW-12D	Upgradient	C	C	C	C	C	C	D	C	C	C	C	I	I

**Key:** I = Increasing greater than 20%  
 D = Decreasing greater than 20%  
 C = Consistent within 20%

Parameter exceeds standard/guidance value during the current sampling event.

### Ammonia

Four (4) wells (MW-03S, MW-04D, MW-05S and MW-06S) showed increasing concentrations of ammonia. Twelve (12) wells (MW-01S, MW-01I, MW-01D, MW-02I, MW-05I, MW-05D, MW-06I, MW-06D, MW-07I, MW-11S, MW-11I and MW-12S) showed decreasing concentrations. The remaining 6 wells were consistent.

### Biochemical Oxygen Demand

Two wells (MW-06S and MW-07I) showed increasing concentrations of biochemical oxygen demand. Six (6) wells (MW-03S, MW-04S, MW-04D, MW-05S, MW-05I and MW-11I) showed decreasing concentrations. The remaining 14 wells were consistent.

### Bromide

Eight (8) wells (MW-01S, MW-02I, MW-03S, MW-05S, MW-05D, MW-06S, MW-06D and MW-12S) showed increasing concentrations of bromide. Two wells (MW-11S and MW-11I) showed decreasing concentrations. The remaining 12 wells were consistent.

### Chemical Oxygen Demand

Well MW-01D showed an increase in chemical oxygen demand concentration. Ten (10) wells (MW-02I, MW-02D, MW-03S, MW-04I, MW-04D, MW-05S, MW-06S, MW-07I, MW-11S and MW-11D) showed decreasing concentrations. The remaining 11 wells were consistent.

### Chloride

Seven (7) wells (MW-01I, MW-01D, MW-02I, MW-03S, MW-04D, MW-06D and MW-12I) showed increasing concentrations of chloride. Three (3) wells (MW-05I, MW-06S and MW-11I) showed decreasing concentrations. The remaining 12 wells were consistent.



### Hardness

All 22 sampled wells showed decreasing concentrations of hardness.

### Nitrate

Eleven (11) wells (MW-01S, MW-01D, MW-04I, MW-05S, MW-05I, MW-05D, MW-07I, MW-11S, MW-11I, MW-12S and MW-12I) showed increasing concentrations of nitrate. Four (4) wells (MW-03S, MW-04S, MW-06S and MW-06I) showed decreasing concentrations. The remaining 7 wells were consistent.

### Total Phenols

All 22 sampled wells were consistent.

### Sulfate

Five (5) wells (MW-01D, MW-05I, MW-06I, MW-11I and MW-12S) showed increasing concentrations of sulfate. Nine (9) wells (MW-01I, MW-02I, MW-02D, MW-03S, MW-04S, MW-04D, MW-05S, MW-06S and MW-06D) showed decreasing concentrations. The remaining 8 wells were consistent.

### Total Organic Carbon

Well MW-06S showed an increase in total organic carbon concentration. Four (4) wells (MW-01S, MW-01D, MW-02I and MW-05I) showed decreasing concentrations. The remaining 17 wells were consistent.

### Total Dissolved Solids

Fifteen (15) wells (MW-01D, MW-03S, MW-04S, MW-04I, MW-04D, MW-05S, MW-05I, MW-05D, MW-06S, MW-11S, MW-11I, MW-11D, MW-12S, MW-12I and MW-12D) showed increasing concentrations of total dissolved solids. Well MW-01I showed a decrease in total dissolved solids concentration. The remaining 6 wells were consistent.

### Total Kjeldahl Nitrogen

Eight (8) wells (MW-01D, MW-05S, MW-06S, MW-06D, MW-07I, MW-11D, MW-12I and MW-12D) showed increasing concentrations of total kjeldahl nitrogen. Four (4) wells (MW-01I, MW-02D, MW-05I and MW-11S) showed decreasing concentrations. The remaining 10 wells were consistent.

### 4.2.3 Inorganic Parameters

The results of the inorganic parameters for the groundwater samples are presented in Appendix A-2. As shown by the third quarter 2004 analytical results, iron, manganese and sodium were detected at concentrations above the Class GA groundwater standards. The following provides a discussion of these exceedances.

### Iron

Eleven (11) wells (MW-01S, MW-03S, MW-04S, MW-04I, MW-04D, MW-05S, MW-05I, MW-06S, MW-06I, MW-06D and MW-11D) exceeded the groundwater standard of 300 micrograms per liter (ug/l) for iron. Iron concentrations for the wells with exceedances ranged from 1,190 ug/l in well MW-11D to 61,000 ug/l in well MW-04D.

### Manganese

Thirteen (13) wells (MW-01S, MW-02I, MW-03S, MW-04S, MW-04I, MW-04D, MW-05S, MW-05I, MW-05D, MW-06S, MW-06D, MW-07I and MW-11I) exceeded the groundwater standard of 300 ug/l for manganese. Manganese concentrations for the wells with exceedances ranged from 320 ug/l in well MW-02I to 8,490 ug/l in well MW-06D.

### Sodium

Twelve (12) wells (MW-01S, MW-01I, MW-01D, MW-03S, MW-04S, MW-04I, MW-04D, MW-05S, MW-05I, MW-06S, MW-11S and MW-12S) exceeded the groundwater standard of 20,000 ug/l for sodium. Sodium concentrations for these wells with exceedances ranged from 20,800 ug/l in well MW-06S to 569,000 ug/l in MW-01D.

#### 4.2.4 Historic Inorganic Parameters

A comparison of the inorganic parameter results in the 22 wells sampled between the third quarter 2004 and the second quarter 2004 sampling events is provided below. Since well MW-02S was not sampled during the third quarter 2004 sampling event, it is not included in the comparison. Concentration trends and exceedances for each well are summarized in Table 4-3. Historic data for inorganic parameters are summarized in Appendix A-2.

### Cadmium

Four (4) wells (MW-06I, MW-06D, MW-11D and MW-12I) showed increasing concentrations of cadmium. Twelve (12) wells (MW-03S, MW-04S, MW-04I, MW-04D, MW-05S, MW-05I, MW-05D, MW-06S, MW-11I, MW-12S and MW-12D) showed decreasing concentrations. The remaining 6 wells were consistent.

**SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
SUMMARY OF CONCENTRATION TRENDS FOR INORGANIC PARAMETERS - THIRD QUARTER 2004**

Table 4-3

Well	Location	Cadmium	Calcium	Iron	Lead	Magnesium	Manganese	Potassium	Sodium
MW-01S	Upgradient	C	C	C	C	C	C	C	C
MW-01I	Upgradient	C	I	D	C	I	I	C	C
MW-01D	Upgradient	C	D	D	D	D	I	D	I
MW-02D	Upgradient	C	C	D	C	C	D	C	C
MW-03S	Downgradient	D	C	C	I	C	C	C	I
MW-04S	Downgradient	D	C	D	I	D	C	C	C
MW-04I	Downgradient	D	C	E	I	C	C	I	C
MW-04D	Downgradient	D	I	I	I	I	I	I	I
MW-05S	Downgradient	D	I	I	I	I	I	I	I
MW-05I	Downgradient	D	C	C	I	D	C	C	C
MW-05D	Downgradient	D	C	D	C	C	C	C	C
MW-06S	Sidegradient	D	I	I	I	I	C	C	I
MW-06I	Sidegradient	I	C	D	I	C	D	C	I
MW-06D	Sidegradient	I	C	I	D	C	I	C	I
MW-07I	Upgradient	C	C	I	C	D	D	I	C
MW-11S	Upgradient	D	C	D	D	C	D	I	I
MW-11I	Upgradient	D	C	C	D	C	C	I	C
MW-11D	Upgradient	I	C	I	I	I	C	I	C
MW-12S	Upgradient	D	I	D	D	I	D	C	I
MW-12I	Upgradient	I	I	D	D	I	I	I	I
MW-12D	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient

**Key:** I = Increasing greater than 20%

D = Decreasing greater than 20%

C = Consistent within 20%

Parameter exceeds standard/guidance value during the current sampling event.

### Calcium

Seven (7) wells (MW-01I, MW-01D, MW-04D, MW-05S, MW-06S, MW-12S and MW-12I) showed increasing concentrations of calcium. Well MW-02I showed a decrease in calcium concentration. The remaining 14 wells were consistent.

### Iron

Seven (7) wells (MW-04D, MW-05S, MW-06S, MW-06D, MW-07I, MW-11D and MW-12D) showed increasing concentrations of iron. Ten (10) wells (MW-01I, MW-01D, MW-02I, MW-02D, MW-04S, MW-05D, MW-06I, MW-11S, MW-12S and MW-12I) showed decreasing concentrations. The remaining 5 wells were consistent.

### Lead

Nine (9) wells (MW-03S, MW-04S, MW-04I, MW-04D, MW-05S, MW-05I, MW-06S, MW-06I and MW-11D) showed increasing concentrations of lead. Seven (7) wells (MW-02I, MW-06D, MW-11S, MW-11I, MW-12S, MW-12I and MW-12D) showed decreasing concentrations. The remaining 6 wells were consistent.

### Magnesium

Eight (8) wells (MW-01I, MW-01D, MW-04D, MW-05S, MW-06S, MW-11D, MW-12S and MW-12I) showed increasing concentrations of magnesium. Four (4) wells (MW-02I, MW-04S, MW-05I and MW-07I) showed decreasing concentrations. The remaining 10 wells were consistent.

### Manganese

Eight (8) wells (MW-01I, MW-01D, MW-02I, MW-04S, MW-04D, MW-05S, MW-06D and MW-12I) showed increasing concentrations of manganese. Six (6) wells (MW-02D, MW-

06I, MW-07I, MW-11S, MW-12S and MW-12D) showed decreasing concentrations. The remaining 8 wells were consistent.

#### Potassium

Ten (10) wells (MW-01D, MW-04I, MW-04D, MW-05S, MW-07I, MW-11S, MW-11I, MW-11D, MW-12I and MW-12D) showed increasing concentrations of potassium. Well MW-02I showed a decrease in potassium concentration. The remaining 11 wells were consistent.

#### Sodium

Ten (10) wells (MW-01D, MW-03S, MW-04D, MW-05S, MW-06S, MW-06I, MW-06D, MW-11S, MW-12S and MW-12I) showed increasing concentrations of sodium. The remaining 12 wells were consistent.

In order to evaluate changes in groundwater, historic results for alkalinity, iron plus manganese, total dissolved solids and specific conductivity were graphed for the shallow, intermediate and deep zones for upgradient well clusters 1 and 11 and downgradient well clusters 4 and 5. These parameters were selected as possible indicators of landfill impacts to groundwater. These graphs are included in Appendix A-4.

### **4.3 Organic Vapor and Combustible Gas Monitoring**

The results of the organic vapor and combustible gas monitoring are presented in Table 4-1. The results measured by the flame ionization detector (FID) show nondetectable readings in all wells except for wells MW-02I and MW-02D. The organic vapor results for these wells are 150 parts per million (ppm) and 20 ppm, respectively. All 36 wells showed a combustible gas reading of 0% of the lower explosive limit (LEL). The LEL for methane is 5% by volume or 50,000 ppm.

# Section 5



## 5.0 DATA VALIDATION

Twenty-two (22) groundwater samples, two blind duplicates, two matrix spike/matrix spike duplicate (MS/MSD) sets and two field blanks were collected as part of the August 2004 Post Closure Groundwater Monitoring Program sampling event at the Sonia Road Landfill. The samples were analyzed for Routine Parameters as listed in 6 NYCRR Part 360. Sample analysis was performed by H2M Laboratories, a contractor to the IRRRA, in accordance with SW-846 methods as specified in the Part 360 regulations. H2M Laboratories is approved under the New York State Department of Health Environmental Laboratory Approval Program (ELAP) for the analyses performed.

The data package submitted by H2M Laboratories was reviewed for completeness and compliance with the analytical methods. All of the quality assurance/quality control (QA/QC) samples (calibrations, spikes, duplicates and blanks), as well as 20% of the analytical results, were reviewed yielding a “20% validation” in conformance with the Sampling and Analysis Plan. The samples that were reviewed for calculation and transcription errors were MW-02D, MW-04I, MW-05I, MW-07I and MW-12I. The findings of the review process are summarized below.

All samples were analyzed within the method specified holding times. All QA/QC requirements (calibrations, MS/MSDs, duplicates and blanks) were met.

Blind duplicates were collected from wells MW-06D (Blind Duplicate 1) and MW-11S (Blind Duplicate 2), and the results were comparable between the samples, with the exception of the iron result for Blind Duplicate No. 2 and MW-11S, and the chloride result for Blind Duplicate No. 1 and MW-06D. The iron result for Blind Duplicate No. 2 was 137 ug/l, while for MW-11S, it was 40.4 ug/l. The iron results for both the Blind Duplicate No. 2 and MW-11S were considerably lower than historical results. The raw data were checked along with field measurements and no problems were found. The iron results for MW-11S should be deemed questionable and will be reviewed again after the November 2004 sampling event. While the chloride results for Blind Duplicate No. 1 (75 mg/l) and the sample MW-06D (8 mg/l) were not



comparable, the sample result was consistent with the historical results for MW-06D. Therefore, the chloride result reported for MW-06D is deemed to be valid and usable for environmental assessment purposes. Two samples (MW-06S and MW-12D) were collected and specified as the matrix spike and matrix spike duplicate. All spike recoveries were within QC limits.

No problems were found with the data package. All results are deemed valid and usable for environmental assessment purposes.

Completed data validation forms for the third quarter 2004 sampling event are provided in Appendix D.

# Section 6

---



## **6.0 GROUNDWATER LEVEL MEASUREMENTS AND FLOW DIRECTION**

Groundwater level measurements were obtained on August 19, 2004, from each of the 23 monitoring wells included in the Post Closure Groundwater Monitoring Program and the 13 additional wells not sampled as part of this program. The depth to water measurements, measuring point elevations and calculated groundwater elevations for the 36 monitoring wells are presented in Table 6-1.

Water level data from August 19, 2004 were used to construct groundwater elevation contour maps for the shallow (water table), intermediate and deep upper glacial aquifer wells at and in the immediate vicinity of the Sonia Road Landfill. Water table and potentiometric surface (for the intermediate and deep wells) elevation contour maps are presented on Figures 6-1, 6-2 and 6-3, respectively. Groundwater flow within the zones screened by the shallow, intermediate and deep wells is predominantly toward the southeast in the vicinity of the landfill. These maps are consistent with the maps previously prepared for the site.

**Table 6-1**

**SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
MONITORING WELL GROUNDWATER ELEVATION  
MEASUREMENTS - THIRD QUARTER 2004  
AUGUST 19, 2004**

<b>Monitoring Well No.</b>	<b>Measuring Point Elevation (feet amsl)</b>	<b>Depth to Water from Measuring Point (feet)</b>	<b>Groundwater Elevation (feet amsl)</b>
MW-01D	64.53	13.56	50.97
MW-01I	65.36	14.34	51.02
MW-01S	66.01	15.00	51.01
MW-02D	79.01	28.97	50.04
MW-02I	78.75	28.90	49.85
MW-02S	77.98	27.86	50.12
MW-03D	70.50	21.82	48.68
MW-03I	70.77	21.85	48.92
MW-03S	70.76	21.86	48.90
MW-04D	69.03	21.59	47.44
MW-04I	69.31	21.97	47.34
MW-04S	71.10	23.65	47.45
MW-05D	70.96	22.80	48.16
MW-05I	70.26	22.32	47.94
MW-05S	70.28	22.37	47.91
MW-06D	75.03	26.93	48.10
MW-06I	74.53	26.48	48.05
MW-06S	74.45	26.31	48.14
MW-07D	75.04	25.94	49.10
MW-07I	73.45	24.32	49.13
MW-07S	72.83	23.70	49.13
MW-10D	56.34	5.31	51.03
MW-10I	56.16	5.11	51.05
MW-10S	56.65	5.28	51.37

Table 6-1 (continued)

**SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
MONITORING WELL GROUNDWATER ELEVATION  
MEASUREMENTS – THIRD QUARTER 2004**

AUGUST 19, 2004

Monitoring Well No.	Measuring Point Elevation (feet amsl)	Depth to Water from Measuring Point (feet)	Groundwater Elevation (feet amsl)
MW-11D	60.19	7.24	52.95
MW-11I	60.38	7.50	52.88
MW-11S	59.87	6.97	52.90
MW-12D	58.61	7.25	51.36
MW-12I	58.92	7.54	51.38
MW-12S	58.79	7.41	51.38
MW-13D	70.37	26.04	44.33
MW-13I	70.30	26.00	44.30
MW-13S	70.51	26.21	44.30
MW-14D	64.58	19.20	45.38
MW-14I	64.57	19.23	45.34
MW-14S	64.55	19.20	45.35

amsl: above mean sea level

# WATER TABLE ELEVATION CONTOUR MAP

AUGUST 19, 2004

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM

FIGURE 6-1

SOURCE: BASE MAP PROVIDED BY ISLIP RESOURCE RECOVERY AGENCY



NOTE: CONTOUR INTERVAL EQUALS 0.50 FT.

APPROXIMATE GROUNDWATER FLOW DIRECTION

MONITORING WELL LOCATION, DESIGNATION AND GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)

**LEGEND**

MW-01S  
51.01






**SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 INTERMEDIATE DEPTH POTENTIOMETRIC SURFACE  
 ELEVATION CONTOUR MAP  
 AUGUST 19, 2004**

FIGURE 6-2

GIS\_Arcview Projects\2023 Sonia Rd\Updated Sonia\Maps\2004\3rd\Icon8-19-04.mxd



SOURCE: BASE MAP PROVIDED BY ISLIP RESOURCE RECOVERY AGENCY

NOTE: APPROXIMATE GROUNDWATER FLOW DIRECTION  
 ← CONTOUR INTERVAL EQUALS 0.50 FT.

MONITORING WELL LOCATION, DESIGNATION AND GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)

**LEGEND**

MW-011  
51.02






**DEEP POTENTIOMETRIC SURFACE  
ELEVATION CONTOUR MAP**  
AUGUST 19, 2004  
SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM


FIGURE 6-3

SOURCE: BASE MAP PROVIDED BY ISLIP RESOURCE RECOVERY AGENCY




NOTE: APPROXIMATE GROUNDWATER FLOW DIRECTION  
←  
CONTOUR INTERVAL EQUALS 0.50 FT.

LEGEND  
● MONITORING WELL LOCATION, DESIGNATION AND GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)  
MW-01D 50.97





# Section 7



## **7.0 CONCLUSIONS AND RECOMMENDATIONS**

### **7.1 Conclusions**

#### Groundwater Flow

Based on groundwater level measurements collected during the third quarter 2004 and the shallow (water table), intermediate and deep potentiometric surface elevation contour maps constructed for the site, groundwater flow at and in the vicinity of the Sonia Road Landfill is predominantly toward the southeast. This groundwater flow direction is consistent with previous maps prepared for the site.

#### Groundwater Quality

Based on a comparison of the third quarter 2004 results to the second quarter 2004 results and review of the historical trend graphs in Appendix A-4, groundwater quality in the vicinity of the Sonia Road Landfill has not changed substantially.

Since the only chloride concentration that exceeded the groundwater standard was in upgradient well MW-01D, the source of the detected chloride is not the Sonia Road Landfill. Similarly, the detected concentrations of iron, manganese and sodium are likely not indicative of landfill-influenced groundwater, since concentrations of these parameters above groundwater standards were detected in both upgradient and downgradient wells.

### **7.2 Recommendations**

Based on the third quarter 2004 results and comparison of these results to historic data for the Sonia Road Landfill, it is recommended to continue to sample the groundwater monitoring wells in accordance with the SAP.

Since well MW-02S has not been able to be sampled during the last 9 quarterly sampling events due to the damaged well casing identified for the well, it is recommended that well MW-02S be abandoned.

# Appendix A



**APPENDIX A-1**

**HISTORIC AND CURRENT  
GROUNDWATER SAMPLE RESULTS -  
LEACHATE INDICATORS**

Appendix A-1

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class	GA Groundwater	CAS #	UNITS:	DATE: 10/24/1997											
					MW-01S	MW-01S	MW-01S	MW-01S	MW-01S	MW-01S	MW-01S	MW-01S	MW-01S	MW-01S		
Color (APHA Units)	-	-	471-34-1	(mg/l)	80	50	50	50	NS	50	NS	NS	50	NS	NS	20
Alkalinity (as CaCO <sub>3</sub> )	-	-	7664-41-7	(mg/l)	264	183	180	180	2.2	1.46	2.03	1.04	0.93	0.1 U	2 ST	161
Ammonia (as N)	-	-	7664-41-7	(mg/l)	1	2.1	2.2	2.1	2 U	2 U	2 U	2 U	4	8	2 ST	8
Biochemical Oxygen Demand	-	-	24959-67-9	(mg/l)	0.7	0.5	0.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 GV	21.6
Bromide	-	-	24959-67-9	(mg/l)	46	29.6	10.7	22.5	29.8	83.2	10 U	10 U	21.6	65.8	250 ST	320
Chloride	-	-	16887-00-6	(mg/l)	69.7	28.4	42	36.6	40.9	60.7	131	131	21.6	65.8	250 ST	320
Hardness (as CaCO <sub>3</sub> )	-	-	14797-55-8	(mg/l)	310	140	200	240	520	200	270	320	188	188	10 ST	0.55
Nitrate (as N)	-	-	14797-55-8	(mg/l)	0.1 U	0.1 U	0.080 U	0.1 U	0.1 U	0.1 U	0.12	0.55	188	188	0.001 ST	0.005 U
Phenols, total	-	-	14808-79-8	(mg/l)	0.0010 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	188	188	250 ST	0.005 U
Sulfate	-	-	14808-79-8	(mg/l)	36.3	50	42.5	78	89	117	108	188	188	188	250 ST	0.005 U
Total Organic Carbon	-	-	-	(mg/l)	11.7	6	9.1	4.8	5.1	6.9	4.3	5.6	188	188	-	5.6
Total Dissolved Solids	-	-	-	(mg/l)	432	259	310	250	420	74	506	534	188	188	-	534
Total Kjeldahl Nitrogen (as N)	-	-	7727-37-9	(mg/l)	2.3	1.9	3.3	1.26	2.11	1.21	0.84	0.85	188	188	-	0.85

CONSTITUENT	NYSDEC Class	GA Groundwater	CAS #	UNITS:	DATE: 11/10/2003											
					MW-01S	MW-01S	MW-01S	MW-01S	MW-01S	MW-01S	MW-01S	MW-01S	MW-01S	MW-01S		
Color (APHA Units)	-	-	471-34-1	(mg/l)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2 ST	127
Alkalinity (as CaCO <sub>3</sub> )	-	-	7664-41-7	(mg/l)	1.57	0.44	1.15	1.15	0.1 U	0.1 U	0.1 U	127	127	127	2 ST	127
Ammonia (as N)	-	-	7664-41-7	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	127	127	127	2 ST	127
Biochemical Oxygen Demand	-	-	24959-67-9	(mg/l)	5.1	1 U	0.5 U	0.8	0.8	0.8	0.8	127	127	127	2 GV	127
Bromide	-	-	24959-67-9	(mg/l)	38.6	33	10 U	10 U	10 U	10 U	10 U	127	127	127	250 ST	127
Chloride	-	-	16887-00-6	(mg/l)	158	56.6	72.1	73.2	190	190	190	127	127	127	250 ST	127
Hardness (as CaCO <sub>3</sub> )	-	-	14797-55-8	(mg/l)	460	54	750	750	190	190	190	127	127	127	10 ST	127
Nitrate (as N)	-	-	14797-55-8	(mg/l)	0.1 U	0.26	0.1 U	0.005 U	0.005 U	0.005 U	0.005 U	127	127	127	0.001 ST	0.005 U
Phenols, total	-	-	14808-79-8	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	127	127	127	250 ST	0.005 U
Sulfate	-	-	14808-79-8	(mg/l)	282	140	130	104	104	104	104	127	127	127	250 ST	104
Total Organic Carbon	-	-	-	(mg/l)	8.3	7.4	6.6	5.2	5.2	5.2	5.2	127	127	127	-	5.2
Total Dissolved Solids	-	-	-	(mg/l)	690	498	477	455	455	455	455	127	127	127	-	455
Total Kjeldahl Nitrogen (as N)	-	-	7727-37-9	(mg/l)	1.72	0.77	1.07	1.09	1.09	1.09	1.09	127	127	127	-	1.09

NOTES:  
 NS: Not sampled  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 J: Reported value is estimated due to variance from quality control limits  
 : Concentration exceeds Standard/Guidance Value

Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE :	MW-01I	MW-01I	MW-01I	MW-01I	MW-01I	MW-01I	MW-01I	MW-01I
			DATE :	10/24/1997	11/30/2000	01/30/2001	08/21/2002	11/20/2002	03/05/2003	06/03/2003	08/21/2003
			UNITS:	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	NS	5 U	5 U	NS	5	NS	NS	10
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	(mg/l)	20.7	65.6	50	14.8	23.4	65.8	58.7	63.8
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.9	0.24	0.63	0.15	0.1 U	0.45	0.25	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2	2 U	2 U	2 U	2 U	8	7
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	3 U	10 U	10 U	12.7	10 U	30	10 U	16.8
Chloride	250 ST	16887-00-6	(mg/l)	195	34.6	72	16.4	68.7	59.5	13.1	122
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	42	5	30	40	32	80	14	48
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.72	0.53	1.3	2.74	0.6	0.1 U	0.1 U	0.91
Phenols, total	0.001 ST	-	(mg/l)	0.0010 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	35.2	10.2	5 U	5 U	12.1	23.4	9.2	5 U
Total Organic Carbon	-	-	(mg/l)	2.8	1.7	0.99 J	1.4	1 U	1.4	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	356	179	310	86	310	201	87	307
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.2 U	0.35	1.16	0.21	0.45	0.7	0.23	0.84

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE :	MW-01I	MW-01I	MW-01I	MW-01I	MW-01I	MW-01I	MW-01I	MW-01I
			DATE :	11/10/2003	02/26/2004	05/20/2004	08/19/2004				
			UNITS:	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	NS	NS	5 U	NS				
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	(mg/l)	50	34.8	42.6	37.6				
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.93	1.53	0.55	0.1 U				
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2	2 U				
Bromide	2 GV	24959-67-9	(mg/l)	1.3	1 U	0.5 U	0.5 U				
Chemical Oxygen Demand	-	-	(mg/l)	11.9	13.1	10 U	10 U				
Chloride	250 ST	16887-00-6	(mg/l)	96.7	98.8	21.9	31.2				
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	106	140	22	15				
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.79	0.26	1.55	1.63				
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U				
Sulfate	250 ST	14808-79-8	(mg/l)	9.6	7.7	9.8	5 U				
Total Organic Carbon	-	-	(mg/l)	1 U	1 U	1 U	1 U				
Total Dissolved Solids	-	-	(mg/l)	214	2910	157	119				
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	1.41	1.12	0.84	0.59				

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

█ : Concentration exceeds Standard/Guidance Value

J: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 LEACHATE INDICATORS

CONSTITUENT		Standards/Guidance Values	CAS #	UNITS:	SITE : MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D
		GA Groundwater			DATE : 10/24/1997	11/30/2000	01/30/2001	08/21/2002	11/20/2002	03/05/2003	06/03/2003	08/21/2003								
Color (APHA Units)	-	-	-	(mg/l)	5 U	5 U	5 U	NS	30	NS	NS	NS	20							
Alkalinity (as CaCO <sub>3</sub> )	-	-	-	(mg/l)	11.4	37	43	41.6	51.3	44	66.2	66.1								
Ammonia (as N)	2 ST	7664-41-7		(mg/l)	0.36	0.46	0.49	0.21	0.33	2.31	0.49	0.10 U								
Biochemical Oxygen Demand	-	-	-	(mg/l)	20	2 U	2 U	2 U	2 U	6	4	6								
Bromide	2 GV	24959-67-9		(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	0.9	0.5 U								
Chemical Oxygen Demand	-	-	-	(mg/l)	3 U	21.5	10.7	46.9	17.6	48.6	14.3	10 U								
Chloride	250 ST	16887-00-6		(mg/l)	198	737	570	779	589	513	620	256								
Hardness (as CaCO <sub>3</sub> )	-	-	-	(mg/l)	146	74	80	140	290	100	58	23								
Nitrate (as N)	10 ST	14797-55-8		(mg/l)	1.2	0.42	1	1.08	1.66	0.84	0.61	2.22								
Phenols, total	0.001 ST	-		(mg/l)	0.0011	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U								
Sulfate	250 ST	14808-79-8		(mg/l)	19.8	19.8	33.2	60.2	27.5	26.7	46.8	33								
Total Organic Carbon	-	-	-	(mg/l)	2.3	2.3	2.4	1.5	5.7	1.4	3.8									
Total Dissolved Solids	-	-	-	(mg/l)	452	1060	1500	1340	1160	950	1100	548								
Total Kjeldahl Nitrogen (as N)	-	-	-	(mg/l)	0.2 U	0.59	0.660	0.42	1.37	3.24	0.53	0.33								

CONSTITUENT		Standards/Guidance Values	CAS #	UNITS:	SITE : MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D
		GA Groundwater			DATE : 11/10/2003	02/26/2004	05/20/2004	08/19/2004												
Color (APHA Units)	-	-	-	(mg/l)	NS	NS	NS	5 U	NS	NS	NS	NS								
Alkalinity (as CaCO <sub>3</sub> )	-	-	-	(mg/l)	63.4	60.5	53.6	38												
Ammonia (as N)	2 ST	7664-41-7		(mg/l)	0.10 U	0.60	0.82	0.1 U												
Biochemical Oxygen Demand	-	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	2 U									
Bromide	2 GV	24959-67-9		(mg/l)	3.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U									
Chemical Oxygen Demand	-	-	-	(mg/l)	10 U	42.9	70.3	122												
Chloride	250 ST	16887-00-6		(mg/l)	111	656	656	896												
Hardness (as CaCO <sub>3</sub> )	-	-	-	(mg/l)	15	160	260	184												
Nitrate (as N)	10 ST	14797-55-8		(mg/l)	2.69	0.41	0.56	1.82												
Phenols, total	0.001 ST	-		(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U									
Sulfate	250 ST	14808-79-8		(mg/l)	27.5	17.8	30.2	46.5												
Total Organic Carbon	-	-	-	(mg/l)	1.1	1 U	1.6	1 U												
Total Dissolved Solids	-	-	-	(mg/l)	290	1040	1020	1770												
Total Kjeldahl Nitrogen (as N)	-	-	-	(mg/l)	0.34	0.52	0.61	1.76												

NOTES:  
 NS: Not sampled  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 f: Reported value is estimated due to variance from quality control limits  
 Concentration exceeds Standard/Guidance Value



Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S
				10/27/1997	11/30/2000	01/31/2001	08/21/2002	11/20/2002	03/05/2003	06/03/2003	08/21/2003
Color (APHA Units)	-	-	(mg/l)	5 U	5 U	5 U	NS	NS	NS	NS	NS
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	(mg/l)	86.6	86.2	85	NS	NS	NS	NS	NS
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.08	1.5	1.1	NS	NS	NS	NS	NS
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2	NS	NS	NS	NS	NS
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	NS	NS	NS	NS	NS
Chemical Oxygen Demand	-	-	(mg/l)	15 U	10 U	10 U	NS	NS	NS	NS	NS
Chloride	250 ST	16887-00-6	(mg/l)	21.2	9.5	10	NS	NS	NS	NS	NS
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	92	88	120	NS	NS	NS	NS	NS
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.82	2.4	1.8	NS	NS	NS	NS	NS
Phenols, total	0.001 ST	-	(mg/l)	0.0010 U	0.005 U	0.005 U	NS	NS	NS	NS	NS
Sulfate	250 ST	14808-79-8	(mg/l)	20.9	26.6	19.2	NS	NS	NS	NS	NS
Total Organic Carbon	-	-	(mg/l)	2.2	1.6	2.7	NS	NS	NS	NS	NS
Total Dissolved Solids	-	-	(mg/l)	171	138	170	NS	NS	NS	NS	NS
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.2	1.4	1.1	NS	NS	NS	NS	NS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S
				11/11/2003	02/26/2004	05/20/2004	08/20/2004	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	NS	NS	NS	NS				
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	(mg/l)	NS	NS	NS	NS				
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	NS	NS	NS	NS				
Biochemical Oxygen Demand	-	-	(mg/l)	NS	NS	NS	NS				
Bromide	2 GV	24959-67-9	(mg/l)	NS	NS	NS	NS				
Chemical Oxygen Demand	-	-	(mg/l)	NS	NS	NS	NS				
Chloride	250 ST	16887-00-6	(mg/l)	NS	NS	NS	NS				
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	NS	NS	NS	NS				
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	NS	NS	NS	NS				
Phenols, total	0.001 ST	-	(mg/l)	NS	NS	NS	NS				
Sulfate	250 ST	14808-79-8	(mg/l)	NS	NS	NS	NS				
Total Organic Carbon	-	-	(mg/l)	NS	NS	NS	NS				
Total Dissolved Solids	-	-	(mg/l)	NS	NS	NS	NS				
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	NS	NS	NS	NS				

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

█: Concentration exceeds Standard/Guidance Value

J: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT		NYSDEC Class	GA Groundwater	Standards/Guidance Values	CAS #	UNITS:	DATE: 10/27/1997										
SITE:	MW-021						MW-021	MW-021	MW-021	MW-021	MW-021	MW-021	MW-021	MW-021	MW-021	MW-021	
Color (APHA Units)	-	-	(mg/l)	NS	5 U	5 U	5 U	5 U	5 U	5 U	NS	10	NS	NS	10	NS	10
Alkalinity (as CaCO <sub>3</sub> )	-	-	(mg/l)	471-34-1	12.3	9	9.3	4.5	9.6	16.2	17.2	7.4	-	-	-	-	-
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.65	9.1	0.64	0.10 U	0.1 U	0.29	0.19	0.1 U	7	-	-	-	-	-
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	3	7	-	-	-	-	-
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	-	-	-	-	-
Chemical Oxygen Demand	-	-	(mg/l)	15 U	56.7	10 U	12.7	10 U	14	10 U	10 U	10 U	-	-	-	-	-
Chloride	250 ST	16887-00-6	(mg/l)	10	12.8	15	10.8	3.8	14	6.2	8.2	42	-	-	-	-	-
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	26	34	80	32	90	44	46	42	-	-	-	-	-	-
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	1.9	2.2	2.4	2.39	2.56	1.68	1.92	2.72	-	-	-	-	-	-
Phenols, total	0.001 ST	-	(mg/l)	0.0010 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	-	-	-	-	-
Sulfate	250 ST	14808-79-8	(mg/l)	32.9	5.4	7.80	10.3	13.8	25.1	27.7	16.6	-	-	-	-	-	-
Total Organic Carbon	-	-	(mg/l)	1.5	1.5	1.1	1.3	1.3	3.2	2.3	1 U	-	-	-	-	-	-
Total Dissolved Solids	-	-	(mg/l)	103	88	99	58	97	83	82	112	-	-	-	-	-	-
Total Kjeldahl Nitrogen (as N)	-	-	(mg/l)	7727-37-9	0.8	9	1.20	0.1 U	1.45	0.66	0.26	-	-	-	-	-	-

CONSTITUENT		NYSDEC Class	GA Groundwater	Standards/Guidance Values	CAS #	UNITS:	DATE: 11/11/2003										
SITE:	MW-021						MW-021	MW-021	MW-021	MW-021	MW-021	MW-021	MW-021	MW-021	MW-021	MW-021	
Color (APHA Units)	-	-	(mg/l)	NS	20	NS	20	NS	NS	NS	NS	-	-	-	-	-	-
Alkalinity (as CaCO <sub>3</sub> )	-	-	(mg/l)	471-34-1	7.5	9.4	32.1	10.2	-	-	-	-	-	-	-	-	-
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.1 U	0.23	0.1 U	0.1 U	0.1 U	0.1 U	-	-	-	-	-	-	-
Biochemical Oxygen Demand	-	-	(mg/l)	3	3	2	2	2 U	2 U	2 U	-	-	-	-	-	-	-
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	1 U	0.5 U	1	10 U	-	-	-	-	-	-	-	-	-
Chemical Oxygen Demand	-	-	(mg/l)	10 U	28	23	10 U	10 U	-	-	-	-	-	-	-	-	-
Chloride	250 ST	16887-00-6	(mg/l)	11.1	14.7	8.3	11.4	11.4	-	-	-	-	-	-	-	-	-
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	40	44	110	25	25	-	-	-	-	-	-	-	-	-
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	2.82	2.28	2.19	3.04	3.04	-	-	-	-	-	-	-	-	-
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	-	-	-	-	-	-
Sulfate	250 ST	14808-79-8	(mg/l)	13.9	15	27.2	19.4	19.4	-	-	-	-	-	-	-	-	-
Total Organic Carbon	-	-	(mg/l)	1 U	1 U	5.7	1 U	1 U	-	-	-	-	-	-	-	-	-
Total Dissolved Solids	-	-	(mg/l)	74	69	127	111	111	-	-	-	-	-	-	-	-	-
Total Kjeldahl Nitrogen (as N)	-	-	(mg/l)	7727-37-9	0.46	0.36	1.02	0.86	-	-	-	-	-	-	-	-	-

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

: Concentration exceeds Standard/Guidance Value

U: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-02D	MW-02D	MW-02D	MW-02D	MW-02D	MW-02D	MW-02D	MW-02D
				12/01/1997	12/01/2000	01/30/2001	08/21/2002	11/20/2002	03/05/2003	06/03/2003	08/22/2003
Color (APHA Units)	-	-	(mg/l)	5 U	5 U	5 U	NS	5	NS	NS	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	10.2	13.8	14	10.5	11.9	13.6	13.5	13.6
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.24	0.2	0.22	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	4	11
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8
Chemical Oxygen Demand	-	-	(mg/l)	15 U	73	10 U	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	9.4	5.2	5.5	4.3	6.4	7.3	8.6	6.3
Hardness (as CaCO3)	-	-	(mg/l)	30	30	68	34	40	24	36	100
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	1.4	1.2	1	0.69	1.48	1.49	1.45	1.47
Phenols, total	0.001 ST	-	(mg/l)	0.0010 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	12.6	5 U	8.2	18.6	19.2	18.9	16.1	18.3
Total Organic Carbon	-	-	(mg/l)	0.7	1 U	0.88 J	1.2	1 U	1 U	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	76	96	80	60	110	80	73	91
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.23	0.19	0.340	0.1 U	0.1 U	0.18	0.1 U	0.1 U

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-02D	MW-02D	MW-02D	MW-02D	MW-02D	MW-02D	MW-02D	MW-02D
				11/11/2003	02/27/2004	05/20/2004	08/20/2004	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	NS	NS	5 U	NS				
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	12.4	13	13.9	14.2				
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.1 U	0.11	0.1 U				
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	8	2 U	2 U				
Bromide	2 GV	24959-67-9	(mg/l)	0.5	1 U	0.5 U	0.5 U				
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	13.1	10 U				
Chloride	250 ST	16887-00-6	(mg/l)	5.4	8.5	6.4	7.3				
Hardness (as CaCO3)	-	-	(mg/l)	42	48	110	18				
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	1.62	1.51	1.69	1.36				
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U				
Sulfate	250 ST	14808-79-8	(mg/l)	19.8	17.9	25.6	20.3				
Total Organic Carbon	-	-	(mg/l)	1 U	1 U	1 U	1 U				
Total Dissolved Solids	-	-	(mg/l)	69	139	88	83				
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.1 U	0.1 U	0.27	0.11				

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

J: Concentration exceeds Standard/Guidance Value

J: Reported value is estimated due to variance from quality control limits

**SONIA ROAD LANDFILL  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS**

Appendix A-1

CONSTITUENT		NYSDEC Class GA Groundwater		Standards/Guidance Values		CAS #	UNITS:	DATE :	SITE :	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
								10/30/1997	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Color (APHA Units)	-	-	70	70	(mg/l)		UNITS:		MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Alkalinity (as CaCO <sub>3</sub> )	-	-	187	183	(mg/l)		DATE :		MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Ammonia (as N)	2 ST	764-41-7	2	2.3	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Biochemical Oxygen Demand	-	-	11	11	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Bromide	2 GV	24959-67-9	0.5 U	0.5 U	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Chemical Oxygen Demand	-	-	37	32.6	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Chloride	250 ST	16887-00-6	75.3	28.8	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Hardness (as CaCO <sub>3</sub> )	-	-	190	180	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Nitrate (as N)	10 ST	14797-55-8	0.1 U	0.1 U	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Phenols, total	0.001 ST	-	0.0018	0.005 U	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Sulfate	250 ST	14808-79-8	5 U	5.1	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Total Organic Carbon	-	-	7.7	4.3	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Total Dissolved Solids	-	-	246	237	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Total Kjeldahl Nitrogen (as N)	-	-	3.1	2	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S

CONSTITUENT		NYSDEC Class GA Groundwater		Standards/Guidance Values		CAS #	UNITS:	DATE :	SITE :	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
								11/13/2003	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Color (APHA Units)	-	-	NS	NS	(mg/l)		UNITS:		MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Alkalinity (as CaCO <sub>3</sub> )	-	-	263	213	(mg/l)		DATE :		MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Ammonia (as N)	2 ST	7664-41-7	2.88	0.5 U	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Biochemical Oxygen Demand	-	-	12	9	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Bromide	2 GV	24959-67-9	2.1	3.1	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Chemical Oxygen Demand	-	-	38.6	50.4	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Chloride	250 ST	16887-00-6	52.3	32.7	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Hardness (as CaCO <sub>3</sub> )	-	-	440	300	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Nitrate (as N)	10 ST	14797-55-8	0.1 U	0.5 U	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Phenols, total	0.001 ST	-	0.005 U	0.005 U	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Sulfate	250 ST	14808-79-8	5.7	11.2	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Total Organic Carbon	-	-	7	6	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Total Dissolved Solids	-	-	345	320	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S
Total Kjeldahl Nitrogen (as N)	-	-	3.23	2.03	(mg/l)				MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S

NOTES:  
 NS: Not sampled  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 j: Reported value is estimated due to variance from quality control limits  
 : Concentration exceeds Standard/Guidance Value

Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S
				10/29/1997	12/06/2000	02/01/2001	08/23/2002	11/22/2002	03/06/2003	06/03/2003	08/25/2003
Color (APHA Units)	-	-	(mg/l)	150	200	80	NS	70	NS	NS	60
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	618	364	400	405	543	489	452	374
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	9.3	7.8	7.2	7.63	7.18	9.21	9.6	8.64
Biochemical Oxygen Demand	-	-	(mg/l)	5	37	34	26	23	44	34	31
Bromide	2 GV	24959-67-9	(mg/l)	1	1.2	1	4	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	67	10 U	13.4	34.7	37.1	61.9	33.8	996
Chloride	250 ST	16887-00-6	(mg/l)	63.3	42.2	49	49.9	51.3	49.3	54.9	44.7
Hardness (as CaCO3)	-	-	(mg/l)	540	480	340	380	440	500	460	700
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.1 U	0.1 U	0.1 U	0.15	0.1 U	0.26	0.1 U
Phenols, total	0.001 ST	-	(mg/l)	0.0049	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0052	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	5 U	8.9	5.30	5 U	14	6.4	11.2	15.9
Total Organic Carbon	-	-	(mg/l)	17.3	8.1	11	9	8.8	9.6	8.4	8.9
Total Dissolved Solids	-	-	(mg/l)	624	426	460	430	465	595	547	546
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	23.3	8.9	10.7	7.24	8.65	12.6	10.4	9.9

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S
				11/12/2003	03/02/2004	05/24/2004	08/23/2004	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	NS	NS	140	NS				
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	402	343	379	378				
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	8.03	1.16	6.45	6.21				
Biochemical Oxygen Demand	-	-	(mg/l)	41	31	67	22				
Bromide	2 GV	24959-67-9	(mg/l)	1.1	3.6	0.5 U	0.6				
Chemical Oxygen Demand	-	-	(mg/l)	48.4	60.3	35.5	10 U				
Chloride	250 ST	16887-00-6	(mg/l)	37.9	40.3	49.3	52.5				
Hardness (as CaCO3)	-	-	(mg/l)	660	560	900	296				
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.21	0.5	0.48	0.1 U				
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U				
Sulfate	250 ST	14808-79-8	(mg/l)	125	28.2	49.4	16.5				
Total Organic Carbon	-	-	(mg/l)	9.5	8.4	10.1	8.4				
Total Dissolved Solids	-	-	(mg/l)	610	471	440	608				
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	7.64	5.24	6.73	6.59				

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

: Concentration exceeds Standard/Guidance Value

J: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	GA Groundwater	CAS #	DATE :	SITE :	UNITS:	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	10/29/1997	MW-041	(mg/l)	30	200	60	80	NS	NS	NS	NS	NS	NS
Alkalinity (as CaCO <sub>3</sub> )	-	-	12/06/2000	MW-041	(mg/l)	309	339	240	202	385	282	354	387	549	387
Ammonia (as N)	2 ST	7664-41-7	12/06/2000	MW-041	(mg/l)	1.8	9.2	8.2	5.48	5.38	6.01	6.53	5.49	5.49	5.49
Biochemical Oxygen Demand	-	-	02/01/2001	MW-041	(mg/l)	6	24	20	8	18	39	50	15	15	15
Bromide	2 GV	24959-67-9	02/01/2001	MW-041	(mg/l)	0.8	0.9	0.70	5.38	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	08/23/2002	MW-041	(mg/l)	37	10 U	10 U	20	46.9	51.3	31.4	21.6	21.6	21.6
Chloride	250 ST	16887-00-6	08/23/2002	MW-041	(mg/l)	28.7	50.9	48	22.1	49.5	44.4	49.8	47	47	47
Hardness (as CaCO <sub>3</sub> )	-	-	11/22/2002	MW-041	(mg/l)	210	480	200	80	460	290	440	320	320	320
Nitrate (as N)	10 ST	14797-55-8	11/22/2002	MW-041	(mg/l)	0.12	0.1 U	0.1 U	0.59	0.15	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Phenols, total	0.001 ST	-	03/06/2003	MW-041	(mg/l)	0.0039	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	06/03/2003	MW-041	(mg/l)	14.5	5 U	5 U	5 U	10.7	5.6	6.3	5 U	5 U	5 U
Total Organic Carbon	-	-	06/03/2003	MW-041	(mg/l)	5.2	7.5	7.5	5.5	6.4	6.4	7.2	7.4	7.4	7.4
Total Dissolved Solids	-	-	03/06/2003	MW-041	(mg/l)	424	410	310	195	402	400	422	504	504	504
Total Kjeldahl Nitrogen (as N)	-	-	08/22/2003	MW-041	(mg/l)	4.3	11.4	10.1	6.38	7.29	7.93	6.21	6.88	6.88	6.88

CONSTITUENT	GA Groundwater	CAS #	DATE :	SITE :	UNITS:	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	11/12/2003	MW-041	(mg/l)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Alkalinity (as CaCO <sub>3</sub> )	-	-	02/26/2004	MW-041	(mg/l)	326	311	278	279	279	279	279	279	279	279
Ammonia (as N)	2 ST	7664-41-7	02/26/2004	MW-041	(mg/l)	5.74	4.77	4.06	4.20	4.20	4.20	4.20	4.20	4.20	4.20
Biochemical Oxygen Demand	-	-	05/24/2004	MW-041	(mg/l)	62	28	10	8	8	8	8	8	8	8
Bromide	2 GV	24959-67-9	05/24/2004	MW-041	(mg/l)	0.5	3.4	0.5 U	0.6	0.6	0.6	0.6	0.6	0.6	0.6
Chemical Oxygen Demand	-	-	08/23/2004	MW-041	(mg/l)	48.4	30.5	18.1	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	08/23/2004	MW-041	(mg/l)	46	40.2	40.8	40.5	40.5	40.5	40.5	40.5	40.5	40.5
Hardness (as CaCO <sub>3</sub> )	-	-	08/23/2004	MW-041	(mg/l)	390	270	850	208	208	208	208	208	208	208
Nitrate (as N)	10 ST	14797-55-8	08/23/2004	MW-041	(mg/l)	0.1 U	0.1 U	0.1 U	0.48	0.48	0.48	0.48	0.48	0.48	0.48
Phenols, total	0.001 ST	-	08/23/2004	MW-041	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	08/23/2004	MW-041	(mg/l)	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Total Organic Carbon	-	-	08/23/2004	MW-041	(mg/l)	6.5	6.6	6.7	7	7	7	7	7	7	7
Total Dissolved Solids	-	-	08/23/2004	MW-041	(mg/l)	368	420	370	480	480	480	480	480	480	480
Total Kjeldahl Nitrogen (as N)	-	-	08/23/2004	MW-041	(mg/l)	5.09	4.45	4.38	4.34	4.34	4.34	4.34	4.34	4.34	4.34

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

: Concentration exceeds Standard/Guidance Value

f: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D
				10/28/1997	12/06/2000	02/01/2001	08/23/2002	11/21/2002	03/07/2003	06/03/2003	08/25/2003
				(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	150	150	50	NS	60	NS	NS	80
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	(mg/l)	210	232	260	117	103	88.2	110	1430
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	2.8	5.3	5.4	3.91	2.65	3.68	4.33	4.31
Biochemical Oxygen Demand	-	-	(mg/l)	8	4	8	13	2 U	2	12	7
Bromide	2 GV	24959-67-9	(mg/l)	1.1	0.8	1.1	3	0.5 U	0.5 U	0.5 U	0.5
Chemical Oxygen Demand	-	-	(mg/l)	46	10 U	10.6	12.7	15.1	10 U	28.9	48.4
Chloride	250 ST	16887-00-6	(mg/l)	50.1	42.8	42	20	20.4	12.5	18.6	18.9
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	280	280	200	110	200	140	120	500
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.1 U	0.1 U	1.52	0.61	0.1 U	0.1 U	0.1 U
Phenols, total	0.001 ST	-	(mg/l)	0.0049	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	18.3	9.1	6.10	10	42.6	17.9	22.1	21.5
Total Organic Carbon	-	-	(mg/l)	4.7	6.5	6.2	3	1.7	2.9	2	1.8
Total Dissolved Solids	-	-	(mg/l)	318	304	310	170	241	40	162	214
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	5.6	6.6	7	4.47	3.06	4.85	4.14	4.69

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D
				11/11/2003	02/26/2004	05/24/2004	08/23/2004				
				(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	NS	NS	200	NS				
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	(mg/l)	148	163	174	267				
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	4.83	1.19	4.21	5.28				
Biochemical Oxygen Demand	-	-	(mg/l)	4	9	12	2 U				
Bromide	2 GV	24959-67-9	(mg/l)	2	2.3	0.5	0.5				
Chemical Oxygen Demand	-	-	(mg/l)	19.2	37.9	13.1	10 U				
Chloride	250 ST	16887-00-6	(mg/l)	17.8	25.1	27.6	34.8				
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	320	132	800	172				
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.1 U	0.1 U	0.1 U				
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U				
Sulfate	250 ST	14808-79-8	(mg/l)	14.8	8	13	5.1				
Total Organic Carbon	-	-	(mg/l)	1.7	2.3	3	3.5				
Total Dissolved Solids	-	-	(mg/l)	208	50	248	415				
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	4.27	4.54	4.4	5.04				

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

: Concentration exceeds Standard/Guidance Value

J: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 LEACHATE INDICATORS

CONSTITUENT	Standards/Guidance Values	CAS #	DATE	SITE	UNITS:							
					(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	471-34-1	60	400	100	NS	60	NS	NS	NS	100
Alkalinity (as CaCO <sub>3</sub> )	-	-	471-34-1	412	390	362	236	258	218	252	106	106
Ammonia (as N)	2 ST	7664-41-7	4.4	6.1	6.55	3.17	2.08	2.71	5.57	12.4	12.4	
Biochemical Oxygen Demand	-	-	8	25	33	32	23	21	28	10	10	
Bromide	2 GV	24959-67-9	0.5 U	0.6	0.9	1	1.4	0.5 U	0.5 U	0.5	0.5	
Chemical Oxygen Demand	-	-	46	10 U	21.8	22.5	15.1	38	31.4	63	63	
Chloride	250 ST	16887-00-6	82.1	36.4	36.6	39.4	46.1	36.3	29.5	37.5	37.5	
Hardness (as CaCO <sub>3</sub> )	-	-	400	290	276	240	210	250	600	650	650	
Nitrate (as N)	10 ST	14797-55-8	0.1 U	0.1 U	0.29	0.1 U	0.28	0.83	0.17	1	1	
Phenols, total	0.001 ST	-	0.0049	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	
Sulfate	250 ST	14808-79-8	5 U	5 U	5 U	8.9	25.1	27.5	36	78.5	78.5	
Total Organic Carbon	-	-	9.6	12	9.17	6.5	5.4	5.2	6.7	10.3	10.3	
Total Dissolved Solids	-	-	482	385	383	288	342	275	360	640	640	
Total Kjeldahl Nitrogen (as N)	-	-	7727-37-9	9.6	7.8	8.4	6.3	2.48	4.41	14.3	14.3	

CONSTITUENT	Standards/Guidance Values	CAS #	DATE	SITE	UNITS:							
					(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	471-34-1	NS	NS	NS	140	NS	NS	NS	NS	
Alkalinity (as CaCO <sub>3</sub> )	-	-	471-34-1	386	160	160	317	317	317	317	317	
Ammonia (as N)	2 ST	7664-41-7	9.09	0.97	1.44	3.48	3.48	3.48	3.48	3.48	3.48	
Biochemical Oxygen Demand	-	-	21	4	15	2 U	2 U	2 U	2 U	2 U	2 U	
Bromide	2 GV	24959-67-9	2.3	3.9	0.8	1.3	1.3	1.3	1.3	1.3	1.3	
Chemical Oxygen Demand	-	-	50.8	65.3	28	28	28	28	28	28	28	
Chloride	250 ST	16887-00-6	41.4	17.9	35.8	40.7	40.7	40.7	40.7	40.7	40.7	
Hardness (as CaCO <sub>3</sub> )	-	-	660	220	1100	280	280	280	280	280	280	
Nitrate (as N)	10 ST	14797-55-8	1.44	7.94	1.45	3.24	3.24	3.24	3.24	3.24	3.24	
Phenols, total	0.001 ST	-	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	
Sulfate	250 ST	14808-79-8	13.4	28.5	17.2	8.9	8.9	8.9	8.9	8.9	8.9	
Total Organic Carbon	-	-	10.7	4.6	8.2	8	8	8	8	8	8	
Total Dissolved Solids	-	-	457	396	361	598	598	598	598	598	598	
Total Kjeldahl Nitrogen (as N)	-	-	7727-37-9	8.66	4.66	2.44	5.61	5.61	5.61	5.61	5.61	

NOTES:

NS: Not sampled  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 : Reported value is estimated due to variance from quality control limits  
 : Concentration exceeds Standard/Guidance Value



Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I
				10/29/1997	12/08/2000	02/02/2001	08/23/2002	11/22/2002	03/07/2003	06/05/2003	08/25/2003
Color (APHA Units)	-	-	(mg/l)	40	300	100	NS	60	NS	NS	50
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	30.4	113	157	93	92.5	133	135	105
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.49	3.9	4.19	1.28	0.1	3.35	3.66	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	3	4 U	9	10	7	2 U	3	13
Bromide	2 GV	24959-67-9	(mg/l)	0.6	0.5 U	0.5 U	1.3	1	0.5 U	0.5 U	0.9
Chemical Oxygen Demand	-	-	(mg/l)	16	10 U	10 U	10 U	10 U	27.3	10 U	43.5
Chloride	250 ST	16887-00-6	(mg/l)	24.3	29.6	39.9	25.3	34.3	39.1	31.6	27.5
Hardness (as CaCO3)	-	-	(mg/l)	50	104	140	100	140	120	160	170
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.1 U	1.4	1.94	0.66	0.32	0.1 U	3.16
Phenols, total	0.001 ST	-	(mg/l)	0.0010 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	8.9	24.2	17	21.5	20.4	22.3	25.1	15.2
Total Organic Carbon	-	-	(mg/l)	1.8	4.7	5.12	3.4	2.5	3.2	2.5	3.7
Total Dissolved Solids	-	-	(mg/l)	100	216	250	432	207	280	218	257
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.7	4.4	5	2.44	1.43	4.77	3.46	0.7

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I
				11/12/2003	03/02/2004	05/25/2004	08/23/2004	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	NS	NS	40	NS				
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	177	140	184	136				
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	5.9	0.86	5.99	0.1 U				
Biochemical Oxygen Demand	-	-	(mg/l)	4	7	6	4				
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	3.4	0.5 U	0.5 U				
Chemical Oxygen Demand	-	-	(mg/l)	21.6	25.5	10 U	10 U				
Chloride	250 ST	16887-00-6	(mg/l)	49.1	46.4	49.6	37.4				
Hardness (as CaCO3)	-	-	(mg/l)	240	400	850	98				
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	4.52	0.1 U	3.88				
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U				
Sulfate	250 ST	14808-79-8	(mg/l)	27.9	17.1	14	15.6				
Total Organic Carbon	-	-	(mg/l)	4.5	4	4.8	3.7				
Total Dissolved Solids	-	-	(mg/l)	291	303	287	396				
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	5.75	3.62	5.92	4.28				

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

█: Concentration exceeds Standard/Guidance Value

J: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class	GA Groundwater	Standards/Guidance Values	CAS #	UNITS:	DATE :							
						10/29/1997	12/08/2000	02/02/2001	08/23/2002	11/22/2002	03/07/2003	06/05/2003	08/25/2003
Color (APHA Units)	-	-	-	5 U	(mg/l)	50	50	10	NS	5	NS	NS	5 U
Alkalinity (as CaCO <sub>3</sub> )	-	-	-	234	(mg/l)	467	505	138	128	90	50.9	34.4	0.1 U
Ammonia (as N)	2 ST	7664-41-7	-	2	(mg/l)	4.3	14.9	16.1	4.41	0.1 U	2.96	13	6
Biochemical Oxygen Demand	-	-	-	2	(mg/l)	5	12	8	3.2	0.5 U	0.5 U	0.5 U	0.5 U
Bromide	2 GV	24959-67-9	-	43	(mg/l)	40.5	32.6	17.6	17.6	22.5	10 U	10 U	36.2
Chemical Oxygen Demand	-	-	-	43	(mg/l)	51.5	65.4	51.6	27.9	32.8	34	38.5	27.1
Chloride	250 ST	16887-00-6	-	260	(mg/l)	410	360	148	130	136	160	110	110
Hardness (as CaCO <sub>3</sub> )	-	-	-	260	(mg/l)	0.1 U	0.1 U	1.5	4.46	5.73	11.4	0.68	15.1
Nitrate (as N)	10 ST	14797-55-8	-	0.1 U	(mg/l)	0.0015	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Phenols, total	0.001 ST	14808-79-8	-	27.5	(mg/l)	25.5	17.8	33.5	32.7	15	9.8	7.6	7.6
Sulfate	250 ST	14808-79-8	-	6	(mg/l)	13.6	11.1	4.3	2.7	1.7	1 U	1 U	344
Total Organic Carbon	-	-	-	6	(mg/l)	337	549	566	266	297	242	258	344
Total Dissolved Solids	-	-	-	337	(mg/l)	15.3	15.3	18	4.57	2.54	3.46	1.86	1.4
Total Kjeldahl Nitrogen (as N)	-	-	-	6	(mg/l)	7727-37-9	1.14	1.39	1.52	1.28			

CONSTITUENT	NYSDEC Class	GA Groundwater	Standards/Guidance Values	CAS #	UNITS:	DATE :							
						11/12/2003	03/02/2004	05/25/2004	08/23/2004	MW-05D	MW-05D	MW-05D	MW-05D
Color (APHA Units)	-	-	-	NS	(mg/l)	NS	NS	5	NS	NS	NS	NS	NS
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	-	29.6	(mg/l)	41.5	39.6	31.2	31.2	0.1 U			
Ammonia (as N)	2 ST	7664-41-7	-	0.1	(mg/l)	1.44	1.4	0.1 U	0.1 U				
Biochemical Oxygen Demand	-	-	-	2 U	(mg/l)	2	2 U	2 U	2 U				
Bromide	2 GV	24959-67-9	-	1.1	(mg/l)	6	1	1.6	1.6				
Chemical Oxygen Demand	-	-	-	21.6	(mg/l)	15.6	10 U	10 U	10 U				
Chloride	250 ST	16887-00-6	-	23.3	(mg/l)	32.7	23.9	24.8	24.8				
Hardness (as CaCO <sub>3</sub> )	-	-	-	300	(mg/l)	190	160	40	40				
Nitrate (as N)	10 ST	14797-55-8	-	13.5	(mg/l)	8.85	7.52	9.95	9.95				
Phenols, total	0.001 ST	14808-79-8	-	0.005 U	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U				
Sulfate	250 ST	14808-79-8	-	8.9	(mg/l)	9	13.4	12.2	12.2				
Total Organic Carbon	-	-	-	1.4	(mg/l)	1.3	1 U	1 U	1 U				
Total Dissolved Solids	-	-	-	190	(mg/l)	284	189	300	300				
Total Kjeldahl Nitrogen (as N)	-	-	-	1.14	(mg/l)	1.39	1.52	1.28	1.28				

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

: Concentration exceeds Standard/Guidance Value

†: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S
				10/27/1997	12/05/2000	02/01/2001	08/21/2002	11/20/2002	03/05/2003	06/04/2003	08/22/2003
				(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	150	100	70	NS	60	NS	NS	150
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	453	245	200	161	183	156	202	279
Ammonia (as N)	2 ST	7664-41-7	(mg/l)		3.5	3.7	3.97	2.76	2.2	2.67	5.45
Biochemical Oxygen Demand	-	-	(mg/l)	5	17	10	2 U	6	3	55	16
Bromide	2 GV	24959-67-9	(mg/l)	0.6	0.7	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	46	10.7	10 U	24.9	10 U	27.3	10 U	41.1
Chloride	250 ST	16887-00-6	(mg/l)	39.8	14.8	20	15.8	19.6	10.7	20	22.3
Hardness (as CaCO3)	-	-	(mg/l)	440	280	140	220	280	80	200	420
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.1 U	0.1 U	0.21	1.97	0.32	0.17	0.29
Phenols, total	0.001 ST	-	(mg/l)	0.005	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	5 U	5 U	8.40	33.8	38.2	18.3	20.6	133
Total Organic Carbon	-	-	(mg/l)	11.4	4.4	5.8	4.6	2.9	5.1	4.2	13.1
Total Dissolved Solids	-	-	(mg/l)	480	270	220	213	391	230	239	564
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	17.3	3.9	4.9	4.68	3.24	3.53	3.3	7.64

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S
				11/11/2003	02/27/2004	05/24/2004	08/20/2004				
				(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	NS	NS	100	NS				
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	239	258	206	337				
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	4.29	3.28	4.39	11.1				
Biochemical Oxygen Demand	-	-	(mg/l)	25	9	4	14				
Bromide	2 GV	24959-67-9	(mg/l)	4.3	2.1	0.5 U	2				
Chemical Oxygen Demand	-	-	(mg/l)	21.6	30.5	23	18.1				
Chloride	250 ST	16887-00-6	(mg/l)	17.4	19.9	16.4	37.4				
Hardness (as CaCO3)	-	-	(mg/l)	280	36	950	250				
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	1.15	3.76	0.17				
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U				
Sulfate	250 ST	14808-79-8	(mg/l)	39.8	12.2	80	5.5				
Total Organic Carbon	-	-	(mg/l)	5.7	9	7.8	9.6				
Total Dissolved Solids	-	-	(mg/l)	338	395	336	442				
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	4.11	3.67	4.7	12.3				

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

█ : Concentration exceeds Standard/Guidance Value

J: Reported value is estimated due to variance from quality control limits

**Appendix A-1**

**SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS**

CONSTITUENT		NYSDEC Class		GA Groundwater		Standards/Guidance Values		Color (APHA Units)		Alkalinity (as CaCO <sub>3</sub> )		Ammonia (as N)		Biochemical Oxygen Demand		Bromide		Chemical Oxygen Demand		Chloride		Hardness (as CaCO <sub>3</sub> )		Nitrate (as N)		Phenols, total		Sulfate		Total Organic Carbon		Total Dissolved Solids		Total Kjeldahl Nitrogen (as N)					
SITE	DATE	CAS #	UNITS	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)			
MW-061	10/28/1997			10	30	30	NS	5	NS	NS	5	NS	NS	5	NS	NS	5	NS	NS	5	NS	NS	5	NS	NS	5	NS	NS	NS	NS	NS	NS	NS	NS	NS				
MW-061	12/05/2000			115	97.1	77	NS	43.7	NS	NS	43.7	NS	NS	43.7	NS	NS	43.7	NS	NS	43.7	NS	NS	43.7	NS	NS	43.7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
MW-061	02/01/2001			18	30	30	NS	16.2	NS	NS	16.2	NS	NS	16.2	NS	NS	16.2	NS	NS	16.2	NS	NS	16.2	NS	NS	16.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
MW-061	08/21/2002			80	80	80	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-061	11/21/2002			2	2	2	NS	2.1	NS	NS	2.1	NS	NS	2.1	NS	NS	2.1	NS	NS	2.1	NS	NS	2.1	NS	NS	2.1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-061	03/05/2003			15	15	15	NS	10.1	NS	NS	10.1	NS	NS	10.1	NS	NS	10.1	NS	NS	10.1	NS	NS	10.1	NS	NS	10.1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-061	06/05/2003			10	10	10	NS	8.4	NS	NS	8.4	NS	NS	8.4	NS	NS	8.4	NS	NS	8.4	NS	NS	8.4	NS	NS	8.4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-061	08/22/2003			10	10	10	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-061	02/27/2004			15	15	15	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-061	05/24/2004			10	10	10	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-061	02/27/2004			10	10	10	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-061	05/24/2004			10	10	10	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-061	08/20/2004			10	10	10	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

CONSTITUENT		NYSDEC Class		GA Groundwater		Standards/Guidance Values		Color (APHA Units)		Alkalinity (as CaCO <sub>3</sub> )		Ammonia (as N)		Biochemical Oxygen Demand		Bromide		Chemical Oxygen Demand		Chloride		Hardness (as CaCO <sub>3</sub> )		Nitrate (as N)		Phenols, total		Sulfate		Total Organic Carbon		Total Dissolved Solids		Total Kjeldahl Nitrogen (as N)					
SITE	DATE	CAS #	UNITS	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)			
MW-061	11/11/2003			10	30	30	NS	5	NS	NS	5	NS	NS	5	NS	NS	5	NS	NS	5	NS	NS	5	NS	NS	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
MW-061	02/27/2004			115	97.1	77	NS	43.7	NS	NS	43.7	NS	NS	43.7	NS	NS	43.7	NS	NS	43.7	NS	NS	43.7	NS	NS	43.7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
MW-061	02/27/2004			18	30	30	NS	16.2	NS	NS	16.2	NS	NS	16.2	NS	NS	16.2	NS	NS	16.2	NS	NS	16.2	NS	NS	16.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-061	05/24/2004			80	80	80	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	8.8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-061	08/20/2004			2	2	2	NS	2.1	NS	NS	2.1	NS	NS	2.1	NS	NS	2.1	NS	NS	2.1	NS	NS	2.1	NS	NS	2.1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-061	05/24/2004			10	10	10	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-061	02/27/2004			10	10	10	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-061	05/24/2004			10	10	10	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-061	08/20/2004			10	10	10	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-061	11/11/2003			10	10	10	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	10.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

**NOTES:**  
 NS: Not sampled  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 J: Reported value is estimated due to variance from quality control limits  
 : Concentration exceeds Standard/Guidance Value

Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-06D	MW-06D	MW-06D	MW-06D	MW-06D	MW-06D	MW-06D	MW-06D
				10/28/1997	12/05/2000	01/31/2001	08/22/2002	11/20/2002	03/05/2003	06/05/2003	08/22/2003
				(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	10	30	5 U	NS	20	NS	NS	5 U
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	31.3	40.6	38	40	31.2	35.5	27.3	34.3
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.32	0.1 U	0.24	0.1 U	0.1 U	0.14	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	3	37	2 U	2 U	2 U	2 U	2 U	8
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.60	0.5 U	0.5 U	0.5 U	0.5 U	0.7
Chemical Oxygen Demand	-	-	(mg/l)	15 U	10 U	10 U	22.5	22.5	19.3	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	7.3	12.6	9.3	14.7	16.2	10.5	5.6	5.1
Hardness (as CaCO3)	-	-	(mg/l)	120	44	68	72	62	80	80	80
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.1 U	0.2	0.14	0.67	0.4	0.36	1.47	0.2
Phenols, total	0.001 ST	-	(mg/l)	0.0010 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	20.3	23.3	17.2	14.5	23	26	25.5	24.4
Total Organic Carbon	-	-	(mg/l)	2	1.7	1.1	1.2	1 U	1 U	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	78	130	120	100	150	96	97	117
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.2 U	0.2	0.46	0.1 U	0.1 U	0.1	0.1 U	0.1 U

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-06D	MW-06D	MW-06D	MW-06D	MW-06D	MW-06D	MW-06D	MW-06D
				11/11/2003	02/27/2004	05/24/2004	08/20/2004	(mg/l)	(mg/l)	(mg/l)	(mg/l)
				(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	NS	NS	5	NS				
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	36.8	24.7	11.6	23.8				
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.24	0.2	0.21	0.1 U				
Biochemical Oxygen Demand	-	-	(mg/l)	16	2 U	2 U	2 U				
Bromide	2 GV	24959-67-9	(mg/l)	0.6	2.9	0.6	3.1				
Chemical Oxygen Demand	-	-	(mg/l)	55.7	10.6	10 U	10 U				
Chloride	250 ST	16887-00-6	(mg/l)	5	7	5.9	8				
Hardness (as CaCO3)	-	-	(mg/l)	80	40	105	28				
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	1.04	0.33	0.45	0.5				
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U				
Sulfate	250 ST	14808-79-8	(mg/l)	26.8	17.8	26.6	19.2				
Total Organic Carbon	-	-	(mg/l)	1.7	1 U	1.1	1 U				
Total Dissolved Solids	-	-	(mg/l)	105	155	93	109				
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	3.07	0.24	0.23	0.73				

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

█: Concentration exceeds Standard/Guidance Value

J: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class	GA Groundwater	Standards/Guidance Values	CAS #	UNITS:	DATE :							
						10/28/1997	12/01/2000	01/31/2001	08/21/2002	11/20/2002	03/05/2003	06/03/2003	08/22/2003
Color (APHA Units)	-	-	(mg/l)		(mg/l)	5 U	5 U	5 U	NS	5	NS	NS	5 U
Alkalinity (as CaCO <sub>3</sub> )	-	-	(mg/l)		(mg/l)	23.4	22.1	23	13.9	12.6	17.5	28.1	24.1
Ammonia (as N)	2 ST	7664-41-7	(mg/l)		(mg/l)	1.3	0.89	1.2	0.1 U	0.1 U	0.54	0.99	0.51
Biochemical Oxygen Demand	-	-	(mg/l)		(mg/l)	6	2 U	8	2 U	3	3	7	4
Bromide	2 GV	24959-67-9	(mg/l)		(mg/l)	0.5 U	0.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6
Chemical Oxygen Demand	-	-	(mg/l)		(mg/l)	15 U	10 U	10 U	12.7	10 U	27.3	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)		(mg/l)	9.2	37.6	31	7.8	5.8	6.4	19.8	10.1
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)		(mg/l)	180	72	88	40	160	80	34	58
Nitrate (as N)	10 ST	14797-55-8	(mg/l)		(mg/l)	0.88	3.4	3.1	3.63	2.47	2.03	1.6	1.7
Phenols, total	0.001 ST	-	(mg/l)		(mg/l)	0.0010 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)		(mg/l)	19.9	6	18.9	13.8	17.9	16.6	15.9	22.3
Total Organic Carbon	-	-	(mg/l)		(mg/l)	1.9	1 U	1.2	1.6	1 U	1 U	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)		(mg/l)	65	164	140	74	54	84	89	99
Total Kjeldahl Nitrogen (as N)	-	-	(mg/l)		(mg/l)	1.7	0.84	1.6	0.1 U	0.1 U	0.92	1.03	0.62

CONSTITUENT	NYSDEC Class	GA Groundwater	Standards/Guidance Values	CAS #	UNITS:	DATE :	MW-071				MW-071			
							11/11/2003	02/27/2004	05/20/2004	08/20/2004	MW-071	MW-071	MW-071	MW-071
Color (APHA Units)	-	-	(mg/l)		(mg/l)	NS	NS	5 U	NS	NS	NS	NS	NS	
Alkalinity (as CaCO <sub>3</sub> )	-	-	(mg/l)		(mg/l)	21.5	23.6	16.8	23	23	23	23	23	
Ammonia (as N)	2 ST	7664-41-7	(mg/l)		(mg/l)	0.52	1.84	1.41	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	
Biochemical Oxygen Demand	-	-	(mg/l)		(mg/l)	2 U	11	2 U	2 U	4	4	4	4	
Bromide	2 GV	24959-67-9	(mg/l)		(mg/l)	3.4	1.2	1.7	1.7	1.7	1.7	1.7	1.7	
Chemical Oxygen Demand	-	-	(mg/l)		(mg/l)	10 U	10 U	10 U	30.5	10 U	10 U	10 U	10 U	
Chloride	250 ST	16887-00-6	(mg/l)		(mg/l)	10.3	24	28.4	27.6	27.6	27.6	27.6	27.6	
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)		(mg/l)	40	48	100	30	30	30	30	30	
Nitrate (as N)	10 ST	14797-55-8	(mg/l)		(mg/l)	2.46	1.66	2.66	4.72	4.72	4.72	4.72	4.72	
Phenols, total	0.001 ST	-	(mg/l)		(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	
Sulfate	250 ST	14808-79-8	(mg/l)		(mg/l)	15.9	15.8	21.8	20.4	20.4	20.4	20.4	20.4	
Total Organic Carbon	-	-	(mg/l)		(mg/l)	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Total Dissolved Solids	-	-	(mg/l)		(mg/l)	74	90	114	129	129	129	129	129	
Total Kjeldahl Nitrogen (as N)	-	-	(mg/l)		(mg/l)	1.02	1.5	1.53	2.75	2.75	2.75	2.75	2.75	

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

: Concentration exceeds Standard/Guidance Value

f: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S
				10/31/1997	12/13/2000	02/07/2001	08/22/2002	11/21/2002	03/06/2003	06/04/2003	08/21/2003
Color (APHA Units)	-	-	(mg/l)	100	5 U	5 U	NS	5	NS	NS	10
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	127	134	135	91.2	133	106	125	174
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	1	1.3	1.51	1.16	0.1 U	0.58	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	6
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5	0.8	0.5 U	0.5	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	22	10 U	11	12.7	10 U	19.3	19.2	10 U
Chloride	250 ST	16887-00-6	(mg/l)	65.1	50.7	36.1	35.1	21.3	23	97.7	139
Hardness (as CaCO3)	-	-	(mg/l)	120	210	156	120	230	156	250	270
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.28	0.21	0.25	2.6	2.25	1.6	1.65	1.31
Phenols, total	0.001 ST	-	(mg/l)	0.002	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	42.1	28.6	49.6	29.2	41	64.8	80.5	68
Total Organic Carbon	-	-	(mg/l)	3.7	4.6	3.53	2.8	2.8	4	3.8	7.2
Total Dissolved Solids	-	-	(mg/l)	261	253	254	179	326	250	423	560
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	1.2	1.5	7.76	4.53	0.18	0.77	0.26	0.34

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S
				11/13/2003	03/01/2004	05/21/2004	08/24/2004	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	NS	NS	5	NS				
Alkalinity (as CaCO3)	-	471-34-1	(mg/l)	206	160	113	117				
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.35	1.81	0.1 U				
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U				
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	1.2	1.8	0.6				
Chemical Oxygen Demand	-	-	(mg/l)	21.6	20.5	25.5	10 U				
Chloride	250 ST	16887-00-6	(mg/l)	96.6	86.4	79.6	73.7				
Hardness (as CaCO3)	-	-	(mg/l)	290	220	450	120				
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	1.52	1.59	1.04	2.87				
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U				
Sulfate	250 ST	14808-79-8	(mg/l)	76.4	45.5	61	55.8				
Total Organic Carbon	-	-	(mg/l)	5	4	4.2	3.8				
Total Dissolved Solids	-	-	(mg/l)	465	392	300	532				
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.31	0.32	1.65	1.27				

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

█: Concentration exceeds Standard/Guidance Value

J: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class	GA Groundwater	CAS #	UNITS:	MW-111	MW-111	MW-111	MW-111	MW-111	MW-111	MW-111	MW-111	MW-111
Standards/Guidance Values					(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	-	(mg/l)	5 U	5 U	5 U	5 U	5 U	5 U	NS	NS	5
Alkalinity (as CaCO <sub>3</sub> )	-	-	471-34-1	(mg/l)	27.6	34.2	27.4	14.4	28.2	58	57.6	32.9	0.1 U
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.99	1.1	0.91	0.1 U	0.1 U	1.15	0.1 U	0.1 U	0.1 U	4
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U	2 U	2 U	0.8	0.8	0.5 U	10 U
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.8	0.8	0.5 U	10 U
Chemical Oxygen Demand	-	-	(mg/l)	15 U	10 U	10 U	10 U	12.7	16.7	16.7	10 U	10 U	19.7
Chloride	250 ST	16887-00-6	(mg/l)	40.4	17.3	17.5	7	24.3	7.7	14.3	19.7	40	
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	54	34	40	40	180	56	62	40	40	
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.13	0.42	1.8	3.07	1.85	0.1 U	1.03	1.01	0.005 U	
Phenols, total	0.001 ST	-	(mg/l)	0.001	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	
Sulfate	250 ST	14808-79-8	(mg/l)	14.9	6.8	7	5	7.9	10	5.8	10.7	10.7	
Total Organic Carbon	-	-	(mg/l)	1.6	1.3	1 U	1.1	1 U	1 U	1 U	1 U	1 U	
Total Dissolved Solids	-	-	(mg/l)	96	42	63	58	152	109	84	103	0.8	
Total Kjeldahl Nitrogen (as N)	-	-	(mg/l)	1.5	1.2	0.79	0.1	0.19	0.99	1.18	0.8	0.8	

CONSTITUENT	NYSDEC Class	GA Groundwater	CAS #	UNITS:	MW-111	MW-111	MW-111	MW-111	MW-111	MW-111	MW-111	MW-111	MW-111
Standards/Guidance Values					(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	-	(mg/l)	NS	NS	NS	5 U	NS	NS	NS	NS	NS
Alkalinity (as CaCO <sub>3</sub> )	-	-	471-34-1	(mg/l)	28.6	48	37.8	28.8	28.8	28.8	28.8	28.8	28.8
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	1.15	1.19	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	4	2 U	2 U	2 U	2 U	2 U	
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.7	0.7	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	15.6	10 U	10 U	10 U	10 U	10 U	10 U	
Chloride	250 ST	16887-00-6	(mg/l)	11.7	22.7	14.1	10	14.1	10	10	10	10	
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	36	48	150	25	150	25	25	25	25	
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	0.96	0.53	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	
Sulfate	250 ST	14808-79-8	(mg/l)	12.9	5 U	0.5 U	11	0.5 U	11	11	11	11	
Total Organic Carbon	-	-	(mg/l)	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Total Dissolved Solids	-	-	(mg/l)	78	110	38	149	38	149	149	149	149	
Total Kjeldahl Nitrogen (as N)	-	-	(mg/l)	0.36	1.11	0.93	0.88	0.93	0.88	0.88	0.88	0.88	

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

: Concentration exceeds Standard/Guidance Value

U: Reported value is estimated due to variance from quality control limits



Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D
				10/31/1997	12/13/2000	02/07/2001	08/22/2002	11/21/2002	03/06/2003	06/04/2003	08/21/2003
Color (APHA Units)	-	-	(mg/l)	80	5 U	5 U	NS	5	NS	NS	5
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	(mg/l)	36.8	3.6	6.8	5.2	4.4	4	3.7	2.9
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.5	0.14	0.481	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	4	2	2 U	2 U	2 U	2 U	2 U	6
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	0.9	0.8	0.6	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	40	10 U	10 U	12.7	10 U	22	11.9	10 U
Chloride	250 ST	16887-00-6	(mg/l)	13.3	7.9	10.3	5.4	17.3	13.9	16.6	19
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	26	17	28	24	110	22	24	28
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	1.5	1.9	1.79	0.74	1.91	1.96	2.59	3.67
Phenols, total	0.001 ST	-	(mg/l)	0.005 J	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	31.3	11.3	10.9	17.2	12	13.5	10.1	9.3
Total Organic Carbon	-	-	(mg/l)	5.6	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	124	61	84	60	109	69	88	126
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.58	0.1 U	0.46	0.1 U	0.1 U	0.2 U	0.2 U	0.1 U

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D
				11/13/2003	03/01/2004	05/21/2004	08/24/2004	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	(mg/l)	NS	NS	20	NS				
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	(mg/l)	3.8	3.3	26.4	19.2				
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.2 J	0.12	0.1 U				
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U				
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U				
Chemical Oxygen Demand	-	-	(mg/l)	10 U	10 U	45.4	10 U				
Chloride	250 ST	16887-00-6	(mg/l)	18.2	23.8	18.3	16.9				
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	43	30	120	24				
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	4.92	4.17	4.32	4.4				
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U				
Sulfate	250 ST	14808-79-8	(mg/l)	12.1	8.6	13.7	13				
Total Organic Carbon	-	-	(mg/l)	1 U	1 U	1 U	1 U				
Total Dissolved Solids	-	-	(mg/l)	103	194	70	274				
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.11	0.1 U	0.18	0.65				

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

J: Concentration exceeds Standard/Guidance Value

J: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class	CAS #	DATE	SITE	Standards/Guidance Values				
					UNITS	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	10/31/1997	MW-12S	5 U	5 U	5	NS	5
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	12/07/2000	MW-12S	102	104	98	113	141
Ammonia (as N)	2 ST	7664-41-7	02/05/2001	MW-12S	0.11	0.02 U	0.07 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	08/22/2002	MW-12S	2	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	11/21/2002	MW-12S	0.5 U	0.5 U	1.4	0.5 U	0.8
Chemical Oxygen Demand	-	-	03/06/2003	MW-12S	16	10 U	10 U	16.7	21.6
Chloride	250 ST	16887-00-6	06/04/2003	MW-12S	21	16	16	17.7	25.6
Hardness (as CaCO <sub>3</sub> )	-	-	08/22/2002	MW-12S	90	96	100	108	110
Nitrate (as N)	10 ST	14797-55-8	02/05/2001	MW-12S	0.75	0.67	0.4	1.14	1.54
Phenols, total	0.001 ST	-	12/07/2000	MW-12S	0.0010 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	02/05/2001	MW-12S	32.8	36.4	13.4	37.5	32.3
Total Organic Carbon	-	-	11/21/2002	MW-12S	2.3	1.7	2.2	3.3	1.8
Total Dissolved Solids	-	-	03/06/2003	MW-12S	170	175	250	185	241
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	08/21/2003	MW-12S	0.21	0.2 U	0.12	0.1 U	0.1 U

CONSTITUENT	NYSDEC Class	CAS #	DATE	SITE	Standards/Guidance Values				
					UNITS	(mg/l)	(mg/l)	(mg/l)	(mg/l)
Color (APHA Units)	-	-	11/13/2003	MW-12S	NS	NS	5 U	NS	NS
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	03/01/2004	MW-12S	150	118	119	130	130
Ammonia (as N)	2 ST	7664-41-7	05/21/2004	MW-12S	0.1 U	0.1 U	0.13	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	08/24/2004	MW-12S	2 U	2 U	2 U	2 U	2 U
Bromide	2 GV	24959-67-9	05/21/2004	MW-12S	0.5	0.5 U	0.5 U	0.5 U	0.7
Chemical Oxygen Demand	-	-	08/24/2004	MW-12S	10 U	13.1	10 U	10 U	10 U
Chloride	250 ST	16887-00-6	03/01/2004	MW-12S	25.8	52.2	31.6	31.6	31.6
Hardness (as CaCO <sub>3</sub> )	-	-	05/21/2004	MW-12S	220	120	320	88	88
Nitrate (as N)	10 ST	14797-55-8	08/24/2004	MW-12S	1.89	1.18	1.24	1.76	1.76
Phenols, total	0.001 ST	-	03/01/2004	MW-12S	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	03/01/2004	MW-12S	38.4	24.4	29.5	54.8	54.8
Total Organic Carbon	-	-	05/21/2004	MW-12S	2	1.6	1.7	1.8	1.8
Total Dissolved Solids	-	-	08/24/2004	MW-12S	265	296	184	474	474
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	08/24/2004	MW-12S	0.22	0.13	0.18	0.17	0.17

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

: Concentration exceeds Standard/Guidance Value

: Reported value is estimated due to variance from quality control limits

Appendix A-1

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
LEACHATE INDICATORS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-12I	MW-12I	MW-12I	MW-12I	MW-12I	MW-12I	MW-12I	MW-12I
				10/31/1997	12/07/2000	02/08/2001	08/22/2002	11/21/2002	03/06/2003	06/04/2003	08/21/2003
Color (APHA Units)	-	-	(mg/l)	5 U	5 U	5 U	NS	10	NS	NS	5
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	(mg/l)	10.5	31.8	17.2	2.8	6.8	4.4	7.1	3.1
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.51	0.61	0.703	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	6	2 U	2 U	2 U	2 U	2 U	6
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.700	0.5 U	1.1	1	0.5 U	0.5 U
Chemical Oxygen Demand	-	-	(mg/l)	16	10 U	10 U	10 U	39.6	14	10 U	10 U
Chloride	250 ST	16887-00-6	(mg/l)	17.5	14.9	13.1	4.5	8.4	4.6	13.1	7.9
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	54	52	36.0	16	1900	32	32	20
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	4.7	0.73	1.1	0.93	1.54	0.33	0.53	0.21
Phenols, total	0.001 ST	-	(mg/l)	0.0010 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Sulfate	250 ST	14808-79-8	(mg/l)	43.1	48.3	24.2	10	10.4	11.6	11.3	8.6
Total Organic Carbon	-	-	(mg/l)	3.6	1.2	0.0010 U	1 U	1 U	1 U	1 U	1 U
Total Dissolved Solids	-	-	(mg/l)	106	143	90	39	79	55	62	49
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.46	0.84	8.30	0.1 U	0.1 U	0.2 U	0.1 U	0.1 U

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE : DATE : UNITS:	MW-12I	MW-12I	MW-12I	MW-12I	MW-12I	MW-12I	MW-12I	MW-12I
				11/13/2003	03/01/2004	05/21/2004	08/24/2004				
Color (APHA Units)	-	-	(mg/l)	NS	NS	5 U	NS				
Alkalinity (as CaCO <sub>3</sub> )	-	471-34-1	(mg/l)	4.4	4.2	3.5	5.6				
Ammonia (as N)	2 ST	7664-41-7	(mg/l)	0.1 U	0.14	0.1 U	0.1 U				
Biochemical Oxygen Demand	-	-	(mg/l)	2 U	2 U	2 U	2 U				
Bromide	2 GV	24959-67-9	(mg/l)	0.5 U	0.5 U	0.5 U	0.6				
Chemical Oxygen Demand	-	-	(mg/l)	10 U	15.6	10 U	10 U				
Chloride	250 ST	16887-00-6	(mg/l)	4.8	5.5	4.3	12.5				
Hardness (as CaCO <sub>3</sub> )	-	-	(mg/l)	26	24	22	10				
Nitrate (as N)	10 ST	14797-55-8	(mg/l)	1.3	0.7	0.52	1.65				
Phenols, total	0.001 ST	-	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U				
Sulfate	250 ST	14808-79-8	(mg/l)	9.8	6.9	8.8	7.6				
Total Organic Carbon	-	-	(mg/l)	1 U	1 U	1 U	1 U				
Total Dissolved Solids	-	-	(mg/l)	40	14	47	152				
Total Kjeldahl Nitrogen (as N)	-	7727-37-9	(mg/l)	0.1 U	0.13	0.1 U	0.56				

NOTES:

NS: Not sampled

U: Analyzed for but not detected, value shown is instrument detection limit

█: Concentration exceeds Standard/Guidance Value

J: Reported value is estimated due to variance from quality control limits


Appendix A-1

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 LEACHATE INDICATORS

CONSTITUENT		Standards/Guidance Values		CAS #	UNITS:	(mg/l)								
NYSDEC Class		GA Groundwater				MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D
DATE :		DATE :				02/07/2001	08/22/2002	11/21/2002	03/06/2003	06/04/2003	08/21/2003			
Color (APHA Units)	-	-	5 U	5 U	(mg/l)	5 U	5 U	5	NS	NS	5			
Alkalinity (as CaCO3)	471-34-1	-	19.3	7.3	(mg/l)	7.8	7.3	6.7	6.8	8.4	7.9	8.1		
Ammonia (as N)	7664-41-7	2 ST	0.02 U	0.1 U	(mg/l)	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U		
Biochemical Oxygen Demand	-	-	3	7	(mg/l)	4	7	2 U	2 U	2 U	4	7		
Bromide	24959-67-9	2 GV	0.5 U	0.5 U	(mg/l)	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U		
Chemical Oxygen Demand	-	-	15 U	10 U	(mg/l)	10 U	10 U	15.1	10 U	10 U	10 U	10 U		
Chloride	16887-00-6	250 ST	11.7	4.7	(mg/l)	5.71	4.7	3.1	4.3	5.6	8.9	6.2		
Hardness (as CaCO3)	-	-	34	15	(mg/l)	28	15	16	36	64	34	36		
Nitrate (as N)	14797-55-8	10 ST	0.32	0.38	(mg/l)	0.31	0.32	0.13	0.24	0.58	0.66	0.63		
Phenols, total	0.001 ST	-	0.002	0.005 U	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U		
Sulfate	14808-79-8	250 ST	19.5	20.1	(mg/l)	12.8	19.5	6.9	11.9	17.1	15.6	16.6		
Total Organic Carbon	-	-	2.1	2.1	(mg/l)	1 U	2.1	1 U	1 U	1 U	1 U	1 U		
Total Dissolved Solids	-	-	45	77	(mg/l)	380	45	37	69	78	58	88		
Total Kjeldahl Nitrogen (as N)	7727-37-9	-	0.2 U	0.1 U	(mg/l)	8.54	0.2 U	0.16	0.1 U	0.2 U	0.1 U	0.1 U		


CONSTITUENT		Standards/Guidance Values		CAS #	UNITS:	(mg/l)								
NYSDEC Class		GA Groundwater				MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D
DATE :		DATE :				03/01/2004	05/21/2004	08/24/2004						
Color (APHA Units)	-	-	NS	NS	(mg/l)	NS	NS	5 U	NS	NS	7			
Alkalinity (as CaCO3)	471-34-1	-	7.4	6.7	(mg/l)	6.8	6.7	6.8	6.8	7				
Ammonia (as N)	7664-41-7	2 ST	0.1 U	0.1 U	(mg/l)	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U				
Biochemical Oxygen Demand	-	-	2 U	2 U	(mg/l)	2 U	2 U	2 U	2 U	2 U				
Bromide	24959-67-9	2 GV	0.5 U	0.5 U	(mg/l)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U				
Chemical Oxygen Demand	-	-	11.9	10 U	(mg/l)	10 U	10 U	10 U	10 U	10 U				
Chloride	16887-00-6	250 ST	4.2	4.8	(mg/l)	4.8	4.2	3.6	4.3					
Hardness (as CaCO3)	-	-	33	22	(mg/l)	36	33	36	5 U					
Nitrate (as N)	14797-55-8	10 ST	0.54	0.75	(mg/l)	0.29	0.54	0.30	0.30					
Phenols, total	0.001 ST	-	0.005 U	0.005 U	(mg/l)	0.005 U	0.005 U	0.005 U	0.005 U					
Sulfate	14808-79-8	250 ST	13.5	8.3	(mg/l)	11.3	13.5	11.7	11.7					
Total Organic Carbon	-	-	1 U	1 U	(mg/l)	1 U	1 U	1 U	1 U					
Total Dissolved Solids	-	-	50	10 U	(mg/l)	25	50	25	113					
Total Kjeldahl Nitrogen (as N)	7727-37-9	-	0.1 U	0.1 U	(mg/l)	0.1 U	0.1 U	0.1 U	0.97					

NOTES:  
 NS: Not sampled  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 : Concentration exceeds Standard/Guidance Value  
 ): Reported value is estimated due to variance from quality control limits



**APPENDIX A-2**

**HISTORIC AND CURRENT  
GROUNDWATER SAMPLE RESULTS -  
INORGANIC PARAMETERS**



Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	DATE: 10/24/1997	DATE: 01/29/2001	DATE: 08/21/2002	DATE: 11/20/2002	DATE: 03/05/2003	DATE: 06/03/2003	DATE: 08/21/2003
			SITE: MW-01S	SITE: MW-01S	SITE: MW-01S	SITE: MW-01S	SITE: MW-01S	SITE: MW-01S	SITE: MW-01S
			UNITS: (ug/l)	UNITS: (ug/l)	UNITS: (ug/l)	UNITS: (ug/l)	UNITS: (ug/l)	UNITS: (ug/l)	UNITS: (ug/l)
Aluminum	-	7429-90-5	378	21 B	32.1	NA	101 B	NA	30.7 B
Antimony	3 GV	7440-36-0	3.0 U	1.7 U	12.3 U	NA	3.1 U	NA	3.5 U
Arsenic	25 ST	7440-38-2	2.5	2.5 U	5.9	NA	4.5 U	NA	3.2 U
Barium	1000 ST	7440-39-3	75.5	52.7 B	58	NA	67.4 B	NA	66.9 B
Beryllium	3 GV	7440-41-7	0.2	0.1 U	0.1 U	NA	0.40 U	NA	0.20 U
Boron	1000 ST	7440-42-8	NA	622	553	NA	271	NA	140
Cadmium	5 ST	7440-43-9	0.3 U	0.4 U	0.2 U	0.10 U	0.50 U	0.10 U	0.30 U
Calcium	-	7440-70-2	93000	53000	63900	65400	82400	87700	92000
Chromium Hexavalent	50 ST	18540-29-9	20 U	20 U	20 U	NA	20 U	NA	20 U
Chromium Total	50 ST	7440-47-3	2.7	3.5 U	1.5	NA	1.1 B	NA	0.70 U
Cobalt	-	7440-48-4	2.5	2.8 B	4.8	NA	5.4 B	NA	3.4 B
Copper	200 ST	7440-50-8	3.2	1.5 U	2.4	NA	3.5 B	NA	3.4 B
Iron	300 ST	7439-89-6	6710	4360	4870	13300	14000	13100	3040
Lead	25 ST	7439-92-1	12.7	1.4 U	6.5	2.2 B	1.4 B	1.5 U	0.80 U
Magnesium	35000 GV	7439-95-4	8940	6010	7240	7530	8980	10700	9000
Manganese	300 ST	7439-96-5	944	1220	2210	1850	2740	2670	814
Mercury	0.7 ST	7439-97-6	0.12	0.1 U	0.1 U	NA	0.10 U	NA	0.10 U
Nickel	100 ST	7440-02-0	1.3 U	1.9 U	1.4 U	NA	1.2 B	NA	4.6 B
Potassium	-	7440-09-7	10000	16200	15700	8380	11000	9900	9910
Selenium	10 ST	7782-49-2	2.8 U	1.7 U	5.5 N	NA	2.4 U	NA	3.8 U
Silver	50 ST	7440-22-4	0.9 U	0.58 B	1.6 U	NA	1 U	NA	1.0 U
Sodium	20000 ST	7440-23-5	51400	35400	33700	29400	38100	49600	43500
Thallium	0.5 GV	7440-28-0	2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	3.0 B
Vandium	-	7440-62-2	1.2	0.7 U	1.7 U	NA	0.65 B	NA	1.8 U
Zinc	2000 ST	7440-66-6	37	2.2 U	22.4	NA	40.6	NA	66.9
Cyanide	200 ST	0057-12-5	10 U	10 U	5 U	NA	10 U	NA	10 U
Iron + Manganese	500 ST*	-	ug/l	7654	5580	7080	15150	16740	3854

NOTES:

NS: Not sampled  
 ST\*: Standard for the sum of iron and manganese is 500 ug/l  
 : Concentration exceeds Standard/Guidance Value  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit



Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-01S 11/10/2003 (ug/l)	MW-01S 02/26/2004 (ug/l)	MW-01S 05/20/2004 (ug/l)	MW-01S 08/19/2004 (ug/l)	MW-01S (ug/l)	MW-01S (ug/l)	MW-01S (ug/l)	MW-01S (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	30.3 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.4 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.6 U	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	46.1 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.2 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	168 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.30 U	0.20 U	0.3 U	0.30 U				
Calcium	-	7440-70-2	ug/l	133000	93100	83800	88500				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	1.8 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	5.2 B	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	3.3 B	NA				
Iron	300 ST	7439-89-6	ug/l	4890	5300	7980	6480				
Lead	25 ST	7439-92-1	ug/l	1.1 U	1.6 U	1.3 B	1.2 U				
Magnesium	35000 GV	7439-95-4	ug/l	14000	13300	9930	10100				
Manganese	300 ST	7439-96-5	ug/l	969	1900	2280	2400				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	2.2 B	NA				
Potassium	-	7440-09-7	ug/l	16600	8580	8960	10700				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	2.6 B	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	90400	62800	45700	47200				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.8 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1.7 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	40.7	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	5859	7200	10260	8880				

NOTES:

NS: Not sampled

ST\*: Standard for the sum of iron and manganese is 500 ug/l

[shaded box]: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B : Compound detected above instrument detection  
limit but below contract required detection limit

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class CA	Groundwater Standards/Guidance Values	CAS #	DATE: 10/24/1997	DATE: 01/30/2001	DATE: 08/21/2002	DATE: 03/05/2003	DATE: 06/03/2003	DATE: 08/21/2003	UNITS:
Aluminum	-	7429-90-5		60.8	12.5 B	27.7	19 B	NA	NA	ug/l
Antimony	3 GV	7440-36-0		3 U	1.7 U	12.3 U	3.1 U	NA	NA	ug/l
Arsenic	25 ST	7440-38-2		2.4 U	2.5 U	1.9 U	4.5 U	NA	NA	ug/l
Barium	1000 ST	7440-39-3		93.2	4.3 B	7.8	26.2 B	NA	NA	ug/l
Beryllium	3 GV	7440-41-7		0.1	0.1 U	0.1 U	0.40 U	NA	NA	ug/l
Boron	1000 ST	7440-42-8		NA	65.8 B	94.3	68.1 B	NA	NA	ug/l
Cadmium	5 ST	7440-43-9		0.3 U	0.4 U	0.2 U	0.50 U	0.16 B	0.10 U	ug/l
Calcium	-	7440-70-2		7510	723 B	1350	10200	5850	2520 B	ug/l
Chromium Hexavalent	50 ST	18540-29-9		20 U	20 U	20 U	20 U	NA	NA	ug/l
Chromium Total	50 ST	7440-47-3		0.4 U	3.5 U	0.6 U	0.80 U	NA	NA	ug/l
Cobalt	-	7440-48-4		2.7	2.2 B	1.7 U	5.7 B	NA	NA	ug/l
Copper	200 ST	7440-50-8		0.93	2.1 B	1.7	2.0 B	NA	NA	ug/l
Iron	300 ST	7439-89-6		80.1	13.3 B	22.8	78.8 B	105	45.2 B	ug/l
Lead	25 ST	7439-92-1		1	1.4 U	1.1 U	1.4 U	1.5 U	1.6 B	ug/l
Magnesium	35000 GV	7439-95-4		3720	154 B	266	1910 B	1160 B	439	ug/l
Manganese	300 ST	7439-96-5		286	1.3 B	3.9	32.4	16.5	7.4 B	ug/l
Mercury	0.7 ST	7439-97-6		0.1 U	0.1 U	0.1 U	0.10 U	NA	NA	ug/l
Nickel	100 ST	7440-02-0		5.1	1.9 U	1.4 U	8.2 B	NA	NA	ug/l
Potassium	-	7440-09-7		4250	951 B	1510	1370 B	1970 B	1250 B	ug/l
Selenium	10 ST	7782-49-2		2.8 U	1.7 U	1.5 U	2.4 U	NA	NA	ug/l
Silver	50 ST	7440-22-4		0.9 U	0.5 U	2.6	1 U	NA	NA	ug/l
Sodium	20000 ST	7440-23-5		120000	50600	68000	16100	43000	64400	ug/l
Thallium	0.5 GV	7440-28-0		2.6 U	2.3 U	2.8 U	4.2 U	NA	NA	ug/l
Vanadium	-	7440-62-2		1.2 U	0.7 U	1.7	0.60 U	NA	NA	ug/l
Zinc	2000 ST	7440-66-6		29.5	2.2 U	8.6	27.6	NA	NA	ug/l
Cyanide	200 ST	0057-12-5		10 U	10 U	5 U	10 U	NA	NA	ug/l
Iron + Manganese	500 ST*	-		ug/l	366.1	14.6	26.7	274.4	102.8	ug/l

NOTES:

NS: Not sampled  
 ST\*: Standard for the sum of iron and manganese is 500 ug/l  
 : Concentration exceeds Standard/Guidance Value  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-01I 11/10/2003 (ug/l)	MW-01I 02/26/2004 (ug/l)	MW-01I 05/20/2004 (ug/l)	MW-01I 08/19/2004 (ug/l)	MW-01I (ug/l)	MW-01I (ug/l)	MW-01I (ug/l)	MW-01I (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	21.5 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.4 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.6 U	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	9.2 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.2 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	229 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.30 U	0.20 U	0.3 U	0.30 U				
Calcium	-	7440-70-2	ug/l	25100	17300	2720 B	6790				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	0.6 U	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	11 B	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	3.6 B	NA				
Iron	300 ST	7439-89-6	ug/l	44.1 B	31.6 B	82.6 B	48.9 B				
Lead	25 ST	7439-92-1	ug/l	1.2 B	1.6 U	1.2 U	1.2 U				
Magnesium	35000 GV	7439-95-4	ug/l	4750 B	3560 B	559 B	1710 B				
Manganese	300 ST	7439-96-5	ug/l	71.2	70.6	16	51.6				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	7.4 B	NA				
Potassium	-	7440-09-7	ug/l	3040 B	3860	1640 B	1900 B				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	2.1 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	49900	74700	33800	27400				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.8 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1.7 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	13.3 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	115.3	102.2	98.6	100.5				

NOTES:

NS: Not sampled

██████████: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B : Compound detected above instrument detection  
limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA	Groundwater	Standards/Guidance Values	CAS #	DATE: 10/24/1997	SITE: MW-01D	UNITS: (ug/l)	MW-01D					MW-01D	MW-01D	MW-01D	MW-01D	MW-01D
								01/30/2000	01/30/2001	08/21/2002	11/20/2002	03/05/2003					
Aluminum	-				7429-90-5	ug/l	105	59.6 B	79.6 B	NA	131 B	NA	NA	39.8 B			
Antimony	3 GV				7440-36-0	ug/l	3 U	1.7 U	12.3 U	NA	4.4 B	NA	NA	3.5 U			
Arsenic	25 ST				7440-38-2	ug/l	2.4 U	2.5 U	1.9 U	NA	4.5 U	NA	NA	3.2 U			
Barium	1000 ST				7440-39-3	ug/l	111	124 B	87.6	NA	93	NA	NA	22.4 B			
Beryllium	3 GV				7440-41-7	ug/l	0.13	0.1 U	0.21	NA	0.4 U	NA	NA	0.20 U			
Boron	1000 ST				7440-42-8	ug/l	NA	102	161	NA	113	NA	NA	139			
Cadmium	5 ST				7440-43-9	ug/l	0.3 U	0.4 U	0.2 U	0.11 B	0.5 U	0.81 B	0.10 B	0.30 U			
Calcium	-				7440-70-2	ug/l	35300	19500	15200	26400	24400	21100	15800	5650			
Chromium Hexavalent	50 ST				18540-29-9	ug/l	20 U	20 U	20 U	NA	20 U	NA	NA	20 U			
Chromium Total	50 ST				7440-47-3	ug/l	0.53	3.5 U	0.6 U	NA	3.6 B	NA	NA	0.70 U			
Cobalt	-				7440-48-4	ug/l	1.3	2.1 B	1.7 U	NA	5 B	NA	NA	5.0 B			
Copper	200 ST				7440-50-8	ug/l	1.9	2 B	2.1	NA	7 B	NA	NA	2.3 B			
Iron	300 ST				7439-89-6	ug/l	110	32 B	34.2	205	301	301	120	63.1 B			
Lead	25 ST				7439-92-1	ug/l	1.3	1.4 U	1.1 U	0.8 U	1.4 U	3.2	1.7 B	0.80 U			
Magnesium	35000 GV				7439-95-4	ug/l	10700	6010	4800	9680	8130	7530	5740	1710 B			
Manganese	300 ST				7439-96-5	ug/l	132	9.9 B	7.3	34.3	28.6	67.5	6.8 B	3.6 B			
Mercury	0.7 ST				7439-97-6	ug/l	0.1 U	0.1 U	0.1 U	NA	0.10 U	NA	NA	0.10 U			
Nickel	100 ST				7440-02-0	ug/l	2.2	1.9 U	1.4 U	NA	7.5 B	NA	NA	6.0 B			
Potassium	-				7440-09-7	ug/l	6780	10400	9240	7740	20500	10700	6830	2390 B			
Selenium	10 ST				7782-49-2	ug/l	2.8 U	1.7 U	1.5 U	NA	2.4 U	NA	NA	3.8 U			
Silver	50 ST				7440-22-4	ug/l	0.9 U	0.77 B	1.6 U	NA	1 U	NA	NA	1.0 U			
Sodium	20000 ST				7440-23-5	ug/l	61000	490000	390000	445000	327000	346000	404000	156000			
Thallium	0.5 GV				7440-28-0	ug/l	2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	NA	3.0 B			
Vanadium	-				7440-62-2	ug/l	1.2 U	0.7 U	1.7 U	NA	1.4 B	NA	NA	1.8 U			
Zinc	2000 ST				7440-66-6	ug/l	39	3.8 B	5.1	NA	190	NA	NA	33.2			
Cyanide	200 ST				0057-12-5	ug/l	17	17	20.4	NA	30.4	NA	NA	29			
Iron + Manganese	500 ST*				-	ug/l	242	41.9	41.5	239.3	329.6	368.5	126.8	66.7			

NOTES:

NS: Not sampled  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit  
 ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-01D 11/10/2003 (ug/l)	MW-01D 02/26/2004 (ug/l)	MW-01D 05/20/2004 (ug/l)	MW-01D 08/19/2004 (ug/l)	MW-01D (ug/l)	MW-01D (ug/l)	MW-01D (ug/l)	MW-01D (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	52.5 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.4 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.6 U	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	123 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.2 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	173 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.20 U	0.3 U	0.30 U				
Calcium	-	7440-70-2	ug/l	1420 B	19500	27800	61300				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	0.63 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	7.2 B	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	3.6 B	NA				
Iron	300 ST	7439-89-6	ug/l	119	79.6 B	96.9 B	61.7 B				
Lead	25 ST	7439-92-1	ug/l	2.5 B	1.6 U	1.2 U	1.2 U				
Magnesium	35000 GV	7439-95-4	ug/l	504 B	6270	9620	17700				
Manganese	300 ST	7439-96-5	ug/l	3.6 B	9.3 B	17.6	22.5				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	5.1 B	NA				
Potassium	-	7440-09-7	ug/l	1380 B	5480	7230	12200				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	2.1 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	103000	416000	448000	569000				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.8 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1.7 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	32.4	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	122.6	88.9	114.5	84.2				

NOTES:

NS: Not sampled

ST\*: Standard for the sum of iron and manganese is 500 ug/l

[REDACTED]: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection  
limit but below contract required detection limit

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class	Groundwater	Standards/Guidance Values	CAS #	DATE:	SITE:	UNITS:	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S
					10/27/1997	10/27/1997	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Aluminum	-	7429-90-5	ug/l	146	15.8 B	11.8 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Antimony	3 GV	7440-36-0	ug/l	3 U	1.7 U	12.3 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Arsenic	25 ST	7440-38-2	ug/l	2.4 U	2.5 U	1.9 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Barium	1000 ST	7440-39-3	ug/l	26.3	34.1 B	31.9	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Beryllium	3 GV	7440-41-7	ug/l	0.77	0.1 U	0.14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Boron	1000 ST	7440-42-8	ug/l	NA	59.7 B	87.8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Cadmium	5 ST	7440-43-9	ug/l	0.57	0.4 U	0.2 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Calcium	-	7440-70-2	ug/l	27000	30300	33100	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	20 U	20 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Chromium Total	50 ST	7440-47-3	ug/l	1.1	3.5 U	0.6 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Cobalt	-	7440-48-4	ug/l	1.5	0.9 U	1.7 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Copper	200 ST	7440-50-8	ug/l	4	2.6 B	1.5 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Iron	300 ST	7439-89-6	ug/l	312	18.7 B	13.8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Lead	25 ST	7439-92-1	ug/l	2.1	1.4 U	1.1 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Magnesium	35000 GV	7439-95-4	ug/l	2890	2360 B	2750	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Manganese	300 ST	7439-96-5	ug/l	5.6	61.1	68.4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Mercury	0.7 ST	7439-97-6	ug/l	0.1 U	0.1 U	0.1 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Nickel	100 ST	7440-02-0	ug/l	1.3	1.9 U	1.4 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Potassium	-	7440-09-7	ug/l	4660	7850	7600	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Selenium	10 ST	7782-49-2	ug/l	2.8 U	4 B	1.5 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Silver	50 ST	7440-22-4	ug/l	0.9 U	0.93 B	1.6 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Sodium	20000 ST	7440-23-5	ug/l	18900	12900	13100	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Thallium	0.5 GV	7440-28-0	ug/l	2.6 U	2.3 B	2.8 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Vanadium	-	7440-62-2	ug/l	1.2 U	0.7 U	1.7 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Zinc	2000 ST	7440-66-6	ug/l	20.8	2.8 B	3.6 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Cyanide	200 ST	0057-12-5	ug/l	10 U	10 U	5 U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Iron + Manganese	500 ST*	-	ug/l	317.6	79.8	82.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

NOTES:

NS: Not sampled  
 ST\*: Standard for the sum of iron and manganese is 500 ug/l

U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit  
 Concentration exceeds Standard/Guidance Value


Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-02S 11/11/2003 (ug/l)	MW-02S 02/26/2004 (ug/l)	MW-02S 05/20/2004 (ug/l)	MW-02S 08/20/2004 (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)	MW-02S (ug/l)
Aluminum	-	7429-90-5	ug/l	NS	NS	NS	NS				
Antimony	3 GV	7440-36-0	ug/l	NS	NS	NS	NS				
Arsenic	25 ST	7440-38-2	ug/l	NS	NS	NS	NS				
Barium	1000 ST	7440-39-3	ug/l	NS	NS	NS	NS				
Beryllium	3 GV	7440-41-7	ug/l	NS	NS	NS	NS				
Boron	1000 ST	7440-42-8	ug/l	NS	NS	NS	NS				
Cadmium	5 ST	7440-43-9	ug/l	NS	NS	NS	NS				
Calcium	-	7440-70-2	ug/l	NS	NS	NS	NS				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NS	NS	NS	NS				
Chromium Total	50 ST	7440-47-3	ug/l	NS	NS	NS	NS				
Cobalt	-	7440-48-4	ug/l	NS	NS	NS	NS				
Copper	200 ST	7440-50-8	ug/l	NS	NS	NS	NS				
Iron	300 ST	7439-89-6	ug/l	NS	NS	NS	NS				
Lead	25 ST	7439-92-1	ug/l	NS	NS	NS	NS				
Magnesium	35000 GV	7439-95-4	ug/l	NS	NS	NS	NS				
Manganese	300 ST	7439-96-5	ug/l	NS	NS	NS	NS				
Mercury	0.7 ST	7439-97-6	ug/l	NS	NS	NS	NS				
Nickel	100 ST	7440-02-0	ug/l	NS	NS	NS	NS				
Potassium	-	7440-09-7	ug/l	NS	NS	NS	NS				
Selenium	10 ST	7782-49-2	ug/l	NS	NS	NS	NS				
Silver	50 ST	7440-22-4	ug/l	NS	NS	NS	NS				
Sodium	20000 ST	7440-23-5	ug/l	NS	NS	NS	NS				
Thallium	0.5 GV	7440-28-0	ug/l	NS	NS	NS	NS				
Vanadium	-	7440-62-2	ug/l	NS	NS	NS	NS				
Zinc	2000 ST	7440-66-6	ug/l	NS	NS	NS	NS				
Cyanide	200 ST	0057-12-5	ug/l	NS	NS	NS	NS				
Iron + Manganese	500 ST*	-	ug/l	NS	NS	NS	NS				

NOTES:

NS: Not sampled

 : Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B : Compound detected above instrument detection  
limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class CA Groundwater Standards/Guidance Values	CAS #	DATE: DATE: SITE: UNITS:	MW-021 10/27/1997 (ug/l)	MW-021 12/01/2000 (ug/l)	MW-021 01/30/2001 (ug/l)	MW-021 08/21/2002 (ug/l)	MW-021 11/20/2002 (ug/l)	MW-021 03/07/2003 (ug/l)	MW-021 06/03/2003 (ug/l)	MW-021 08/21/2003 (ug/l)
Aluminum	-	7429-90-5	ug/l	80.2	26.4 B	11.8 U	NA	70.4 B	NA	NA	48.0 B
Antimony	3 GV	7440-36-0	ug/l	3 U	1.7 U	12.3 U	NA	3.1 U	NA	NA	3.5 U
Arsenic	25 ST	7440-38-2	ug/l	2.4 U	2.5 U	1.9 U	NA	4.5 U	NA	NA	3.2 U
Barium	1000 ST	7440-39-3	ug/l	47.9	39.9 B	36.9	NA	30.8 B	NA	NA	35.5 B
Beryllium	3 GV	7440-41-7	ug/l	0.1	0.1 U	0.1 U	NA	0.4 U	NA	NA	0.20 U
Boron	1000 ST	7440-42-8	ug/l	NA	126	97.2	NA	105	NA	NA	103
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.4 U	0.2 U	0.43 B	0.5 U	0.19 B	0.11 B	0.30 U
Calcium	-	7440-70-2	ug/l	4990	10700	10500	7090	6060	11600	13200	9450
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	20 U	20 U	NA	20 U	NA	NA	20 U
Chromium Total	50 ST	7440-47-3	ug/l	0.7	3.5 U	0.6 U	NA	0.8 U	NA	NA	0.70 U
Cobalt	-	7440-48-4	ug/l	1.1	0.9 U	1.7 U	NA	1 U	NA	NA	2.1 U
Copper	200 ST	7440-50-8	ug/l	3.6	1.5 U	1.5 U	NA	5.9 B	NA	NA	1.4 B
Iron	300 ST	7439-89-6	ug/l	249	6.9 B	5.4	207	173	44.3 B	142	99.8 B
Lead	25 ST	7439-92-1	ug/l	3.5	1.4 U	1.1 U	1.2 B	1.7 B	1.5 U	1.5 U	0.80 U
Magnesium	35000 GV	7439-95-4	ug/l	685	2670 B	2600	1900 B	1780	3240 B	3320 B	2680 B
Manganese	300 ST	7439-96-5	ug/l	40.9	417	406	181	504	503	328	295
Mercury	0.7 ST	7439-97-6	ug/l	0.1 U	0.1 U	0.1 U	NA	0.1 U	NA	NA	0.10 U
Nickel	100 ST	7440-02-0	ug/l	1.3 U	1.9 U	1.4 U	NA	1.1	NA	NA	1.5 U
Potassium	-	7440-09-7	ug/l	3100	1630 B	1680	1740 B	3600	3070 B	4130 B	1480 B
Selenium	10 ST	7782-49-2	ug/l	2.8 U	1.7 U	1.5 U	NA	2.4 U	NA	NA	3.8 U
Silver	50 ST	7440-22-4	ug/l	0.9 U	1 B	1.6 U	NA	1 U	NA	NA	1.0 U
Sodium	20000 ST	7440-23-5	ug/l	15300	8700	7580	7370	7100	12300	8740	6460
Thallium	0.5 GV	7440-28-0	ug/l	2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	NA	2.5 U
Vanadium	-	7440-62-2	ug/l	1.2 U	0.7 U	1.7 U	NA	0.60 U	NA	NA	1.8 U
Zinc	2000 ST	7440-66-6	ug/l	37	2.2 U	3.6 U	NA	36	NA	NA	9.8 B
Cyanide	200 ST	0057-12-5	ug/l	10 U	10 U	5 U	NA	10 U	NA	NA	10 U
Iron + Manganese	500 ST*	-	ug/l	289.9	423.9	411.4	388	677	547.3	470	394.8

ST\*: Standard for the sum of iron and manganese is 500 ug/l

NOTES:

NS: Not sampled

: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection

limit but below contract required detection limit



Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-02I 11/11/2003 (ug/l)	MW-02I 02/26/2004 (ug/l)	MW-02I 05/20/2004 (ug/l)	MW-02I 08/20/2004 (ug/l)	MW-02I (ug/l)	MW-02I (ug/l)	MW-02I (ug/l)	MW-02I (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	133 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.4 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.6 U	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	31.2 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.2 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	39.5 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.41 B	0.3 U	0.36 B				
Calcium	-	7440-70-2	ug/l	9840	11200	17700	10900				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	1.7 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	1.5 U	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	8.3 B	NA				
Iron	300 ST	7439-89-6	ug/l	121	94.5 B	177	93.2 B				
Lead	25 ST	7439-92-1	ug/l	1.9 B	1.6 U	3.2	1.9 B				
Magnesium	35000 GV	7439-95-4	ug/l	2310 B	2400	2980 B	1910 B				
Manganese	300 ST	7439-96-5	ug/l	390	360	266	320				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	2.2 B	NA				
Potassium	-	7440-09-7	ug/l	1670 B	1760 B	3100 B	1780 B				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	2.1 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.50 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	6510	9210	6970	8040				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.8 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1.7 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	36.4	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	511	454.5	443	413.2				

NOTES:

NS: Not sampled

[shaded box]: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B : Compound detected above instrument detection  
limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	DATE: 10/27/1997	UNITS: (ug/l)	MW-02D 12/01/2000	MW-02D 01/30/2001	MW-02D 08/21/2002	MW-02D 11/20/2002	MW-02D 03/05/2003	MW-02D 06/03/2003	MW-02D 08/22/2003
Aluminum	-	7429-90-5	ug/l	33.5	15.3 B	16	NA	21.9 B	NA	NA	22.3 B
Antimony	3 GV	7440-36-0	ug/l	3 U	1.7 U	12.3 U	NA	3.1 U	NA	NA	3.5 U
Arsenic	25 ST	7440-38-2	ug/l	2.4 U	2.5 U	1.9 U	NA	4.5 U	NA	NA	3.2 U
Barium	1000 ST	7440-39-3	ug/l	6.9	5.2 B	5	NA	7.4 B	NA	NA	6.0 B
Beryllium	3 GV	7440-41-7	ug/l	0.1	0.1 U	0.1 U	NA	0.40 U	NA	NA	0.20 U
Boron	1000 ST	7440-42-8	ug/l	NA	5.1 B	32.9	NA	18 B	NA	NA	22.4 B
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.4 U	0.2 U	0.17 B	0.5 U	0.29 B	0.10 U	0.30 U
Calcium	-	7440-70-2	ug/l	4750	6070	5720	6040	8290	8530	8370	7610
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	20 U	20 U	NA	20 U	NA	NA	20 U
Chromium Total	50 ST	7440-47-3	ug/l	0.4 U	3.5 U	0.6 U	NA	1.6 B	NA	NA	1.2 B
Cobalt	-	7440-48-4	ug/l	1.1 U	0.9 U	1.7 U	NA	1 U	NA	NA	2.1 U
Copper	200 ST	7440-50-8	ug/l	0.7 U	1.5 U	1.5 U	NA	8.7 B	NA	NA	1.4 B
Iron	300 ST	7439-89-6	ug/l	33.2	4.2 B	12.3	139	89.1 B	119	52.6 B	96.2
Lead	25 ST	7439-92-1	ug/l	1 U	1.4 U	1.1 U	0.8 U	1.4 U	1.5 U	1.5 U	0.80 U
Magnesium	35000 GV	7439-95-4	ug/l	2220	2840 B	2680	2600 B	3530 B	3640 B	3610 B	3250 B
Manganese	300 ST	7439-96-5	ug/l	54.8	1.6 B	1.1 U	30.6	11 B	7.3 B	3.4 B	5.9 B
Mercury	0.7 ST	7439-97-6	ug/l	0.1 U	0.1 U	0.1 U	NA	0.1 U	NA	NA	0.10 U
Nickel	100 ST	7440-02-0	ug/l	1.3 U	1.9 U	1.4 U	NA	1.5 B	NA	NA	1.5 U
Potassium	-	7440-09-7	ug/l	636	740 B	806	741 B	710 B	768 B	895 B	736 B
Selenium	10 ST	7782-49-2	ug/l	2.8 U	1.7 U	1.5 U	NA	2.4 U	NA	NA	3.8 U
Silver	50 ST	7440-22-4	ug/l	0.9 U	0.5 U	1.6 U	NA	1 U	NA	NA	1.0 U
Sodium	20000 ST	7440-23-5	ug/l	8120	8460	7560	6780	8170	8210	8650	7640
Thallium	0.5 GV	7440-28-0	ug/l	2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	NA	3.0 B
Vanadium	-	7440-62-2	ug/l	1.2 U	0.7 U	1.7 U	NA	0.6 U	NA	NA	1.8 U
Zinc	2000 ST	7440-66-6	ug/l	27.5	3.6 B	5.3	NA	57.8	NA	NA	9.9 B
Cyanide	200 ST	0057-12-5	ug/l	10 U	10 U	5 U	NA	10 U	NA	NA	10 U
Iron + Manganese	500 ST*	-	ug/l	88	5.8	12.3	169.6	100.1	126.3	56	102.1

NOTES:

NS: Not sampled  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit  
 ST\*: Standard for the sum of iron and manganese is 500 ug/l

Concentration exceeds Standard/Guidance Value

Limit but below contract required detection limit

Compound detected above instrument detection limit

Limit but below contract required detection limit

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-02D 11/11/2003 (ug/l)	MW-02D 02/27/2004 (ug/l)	MW-02D 05/20/2004 (ug/l)	MW-02D 08/20/2004 (ug/l)	MW-02D (ug/l)	MW-02D (ug/l)	MW-02D (ug/l)	MW-02D (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	20.7 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.4 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.6 U	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	6.9 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.2 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	16.7 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.20 U	0.3 U	0.30 U				
Calcium	-	7440-70-2	ug/l	7640	7800	7980	7810				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	1.5 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	1.5 U	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	4.2 B	NA				
Iron	300 ST	7439-89-6	ug/l	62.4 B	26.8 B	103	56.8 B				
Lead	25 ST	7439-92-1	ug/l	1.1 U	1.6 U	1.2 U	1.2 U				
Magnesium	35000 GV	7439-95-4	ug/l	3340 B	3420 B	3260 B	3250 B				
Manganese	300 ST	7439-96-5	ug/l	3.7 B	1.2 B	14.9 B	2.6 B				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	1.6 U	NA				
Potassium	-	7440-09-7	ug/l	697 B	674 B	883 B	730 B				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	2.1 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	7590	8450	7760	8290				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.8 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1.7 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	15.2 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	66.1	28	117.9	59.4				

NOTES:

NS: Not sampled

█: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection

limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class CA	Groundwater Standards/Guidance Values	CAS #	DATE:	SITE:	UNITS:	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	MW-03S	
Aluminum	-	7429-90-5		10/30/1997	MW-03S	(ug/l)	1080	16.5 B	53.7	NA	803	NA	NA	NA	NA	NA	NA	NA	NA	
Antimony	3 GV	7440-36-0		12/06/2000	MW-03S	(ug/l)	3 U	1.7 U	12.3 U	NA	3.4 B	NA	NA	NA	NA	NA	NA	NA	NA	
Arsenic	25 ST	7440-38-2		02/02/2001	MW-03S	(ug/l)	3.2	2.5 U	1.9 U	NA	4.5 U	NA	NA	NA	NA	NA	NA	NA	NA	
Barium	1000 ST	7440-39-3		12/06/2000	MW-03S	(ug/l)	136	125 B	125	NA	176 B	NA	NA	NA	NA	NA	NA	NA	NA	
Beryllium	3 GV	7440-41-7		10/30/1997	MW-03S	(ug/l)	0.1 U	0.1 U	0.24	NA	0.80 B	NA	NA	NA	NA	NA	NA	NA	NA	
Boron	1000 ST	7440-42-8		02/02/2001	MW-03S	(ug/l)	NA	128	153	NA	139	NA	NA	NA	NA	NA	NA	NA	NA	
Cadmium	5 ST	7440-43-9		02/02/2001	MW-03S	(ug/l)	0.3 U	0.4 U	0.22	0.13 B	0.5 U	0.5 U	0.10 U	0.10 U	0.10 U	0.30 U	0.30 U	0.30 U	0.30 U	
Calcium	-	7440-70-2		12/06/2000	MW-03S	(ug/l)	50800	51200	57700	67400	92400	92400	112000	84900	91600	91600	91600	91600	91600	91600
Chromium Hexavalent	50 ST	18540-29-9		12/06/2000	MW-03S	(ug/l)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Chromium Total	50 ST	7440-47-3		12/06/2000	MW-03S	(ug/l)	3.1	3.5 U	0.6	NA	2.9 B	NA	NA	NA	NA	NA	NA	NA	NA	
Cobalt	-	7440-48-4		12/06/2000	MW-03S	(ug/l)	1.1	0.9 U	1.7 U	NA	13.1 B	NA	NA	NA	NA	NA	NA	NA	NA	
Copper	200 ST	7440-50-8		12/06/2000	MW-03S	(ug/l)	3.3	2.6 B	1.5 U	NA	11.5 B	NA	NA	NA	NA	NA	NA	NA	NA	
Iron	300 ST	7439-89-6		12/06/2000	MW-03S	(ug/l)	12700	10200	7390	30600	80600	85800	21100	16800	16800	16800	16800	16800	16800	
Lead	25 ST	7439-92-1		12/06/2000	MW-03S	(ug/l)	1.4	1.4 U	1.1 U	0.8 U	2.1 B	1.5 U	1.8 B	0.84 B	0.84 B	0.84 B	0.84 B	0.84 B	0.84 B	
Magnesium	35000 GV	7439-95-4		12/06/2000	MW-03S	(ug/l)	7970	7620	8320	9840	16000	21700	14100	14600	14600	14600	14600	14600	14600	14600
Manganese	300 ST	7439-96-5		12/06/2000	MW-03S	(ug/l)	7270	5840	5930	8430	11500	8190	2930	3770	3770	3770	3770	3770	3770	3770
Mercury	0.7 ST	7439-97-6		12/06/2000	MW-03S	(ug/l)	0.1 U	0.1 U	0.1 U	NA	0.1 U	NA	NA	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	
Nickel	100 ST	7440-02-0		12/06/2000	MW-03S	(ug/l)	2.6	1.9 U	1.4 U	NA	23.4 B	NA	NA	2.8 B	2.8 B	2.8 B	2.8 B	2.8 B	2.8 B	
Potassium	-	7440-09-7		12/06/2000	MW-03S	(ug/l)	7870	8310	9590	8680	7850	12200	19300	14100	14100	14100	14100	14100	14100	14100
Selenium	10 ST	7782-49-2		12/06/2000	MW-03S	(ug/l)	2.8 U	2.8 B	2 N	NA	6	NA	NA	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U	
Silver	50 ST	7440-22-4		12/06/2000	MW-03S	(ug/l)	0.9 U	1.7 B	1.6 U	NA	1 U	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Sodium	20000 ST	7440-23-5		12/06/2000	MW-03S	(ug/l)	40400	20500	21500	27100	25200	22900	17600	22600	22600	22600	22600	22600	22600	22600
Thallium	0.5 GV	7440-28-0		12/06/2000	MW-03S	(ug/l)	2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	NA	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	
Vanadium	-	7440-62-2		12/06/2000	MW-03S	(ug/l)	3.7	0.7 U	1.7 U	NA	2.9 B	NA	NA	1.8 U	1.8 U	1.8 U	1.8 U	1.8 U	1.8 U	
Zinc	2000 ST	7440-66-6		12/06/2000	MW-03S	(ug/l)	34	3.5 B	3.6 U	NA	799	NA	NA	57.5	57.5	57.5	57.5	57.5	57.5	
Cyanide	200 ST	0057-12-5		12/06/2000	MW-03S	(ug/l)	10 U	10 U	5 U	NA	10 U	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Iron + Manganese	500 ST*	-		12/06/2000	MW-03S	(ug/l)	19970	16040	13320	39030	92100	93990	24030	20570	20570	20570	20570	20570	20570	20570

NOTES:

NS: Not sampled

Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection

limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-03S 11/13/2003 (ug/l)	MW-03S 03/02/2004 (ug/l)	MW-03S 05/24/2004 (ug/l)	MW-03S 08/23/2004 (ug/l)	MW-03S (ug/l)	MW-03S (ug/l)	MW-03S (ug/l)	MW-03S (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	57.5 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	1.6 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	5.1 B	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	147 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.1 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	171 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.20 U	0.92 B	0.30 U				
Calcium	-	7440-70-2	ug/l	76200	66200	67100	69300				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	0.9 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	0.9 U	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	2.1 B	NA				
Iron	300 ST	7439-89-6	ug/l	4900	28300	27400	30400				
Lead	25 ST	7439-92-1	ug/l	1.1 U	0.70 U	0.7 U	1.2 U				
Magnesium	35000 GV	7439-95-4	ug/l	11800	9800	10100	9850				
Manganese	300 ST	7439-96-5	ug/l	5500	4860	4630	5010				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	1.5 B	NA				
Potassium	-	7440-09-7	ug/l	15900	12900	10800	12000				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	1.8 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	30000	27400	20900	29300				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	1.9 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	20.7 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	40400	33160	32030	35410				

NOTES:

NS: Not sampled

ST\*: Standard for the sum of iron and manganese is 500 ug/l

█: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B : Compound detected above instrument detection  
limit but below contract required detection limit

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	DATE: SITE: MW-04S	UNITS: (ug/l)	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S
Aluminum	-	7429-90-5	10/29/1997	ug/l	574	28.8 B	32.4	NA	102 B	NA	NA	NA	27.2 B
Antimony	3 GV	7440-36-0	10/29/1997	ug/l	3 U	1.7 U	12.3 U	NA	3.1 U	NA	NA	NA	3.5 U
Arsenic	25 ST	7440-38-2	10/29/1997	ug/l	11.4	3.7 B	7.8	NA	4.5 U	NA	NA	NA	8.1 B
Barium	1000 ST	7440-39-3	10/29/1997	ug/l	441	278	285	NA	316	NA	NA	NA	240
Beryllium	3 GV	7440-41-7	10/29/1997	ug/l	0.2	0.12 B	0.18	NA	0.4 U	NA	NA	NA	0.20 U
Boron	1000 ST	7440-42-8	10/29/1997	ug/l	NA	263	296	NA	320	NA	NA	NA	273
Cadmium	5 ST	7440-43-9	10/29/1997	ug/l	0.3 U	0.4 U	0.2 U	0.10 U	0.5 U	0.10 U	0.10 U	0.10 U	0.30 U
Calcium	-	7440-70-2	10/29/1997	ug/l	152000	99400	109000	115000	123000	139000	138000	109000	109000
Chromium Hexavalent	50 ST	18540-29-9	10/29/1997	ug/l	20 U	20 U	20 U	NA	20 U	NA	NA	NA	20 U
Chromium Total	50 ST	7440-47-3	10/29/1997	ug/l	1.6	3.5 U	0.6 U	NA	0.92 B	NA	NA	NA	1.0 B
Cobalt	-	7440-48-4	10/29/1997	ug/l	2.1	0.9 U	1.7 U	NA	1 U	NA	NA	NA	2.8 B
Copper	200 ST	7440-50-8	10/29/1997	ug/l	2.5	1.5 U	2.2	NA	6.7 B	NA	NA	NA	2.7 B
Iron	300 ST	7439-89-6	10/29/1997	ug/l	56800	44800	49600	56400	46900	54600	44300	43100	43100
Lead	25 ST	7439-92-1	10/29/1997	ug/l	1.0 U	1.4 U	2.8	2.8 B	1.4 U	1.5 U	1.6 B	0.80 U	0.80 U
Magnesium	3500 GV	7439-95-4	10/29/1997	ug/l	22600	14400	15300	14000	13700	16300	16100	11900	11900
Manganese	300 ST	7439-96-5	10/29/1997	ug/l	1520	1770	2040	2140	1670	1960	3000	1690	1690
Mercury	0.7 ST	7439-97-6	10/29/1997	ug/l	0.1 U	0.1 U	0.1 U	NA	0.1 U	NA	NA	NA	0.10 U
Nickel	100 ST	7440-02-0	10/29/1997	ug/l	1.3 U	1.9 U	1.4 U	NA	4.3 B	NA	NA	NA	4.7 B
Potassium	-	7440-09-7	10/29/1997	ug/l	30800	19800	21800	17900	17500	20300	21800	14300	14300
Selenium	10 ST	7782-49-2	10/29/1997	ug/l	2.8 U	1.7 U	1.5 U	NA	2.4 U	NA	NA	3.8 U	3.8 U
Silver	50 ST	7440-22-4	10/29/1997	ug/l	0.9 U	1.3 B	1.6 U	NA	1 U	NA	NA	1 U	1 U
Sodium	20000 ST	7440-23-5	10/29/1997	ug/l	29900	32100	33300	32500	29700	31600	33900	26400	26400
Thallium	0.5 GV	7440-28-0	10/29/1997	ug/l	2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	NA	2.5 U	2.5 U
Vanadium	-	7440-62-2	10/29/1997	ug/l	3.2	1.1 B	1.7 U	NA	2.6 B	NA	NA	2.1 B	2.1 B
Zinc	2000 ST	7440-66-6	10/29/1997	ug/l	32.3	2.2 U	3.6 U	NA	10 B	NA	NA	14.9 B	14.9 B
Cyanide	200 ST	0057-12-5	10/29/1997	ug/l	10 U	10 U	5 U	NA	10 U	NA	NA	10 U	10 U
Iron + Manganese	500 ST*	-	10/29/1997	ug/l	58320	46570	51640	58540	48570	56560	47300	44790	44790

ST\*: Standard for the sum of iron and manganese is 500 ug/l

NOTES:  
 NS: Not sampled  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit  
 Concentration exceeds Standard/Guidance Value

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-04S 11/12/2003 (ug/l)	MW-04S 03/02/2004 (ug/l)	MW-04S 05/24/2004 (ug/l)	MW-04S 08/23/2004 (ug/l)	MW-04S (ug/l)	MW-04S (ug/l)	MW-04S (ug/l)	MW-04S (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	43.2 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	1.6 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	11.4	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	191 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.1 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	261 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.30 U	0.20 U	2.2 B	0.30 U				
Calcium	-	7440-70-2	ug/l	139000	122000	124000	118000				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	0.6 U	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	5 B	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	0.9 U	NA				
Iron	300 ST	7439-89-6	ug/l	48600	62600	79200	55100				
Lead	25 ST	7439-92-1	ug/l	1.1 U	0.70 U	0.7 U	3.0 B				
Magnesium	35000 GV	7439-95-4	ug/l	18100	13600	14600	13200				
Manganese	300 ST	7439-96-5	ug/l	3690	2360	2180	2720				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	4.4 B	NA				
Potassium	-	7440-09-7	ug/l	20000	17200	16700	19000				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	1.8 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	28600	32000	26700	31900				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.1 B	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	14.7 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	52290	64960	81380	57820				

NOTES:

NS: Not sampled

ST\*: Standard for the sum of iron and manganese is 500 ug/l

[shaded box]: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B : Compound detected above instrument detection  
limit but below contract required detection limit





Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-04I	MW-04I	MW-04I	MW-04I	MW-04I	MW-04I	MW-04I	MW-04I
				11/12/2003 (ug/l)	03/01/2004 (ug/l)	05/24/2004 (ug/l)	08/23/2004 (ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	50.8 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	1.6 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	17.4	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	100 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.10 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	177 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.20 U	1.4 B	0.30 U				
Calcium	-	7440-70-2	ug/l	91200	99100	78500	87100				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	0.6 U	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	0.9 U	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	0.9 U	NA				
Iron	300 ST	7439-89-6	ug/l	56100	61600	50500	51900				
Lead	25 ST	7439-92-1	ug/l	1.1 U	1.6 U	0.7 U	2.0 B				
Magnesium	35000 GV	7439-95-4	ug/l	10500	10600	8680	9570				
Manganese	300 ST	7439-96-5	ug/l	1510	1790	1420	1640				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	1.8 B	NA				
Potassium	-	7440-09-7	ug/l	16000	14000	11700	14500				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	1.8 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	29500	30800	22000	26400				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	1.9 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	26.2 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	57610	63390	51920	53540				

NOTES:

NS: Not sampled

ST\*: Standard for the sum of iron and manganese is 500 ug/l

[shaded box]: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B : Compound detected above instrument detection  
limit but below contract required detection limit

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	Standards/Guidance Values	CAS #	DATE:	UNITS:	SITE:	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D
			10/28/1997	(ug/l)	MW-04D	12/06/2000	02/01/2001	08/23/2002	11/21/2002	03/07/2003	06/03/2003	08/25/2003					
Aluminum	-		7429-90-5	ug/l	MW-04D	52.9	17.7 B	15.7	29.4 B	NA	NA	27.3 B					
Antimony	3 GV		7440-36-0	ug/l	MW-04D	3 U	1.7 U	12.3 U	3.1 U	NA	NA	3.5 U					
Arsenic	25 ST		7440-38-2	ug/l	MW-04D	7.6	11.9	14.4	7.2 B	NA	NA	13.7					
Barium	1000 ST		7440-39-3	ug/l	MW-04D	186	249	224	90.8 B	NA	NA	108 B					
Beryllium	3 GV		7440-41-7	ug/l	MW-04D	0.1	0.1 U	0.16	0.4 U	NA	NA	0.20 U					
Boron	1000 ST		7440-42-8	ug/l	MW-04D	NA	291	326	170	NA	NA	120					
Cadmium	5 ST		7440-43-9	ug/l	MW-04D	0.3 U	0.4 U	0.37	0.5 U	0.1 U	0.10 U	0.30 U					
Calcium	-		7440-70-2	ug/l	MW-04D	56100	60000	59100	30800	24700	27500	30900					
Chromium Hexavalent	50 ST		18540-29-9	ug/l	MW-04D	20 U	20 U	20 U	20 U	NA	NA	20 U					
Chromium Total	50 ST		7440-47-3	ug/l	MW-04D	0.4 U	3.5 U	0.6 U	1.3 B	NA	NA	0.70 U					
Cobalt	-		7440-48-4	ug/l	MW-04D	14.9	17.7 B	14.4	4.3 B	NA	NA	4.4 B					
Copper	200 ST		7440-50-8	ug/l	MW-04D	0.7 U	1.5 U	1.5 U	3.4 B	NA	NA	1.6 B					
Iron	300 ST		7439-89-6	ug/l	MW-04D	66000	75500	69500	24500	20400	28300	34500					
Lead	25 ST		7439-92-1	ug/l	MW-04D	1 U	4	3.6	0.88 B	1.4 U	1.5 U	0.80 U					
Magnesium	35000 GV		7439-95-4	ug/l	MW-04D	8830	11500	5380	4060 B	4080 B	4550 B	4840 B					
Manganese	300 ST		7439-96-5	ug/l	MW-04D	1700	2900	2470	589	690	725	829					
Mercury	0.7 ST		7439-97-6	ug/l	MW-04D	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	NA	0.10 U					
Nickel	100 ST		7440-02-0	ug/l	MW-04D	7.4	7.1 B	5.4	2.3 B	NA	NA	2.6 B					
Potassium	-		7440-09-7	ug/l	MW-04D	14000	14900	16200	10700	8650	8970	8800					
Selenium	10 ST		7782-49-2	ug/l	MW-04D	2.8 U	2.2 B	1.5 U	2.4 U	NA	NA	3.8 U					
Silver	50 ST		7440-22-4	ug/l	MW-04D	0.9 U	1.3 B	1.6 U	NA	1 U	NA	1 U					
Sodium	20000 ST		7440-23-5	ug/l	MW-04D	21100	26500	27500	15300	13700	14000	13300					
Thallium	0.5 GV		7440-28-0	ug/l	MW-04D	2.6 U	2.3 U	2.8 U	4.2 U	NA	NA	2.5 U					
Vanadium	-		7440-62-2	ug/l	MW-04D	1.2 U	0.7 U	1.7 U	NA	0.82 B	NA	1.8 U					
Zinc	2000 ST		7440-66-6	ug/l	MW-04D	85.9	5.9 B	3.6 U	NA	16.7 B	NA	22.8					
Cyanide	200 ST		0057-12-5	ug/l	MW-04D	10 U	10 U	5 U	NA	10 U	NA	10 U					
Iron + Manganese	500 ST*		-	ug/l	MW-04D	67700	78400	71970	25089	21090	25525	35329					

NOTES:  
 NS: Not sampled  
 Concentration exceeds Standard/Guidance Value :  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-04D 11/11/2003 (ug/l)	MW-04D 03/01/2004 (ug/l)	MW-04D 05/24/2004 (ug/l)	MW-04D 08/23/2004 (ug/l)	MW-04D (ug/l)	MW-04D (ug/l)	MW-04D (ug/l)	MW-04D (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	30.3 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	1.6 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	16.8	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	135 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.1 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	96.7 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.20 U	1.5 B	0.30 U				
Calcium	-	7440-70-2	ug/l	34000	43400	45500	63500				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	0.6 U	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	4.7 B	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	0.9 U	NA				
Iron	300 ST	7439-89-6	ug/l	35300	45700	48900	61000				
Lead	25 ST	7439-92-1	ug/l	1.1 U	1.6 U	0.7 U	2.6 B				
Magnesium	35000 GV	7439-95-4	ug/l	5720	7110	7730	9970				
Manganese	300 ST	7439-96-5	ug/l	977	1270	1280	1780				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	1.5 B	NA				
Potassium	-	7440-09-7	ug/l	11000	10500	10400	13400				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	1.8 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	13900	16400	15000	21900				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	1.9 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	18 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	36272	46970	50180	62780				

NOTES:

NS: Not sampled

☐: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection  
limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	DATE: 10/29/1997	SITE: MW-055	UNITS: (ug/l)	DATE: 12/08/2000	SITE: MW-055	UNITS: (ug/l)	DATE: 02/02/2001	SITE: MW-055	UNITS: (ug/l)	DATE: 08/23/2002	SITE: MW-055	UNITS: (ug/l)	DATE: 11/22/2002	SITE: MW-055	UNITS: (ug/l)	DATE: 03/07/2003	SITE: MW-055	UNITS: (ug/l)	DATE: 06/05/2003	SITE: MW-055	UNITS: (ug/l)	DATE: 08/25/2003	SITE: MW-055	UNITS: (ug/l)
Aluminum	-	7429-90-5	121	3 U	1.7 U	3 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U
Antimony	3 GV	7440-36-0	3 U	2.4 U	2.5 U	2.4 U	2.5 U	2.4 U	2.5 U	2.4 U	2.5 U	2.4 U	2.5 U	2.4 U	2.5 U	2.4 U	2.5 U	2.4 U	2.5 U	2.4 U	2.5 U	2.4 U	2.5 U	2.4 U	2.5 U	
Arsenic	25 ST	7440-38-2	2.4 U	2.96	2.14	2.54	2.06	2.14	2.06	2.14	2.06	2.14	2.06	2.14	2.06	2.14	2.06	2.14	2.06	2.14	2.06	2.14	2.06	2.14	2.06	2.14
Barium	1000 ST	7440-39-3	296	0.13	0.23	0.13	0.23	0.13	0.23	0.13	0.23	0.13	0.23	0.13	0.23	0.13	0.23	0.13	0.23	0.13	0.23	0.13	0.23	0.13	0.23	
Beryllium	3 GV	7440-41-7	0.13	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	
Boron	1000 ST	7440-42-8	254	0.3 U	0.2 U	0.3 U	0.2 U	0.3 U	0.2 U	0.3 U	0.2 U	0.3 U	0.2 U	0.3 U	0.2 U	0.3 U	0.2 U	0.3 U	0.2 U	0.3 U	0.2 U	0.3 U	0.2 U	0.3 U	0.2 U	
Cadmium	5 ST	7440-43-9	0.3 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	
Calcium	-	7440-70-2	105000	93500	90500	93500	90500	93500	90500	93500	90500	93500	90500	93500	90500	93500	90500	93500	90500	93500	90500	93500	90500	93500	90500	
Chromium Hexavalent	50 ST	18540-29-9	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	
Chromium Total	50 ST	7440-47-3	6.5	3.5 U	1.7	3.5 U	1.7	3.5 U	1.7	3.5 U	1.7	3.5 U	1.7	3.5 U	1.7	3.5 U	1.7	3.5 U	1.7	3.5 U	1.7	3.5 U	1.7	3.5 U	1.7	
Cobalt	-	7440-48-4	1.3	0.9 U	1.7 U	0.9 U	1.7 U	0.9 U	1.7 U	0.9 U	1.7 U	0.9 U	1.7 U	0.9 U	1.7 U	0.9 U	1.7 U	0.9 U	1.7 U	0.9 U	1.7 U	0.9 U	1.7 U	0.9 U	1.7 U	
Copper	200 ST	7440-50-8	0.7 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	
Iron	300 ST	7439-89-6	32000	28300	29800	28300	29800	28300	29800	28300	29800	28300	29800	28300	29800	28300	29800	28300	29800	28300	29800	28300	29800	28300	29800	
Lead	25 ST	7439-92-1	1.0 U	2.9	2.5	2.9	2.5	2.9	2.5	2.9	2.5	2.9	2.5	2.9	2.5	2.9	2.5	2.9	2.5	2.9	2.5	2.9	2.5	2.9	2.5	
Magnesium	3500 GV	7439-95-4	17900	13300	12900	13300	12900	13300	12900	13300	12900	13300	12900	13300	12900	13300	12900	13300	12900	13300	12900	13300	12900	13300	12900	
Manganese	300 ST	7439-96-5	3370	1860	3940	1860	3940	1860	3940	1860	3940	1860	3940	1860	3940	1860	3940	1860	3940	1860	3940	1860	3940	1860	3940	
Mercury	0.7 ST	7439-97-6	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	
Nickel	100 ST	7440-02-0	4.6	1.9 U	1.4 U	1.9 U	1.4 U	1.9 U	1.4 U	1.9 U	1.4 U	1.9 U	1.4 U	1.9 U	1.4 U	1.9 U	1.4 U	1.9 U	1.4 U	1.9 U	1.4 U	1.9 U	1.4 U	1.9 U	1.4 U	
Potassium	-	7440-09-7	20600	14000	14300	14000	14300	14000	14300	14000	14300	14000	14300	14000	14300	14000	14300	14000	14300	14000	14300	14000	14300	14000	14300	
Selenium	10 ST	7782-49-2	2.8 U	3.1	2.4	3.1	2.4	3.1	2.4	3.1	2.4	3.1	2.4	3.1	2.4	3.1	2.4	3.1	2.4	3.1	2.4	3.1	2.4	3.1	2.4	
Silver	50 ST	7440-22-4	0.9 U	2.1	1.6 U	2.1	1.6 U	2.1	1.6 U	2.1	1.6 U	2.1	1.6 U	2.1	1.6 U	2.1	1.6 U	2.1	1.6 U	2.1	1.6 U	2.1	1.6 U	2.1	1.6 U	
Sodium	20000 ST	7440-23-5	35000	28500	27300	28500	27300	28500	27300	28500	27300	28500	27300	28500	27300	28500	27300	28500	27300	28500	27300	28500	27300	28500	27300	
Thallium	0.5 GV	7440-28-0	2.6 U	2.3 U	2.8 U	2.3 U	2.8 U	2.3 U	2.8 U	2.3 U	2.8 U	2.3 U	2.8 U	2.3 U	2.8 U	2.3 U	2.8 U	2.3 U	2.8 U	2.3 U	2.8 U	2.3 U	2.8 U	2.3 U	2.8 U	
Vanadium	-	7440-62-2	1.8	2.5	2.6	2.5	2.6	2.5	2.6	2.5	2.6	2.5	2.6	2.5	2.6	2.5	2.6	2.5	2.6	2.5	2.6	2.5	2.6	2.5	2.6	
Zinc	2000 ST	7440-66-6	25	2.2 U	3.6 U	2.2 U	3.6 U	2.2 U	3.6 U	2.2 U	3.6 U	2.2 U	3.6 U	2.2 U	3.6 U	2.2 U	3.6 U	2.2 U	3.6 U	2.2 U	3.6 U	2.2 U	3.6 U	2.2 U	3.6 U	
Cyanide	200 ST	0057-12-5	10 U	10 U	5 U	10 U	5 U	10 U	5 U	10 U	5 U	10 U	5 U	10 U	5 U	10 U	5 U	10 U	5 U	10 U	5 U	10 U	5 U	10 U	5 U	
Iron + Manganese	500 ST*	-	ug/l	35370	32160	33740	32160	33740	32160	33740	32160	33740	32160	33740	32160	33740	32160	33740	32160	33740	32160	33740	32160	33740	32160	

NOTES:  
 NS: Not sampled  
 \*: Concentration exceeds Standard/Guidance Value  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection  
 limit but below contract required detection limit

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-05S 11/12/2003 (ug/l)	MW-05S 03/02/2004 (ug/l)	MW-05S 05/25/2004 (ug/l)	MW-05S 08/23/2004 (ug/l)	MW-05S (ug/l)	MW-05S (ug/l)	MW-05S (ug/l)	MW-05S (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	721	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	1.6 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	5 B	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	163 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.68 B	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	122 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.30 U	0.20 U	1.2 B	0.30 U				
Calcium	-	7440-70-2	ug/l	102000	69500	49800	95800				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	2.5 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	14.7 B	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	0.96 B	NA				
Iron	300 ST	7439-89-6	ug/l	23600	26000	31500	41500				
Lead	25 ST	7439-92-1	ug/l	1.1 U	0.70 U	0.7 U	2.1 B				
Magnesium	35000 GV	7439-95-4	ug/l	14200	9650	7280	12100				
Manganese	300 ST	7439-96-5	ug/l	6780	4570	2570	4600				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	7.7 B	NA				
Potassium	-	7440-09-7	ug/l	14900	12500	8370	17000				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	1.8 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	27600	18600	14600	30300				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	1.9 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	25 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	30380	30370	34070	46100				

NOTES:

NS: Not sampled

ST\*: Standard for the sum of iron and manganese is 500 ug/l

█ : Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B : Compound detected above instrument detection  
limit but below contract required detection limit

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA	Groundwater	Standards/Guidance Values	CAS #	UNITS:	SITE:	DATE:	MW-051	MW-051	MW-051	MW-051	MW-051	MW-051	MW-051	MW-051	MW-051	MW-051	MW-051	MW-051
Aluminum	-	7429-90-5	ug/l	330	12.2 U	15.8	NA	287	NA	NA	143 B	3.5 U	3.2 U	3.1 U	NA	NA	NA	NA	NA
Antimony	3 GV	7440-36-0	ug/l	3 U	1.7 U	12.3 U	NA	3.1 U	NA	NA	3.5 U	3.5 U	3.2 U	3.1 U	NA	NA	NA	NA	NA
Arsenic	25 ST	7440-38-2	ug/l	4.3	3.5	5.5	NA	4.5 U	NA	NA	3.2 U	3.2 U	3.2 U	4.5 U	NA	NA	NA	NA	NA
Barium	1000 ST	7440-39-3	ug/l	17.8	50.4	57.7	NA	43.2 B	NA	NA	50.5 B	50.5 B	50.5 B	43.2 B	NA	NA	NA	NA	NA
Beryllium	3 GV	7440-41-7	ug/l	0.1	0.1 U	0.1 U	NA	0.4 U	NA	NA	0.20 U	0.20 U	0.20 U	0.4 U	NA	NA	NA	NA	NA
Boron	1000 ST	7440-42-8	ug/l	NA	176	138	NA	86 B	NA	NA	99.8 B	99.8 B	99.8 B	86 B	NA	NA	NA	NA	NA
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.4 U	0.36	0.1 U	0.5 U	0.1 U	0.1 U	0.30 U	0.30 U	0.30 U	0.5 U	0.1 U	0.10 U	0.10 U	0.10 U	0.10 U
Calcium	-	7440-70-2	ug/l	8280	39200	45300	28100	34500	36700	36000	34500	34500	34500	34500	36700	36000	34500	34500	34500
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	20 U	20 U	NA	20 U	NA	NA	20 U	20 U	20 U	20 U	NA	NA	NA	NA	NA
Chromium Total	50 ST	7440-47-3	ug/l	3.3	3.5 U	0.6 U	NA	2.1 B	NA	NA	1.4 B	1.4 B	1.4 B	2.1 B	NA	NA	NA	NA	NA
Cobalt	-	7440-48-4	ug/l	1.1 U	0.9 U	1.7 U	NA	1 U	NA	NA	2.1 U	2.1 U	2.1 U	1 U	NA	NA	NA	NA	NA
Copper	200 ST	7440-50-8	ug/l	2.5	1.5 U	1.5 U	NA	2.3 B	NA	NA	3.8 B	3.8 B	3.8 B	2.3 B	NA	NA	NA	NA	NA
Iron	300 ST	7439-89-6	ug/l	7250	14600	15400	7070	9080	10300	10900	4990	4990	4990	9080	10300	10900	4990	4990	4990
Lead	25 ST	7439-92-1	ug/l	3	1.4 U	1.1 U	3.5	2.9 B	1.5 U	1.5 U	1.6 B	1.6 B	1.6 B	2.9 B	1.5 U	1.5 U	1.6 B	1.6 B	1.6 B
Magnesium	35000 GV	7439-95-4	ug/l	1260	6780	8460	5000 B	5940	6570	6110	5460	5460	5460	5940	6570	6110	5460	5460	5460
Manganese	300 ST	7439-96-5	ug/l	1080	1160	1380	1130	1150	1270	1370	1170	1170	1170	1150	1270	1370	1170	1170	1170
Mercury	0.7 ST	7439-97-6	ug/l	0.1 U	0.1 U	0.1 U	NA	0.1 U	NA	NA	0.10 U	0.10 U	0.10 U	0.1 U	NA	NA	NA	NA	NA
Nickel	100 ST	7440-02-0	ug/l	3.6	1.9 U	1.4 U	NA	1.8 B	NA	NA	1.6 B	1.6 B	1.6 B	1.8 B	NA	NA	NA	NA	NA
Potassium	-	7440-09-7	ug/l	4820	14900	15300	9360	8270	14400	14900	12900	12900	12900	8270	14400	14900	12900	12900	12900
Selenium	10 ST	7782-49-2	ug/l	2.8 U	2.1	1.6	NA	2.4 U	NA	NA	3.8 U	3.8 U	3.8 U	2.4 U	NA	NA	NA	NA	NA
Silver	50 ST	7440-22-4	ug/l	0.9 U	1.1	1.6 U	NA	1 U	NA	NA	1 U	1 U	1 U	1 U	NA	NA	NA	NA	NA
Sodium	20000 ST	7440-23-5	ug/l	12500	20100	24100	17500	23600	27900	24000	20700	20700	20700	23600	27900	24000	20700	20700	20700
Thallium	0.5 GV	7440-28-0	ug/l	2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	NA	2.5 U	2.5 U	2.5 U	4.2 U	NA	NA	NA	NA	NA
Vanadium	-	7440-62-2	ug/l	1.2 U	0.7 U	1.7 U	NA	0.67 B	NA	NA	1.8 U	1.8 U	1.8 U	0.67 B	NA	NA	NA	NA	NA
Zinc	2000 ST	7440-66-6	ug/l	95.3	4.6	3.6 U	NA	57.4	NA	NA	149	149	149	57.4	NA	NA	NA	NA	NA
Cyanide	200 ST	0057-12-5	ug/l	10 U	10 U	5 U	NA	10 U	NA	NA	10 U	10 U	10 U	10 U	NA	NA	NA	NA	NA
Iron + Manganese	500 ST*	-	ug/l	8330	15760	16780	8200	10230	11570	12270	6160	6160	6160	10230	11570	12270	6160	6160	6160

ST\*: Standard for the sum of iron and manganese is 500 ug/l

NOTES:  
 NS: Not sampled  
 NA: Not analyzed  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 B: Compound detected above instrument detection limit but below contract required detection limit  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 Concentration exceeds Standard/Guidance Value

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I
				11/12/2003 (ug/l)	03/02/2004 (ug/l)	05/25/2004 (ug/l)	08/23/2004 (ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	49 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.3 B	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	7 B	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	83.3 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.1 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	139 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.20 U	0.56 B	0.30 U				
Calcium	-	7440-70-2	ug/l	43700	48100	49000	40200				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	0.6 U	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	0.9 U	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	0.9 U	NA				
Iron	300 ST	7439-89-6	ug/l	14500	9820	11300	13400				
Lead	25 ST	7439-92-1	ug/l	1.1 U	0.70 U	0.7 U	1.2 U				
Magnesium	35000 GV	7439-95-4	ug/l	7340	8540	9360	6720				
Manganese	300 ST	7439-96-5	ug/l	1360	882	1170	967				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	1.1 U	NA				
Potassium	-	7440-09-7	ug/l	22300	25500	21500	20300				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	1.8 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	34400	36400	29700	25300				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	1.9 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	24.9 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	15860	10703	12470	14367				

NOTES:

NS: Not sampled

█: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B : Compound detected above instrument detection  
 limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	DATE: SITE:	UNITS: (ug/l)	MW-05D 12/08/2000	MW-05D 02/02/2001	MW-05D 08/23/2002	MW-05D 11/22/2002	MW-05D 03/07/2003	MW-05D 06/03/2003	MW-05D 08/25/2003
Aluminum	-		7429-90-5	ug/l	241	12.2 U	11.8 U	NA	365	NA	20.8 B
Antimony	3 GV		7440-36-0	ug/l	3 U	1.7 U	12.3 U	NA	3.1 U	NA	3.5 U
Arsenic	25 ST		7440-38-2	ug/l	2.4 U	2.5 U	1.9 U	NA	4.5 U	NA	3.2 U
Barium	1000 ST		7440-39-3	ug/l	117	206	190	NA	53.9 B	NA	28.3 B
Beryllium	3 GV		7440-41-7	ug/l	0.17	0.17	0.17	NA	0.4 U	NA	0.20 U
Boron	1000 ST		7440-42-8	ug/l	NA	324	292	NA	83.1 B	NA	57.8 B
Cadmium	5 ST		7440-43-9	ug/l	0.3	0.77	0.69	0.30 B	0.5 U	0.10 U	0.30 U
Calcium	-		7440-70-2	ug/l	47300	107000	99900	39500	36900	33700	27800
Chromium Hexavalent	50 ST		18540-29-9	ug/l	20 U	20 U	20 U	NA	20 U	NA	20 U
Chromium Total	50 ST		7440-47-3	ug/l	2.9	3.5 U	0.85	NA	2.3 B	NA	0.70 U
Cobalt	-		7440-48-4	ug/l	4.6	5.3	4.6	NA	1.6 B	NA	2.1 U
Copper	200 ST		7440-50-8	ug/l	4.8	6.3	4.6	NA	4.9 B	NA	1.2 B
Iron	300 ST		7439-89-6	ug/l	374	101	23.2	763	751	122	53.8 B
Lead	25 ST		7439-92-1	ug/l	1.2	2.1	1.1 U	0.80 U	8.1	1.5 U	0.80 U
Magnesium	3500 GV		7439-95-4	ug/l	12400	26200	23300	7740	7250	8000	4800 B
Manganese	300 ST		7439-96-5	ug/l	17200	21300	17500	8380	8390	7900	5130
Mercury	0.7 ST		7439-97-6	ug/l	0.1 U	0.1 U	0.1 U	NA	0.1 U	NA	0.1 U
Nickel	100 ST		7440-02-0	ug/l	5.1	7.7	6.7	NA	3.5 B	NA	1.5 U
Potassium	-		7440-09-7	ug/l	20200	33100	33000	13500	11100	9080	5700
Selenium	10 ST		7782-49-2	ug/l	2.8 U	9.3	7.4	NA	3.6 B	NA	3.8 U
Silver	50 ST		7440-22-4	ug/l	0.9 U	5.5	2.9	NA	1 U	NA	1 U
Sodium	20000 ST		7440-23-5	ug/l	26500	62500	43400	30300	30100	24700	13700
Thallium	0.5 GV		7440-28-0	ug/l	2.6 U	4.6 U	2.8 U	NA	4.2 U	NA	2.5 U
Vanadium	-		7440-62-2	ug/l	1.2 U	0.7 U	1.7 U	NA	1.1 B	NA	1.8 U
Zinc	2000 ST		7440-66-6	ug/l	283	18.7	6	NA	193	NA	12 B
Cyanide	200 ST		0057-12-5	ug/l	10 U	10 U	5 U	NA	10 U	NA	10 U
Iron + Manganese	500 ST*		-	ug/l	17574	21401	17532	9143	9141	8022	5183.8

NOTES:

NS: Not sampled  
 NA: Not analyzed  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 B: Compound detected above instrument detection limit but below contract required detection limit  
 ST\*: Standard for the sum of iron and manganese is 500 ug/l  
 Concentration exceeds Standard/Guidance Value



Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-05D 11/12/2003 (ug/l)	MW-05D 03/02/2004 (ug/l)	MW-05D 05/25/2004 (ug/l)	MW-05D 08/23/2004 (ug/l)	MW-05D (ug/l)	MW-05D (ug/l)	MW-05D (ug/l)	MW-05D (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	32 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	1.6 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	2.1 U	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	24.3 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.14 B	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	38 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.25 B	0.5 B	0.30 B				
Calcium	-	7440-70-2	ug/l	20400	26000	17600	19900				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	1.9 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	1.5 B	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	1.3 B	NA				
Iron	300 ST	7439-89-6	ug/l	257	393	99.9 B	35.6 B				
Lead	25 ST	7439-92-1	ug/l	2.5 B	1.5 B	1.1 B	1.2 U				
Magnesium	35000 GV	7439-95-4	ug/l	4110 B	5030	3630 B	3700 B				
Manganese	300 ST	7439-96-5	ug/l	3570	3750	4750	5280				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	2.1 B	NA				
Potassium	-	7440-09-7	ug/l	6410	8980	5710	6430				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	1.8 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	12500	21100	12800	14200				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	1.9 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	14.7 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	3827	4643	4849.9	5315.6				

NOTES:

NS: Not sampled

ST\*: Standard for the sum of iron and manganese is 500 ug/l

█: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection

limit but below contract required detection limit

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA	Groundwater	Standards/Guidance Values	CAS #	DATE:	SITE:	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S
					DATE:	SITE:	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
					UNITS:		(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Aluminum	-	7429-90-5	ug/l	96.2	45.5 B	12.1	NA	143 B	NA	77.2 B	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Antimony	3 GV	7440-36-0	ug/l	3 U	1.7 U	12.3 U	NA	3.9 B	NA	3.5 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Arsenic	25 ST	7440-38-2	ug/l	9.6	3.2 B	8	NA	5.2 B	NA	6.0 B	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Barium	1000 ST	7440-39-3	ug/l	306	121 B	101	NA	121 B	NA	219	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Beryllium	3 GV	7440-41-7	ug/l	0.1	0.1 U	0.1 U	NA	0.4 U	NA	0.20 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Boron	1000 ST	7440-42-8	ug/l	NA	162	183	NA	167	NA	362	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.4 U	0.2 U	0.17 B	0.5 U	0.10 U	0.30 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U
Calcium	-	7440-70-2	ug/l	131000	64500	53100	61000	59500	571000	114000	62400	571000	571000	571000	571000	571000	571000	571000	571000	571000
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	20 U	20 U	NA	20 U	NA	20 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chromium Total	50 ST	7440-47-3	ug/l	1.3	3.5 U	0.6 U	NA	1.9 B	NA	1.8 B	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cobalt	-	7440-48-4	ug/l	2.2	0.9 U	1.7 U	NA	2.9 B	NA	5.0 B	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Copper	200 ST	7440-50-8	ug/l	0.7 U	1.5 U	1.5 U	NA	2.9 B	NA	2.9 B	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron	300 ST	7439-89-6	ug/l	58700	48000	40000	37700	31900	25400	46700	29000	25400	25400	25400	25400	25400	25400	25400	25400	25400
Lead	25 ST	7439-92-1	ug/l	1.0 U	1.4 B	1.9	1.3 B	1.4 U	1.5 U	0.86 B	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U
Magnesium	35000 GV	7439-95-4	ug/l	16400	6280	4680	5550	5080	5480	12300	6040	5480	5480	5480	5480	5480	5480	5480	5480	5480
Manganese	300 ST	7439-96-5	ug/l	837	543	430	804	1050	930	2570	1790	930	930	930	930	930	930	930	930	930
Mercury	0.7 ST	7439-97-6	ug/l	0.1 U	0.1 U	0.1 U	NA	0.1 U	NA	0.1 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Nickel	100 ST	7440-02-0	ug/l	1.3 U	1.9 U	1.4 U	NA	2.9 B	NA	4.8 B	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Potassium	-	7440-09-7	ug/l	18200	8250	8050	7460	6980	7490	10900	8980	7490	7490	7490	7490	7490	7490	7490	7490	7490
Selenium	10 ST	7782-49-2	ug/l	2.8 U	1.7 U	1.5 U	NA	2.4 U	NA	3.8 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Silver	50 ST	7440-22-4	ug/l	0.9 U	0.63 B	1.6 U	NA	1 U	NA	1 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sodium	20000 ST	7440-23-5	ug/l	18900	12800	13200	14900	13500	10300	19100	13900	10300	10300	10300	10300	10300	10300	10300	10300	10300
Thallium	0.5 GV	7440-28-0	ug/l	2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	2.5 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vanadium	-	7440-62-2	ug/l	1.2 U	0.7 U	1.7 U	NA	2 B	NA	1.8 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Zinc	2000 ST	7440-66-6	ug/l	14.2	2.2 U	3.6 U	NA	6.1 B	NA	67.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cyanide	200 ST	0057-12-5	ug/l	10 U	10 U	5 U	NA	10 U	NA	10 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Iron + Manganese	500 ST*	-	ug/l	-	-	-	-	-	-	49270	-	-	-	-	-	-	-	-	-	-

NOTES:

NS: Not sampled  
 Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection

limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-06S 11/11/2003 (ug/l)	MW-06S 02/27/2004 (ug/l)	MW-06S 05/24/2004 (ug/l)	MW-06S 08/20/2004 (ug/l)	MW-06S (ug/l)	MW-06S (ug/l)	MW-06S (ug/l)	MW-06S (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	34.7 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	1.6 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	6.4 B	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	125 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.1 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	279 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.20 U	0.61 B	0.30 U				
Calcium	-	7440-70-2	ug/l	78800	96000	69000	107000				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	1.2 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	3 B	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	0.9 U	NA				
Iron	300 ST	7439-89-6	ug/l	26500	48900	20700	52700				
Lead	25 ST	7439-92-1	ug/l	1.1 U	1.6 U	0.7 U	1.5 B				
Magnesium	35000 GV	7439-95-4	ug/l	8330	10800	9770	12800				
Manganese	300 ST	7439-96-5	ug/l	2250	3190	1350	1230				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	1.6 B	NA				
Potassium	-	7440-09-7	ug/l	9660	13400	13200	15100				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	1.8 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	20400	17700	10400	20800				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	1.9 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	8.4 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	28750	47090	22050	53930				

NOTES:

NS: Not sampled

ST\*: Standard for the sum of iron and manganese is 500 ug/l

█: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B : Compound detected above instrument detection  
limit but below contract required detection limit

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	DATE: SITE:	UNITS: (ug/l)	MW-061 02/01/2001 (ug/l)	MW-061 08/21/2002 (ug/l)	MW-061 11/21/2002 (ug/l)	MW-061 03/05/2003 (ug/l)	MW-061 06/05/2003 (ug/l)	MW-061 08/22/2003 (ug/l)
Aluminum	-		140	ug/l	17.6 B	16.4	NA	38.8 B	NA	14.2 B
Antimony	3 GV	7440-36-0	3 U	ug/l	1.7 U	12.3 U	NA	3.1 U	NA	3.5 U
Arsenic	25 ST	7440-38-2	4.3	ug/l	2.5 U	2.6	NA	4.5 U	NA	3.2 U
Barium	1000 ST	7440-39-3	107	ug/l	88.4 B	91.4	NA	39.9 B	NA	51.5 B
Beryllium	3 GV	7440-41-7	0.1	ug/l	0.1 U	0.14	NA	0.4 U	NA	0.2 U
Boron	1000 ST	7440-42-8	NA	ug/l	149	186	NA	209	NA	357
Cadmium	5 ST	7440-43-9	0.3 U	ug/l	0.4 U	0.2 U	0.29 B	0.5 U	0.10 U	0.30 U
Calcium	-	7440-70-2	33300	ug/l	36900	36000	19700	19100	20500	22400
Chromium Hexavalent	50 ST	18540-29-9	20 U	ug/l	20 U	20 U	NA	20 U	NA	20 U
Chromium Total	50 ST	7440-47-3	0.73	ug/l	3.5 U	0.6 U	NA	1.5 B	NA	0.70 U
Cobalt	-	7440-48-4	6.4	ug/l	3 B	2.3	NA	1.1 B	NA	2.5 B
Copper	200 ST	7440-50-8	3.9	ug/l	2.6 B	1.5 U	NA	9.6 B	NA	2.2 B
Iron	300 ST	7439-89-6	6490	ug/l	5150	3660	2660	1510	2320	4740
Lead	25 ST	7439-92-1	1	ug/l	1.4 U	1.1 U	1.9 B	1.4 U	1.5 U	0.80 U
Magnesium	3500 GV	7439-95-4	3810	ug/l	4020 B	3680	1890 B	1980 B	1790 B	2000 B
Manganese	300 ST	7439-96-5	2100	ug/l	805	807	383	277	392	843
Mercury	0.7 ST	7439-97-6	0.1 U	ug/l	0.1 U	0.1 U	NA	0.1 U	NA	0.1 U
Nickel	100 ST	7440-02-0	2	ug/l	1.9 U	1.4 U	NA	2.7 B	NA	1.5 B
Potassium	-	7440-09-7	7680	ug/l	8540	9670	5500	4310 B	5080	5290
Selenium	10 ST	7782-49-2	2.8 U	ug/l	1.7 U	1.5 U	NA	2.4 U	NA	3.8 U
Silver	50 ST	7440-22-4	0.9 U	ug/l	0.75 B	1.6 U	NA	1 U	NA	1 U
Sodium	20000 ST	7440-23-5	14000	ug/l	19600	17400	10700	9230	9870	11400
Thallium	0.5 GV	7440-28-0	2.6 U	ug/l	2.3 U	2.8 U	NA	4.2 U	NA	2.5 U
Vanadium	-	7440-62-2	1.2 U	ug/l	0.7 U	1.7 U	NA	0.62 B	NA	1.8 U
Zinc	2000 ST	7440-66-6	61.4	ug/l	5 B	3.6 U	NA	36.6	NA	9.3 B
Cyanide	200 ST	0057-12-5	10 U	ug/l	10 U	5 U	NA	10 U	NA	10 U
Iron + Manganese	500 ST*	-	-	ug/l	8590	5955	3043	1787	2712	5613

ST\*: Standard for the sum of iron and manganese is 500 ug/l

NS: Not sampled  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit

NOTES:

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-06I	MW-06I	MW-06I	MW-06I	MW-06I	MW-06I	MW-06I	MW-06I
				11/11/2003 (ug/l)	02/27/2004 (ug/l)	05/24/2004 (ug/l)	08/20/2004 (ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	59 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	1.6 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.7 B	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	32.7 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.1 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	398 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.20 U	0.2 U	0.30 U				
Calcium	-	7440-70-2	ug/l	21600	19700	18700	19600				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	0.69 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	1.2 B	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	9.3 B	NA				
Iron	300 ST	7439-89-6	ug/l	4570	4510	2250	1580				
Lead	25 ST	7439-92-1	ug/l	1.1 U	1.6 U	0.7 U	1.2 U				
Magnesium	35000 GV	7439-95-4	ug/l	2100 B	1930 B	2200 B	2020 B				
Manganese	300 ST	7439-96-5	ug/l	861	807	325	229				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	4.5 B	NA				
Potassium	-	7440-09-7	ug/l	5990	4200 B	4520 B	4420 B				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	1.8 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	9000	9820	8590	13600				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	1.9 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	26.8 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	5431	5317	2575	1809				

NOTES:

NS: Not sampled

ST\*: Standard for the sum of iron and manganese is 500 ug/l

[shaded box]: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection  
limit but below contract required detection limit

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA	Standards/Guidance Values	CAS #	DATE: 10/28/1997	SITE: MW-06D	UNITS: (ug/l)	MW-06D						MW-06D	MW-06D	MW-06D	MW-06D	MW-06D
							01/31/2001	08/22/2002	11/20/2002	03/05/2003	06/05/2003	08/22/2003					
Aluminum	-					320	12.2 U	14.9	NA	19.3 B	NA	NA	17.2 B				
Antimony	3 GV					3 U	1.7 U	12.3 U	NA	4.6 B	NA	NA	3.5 U				
Arsenic	25 ST					3.2	2.5 U	1.9 U	NA	4.5 U	NA	NA	3.2 U				
Barium	1000 ST					15.1	23.8 B	20.1	NA	19 B	NA	NA	20.4 B				
Beryllium	3 GV					0.1 U	0.1 U	0.1 U	NA	0.4 U	NA	NA	0.20 U				
Boron	1000 ST					NA	44.7 B	63.6	NA	63.2 B	NA	NA	54.9 B				
Cadmium	5 ST					0.3 U	0.4 U	0.2 U	0.16 B	0.5 U	0.10 U	0.10 U	0.30 U				
Calcium	-					5070	4640 B	4290	7740	6460	7600	6200	5050				
Chromium Hexavalent	50 ST					20 U	20 U	20 U	NA	20 U	NA	NA	20 U				
Chromium Total	50 ST					1.3	3.5 U	0.6 U	NA	1.5 B	NA	NA	0.70 U				
Cobalt	-					6.6	5.7 B	5.3	NA	6.2 B	NA	NA	5.3 B				
Copper	200 ST					2.5	2.1 B	1.5 U	NA	6.6 B	NA	NA	1.3 B				
Iron	300 ST					5220	5040	4000	6820	4120	6150	5330	4360				
Lead	25 ST					1.0 U	1.4 U	1.1 U	0.80 U	1.4 U	1.5 U	2.6 B	0.80 U				
Magnesium	35000 GV					2040	1930 B	1800	4020 B	3300 B	3580 B	2740 B	2080 B				
Manganese	300 ST					6800	8160	7680	12800	9440	11700	11200	8720				
Mercury	0.7 ST					0.1 U	0.1 U	0.1 U	NA	0.1 U	NA	NA	0.1 U				
Nickel	100 ST					3.3	2.3 B	2	NA	5.2 B	NA	NA	2.8 B				
Potassium	-					1140	1220 B	1260	1560 B	1180 B	1540 B	1680 B	1140 B				
Selenium	10 ST					2.8 U	4.3 B	2.9	NA	5.2	NA	NA	3.8 U				
Silver	50 ST					0.9 U	2.4 B	1.8	NA	1 U	NA	NA	1 U				
Sodium	20000 ST					11600	20400	17700	11800	11000	11400	10900	8960				
Thallium	0.5 GV					2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	NA	2.5 U				
Vanadium	-					1.2 U	0.7 U	1.7 U	NA	0.63 B	NA	NA	1.8 U				
Zinc	2000 ST					75.1	3.8 B	3.6 U	NA	31.8	NA	NA	8.8 B				
Cyanide	200 ST					10 U	10 U	5 U	NA	10 U	NA	NA	10 U				
Iron + Manganese	500 ST*					-	12020	13200	11680	13560	17850	16530	13080				

ST\*: Standard for the sum of iron and manganese is 500 ug/l

NS: Not sampled  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit

NOTES:

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-06D 11/11/2003 (ug/l)	MW-06D 02/27/2004 (ug/l)	MW-06D 05/24/2004 (ug/l)	MW-06D 08/20/2004 (ug/l)	MW-06D (ug/l)	MW-06D (ug/l)	MW-06D (ug/l)	MW-06D (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	87.6 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	1.6 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.4 B	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	4 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.1 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	55.8 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.20 U	0.23 B	0.30 U				
Calcium	-	7440-70-2	ug/l	5600	5820	6590	5290				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	0.96 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	0.9 B	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	5.8 B	NA				
Iron	300 ST	7439-89-6	ug/l	5030	5170	1610	3580				
Lead	25 ST	7439-92-1	ug/l	2.4 B	1.6 U	1.8 B	1.2 U				
Magnesium	35000 GV	7439-95-4	ug/l	2390 B	2470 B	2530 B	2380 B				
Manganese	300 ST	7439-96-5	ug/l	12500	10000	3730	8490				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	5.7 B	NA				
Potassium	-	7440-09-7	ug/l	1930 B	1340 B	1570 B	1440 B				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	1.8 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	8940	9980	7930	10100				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	1.9 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	45.8	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	17530	15120	5340	12070				

NOTES:

NS: Not sampled

█: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection  
limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class	Groundwater	Standards/Guidance Values	CAS #	DATE:	SITE:	UNITS:	12/01/2000	01/31/2001	08/21/2002	11/20/2002	03/05/2003	06/03/2003	08/22/2003
							(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Aluminum	-	7429-90-5	90.1	16 B	3 U	3 U	23.6	NA	37.1 B	NA	NA	NA	13.9	MW-071
Antimony	3 GV	7440-36-0	3 U	1.7 U	12.3 U	NA	3.1 U	NA	NA	NA	NA	NA	3.5 U	MW-071
Arsenic	25 ST	7440-38-2	2.4 U	2.5 U	1.9 U	NA	4.5 U	NA	NA	NA	NA	NA	3.2 U	MW-071
Barium	1000 ST	7440-39-3	32.2	39.6 B	29.3	NA	15.4 B	NA	NA	NA	NA	NA	21.6 B	MW-071
Beryllium	3 GV	7440-41-7	0.1 U	0.1 U	0.1 U	NA	0.4 U	NA	30.1 B	NA	NA	NA	0.20 U	MW-071
Boron	1000 ST	7440-42-8	NA	33 B	45.4	NA	0.4 U	NA	0.12 B	0.5 U	0.10 U	NA	38.1 B	MW-071
Cadmium	5 ST	7440-43-9	0.47	0.4 U	0.2 U	0.29 B	0.5 U	0.12 B	0.10 U	0.30 U	8160	0.30 U	8160	MW-071
Calcium	-	7440-70-2	8890	20000	14700	9820	7360	8670	8420	8160	20 U	20 U	20 U	MW-071
Chromium Hexavalent	50 ST	18540-29-9	20 U	20 U	20 U	NA	20 U	NA	NA	20 U	20 U	NA	20 U	MW-071
Chromium Total	50 ST	7440-47-3	0.8	3.5 U	0.6 U	NA	0.8 U	NA	NA	0.70 U	0.70 U	0.70 U	0.70 U	MW-071
Cobalt	-	7440-48-4	2.3	0.9 U	1.7 U	NA	1 U	NA	NA	2.1 U	2.1 U	2.1 U	2.1 U	MW-071
Copper	200 ST	7440-50-8	1.6	1.5 U	1.5 U	NA	3.9 B	NA	NA	1.3 B	1.3 B	1.3 B	1.3 B	MW-071
Iron	300 ST	7439-89-6	396	26.2 B	35.2	350	172	53.9 B	41.4 B	45.0 B	45.0 B	45.0 B	45.0 B	MW-071
Lead	25 ST	7439-92-1	2.8	1.4 U	1.1 U	1.6 B	1.5 B	1.5 U	1.5 U	0.80 U	0.80 U	0.80 U	0.80 U	MW-071
Magnesium	3500 GV	7439-95-4	1300	4310 B	3080	1630 B	1150 B	1470	1410 B	1060 B	1060 B	1060 B	1060 B	MW-071
Manganese	300 ST	7439-96-5	519	6310	5140	2620	1390	2340	3320	2210	2210	2210	2210	MW-071
Mercury	0.7 ST	7439-97-6	0.1 U	0.1 U	0.1 U	NA	0.1 U	NA	NA	0.10 U	0.10 U	0.10 U	0.10 U	MW-071
Nickel	100 ST	7440-02-0	1.8	1.9 U	1.4 U	NA	1.1 U	NA	NA	1.5 U	1.5 U	1.5 U	1.5 U	MW-071
Potassium	-	7440-09-7	3840	2590 B	2460	2330B	2000 B	2020 B	2580 B	2100 B	2100 B	2100 B	2100 B	MW-071
Selenium	10 ST	7782-49-2	2.8 U	1.7 U	1.8	NA	2.4 U	NA	NA	3.8 U	3.8 U	3.8 U	3.8 U	MW-071
Silver	50 ST	7440-22-4	0.9 U	1 B	1.6 U	NA	1 U	NA	NA	1.0 U	1.0 U	1.0 U	1.0 U	MW-071
Sodium	20000 ST	7440-23-5	6950	22300	19600	10700	7960	9570	21100	10200	10200	10200	10200	MW-071
Talium	0.5 GV	7440-28-0	2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	NA	2.5 U	2.5 U	2.5 U	2.5 U	MW-071
Vanadium	-	7440-62-2	1.2 U	0.7 U	1.7 U	NA	0.6 U	NA	NA	1.8 U	1.8 U	1.8 U	1.8 U	MW-071
Zinc	2000 ST	7440-66-6	51.7	3.8 B	3.6 U	NA	27.9	NA	NA	8.4 B	8.4 B	8.4 B	8.4 B	MW-071
Cyanide	200 ST	0057-12-5	10 U	10 U	5 U	NA	10 U	NA	NA	10 U	10 U	10 U	10 U	MW-071
Iron + Manganese	500 ST*	-	915	6536.2	5175.2	2970	1562	2393.9	3361.4	2255	2255	2255	2255	MW-071

ST\*: Standard for the sum of iron and manganese is 500 ug/l

NS: Not sampled  
 NA: Not analyzed  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 B: Compound detected above instrument detection limit but below contract required detection limit

NOTES:



Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-07I	MW-07I	MW-07I	MW-07I	MW-07I	MW-07I	MW-07I	MW-07I
				11/11/2003 (ug/l)	02/27/2004 (ug/l)	05/20/2004 (ug/l)	08/20/2004 (ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	16.3 U	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.4 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.6 U	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	34.3 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.2 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	28.9 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.36 B	0.3 U	0.30 U				
Calcium	-	7440-70-2	ug/l	7020	12400	13300	10800				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	1.2 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	1.5 U	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	4.2 B	NA				
Iron	300 ST	7439-89-6	ug/l	172	55.0 B	65.2 B	78.6 B				
Lead	25 ST	7439-92-1	ug/l	1.1 U	1.6 U	1.2 U	1.2 U				
Magnesium	35000 GV	7439-95-4	ug/l	1290 B	1960 B	2150 B	1660 B				
Manganese	300 ST	7439-96-5	ug/l	1210	4770	5700	4490				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	1.6 U	NA				
Potassium	-	7440-09-7	ug/l	1730 B	2600 B	2450 B	3470 B				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	2.1 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 B	NA				
Sodium	20000 ST	7440-23-5	ug/l	7950	13200	15700	18200				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.8 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1.7 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	20.4 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	1382	4825	5765	4568.6				

NOTES:

NS: Not sampled

█: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection  
limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA	Groundwater	Standards/Guidance Values	CAS #	SITE: DATE: 10/31/1997	MW-11S 12/13/2000	MW-11S 02/07/2001	MW-11S 08/22/2002	MW-11S 11/21/2002	MW-11S 03/06/2003	MW-11S 06/04/2003	MW-11S 08/21/2003
					UNITS: (ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Aluminum	-	7429-90-5	703	31.7	47.7	NA	127 B	NA	17.4 B	NA	17.4 B	17.4 B
Antimony	3 GV	7440-36-0	3 U	1.7 U	12.3 U	NA	3.1 U	NA	3.5 U	NA	3.5 U	3.5 U
Arsenic	25 ST	7440-38-2	2.4 U	2.5 U	1.9 U	NA	4.5 U	NA	3.2 U	NA	3.2 U	3.2 U
Barium	1000 ST	7440-39-3	30.5	27.3	24.1	NA	28.3 B	NA	8.8 B	NA	8.8 B	8.8 B
Beryllium	3 GV	7440-41-7	0.1 U	0.1 U	0.1 U	NA	0.4 U	NA	0.20 U	NA	0.20 U	0.20 U
Boron	1000 ST	7440-42-8	NA	635	630	NA	206	NA	160	NA	160	160
Cadmium	5 ST	7440-43-9	0.3 U	0.4 U	0.2 U	0.10 U	0.5 U	0.10 U	0.30 U	0.10 U	0.30 U	0.30 U
Calcium	-	7440-70-2	39100	58600	53800	46600	51800	51500	9900	78300	9900	9900
Chromium Hexavalent	50 ST	18540-29-9	20 U	20 U	20 U	NA	20 U	NA	20 U	NA	20 U	20 U
Chromium Total	50 ST	7440-47-3	0.73	3.5 U	9.8	NA	38.9	NA	0.70 U	NA	0.70 U	0.70 U
Cobalt	-	7440-48-4	2.1	1.4	1.8	NA	1.8 B	NA	18.2 B	NA	18.2 B	18.2 B
Copper	200 ST	7440-50-8	3.2	3.2	3	NA	2.9 B	NA	1.8 B	NA	1.8 B	1.8 B
Iron	300 ST	7439-89-6	739	45.6	65.1	4820	575	193	107	193	107	107
Lead	25 ST	7439-92-1	1 U	1.4 U	1.1 U	0.80 U	1.4 U	1.5 U	0.80 U	1.5 B	0.80 U	0.80 U
Magnesium	35000 GV	7439-95-4	4000	6250	5770	4090 B	5250	5880	1750 B	7590	1750 B	1750 B
Manganese	300 ST	7439-96-5	1820	5290	4340	1230	1270	843	624	541	624	624
Mercury	0.7 ST	7439-97-6	0.1 U	0.1 U	0.1 U	NA	0.1 U	NA	0.10 U	NA	0.10 U	0.10 U
Nickel	100 ST	7440-02-0	2.6	3.1	3.3	NA	3.9 B	NA	39.3 B	NA	39.3 B	39.3 B
Potassium	-	7440-09-7	8620	9070	7980	6970	6570	9540	1390 B	15100	1390 B	1390 B
Selenium	10 ST	7782-49-2	2.8 U	3	3	NA	2.4 U	NA	3.8 U	NA	3.8 U	3.8 U
Silver	50 ST	7440-22-4	0.9 U	3.6	1.6 U	NA	1 U	NA	1 U	NA	1 U	1 U
Sodium	20000 ST	7440-23-5	43700	37900	26900	15000	16700	20300	13800	54200	13800	13800
Thallium	0.5 GV	7440-28-0	3.2	2.3 U	2.8 U	NA	4.2 U	NA	3.2 B	NA	3.2 B	3.2 B
Vanadium	-	7440-62-2	1.8	0.98	1.7 U	NA	0.97 B	NA	1.8 U	NA	1.8 U	1.8 U
Zinc	2000 ST	7440-66-6	12.7	2.2 U	3.6 U	NA	15.2 B	NA	6.6 B	NA	6.6 B	6.6 B
Cyanide	200 ST	0057-12-5	10 U	10 U	5 U	NA	10 U	NA	10 U	NA	10 U	10 U
Iron + Manganese	500 ST*	-	ug/l	2559	5335.6	4405.1	6050	1845	731	1114	734	731

NOTES:

NS: Not sampled  
 Concentration exceeds Standard/Guidance Value  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-11S 11/13/2003 (ug/l)	MW-11S 03/01/2004 (ug/l)	MW-11S 05/21/2004 (ug/l)	MW-11S 08/24/2004 (ug/l)	MW-11S (ug/l)	MW-11S (ug/l)	MW-11S (ug/l)	MW-11S (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	39.9 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.4 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.6 U	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	31.4 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.2 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	176 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.20 U	0.3 U	0.20 U				
Calcium	-	7440-70-2	ug/l	66600	94900	53300	63600				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	64.7	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	1.8 B	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	8 B	NA				
Iron	300 ST	7439-89-6	ug/l	636	1210	772	40.4 B				
Lead	25 ST	7439-92-1	ug/l	1.1 U	1.6 U	1.2 U	0.70 U				
Magnesium	35000 GV	7439-95-4	ug/l	5100	7510	5430	5180				
Manganese	300 ST	7439-96-5	ug/l	207	172	348	239				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	10.2 B	NA				
Potassium	-	7440-09-7	ug/l	15100	13700	12000	15100				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	2.3 B	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	70700	47700	34300	45400				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.8 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1.7 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	3.9 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	848	1482	1120	279.4				

NOTES:

NS: Not sampled

ST\*: Standard for the sum of iron and manganese is 500 ug/l

█: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection  
limit but below contract required detection limit

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	Standards/Guidance Values	CAS #	DATE:	SITE:	UNITS:	10/31/1997	12/13/2000	02/07/2001	08/22/2002	11/21/2002	03/06/2003	06/04/2003	08/21/2003
					(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Aluminum	-	7429-90-5			ug/l	113	22.3	11.8 U	NA	32.8 B	NA	NA	23.8 B
Antimony	3 GV	7440-36-0			ug/l	3 U	1.7 U	12.3 U	NA	3.1 U	NA	NA	3.5 U
Arsenic	25 ST	7440-38-2			ug/l	2.4 U	2.5 U	1.9 U	NA	4.5 U	NA	NA	3.2 U
Barium	1000 ST	7440-39-3			ug/l	22.2	13.1	10.3	NA	12.3 B	NA	NA	46.1 B
Beryllium	3 GV	7440-41-7			ug/l	0.1 U	0.1 U	0.1 U	NA	0.4 U	NA	NA	0.20 U
Boron	1000 ST	7440-42-8			ug/l	NA	98.2	84	NA	207	NA	NA	124
Cadmium	5 ST	7440-43-9			ug/l	0.3 U	0.4 U	0.23	0.20 B	0.5 U	0.10 U	0.10 U	0.30 U
Calcium	-	7440-70-2			ug/l	10200	9570	9150	8810	15000	15400	16400	77300
Chromium Hexavalent	50 ST	18540-29-9			ug/l	20 U	20 U	20 U	NA	20 U	NA	NA	20 U
Chromium Total	50 ST	7440-47-3			ug/l	0.4 U	3.5 U	0.6 U	NA	2.2 B	NA	NA	177
Cobalt	-	7440-48-4			ug/l	4.7	4	3.2	NA	5 B	NA	NA	2.1 U
Copper	200 ST	7440-50-8			ug/l	3.1	2.4	1.5 U	NA	2.8 B	NA	NA	7.7 B
Iron	300 ST	7439-89-6			ug/l	191	24.1	10.2	313	130	63.3 B	58 B	908
Lead	25 ST	7439-92-1			ug/l	1.7 U	1.4 U	1.1 U	0.80 U	1.4 U	1.5 U	1.5 U	0.80 U
Magnesium	35000 GV	7439-95-4			ug/l	6510	2670	2670	2620 B	3740 B	3120 B	3180 B	6750
Manganese	300 ST	7439-96-5			ug/l	245	1590	1340	394	327	1000	1500	248
Mercury	0.7 ST	7439-97-6			ug/l	0.3 U	0.1 U	0.1 U	NA	0.1 U	NA	NA	0.10 U
Nickel	100 ST	7440-02-0			ug/l	4.3	3.5	2.5	NA	8.4 B	NA	NA	14.7 B
Potassium	-	7440-09-7			ug/l	3870	2690	2270	1640 B	1740 B	1830 B	2050 B	14700
Selenium	10 ST	7782-49-2			ug/l	8.4 U	1.7 U	1.5 U	NA	2.4 U	NA	NA	3.8 U
Silver	50 ST	7440-22-4			ug/l	2.8 U	1.7	1.6 U	NA	1 U	NA	NA	1 U
Sodium	20000 ST	7440-23-5			ug/l	11100	13200	10400	6680	9510	11400	12600	78800
Thallium	0.5 GV	7440-28-0			ug/l	2.3 U	2.3 U	2.8 U	NA	4.2 U	NA	NA	2.5 U
Vanadium	-	7440-62-2			ug/l	2.6 U	0.95	1.7 U	NA	0.6 U	NA	NA	1.8 U
Zinc	2000 ST	7440-66-6			ug/l	100	5.4	4.1	NA	51.4	NA	NA	8.6
Cyanide	200 ST	0057-12-5			ug/l	10 U	10 U	5 U	NA	10 U	NA	NA	10 U
Iron + Manganese	500 ST*	-			ug/l	436	1614.1	1350.2	707	457	1063.3	1558	1156

ST\*: Standard for the sum of iron and manganese is 500 ug/l

NS: Not sampled  
 : Concentration exceeds Standard/Guidance Value  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit

NOTES:

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-111 11/13/2003 (ug/l)	MW-111 03/01/2004 (ug/l)	MW-111 05/21/2004 (ug/l)	MW-111 08/24/2004 (ug/l)	MW-111 (ug/l)	MW-111 (ug/l)	MW-111 (ug/l)	MW-111 (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	16.3 U	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.4 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.6 U	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	8.8 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.2 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	148 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.29 B	0.3 U	0.23 B				
Calcium	-	7440-70-2	ug/l	7960	16400	14000	12000				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	0.6 U	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	25.9 B	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	3.8 B	NA				
Iron	300 ST	7439-89-6	ug/l	56.5 B	31.2 B	29.7 B	26.2 B				
Lead	25 ST	7439-92-1	ug/l	1.2 B	1.6 U	1.2 U	0.70 U				
Magnesium	35000 GV	7439-95-4	ug/l	1400 B	2840 B	2480 B	2300 B				
Manganese	300 ST	7439-96-5	ug/l	247	1630	1350	1430				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	33.8 B	NA				
Potassium	-	7440-09-7	ug/l	1420 B	1690 B	1300 B	1720 B				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	2.6 B	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	13900	14400	6370	7180				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.8 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1.7 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	4.7 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	303.5	1661.2	1379.7	1456.2				

NOTES:

NS: Not sampled

ST\*: Standard for the sum of iron and manganese is 500 ug/l

█: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection

limit but below contract required detection limit

**SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS**

CONSTITUENT	NYSDEC Class CA	Groundwater	Standards/Guidance Values	CAS #	DATE:	SITE:	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D
					10/31/1997	12/13/2000	02/07/2001	08/22/2002	11/21/2002	03/06/2003	06/04/2003	08/21/2003								
					(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)								
Aluminum	-				473	578	581	NA	717	NA	NA	629								
Antimony	3 GV				3 U	1.7 U	12.3 U	NA	3.1 U	NA	NA	3.5 U								
Arsenic	25 ST				2.4 U	2.5 U	1.9 U	NA	4.5 U	NA	NA	3.2 U								
Barium	1000 ST				27.8	34	31.9	NA	37.1 B	NA	NA	38.4 B								
Beryllium	3 GV				0.1 U	0.22	0.13	NA	0.4 U	NA	NA	0.20 U								
Boron	1000 ST				NA	42.2	32.6	NA	311	NA	NA	144								
Cadmium	5 ST				0.3 U	0.4 U	0.22	0.28 B	0.5 U	0.10 U	0.11 B	0.30 U								
Calcium	-				7300	4290	5130	7280	6940	5900	6120	6990								
Chromium Hexavalent	50 ST				20 U	20 U	20 U	NA	20 U	NA	NA	20 U								
Chromium Total	50 ST				0.43	3.5 U	1.6	NA	1.6 B	NA	NA	1.3 B								
Cobalt	-				1.1 U	0.9 U	1.7 U	NA	1 U	NA	NA	2.1 U								
Copper	200 ST				0.7 U	2.3	1.5 U	NA	1.9 B	NA	NA	1.1 U								
Iron	300 ST				153	16.7	30.6	566	261	155	59.9 B	43.5 B								
Lead	25 ST				1 U	1.4 U	1.1 U	2.0 B	1.4 B	1.5 U	1.5 U	0.8 U								
Magnesium	3500 GV				1330	1340	1440	1480 B	1810 B	1580 B	1650 B	1940 B								
Manganese	300 ST				74.6	76.7	83.5	398	188	143	144	178								
Mercury	0.7 ST				0.1 U	0.1 U	0.1 U	NA	0.1 U	NA	NA	0.10 U								
Nickel	100 ST				2.1	5.3	5.8	NA	12 B	NA	NA	12.4 B								
Potassium	-				10000	6950	7120	2530 B	5190	5200	6460	5530								
Selenium	10 ST				2.8 U	1.7 U	2	NA	2.4 U	NA	NA	3.8 U								
Silver	50 ST				0.9 U	1.2	1.6 U	NA	1 U	NA	NA	1 U								
Sodium	20000 ST				8050	7840	7610	6010	9640	9940	10900	10500								
Thallium	0.5 GV				2.7	2.3 U	2.8 U	NA	4.2 U	NA	NA	2.5 U								
Vanadium	-				1.4	0.7 U	1.7 U	NA	0.6 U	NA	NA	1.8 U								
Zinc	2000 ST				19	2.8	13.6	NA	21	NA	NA	6.0 B								
Cyanide	200 ST				10 U	10 U	5 U	NA	10 U	NA	NA	10 U								
Iron + Manganese	500 ST*				227.6	93.4	114.1	964	449	298	203.9	221.5								

**NOTES:**  
 NS: Not sampled  
 : Concentration exceeds Standard/Guidance Value  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit  
 ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-11D 11/13/2003 (ug/l)	MW-11D 03/01/2004 (ug/l)	MW-11D 05/21/2004 (ug/l)	MW-11D 08/24/2004 (ug/l)	MW-11D (ug/l)	MW-11D (ug/l)	MW-11D (ug/l)	MW-11D (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	1250	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.4 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.6 U	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	47.4 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.22 B	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	61 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.22 B	0.3 U	0.57 B				
Calcium	-	7440-70-2	ug/l	7920	8560	11800	14100				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	2.7 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	1.5 U	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	3.3 B	NA				
Iron	300 ST	7439-89-6	ug/l	162	38.0 B	556	1190				
Lead	25 ST	7439-92-1	ug/l	1.2 B	1.6 U	4.2	8.8				
Magnesium	35000 GV	7439-95-4	ug/l	2140 B	2330 B	2080 B	2650 B				
Manganese	300 ST	7439-96-5	ug/l	171	227	233	218				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	14 B	NA				
Potassium	-	7440-09-7	ug/l	7020	7170	6450	8810				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	2.1 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	11000	13300	10600	11700				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.8 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1.7 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	13 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	333	265	789	1408				

NOTES:

NS: Not sampled

█: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection  
limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA	Groundwater	Standards/Guidance Values	CAS #	UNITS:	SITE: DATE:	MW-12S 10/31/1997	MW-12S 12/07/2000	MW-12S 02/05/2001	MW-12S 08/22/2002	MW-12S "F" 11/21/2002	MW-12S 03/06/2003	MW-12S 06/04/2003	MW-12S 08/21/2003
Aluminum	-	7429-90-5	ug/l	275	135 B	109	NA	NA	182 B	NA	NA	NA	13.9 U	13.9 U
Antimony	3 GV	7440-36-0	ug/l	3 U	1.7 U	12.3 U	NA	NA	3.1 U	NA	NA	NA	3.5 U	3.5 U
Arsenic	25 ST	7440-38-2	ug/l	2.4 U	2.5 U	1.9 U	NA	NA	4.5 U	NA	NA	NA	3.2 U	3.2 U
Barium	1000 ST	7440-39-3	ug/l	24.7	35.5 B	32.6	NA	NA	32.7 B	NA	NA	NA	29.1 B	29.1 B
Beryllium	3 GV	7440-41-7	ug/l	0.1 U	0.1 U	0.1 U	NA	NA	0.4 U	NA	NA	NA	0.20 U	0.20 U
Boron	1000 ST	7440-42-8	ug/l	NA	102	108	NA	NA	94.5 B	NA	NA	NA	103	103
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.4 U	0.2 U	0.10 U	0.10 U	0.5 U	0.10 U	0.10 U	0.10 U	0.30 U	0.30 U
Calcium	-	7440-70-2	ug/l	32500	33500	38700	45800	45600	42500	40400	28700	46600	46600	46600
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	20 U	20 U	NA	NA	20 U	NA	NA	NA	20 U	20 U
Chromium Total	50 ST	7440-47-3	ug/l	8.3	8.7 B	3	NA	NA	52.5	NA	NA	NA	9.5 B	9.5 B
Cobalt	-	7440-48-4	ug/l	1.1 U	0.9 U	1.7 U	NA	NA	1 U	NA	NA	NA	2.1 U	2.1 U
Copper	200 ST	7440-50-8	ug/l	0.7 U	3.2 B	1.5 U	NA	NA	2.8 B	NA	NA	NA	1.3 B	1.3 B
Iron	300 ST	7439-89-6	ug/l	326	170	88.4	23200	2390	504	81.8 B	63.5 B	63.5 B	63.5 B	63.5 B
Lead	25 ST	7439-92-1	ug/l	1.0 U	1.4 U	1.1 U	2.9 B	0.8 U	1.4 U	1.5 U	0.80 U	0.80 U	0.80 U	0.80 U
Magnesium	35000 GV	7439-95-4	ug/l	1730	1990 B	2280	2530 B	2430 B	2080 B	1720 B	2470 B	2470 B	2470 B	2470 B
Manganese	300 ST	7439-96-5	ug/l	29.2	45	14.1	247	36.2	20.3	4.8 B	3.4 B	3.4 B	3.4 B	3.4 B
Mercury	0.7 ST	7439-97-6	ug/l	0.1 U	0.1 U	0.1 U	NA	NA	0.1 U	NA	NA	NA	0.1 U	0.1 U
Nickel	100 ST	7440-02-0	ug/l	1.3 U	3.5 B	1.4 U	NA	NA	2.7 B	NA	NA	NA	2.6 B	2.6 B
Potassium	-	7440-09-7	ug/l	14700	14900	15400	14400	14200	10700	13500	9400	10700	10700	10700
Selenium	10 ST	7782-49-2	ug/l	2.8 U	1.7 U	1.5 U	NA	NA	2.4 U	NA	NA	NA	3.8 U	3.8 U
Silver	50 ST	7440-22-4	ug/l	0.9 U	0.5 U	1.6 U	NA	NA	1 U	NA	NA	NA	1 U	1 U
Sodium	20000 ST	7440-23-5	ug/l	17800	18000	21100	20200	20500	14300	75400	16200	16200	16200	16200
Thallium	0.5 GV	7440-28-0	ug/l	2.6 U	2.3 U	2.8 U	NA	NA	4.2 U	NA	NA	NA	2.5 U	2.5 U
Vanadium	-	7440-62-2	ug/l	1.2 U	0.98 B	1.7 U	NA	NA	1.6 B	NA	NA	NA	1.8 U	1.8 U
Zinc	2000 ST	7440-66-6	ug/l	15	2.2 U	3.6 U	NA	NA	13.9 B	NA	NA	NA	5.3 B	5.3 B
Cyanide	200 ST	0057-12-5	ug/l	10 U	10 U	5 U	NA	NA	10 U	NA	NA	NA	10 U	10 U
Iron + Manganese	500 ST*	-	ug/l	355.2	215	102.5	23447	2426.2	524.3	276.8	86.6	86.6	66.9	66.9

NOTES:

NS: Not sampled  
 Concentration exceeds Standard/Guidance Value

"F": Filtered by lab for dissolved metals  
 ST\*: Standard for the sum of iron and manganese is 500 ug/l

U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit



Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-12S 11/13/2003 (ug/l)	MW-12S 03/01/2004 (ug/l)	MW-12S 05/21/2004 (ug/l)	MW-12S 08/24/2004 (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)	MW-12S (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	22.3 B	NA					
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.4 U	NA					
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.6 U	NA					
Barium	1000 ST	7440-39-3	ug/l	NA	NA	26.8 B	NA					
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.2 U	NA					
Boron	1000 ST	7440-42-8	ug/l	NA	NA	57.3 B	NA					
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.20 U	0.3 U	0.20 U					
Calcium	-	7440-70-2	ug/l	43000	46700	36300	46000					
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA					
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	41.6	NA					
Cobalt	-	7440-48-4	ug/l	NA	NA	1.5 U	NA					
Copper	200 ST	7440-50-8	ug/l	NA	NA	3.9 B	NA					
Iron	300 ST	7439-89-6	ug/l	40.6 B	32.4	330	203					
Lead	25 ST	7439-92-1	ug/l	1.6 B	1.6 U	1.2 U	0.70 U					
Magnesium	35000 GV	7439-95-4	ug/l	2260 B	2580 B	1880 B	2820 B					
Manganese	300 ST	7439-96-5	ug/l	6.2 B	33.7	22.8	6.0 B					
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA					
Nickel	100 ST	7440-02-0	ug/l	NA	NA	10.6 B	NA					
Potassium	-	7440-09-7	ug/l	26900	17500	15000	12600					
Selenium	10 ST	7782-49-2	ug/l	NA	NA	3.1 B	NA					
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA					
Sodium	20000 ST	7440-23-5	ug/l	25900	38000	30300	45000					
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.8 U	NA					
Vanadium	-	7440-62-2	ug/l	NA	NA	1.7 U	NA					
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	6 B	NA					
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA					
Iron + Manganese	500 ST*	-	ug/l	46.8	357.7	352.8	209					

NOTES:

NS: Not sampled

[shaded box]: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B : Compound detected above instrument detection

limit but below contract required detection limit

"F": Filtered by lab for dissolved metals

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	DATE: 10/31/1997	SITE: MW-121	UNITS: (ug/l)	DATE: 02/08/2001	SITE: MW-121	UNITS: (ug/l)	DATE: 08/22/2002	SITE: MW-121	UNITS: (ug/l)	DATE: 03/06/2003	SITE: MW-121	UNITS: (ug/l)	DATE: 06/04/2003	SITE: MW-121	UNITS: (ug/l)	DATE: 08/21/2003	SITE: MW-121	UNITS: (ug/l)
Aluminum	-		7429-90-5	ug/l	281	38.1 B	13.5	NA	88.5 B	NA	23.4 B	NA	NA	23.4 B	NA	NA	23.4 B	NA	NA	23.4 B
Antimony	3 GV		7440-36-0	ug/l	3 U	1.7 U	12.3 U	NA	3.1 U	NA	3.5 U	NA	NA	3.5 U	NA	NA	3.5 U	NA	NA	3.5 U
Arsenic	25 ST		7440-38-2	ug/l	2.4 U	2.5 U	1.9 U	NA	4.5 U	NA	3.2 U	NA	NA	3.2 U	NA	NA	3.2 U	NA	NA	3.2 U
Barium	1000 ST	3 GV	7440-39-3	ug/l	25.1	20.2 B	12.6	NA	16.8 B	NA	4.9 B	NA	NA	4.9 B	NA	NA	4.9 B	NA	NA	4.9 B
Beryllium	3 GV		7440-41-7	ug/l	0.1 U	0.1 U	0.1 U	NA	0.4 U	NA	0.20 U	NA	NA	0.20 U	NA	NA	0.20 U	NA	NA	0.20 U
Boron	1000 ST		7440-42-8	ug/l	NA	865	423	NA	47.6 B	NA	42.4 B	NA	NA	42.4 B	NA	NA	42.4 B	NA	NA	42.4 B
Cadmium	5 ST		7440-43-9	ug/l	0.3 U	0.4 U	0.2 U	0.10 U	0.5 U	0.10 U	0.30 U	0.10 U	0.10 U	0.30 U	0.10 U	0.10 U	0.30 U	0.10 U	0.10 U	0.30 U
Calcium	-		7440-70-2	ug/l	13000	13500	9680	4240 B	6480	4390 B	4020 B	6470	4020 B	4020 B	6470	4020 B	4020 B	6470	4020 B	4020 B
Chromium Hexavalent	50 ST		18540-29-9	ug/l	20 U	20 U	20 U	NA	20 U	NA	20 U	NA	NA	20 U	NA	NA	20 U	NA	NA	20 U
Chromium Total	50 ST		7440-47-3	ug/l	0.4 U	3.5 U	0.6 U	NA	2.7 B	NA	0.70 U	NA	NA	0.70 U	NA	NA	0.70 U	NA	NA	0.70 U
Cobalt	-		7440-48-4	ug/l	1.1 U	0.9 U	1.7 U	NA	1.2 B	NA	2.1 U	NA	NA	2.1 U	NA	NA	2.1 U	NA	NA	2.1 U
Copper	200 ST		7440-50-8	ug/l	1	2.4 B	1.5 U	NA	2.8 B	NA	1.1 U	NA	NA	1.1 U	NA	NA	1.1 U	NA	NA	1.1 U
Iron	300 ST		7439-89-6	ug/l	213	20.9 B	12.4	257	312	37.3 B	25.8 B	48.5 B	25.8 B	25.8 B	48.5 B	25.8 B	25.8 B	48.5 B	25.8 B	25.8 B
Lead	25 ST		7439-92-1	ug/l	1 U	1.4 U	1.1 U	0.80 U	1.9 B	1.5 U	0.80 U	1.5 U	0.80 U	0.80 U	1.5 U	0.80 U	0.80 U	1.5 U	0.80 U	0.80 U
Magnesium	35000 GV		7439-95-4	ug/l	4930	3600 B	2400	1220 B	1680 B	1250 B	1260 B	2120 B	1260 B	1260 B	2120 B	1260 B	1260 B	2120 B	1260 B	1260 B
Manganese	300 ST		7439-96-5	ug/l	1290	1300	1070	345	289	153	132	233	132	132	233	132	132	233	132	132
Mercury	0.7 ST		7439-97-6	ug/l	0.1 U	NA	0.1 U	NA	0.1 U	NA	0.1 U	NA	0.1 U	0.1 U	NA	NA	0.1 U	NA	NA	0.1 U
Nickel	100 ST		7440-02-0	ug/l	1.5	1.9 U	1.4 U	NA	3 B	NA	1.5 U	NA	1.5 U	1.5 U	NA	NA	1.5 U	NA	NA	1.5 U
Potassium	-		7440-09-7	ug/l	1520	2110 B	1810	915 B	1330 B	796 B	692 B	1180 B	692 B	692 B	1180 B	692 B	692 B	1180 B	692 B	692 B
Selenium	10 ST		7782-49-2	ug/l	2.8 U	1.7 U	1.5 U	NA	2.4 U	NA	3.8 U	NA	3.8 U	3.8 U	NA	NA	3.8 U	NA	NA	3.8 U
Silver	50 ST		7440-22-4	ug/l	0.9 U	0.65 B	1.6 U	NA	1 U	NA	1 U	NA	1 U	1 U	NA	NA	1 U	NA	NA	1 U
Sodium	20000 ST		7440-23-5	ug/l	10800	22500	13900	5820	6080	5320	5990	8590	5990	5990	8590	5990	5990	8590	5990	5990
Thallium	0.5 GV		7440-28-0	ug/l	2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	2.5 U	NA	2.5 U	2.5 U	NA	NA	2.5 U	NA	NA	2.5 U
Vanadium	-		7440-62-2	ug/l	1.2 U	0.7 U	1.7 U	NA	1.4 B	NA	1.8 U	NA	1.8 U	1.8 U	NA	NA	1.8 U	NA	NA	1.8 U
Zinc	2000 ST		7440-66-6	ug/l	39.2	13.7 B	9	NA	44.9	NA	8.2 B	NA	8.2 B	8.2 B	NA	NA	8.2 B	NA	NA	8.2 B
Cyanide	200 ST		0057-12-5	ug/l	10 U	10 U	5 U	NA	10 U	NA	10 U	NA	10 U	10 U	NA	NA	10 U	NA	NA	10 U
Iron + Manganese	500 ST*		-	ug/l	1503	1320.9	1082.4	602	601	190.3	157.8	281.5	157.8	157.8	281.5	157.8	157.8	281.5	157.8	157.8

NOTES:

NS: Not sampled  
 : Concentration exceeds Standard/Guidance Value  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-12I 11/13/2003 (ug/l)	MW-12I 03/01/2004 (ug/l)	MW-12I 05/21/2004 (ug/l)	MW-12I 08/24/2004 (ug/l)	MW-12I (ug/l)	MW-12I (ug/l)	MW-12I (ug/l)	MW-12I (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	18.2 B	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.4 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.6 U	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	6 B	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	2 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	36.8 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.21 B	0.3 U	0.39 B				
Calcium	-	7440-70-2	ug/l	4040 B	3880 B	3270 B	5770				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	0.7 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	1.5 U	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	3 B	NA				
Iron	300 ST	7439-89-6	ug/l	30.1 B	63.3 B	61.8 B	23.2 B				
Lead	25 ST	7439-92-1	ug/l	1.5 B	1.6 U	1.2 U	0.70 U				
Magnesium	35000 GV	7439-95-4	ug/l	1280 B	1160 B	982 B	1840 B				
Manganese	300 ST	7439-96-5	ug/l	125	127	86.4	222				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	1.6 U	NA				
Potassium	-	7440-09-7	ug/l	688 B	757 I	658 B	1280 B				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	2.5 B	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	5900	5350	4700 B	7400				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.8 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1.7 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	19 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	155.1	190.3	148.2	245.2				

NOTES:

NS: Not sampled

█: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection  
 limit but below contract required detection limit

ST\*: Standard for the sum of iron and manganese is 500 ug/l

Appendix A-2

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA	Groundwater	Standards/Guidance Values	CAS #	UNITS:	SITE:	DATE:	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D	MW-12D
Aluminum	-	7429-90-5	ug/l	288	14.9	18.6	NA	43.5 B	NA	19.9 B	3.5 U	7440-36-0	3 GV	3 U	1.7 U	12.3 U	NA	3.1 U	NA	3.5 U
Antimony	3 GV	7440-36-0	ug/l	3 U	3 U	1.7 U	12.3 U	NA	3.1 U	NA	3.5 U	7440-38-2	25 ST	2.4 U	2.5 U	1.9 U	NA	4.5 U	NA	3.2 U
Arsenic	25 ST	7440-38-2	ug/l	2.4 U	2.5 U	1.9 U	NA	4.5 U	NA	3.2 U	2.2 B	7440-41-7	1000 ST	6.5	1.5	2.9 U	NA	3.4 B	NA	2.2 B
Barium	1000 ST	7440-39-3	ug/l	6.5	1.5	2.9 U	NA	3.4 B	NA	2.2 B	0.20 U	7440-42-8	1000 ST	NA	29.4	25.2	NA	16.1 B	NA	24.8 B
Beryllium	3 GV	7440-41-7	ug/l	0.1 U	0.1 U	0.1 U	0.1 U	0.4 U	NA	0.20 U	2.8 B	7440-43-9	5 ST	0.3 U	0.4 U	0.2 U	0.10 U	0.5 U	0.10 U	0.30 U
Boron	1000 ST	7440-42-8	ug/l	NA	29.4	25.2	NA	16.1 B	NA	24.8 B	6600	7440-70-2	-	8460	3180	3660	2580 B	3860 B	5990	6940
Calcium	-	7440-70-2	ug/l	8460	3180	3660	2580 B	3860 B	5990	6600	20 U	18540-29-9	50 ST	20 U	20 U	20 U	NA	20 U	NA	20 U
Chromium Hexavalent	50 ST	18540-29-9	ug/l	20 U	20 U	20 U	NA	20 U	NA	20 U	0.70 U	7440-47-3	50 ST	0.87	3.5 U	1	NA	2 B	NA	NA
Chromium Total	50 ST	7440-47-3	ug/l	0.87	3.5 U	1	NA	2 B	NA	0.70 U	2.1 U	7440-48-4	-	1.1 U	0.9 U	1.7 U	NA	1 U	NA	2.1 U
Cobalt	-	7440-48-4	ug/l	1.1 U	0.9 U	1.7 U	NA	1 U	NA	2.1 U	1.1 U	7440-50-8	200 ST	2.4	1.5 U	1.5 U	NA	1.8 B	NA	1.1 U
Copper	200 ST	7440-50-8	ug/l	2.4	1.5 U	1.5 U	NA	1.8 B	NA	1.1 U	23.6 U	7439-89-6	300 ST	312	20.9	16.5	129	132	12.4 B	33.2 B
Iron	300 ST	7439-89-6	ug/l	312	20.9	16.5	129	132	12.4 B	23.6 U	0.80 U	7439-92-1	25 ST	1 U	1.4 U	0.80 U	1.4 U	1.5 U	1.5 U	0.80 U
Lead	25 ST	7439-92-1	ug/l	1 U	1.4 U	0.80 U	1.4 U	1.5 U	1.5 U	0.80 U	2900 B	7439-95-4	3500 GV	2330	1520	1760	1000 B	1590 B	2630 B	3080 B
Magnesium	3500 GV	7439-95-4	ug/l	2330	1520	1760	1000 B	1590 B	2630 B	2900 B	1.3 B	7439-96-5	300 ST	82.5	1.8	1.4	11.6 B	4.7 B	3.9 B	1.9 B
Manganese	300 ST	7439-96-5	ug/l	82.5	1.8	1.4	11.6 B	4.7 B	3.9 B	1.3 B	0.10 U	7439-97-6	0.7 ST	0.1 U	0.1 U	0.1 U	0.1 U	NA	NA	0.10 U
Nickel	100 ST	7440-02-0	ug/l	1.3 U	1.9 U	1.4 U	NA	1.5 B	NA	1.5 U	1.5 U	7440-09-7	-	837	554	673	552 B	438 B	551 B	833 B
Potassium	-	7440-09-7	ug/l	837	554	673	552 B	438 B	551 B	833 B	481 B	7782-49-2	10 ST	2.8 U	1.7 U	1.5 U	NA	2.4 U	NA	3.8 U
Selenium	10 ST	7782-49-2	ug/l	2.8 U	1.7 U	1.5 U	NA	2.4 U	NA	3.8 U	1 U	7440-22-4	50 ST	0.9 U	1.4	1.6 U	NA	1 U	NA	1 U
Silver	50 ST	7440-22-4	ug/l	0.9 U	1.4	1.6 U	NA	1 U	NA	1 U	5490	7440-23-5	20000 ST	8400	8610	9340	6450	6010	5770	6120
Sodium	20000 ST	7440-23-5	ug/l	8400	8610	9340	6450	6010	5770	6120	2.5 U	7440-28-0	0.5 GV	2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	2.5 U
Thallium	0.5 GV	7440-28-0	ug/l	2.6 U	2.3 U	2.8 U	NA	4.2 U	NA	2.5 U	1.8 U	7440-62-2	-	1.2	0.7 U	1.7 U	NA	0.60 U	NA	1.8 U
Vanadium	-	7440-62-2	ug/l	1.2	0.7 U	1.7 U	NA	0.60 U	NA	1.8 U	2.4 B	7440-66-6	2000 ST	311	2.2 U	3.6 U	NA	24.1	NA	2.4 B
Zinc	2000 ST	7440-66-6	ug/l	311	2.2 U	3.6 U	NA	24.1	NA	2.4 B	10 U	0057-12-5	200 ST	10 U	10 U	5 U	NA	10 U	NA	10 U
Iron + Manganese	500 ST*	-	ug/l	394.5	22.7	17.9	129	136.7	16.3	35.1	24.9	500 ST*	-	394.5	22.7	17.9	129	136.7	16.3	35.1

ST\*: Standard for the sum of iron and manganese is 500 ug/l

NOTES:  
 NS: Not sampled  
 : Concentration exceeds Standard/Guidance Value  
 U: Analyzed for but not detected, value shown is instrument detection limit  
 NA: Not analyzed  
 B: Compound detected above instrument detection  
 limit but below contract required detection limit

Appendix A-2

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
INORGANIC PARAMETERS

CONSTITUENT	NYSDEC Class GA Groundwater Standards/Guidance Values	CAS #	SITE: DATE: UNITS:	MW-12D 11/13/2003 (ug/l)	MW-12D 03/01/2004 (ug/l)	MW-12D 05/21/2004 (ug/l)	MW-12D 08/24/2004 (ug/l)	MW-12D (ug/l)	MW-12D (ug/l)	MW-12D (ug/l)	MW-12D (ug/l)
Aluminum	-	7429-90-5	ug/l	NA	NA	16.3 U	NA				
Antimony	3 GV	7440-36-0	ug/l	NA	NA	2.4 U	NA				
Arsenic	25 ST	7440-38-2	ug/l	NA	NA	3.6 U	NA				
Barium	1000 ST	7440-39-3	ug/l	NA	NA	4 U	NA				
Beryllium	3 GV	7440-41-7	ug/l	NA	NA	0.2 U	NA				
Boron	1000 ST	7440-42-8	ug/l	NA	NA	19.4 B	NA				
Cadmium	5 ST	7440-43-9	ug/l	0.3 U	0.57 B	0.3 U	0.20 U				
Calcium	-	7440-70-2	ug/l	5460	4550 B	3540 B	3870 B				
Chromium Hexavalent	50 ST	18540-29-9	ug/l	NA	NA	20 U	NA				
Chromium Total	50 ST	7440-47-3	ug/l	NA	NA	0.89 B	NA				
Cobalt	-	7440-48-4	ug/l	NA	NA	1.5 U	NA				
Copper	200 ST	7440-50-8	ug/l	NA	NA	2 B	NA				
Iron	300 ST	7439-89-6	ug/l	21.9 B	58.3 B	33 B	98.1 B				
Lead	25 ST	7439-92-1	ug/l	1.3 B	1.6 U	1.2 U	0.70 U				
Magnesium	35000 GV	7439-95-4	ug/l	2340 B	1940 B	1530 B	1720 B				
Manganese	300 ST	7439-96-5	ug/l	1.8 B	3.1 B	2.6 B	1.4 B				
Mercury	0.7 ST	7439-97-6	ug/l	NA	NA	0.1 U	NA				
Nickel	100 ST	7440-02-0	ug/l	NA	NA	1.6 U	NA				
Potassium	-	7440-09-7	ug/l	440 B	474 B	403 B	692 B				
Selenium	10 ST	7782-49-2	ug/l	NA	NA	2.1 U	NA				
Silver	50 ST	7440-22-4	ug/l	NA	NA	0.5 U	NA				
Sodium	20000 ST	7440-23-5	ug/l	5090	5530	4890 B	5690				
Thallium	0.5 GV	7440-28-0	ug/l	NA	NA	2.8 U	NA				
Vanadium	-	7440-62-2	ug/l	NA	NA	1.7 U	NA				
Zinc	2000 ST	7440-66-6	ug/l	NA	NA	3 B	NA				
Cyanide	200 ST	0057-12-5	ug/l	NA	NA	10 U	NA				
Iron + Manganese	500 ST*	-	ug/l	23.7	61.4	35.6	99.5				

NOTES:

NS: Not sampled

ST\*: Standard for the sum of iron and manganese is 500 ug/l

█: Concentration exceeds Standard/Guidance Value

U: Analyzed for but not detected, value shown is instrument detection limit

NA: Not analyzed

B: Compound detected above instrument detection  
limit but below contract required detection limit

**APPENDIX A-3**

**HISTORIC GROUNDWATER SAMPLE RESULTS -  
VOLATILE ORGANIC COMPOUNDS**

\_\_\_\_\_







APPENDIX A-3

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
VOLATILE ORGANIC COMPOUNDS

Sample ID		MW-011	MW-011	MW-011	MW-011	MW-011	MW-011	MW-011		NYSDEC Class GA GROUNDWATER STANDARD/GUIDANCE VALUE
Date of Collection		10/24/1997	01/28/1998	11/30/2000	01/30/2001	11/20/2002	08/21/2003	05/20/2004		
Volatile Organic Compounds	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)		
Ethylbenzene	000100-41-4	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Styrene	000100-42-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
cis-1,3-Dichloropropene	010061-01-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
trans-1,3-Dichloropropene	010061-02-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
1,4-Dichlorobenzene	000106-46-7	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromoethane	000106-93-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethane	000107-06-2	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.6 ST
Acrylonitrile	000107-13-1	NA	NA	5 U	50 U	5 U	5 U	5 U		5 ST
Vinyl Acetate	000108-05-4	NA	NA	5 U	10 U	5 U	5 U	5 U		-
4-Methyl-2-pentanone	000108-10-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		-
Toluene	000108-88-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chlorobenzene	000108-90-7	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromochloromethane	000124-48-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Tetrachloroethene	000127-18-4	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Xylene (total)	001330-20-7	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethene (total)	000540-59-0	0.4 U	10.0 U	NA	10 U	NA	NA	NA		5 ST
cis-1,2-Dichloroethene	000156-59-2	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
trans-1,2-Dichloroethene	000156-80-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon tetrachloride	000056-23-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
2-Hexanone	000591-78-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,1,2-Tetrachloroethane	000630-20-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Acetone	000067-64-1	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroform	000067-66-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		7 ST
Benzene	000071-43-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
1,1,1-Trichloroethane	000071-55-6	22	5 U	14	8.0 J	5 U	5 U	5 U		5 ST
Bromomethane	000074-83-9	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chloromethane	000074-87-3	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Iodomethane	000074-88-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromomethane	000074-95-3	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Bromodichloromethane	000075-27-4	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroethane	000075-00-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Vinyl chloride	000075-01-4	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		2 ST
Methylene chloride	000075-09-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon disulfide	000075-15-0	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		60 GV
Bromoform	000075-25-2	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Bromochloromethane	000074-97-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethane	000075-34-3	14	13	13	8.5 J	53	2 J	5 U		5 ST
1,1-Dichloroethene	000075-35-4	2 J	10.0 U	2 J	10 U	5 U	5 U	5 U		5 ST
Trichlorofluoromethane	000075-69-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloropropane	000078-87-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
2-Butanone	000078-93-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,2-Trichloroethane	000079-00-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichloroethene	000079-01-6	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichlorobenzene	000095-50-1	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromo-3-chloropropane	000096-12-8	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,2,3-Trichloropropane	000096-18-4	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	10 U	NA	NA	NA		5 ST
TOTAL VOCs		38	18.1	29	16.5	53	2	0		

QUALIFIERS

- B: Compound was found in the method blank as well as the sample
- U: Compound was analyzed for but not detected at the detection limit shown.
- J: Compound was found at a concentration below the detection limit, value estimated
- E: Concentration exceeds instrument calibration range; value estimated.
- D: Result taken from analysis at a secondary dilution.

NOTES

- GV: Guidance Value
- NS: Not Sampled
- ST: Standard
- NA: Not Analyzed
- : Parameter exceeds Standard/Guidance Value

**SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
VOLATILE ORGANIC COMPOUNDS**

APPENDIX A-3

Sample ID	Date of Collection	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
			MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D	MW-01D
			05/20/2004	08/21/2003	11/20/2002	01/30/2001	11/30/2000	01/28/1998	10/24/1997				
NYSDEC Class GA	GROUNDWATER	STANDARD/GUIDANCE VALUE											
Ethylbenzene	000100-41-4	0.4 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Styrene	000100-42-5	0.4 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
cis-1,3-Dichloropropene	010061-01-5	0.2 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.4 ST
trans-1,3-Dichloropropene	010061-02-6	0.2 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.4 ST
1,4-Dichlorobenzene	000106-46-7	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	3 ST
1,2-Dibromethane	000106-93-4	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
1,2-Dichloroethane	000107-06-2	0.2 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.6 ST
Acrylonitrile	000107-13-1	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
4-Methyl-2-pentanone	000108-05-4	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	-
Vinyl Acetate	000108-05-4	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	-
Toluene	000108-88-3	0.4 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Chlorobenzene	000108-90-7	0.4 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
trans-1,4-Dichlor-2-butene	000110-57-6	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Dibromochloromethane	000124-48-1	0.2 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	50 GV
Tetrachloroethene	000127-18-4	0.4 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Xylene (total)	001330-20-7	0.6 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
1,2-Dichloroethene (total)	000540-59-0	0.4 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
cis-1,2-Dichloroethene	000156-59-2	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
trans-1,2-Dichloroethene	000156-60-5	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Carbon tetrachloride	000056-23-5	0.4 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
2-Hexanone	000591-78-6	0.2 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	50 GV
1,1,1,2-Tetrachloroethane	000630-20-6	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Acetone	000067-64-1	0.4 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	50 GV
Chloroform	000067-66-3	0.2 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	7 ST
Benzene	000071-43-2	0.4 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	1 ST
1,1,1-Trichloroethane	000071-55-6	66	170	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Bromomethane	000074-83-9	0.4 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Chloromethane	000074-87-3	0.6 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Iodomethane	000074-88-4	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Dibromomethane	000074-95-3	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Bromochloromethane	000074-97-5	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
1,1-Dichloroethane	000075-34-3	13	22	3 U	3 U	3 U	3 U	3 U	3 U	3 U	3 U	3 U	5 ST
1,1-Dichloroethene	000075-35-4	5 U	15	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Trichlorofluoromethane	000075-69-4	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
1,2-Dichloropropane	000078-87-5	0.4 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	1 ST
2-Butanone	000078-93-3	0.2 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	50 GV
1,1,2-Trichloroethane	000079-00-5	0.2 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
Trichloroethene	000079-01-6	0.4 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	0.2 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
1,2-Dibromo-3-chloropropane	000096-12-8	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.04 ST
1,2-Dichlorobenzene	000096-50-1	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	3 ST
1,2,3-Trichloropropane	000096-18-4	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.04 ST
1,1-Dichloropropene	000563-58-6	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 ST
TOTAL VOCs													

**NOTES**

NS: Not Sampled

ST: Standard

NA: Not Analyzed

: Parameter exceeds Standard/Guidance Value

U: Compound was analyzed for but not detected at the detection limit shown.

J: Compound was found at a concentration below the detection limit, value estimated.

E: Concentration exceeds instrument range; value estimated.

D: Result taken from analysis at a secondary dilution.

APPENDIX A-3

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
VOLATILE ORGANIC COMPOUNDS

Sample ID		MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S	MW-02S		NYSDEC Class GA
Date of Collection		10/27/1997	01/28/1998	11/30/2000	01/31/2001	11/20/2003	08/21/2003	05/20/2004		GROUNDWATER
Volatile Organic Compounds	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)		STANDARD/GUIDANCE VALUE
Ethylbenzene	000100-41-4	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
Styrene	000100-42-5	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
cis-1,3-Dichloropropene	010061-01-5	0.2 U	10.0 U	5 U	10 U	NS	NS	NS		0.4 ST
trans-1,3-Dichloropropene	010061-02-6	0.2 U	10.0 U	5 U	10 U	NS	NS	NS		0.4 ST
1,4-Dichlorobenzene	000106-46-7	NA	NA	5 U	10 U	NS	NS	NS		3 ST
1,2-Dibromoethane	000106-93-4	NA	NA	5 U	10 U	NS	NS	NS		5 ST
1,2-Dichloroethane	000107-06-2	0.2 U	10.0 U	5 U	10 U	NS	NS	NS		0.6 ST
Acrylonitrile	000107-13-1	NA	NA	5 U	50 U	NS	NS	NS		5 ST
Vinyl Acetate	000108-05-4	NA	NA	5 U	10 U	NS	NS	NS		-
4-Methyl-2-pentanone	000108-10-1	0.2 U	10.0 U	5 U	10 U	NS	NS	NS		-
Toluene	000108-88-3	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
Chlorobenzene	000108-90-7	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	NA	NA	5 U	10 U	NS	NS	NS		5 ST
Dibromochloromethane	000124-48-1	0.2 U	10.0 U	5 U	10 U	NS	NS	NS		50 GV
Tetrachloroethene	000127-18-4	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
Xylene (total)	001330-20-7	0.6 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
1,2-Dichloroethene (total)	000540-59-0	0.4 U	10.0 U	NA	10 U	NS	NS	NS		5 ST
cis-1,2-Dichloroethene	000156-59-2	NA	NA	5 U	10 U	NS	NS	NS		5 ST
trans-1,2-Dichloroethene	000156-60-5	NA	NA	5 U	10 U	NS	NS	NS		5 ST
Carbon tetrachloride	000056-23-5	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
2-Hexanone	000591-78-6	0.2 U	10.0 U	5 U	10 U	NS	NS	NS		50 GV
1,1,1,2-Tetrachloroethane	000630-20-6	NA	NA	5 U	10 U	NS	NS	NS		5 ST
Acetone	000067-64-1	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		50 GV
Chloroform	000067-66-3	0.2 U	10.0 U	5 U	10 U	NS	NS	NS		7 ST
Benzene	000071-43-2	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		1 ST
1,1,1-Trichloroethane	000071-55-6	0.6 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
Bromomethane	000074-83-9	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
Chloromethane	000074-87-3	0.6 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
Iodomethane	000074-88-4	NA	NA	5 U	10 U	NS	NS	NS		5 ST
Dibromomethane	000074-95-3	NA	NA	5 U	10 U	NS	NS	NS		5 ST
Bromodichloromethane	000075-27-4	0.2 U	10.0 U	5 U	10 U	NS	NS	NS		50 GV
Chloroethane	000075-00-3	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
Vinyl chloride	000075-01-4	0.6 U	10.0 U	5 U	10 U	NS	NS	NS		2 ST
Methylene chloride	000075-09-2	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
Carbon disulfide	000075-15-0	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		60 GV
Bromoform	000075-25-2	0.6 U	10.0 U	5 U	10 U	NS	NS	NS		50 GV
Bromochloromethane	000074-97-5	NA	NA	5 U	10 U	NS	NS	NS		5 ST
1,1-Dichloroethane	000075-34-3	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
1,1-Dichloroethene	000075-35-4	0.6 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
Trichlorofluoromethane	000075-69-4	NA	NA	5 U	10 U	NS	NS	NS		5 ST
1,2-Dichloropropane	000078-87-5	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		1 ST
2-Butanone	000078-93-3	0.2 U	10.0 U	5 U	10 U	NS	NS	NS		50 GV
1,1,2-Trichloroethane	000079-00-5	0.2 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
Trichloroethene	000079-01-6	0.4 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	0.2 U	10.0 U	5 U	10 U	NS	NS	NS		5 ST
1,2-Dichlorobenzene	000095-50-1	NA	NA	5 U	10 U	NS	NS	NS		3 ST
1,2-Dibromo-3-chloropropane	000096-12-8	NA	NA	5 U	10 U	NS	NS	NS		0.04 ST
1,2,3-Trichloropropane	000096-18-4	NA	NA	5 U	10 U	NS	NS	NS		0.04 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	10 U	NS	NS	NS		5 ST
TOTAL VOCs		0	0	0	0	NS	NS	NS		

QUALIFIERS

B: Compound was found in the method blank as well as the sample  
 U: Compound was analyzed for but not detected at the detection limit shown.  
 J: Compound was found at a concentration below the detection limit, value estimated  
 E: Concentration exceeds instrument calibration range; value estimated.  
 D: Result taken from analysis at a secondary dilution.

NOTES

GV: Guidance Value      NS: Not Sampled  
 ST: Standard  
 NA: Not Analyzed  
 : Parameter exceeds Standard/Guidance Value

SONIA ROAD LANDFILL  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 VOLATILE ORGANIC COMPOUNDS

APPENDIX A-3

Sample ID	Date of Collection	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	STANDARD/GUIDANCE VALUE
NYSDEC Class GA GROUNDWATER	05/20/2004	MW-021	000100-414	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
				0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000100-425	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			010061-015	0.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			010061-026	0.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000108-467	0.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000108-934	0.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000107-062	0.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000107-131	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000108-054	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000108-101	0.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000108-883	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000108-907	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000110-576	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000124-481	0.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000127-184	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			001330-207	0.6 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000540-590	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000156-605	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000156-692	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000561-786	0.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000591-206	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000667-641	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000671-432	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000071-556	0.6 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000074-839	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000074-873	0.6 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000074-884	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000074-953	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000075-274	0.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000075-003	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000075-014	0.6 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000075-092	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000075-150	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000075-252	0.6 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000074-975	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000075-343	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000075-354	0.6 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000075-694	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000078-875	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000078-933	0.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000079-005	0.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000079-016	0.4 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000079-345	0.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000095-501	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000096-128	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000096-184	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
			000563-586	NA	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
TOTAL VOCs			0	0	0	0	0	0	0

QUALIFIERS

B: Compound was analyzed for but not detected at the detection limit shown.  
 U: Compound was found at a concentration below the detection limit, value estimated.  
 J: Compound was found at a concentration below the detection limit, value estimated.  
 E: Concentration exceeds instrument calibration range; value estimated.  
 D: Result taken from analysis at a secondary dilution.

NOTES  
 NS: Not Sampled  
 ST: Standard  
 NA: Not Analyzed  
 GV: Guidance Value  
 Parameter exceeds Standard/Guidance Value

APPENDIX A-3

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
VOLATILE ORGANIC COMPOUNDS

Sample ID		MW-02D	MW-02D	MW-02D	MW-02D	MW-02D	MW-02D	MW-02D		NYSDEC Class GA GROUNDWATER STANDARD/GUIDANCE VALUE
Date of Collection		10/27/1997	01/28/1998	12/01/2000	01/30/2001	11/20/2002	08/22/2003	05/20/2004		
Volatiles Organic Compounds	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)		
Ethylbenzene	000100-41-4	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Styrene	000100-42-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
cis-1,3-Dichloropropene	010061-01-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
trans-1,3-Dichloropropene	010061-02-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
1,4-Dichlorobenzene	000106-46-7	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromoethane	000106-93-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethane	000107-06-2	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.6 ST
Acrylonitrile	000107-13-1	NA	NA	5 U	50 U	5 U	5 U	5 U		5 ST
Vinyl Acetate	000108-05-4	NA	NA	5 U	10 U	5 U	5 U	5 U		-
4-Methyl-2-pentanone	000108-10-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		-
Toluene	000108-88-3	0.4 U	10.0 U	5 U	10 U	1 J	5 U	5 U		5 ST
Chlorobenzene	000108-90-7	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromochloromethane	000124-48-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Tetrachloroethene	000127-18-4	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Xylene (total)	001330-20-7	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethene (total)	000540-59-0	0.4 U	10.0 U	NA	10 U	NA	NA	NA		5 ST
cis-1,2-Dichloroethene	000156-59-2	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
trans-1,2-Dichloroethene	000156-60-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon tetrachloride	000056-23-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
2-Hexanone	000591-78-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,1,2-Tetrachloroethane	000630-20-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Acetone	000067-64-1	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroform	000067-66-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		7 ST
Benzene	000071-43-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
1,1,1-Trichloroethane	000071-55-6	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Bromomethane	000074-83-9	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chloromethane	000074-87-3	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Iodomethane	000074-88-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromomethane	000074-95-3	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Bromodichloromethane	000075-27-4	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroethane	000075-00-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Vinyl chloride	000075-01-4	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		2 ST
Methylene chloride	000075-09-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon disulfide	000075-15-0	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		60 GV
Bromoform	000075-25-2	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Bromochloromethane	000074-97-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethane	000075-34-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethene	000075-35-4	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichlorofluoromethane	000075-69-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloropropane	000078-87-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
2-Butanone	000078-93-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,2-Trichloroethane	000079-00-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichloroethene	000079-01-6	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichlorobenzene	000095-50-1	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromo-3-chloropropane	000096-12-8	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,2,3-Trichloropropane	000096-18-4	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	10 U	NA	NA	NA		5 ST
TOTAL VOCs		0	0	0	0	1	0	0		

QUALIFIERS

- B: Compound was found in the method blank as well as the sample
- U: Compound was analyzed for but not detected at the detection limit shown.
- J: Compound was found at a concentration below the detection limit, value estimated
- E: Concentration exceeds instrument calibration range; value estimated.
- D: Result taken from analysis at a secondary dilution.

NOTES

- GV: Guidance Value
- ST: Standard
- NA: Not Analyzed
- NS: Not Sampled
- █: Parameter exceeds Standard/Guidance Value



APPENDIX A-3

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
VOLATILE ORGANIC COMPOUNDS

Sample ID		MW-04S	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S	MW-04S		NYSDEC Class GA
Date of Collection		10/29/1997	02/02/1998	12/06/2000	02/01/2001	11/22/2002	08/25/2003	05/24/2004		GROUNDWATER
Volatile Organic Compounds	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)		STANDARD/GUIDANCE VALUE
Ethylbenzene	000100-41-4	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Styrene	000100-42-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
cis-1,3-Dichloropropene	010061-01-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
trans-1,3-Dichloropropene	010061-02-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
1,4-Dichlorobenzene	000106-46-7	NA	NA	5 U	10 U	5 U	1 J	5 U		3 ST
1,2-Dibromoethane	000106-93-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethane	000107-06-2	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.6 ST
Acrylonitrile	000107-13-1	NA	NA	5 U	50 U	5 U	5 U	5 U		5 ST
Vinyl Acetate	000108-05-4	NA	NA	5 U	10 U	5 U	5 U	5 U		-
4-Methyl-2-pentanone	000108-10-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		-
Toluene	000108-88-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chlorobenzene	000108-90-7	4 J	3.0 J	3 J	2.9 J	5.5	3 J	2 J		5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromochloromethane	000124-48-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Tetrachloroethene	000127-18-4	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Xylene (total)	001330-20-7	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethene (total)	000540-59-0	0.4 U	10.0 U	NA	10 U	NA	NA	NA		5 ST
cis-1,2-Dichloroethene	000156-59-2	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
trans-1,2-Dichloroethene	000156-60-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon tetrachloride	000056-23-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
2-Hexanone	000591-78-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,1,2-Tetrachloroethane	000630-20-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Acetone	000067-64-1	0.4 U	3.4 J	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroform	000067-66-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		7 ST
Benzene	000071-43-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
1,1,1-Trichloroethane	000071-55-6	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Bromomethane	000074-83-9	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chloromethane	000074-87-3	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Iodomethane	000074-88-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromomethane	000074-95-3	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Bromodichloromethane	000075-27-4	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroethane	000075-00-3	8 J	7.2 J	5 J	3.8 J	5 U	3 J	5 U		5 ST
Vinyl chloride	000075-01-4	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		2 ST
Methylene chloride	000075-09-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon disulfide	000075-15-0	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		60 GV
Bromoform	000075-25-2	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Bromochloromethane	000074-97-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethane	000075-34-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethene	000075-35-4	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichlorofluoromethane	000075-69-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloropropane	000078-87-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
2-Butanone	000078-93-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,2-Trichloroethane	000079-00-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichloroethene	000079-01-6	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichlorobenzene	000095-50-1	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromo-3-chloropropane	000096-12-8	NA	NA	5 U	10 U	5.7	5 U	5 U		0.04 ST
1,2,3-Trichloropropane	000096-18-4	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	10 U	NA	NA	NA		5 ST
TOTAL VOCs		12	13.6	8	6.7	11.2	7	2		

QUALIFIERS

B: Compound was found in the method blank as well as the sample  
 U: Compound was analyzed for but not detected at the detection limit shown.  
 J: Compound was found at a concentration below the detection limit, value estimated  
 E: Concentration exceeds instrument calibration range; value estimated.  
 D: Result taken from analysis at a secondary dilution.

NOTES

GV: Guidance Value      NS: Not Sampled  
 ST: Standard  
 NA: Not Analyzed  
 : Parameter exceeds Standard/Guidance Value







APPENDIX A-3

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
VOLATILE ORGANIC COMPOUNDS

Sample ID		MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D	MW-04D		NYSDEC Class GA GROUNDWATER STANDARD/GUIDANCE VALUE
Date of Collection		10/28/1997	01/28/1998	12/06/2000	02/01/2001	11/21/2002	08/25/2003	05/24/2004		
Volatile Organic Compounds	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)		
Ethylbenzene	000100-41-4	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Styrene	000100-42-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
cis-1,3-Dichloropropene	010061-01-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
trans-1,3-Dichloropropene	010061-02-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
1,4-Dichlorobenzene	000106-46-7	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromoethane	000106-93-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethane	000107-06-2	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.6 ST
Acrylonitrile	000107-13-1	NA	NA	5 U	50 U	5 U	5 U	5 U		5 ST
Vinyl Acetate	000108-05-4	NA	NA	5 U	10 U	5 U	5 U	5 U		-
4-Methyl-2-pentanone	000108-10-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		-
Toluene	000108-88-3	0.4 U	10.0 U	5 U	10 U	1 J	5 U	5 U		5 ST
Chlorobenzene	000108-90-7	1 J	10.0 U	5 U	10 U	5 U	5 U	1 J		5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromochloromethane	000124-48-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Tetrachloroethene	000127-18-4	4 J	2.5 J	5 U	10 U	5 U	5 U	5 U		5 ST
Xylene (total)	001330-20-7	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethene (total)	000540-59-0	7 J	3.0 J	NA	10 U	NA	NA	NA		5 ST
cis-1,2-Dichloroethene	000156-59-2	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
trans-1,2-Dichloroethene	000156-60-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon tetrachloride	000056-23-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
2-Hexanone	000591-78-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,1,2-Tetrachloroethane	000630-20-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Acetone	000067-64-1	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroform	000067-66-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		7 ST
Benzene	000071-43-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
1,1,1-Trichloroethane	000071-55-6	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Bromomethane	000074-83-9	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chloromethane	000074-87-3	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Iodomethane	000074-88-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromomethane	000074-95-3	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Bromodichloromethane	000075-27-4	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroethane	000075-00-3	1 J	2 J	4 J	2.5 J	5 U	3 J	3 J		5 ST
Vinyl chloride	000075-01-4	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		2 ST
Methylene chloride	000075-09-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon disulfide	000075-15-0	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		60 GV
Bromoform	000075-25-2	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Bromochloromethane	000074-97-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethane	000075-34-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethene	000075-35-4	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichlorofluoromethane	000075-69-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloropropane	000078-87-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
2-Butanone	000078-93-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,2-Trichloroethane	000079-00-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichloroethene	000079-01-6	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichlorobenzene	000095-50-1	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromo-3-chloropropane	000096-12-8	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,2,3-Trichloropropane	000096-18-4	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	10 U	NA	NA	NA		5 ST
TOTAL VOCs		23	32.5	4	2.5	1	3	4		

QUALIFIERS

B: Compound was found in the method blank as well as the sample  
 U: Compound was analyzed for but not detected at the detection limit shown.  
 J: Compound was found at a concentration below the detection limit, value estimated  
 E: Concentration exceeds instrument calibration range; value estimated.  
 D: Result taken from analysis at a secondary dilution.

NOTES

GV: Guidance Value      NS: Not Sampled  
 ST: Standard  
 NA: Not Analyzed  
 : Parameter exceeds Standard/Guidance Value



APPENDIX A-3

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
VOLATILE ORGANIC COMPOUNDS

Sample ID		MW-05I	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I	MW-05I		NYSDEC Class GA GROUNDWATER STANDARD/GUIDANCE VALUE
Date of Collection		10/29/1997	02/02/1998	12/08/2000	02/02/2001	11/22/2002	08/25/2003	05/25/2004		
Volatiles Organic Compounds	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)		
Ethylbenzene	000100-41-4	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Styrene	000100-42-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
cis-1,3-Dichloropropene	010061-01-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
trans-1,3-Dichloropropene	010061-02-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
1,4-Dichlorobenzene	000106-46-7	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromoethane	000106-93-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethane	000107-06-2	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.6 ST
Acrylonitrile	000107-13-1	NA	NA	5 U	50 U	5 U	5 U	5 U		5 ST
Vinyl Acetate	000108-05-4	NA	NA	5 U	10 U	5 U	5 U	5 U		-
4-Methyl-2-pentanone	000108-10-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		-
Toluene	000108-88-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chlorobenzene	000108-90-7	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromochloromethane	000124-48-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Tetrachloroethene	000127-18-4	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Xylene (total)	001330-20-7	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethene (total)	000540-59-0	4 J	4.2 J	NA	10 U	NA	NA	NA		5 ST
cis-1,2-Dichloroethene	000156-59-2	NA	NA	5 U	10 U	1 J	5 U	5 U		5 ST
trans-1,2-Dichloroethene	000156-60-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon tetrachloride	000056-23-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
2-Hexanone	000591-78-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,1,2-Tetrachloroethane	000630-20-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Acetone	000067-64-1	0.4 U	3.5 J	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroform	000067-66-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		7 ST
Benzene	000071-43-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
1,1,1-Trichloroethane	000071-55-6	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Bromomethane	000074-83-9	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chloromethane	000074-87-3	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Iodomethane	000074-88-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromomethane	000074-95-3	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Bromodichloromethane	000075-27-4	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroethane	000075-00-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Vinyl chloride	000075-01-4	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		2 ST
Methylene chloride	000075-09-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon disulfide	000075-15-0	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		60 GV
Bromoform	000075-25-2	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Bromochloromethane	000074-97-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethane	000075-34-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethene	000075-35-4	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichlorofluoromethane	000075-89-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloropropane	000078-87-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
2-Butanone	000078-93-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,2-Trichloroethane	000079-00-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichloroethene	000079-01-6	4 J	2.2 J	5 U	10 U	5 U	5 U	5 U		5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichlorobenzene	000095-50-1	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromo-3-chloropropane	000096-12-8	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,2,3-Trichloropropane	000096-18-4	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	10 U	NA	NA	NA		5 ST
TOTAL VOCs		8	9.9	0	0	1	0	0		

QUALIFIERS

B: Compound was found in the method blank as well as the sample  
 U: Compound was analyzed for but not detected at the detection limit shown.  
 J: Compound was found at a concentration below the detection limit, value estimated  
 E: Concentration exceeds instrument calibration range; value estimated.  
 D: Result taken from analysis at a secondary dilution.

NOTES

GV: Guidance Value      NS: Not Sampled  
 ST: Standard  
 NA: Not Analyzed  
 █ : Parameter exceeds Standard/Guidance Value



APPENDIX A-3

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
VOLATILE ORGANIC COMPOUNDS

Sample ID		MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S		NYSDEC Class GA GROUNDWATER STANDARD/GUIDANCE VALUE
Date of Collection		10/28/1997	01/28/1998	12/05/2000	02/01/2001	11/20/2002	08/22/2003	05/24/2004		
Volatile Organic Compounds	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)		
Ethylbenzene	000100-41-4	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Styrene	000100-42-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
cis-1,3-Dichloropropene	010061-01-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
trans-1,3-Dichloropropene	010061-02-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
1,4-Dichlorobenzene	000106-46-7	NA	NA	5 U	10 U	5 U	1 J	5 U		3 ST
1,2-Dibromoethane	000106-93-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethane	000107-06-2	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.6 ST
Acrylonitrile	000107-13-1	NA	NA	5 U	50 U	5 U	5 U	5 U		5 ST
Vinyl Acetate	000108-05-4	NA	NA	5 U	10 U	5 U	5 U	5 U		-
4-Methyl-2-pentanone	000108-10-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		-
Toluene	000108-88-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chlorobenzene	000108-90-7	4 J	6.2 J	5 U	1.1 J	2 J	2 J	1 J		5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromochloromethane	000124-48-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Tetrachloroethene	000127-18-4	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Xylene (total)	001330-20-7	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethene (total)	000540-59-0	0.4 U	10.0 U	NA	10 U	NA	NA	NA		5 ST
cis-1,2-Dichloroethene	000156-59-2	NA	NA	1 J	6 J	1 J	5 U	5 U		5 ST
trans-1,2-Dichloroethene	000156-60-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon tetrachloride	000056-23-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
2-Hexanone	000591-78-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,1,2-Tetrachloroethane	000630-20-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Acetone	000067-64-1	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroform	000067-66-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		7 ST
Benzene	000071-43-2	4 J	4.1 J	5 U	10 U	5 U	5 U	5 U		1 ST
1,1,1-Trichloroethane	000071-55-6	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Bromomethane	000074-83-9	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chloromethane	000074-87-3	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Iodomethane	000074-88-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromomethane	000074-95-3	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Bromodichloromethane	000075-27-4	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroethane	000075-00-3	1 J	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Vinyl chloride	000075-01-4	0.6 U	10.0 U	5 U	2.6 J	5 U	5 U	5 U		2 ST
Methylene chloride	000075-09-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon disulfide	000075-15-0	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		60 GV
Bromoform	000075-25-2	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Bromochloromethane	000074-97-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethane	000075-34-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethene	000075-35-4	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichlorofluoromethane	000075-69-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloropropane	000078-87-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
2-Butanone	000078-93-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,2-Trichloroethane	000079-00-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichloroethene	000079-01-6	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichlorobenzene	000095-50-1	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromo-3-chloropropane	000096-12-8	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,2,3-Trichloropropane	000096-18-4	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	10 U	NA	NA	NA		5 ST
TOTAL VOCs		9	10.3	1	9.7	3	3	1		

QUALIFIERS

B: Compound was found in the method blank as well as the sample  
 U: Compound was analyzed for but not detected at the detection limit shown.  
 J: Compound was found at a concentration below the detection limit, value estimated  
 E: Concentration exceeds instrument calibration range; value estimated.  
 D: Result taken from analysis at a secondary dilution.

NOTES

GV: Guidance Value      NS: Not Sampled  
 ST: Standard  
 NA: Not Analyzed  
 : Parameter exceeds Standard/Guidance Value

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 VOLATILE ORGANIC COMPOUNDS

APPENDIX A-3

Sample ID	Date of Collection	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
MW-061	10/28/1997	00100-41-4	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00108-05-4	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00108-10-1	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00108-88-3	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00108-90-7	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00110-57-6	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00112-18-4	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	50 GV
MW-061	01/28/1998	00127-18-4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	5 ST
MW-061	01/28/1998	00130-20-7	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00156-59-2	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00156-60-5	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00156-23-5	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00159-1-78-6	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	50 GV
MW-061	01/28/1998	001630-20-6	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00067-64-1	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	50 GV
MW-061	01/28/1998	00067-66-3	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	7 ST
MW-061	01/28/1998	00071-43-2	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	1 ST
MW-061	01/28/1998	00071-55-6	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00074-83-9	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00074-87-3	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00074-88-4	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00074-95-3	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00075-27-4	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	50 GV
MW-061	01/28/1998	00075-00-3	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00075-01-4	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	2 ST
MW-061	01/28/1998	00075-09-2	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00075-15-0	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	60 GV
MW-061	01/28/1998	00075-25-2	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	50 GV
MW-061	01/28/1998	00075-34-3	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00075-35-4	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00075-69-4	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00078-87-5	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	1 ST
MW-061	01/28/1998	00078-93-3	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	50 GV
MW-061	01/28/1998	00079-01-6	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00079-34-5	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
MW-061	01/28/1998	00095-50-1	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	3 ST
MW-061	01/28/1998	00096-12-8	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	0.04 ST
MW-061	01/28/1998	00096-18-4	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	0.04 ST
MW-061	01/28/1998	00053-58-6	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	5 ST
TOTAL VOCs										

QUALIFIERS  
 B: Compound was found in the method blank as well as the sample  
 U: Compound was analyzed for but not detected at the detection limit shown.  
 J: Compound was found at a concentration below the detection limit, value estimated.  
 E: Concentration exceeds instrument calibration range; value estimated.  
 D: Result taken from analysis at a secondary dilution.  
 NOTES  
 GV: Guidance Value  
 NS: Not Sampled  
 ST: Standard  
 NA: Not Analyzed  
 : Parameter exceeds Standard/Guidance Value

APPENDIX A-3

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
VOLATILE ORGANIC COMPOUNDS

Sample ID		MW-06D	MW-06D	MW-06D	MW-06D	MW-06D	MW-06D	MW-06D		NYSDEC Class GA GROUNDWATER STANDARD/GUIDANCE VALUE
Date of Collection		10/28/1997	01/28/1998	12/05/2000	01/31/2001	11/20/2002	08/22/2003	05/24/2004		
Volatiles Organic Compounds	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)		
Ethylbenzene	000100-41-4	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Styrene	000100-42-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
cis-1,3-Dichloropropene	010061-01-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
trans-1,3-Dichloropropene	010061-02-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
1,4-Dichlorobenzene	000106-46-7	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromoethane	000106-93-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethane	000107-06-2	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.6 ST
Acrylonitrile	000107-13-1	NA	NA	5 U	50 U	5 U	5 U	5 U		5 ST
Vinyl Acetate	000108-05-4	NA	NA	5 U	10 U	5 U	5 U	5 U		-
4-Methyl-2-pentanone	000108-10-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		-
Toluene	000108-88-3	1 J	10.0 U	5 U	10 U	2 J	5 U	5 U		5 ST
Chlorobenzene	000108-90-7	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromochloromethane	000124-48-1	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Tetrachloroethene	000127-18-4	1200 D	1800 D/E	15	11	5	2 J	5 U		5 ST
Xylene (total)	001330-20-7	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethene (total)	000540-59-0	480 D	360 D/E	NA	10 U	NA	NA	NA		5 ST
cis-1,2-Dichloroethene	000156-59-2	NA	NA	1 J	1	1 J	5 U	5 U		5 ST
trans-1,2-Dichloroethene	000156-60-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon tetrachloride	000056-23-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
2-Hexanone	000591-78-6	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,1,2-Tetrachloroethane	000630-20-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Acetone	000067-64-1	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroform	000067-66-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		7 ST
Benzene	000071-43-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
1,1,1-Trichloroethane	000071-55-6	23	17	5 U	10 U	5 U	5 U	5 U		5 ST
Bromomethane	000074-83-9	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chloromethane	000074-87-3	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Iodomethane	000074-88-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromomethane	000074-95-3	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Bromodichloromethane	000075-27-4	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroethane	000075-00-3	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Vinyl chloride	000075-01-4	19	19	5 U	10 U	5 U	5 U	5 U		2 ST
Methylene chloride	000075-09-2	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon disulfide	000075-15-0	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		60 GV
Bromoform	000075-25-2	0.6 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Bromochloromethane	000074-97-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethane	000075-34-3	4 J	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethene	000075-35-4	4 J	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichlorofluoromethane	000075-69-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloropropane	000078-87-5	0.4 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
2-Butanone	000078-93-3	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,2-Trichloroethane	000079-00-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichloroethene	000079-01-6	45	35	2 J	10 U	5 U	5 U	5 U		5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	0.2 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichlorobenzene	000095-50-1	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromo-3-chloropropane	000096-12-8	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,2,3-Trichloropropane	000096-18-4	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	10 U	NA	NA	NA		5 ST
TOTAL VOCs		1776	2032	18	12	8	2	0		

QUALIFIERS

B: Compound was found in the method blank as well as the sample  
 U: Compound was analyzed for but not detected at the detection limit shown.  
 J: Compound was found at a concentration below the detection limit, value estimated  
 E: Concentration exceeds instrument calibration range; value estimated.  
 D: Result taken from analysis at a secondary dilution.

NOTES

GV: Guidance Value      NS: Not Sampled  
 ST: Standard  
 NA: Not Analyzed  
 : Parameter exceeds Standard/Guidance Value





APPENDIX A-3

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
VOLATILE ORGANIC COMPOUNDS

Sample ID		MW-11S	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S	MW-11S		NYSDEC Class GA GROUNDWATER STANDARD/GUIDANCE VALUE
Date of Collection		10/31/1997	01/28/1998	12/13/2000	02/07/2001	11/21/2002	08/21/2003	05/21/2004		
Volatiles Organic Compounds	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)		
Ethylbenzene	000100-41-4	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Styrene	000100-42-5	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
cis-1,3-Dichloropropene	010061-01-5	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
trans-1,3-Dichloropropene	010061-02-6	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
1,4-Dichlorobenzene	000106-46-7	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromoethane	000106-93-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethane	000107-06-2	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.6 ST
Acrylonitrile	000107-13-1	NA	NA	5 U	50 U	5 U	5 U	5 U		5 ST
Vinyl Acetate	000108-05-4	NA	NA	5 U	10 U	5 U	5 U	5 U		-
4-Methyl-2-pentanone	000108-10-1	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		-
Toluene	000108-88-3	1.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chlorobenzene	000108-90-7	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromochloromethane	000124-48-1	2.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Tetrachloroethene	000127-18-4	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Xylene (total)	001330-20-7	1.60 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethene (total)	000540-59-0	24	16	NA	10 U	NA	NA	NA		5 ST
cis-1,2-Dichloroethene	000156-59-2	NA	NA	22	5 J	5 U	5 U	10		5 ST
trans-1,2-Dichloroethene	000156-60-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon tetrachloride	000056-23-5	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
2-Hexanone	000591-78-6	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,1,2-Tetrachloroethane	000630-20-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Acetone	000067-64-1	3.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroform	000067-66-3	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		7 ST
Benzene	000071-43-2	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
1,1,1-Trichloroethane	000071-55-6	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Bromomethane	000074-83-9	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chloromethane	000074-87-3	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Iodomethane	000074-88-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromomethane	000074-95-3	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Bromodichloromethane	000075-27-4	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroethane	000075-00-3	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Vinyl chloride	000075-01-4	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		2 ST
Methylene chloride	000075-09-2	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon disulfide	000075-15-0	1.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		60 GV
Bromoform	000075-25-2	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Bromochloromethane	000074-97-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethane	000075-34-3	3 J	7.2 J	5 U	2.0 J	2 J	2 J	5 U		5 ST
1,1-Dichloroethene	000075-35-4	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichlorofluoromethane	000075-69-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloropropane	000078-87-5	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
2-Butanone	000078-93-3	2.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,2-Trichloroethane	000079-00-5	2.00 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichloroethene	000079-01-6	12	6.5 J	9	2.2 J	5 U	5 U	1 J		5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	2.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichlorobenzene	000095-50-1	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromo-3-chloropropane	000096-12-8	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,2,3-Trichloropropane	000096-18-4	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	10 U	NA	NA	NA		5 ST
TOTAL VOCs		39	29.7	31	9.2	2	2	11		

QUALIFIERS

B: Compound was found in the method blank as well as the sample  
 U: Compound was analyzed for but not detected at the detection limit shown.  
 J: Compound was found at a concentration below the detection limit, value estimated  
 E: Concentration exceeds instrument calibration range; value estimated.  
 D: Result taken from analysis at a secondary dilution.

NOTES

GV: Guidance Value      NS: Not Sampled  
 ST: Standard  
 NA: Not Analyzed  
 : Parameter exceeds Standard/Guidance Value

APPENDIX A-3

SONIA ROAD LANDFILL  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 VOLATILE ORGANIC COMPOUNDS

Sample ID	Date of Collection	CAS #	Volatile Organic Compounds	STANDARD/GUIDANCE VALUE
MW-11	10/3/1997		Ethylbenzene	000100-4-4 1.40 U
MW-11	01/28/1998		Styrene	000100-4-2-5 1.40 U
MW-11	12/13/2000		cis-1,3-Dichloropropene	010061-01-5 1.40 U
MW-11	02/07/2001		trans-1,3-Dichloropropene	010061-02-6 1.80 U
MW-11	11/21/2002		1,4-Dichlorobenzene	000106-93-4 NA
MW-11	08/21/2003		1,2-Dichloroethane	000107-06-2 1.40 U
MW-11	05/21/2004		Acrylonitrile	000107-13-1 NA
			Vinyl Acetate	000108-05-4 NA
			4-Methyl-2-pentanone	000108-10-1 1.40 U
			Toluene	000108-88-3 1.20 U
			Chlorobenzene	000108-90-7 1.40 U
			trans-1,4-Dichloro-2-butene	000110-57-6 NA
			Dibromochloromethane	000124-48-1 2.20 U
			Tetrachloroethene	000127-18-4 1.40 U
			Xylene (total)	001330-20-7 1.60 U
			1,2-Dichloroethene (total)	000540-59-0 2.60 U
			cis-1,2-Dichloroethene	000156-59-2 NA
			trans-1,2-Dichloroethene	000156-60-5 NA
			Carbon tetrachloride	000056-23-5 1.80 U
			2-Hexanone	000591-78-6 1.40 U
			1,1,1,2-Tetrachloroethane	000630-20-6 NA
			Acetone	000067-64-1 3.40 U
			Chloroform	000067-66-3 1.40 U
			Benzene	000071-43-2 1.40 U
			1,1,1-Trichloroethane	000071-55-6 2 J
			Bromomethane	000074-83-9 1.40 U
			Chloromethane	000074-87-3 1.40 U
			Iodomethane	000074-88-4 NA
			Dibromomethane	000074-95-3 NA
			Bromodichloromethane	000075-27-4 1.80 U
			Chloroethane	000075-00-3 1.40 U
			Vinyl chloride	000075-01-4 1.40 U
			Methylene chloride	000075-09-2 1.40 U
			Carbon disulfide	000075-15-0 1.20 U
			Bromoform	000075-25-2 1.80 U
			Bromochloromethane	000074-97-5 NA
			1,1-Dichloroethane	000075-34-3 7 J
			1,1-Dichloroethene	000075-35-4 1.40 U
			Trichlorofluoromethane	000075-69-4 NA
			1,2-Dichloropropane	000078-87-5 1.40 U
			2-Butanone	000078-93-3 2.20 U
			1,1,2-Trichloroethane	000079-00-5 2.00 U
			Trichloroethene	000079-01-6 1.40 U
			1,1,2,2-Tetrachloroethane	000079-34-5 2.20 U
			1,2-Dichlorobenzene	000095-50-1 NA
			1,2-Dibromo-3-chloropropane	000096-12-8 NA
			1,2,3-Trichloropropane	000096-18-4 NA
			1,1-Dichloropropene	000563-58-6 NA
			TOTAL VOCs	9
				3.2
				62
				120.6
				0
				2
				12

QUALIFIERS  
 B: Compound was found in the method blank as well as the sample  
 U: Compound was analyzed for but not detected at the detection limit shown.  
 J: Compound was found at a concentration below the detection limit, value estimated.  
 E: Concentration exceeds instrument range; value estimated.  
 D: Result taken from analysis at a secondary dilution.

NOTES  
 ST: Standard  
 NA: Not Analyzed  
 GV: Guidance Value  
 NS: Not Sampled

APPENDIX A-3

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
VOLATILE ORGANIC COMPOUNDS

Sample ID		MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D	MW-11D		NYSDEC Class GA GROUNDWATER STANDARD/GUIDANCE VALUE
Date of Collection	CAS #	10/31/1997	01/28/1998	12/13/2000	02/07/2001	11/21/2002	08/21/2003	05/21/2004		(ug/l)
<b>Volatile Organic Compounds</b>		(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)		
Ethylbenzene	000100-41-4	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Styrene	000100-42-5	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
cis-1,3-Dichloropropene	010061-01-5	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
trans-1,3-Dichloropropene	010061-02-6	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
1,4-Dichlorobenzene	000106-46-7	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromoethane	000106-93-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethane	000107-06-2	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.6 ST
Acrylonitrile	000107-13-1	NA	NA	5 U	50 U	5 U	5 U	5 U		5 ST
Vinyl Acetate	000108-05-4	NA	NA	5 U	10 U	5 U	5 U	5 U		-
4-Methyl-2-pentanone	000108-10-1	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		-
Toluene	000108-88-3	1.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chlorobenzene	000108-90-7	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U*		5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromochloromethane	000124-48-1	2.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Tetrachloroethene	000127-18-4	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Xylene (total)	001330-20-7	1.60 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethene (total)	000540-59-0	2.60 U	10.0 U	NA	10 U	NA	NA	NA		5 ST
cis-1,2-Dichloroethene	000156-59-2	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
trans-1,2-Dichloroethene	000156-60-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon tetrachloride	000056-23-5	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
2-Hexanone	000591-78-6	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,1,2-Tetrachloroethane	000630-20-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Acetone	000067-64-1	2 J	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroform	000067-66-3	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		7 ST
Benzene	000071-43-2	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
1,1,1-Trichloroethane	000071-55-6	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Bromomethane	000074-83-9	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chloromethane	000074-87-3	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Iodomethane	000074-88-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromomethane	000074-95-3	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Bromodichloromethane	000075-27-4	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroethane	000075-00-3	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Vinyl chloride	000075-01-4	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		2 ST
Methylene chloride	000075-09-2	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon disulfide	000075-15-0	1.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		60 GV
Bromoform	000075-25-2	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Bromochloromethane	000074-97-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethane	000075-34-3	1.20 U	10.0 U	5 U	10 U	1 J	5 U	5 U		5 ST
1,1-Dichloroethene	000075-35-4	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichlorofluoromethane	000075-69-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloropropane	000078-87-5	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
2-Butanone	000078-93-3	2.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,2-Trichloroethane	000079-00-5	2.00 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichloroethene	000079-01-6	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	2.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichlorobenzene	000095-50-1	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromo-3-chloropropane	000096-12-8	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,2,3-Trichloropropane	000096-18-4	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	10 U	NA	NA	NA		5 ST
<b>TOTAL VOCs</b>		2	0	0	0	1	0	0		

QUALIFIERS

- B: Compound was found in the method blank as well as the sample
- U: Compound was analyzed for but not detected at the detection limit shown.
- J: Compound was found at a concentration below the detection limit, value estimated
- E: Concentration exceeds instrument calibration range; value estimated.
- D: Result taken from analysis at a secondary dilution.
- U\*: Result qualified as non-detect based on validation criteria

NOTES

- GV: Guidance Value
- NS: Not Sampled
- ST: Standard
- NA: Not Analyzed
- : Parameter exceeds Standard/Guidance Value



APPENDIX A-3

SONIA ROAD LANDFILL  
POST CLOSURE GROUNDWATER MONITORING PROGRAM  
HISTORIC AND CURRENT SAMPLE RESULTS  
VOLATILE ORGANIC COMPOUNDS

Sample ID		MW-12I	MW-12I	MW-12I	MW-12I	MW-12I	MW-12I	MW-12I		NYSDEC Class GA
Date of Collection		10/31/1997	01/30/1998	12/07/2000	02/08/2001	11/21/2002	08/21/2003	05/21/2004		GROUNDWATER
Volatile Organic Compounds	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)		STANDARD/GUIDANCE VALUE
Ethylbenzene	000100-41-4	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Styrene	000100-42-5	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
cis-1,3-Dichloropropene	010061-01-5	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
trans-1,3-Dichloropropene	010061-02-6	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.4 ST
1,4-Dichlorobenzene	000106-46-7	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromoethane	000106-93-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethane	000107-06-2	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		0.6 ST
Acrylonitrile	000107-13-1	NA	NA	5 U	50 U	5 U	5 U	5 U		5 ST
Vinyl Acetate	000108-05-4	NA	NA	5 U	10 U	5 U	5 U	5 U		-
4-Methyl-2-pentanone	000108-10-1	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		-
Toluene	000108-88-3	1.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chlorobenzene	000108-90-7	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
trans-1,4-Dichloro-2-butene	000110-57-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromochloromethane	000124-48-1	2.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Tetrachloroethene	000127-18-4	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Xylene (total)	0001330-20-7	1.60 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloroethene (total)	000540-59-0	2.60 U	10.0 U	NA	10 U	NA	NA	NA		5 ST
cis-1,2-Dichloroethene	000156-59-2	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
trans-1,2-Dichloroethene	000156-60-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon tetrachloride	000056-23-5	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
2-Hexanone	000591-78-6	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,1,2-Tetrachloroethane	000630-20-6	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Acetone	000067-64-1	3.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroform	000067-66-3	1.40 U	10.0 U	5 U	10 U	5 U	2 J	1 J		7 ST
Benzene	000071-43-2	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
1,1,1-Trichloroethane	000071-55-6	1 J	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Bromomethane	000074-83-9	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Chloromethane	000074-87-3	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Iodomethane	000074-88-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Dibromomethane	000074-95-3	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
Bromodichloromethane	000075-27-4	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Chloroethane	000075-00-3	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Vinyl chloride	000075-01-4	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		2 ST
Methylene chloride	000075-09-2	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Carbon disulfide	000075-15-0	1.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		60 GV
Bromoform	000075-25-2	1.80 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
Bromochloromethane	000074-97-5	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethane	000075-34-3	1.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1-Dichloroethene	000075-35-4	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichlorofluoromethane	000075-69-4	NA	NA	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichloropropane	000078-87-5	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		1 ST
2-Butanone	000078-93-3	2.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		50 GV
1,1,2-Trichloroethane	000079-00-5	2.00 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
Trichloroethene	000079-01-6	1.40 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,1,2,2-Tetrachloroethane	000079-34-5	2.20 U	10.0 U	5 U	10 U	5 U	5 U	5 U		5 ST
1,2-Dichlorobenzene	000095-50-1	NA	NA	5 U	10 U	5 U	5 U	5 U		3 ST
1,2-Dibromo-3-chloropropane	000096-12-8	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,2,3-Trichloropropane	000096-18-4	NA	NA	5 U	10 U	5 U	5 U	5 U		0.04 ST
1,1-Dichloropropene	000563-58-6	NA	NA	NA	10 U	NA	NA	NA		5 ST
TOTAL VOCs		1	0	0	0	0	2	1		

QUALIFIERS

B: Compound was found in the method blank as well as the sample  
 U: Compound was analyzed for but not detected at the detection limit shown.  
 J: Compound was found at a concentration below the detection limit, value estimated  
 E: Concentration exceeds instrument calibration range; value estimated.  
 D: Result taken from analysis at a secondary dilution.

NOTES

GV: Guidance Value      NS: Not Sampled  
 ST: Standard  
 NA: Not Analyzed  
 : Parameter exceeds Standard/Guidance Value

APPENDIX A-3

SONIA ROAD LANDFILL  
 POST CLOSURE GROUNDWATER MONITORING PROGRAM  
 HISTORIC AND CURRENT SAMPLE RESULTS  
 VOLATILE ORGANIC COMPOUNDS

Sample ID	Date of Collection	CAS #	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
			000100-4-4	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			Ethylbenzene							
			000100-4-5	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			Styrene							
			010061-01-5	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			cis-1,3-Dichloropropene							
			010061-02-6	1.80 U	10.0 U	10.0 U	5 U	5 U	5 U	0.4 ST
			trans-1,3-Dichloropropene							
			000106-46-7	NA	NA	10.0 U	5 U	5 U	5 U	0.4 ST
			1,4-Dichlorobenzene							
			000106-93-4	NA	NA	10.0 U	5 U	5 U	5 U	3 ST
			1,2-Dichloroethane							
			000107-06-2	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	0.6 ST
			1,2-Dichloroethane							
			000107-13-1	NA	NA	50 U	5 U	5 U	5 U	5 ST
			Acrylonitrile							
			000108-05-4	NA	NA	10.0 U	5 U	5 U	5 U	-
			Vinyl Acetate							
			000108-10-1	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	-
			4-Methyl-2-pentanone							
			000108-88-3	1.20 U	10.0 U	10.0 U	5 U	5 U	5 U	-
			Toluene							
			000108-90-7	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			Chlorobenzene							
			000110-57-6	NA	NA	10.0 U	5 U	5 U	5 U	5 ST
			trans-1,4-Dichloro-2-butene							
			000124-48-1	2.20 U	10.0 U	10.0 U	5 U	5 U	5 U	50 GV
			Dibromochloromethane							
			000127-18-4	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			Tetrachloroethene							
			001330-20-7	1.60 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			Xylene (total)							
			000540-59-0	2.60 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			1,2-Dichloroethene (total)							
			000156-59-2	NA	NA	10.0 U	5 U	5 U	5 U	5 ST
			cis-1,2-Dichloroethene							
			000156-60-5	NA	NA	10.0 U	5 U	5 U	5 U	5 ST
			trans-1,2-Dichloroethene							
			000056-23-5	1.80 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			Carbon tetrachloride							
			000591-78-6	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	50 GV
			2-Hexanone							
			000630-20-6	NA	NA	10.0 U	5 U	5 U	5 U	5 ST
			1,1,1,2-Tetrachloroethane							
			000067-64-1	3.40 U	10.0 U	10.0 U	5 U	5 U	5 U	50 GV
			Acetone							
			000067-66-3	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	7 ST
			Chloroform							
			000071-43-2	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	1 ST
			Benzene							
			000071-55-6	1.80 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			1,1,1-trichloroethane							
			000074-83-9	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			Bromomethane							
			000074-87-3	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			Chloromethane							
			000074-88-4	NA	NA	10.0 U	5 U	5 U	5 U	5 ST
			Iodomethane							
			000074-95-3	NA	NA	10.0 U	5 U	5 U	5 U	5 ST
			Dibromomethane							
			000075-27-4	1.80 U	10.0 U	10.0 U	5 U	5 U	5 U	50 GV
			Bromodichloromethane							
			000075-00-3	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			Chloroethane							
			000075-01-4	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	2 ST
			Vinyl chloride							
			000075-09-2	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			Methylene chloride							
			000075-15-0	1.20 U	10.0 U	10.0 U	5 U	5 U	5 U	60 GV
			Carbon disulfide							
			000075-25-2	1.80 U	10.0 U	10.0 U	5 U	5 U	5 U	50 GV
			Bromoform							
			000075-34-3	1.20 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			1,1-Dichloroethane							
			000075-35-4	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			1,1-Dichloroethene							
			000075-69-4	NA	NA	10.0 U	5 U	5 U	5 U	5 ST
			Trichloroethane							
			000078-87-5	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			1,2-Dichloropropane							
			000078-93-3	2.20 U	10.0 U	10.0 U	5 U	5 U	5 U	50 GV
			2-Butanone							
			000079-01-6	1.40 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			Trichloroethene							
			000079-34-5	2.20 U	10.0 U	10.0 U	5 U	5 U	5 U	5 ST
			1,2,2-Tetrachloroethane							
			000095-50-1	NA	NA	10.0 U	5 U	5 U	5 U	3 ST
			1,2-Dichlorobenzene							
			000096-12-8	NA	NA	10.0 U	5 U	5 U	5 U	0.04 ST
			1,2-Dibromo-3-chloropropane							
			000096-18-4	NA	NA	10.0 U	5 U	5 U	5 U	0.04 ST
			1,2,3-Trichloropropane							
			000563-58-6	NA	NA	10.0 U	5 U	5 U	5 U	5 ST
			TOTAL VOCs							

NOTES

NS: Not Sampled

ST: Standard


NA: Not Analyzed

: Parameter exceeds Standard/Guidance Value

QUALIFIERS  
 U: Compound was found in the method blank as well as the sample  
 B: Compound was analyzed for but not detected at the detection limit shown.  
 J: Compound was found at a concentration below the detection limit, value estimated

E: Concentration exceeds instrument calibration range; value estimated.


D: Result taken from analysis at a secondary dilution.




**APPENDIX A-4**

**HISTORIC TREND GRAPHS - ALKALINITY, IRON PLUS MANGANESE,  
TOTAL DISSOLVED SOLIDS AND SPECIFIC CONDUCTIVITY  
RESULTS FROM SELECTED MONITORING WELLS**







# HISTORIC SPECIFIC CONDUCTIVITY RESULTS IN SELECTED SHALLOW WELLS




## HISTORIC IRON + MANGANESE RESULTS IN SELECTED SHALLOW WELLS




# HISTORIC ALKALINITY RESULTS IN SELECTED SHALLOW WELLS




## HISTORIC TOTAL DISSOLVED SOLID RESULTS IN SELECTED SHALLOW WELLS




# HISTORIC SPECIFIC CONDUCTIVITY RESULTS IN SELECTED INTERMEDIATE WELLS



## HISTORIC IRON + MANGANESE RESULTS IN SELECTED INTERMEDIATE WELLS




# HISTORIC ALKALINITY RESULTS IN SELECTED INTERMEDIATE WELLS







## HISTORIC TOTAL DISSOLVED SOLID RESULTS IN SELECTED INTERMEDIATE WELLS




# HISTORIC SPECIFIC CONDUCTIVITY RESULTS IN SELECTED DEEP WELLS




### HISTORIC IRON + MANGANESE RESULTS IN SELECTED DEEP WELLS



# HISTORIC ALKALINITY RESULTS IN SELECTED DEEP WELLS



### HISTORIC TOTAL DISSOLVED SOLID RESULTS IN SELECTED DEEP WELLS



# Appendix B





**APPENDIX B-1**

**FIELD FORMS - FIELD OBSERVATION LOGS**





## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/19/04

SAMPLE ID: 2023-MW-01S (29) Time On-site: \_\_\_\_\_ Time Off-site: \_\_\_\_\_  
 WELL ID: MW-01S 1145 1211  
 SAMPLERS: Supy Singh 1145 1211  
James Milligan

Depth of well (from top of casing) .....: 28.80 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) .....: 15.00 ft Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_ Centrifugal \_\_\_\_\_  
 Bailer \_\_\_\_\_ Pos. Displ. \_\_\_\_\_  
 Submersible X Ded. Pump \_\_\_\_\_

**Well Volume Calculation:**

2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 13.80 ft. of water x 0.65 = 8.97 gallons

volume of water removed: \_\_\_\_\_ gal. >3 volumes: yes X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no X

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (ms/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	5.71	15.43	0.595	79.6	10.28	234
10	5.75	13.06	0.586	63.8	3.31	196
20	5.78	12.95	0.586	53.1	1.85	193
30	5.79	12.92	0.586	34.7	0.97	170
40	5.81	12.92	0.585	21.6	0.90	156
50	5.81	12.89	0.585	20.2	0.87	139
60	5.82	12.90	0.585	7.8	0.81	134
Sample	5.87	12.98	0.724	3.1	0.92	137

**Sampling**

Time of Sample Collection: 1210

Method: \_\_\_\_\_ Stainless steel bailer \_\_\_\_\_  
 \_\_\_\_\_ Teflon bailer \_\_\_\_\_  
 \_\_\_\_\_ Pos. Disp. Pump \_\_\_\_\_  
X \_\_\_\_\_ Disposable bailer \_\_\_\_\_  
 \_\_\_\_\_ Dedicated pump \_\_\_\_\_  
 \_\_\_\_\_ Other: \_\_\_\_\_

Analyses: \_\_\_\_\_ VOCs \_\_\_\_\_  
 \_\_\_\_\_ SVOCs \_\_\_\_\_  
 \_\_\_\_\_ Metals \_\_\_\_\_  
 \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 \_\_\_\_\_ Physical \_\_\_\_\_  
 \_\_\_\_\_ Other X \_\_\_\_\_

602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_

**Observations**

Weather/Temperature: cloudy, 65 degrees F  
 Sample description: clear colorless no odor \_\_\_\_\_  
 Free Product? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no X describe \_\_\_\_\_

Comments: 5 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/19/04

SAMPLE ID: 2023-MW-011 (78)

WELL ID: MW-011

SAMPLERS: Supy Singh

James Milligan

Time On-site:

1215

1215

Time Off-site:

1311

1311

Depth of well (from top of casing) ..... 78.63 ft

Initial static water level (from top of casing) ..... 14.34 ft

Time: \_\_\_\_\_  
Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_  
 Bailor \_\_\_\_\_  
 Submersible

Well Volume Calculation:  
 2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 64.29 ft. of water x 0.65 = 41.78 gallons

volume of water removed: 195 gal. >3 volumes: yes  no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (mS/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	5.96	13.68	0.154	74.5	5.54	348
30	5.83	13.87	0.155	24.2	0.78	344
60	5.74	13.88	0.156	8.8	0.58	342
90	5.69	13.89	0.156	4.1	0.49	338
120	5.63	13.89	0.157	7.1	0.46	332
165	5.60	13.89	0.158	8.6	0.40	322
180	5.60	13.89	0.158	6.2	0.41	319
195	5.60	13.89	0.158	4.0	0.40	318
Sample	6.20	13.89	0.271	14.2	1.59	334

**Sampling**

Time of Sample Collection: 1310

Method: \_\_\_\_\_ Analyses: \_\_\_\_\_  
 Stainless steel bailer \_\_\_\_\_ VOCs \_\_\_\_\_ 602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_  
 Teflon bailer \_\_\_\_\_ SVOCs \_\_\_\_\_  
 Pos. Disp. Pump \_\_\_\_\_ Metals \_\_\_\_\_  
 Disposable bailer \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 Dedicated pump \_\_\_\_\_ Physical \_\_\_\_\_  
 Other: \_\_\_\_\_  Other NYSDEC PART 360 ROUTINE

**Observations**

Weather/Temperature: cloudy, 65 degrees F

Sample description: clear colorless no odor

Free Product? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no  describe \_\_\_\_\_

**Comments:**

15 GPM

**FIELD OBSERVATION LOG  
GROUNDWATER SAMPLING RECORD**

SITE Sonia Road Landfill DATE 8/19/04  
 SAMPLE ID: 2023-MW-01D (106) Time On-site: \_\_\_\_\_ Time Off-site: \_\_\_\_\_  
 WELL ID: MW-01D 1312 1425  
 SAMPLERS: Supy Singh 1312 1425  
James Milligan

Depth of well (from top of casing) ..... 105.86 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) ..... 13.56 ft Time: \_\_\_\_\_

**Purging Method**  
 Airlift \_\_\_\_\_ Centrifugal \_\_\_\_\_  
 Bailer \_\_\_\_\_ Pos. Displ. \_\_\_\_\_  
 Submersible X Ded. Pump \_\_\_\_\_  
 Well Volume Calculation:  
 2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 92.30 ft. of water x 0.65 = 59.99 gallons

volume of water removed: \_\_\_\_\_ gal. >3 volumes: yes X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no X

Field Tests	Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (ms/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial		5.32	13.99	2.33	67.2	1.55	344
40		5.35	14.03	2.33	50.7	0.85	344
80		5.37	13.92	2.35	8.7	0.47	345
120		5.43	13.70	3.76	8.2	0.41	339
160		5.39	13.57	3.78	8.0	0.37	334
200		5.40	13.60	3.79	7.7	0.31	329
240		5.40	13.60	3.79	6.8	0.29	324
280		5.47	13.64	3.79	12.5	0.29	324
Sample		5.46	13.64	3.92	14.1	1.08	330

Sampling Time of Sample Collection: 1400

Method: \_\_\_\_\_ Analyses: \_\_\_\_\_  
 \_\_\_\_\_ Stainless steel bailer \_\_\_\_\_ VOCs \_\_\_\_\_ 602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_  
 \_\_\_\_\_ Teflon bailer \_\_\_\_\_ SVOCs \_\_\_\_\_  
 \_\_\_\_\_ Pos. Disp. Pump \_\_\_\_\_ Metals \_\_\_\_\_  
X Disposable bailer \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 \_\_\_\_\_ Dedicated pump \_\_\_\_\_ Physical \_\_\_\_\_  
 \_\_\_\_\_ Other: \_\_\_\_\_ X \_\_\_\_\_ NYSDEC PART 360 ROUTINE \_\_\_\_\_

**Observations**  
 Weather/Temperature: Cloudy, 65 degrees F  
 Sample description: clear colorless no odor  
 Free Product? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no X describe \_\_\_\_\_

Comments: 20 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/20/04

SAMPLE ID: 2023-MW-021 (72)

WELL ID: MW-021 Time On-site: \_\_\_\_\_

SAMPLERS: Supy Singh 0850 Time Off-site: 0940

James Milligan 0850 0940

Depth of well (from top of casing) ..... 72.13 ft Time: \_\_\_\_\_

Initial static water level (from top of casing) ..... 28.90 ft Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_ Centrifugal \_\_\_\_\_ Well Volume Calculation: \_\_\_\_\_ gallons  
 Bailor \_\_\_\_\_ Pos. Displ. \_\_\_\_\_ 2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 Submersible X Ded. Pump \_\_\_\_\_ 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 43.23 ft. of water x 0.65 = 28.10 gallons

volume of water removed: 140 gal. >3 volumes: yes X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no X

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (mS/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	4.69	14.02	0.098	89.8	5.62	428
20	4.35	14.01	0.103	74.4	3.28	435
40	4.39	14.14	0.104	53.6	0.45	422
60	4.41	14.14	0.104	39.5	0.38	410
80	4.40	14.14	0.104	34.6	0.37	401
100	4.40	14.15	0.105	31.9	0.36	396
120	4.41	14.14	0.105	31.6	0.34	386
140	4.40	14.15	0.105	27.3	0.34	383
Sample	4.41	14.20	0.137	28.4	3.79	385

**Sampling**

Time of Sample Collection: 0935

Method: \_\_\_\_\_ Analyses: \_\_\_\_\_  
 Stainless steel bailer \_\_\_\_\_ VOCs \_\_\_\_\_ 602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_  
 Teflon bailer \_\_\_\_\_ SVOCs \_\_\_\_\_  
 Pos. Disp. Pump \_\_\_\_\_ Metals \_\_\_\_\_  
X Disposable bailer \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 Dedicated pump \_\_\_\_\_ Physical \_\_\_\_\_  
 Other: \_\_\_\_\_ X Other NYSDEC PART 360 ROUTINE

**Observations**

Weather/Temperature: cloudy, 85 degrees F

Sample description: clear colorless no odor

Free Product? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no X describe \_\_\_\_\_

**Comments:**

5 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/20/04

SAMPLE ID: 2023-MW-02D (116) Time Off-site: 0845  
 WELL ID: MW-02D Time On-site: 0750  
 SAMPLERS: Supy Singh 0750  
James Milligan 0750

Depth of well (from top of casing) ..... 116 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) ..... 28.97 ft Time: \_\_\_\_\_

Purging Method \_\_\_\_\_ Well Volume Calculation:  
 Airlift \_\_\_\_\_ Centrifugal \_\_\_\_\_ 2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 Bailer \_\_\_\_\_ Pos. Displ. \_\_\_\_\_ 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 Submersible X \_\_\_\_\_ Ded. Pump \_\_\_\_\_ 4 in. casing: 87.03 ft. of water x 0.65 = 56.57 gallons

volume of water removed: \_\_\_\_\_ gal. >3 volumes: yes X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no X

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (ms/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	4.67	14.62	0.093	69.8	10.62	418
40	4.85	13.64	0.089	50.8	10.28	416
80	4.77	13.66	0.093	21.5	10.05	421
120	4.78	13.66	0.092	21.0	9.84	417
160	4.79	13.65	0.091	19.8	10.06	416
200	4.78	13.66	0.090	16.7	10.07	416
240	4.79	13.65	0.089	15.3	10.05	417
280	4.72	13.65	0.090	12.9	10.00	420
320	4.73	13.65	0.089	5.7	10.00	421
Sample	4.72	13.74	0.103	16.2	10.35	420

**Sampling**

Time of Sample Collection: 0840

Method: \_\_\_\_\_ Stainless steel bailer \_\_\_\_\_ Analyses: \_\_\_\_\_ VOCs \_\_\_\_\_ 602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_  
 \_\_\_\_\_ Teflon bailer \_\_\_\_\_ SVOCs \_\_\_\_\_  
 \_\_\_\_\_ Pos. Disp. Pump \_\_\_\_\_ Metals \_\_\_\_\_  
X Disposable bailer \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 \_\_\_\_\_ Dedicated pump \_\_\_\_\_ Physical \_\_\_\_\_  
 \_\_\_\_\_ Other: \_\_\_\_\_ X \_\_\_\_\_ NYSDEC PART 360 ROUTINE \_\_\_\_\_

**Observations**

Weather/Temperature: cloudy, 85 degrees F  
 Sample description: clear colorless no odor  
 Free Product? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no X describe \_\_\_\_\_

Comments: 20 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/23/04

SAMPLE ID: 2023-MW-03S (32) Time On-site: 1130 Time Off-site: 1230  
 WELL ID: MW-03S  
 SAMPLERS: Al Albano 1130  
James Milligan 1130

Depth of well (from top of casing) ..... 31.60 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) ..... 21.59 ft Time: \_\_\_\_\_

Purging Method \_\_\_\_\_ Well Volume Calculation:  
 Airlift \_\_\_\_\_ Centrifugal \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 Bailor \_\_\_\_\_ Pos. Displ. \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 Submersible  Ded. Pump \_\_\_\_\_ 4 in. casing: 10.01 ft. of water x 0.65 = 6.50 gallons

Volume of water removed: \_\_\_\_\_ gal. >3 volumes: yes  no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no

Field Tests	Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (mS/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	6.01	17.60	0.525	1.5	2.90	-42	
4	6.09	17.48	0.523	0.8	0.79	-50	
8	6.11	17.44	0.523	0.8	0.63	-53	
12	6.12	17.42	0.522	0.8	0.53	-55	
16	6.13	17.44	0.522	0.9	0.47	-59	
20	6.15	17.44	0.522	1.1	0.44	-61	
24	6.14	17.41	0.521	1.0	0.40	-62	
28	6.14	17.42	0.521	1.0	0.40	-62	
32	6.15	17.44	0.521	1.1	0.38	-64	
36	6.16	17.45	0.521	0.8	0.36	-64	
Sample	6.22	19.11	0.508	7.1	1.70	-38	

Sampling Time of Sample Collection: 1210

Method: \_\_\_\_\_ Analyses: \_\_\_\_\_  
 Stainless steel bailer \_\_\_\_\_ VOCs \_\_\_\_\_ 602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_  
 Teflon bailer \_\_\_\_\_ SVOCs \_\_\_\_\_  
 Pos. Disp. Pump \_\_\_\_\_ Metals \_\_\_\_\_  
 Disposable bailer \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 Dedicated pump \_\_\_\_\_ Physical \_\_\_\_\_  
 Other: \_\_\_\_\_ X \_\_\_\_\_ Other NYSDEC PART 360 ROUTINE

Observations  
 Weather/Temperature: sunny clear 75 degrees F  
 Sample description: clear colorless no odor  
 Free Product? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no  describe \_\_\_\_\_

Comments: 2 GPM

**FIELD OBSERVATION LOG  
GROUNDWATER SAMPLING RECORD**

SITE Sonia Road Landfill DATE 8/23/04

SAMPLE ID: 2023-MW-04S (34) Time Off-site: 0810  
 WELL ID: MW-04S Time On-site: 0700  
 SAMPLERS: Al Albano James Milligan Time: 0700

Depth of well (from top of casing) ..... 33.70 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) ..... 23.65 ft Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_ Centrifugal \_\_\_\_\_  
 Bailor \_\_\_\_\_ Pos. Displ. \_\_\_\_\_  
 Submersible X Ded. Pump \_\_\_\_\_

**Well Volume Calculation:**

2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 10.05 ft. of water x 0.65 = 6.53 gallons

volume of water removed: \_\_\_\_\_ gal.  
 >3 volumes: yes X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no X

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (mS/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	5.32	15.65	0.833	999	5.10	247
10	5.36	15.67	0.802	999	1.42	175
20	5.47	15.70	0.797	238	0.66	59
30	5.51	15.68	0.784	6.9	0.53	27
40	5.73	15.68	0.780	9.1	0.51	16
50	5.77	15.68	0.773	19.5	0.49	10
60	5.76	15.68	0.768	15.5	0.49	5
70	5.79	15.69	0.789	9.1	0.51	1
Sample	5.93	16.50	0.732	6.5	1.90	-12

**Sampling**

Time of Sample Collection: 0800

**Method:**

\_\_\_\_ Stainless steel bailer  
 \_\_\_\_ Teflon bailer  
 \_\_\_\_ Pos. Disp. Pump  
X Disposable bailer  
 \_\_\_\_ Dedicated pump  
 \_\_\_\_ Other: \_\_\_\_\_

**Analyses:**

\_\_\_\_ VOCs  
 \_\_\_\_ SVOCs  
 \_\_\_\_ Metals  
 \_\_\_\_ PCB/Pest.  
 \_\_\_\_ Physical  
 \_\_\_\_ Other X NYSDEC PART 360 ROUTINE

602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_

**Observations**

Weather/Temperature: clear sunny 75 degrees F

Sample description: clear colorless no odor

Free Product? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no X describe \_\_\_\_\_

**Comments:**

5 GPM





## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/23/04

SAMPLE ID: 2023-MW-04D (114) Time On-site: \_\_\_\_\_ Time Off-site: \_\_\_\_\_  
 WELL ID: MW-04D 1020 1100  
 SAMPLERS: Al Albano 1020 1100  
James Milligan

Depth of well (from top of casing) .....: 114.10 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) .....: 21.59 ft Time: \_\_\_\_\_

Purging Method \_\_\_\_\_ Well Volume Calculation:  
 Airlift \_\_\_\_\_ 2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 Bailer \_\_\_\_\_ Pos. Disp. \_\_\_\_\_ 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 Submersible X Ded. Pump \_\_\_\_\_ 4 in. casing: 92.51 ft. of water x 0.65 = 60.13 gallons

volume of water removed: \_\_\_\_\_ gal. >3 volumes: yes X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no X

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (mS/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	6.16	14.08	0.533	10.0	0.41	-56
40	6.16	14.07	0.541	4.7	0.39	-59
80	6.19	14.08	0.542	4.7	0.38	-62
120	6.21	14.08	0.546	13.5	0.37	-66
160	6.36	14.11	0.549	3.0	0.46	-78
200	6.36	14.12	0.550	3.3	0.39	-79
240	6.36	14.08	0.552	5.5	0.35	-75
280	6.42	14.10	0.552	0.4	0.51	-86
320	6.24	14.08	0.555	2.0	0.48	-78
330	6.25	14.08	0.555	3.0	0.31	-81
Sample	6.42	14.41	0.553	41	1.76	-85

Sampling Time of Sample Collection: 1055

Method: \_\_\_\_\_ Analyses: \_\_\_\_\_  
 \_\_\_\_\_ Stainless steel bailer \_\_\_\_\_ VOCs \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_  
 \_\_\_\_\_ Teflon bailer \_\_\_\_\_ SVOCs \_\_\_\_\_  
 \_\_\_\_\_ Pos. Disp. Pump \_\_\_\_\_ Metals \_\_\_\_\_  
X Disposable bailer \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 \_\_\_\_\_ Dedicated pump \_\_\_\_\_ Physical \_\_\_\_\_  
 Other: \_\_\_\_\_ X Other NYSDEC PART 360 ROUTINE

Observations  
 Weather/Temperature: sunny clear. 75 degrees F  
 Sample description: clear colorless no odor  
 Free Product? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no X describe \_\_\_\_\_

Comments: 20 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/23/04

SAMPLE ID: 2023-MW-05S (34)

WELL ID: MW-05S

SAMPLERS: Al Albano

James Milligan

Time On-site: 1450

1450

Time Off-site: 1600

1600

Depth of well (from top of casing) ..... 33.20 ft

Initial static water level (from top of casing) ..... 22.37 ft

Time: \_\_\_\_\_  
Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_  
Bailer \_\_\_\_\_  
Submersible  \_\_\_\_\_

Well Volume Calculation:  
2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
4 in. casing: 10.83 ft. of water x 0.65 = 7.03 gallons

volume of water removed: 80 gal. >3 volumes: yes  no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (mS/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	5.99	17.79	0.670	1.1	2.61	13
20	5.86	17.79	0.669	1.8	0.63	-6
40	5.85	17.78	0.669	2.9	0.49	-18
60	5.86	17.77	0.668	1.6	0.45	-23
80	5.88	17.76	0.668	1.3	0.48	-27
Sample	6.04	18.87	0.649	20.9	5.69	59

**Sampling**

Time of Sample Collection: 1540

Method: \_\_\_\_\_ Analyses: \_\_\_\_\_  
 Stainless steel bailer \_\_\_\_\_ VOCs \_\_\_\_\_ 602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_  
 Teflon bailer \_\_\_\_\_ SVOCs \_\_\_\_\_  
 Pos. Disp. Pump \_\_\_\_\_ Metals \_\_\_\_\_  
 Disposable bailer \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 Dedicated pump \_\_\_\_\_ Physical \_\_\_\_\_  
 Other: \_\_\_\_\_  Other NYSDEC PART 360 ROUTINE

**Observations**

Weather/T temperature: Sunny clear 75 degrees F

Sample description: clear colorless no odor

Free Product? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no  describe \_\_\_\_\_

**Comments:**

5 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/24/04

SAMPLE ID: 2023-MW-5I (70) Time On-site: \_\_\_\_\_ Time Off-site: \_\_\_\_\_  
 WELL ID: MW-05I 1419 1440  
 SAMPLERS: Al Albano 1419 1440  
James Milligan

Depth of well (from top of casing) ..... 70.20 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) ..... 22.32 ft Time: \_\_\_\_\_

**Purging Method**  
 Airlift \_\_\_\_\_ Centrifugal \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 Bailer \_\_\_\_\_ Pos. Displ. \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 Submersible  Ded. Pump \_\_\_\_\_ ft. of water x 0.65 = 31.12 gallons

**Well Volume Calculation:**

volume of water removed: \_\_\_\_\_ gal. >3 volumes: yes  no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (mS/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	5.73	14.98	0.345	42.2	2.66	132
20	5.82	14.96	0.346	21.5	1.11	64
40	5.84	14.95	0.347	4.8	0.80	39
60	5.88	14.95	0.348	1.0	0.66	21
80	5.92	14.95	0.349	1.2	0.54	4
100	5.95	14.94	0.350	2.6	0.51	-3
120	5.96	14.95	0.351	1.7	0.48	-10
140	5.99	14.94	0.353	1.9	0.44	-15
160	6.00	14.95	0.353	1.3	0.43	-18
Sample	6.15	16.94	0.357	12.2	3.59	5

Sampling Time of Sample Collection: 1435

Method: \_\_\_\_\_ Stainless steel bailer \_\_\_\_\_ Analyses: VOCs \_\_\_\_\_ 602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_  
 \_\_\_\_\_ Teflon bailer \_\_\_\_\_ SVOCs \_\_\_\_\_  
 \_\_\_\_\_ Pos. Disp. Pump \_\_\_\_\_ Metals \_\_\_\_\_  
 \_\_\_\_\_ Disposable bailer \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 \_\_\_\_\_ Dedicated pump \_\_\_\_\_ Physical \_\_\_\_\_  
 Other: \_\_\_\_\_  \_\_\_\_\_ NYSDEC PART 360 ROUTINE \_\_\_\_\_

**Observations**

Weather/Temperature: sunny clear 75 degrees F  
 Sample description: clear colorless no odor  
 Free Product? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no  describe \_\_\_\_\_

Comments: 20 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/23/04

SAMPLE ID: 2023-MW-5D (116)

WELL ID: MW-05D Time On-site: 1300 Time Off-site: 1400

SAMPLERS: Al Albano 1300

James Milligan 1300

Depth of well (from top of casing) ..... 115.7 ft Time: \_\_\_\_\_

Initial static water level (from top of casing) ..... 22.80 ft Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_  
 Bailor \_\_\_\_\_  
 Submersible  X

Well Volume Calculation:  
 2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 92.90 ft. of water x 0.65 = 60.38 gallons

volume of water removed: 360 gal. >3 volumes: yes  X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no  X

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (mS/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	6.29	14.03	0.185	64.5	7.83	185
40	5.86	13.84	0.186	24.4	0.79	195
80	5.83	13.83	0.188	3.7	0.57	188
120	5.85	13.83	0.190	1.8	0.43	178
160	5.85	13.83	0.192	1.8	0.39	172
200	5.85	13.82	0.195	0.4	0.37	166
240	5.81	13.82	0.198	3.6	0.37	162
280	5.81	13.83	0.198	2.5	0.35	161
320	5.79	13.82	0.200	2.7	0.34	158
360	5.77	13.82	0.202	2.3	0.34	156
Sample	6.03	17.33	0.195	4.8	7.67	224

**Sampling**

Time of Sample Collection: 1340

Method: Stainless steel bailer Analyses: VOOCs 602 503 Other  
Teflon bailer SVOCs  
Pos. Disp. Pump Metals  
 X Disposable bailer PCB/Pest.  
Dedicated pump Physical  
Other: X Other NYSDEC PART 360 ROUTINE

**Observations**

Weather/Temperature: Sunny Clear 75 degrees F

Sample description: clear colorless no odor

Free Product? yes  no  X describe \_\_\_\_\_  
 Sheen? yes  no  X describe \_\_\_\_\_  
 Odor? yes  no  X describe \_\_\_\_\_

**Comments:**

20 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/20/04

SAMPLE ID: 2023-MW-06S (37) Time On-site: \_\_\_\_\_ Time Off-site: \_\_\_\_\_  
 WELL ID: MW-06S 1050 1200  
 SAMPLERS: Supy Singh 1050 1200  
James Milligan

Depth of well (from top of casing) .....: 37.90 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) .....: 26.31 ft Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_ Centrifugal \_\_\_\_\_  
 Bailer \_\_\_\_\_ Pos. Displ. \_\_\_\_\_  
 Submersible X Ded. Pump \_\_\_\_\_

**Well Volume Calculation:**

2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 11.59 ft. of water x 0.65 = 7.53 gallons

volume of water removed: \_\_\_\_\_ gal.  
40

>3 volumes: yes X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no X

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (ms/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	5.78	18.58	0.734	42.7	2.33	9
5	5.74	18.54	0.736	2.3	0.55	-5
10	5.81	18.55	0.736	6.8	0.57	-17
15	5.83	18.58	0.735	3.7	0.56	-22
20	5.85	18.51	0.733	7.0	0.55	-25
25	5.87	18.55	0.730	13.2	0.59	-29
30	5.88	18.59	0.728	23.3	0.61	-31
35	5.88	18.53	0.726	21.1	0.62	-32
40	5.90	18.60	0.721	18.6	0.64	-34
Sample	5.91	18.63	0.748	23.7	1.81	-34

**Sampling**

Time of Sample Collection: 1150

**Method:**

Stainless steel bailer \_\_\_\_\_  
 Teflon bailer \_\_\_\_\_  
 Pos. Disp. Pump \_\_\_\_\_  
X Disposable bailer \_\_\_\_\_  
 Dedicated pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Analyses:**

VOCs \_\_\_\_\_  
 SVOCs \_\_\_\_\_  
 Metals \_\_\_\_\_  
 PCB/Pest. \_\_\_\_\_  
 Physical \_\_\_\_\_  
 Other X **NYSDEC PART 360 ROUTINE**

602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_

**Observations**

Weather/Temperature: Cloudy, 80 degrees F

Sample description: clear colorless no odor

Free Product? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no X describe \_\_\_\_\_

**Comments:**

1 GPM MS/MSD #1

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/20/04

SAMPLE ID: 2023-MW-061 (76)

WELL ID: MW-061

SAMPLERS: Supy Singh

James Milligan

Time On-site:

1215

1215

Time Off-site:

1315

1315

Depth of well (from top of casing) ..... 76.40 ft

Initial static water level (from top of casing) ..... 26.48 ft

Time: \_\_\_\_\_  
Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_  
 Baller \_\_\_\_\_  
 Submersible

Well Volume Calculation:  
 2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 49.92 ft. of water x 0.65 = 32.45 gallons

volume of water removed: 160 gal. >3 volumes: yes  no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (mS/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	5.64	16.79	0.185	52.7	2.42	192
20	5.56	16.20	0.214	22.0	0.77	156
40	5.50	16.17	0.216	7.5	0.47	123
60	5.48	16.17	0.217	5.5	0.39	103
80	5.47	16.18	0.217	4.6	0.36	97
100	5.45	16.19	0.217	2.8	0.35	92
120	5.43	16.19	0.217	2.3	0.33	88
140	5.45	16.17	0.217	1.1	0.32	86
160	5.44	16.18	0.217	0.7	0.33	85
Sample	5.49	16.47	0.721	9.1	1.36	87

Sampling Time of Sample Collection: 1310

Method: \_\_\_\_\_ Analyses: \_\_\_\_\_  
 Stainless steel bailer \_\_\_\_\_ VOCs 602 \_\_\_\_\_ SVOCs 503 \_\_\_\_\_ Other \_\_\_\_\_  
 Teflon bailer \_\_\_\_\_ Metals \_\_\_\_\_  
 Pos. Disp. Pump \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 Disposable bailer \_\_\_\_\_ Physical \_\_\_\_\_  
 Dedicated pump \_\_\_\_\_ Other x \_\_\_\_\_ NYSDEC PART 360 ROUTINE \_\_\_\_\_  
 Other: \_\_\_\_\_

**Observations**

Weather/Temperature: Cloudy . 85 degrees F

Sample description: clear colorless no odor

Free Product? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no  describe \_\_\_\_\_

Comments: 5 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/20/04

SAMPLE ID: 2023-MW-06D (117) Time On-site: \_\_\_\_\_ Time Off-site: \_\_\_\_\_  
 WELL ID: MW-06D 1300 1420  
 SAMPLERS: Supy Singh 1300 1420  
James Milligan

Depth of well (from top of casing) ..... 117.1 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) ..... 26.93 ft Time: \_\_\_\_\_

**Purging Method**

Airift \_\_\_\_\_ Centrifugal \_\_\_\_\_  
 Bailer \_\_\_\_\_ Pos. Displ. \_\_\_\_\_  
 Submersible  Ded. Pump \_\_\_\_\_

**Well Volume Calculation:**

2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 90.17 ft. of water x 0.65 = 58.61 gallons

volume of water removed: \_\_\_\_\_ gal. >3 volumes: yes  no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (ms/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	5.21	16.15	0.099	95.3	1.57	135
40	5.35	14.35	0.110	7.1	0.53	105
80	5.45	14.37	0.108	13.8	0.67	96
120	5.45	14.37	0.109	5.7	0.63	94
160	5.48	14.36	0.108	6.8	0.58	71
200	5.49	14.36	0.107	7.0	0.56	68
240	5.49	14.37	0.108	7.1	0.55	66
280	5.49	14.37	0.107	7.6	0.55	67
320	5.49	14.37	0.107	7.7	0.53	65
Sample	5.50	14.40	0.108	10.8	1.51	66

**Sampling**

Time of Sample Collection: 1400

**Method:**

\_\_\_\_ Stainless steel bailer  
 \_\_\_\_ Teflon bailer  
 \_\_\_\_ Pos. Disp. Pump  
 Disposable bailer  
 \_\_\_\_ Dedicated pump  
 \_\_\_\_ Other: \_\_\_\_\_

**Analyses:**

\_\_\_\_ VOCs  
 \_\_\_\_ SVOCs  
 \_\_\_\_ Metals  
 \_\_\_\_ PCB/Pest.  
 \_\_\_\_ Physical  
 Other NYSDEC PART 360 ROUTINE

602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_

**Observations**

Weather/Temperature: cloudy, 85 degrees F

Sample description: clear colorless sulfur odor

Free Product? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Odor? yes  no \_\_\_\_\_ describe Sulfur

**Comments:**

20 GPM Blind duplicate # 2



## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/20/04

SAMPLE ID: 2023-MW-071 (74)

WELL ID: MW-071

SAMPLERS: Supy Singh

James Milligan

Time On-site:

0930

0930

Time Off-site:

1035

1035

Depth of well (from top of casing) ..... 74.2 ft

Initial static water level (from top of casing) ..... 24.32 ft

Time: \_\_\_\_\_  
Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_  
Bailer \_\_\_\_\_  
Submersible

Centrifugal \_\_\_\_\_  
Pos. Displ. \_\_\_\_\_  
Ded. Pump \_\_\_\_\_

**Well Volume Calculation:**

2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
4 in. casing: 49.88 ft. of water x 0.65 = 32.42 gallons

volume of water removed: 160 gal. >3 volumes: yes  no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (mS/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	4.76	13.71	0.177	34.4	1.51	413
20	4.79	14.09	0.174	6.7	1.57	407
40	4.83	14.18	0.170	7.6	1.01	403
60	4.86	14.19	0.168	9.8	0.46	402
80	4.89	14.18	0.168	9.7	0.41	396
100	4.88	14.23	0.167	9.7	0.38	388
120	4.87	14.19	0.167	8.1	0.37	383
140	4.86	14.18	0.167	9.2	0.37	377
160	4.89	14.18	0.166	4.9	0.35	373
Sample	4.90	14.29	0.213	17.2	1.22	375

Sampling Time of Sample Collection: 1030

Method: \_\_\_\_\_ Analyses: \_\_\_\_\_  
 \_\_\_\_\_ Stainless steel bailer \_\_\_\_\_ VOCs \_\_\_\_\_ 602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_  
 \_\_\_\_\_ Teflon bailer \_\_\_\_\_ SVOCs \_\_\_\_\_  
 \_\_\_\_\_ Pos. Disp. Pump \_\_\_\_\_ Metals \_\_\_\_\_  
 Disposable bailer \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 \_\_\_\_\_ Dedicated pump \_\_\_\_\_ Physical \_\_\_\_\_  
 \_\_\_\_\_ Other: \_\_\_\_\_  Other \_\_\_\_\_ NYSDEC PART 360 ROUTINE

**Observations**

Weather/Temperature: Cloudy, 85 degrees F

Sample description: clear colorless no odor

Free Product? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no  describe \_\_\_\_\_

Comments: 5 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/24/04

SAMPLE ID: 2023-MW-11S (19) Time On-site: \_\_\_\_\_ Time Off-site: \_\_\_\_\_  
 WELL ID: MW-11S 1200 1400  
 SAMPLERS: Al Albano 1200 1400  
James Milligan

Depth of well (from top of casing) .....: 19.60 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) .....: 6.97 ft Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_ Centrifugal \_\_\_\_\_  
 Bailer \_\_\_\_\_ Pos. Displ. \_\_\_\_\_  
 Submersible  Ded. Pump \_\_\_\_\_

**Well Volume Calculation:**

2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 12.63 ft. of water x 0.65 = 8.20 gallons

volume of water removed: \_\_\_\_\_ gal. >3 volumes: yes  no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (ms/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	5.21	18.99	0.254	17.0	1.63	292
10	5.34	18.86	0.264	0.9	1.17	286
20	5.48	18.81	0.264	2.3	1.24	282
30	5.57	18.77	0.262	2.3	1.23	277
40	5.62	18.72	0.260	3.0	1.29	273
50	5.65	18.75	0.258	4.4	1.48	270
60	5.69	18.73	0.256	3.9	1.50	270
Sample	5.89	18.90	0.254	3.9	1.94	258

**Sampling**

Time of Sample Collection: 1230

**Method:**

Stainless steel bailer \_\_\_\_\_  
 Teflon bailer \_\_\_\_\_  
 Pos. Disp. Pump \_\_\_\_\_  
 Disposable bailer \_\_\_\_\_  
 Dedicated pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Analyses:**

VOCs \_\_\_\_\_  
 SVOCs \_\_\_\_\_  
 Metals \_\_\_\_\_  
 PCB/Pest. \_\_\_\_\_  
 Physical \_\_\_\_\_  
 Other NYSDEC PART 360 ROUTINE

**Observations**

Weather/Temperature: partly cloudy, 68 degrees F

Sample description: clear colorless no odor

Free Product? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no  describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no  describe \_\_\_\_\_

**Comments:**

5 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/24/04

SAMPLE ID: 2023-MW-111 (71) Time On-site: 1135 Time Off-site: 1205

WELL ID: MW-111 1135

SAMPLERS: Al Albano 1135 1205

James Milligan 1135 1205

Depth of well (from top of casing) ..... 71.30 ft Time: \_\_\_\_\_

Initial static water level (from top of casing) ..... 7.50 ft Time: \_\_\_\_\_

Purging Method \_\_\_\_\_ Well Volume Calculation: \_\_\_\_\_ gallons

Airlift \_\_\_\_\_ 2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons

Bailer \_\_\_\_\_ Pos. Displ. \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons

Submersible X \_\_\_\_\_ Ded. Pump \_\_\_\_\_ 4 in. casing: 63.80 ft. of water x 0.65 = 41.47 gallons

volume of water removed: \_\_\_\_\_ gal. >3 volumes: yes X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no X

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (mS/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	4.89	13.83	0.058	1.4	2.50	362
40	4.92	13.84	0.058	6.1	1.01	354
80	4.93	13.83	0.058	0.6	0.91	353
120	4.94	13.82	0.058	1.2	0.73	344
160	4.95	13.83	0.058	3.3	0.66	336
200	4.94	13.82	0.058	2.0	0.64	335
220	4.95	13.83	0.058	2.0	0.65	334
Sample	5.26	15.57	0.058	7.4	1.62	307

Sampling Time of Sample Collection: 1200

Method: \_\_\_\_\_ Analyzes: \_\_\_\_\_

Stainless steel bailer \_\_\_\_\_ VOCs \_\_\_\_\_ 602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_

Teflon bailer \_\_\_\_\_ SVOCs \_\_\_\_\_

Pos. Disp. Pump \_\_\_\_\_ Metals \_\_\_\_\_

X Disposable bailer \_\_\_\_\_ PCB/Pest. \_\_\_\_\_

Dedicated pump \_\_\_\_\_ Physical \_\_\_\_\_

Other: \_\_\_\_\_ X Other NYSDEC PART 360 ROUTINE

**Observations**

Weather/Temperature: partly cloudy, 68 degrees F

Sample description: clear colorless no odor

Free Product? yes \_\_\_\_\_ no X describe \_\_\_\_\_

Sheen? yes \_\_\_\_\_ no X describe \_\_\_\_\_

Odor? yes \_\_\_\_\_ no X describe \_\_\_\_\_

Comments: 20 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/24/04

SAMPLE ID: 2023-MW-11D (94) Time On-site: \_\_\_\_\_ Time Off-site: \_\_\_\_\_  
 WELL ID: MW-11D 1000 1100  
 SAMPLERS: Al Albano 1000 1100  
James Milligan

Depth of well (from top of casing) ..... 94.20 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) ..... 7.24 ft Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_ Centrifugal \_\_\_\_\_  
 Bailer \_\_\_\_\_ Pos. Displ. \_\_\_\_\_  
 Submersible X Ded. Pump \_\_\_\_\_

**Well Volume Calculation:**

2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 86.96 ft. of water x 0.65 = 56.52 gallons

volume of water removed: \_\_\_\_\_ gal. >3 volumes: yes X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no X

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (ms/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	4.69	13.87	0.062	171	6.16	383
40	4.34	13.46	0.063	999	4.85	361
80	5.33	13.42	0.078	867	5.52	323
120	4.69	13.43	0.069	254	6.01	343
160	4.44	13.42	0.067	105	6.01	350
200	4.27	13.41	0.065	21.8	5.95	355
240	4.24	13.41	0.065	19.2	5.95	356
280	4.24	13.42	0.065	18.0	5.95	356
320	4.24	13.41	0.065	20.0	5.92	357
Sample	4.69	14.95	0.070	40	6.59	304

**Sampling**

Time of Sample Collection: 1055

Method: \_\_\_\_\_ Stainless steel bailer \_\_\_\_\_  
 \_\_\_\_\_ Teflon bailer \_\_\_\_\_  
 \_\_\_\_\_ Pos. Disp. Pump \_\_\_\_\_  
X \_\_\_\_\_ Disposable bailer \_\_\_\_\_  
 \_\_\_\_\_ Dedicated pump \_\_\_\_\_  
 \_\_\_\_\_ Other: \_\_\_\_\_  
 Analyses: \_\_\_\_\_ VOCs \_\_\_\_\_  
 \_\_\_\_\_ SVOCs \_\_\_\_\_  
 \_\_\_\_\_ Metals \_\_\_\_\_  
 \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 \_\_\_\_\_ Physical \_\_\_\_\_  
 \_\_\_\_\_ Other X \_\_\_\_\_  
 \_\_\_\_\_ 602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_

**Observations**

Weather/Temperature: partly cloudy, 68 degrees F

Sample description: clear colorless no odor

Free Product? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no X describe \_\_\_\_\_

**Comments:**

20 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/24/04

SAMPLE ID: 2023-MW-12S (19) Time On-site: 0830 Time Off-site: 0830  
 WELL ID: MW-12S  
 SAMPLERS: Al Albano 0800  
James Milligan 0800

Depth of well (from top of casing) ..... 18.40 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) ..... 7.41 ft Time: \_\_\_\_\_

Purging Method \_\_\_\_\_ Well Volume Calculation:  
 Airlift \_\_\_\_\_ 2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 Bailer \_\_\_\_\_ 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 Submersible X \_\_\_\_\_ 4 in. casing: 10.99 ft. of water x 0.65 = 7.14 gallons

volume of water removed: \_\_\_\_\_ gal. >3 volumes: yes X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no X

Field Tests	Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (ms/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	5.60	17.65	0.196	13.7	6.57	268	
6	5.59	17.41	0.188	30.2	4.36	268	
12	5.59	17.40	0.188	33.7	4.29	266	
18	5.64	17.41	0.186	21.7	4.20	265	
24	5.67	17.41	0.187	23.8	4.13	264	
30	5.65	17.40	0.186	3.5	4.13	263	
36	5.70	17.39	0.188	8.9	4.14	264	
Sample	5.75	18.26	0.194	3.2	3.70	264	

Sampling Time of Sample Collection: 0830

Method: \_\_\_\_\_ Analyses: \_\_\_\_\_  
 Stainless steel bailer \_\_\_\_\_ VOCs \_\_\_\_\_ 602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_  
 Teflon bailer \_\_\_\_\_ SVOCs \_\_\_\_\_  
 Pos. Disp. Pump \_\_\_\_\_ Metals \_\_\_\_\_  
X Disposable bailer \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 Dedicated pump \_\_\_\_\_ Physical \_\_\_\_\_  
 Other: \_\_\_\_\_ X Other NYSDEC PART 360 ROUTINE

Observations  
 Weather/Temperature: partly cloudy, 68 degrees F  
 Sample description: clear colorless no odor  
 Free Product? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no X describe \_\_\_\_\_

Comments: 2 GPM

## FIELD OBSERVATION LOG GROUNDWATER SAMPLING RECORD

SITE Sonia Road Landfill DATE 8/24/04

SAMPLE ID: 2023-MW-12I (70) Time On-site: \_\_\_\_\_ Time Off-site: \_\_\_\_\_  
 WELL ID: MW-12I 0830 0900  
 SAMPLERS: Al Albano 0830 0900  
James Milligan

Depth of well (from top of casing) ..... 69.90 ft Time: \_\_\_\_\_  
 Initial static water level (from top of casing) ..... 7.54 ft Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_ Centrifugal \_\_\_\_\_  
 Bailer \_\_\_\_\_ Pos. Displ. \_\_\_\_\_ gallons  
 Submersible X Ded. Pump \_\_\_\_\_ gallons

**Well Volume Calculation:**

2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 62.36 ft. of water x 0.65 = 40.50 gallons

volume of water removed: \_\_\_\_\_ gal. >3 volumes: yes X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no X

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (ms/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	5.22	14.10	0.031	3.2	8.44	362
40	4.46	14.26	0.038	3.0	4.73	360
80	4.27	14.26	0.039	5.8	4.51	356
120	4.26	14.26	0.039	6.2	4.52	355
160	4.26	14.26	0.040	2.6	4.46	352
200	4.24	14.25	0.040	2.9	4.47	353
220	4.21	14.25	0.040	3.6	4.45	352
Sample	4.54	15.97	0.040	14.1	6.05	342

**Sampling**

Time of Sample Collection: 0905

Method: \_\_\_\_\_ Stainless steel bailer \_\_\_\_\_  
 \_\_\_\_\_ Teflon bailer \_\_\_\_\_  
 \_\_\_\_\_ Pos. Disp. Pump \_\_\_\_\_  
X \_\_\_\_\_ Disposable bailer \_\_\_\_\_  
 \_\_\_\_\_ Dedicated pump \_\_\_\_\_  
 \_\_\_\_\_ Other: \_\_\_\_\_

Analyses: \_\_\_\_\_ VOCs \_\_\_\_\_  
 \_\_\_\_\_ SVOCs \_\_\_\_\_  
 \_\_\_\_\_ Metals \_\_\_\_\_  
 \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 \_\_\_\_\_ Physical \_\_\_\_\_  
 \_\_\_\_\_ Other: NYSDEC PART 360 ROUTINE

**Observations**

Weather/Temperature: Partly cloudy. 68 degrees F  
 Sample description: clear colorless no odor  
 Free Product? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no X describe \_\_\_\_\_

Comments: 20 GPM

**FIELD OBSERVATION LOG  
GROUNDWATER SAMPLING RECORD**

SITE Sonia Road Landfill DATE 8/24/04

SAMPLE ID: 2023-MW-12D (98) Time On-site: 0900 Time Off-site: 1015  
 WELL ID: MW-12D Al Albano 0900 1015  
 SAMPLERS: James Milligan 0900 1015

Depth of well (from top of casing) ..... 98.00 ft  
 Initial static water level (from top of casing) ..... 7.25 ft  
 Time: \_\_\_\_\_  
 Time: \_\_\_\_\_

**Purging Method**

Airlift \_\_\_\_\_ Centrifugal \_\_\_\_\_ Well Volume Calculation:  
 Bailor \_\_\_\_\_ Pos. Displ. \_\_\_\_\_ 2 in. casing: \_\_\_\_\_ ft. of water x 0.16 = \_\_\_\_\_ gallons  
 Submersible X Ded. Pump \_\_\_\_\_ 3 in. casing: \_\_\_\_\_ ft. of water x 0.36 = \_\_\_\_\_ gallons  
 4 in. casing: 90.75 ft. of water x 0.65 = 58.98 gallons

Volume of water removed: 320 gal. >3 volumes: yes X no \_\_\_\_\_ purged dry? yes \_\_\_\_\_ no X

**Field Tests**

Volume of Purge Water (in gallons)	pH	Temp (c°)	Spec. Cond. (ms/cm)	Turbidity (NTUs)	Dissolved Oxygen (mg/l)	Eh (mv)
Initial	4.53	13.94	0.027	15.7	11.18	365
40	4.44	13.81	0.030	19.4	11.14	371
80	4.41	13.78	0.030	5.9	11.10	377
120	4.54	13.78	0.030	3.1	11.07	373
160	4.54	13.79	0.030	1.4	11.00	376
200	4.47	13.78	0.030	0.1	11.04	380
240	4.48	13.78	0.030	3.6	11.02	382
280	4.48	13.78	0.030	3.8	11.06	381
320	4.47	13.79	0.030	4.3	11.00	383
Sample	4.87	16.62	0.030	0.9	9.72	362

**Sampling**  
 Time of Sample Collection: 0945

**Method:** \_\_\_\_\_ **Analyses:** \_\_\_\_\_  
 \_\_\_\_\_ Stainless steel bailer \_\_\_\_\_ VOCs \_\_\_\_\_ 602 \_\_\_\_\_ 503 \_\_\_\_\_ Other \_\_\_\_\_  
 \_\_\_\_\_ Teflon bailer \_\_\_\_\_ SVOCs \_\_\_\_\_  
 \_\_\_\_\_ Pos. Disp. Pump \_\_\_\_\_ Metals \_\_\_\_\_  
X Disposable bailer \_\_\_\_\_ PCB/Pest. \_\_\_\_\_  
 \_\_\_\_\_ Dedicated pump \_\_\_\_\_ Physical \_\_\_\_\_  
 Other: \_\_\_\_\_ X Other \_\_\_\_\_ NYSDEC PART 360 ROUTINE


**Observations**  
 Weather/Temperature: partly cloudy. 68 degrees F  
 Sample description: clear colorless no odor  
 Free Product? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Sheen? yes \_\_\_\_\_ no X describe \_\_\_\_\_  
 Odor? yes \_\_\_\_\_ no X describe \_\_\_\_\_

**Comments:** 20 GPM MS/MSD # 2 taken

**APPENDIX B-2**

**FIELD FORMS - DAILY EQUIPMENT CALIBRATION LOGS**

















# Appendix C







**APPENDIX C**

**CHAIN-OF-CUSTODY FORMS**







10479

## EXTERNAL CHAIN OF CUSTODY

**CLIENT:** IERS **H2M SDG NO:**

**PROJECT NAME/NUMBER:** Sonia Rd Landfill  
**SAMPLES:** (signature)/client: S. Milligan  
 2023-09A  
**DELIVERABLES:** 5151g  
**TURNAROUND TIME:** 21 days  
**BS-70-1)**  
**ANALYSIS REQUESTED:** ORGANIC, METAL, TOC, Hardness, UET chem, VOA, BNA, Past/POB  
**Sample Container Description:** 1 Liter plastic, 250ml glass-H2SO4, 250ml plastic-HNO3, 40ml vial-H2SO4, 1 liter plastic-HNO3  
**NOTES:** Part 360 routine NYS DEC  
**Project Contact:** Keith Robins  
**Phone Number:** 516-364-9898

DATE	TIME	MATRIX	FIELD I.D.	↑ Total No. of Containers	↓ Sample Container Description
8-20-04	0840	GW	2023MW-02A1 (116)	8	
8-20-04	0835	GW	2023MW-02E (72)	8	
8-20-04	0830	GW	2023-MW-07E (74)	8	
8/20/04	1150	GW	2023-MW-06S (37)	8	
8/20/04	1150	GW	2023-MW-06S MS (37)	8	
8/20/04	1150	GW	2023-MW-06S MSA (37)	8	
	1310	GW	2023-MW-06I (76)	8	
	1400	GW	2023-MW-06D (117)	8	
		GW	2023-BIND Bkate #1	8	
	1320	M	2023-Field Bkuk #1	8	

Received by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
[Signature]	8-20-04	15:27	[Signature]	8/20/04	15:27	[Signature]	8/20/04	15:27	[Signature]	8/20/04	15:27

**LABORATORY USE ONLY**

Discrepancies Between Sample Labels and COC Record? Y or N \_\_\_\_\_

Explain: \_\_\_\_\_

Samples were: \_\_\_\_\_

1. Shipped \_\_\_\_\_ or Hand Delivered \_\_\_\_\_ Airbill# \_\_\_\_\_

2. Ambient or chilled \_\_\_\_\_

3. Received in good condition: Y or N \_\_\_\_\_

4. Properly preserved: Y or N \_\_\_\_\_

5. Samples returned to lab \_\_\_\_\_ Hrs from collection.

COC Tape was: \_\_\_\_\_

1. Present on outer package: Y or N \_\_\_\_\_

2. Unbroken on outer package: Y or N \_\_\_\_\_

3. COC record present & complete upon sample receipt: Y or N \_\_\_\_\_









10481

## EXTERNAL CHAIN OF CUSTODY

**CLIENT:** H2M SDG NO: \_\_\_\_\_

**PROJECT NAME/NUMBER** 501a Road Landfill

**SAMPLES:** (signature)/Client I. Millis  
A. Albin

**DELIVERABLES:** 2023-09A

**TURNAROUND TIME:** 21 days

**DATE:** 8/24/23

**TIME MATRIX**

DATE	TIME	MATRIX	FIELD I.D.	Total No. of Containers
8/24/23	6W	2023-MW-12S	(19)	8
	6W	2023-MW-12E	(70)	8
	6W	2023-MW-12D	(98)	8
	6W	2023-MW-12D MS	(98)	8
	6W	2023-MW-12D MSD	(98)	8
	6W	2023-MW-11D	(94)	8
	6W	2023-MW-11I	(71)	8
	6W	2023-MW-11S	(19)	8
	6W	2023- Blind Duplicate #2		8
	6W	2023- Field Blank #2		8

**ANALYSIS REQUESTED**

ORGANIC	INORG.	Metal	CN

**Sample Container Description**

- 1 Liter Plastic
- 250ml glass H2SO4
- 250ml Plastic H2O5
- 40ml Vial H2SO4
- 1 Liter Plastic H2S

**NOTES:** Part 360 Routine NYSDFC

**REMARKS:** LAB I.D. NO. \_\_\_\_\_

Received by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
I. Millis	8/24/23	1530	I. Millis	8/24/23	1530						

**Discrepancies Between Sample Labels and COC Record? Y or N**

**Explain:**

**COC Tape was:**

**1. Shipped or Hand Delivered** \_\_\_\_\_ **Airbill#** \_\_\_\_\_

**2. Ambient or chilled** \_\_\_\_\_

**3. Received in good condition:** Y or N \_\_\_\_\_

**4. Properly preserved:** Y or N \_\_\_\_\_

**5. Samples returned to lab** \_\_\_\_\_ **Hrs from collection** \_\_\_\_\_

**1. Present on outer package:** Y or N \_\_\_\_\_

**2. Unbroken on outer package:** Y or N \_\_\_\_\_

**3. COC record present & complete upon sample receipt:** Y or N \_\_\_\_\_

**LABORATORY USE ONLY**


WHITE COPY - ORIGINAL

PINK COPY - CLIENT

PINK COPY - LABORATORY



# Appendix D





**APPENDIX D**


**DATA VALIDATION FORMS**



DATA VALIDATION – ORGANICS

Site Name: Sonia Rd Landfill

Laboratory Name: H2M

Reviewer: R. Petrella 

Date of Review: 10/7/04

I. Data Deliverable Requirements

- A. Legible Yes
- B. Paginated Yes
- C. Arranged in order Yes
- D. Consistent dates Yes
- E. Case Narrative Yes
- F. Chain-of-Custody Record Yes
- G. Sample Data Complete Yes
- H. Standard Date Complete Yes
- I. Raw QC Data Complete Yes

Comments: IRS031 & IRS032

22 wells, 2 FB, 2 MS/MSD's and 2 duplicates were collected and analyzed for Routine parameters

Blind dup#1 is a duplicate of MW-06D, Blind dup#2 is a duplicate of MW-11S

All results for the blind duplicates and the samples were comparable with the exception of Iron in Blind dup#2 and MW-11S 137 ug/l vs 40.4 ug/l respectively both of these results are considerably lower than historical results for MW-11S (~~check turbidity~~). *RP*

The chloride results for MW-06D and blind dup#1 were inconsistent (8 vs 75 mg/l), however the result for the sample (8 mg/l) was consistent with historical results for that sample.



## DATA VALIDATION – METALS

Site Name: Sonia Rd Landfill Laboratory Name: H2M

Reviewer: R. Petrella Date of Review: 10/7/04

I. Holding times

Sample	Date Received	Date Digested	Date Analyzed	Holding Time Exceeded?
MMW-01D	8/20/04		8/04-9/04	No
MMW-01I	8/20/04		8/04-9/04	No
MMW-01S	8/20/04		8/04-9/04	No
MMW-02I	8/20/04		8/04-9/04	No
MMW-02D	8/20/04		8/04-9/04	No
MMW-07I	8/20/04		8/04-9/04	No
BLIND DUP#1	8/20/04		8/04-9/04	No
MMW-11D	8/24/04		8/04-9/04	No
MMW-11I	8/24/04		8/04-9/04	No
MMW-11S	8/24/04		8/04-9/04	No
MMW-12D*	8/24/04		8/04-9/04	No
MMW-12I	8/24/04		8/04-9/04	No
MMW-12S	8/24/04		8/04-9/04	No
FB#1	8/20/04		8/04-9/04	No
MMW-03S	8/23/04		8/04-9/04	No
MMW-04D	8/23/04		8/04-9/04	No
MMW-04I	8/23/04		8/04-9/04	No
MMW-04S	8/23/04		8/04-9/04	No
MMW-06D	8/20/04		8/04-9/04	No
MMW-06I	8/20/04		8/04-9/04	No
MMW-06S*	8/20/04		8/04-9/04	No
BLIND DUP#2	8/24/04		8/04-9/04	No
MMW-05D	8/23/04		8/04-9/04	No
MMW-05I	8/23/04		8/04-9/04	No
MMW-05S	8/23/04		8/04-9/04	No
FB#2	8/24/04		8/04-9/04	No

\* Sample utilized as the MS/MSD

## DATA VALIDATION – METALS

Site Name: Sonia Rd Landfill Laboratory Name: H2M

Reviewer: R.Petrella Date of Review: 10/7/04

Associated Samples: \_\_\_\_\_

### II. Initial Calibration

1. Were all initial instrument calibrations performed?

Yes

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

2. Were the initial calibration verification standards analyzed at the contract specified frequency?

Yes

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

3. Were the initial calibration results within the control limits listed below?

For tin and mercury: 80-120% of the true value  
For all other metals: 90-110% of the true value

Yes

If "No", note analytes \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**DATA VALIDATION – METALS**

Site Name: Sonia Rd Landfill Laboratory Name: H2M

Reviewer: R. Petrella Date of Review: 10/7/04

Associated Samples: \_\_\_\_\_

**III. Continuing Calibration**

1. Were the continuing calibration verification standards analyzed at the contract specified frequency?

Yes

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

2. Were the continuing calibration results within the control limits listed below?

For tin and mercury: 80-120% of the true value  
For all other metals: 90-110% of the true value

Yes

If "No", note analytes \_\_\_\_\_

## DATA VALIDATION – METALS

Site Name: Sonia Rd Landfill

Laboratory Name: H2M

Reviewer: R.Petrella

Date of Review: 10/7/04

### IV. Blank Summary

#### A. Method Blanks

1. Was a method blank prepared and analyzed at the contract specified frequency?  
Yes
2. Were all the analytes below the CRDL in the method blank?  
Yes

Comments:

---

---

---

#### B. Calibration Blanks

1. Were all initial and continuing calibration blanks analyzed at the contract specified frequency?  
Yes
2. Were all the analytes below the CRDL in all the calibration blanks?  
Yes

Comments:

---

---

---

## DATA VALIDATION – METALS

Site Name: Sonia Rd Landfill Laboratory Name: H2M

Reviewer: R.Petrella Date of Review: 10/7/04

**MW-6S, MW-12D**

V. Duplicate Analysis

1. Was a duplicate prepared and analyzed at the contract specified frequency?

Yes

Comments:

---

---

---

2. Were control limits for the relative percent differences (RPD) met for each analyte?

Yes

Comments:

---

---

---

For sample values >5 times the CRDL, the RPD control limit is  $\pm 20\%$ .

For sample values >5 times the CRDL, the RPD control limit is  $\pm CRDL$ .

If sample results were outside of the control limits, all data associated with that duplicate sample should have been flagged with a “\*\*”.

DATA VALIDATION – METALS

Site Name: Sonia Rd Landfill Laboratory Name: H2M

Reviewer: R.Petrella Date of Review: 10/7/04

**MW-6S, MW-12D**

VI. Matrix Spike Analysis

1. Was a matrix spike prepared and analyzed at the contract specified frequency?  
Yes

Comments:  
\_\_\_\_\_  
\_\_\_\_\_

2. Were the matrix spike recoveries within the contract specified control limits (75-125%)?  
Yes  
If "No", note analytes \_\_\_\_\_

Data should have been flagged with "N" for analytes out of control limits. If the sample concentration exceeds the spike concentration by a factor of four or more, no flag is required.

**DATA VALIDATION – METALS**

Site Name: Sonia Rd Landfill Laboratory Name: H2M

Reviewer: R.Petrella Date of Review: 10/7/04

**VII. ICP Interference Check Sample Summary**

1. Was the ICP serial dilution analyzed at the contract specified frequency?  
Yes

Comments:

---

---

---

2. Were the serial dilution differences within the contract specified limits of  $\pm$  10%?  
Yes

Comments:

---

---

---

3. Was the ICP CRDL check standard analyzed at the contract specified frequency for the analytes required?  
Yes

Comments:

---

---

---

**DATA VALIDATION – METALS**

Site Name: Sonia Rd Landfill      Laboratory Name: H2M

Reviewer: R.Petrella      Date of Review: 10/7/04

VII. ICP Interference Check Sample Summary (continued):

4. Was the ICP interference check sample analyzed at the contract specified frequency:

Yes

Comments:

---

---

---

5. Were the ICP interference check sample results within the control limit of  $\pm$ w-20% of the mean value?

Yes

If "No", not analytes

---



**DATA VALIDATION – METALS**

Site Name: Sonia Rd Landfill Laboratory Name: H2M

Reviewer: R. Petrella Date of Review: 10/7/04

**VIII. Laboratory Control Sample Analysis**

1. Was a laboratory control sample analyzed at the contract required frequency?  
Yes

Comments:

---

---

---

2. Were the percent recoveries within the control limits of 80-120% (except for Ag and Sb) for each analyte?  
Yes

Comments:

---

---

---