

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
 (908) 789-8900 Fax (908) 789-8922
 www.chemtech.net

CHEMTECH PROJECT NO.
 QUOTE NO. **A2735**
 COC Number **076853**

CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

REPORT TO BE SENT TO:
 COMPANY: **Envirotech Ltd.**
 ADDRESS: **5 Old Deck Road**
 CITY: **Yaphank** STATE: **NJ** ZIP: **11980**
 ATTENTION: **Mike Rose**
 PHONE: **631 924 3001** FAX: **631 924 5201**

PROJECT NAME: **Spectrum**
 PROJECT NO.: _____ LOCATION: _____
 PROJECT MANAGER: **Mike Rose**
 e-mail: **mike@envirotech.com**
john@envirotech.com
 PHONE: _____ FAX: _____

BILL TO: **Envirotech** PO#: _____
 ADDRESS: _____
 CITY: _____ STATE: _____ ZIP: _____
 ATTENTION: _____ PHONE: _____

ANALYSIS

DATA TURNAROUND INFORMATION

DATA DELIVERABLE INFORMATION

FAX: **24 hr** DAYS *
 HARD COPY: _____ DAYS *
 EDD: _____ DAYS *
 PREAPPROVED TAT: YES NO
 STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

RESULTS ONLY USEPA CLP
 RESULTS + QC New York State ASP "B"
 New Jersey REDUCED New York State ASP "A"
 New Jersey CLP Other _____
 EDD FORMAT _____

*Waters 8260
 Metals 6001470*

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS ← Specify Preservatives A-HCl B-HNO ₃ C-H ₂ SO ₄ D-NaOH E-ICE F-Other		
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9			
			1.	CP7	S	X			5/13		2	X	X						
2.	CP6	S	X		5/13		2	X	X										
3.	DS6 (MR)																		
4.	CP3	S	X		5/13		2	X	X										
5.	CP4																		
6.	DS5																		
7.	DS1																		
8.	DS3																		
9.																			
10.																			

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <i>[Signature]</i>	DATE/TIME: 5/13/09 1:00pm	RECEIVED BY: 1. _____	Conditions of bottles or coolers at receipt: <input checked="" type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant MeOH extraction requires an additional 4 oz jar for percent solid. Comments: Cooler Temp. 4°C Ice in Cooler?: yes
RELINQUISHED BY: 2. <i>[Signature]</i>	DATE/TIME: 5/13/09 1:00pm	RECEIVED BY: 2. _____	
RELINQUISHED BY: 3. FED EX	DATE/TIME: 5-14-09 9:40	RECEIVED FOR (LAB BY): 3. <i>[Signature]</i>	

SHIPPED VIA: CLIENT: HAND DELIVERED OVERNIGHT
 CHEMTECH: PICKED UP OVERNIGHT
 Shipment Complete: YES NO



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Mercury	Lab Sample ID :	A2735-01					
SDG ID :	A2735	Customer Sample No. :	CP7					
% Moisture :	6.800003	Analytical Method :	EPA SW-846 7471 - HG					
DataFile :	LB44323.PRN	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7439-97-6	Mercury	0.033		mg/Kg	0.002	0.011	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Metals ICP-TAL	Lab Sample ID :	A2735-01					
SDG ID :	A2735	Customer Sample No. :	CP7					
% Moisture :	6.800003	Analytical Method :	EPA SW-846 6010 - ICP4					
DataFile :	LB44314.txt	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7429-90-5	Aluminum	1980		mg/Kg	0.60	7.150	1	
7440-36-0	Antimony	ND	U	mg/Kg	0.40	1.790	1	
7440-38-2	Arsenic	0.62	J	mg/Kg	0.24	0.72	1	
7440-39-3	Barium	15.6		mg/Kg	0.29	3.580	1	
7440-41-7	Beryllium	0.11	J	mg/Kg	0.04	0.21	1	
7440-43-9	Cadmium	73.5		mg/Kg	0.04	0.21	1	
7440-70-2	Calcium	5050		mg/Kg	0.77	71.5	1	
7440-47-3	Chromium	95.3		mg/Kg	0.09	0.36	1	
7440-48-4	Cobalt	0.93	J	mg/Kg	0.41	1.070	1	
7440-50-8	Copper	33.9		mg/Kg	0.23	0.72	1	
7439-89-6	Iron	6390		mg/Kg	0.95	3.580	1	
7439-92-1	Lead	7.350		mg/Kg	0.28	0.43	1	
7439-95-4	Magnesium	865		mg/Kg	3.280	71.5	1	
7439-96-5	Manganese	77.3		mg/Kg	0.14	0.72	1	
7440-02-0	Nickel	58.0		mg/Kg	0.33	1.430	1	
7440-09-7	Potassium	160		mg/Kg	2.500	71.5	1	
7782-49-2	Selenium	0.52	J	mg/Kg	0.29	0.72	1	
7440-22-4	Silver	ND	UN	mg/Kg	0.11	0.36	1	
7440-23-5	Sodium	86.3		mg/Kg	1.800	71.5	1	
7440-28-0	Thallium	ND	U	mg/Kg	0.19	1.430	1	
7440-62-2	Vanadium	5.840		mg/Kg	0.42	1.430	1	
7440-66-6	Zinc	65.0		mg/Kg	0.50	1.430	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-01					
SDG ID :	A2735	Customer Sample No. :	CP7					
% Moisture :	7	Analytical Method :	EPA SW846 8260					
DataFile :	VI025856.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
75-71-8	Dichlorodifluoromethane	ND	U	ug/Kg	3.5	27	1	
74-87-3	Chloromethane	ND	U	ug/Kg	4.6	27	1	
75-01-4	Vinyl Chloride	ND	U	ug/Kg	6.6	27	1	
74-83-9	Bromomethane	ND	U	ug/Kg	13	27	1	
75-00-3	Chloroethane	ND	U	ug/Kg	7.5	27	1	
75-69-4	Trichlorofluoromethane	ND	U	ug/Kg	7.1	27	1	
75-65-0	Tert butyl alcohol	ND	U	ug/Kg	40	130	1	
75-35-4	1,1-Dichloroethene	ND	U	ug/Kg	7.9	27	1	
107-02-8	Acrolein	ND	U	ug/Kg	21	130	1	
107-13-1	Acrylonitrile	ND	U	ug/Kg	26	130	1	
67-64-1	Acetone	ND	U	ug/Kg	16	130	1	
75-15-0	Carbon Disulfide	ND	U	ug/Kg	5.7	27	1	
1634-04-4	Methyl tert-butyl Ether	ND	U	ug/Kg	5.2	27	1	
75-09-2	Methylene Chloride	ND	U	ug/Kg	7.6	27	1	
156-60-5	trans-1,2-Dichloroethene	ND	U	ug/Kg	3.7	27	1	
108-05-4	Vinyl Acetate	ND	U	ug/Kg	19	130	1	
75-34-3	1,1-Dichloroethane	ND	U	ug/Kg	5.1	27	1	
78-93-3	2-Butanone	ND	U	ug/Kg	17	130	1	
56-23-5	Carbon Tetrachloride	ND	U	ug/Kg	5.3	27	1	
594-20-7	2,2-Dichloropropane	ND	U	ug/Kg	5.6	27	1	
156-59-2	cis-1,2-Dichloroethene	ND	U	ug/Kg	4.8	27	1	
74-97-5	Bromochloromethane	ND	U	ug/Kg	4.2	27	1	
67-66-3	Chloroform	ND	U	ug/Kg	4.0	27	1	
71-55-6	1,1,1-Trichloroethane	ND	U	ug/Kg	4.7	27	1	
563-58-6	1,1-Dichloropropene	ND	U	ug/Kg	2.5	27	1	
71-43-2	Benzene	ND	U	ug/Kg	2.0	27	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-01
SDG ID :	A2735	Customer Sample No. :	CP7
% Moisture :	7	Analytical Method :	EPA SW846 8260
DataFile :	VI025856.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
107-06-2	1,2-Dichloroethane	ND	U	ug/Kg	3.4	27	1	
79-01-6	Trichloroethene	ND	U	ug/Kg	4.6	27	1	
78-87-5	1,2-Dichloropropane	ND	U	ug/Kg	1.4	27	1	
74-95-3	Dibromomethane	ND	U	ug/Kg	4.2	27	1	
75-27-4	Bromodichloromethane	ND	U	ug/Kg	3.3	27	1	
108-10-1	4-Methyl-2-Pentanone	ND	U	ug/Kg	16	130	1	
108-88-3	Toluene	ND	U	ug/Kg	3.4	27	1	
10061-02-6	t-1,3-Dichloropropene	ND	U	ug/Kg	4.2	27	1	
10061-01-5	cis-1,3-Dichloropropene	ND	U	ug/Kg	3.9	27	1	
79-00-5	1,1,2-Trichloroethane	ND	U	ug/Kg	4.8	27	1	
142-28-9	1,3-Dichloropropane	ND	U	ug/Kg	4.0	27	1	
110-75-8	2-Chloroethyl vinyl ether	ND	U	ug/Kg	62	130	1	
591-78-6	2-Hexanone	ND	U	ug/Kg	21	130	1	
124-48-1	Dibromochloromethane	ND	U	ug/Kg	2.9	27	1	
106-93-4	1,2-Dibromoethane	ND	U	ug/Kg	3.4	27	1	
127-18-4	Tetrachloroethene	ND	U	ug/Kg	5.4	27	1	
108-90-7	Chlorobenzene	ND	U	ug/Kg	2.7	27	1	
630-20-6	1,1,1,2-Tetrachloroethane	ND	U	ug/Kg	2.3	27	1	
100-41-4	Ethyl Benzene	ND	U	ug/Kg	3.3	27	1	
179601-23-1	m/p-Xylenes	ND	U	ug/Kg	3.9	54	1	
95-47-6	o-Xylene	ND	U	ug/Kg	3.7	27	1	
100-42-5	Styrene	ND	U	ug/Kg	2.4	27	1	
75-25-2	Bromoform	ND	U	ug/Kg	4.0	27	1	
98-82-8	Isopropylbenzene	ND	U	ug/Kg	2.6	27	1	
79-34-5	1,1,1,2-Tetrachloroethane	ND	U	ug/Kg	2.5	27	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-01					
SDG ID :	A2735	Customer Sample No. :	CP7					
% Moisture :	7	Analytical Method :	EPA SW846 8260					
DataFile :	VI025856.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
96-18-4	1,2,3-Trichloropropane	ND	U	ug/Kg	2.6	27	1	
108-86-1	Bromobenzene	ND	U	ug/Kg	2.8	27	1	
103-65-1	n-propylbenzene	ND	U	ug/Kg	1.9	27	1	
95-49-8	2-Chlorotoluene	ND	U	ug/Kg	4.0	27	1	
108-67-8	1,3,5-Trimethylbenzene	ND	U	ug/Kg	2.4	27	1	
106-43-4	4-Chlorotoluene	ND	U	ug/Kg	3.3	27	1	
98-06-6	tert-Butylbenzene	ND	U	ug/Kg	3.2	27	1	
95-63-6	1,2,4-Trimethylbenzene	ND	U	ug/Kg	2.7	27	1	
135-98-8	sec-Butylbenzene	ND	U	ug/Kg	2.8	27	1	
99-87-6	p-Isopropyltoluene	ND	U	ug/Kg	1.6	27	1	
541-73-1	1,3-Dichlorobenzene	ND	U	ug/Kg	2.0	27	1	
106-46-7	1,4-Dichlorobenzene	ND	U	ug/Kg	2.2	27	1	
104-51-8	n-Butylbenzene	ND	U	ug/Kg	2.5	27	1	
95-50-1	1,2-Dichlorobenzene	ND	U	ug/Kg	3.3	27	1	
96-12-8	1,2-Dibromo-3-Chloropropane	ND	U	ug/Kg	4.7	27	1	
120-82-1	1,2,4-Trichlorobenzene	ND	U	ug/Kg	3.8	27	1	
87-68-3	Hexachlorobutadiene	ND	U	ug/Kg	4.2	27	1	
91-20-3	Naphthalene	ND	U	ug/Kg	2.4	27	1	
87-61-6	1,2,3-Trichlorobenzene	ND	U	ug/Kg	2.7	27	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Mercury	Lab Sample ID :	A2735-02					
SDG ID :	A2735	Customer Sample No. :	CP6					
% Moisture :	5	Analytical Method :	EPA SW-846 7471 - HG					
DataFile :	LB44323.PRN	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7439-97-6	Mercury	0.043		mg/Kg	0.002	0.011	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Metals ICP-TAL	Lab Sample ID :	A2735-02					
SDG ID :	A2735	Customer Sample No. :	CP6					
% Moisture :	5	Analytical Method :	EPA SW-846 6010 - ICP4					
DataFile :	LB44314.txt	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7429-90-5	Aluminum	340		mg/Kg	0.59	6.970	1	
7440-36-0	Antimony	ND	U	mg/Kg	0.39	1.740	1	
7440-38-2	Arsenic	ND	U	mg/Kg	0.23	0.70	1	
7440-39-3	Barium	4.970		mg/Kg	0.28	3.490	1	
7440-41-7	Beryllium	ND	U	mg/Kg	0.04	0.21	1	
7440-43-9	Cadmium	1.220		mg/Kg	0.04	0.21	1	
7440-70-2	Calcium	113		mg/Kg	0.75	69.7	1	
7440-47-3	Chromium	18.2		mg/Kg	0.09	0.35	1	
7440-48-4	Cobalt	ND	U	mg/Kg	0.40	1.050	1	
7440-50-8	Copper	1.590		mg/Kg	0.22	0.70	1	
7439-89-6	Iron	653		mg/Kg	0.93	3.490	1	
7439-92-1	Lead	1.060		mg/Kg	0.27	0.42	1	
7439-95-4	Magnesium	95.1		mg/Kg	3.190	69.7	1	
7439-96-5	Manganese	3.330		mg/Kg	0.13	0.70	1	
7440-02-0	Nickel	0.76	J	mg/Kg	0.32	1.390	1	
7440-09-7	Potassium	74.2		mg/Kg	2.440	69.7	1	
7782-49-2	Selenium	ND	U	mg/Kg	0.29	0.70	1	
7440-22-4	Silver	ND	UN	mg/Kg	0.10	0.35	1	
7440-23-5	Sodium	62.1	J	mg/Kg	1.760	69.7	1	
7440-28-0	Thallium	ND	U	mg/Kg	0.19	1.390	1	
7440-62-2	Vanadium	0.84	J	mg/Kg	0.41	1.390	1	
7440-66-6	Zinc	2.840		mg/Kg	0.49	1.390	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-02					
SDG ID :	A2735	Customer Sample No. :	CP6					
% Moisture :	5	Analytical Method :	EPA SW846 8260					
DataFile :	VI025857.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
75-71-8	Dichlorodifluoromethane	ND	U	ug/Kg	3.4	26	1	
74-87-3	Chloromethane	ND	U	ug/Kg	4.5	26	1	
75-01-4	Vinyl Chloride	ND	U	ug/Kg	6.5	26	1	
74-83-9	Bromomethane	ND	U	ug/Kg	13	26	1	
75-00-3	Chloroethane	ND	U	ug/Kg	7.4	26	1	
75-69-4	Trichlorofluoromethane	ND	U	ug/Kg	6.9	26	1	
75-65-0	Tert butyl alcohol	ND	U	ug/Kg	39	130	1	
75-35-4	1,1-Dichloroethene	ND	U	ug/Kg	7.7	26	1	
107-02-8	Acrolein	ND	U	ug/Kg	21	130	1	
107-13-1	Acrylonitrile	ND	U	ug/Kg	26	130	1	
67-64-1	Acetone	ND	U	ug/Kg	16	130	1	
75-15-0	Carbon Disulfide	ND	U	ug/Kg	5.6	26	1	
1634-04-4	Methyl tert-butyl Ether	ND	U	ug/Kg	5.1	26	1	
75-09-2	Methylene Chloride	ND	U	ug/Kg	7.5	26	1	
156-60-5	trans-1,2-Dichloroethene	ND	U	ug/Kg	3.6	26	1	
108-05-4	Vinyl Acetate	ND	U	ug/Kg	18	130	1	
75-34-3	1,1-Dichloroethane	ND	U	ug/Kg	4.9	26	1	
78-93-3	2-Butanone	ND	U	ug/Kg	16	130	1	
56-23-5	Carbon Tetrachloride	ND	U	ug/Kg	5.2	26	1	
594-20-7	2,2-Dichloropropane	ND	U	ug/Kg	5.5	26	1	
156-59-2	cis-1,2-Dichloroethene	ND	U	ug/Kg	4.7	26	1	
74-97-5	Bromochloromethane	ND	U	ug/Kg	4.2	26	1	
67-66-3	Chloroform	ND	U	ug/Kg	3.9	26	1	
71-55-6	1,1,1-Trichloroethane	ND	U	ug/Kg	4.6	26	1	
563-58-6	1,1-Dichloropropene	ND	U	ug/Kg	2.4	26	1	
71-43-2	Benzene	ND	U	ug/Kg	2.0	26	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-02
SDG ID :	A2735	Customer Sample No. :	CP6
% Moisture :	5	Analytical Method :	EPA SW846 8260
DataFile :	VI025857.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
107-06-2	1,2-Dichloroethane	ND	U	ug/Kg	3.4	26	1	
79-01-6	Trichloroethene	ND	U	ug/Kg	4.5	26	1	
78-87-5	1,2-Dichloropropane	ND	U	ug/Kg	1.4	26	1	
74-95-3	Dibromomethane	ND	U	ug/Kg	4.1	26	1	
75-27-4	Bromodichloromethane	ND	U	ug/Kg	3.3	26	1	
108-10-1	4-Methyl-2-Pentanone	ND	U	ug/Kg	15	130	1	
108-88-3	Toluene	ND	U	ug/Kg	3.4	26	1	
10061-02-6	t-1,3-Dichloropropene	ND	U	ug/Kg	4.2	26	1	
10061-01-5	cis-1,3-Dichloropropene	ND	U	ug/Kg	3.8	26	1	
79-00-5	1,1,2-Trichloroethane	ND	U	ug/Kg	4.7	26	1	
142-28-9	1,3-Dichloropropane	ND	U	ug/Kg	3.9	26	1	
110-75-8	2-Chloroethyl vinyl ether	ND	U	ug/Kg	61	130	1	
591-78-6	2-Hexanone	ND	U	ug/Kg	21	130	1	
124-48-1	Dibromochloromethane	ND	U	ug/Kg	2.8	26	1	
106-93-4	1,2-Dibromoethane	ND	U	ug/Kg	3.4	26	1	
127-18-4	Tetrachloroethene	ND	U	ug/Kg	5.3	26	1	
108-90-7	Chlorobenzene	ND	U	ug/Kg	2.6	26	1	
630-20-6	1,1,1,2-Tetrachloroethane	ND	U	ug/Kg	2.3	26	1	
100-41-4	Ethyl Benzene	ND	U	ug/Kg	3.3	26	1	
179601-23-1	m/p-Xylenes	ND	U	ug/Kg	3.8	53	1	
95-47-6	o-Xylene	ND	U	ug/Kg	3.6	26	1	
100-42-5	Styrene	ND	U	ug/Kg	2.4	26	1	
75-25-2	Bromoform	ND	U	ug/Kg	3.9	26	1	
98-82-8	Isopropylbenzene	ND	U	ug/Kg	2.5	26	1	
79-34-5	1,1,1,2-Tetrachloroethane	ND	U	ug/Kg	2.4	26	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-02					
SDG ID :	A2735	Customer Sample No. :	CP6					
% Moisture :	5	Analytical Method :	EPA SW846 8260					
DataFile :	VI025857.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
96-18-4	1,2,3-Trichloropropane	ND	U	ug/Kg	2.6	26	1	
108-86-1	Bromobenzene	ND	U	ug/Kg	2.7	26	1	
103-65-1	n-propylbenzene	ND	U	ug/Kg	1.9	26	1	
95-49-8	2-Chlorotoluene	ND	U	ug/Kg	3.9	26	1	
108-67-8	1,3,5-Trimethylbenzene	ND	U	ug/Kg	2.4	26	1	
106-43-4	4-Chlorotoluene	ND	U	ug/Kg	3.3	26	1	
98-06-6	tert-Butylbenzene	ND	U	ug/Kg	3.1	26	1	
95-63-6	1,2,4-Trimethylbenzene	ND	U	ug/Kg	2.6	26	1	
135-98-8	sec-Butylbenzene	ND	U	ug/Kg	2.7	26	1	
99-87-6	p-Isopropyltoluene	ND	U	ug/Kg	1.5	26	1	
541-73-1	1,3-Dichlorobenzene	ND	U	ug/Kg	1.9	26	1	
106-46-7	1,4-Dichlorobenzene	ND	U	ug/Kg	2.2	26	1	
104-51-8	n-Butylbenzene	ND	U	ug/Kg	2.4	26	1	
95-50-1	1,2-Dichlorobenzene	ND	U	ug/Kg	3.3	26	1	
96-12-8	1,2-Dibromo-3-Chloropropane	ND	U	ug/Kg	4.6	26	1	
120-82-1	1,2,4-Trichlorobenzene	ND	U	ug/Kg	3.7	26	1	
87-68-3	Hexachlorobutadiene	ND	U	ug/Kg	4.2	26	1	
91-20-3	Naphthalene	ND	U	ug/Kg	2.4	26	1	
87-61-6	1,2,3-Trichlorobenzene	ND	U	ug/Kg	2.6	26	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Mercury	Lab Sample ID :	A2735-03					
SDG ID :	A2735	Customer Sample No. :	CP3					
% Moisture :	8.599998	Analytical Method :	EPA SW-846 7471 - HG					
DataFile :	LB44323.PRN	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7439-97-6	Mercury	0.058		mg/Kg	0.002	0.011	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Metals ICP-TAL	Lab Sample ID :	A2735-03					
SDG ID :	A2735	Customer Sample No. :	CP3					
% Moisture :	8.599998	Analytical Method :	EPA SW-846 6010 - ICP4					
DataFile :	LB44314.txt	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7429-90-5	Aluminum	2260		mg/Kg	0.60	7.200	1	
7440-36-0	Antimony	0.81	J	mg/Kg	0.40	1.800	1	
7440-38-2	Arsenic	0.97		mg/Kg	0.24	0.72	1	
7440-39-3	Barium	10.7		mg/Kg	0.29	3.600	1	
7440-41-7	Beryllium	0.08	J	mg/Kg	0.04	0.22	1	
7440-43-9	Cadmium	270		mg/Kg	0.04	0.22	1	
7440-70-2	Calcium	781		mg/Kg	0.77	72.0	1	
7440-47-3	Chromium	347		mg/Kg	0.09	0.36	1	
7440-48-4	Cobalt	1.160		mg/Kg	0.41	1.080	1	
7440-50-8	Copper	300		mg/Kg	0.23	0.72	1	
7439-89-6	Iron	4160		mg/Kg	0.96	3.600	1	
7439-92-1	Lead	15.6		mg/Kg	0.28	0.43	1	
7439-95-4	Magnesium	427		mg/Kg	3.300	72.0	1	
7439-96-5	Manganese	54.3		mg/Kg	0.14	0.72	1	
7440-02-0	Nickel	236		mg/Kg	0.33	1.440	1	
7440-09-7	Potassium	99.8		mg/Kg	2.520	72.0	1	
7782-49-2	Selenium	0.55	J	mg/Kg	0.30	0.72	1	
7440-22-4	Silver	ND	UN	mg/Kg	0.11	0.36	1	
7440-23-5	Sodium	47.3	J	mg/Kg	1.810	72.0	1	
7440-28-0	Thallium	ND	U	mg/Kg	0.19	1.440	1	
7440-62-2	Vanadium	5.310		mg/Kg	0.42	1.440	1	
7440-66-6	Zinc	46.1		mg/Kg	0.50	1.440	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-03					
SDG ID :	A2735	Customer Sample No. :	CP3					
% Moisture :	9	Analytical Method :	EPA SW846 8260					
DataFile :	VI025858.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
75-71-8	Dichlorodifluoromethane	ND	U	ug/Kg	3.6	27	1	
74-87-3	Chloromethane	ND	U	ug/Kg	4.7	27	1	
75-01-4	Vinyl Chloride	ND	U	ug/Kg	6.8	27	1	
74-83-9	Bromomethane	ND	U	ug/Kg	13	27	1	
75-00-3	Chloroethane	ND	U	ug/Kg	7.7	27	1	
75-69-4	Trichlorofluoromethane	ND	U	ug/Kg	7.3	27	1	
75-65-0	Tert butyl alcohol	ND	U	ug/Kg	41	140	1	
75-35-4	1,1-Dichloroethene	ND	U	ug/Kg	8.1	27	1	
107-02-8	Acrolein	ND	U	ug/Kg	22	140	1	
107-13-1	Acrylonitrile	ND	U	ug/Kg	27	140	1	
67-64-1	Acetone	ND	U	ug/Kg	17	140	1	
75-15-0	Carbon Disulfide	ND	U	ug/Kg	5.8	27	1	
1634-04-4	Methyl tert-butyl Ether	ND	U	ug/Kg	5.3	27	1	
75-09-2	Methylene Chloride	ND	U	ug/Kg	7.8	27	1	
156-60-5	trans-1,2-Dichloroethene	ND	U	ug/Kg	3.8	27	1	
108-05-4	Vinyl Acetate	ND	U	ug/Kg	19	140	1	
75-34-3	1,1-Dichloroethane	ND	U	ug/Kg	5.2	27	1	
78-93-3	2-Butanone	ND	U	ug/Kg	17	140	1	
56-23-5	Carbon Tetrachloride	ND	U	ug/Kg	5.4	27	1	
594-20-7	2,2-Dichloropropane	ND	U	ug/Kg	5.7	27	1	
156-59-2	cis-1,2-Dichloroethene	ND	U	ug/Kg	4.9	27	1	
74-97-5	Bromochloromethane	ND	U	ug/Kg	4.3	27	1	
67-66-3	Chloroform	ND	U	ug/Kg	4.1	27	1	
71-55-6	1,1,1-Trichloroethane	ND	U	ug/Kg	4.8	27	1	
563-58-6	1,1-Dichloropropene	ND	U	ug/Kg	2.5	27	1	
71-43-2	Benzene	ND	U	ug/Kg	2.1	27	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-03					
SDG ID :	A2735	Customer Sample No. :	CP3					
% Moisture :	9	Analytical Method :	EPA SW846 8260					
DataFile :	VI025858.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
107-06-2	1,2-Dichloroethane	ND	U	ug/Kg	3.5	27	1	
79-01-6	Trichloroethene	ND	U	ug/Kg	4.7	27	1	
78-87-5	1,2-Dichloropropane	ND	U	ug/Kg	1.4	27	1	
74-95-3	Dibromomethane	ND	U	ug/Kg	4.3	27	1	
75-27-4	Bromodichloromethane	ND	U	ug/Kg	3.4	27	1	
108-10-1	4-Methyl-2-Pentanone	ND	U	ug/Kg	16	140	1	
108-88-3	Toluene	ND	U	ug/Kg	3.5	27	1	
10061-02-6	t-1,3-Dichloropropene	ND	U	ug/Kg	4.3	27	1	
10061-01-5	cis-1,3-Dichloropropene	ND	U	ug/Kg	4.0	27	1	
79-00-5	1,1,2-Trichloroethane	ND	U	ug/Kg	4.9	27	1	
142-28-9	1,3-Dichloropropane	ND	U	ug/Kg	4.1	27	1	
110-75-8	2-Chloroethyl vinyl ether	ND	U	ug/Kg	63	140	1	
591-78-6	2-Hexanone	ND	U	ug/Kg	22	140	1	
124-48-1	Dibromochloromethane	ND	U	ug/Kg	3.0	27	1	
106-93-4	1,2-Dibromoethane	ND	U	ug/Kg	3.5	27	1	
127-18-4	Tetrachloroethene	ND	U	ug/Kg	5.5	27	1	
108-90-7	Chlorobenzene	ND	U	ug/Kg	2.7	27	1	
630-20-6	1,1,1,2-Tetrachloroethane	ND	U	ug/Kg	2.4	27	1	
100-41-4	Ethyl Benzene	ND	U	ug/Kg	3.4	27	1	
179601-23-1	m/p-Xylenes	ND	U	ug/Kg	4.0	55	1	
95-47-6	o-Xylene	ND	U	ug/Kg	3.7	27	1	
100-42-5	Styrene	ND	U	ug/Kg	2.5	27	1	
75-25-2	Bromoform	ND	U	ug/Kg	4.1	27	1	
98-82-8	Isopropylbenzene	ND	U	ug/Kg	2.6	27	1	
79-34-5	1,1,1,2-Tetrachloroethane	ND	U	ug/Kg	2.5	27	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-03
SDG ID :	A2735	Customer Sample No. :	CP3
% Moisture :	9	Analytical Method :	EPA SW846 8260
DataFile :	VI025858.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
96-18-4	1,2,3-Trichloropropane	ND	U	ug/Kg	2.7	27	1	
108-86-1	Bromobenzene	ND	U	ug/Kg	2.9	27	1	
103-65-1	n-propylbenzene	ND	U	ug/Kg	2.0	27	1	
95-49-8	2-Chlorotoluene	ND	U	ug/Kg	4.1	27	1	
108-67-8	1,3,5-Trimethylbenzene	ND	U	ug/Kg	2.5	27	1	
106-43-4	4-Chlorotoluene	ND	U	ug/Kg	3.4	27	1	
98-06-6	tert-Butylbenzene	ND	U	ug/Kg	3.2	27	1	
95-63-6	1,2,4-Trimethylbenzene	ND	U	ug/Kg	2.7	27	1	
135-98-8	sec-Butylbenzene	ND	U	ug/Kg	2.9	27	1	
99-87-6	p-Isopropyltoluene	ND	U	ug/Kg	1.6	27	1	
541-73-1	1,3-Dichlorobenzene	ND	U	ug/Kg	2.0	27	1	
106-46-7	1,4-Dichlorobenzene	ND	U	ug/Kg	2.3	27	1	
104-51-8	n-Butylbenzene	ND	U	ug/Kg	2.5	27	1	
95-50-1	1,2-Dichlorobenzene	ND	U	ug/Kg	3.4	27	1	
96-12-8	1,2-Dibromo-3-Chloropropane	ND	U	ug/Kg	4.8	27	1	
120-82-1	1,2,4-Trichlorobenzene	ND	U	ug/Kg	3.8	27	1	
87-68-3	Hexachlorobutadiene	ND	U	ug/Kg	4.3	27	1	
91-20-3	Naphthalene	ND	U	ug/Kg	2.5	27	1	
87-61-6	1,2,3-Trichlorobenzene	ND	U	ug/Kg	2.7	27	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Mercury	Lab Sample ID :	A2735-04					
SDG ID :	A2735	Customer Sample No. :	CP4					
% Moisture :	15.5	Analytical Method :	EPA SW-846 7471 - HG					
DataFile :	LB44323.PRN	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7439-97-6	Mercury	0.056		mg/Kg	0.002	0.012	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Metals ICP-TAL	Lab Sample ID :	A2735-04					
SDG ID :	A2735	Customer Sample No. :	CP4					
% Moisture :	15.5	Analytical Method :	EPA SW-846 6010 - ICP4					
DataFile :	LB44314.txt	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7429-90-5	Aluminum	4170		mg/Kg	0.66	7.890	1	
7440-36-0	Antimony	2.410		mg/Kg	0.44	1.970	1	
7440-38-2	Arsenic	2.120		mg/Kg	0.26	0.79	1	
7440-39-3	Barium	20.3		mg/Kg	0.32	3.940	1	
7440-41-7	Beryllium	0.17	J	mg/Kg	0.05	0.24	1	
7440-43-9	Cadmium	492		mg/Kg	0.05	0.24	1	
7440-70-2	Calcium	1220		mg/Kg	0.84	78.9	1	
7440-47-3	Chromium	1720		mg/Kg	0.10	0.39	1	
7440-48-4	Cobalt	5.380		mg/Kg	0.45	1.180	1	
7440-50-8	Copper	767		mg/Kg	0.25	0.79	1	
7439-89-6	Iron	6210		mg/Kg	1.050	3.940	1	
7439-92-1	Lead	37.6		mg/Kg	0.31	0.47	1	
7439-95-4	Magnesium	517		mg/Kg	3.610	78.9	1	
7439-96-5	Manganese	228		mg/Kg	0.15	0.79	1	
7440-02-0	Nickel	1010		mg/Kg	0.36	1.580	1	
7440-09-7	Potassium	179		mg/Kg	2.760	78.9	1	
7782-49-2	Selenium	1.510		mg/Kg	0.32	0.79	1	
7440-22-4	Silver	ND	UN	mg/Kg	0.12	0.39	1	
7440-23-5	Sodium	316		mg/Kg	1.990	78.9	1	
7440-28-0	Thallium	ND	U	mg/Kg	0.21	1.580	1	
7440-62-2	Vanadium	8.240		mg/Kg	0.47	1.580	1	
7440-66-6	Zinc	151		mg/Kg	0.55	1.580	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-04					
SDG ID :	A2735	Customer Sample No. :	CP4					
% Moisture :	15	Analytical Method :	EPA SW846 8260					
DataFile :	VI025870.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
75-71-8	Dichlorodifluoromethane	ND	U	ug/Kg	3.8	29	1	
74-87-3	Chloromethane	ND	U	ug/Kg	5.1	29	1	
75-01-4	Vinyl Chloride	ND	U	ug/Kg	7.2	29	1	
74-83-9	Bromomethane	ND	U	ug/Kg	14	29	1	
75-00-3	Chloroethane	ND	U	ug/Kg	8.2	29	1	
75-69-4	Trichlorofluoromethane	ND	U	ug/Kg	7.8	29	1	
75-65-0	Tert butyl alcohol	ND	U	ug/Kg	44	150	1	
75-35-4	1,1-Dichloroethene	ND	U	ug/Kg	8.6	29	1	
107-02-8	Acrolein	ND	U	ug/Kg	23	150	1	
107-13-1	Acrylonitrile	ND	U	ug/Kg	29	150	1	
67-64-1	Acetone	ND	U	ug/Kg	18	150	1	
75-15-0	Carbon Disulfide	ND	U	ug/Kg	6.2	29	1	
1634-04-4	Methyl tert-butyl Ether	ND	U	ug/Kg	5.6	29	1	
75-09-2	Methylene Chloride	17	J	ug/Kg	8.4	29	1	
156-60-5	trans-1,2-Dichloroethene	ND	U	ug/Kg	4.1	29	1	
108-05-4	Vinyl Acetate	ND	U	ug/Kg	20	150	1	
75-34-3	1,1-Dichloroethane	ND	U	ug/Kg	5.5	29	1	
78-93-3	2-Butanone	ND	U	ug/Kg	18	150	1	
56-23-5	Carbon Tetrachloride	ND	U	ug/Kg	5.8	29	1	
594-20-7	2,2-Dichloropropane	ND	U	ug/Kg	6.1	29	1	
156-59-2	cis-1,2-Dichloroethene	ND	U	ug/Kg	5.2	29	1	
74-97-5	Bromochloromethane	ND	U	ug/Kg	4.6	29	1	
67-66-3	Chloroform	ND	U	ug/Kg	4.4	29	1	
71-55-6	1,1,1-Trichloroethane	ND	U	ug/Kg	5.2	29	1	
563-58-6	1,1-Dichloropropene	ND	U	ug/Kg	2.7	29	1	
71-43-2	Benzene	ND	U	ug/Kg	2.2	29	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-04					
SDG ID :	A2735	Customer Sample No. :	CP4					
% Moisture :	15	Analytical Method :	EPA SW846 8260					
DataFile :	VI025870.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
107-06-2	1,2-Dichloroethane	ND	U	ug/Kg	3.8	29	1	
79-01-6	Trichloroethene	ND	U	ug/Kg	5.1	29	1	
78-87-5	1,2-Dichloropropane	ND	U	ug/Kg	1.5	29	1	
74-95-3	Dibromomethane	ND	U	ug/Kg	4.6	29	1	
75-27-4	Bromodichloromethane	ND	U	ug/Kg	3.6	29	1	
108-10-1	4-Methyl-2-Pentanone	ND	U	ug/Kg	17	150	1	
108-88-3	Toluene	ND	U	ug/Kg	3.8	29	1	
10061-02-6	t-1,3-Dichloropropene	ND	U	ug/Kg	4.6	29	1	
10061-01-5	cis-1,3-Dichloropropene	ND	U	ug/Kg	4.2	29	1	
79-00-5	1,1,2-Trichloroethane	ND	U	ug/Kg	5.3	29	1	
142-28-9	1,3-Dichloropropane	ND	U	ug/Kg	4.4	29	1	
110-75-8	2-Chloroethyl vinyl ether	ND	U	ug/Kg	68	150	1	
591-78-6	2-Hexanone	ND	U	ug/Kg	23	150	1	
124-48-1	Dibromochloromethane	ND	U	ug/Kg	3.2	29	1	
106-93-4	1,2-Dibromoethane	ND	U	ug/Kg	3.8	29	1	
127-18-4	Tetrachloroethene	ND	U	ug/Kg	5.9	29	1	
108-90-7	Chlorobenzene	ND	U	ug/Kg	2.9	29	1	
630-20-6	1,1,1,2-Tetrachloroethane	ND	U	ug/Kg	2.5	29	1	
100-41-4	Ethyl Benzene	ND	U	ug/Kg	3.6	29	1	
179601-23-1	m/p-Xylenes	ND	U	ug/Kg	4.2	59	1	
95-47-6	o-Xylene	ND	U	ug/Kg	4.0	29	1	
100-42-5	Styrene	ND	U	ug/Kg	2.6	29	1	
75-25-2	Bromoform	ND	U	ug/Kg	4.4	29	1	
98-82-8	Isopropylbenzene	ND	U	ug/Kg	2.8	29	1	
79-34-5	1,1,2,2-Tetrachloroethane	ND	U	ug/Kg	2.7	29	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-04
SDG ID :	A2735	Customer Sample No. :	CP4
% Moisture :	15	Analytical Method :	EPA SW846 8260
DataFile :	VI025870.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
96-18-4	1,2,3-Trichloropropane	ND	U	ug/Kg	2.9	29	1	
108-86-1	Bromobenzene	ND	U	ug/Kg	3.1	29	1	
103-65-1	n-propylbenzene	ND	U	ug/Kg	2.1	29	1	
95-49-8	2-Chlorotoluene	ND	U	ug/Kg	4.4	29	1	
108-67-8	1,3,5-Trimethylbenzene	ND	U	ug/Kg	2.6	29	1	
106-43-4	4-Chlorotoluene	ND	U	ug/Kg	3.6	29	1	
98-06-6	tert-Butylbenzene	ND	U	ug/Kg	3.5	29	1	
95-63-6	1,2,4-Trimethylbenzene	ND	U	ug/Kg	2.9	29	1	
135-98-8	sec-Butylbenzene	ND	U	ug/Kg	3.1	29	1	
99-87-6	p-Isopropyltoluene	ND	U	ug/Kg	1.7	29	1	
541-73-1	1,3-Dichlorobenzene	ND	U	ug/Kg	2.2	29	1	
106-46-7	1,4-Dichlorobenzene	ND	U	ug/Kg	2.4	29	1	
104-51-8	n-Butylbenzene	ND	U	ug/Kg	2.7	29	1	
95-50-1	1,2-Dichlorobenzene	ND	U	ug/Kg	3.6	29	1	
96-12-8	1,2-Dibromo-3-Chloropropane	ND	U	ug/Kg	5.1	29	1	
120-82-1	1,2,4-Trichlorobenzene	ND	U	ug/Kg	4.1	29	1	
87-68-3	Hexachlorobutadiene	ND	U	ug/Kg	4.6	29	1	
91-20-3	Naphthalene	ND	U	ug/Kg	2.6	29	1	
87-61-6	1,2,3-Trichlorobenzene	ND	U	ug/Kg	2.9	29	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Mercury	Lab Sample ID :	A2735-05					
SDG ID :	A2735	Customer Sample No. :	DS5					
% Moisture :	54.4	Analytical Method :	EPA SW-846 7471 - HG					
DataFile :	LB44323.PRN	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7439-97-6	Mercury	0.307		mg/Kg	0.004	0.022	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Metals ICP-TAL	Lab Sample ID :	A2735-05					
SDG ID :	A2735	Customer Sample No. :	DS5					
% Moisture :	54.4	Analytical Method :	EPA SW-846 6010 - ICP4					
DataFile :	LB44314.txt	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7429-90-5	Aluminum	5370		mg/Kg	1.230	14.6	1	
7440-36-0	Antimony	8.880		mg/Kg	0.82	3.650	1	
7440-38-2	Arsenic	5.940		mg/Kg	0.48	1.460	1	
7440-39-3	Barium	96.8		mg/Kg	0.58	7.310	1	
7440-41-7	Beryllium	0.25	J	mg/Kg	0.09	0.44	1	
7440-43-9	Cadmium	549		mg/Kg	0.09	0.44	1	
7440-70-2	Calcium	12400		mg/Kg	1.560	146	1	
7440-47-3	Chromium	1250		mg/Kg	0.19	0.73	1	
7440-48-4	Cobalt	7.050		mg/Kg	0.83	2.190	1	
7440-50-8	Copper	510		mg/Kg	0.47	1.460	1	
7439-89-6	Iron	12600		mg/Kg	1.940	7.310	1	
7439-92-1	Lead	358		mg/Kg	0.57	0.88	1	
7439-95-4	Magnesium	6680		mg/Kg	6.700	146	1	
7439-96-5	Manganese	87.5		mg/Kg	0.28	1.460	1	
7440-02-0	Nickel	789		mg/Kg	0.67	2.920	1	
7440-09-7	Potassium	355		mg/Kg	5.120	146	1	
7782-49-2	Selenium	2.470		mg/Kg	0.60	1.460	1	
7440-22-4	Silver	ND	UN	mg/Kg	0.22	0.73	1	
7440-23-5	Sodium	220		mg/Kg	3.680	146	1	
7440-28-0	Thallium	ND	U	mg/Kg	0.39	2.920	1	
7440-62-2	Vanadium	48.6		mg/Kg	0.86	2.920	1	
7440-66-6	Zinc	1280		mg/Kg	1.020	2.920	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-05					
SDG ID :	A2735	Customer Sample No. :	DS5					
% Moisture :	54	Analytical Method :	EPA SW846 8260					
DataFile :	VI025860.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
75-71-8	Dichlorodifluoromethane	ND	U	ug/Kg	7.1	54	1	
74-87-3	Chloromethane	ND	U	ug/Kg	9.3	54	1	
75-01-4	Vinyl Chloride	ND	U	ug/Kg	13	54	1	
74-83-9	Bromomethane	ND	U	ug/Kg	27	54	1	
75-00-3	Chloroethane	ND	U	ug/Kg	15	54	1	
75-69-4	Trichlorofluoromethane	ND	U	ug/Kg	14	54	1	
75-65-0	Tert butyl alcohol	ND	U	ug/Kg	81	270	1	
75-35-4	1,1-Dichloroethene	ND	U	ug/Kg	16	54	1	
107-02-8	Acrolein	ND	U	ug/Kg	43	270	1	
107-13-1	Acrylonitrile	ND	U	ug/Kg	53	270	1	
67-64-1	Acetone	240	J	ug/Kg	33	270	1	
75-15-0	Carbon Disulfide	ND	U	ug/Kg	12	54	1	
1634-04-4	Methyl tert-butyl Ether	ND	U	ug/Kg	10	54	1	
75-09-2	Methylene Chloride	ND	U	ug/Kg	15	54	1	
156-60-5	trans-1,2-Dichloroethene	ND	U	ug/Kg	7.5	54	1	
108-05-4	Vinyl Acetate	ND	U	ug/Kg	38	270	1	
75-34-3	1,1-Dichloroethane	ND	U	ug/Kg	10	54	1	
78-93-3	2-Butanone	ND	U	ug/Kg	34	270	1	
56-23-5	Carbon Tetrachloride	ND	U	ug/Kg	11	54	1	
594-20-7	2,2-Dichloropropane	ND	U	ug/Kg	11	54	1	
156-59-2	cis-1,2-Dichloroethene	ND	U	ug/Kg	9.7	54	1	
74-97-5	Bromochloromethane	ND	U	ug/Kg	8.6	54	1	
67-66-3	Chloroform	ND	U	ug/Kg	8.0	54	1	
71-55-6	1,1,1-Trichloroethane	ND	U	ug/Kg	9.6	54	1	
563-58-6	1,1-Dichloropropene	ND	U	ug/Kg	5.0	54	1	
71-43-2	Benzene	ND	U	ug/Kg	4.1	54	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-05
SDG ID :	A2735	Customer Sample No. :	DS5
% Moisture :	54	Analytical Method :	EPA SW846 8260
DataFile :	VI025860.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
107-06-2	1,2-Dichloroethane	ND	U	ug/Kg	7.0	54	1	
79-01-6	Trichloroethene	ND	U	ug/Kg	9.3	54	1	
78-87-5	1,2-Dichloropropane	ND	U	ug/Kg	2.8	54	1	
74-95-3	Dibromomethane	ND	U	ug/Kg	8.5	54	1	
75-27-4	Bromodichloromethane	ND	U	ug/Kg	6.7	54	1	
108-10-1	4-Methyl-2-Pentanone	ND	U	ug/Kg	32	270	1	
108-88-3	Toluene	ND	U	ug/Kg	7.0	54	1	
10061-02-6	t-1,3-Dichloropropene	ND	U	ug/Kg	8.6	54	1	
10061-01-5	cis-1,3-Dichloropropene	ND	U	ug/Kg	7.8	54	1	
79-00-5	1,1,2-Trichloroethane	ND	U	ug/Kg	9.8	54	1	
142-28-9	1,3-Dichloropropane	ND	U	ug/Kg	8.0	54	1	
110-75-8	2-Chloroethyl vinyl ether	ND	U	ug/Kg	130	270	1	
591-78-6	2-Hexanone	ND	U	ug/Kg	43	270	1	
124-48-1	Dibromochloromethane	ND	U	ug/Kg	5.9	54	1	
106-93-4	1,2-Dibromoethane	ND	U	ug/Kg	7.0	54	1	
127-18-4	Tetrachloroethene	ND	U	ug/Kg	11	54	1	
108-90-7	Chlorobenzene	ND	U	ug/Kg	5.4	54	1	
630-20-6	1,1,1,2-Tetrachloroethane	ND	U	ug/Kg	4.7	54	1	
100-41-4	Ethyl Benzene	ND	U	ug/Kg	6.7	54	1	
179601-23-1	m/p-Xylenes	ND	U	ug/Kg	7.8	110	1	
95-47-6	o-Xylene	ND	U	ug/Kg	7.4	54	1	
100-42-5	Styrene	ND	U	ug/Kg	4.9	54	1	
75-25-2	Bromoform	ND	U	ug/Kg	8.0	54	1	
98-82-8	Isopropylbenzene	ND	U	ug/Kg	5.2	54	1	
79-34-5	1,1,2,2-Tetrachloroethane	ND	U	ug/Kg	5.0	54	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-05
SDG ID :	A2735	Customer Sample No. :	DS5
% Moisture :	54	Analytical Method :	EPA SW846 8260
DataFile :	VI025860.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
96-18-4	1,2,3-Trichloropropane	ND	U	ug/Kg	5.3	54	1	
108-86-1	Bromobenzene	ND	U	ug/Kg	5.7	54	1	
103-65-1	n-propylbenzene	ND	U	ug/Kg	3.9	54	1	
95-49-8	2-Chlorotoluene	ND	U	ug/Kg	8.0	54	1	
108-67-8	1,3,5-Trimethylbenzene	ND	U	ug/Kg	4.9	54	1	
106-43-4	4-Chlorotoluene	ND	U	ug/Kg	6.7	54	1	
98-06-6	tert-Butylbenzene	ND	U	ug/Kg	6.4	54	1	
95-63-6	1,2,4-Trimethylbenzene	ND	U	ug/Kg	5.4	54	1	
135-98-8	sec-Butylbenzene	ND	U	ug/Kg	5.7	54	1	
99-87-6	p-Isopropyltoluene	ND	U	ug/Kg	3.2	54	1	
541-73-1	1,3-Dichlorobenzene	ND	U	ug/Kg	4.0	54	1	
106-46-7	1,4-Dichlorobenzene	ND	U	ug/Kg	4.5	54	1	
104-51-8	n-Butylbenzene	ND	U	ug/Kg	5.0	54	1	
95-50-1	1,2-Dichlorobenzene	ND	U	ug/Kg	6.7	54	1	
96-12-8	1,2-Dibromo-3-Chloropropane	ND	U	ug/Kg	9.5	54	1	
120-82-1	1,2,4-Trichlorobenzene	ND	U	ug/Kg	7.6	54	1	
87-68-3	Hexachlorobutadiene	ND	U	ug/Kg	8.6	54	1	
91-20-3	Naphthalene	ND	U	ug/Kg	4.9	54	1	
87-61-6	1,2,3-Trichlorobenzene	ND	U	ug/Kg	5.4	54	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-05RE					
SDG ID :	A2735	Customer Sample No. :	DS5RE					
% Moisture :	54	Analytical Method :	EPA SW846 8260					
DataFile :	VI025871.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
75-71-8	Dichlorodifluoromethane	ND	U	ug/Kg	7.1	54	1	RE
74-87-3	Chloromethane	ND	U	ug/Kg	9.3	54	1	RE
75-01-4	Vinyl Chloride	ND	U	ug/Kg	13	54	1	RE
74-83-9	Bromomethane	ND	U	ug/Kg	27	54	1	RE
75-00-3	Chloroethane	ND	U	ug/Kg	15	54	1	RE
75-69-4	Trichlorofluoromethane	ND	U	ug/Kg	14	54	1	RE
75-65-0	Tert butyl alcohol	ND	U	ug/Kg	81	270	1	RE
75-35-4	1,1-Dichloroethene	ND	U	ug/Kg	16	54	1	RE
107-02-8	Acrolein	ND	U	ug/Kg	43	270	1	RE
107-13-1	Acrylonitrile	ND	U	ug/Kg	53	270	1	RE
67-64-1	Acetone	170	J	ug/Kg	33	270	1	RE
75-15-0	Carbon Disulfide	ND	U	ug/Kg	12	54	1	RE
1634-04-4	Methyl tert-butyl Ether	ND	U	ug/Kg	10	54	1	RE
75-09-2	Methylene Chloride	ND	U	ug/Kg	15	54	1	RE
156-60-5	trans-1,2-Dichloroethene	ND	U	ug/Kg	7.5	54	1	RE
108-05-4	Vinyl Acetate	ND	U	ug/Kg	38	270	1	RE
75-34-3	1,1-Dichloroethane	ND	U	ug/Kg	10	54	1	RE
78-93-3	2-Butanone	ND	U	ug/Kg	34	270	1	RE
56-23-5	Carbon Tetrachloride	ND	U	ug/Kg	11	54	1	RE
594-20-7	2,2-Dichloropropane	ND	U	ug/Kg	11	54	1	RE
156-59-2	cis-1,2-Dichloroethene	ND	U	ug/Kg	9.7	54	1	RE
74-97-5	Bromochloromethane	ND	U	ug/Kg	8.6	54	1	RE
67-66-3	Chloroform	ND	U	ug/Kg	8.0	54	1	RE
71-55-6	1,1,1-Trichloroethane	ND	U	ug/Kg	9.6	54	1	RE
563-58-6	1,1-Dichloropropene	ND	U	ug/Kg	5.0	54	1	RE
71-43-2	Benzene	ND	U	ug/Kg	4.1	54	1	RE



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-05RE					
SDG ID :	A2735	Customer Sample No. :	DS5RE					
% Moisture :	54	Analytical Method :	EPA SW846 8260					
DataFile :	VI025871.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
107-06-2	1,2-Dichloroethane	ND	U	ug/Kg	7.0	54	1	RE
79-01-6	Trichloroethene	ND	U	ug/Kg	9.3	54	1	RE
78-87-5	1,2-Dichloropropane	ND	U	ug/Kg	2.8	54	1	RE
74-95-3	Dibromomethane	ND	U	ug/Kg	8.5	54	1	RE
75-27-4	Bromodichloromethane	ND	U	ug/Kg	6.7	54	1	RE
108-10-1	4-Methyl-2-Pentanone	ND	U	ug/Kg	32	270	1	RE
108-88-3	Toluene	ND	U	ug/Kg	7.0	54	1	RE
10061-02-6	t-1,3-Dichloropropene	ND	U	ug/Kg	8.6	54	1	RE
10061-01-5	cis-1,3-Dichloropropene	ND	U	ug/Kg	7.8	54	1	RE
79-00-5	1,1,2-Trichloroethane	ND	U	ug/Kg	9.8	54	1	RE
142-28-9	1,3-Dichloropropane	ND	U	ug/Kg	8.0	54	1	RE
110-75-8	2-Chloroethyl vinyl ether	ND	U	ug/Kg	130	270	1	RE
591-78-6	2-Hexanone	ND	U	ug/Kg	43	270	1	RE
124-48-1	Dibromochloromethane	ND	U	ug/Kg	5.9	54	1	RE
106-93-4	1,2-Dibromoethane	ND	U	ug/Kg	7.0	54	1	RE
127-18-4	Tetrachloroethene	ND	U	ug/Kg	11	54	1	RE
108-90-7	Chlorobenzene	ND	U	ug/Kg	5.4	54	1	RE
630-20-6	1,1,1,2-Tetrachloroethane	ND	U	ug/Kg	4.7	54	1	RE
100-41-4	Ethyl Benzene	ND	U	ug/Kg	6.7	54	1	RE
179601-23-1	m/p-Xylenes	ND	U	ug/Kg	7.8	110	1	RE
95-47-6	o-Xylene	ND	U	ug/Kg	7.4	54	1	RE
100-42-5	Styrene	ND	U	ug/Kg	4.9	54	1	RE
75-25-2	Bromoform	ND	U	ug/Kg	8.0	54	1	RE
98-82-8	Isopropylbenzene	ND	U	ug/Kg	5.2	54	1	RE
79-34-5	1,1,2,2-Tetrachloroethane	ND	U	ug/Kg	5.0	54	1	RE



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-05RE
SDG ID :	A2735	Customer Sample No. :	DS5RE
% Moisture :	54	Analytical Method :	EPA SW846 8260
DataFile :	VI025871.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
96-18-4	1,2,3-Trichloropropane	ND	U	ug/Kg	5.3	54	1	RE
108-86-1	Bromobenzene	ND	U	ug/Kg	5.7	54	1	RE
103-65-1	n-propylbenzene	ND	U	ug/Kg	3.9	54	1	RE
95-49-8	2-Chlorotoluene	ND	U	ug/Kg	8.0	54	1	RE
108-67-8	1,3,5-Trimethylbenzene	ND	U	ug/Kg	4.9	54	1	RE
106-43-4	4-Chlorotoluene	ND	U	ug/Kg	6.7	54	1	RE
98-06-6	tert-Butylbenzene	ND	U	ug/Kg	6.4	54	1	RE
95-63-6	1,2,4-Trimethylbenzene	ND	U	ug/Kg	5.4	54	1	RE
135-98-8	sec-Butylbenzene	ND	U	ug/Kg	5.7	54	1	RE
99-87-6	p-Isopropyltoluene	ND	U	ug/Kg	3.2	54	1	RE
541-73-1	1,3-Dichlorobenzene	ND	U	ug/Kg	4.0	54	1	RE
106-46-7	1,4-Dichlorobenzene	ND	U	ug/Kg	4.5	54	1	RE
104-51-8	n-Butylbenzene	ND	U	ug/Kg	5.0	54	1	RE
95-50-1	1,2-Dichlorobenzene	ND	U	ug/Kg	6.7	54	1	RE
96-12-8	1,2-Dibromo-3-Chloropropane	ND	U	ug/Kg	9.5	54	1	RE
120-82-1	1,2,4-Trichlorobenzene	ND	U	ug/Kg	7.6	54	1	RE
87-68-3	Hexachlorobutadiene	ND	U	ug/Kg	8.6	54	1	RE
91-20-3	Naphthalene	ND	U	ug/Kg	4.9	54	1	RE
87-61-6	1,2,3-Trichlorobenzene	ND	U	ug/Kg	5.4	54	1	RE



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Mercury	Lab Sample ID :	A2735-06					
SDG ID :	A2735	Customer Sample No. :	DS1					
% Moisture :	16.3	Analytical Method :	EPA SW-846 7471 - HG					
DataFile :	LB44323.PRN	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7439-97-6	Mercury	0.072		mg/Kg	0.002	0.012	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Metals ICP-TAL	Lab Sample ID :	A2735-06					
SDG ID :	A2735	Customer Sample No. :	DS1					
% Moisture :	16.3	Analytical Method :	EPA SW-846 6010 - ICP4					
DataFile :	LB44314.txt	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7429-90-5	Aluminum	1150		mg/Kg	0.67	7.960	1	
7440-36-0	Antimony	1.660	J	mg/Kg	0.45	1.990	1	
7440-38-2	Arsenic	0.63	J	mg/Kg	0.26	0.80	1	
7440-39-3	Barium	7.950		mg/Kg	0.32	3.980	1	
7440-41-7	Beryllium	0.08	J	mg/Kg	0.05	0.24	1	
7440-43-9	Cadmium	34.6		mg/Kg	0.05	0.24	1	
7440-70-2	Calcium	33400		mg/Kg	0.85	79.6	1	
7440-47-3	Chromium	27.8		mg/Kg	0.10	0.40	1	
7440-48-4	Cobalt	1.030	J	mg/Kg	0.45	1.190	1	
7440-50-8	Copper	122		mg/Kg	0.25	0.80	1	
7439-89-6	Iron	4000		mg/Kg	1.060	3.980	1	
7439-92-1	Lead	81.3		mg/Kg	0.31	0.48	1	
7439-95-4	Magnesium	19700		mg/Kg	3.650	79.6	1	
7439-96-5	Manganese	43.8		mg/Kg	0.15	0.80	1	
7440-02-0	Nickel	21.0		mg/Kg	0.37	1.590	1	
7440-09-7	Potassium	83.1		mg/Kg	2.790	79.6	1	
7782-49-2	Selenium	ND	U	mg/Kg	0.33	0.80	1	
7440-22-4	Silver	ND	UN	mg/Kg	0.12	0.40	1	
7440-23-5	Sodium	116		mg/Kg	2.010	79.6	1	
7440-28-0	Thallium	ND	U	mg/Kg	0.22	1.590	1	
7440-62-2	Vanadium	8.890		mg/Kg	0.47	1.590	1	
7440-66-6	Zinc	80.9		mg/Kg	0.56	1.590	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-06					
SDG ID :	A2735	Customer Sample No. :	DS1					
% Moisture :	16	Analytical Method :	EPA SW846 8260					
DataFile :	VI025861.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
75-71-8	Dichlorodifluoromethane	ND	U	ug/Kg	3.9	30	1	
74-87-3	Chloromethane	ND	U	ug/Kg	5.1	30	1	
75-01-4	Vinyl Chloride	ND	U	ug/Kg	7.3	30	1	
74-83-9	Bromomethane	ND	U	ug/Kg	15	30	1	
75-00-3	Chloroethane	ND	U	ug/Kg	8.3	30	1	
75-69-4	Trichlorofluoromethane	ND	U	ug/Kg	7.9	30	1	
75-65-0	Tert butyl alcohol	ND	U	ug/Kg	44	150	1	
75-35-4	1,1-Dichloroethene	ND	U	ug/Kg	8.8	30	1	
107-02-8	Acrolein	ND	U	ug/Kg	24	150	1	
107-13-1	Acrylonitrile	ND	U	ug/Kg	29	150	1	
67-64-1	Acetone	ND	U	ug/Kg	18	150	1	
75-15-0	Carbon Disulfide	ND	U	ug/Kg	6.3	30	1	
1634-04-4	Methyl tert-butyl Ether	ND	U	ug/Kg	5.7	30	1	
75-09-2	Methylene Chloride	ND	U	ug/Kg	8.5	30	1	
156-60-5	trans-1,2-Dichloroethene	ND	U	ug/Kg	4.1	30	1	
108-05-4	Vinyl Acetate	ND	U	ug/Kg	21	150	1	
75-34-3	1,1-Dichloroethane	ND	U	ug/Kg	5.6	30	1	
78-93-3	2-Butanone	ND	U	ug/Kg	19	150	1	
56-23-5	Carbon Tetrachloride	ND	U	ug/Kg	5.9	30	1	
594-20-7	2,2-Dichloropropane	ND	U	ug/Kg	6.2	30	1	
156-59-2	cis-1,2-Dichloroethene	ND	U	ug/Kg	5.3	30	1	
74-97-5	Bromochloromethane	ND	U	ug/Kg	4.7	30	1	
67-66-3	Chloroform	ND	U	ug/Kg	4.4	30	1	
71-55-6	1,1,1-Trichloroethane	ND	U	ug/Kg	5.2	30	1	
563-58-6	1,1-Dichloropropene	ND	U	ug/Kg	2.7	30	1	
71-43-2	Benzene	ND	U	ug/Kg	2.3	30	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-06
SDG ID :	A2735	Customer Sample No. :	DS1
% Moisture :	16	Analytical Method :	EPA SW846 8260
DataFile :	VI025861.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
107-06-2	1,2-Dichloroethane	ND	U	ug/Kg	3.8	30	1	
79-01-6	Trichloroethene	ND	U	ug/Kg	5.1	30	1	
78-87-5	1,2-Dichloropropane	ND	U	ug/Kg	1.5	30	1	
74-95-3	Dibromomethane	ND	U	ug/Kg	4.6	30	1	
75-27-4	Bromodichloromethane	ND	U	ug/Kg	3.7	30	1	
108-10-1	4-Methyl-2-Pentanone	ND	U	ug/Kg	17	150	1	
108-88-3	Toluene	ND	U	ug/Kg	3.8	30	1	
10061-02-6	t-1,3-Dichloropropene	ND	U	ug/Kg	4.7	30	1	
10061-01-5	cis-1,3-Dichloropropene	ND	U	ug/Kg	4.3	30	1	
79-00-5	1,1,2-Trichloroethane	ND	U	ug/Kg	5.4	30	1	
142-28-9	1,3-Dichloropropane	ND	U	ug/Kg	4.4	30	1	
110-75-8	2-Chloroethyl vinyl ether	ND	U	ug/Kg	69	150	1	
591-78-6	2-Hexanone	ND	U	ug/Kg	23	150	1	
124-48-1	Dibromochloromethane	ND	U	ug/Kg	3.2	30	1	
106-93-4	1,2-Dibromoethane	ND	U	ug/Kg	3.8	30	1	
127-18-4	Tetrachloroethene	ND	U	ug/Kg	6.0	30	1	
108-90-7	Chlorobenzene	ND	U	ug/Kg	3.0	30	1	
630-20-6	1,1,1,2-Tetrachloroethane	ND	U	ug/Kg	2.6	30	1	
100-41-4	Ethyl Benzene	ND	U	ug/Kg	3.7	30	1	
179601-23-1	m/p-Xylenes	ND	U	ug/Kg	4.3	60	1	
95-47-6	o-Xylene	ND	U	ug/Kg	4.0	30	1	
100-42-5	Styrene	ND	U	ug/Kg	2.7	30	1	
75-25-2	Bromoform	ND	U	ug/Kg	4.4	30	1	
98-82-8	Isopropylbenzene	ND	U	ug/Kg	2.9	30	1	
79-34-5	1,1,2,2-Tetrachloroethane	ND	U	ug/Kg	2.7	30	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-06
SDG ID :	A2735	Customer Sample No. :	DS1
% Moisture :	16	Analytical Method :	EPA SW846 8260
DataFile :	VI025861.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
96-18-4	1,2,3-Trichloropropane	ND	U	ug/Kg	2.9	30	1	
108-86-1	Bromobenzene	ND	U	ug/Kg	3.1	30	1	
103-65-1	n-propylbenzene	ND	U	ug/Kg	2.1	30	1	
95-49-8	2-Chlorotoluene	ND	U	ug/Kg	4.4	30	1	
108-67-8	1,3,5-Trimethylbenzene	ND	U	ug/Kg	2.7	30	1	
106-43-4	4-Chlorotoluene	ND	U	ug/Kg	3.7	30	1	
98-06-6	tert-Butylbenzene	ND	U	ug/Kg	3.5	30	1	
95-63-6	1,2,4-Trimethylbenzene	ND	U	ug/Kg	3.0	30	1	
135-98-8	sec-Butylbenzene	ND	U	ug/Kg	3.1	30	1	
99-87-6	p-Isopropyltoluene	ND	U	ug/Kg	1.7	30	1	
541-73-1	1,3-Dichlorobenzene	ND	U	ug/Kg	2.2	30	1	
106-46-7	1,4-Dichlorobenzene	ND	U	ug/Kg	2.4	30	1	
104-51-8	n-Butylbenzene	ND	U	ug/Kg	2.7	30	1	
95-50-1	1,2-Dichlorobenzene	ND	U	ug/Kg	3.7	30	1	
96-12-8	1,2-Dibromo-3-Chloropropane	ND	U	ug/Kg	5.2	30	1	
120-82-1	1,2,4-Trichlorobenzene	ND	U	ug/Kg	4.2	30	1	
87-68-3	Hexachlorobutadiene	ND	U	ug/Kg	4.7	30	1	
91-20-3	Naphthalene	ND	U	ug/Kg	2.7	30	1	
87-61-6	1,2,3-Trichlorobenzene	ND	U	ug/Kg	3.0	30	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-06RE					
SDG ID :	A2735	Customer Sample No. :	DS1RE					
% Moisture :	16	Analytical Method :	EPA SW846 8260					
DataFile :	VI025872.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
75-71-8	Dichlorodifluoromethane	ND	U	ug/Kg	3.9	30	1	RE
74-87-3	Chloromethane	ND	U	ug/Kg	5.1	30	1	RE
75-01-4	Vinyl Chloride	ND	U	ug/Kg	7.3	30	1	RE
74-83-9	Bromomethane	ND	U	ug/Kg	15	30	1	RE
75-00-3	Chloroethane	ND	U	ug/Kg	8.3	30	1	RE
75-69-4	Trichlorofluoromethane	ND	U	ug/Kg	7.9	30	1	RE
75-65-0	Tert butyl alcohol	ND	U	ug/Kg	44	150	1	RE
75-35-4	1,1-Dichloroethene	ND	U	ug/Kg	8.8	30	1	RE
107-02-8	Acrolein	ND	U	ug/Kg	24	150	1	RE
107-13-1	Acrylonitrile	ND	U	ug/Kg	29	150	1	RE
67-64-1	Acetone	ND	U	ug/Kg	18	150	1	RE
75-15-0	Carbon Disulfide	ND	U	ug/Kg	6.3	30	1	RE
1634-04-4	Methyl tert-butyl Ether	ND	U	ug/Kg	5.7	30	1	RE
75-09-2	Methylene Chloride	ND	U	ug/Kg	8.5	30	1	RE
156-60-5	trans-1,2-Dichloroethene	ND	U	ug/Kg	4.1	30	1	RE
108-05-4	Vinyl Acetate	ND	U	ug/Kg	21	150	1	RE
75-34-3	1,1-Dichloroethane	ND	U	ug/Kg	5.6	30	1	RE
78-93-3	2-Butanone	ND	U	ug/Kg	19	150	1	RE
56-23-5	Carbon Tetrachloride	ND	U	ug/Kg	5.9	30	1	RE
594-20-7	2,2-Dichloropropane	ND	U	ug/Kg	6.2	30	1	RE
156-59-2	cis-1,2-Dichloroethene	ND	U	ug/Kg	5.3	30	1	RE
74-97-5	Bromochloromethane	ND	U	ug/Kg	4.7	30	1	RE
67-66-3	Chloroform	ND	U	ug/Kg	4.4	30	1	RE
71-55-6	1,1,1-Trichloroethane	ND	U	ug/Kg	5.2	30	1	RE
563-58-6	1,1-Dichloropropene	ND	U	ug/Kg	2.7	30	1	RE
71-43-2	Benzene	ND	U	ug/Kg	2.3	30	1	RE



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-06RE
SDG ID :	A2735	Customer Sample No. :	DS1RE
% Moisture :	16	Analytical Method :	EPA SW846 8260
DataFile :	VI025872.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
107-06-2	1,2-Dichloroethane	ND	U	ug/Kg	3.8	30	1	RE
79-01-6	Trichloroethene	ND	U	ug/Kg	5.1	30	1	RE
78-87-5	1,2-Dichloropropane	ND	U	ug/Kg	1.5	30	1	RE
74-95-3	Dibromomethane	ND	U	ug/Kg	4.6	30	1	RE
75-27-4	Bromodichloromethane	ND	U	ug/Kg	3.7	30	1	RE
108-10-1	4-Methyl-2-Pentanone	ND	U	ug/Kg	17	150	1	RE
108-88-3	Toluene	ND	U	ug/Kg	3.8	30	1	RE
10061-02-6	t-1,3-Dichloropropene	ND	U	ug/Kg	4.7	30	1	RE
10061-01-5	cis-1,3-Dichloropropene	ND	U	ug/Kg	4.3	30	1	RE
79-00-5	1,1,2-Trichloroethane	ND	U	ug/Kg	5.4	30	1	RE
142-28-9	1,3-Dichloropropane	ND	U	ug/Kg	4.4	30	1	RE
110-75-8	2-Chloroethyl vinyl ether	ND	U	ug/Kg	69	150	1	RE
591-78-6	2-Hexanone	ND	U	ug/Kg	23	150	1	RE
124-48-1	Dibromochloromethane	ND	U	ug/Kg	3.2	30	1	RE
106-93-4	1,2-Dibromoethane	ND	U	ug/Kg	3.8	30	1	RE
127-18-4	Tetrachloroethene	ND	U	ug/Kg	6.0	30	1	RE
108-90-7	Chlorobenzene	ND	U	ug/Kg	3.0	30	1	RE
630-20-6	1,1,1,2-Tetrachloroethane	ND	U	ug/Kg	2.6	30	1	RE
100-41-4	Ethyl Benzene	ND	U	ug/Kg	3.7	30	1	RE
179601-23-1	m/p-Xylenes	ND	U	ug/Kg	4.3	60	1	RE
95-47-6	o-Xylene	ND	U	ug/Kg	4.0	30	1	RE
100-42-5	Styrene	ND	U	ug/Kg	2.7	30	1	RE
75-25-2	Bromoform	ND	U	ug/Kg	4.4	30	1	RE
98-82-8	Isopropylbenzene	ND	U	ug/Kg	2.9	30	1	RE
79-34-5	1,1,2,2-Tetrachloroethane	ND	U	ug/Kg	2.7	30	1	RE



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-06RE
SDG ID :	A2735	Customer Sample No. :	DS1RE
% Moisture :	16	Analytical Method :	EPA SW846 8260
DataFile :	VI025872.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
96-18-4	1,2,3-Trichloropropane	ND	U	ug/Kg	2.9	30	1	RE
108-86-1	Bromobenzene	ND	U	ug/Kg	3.1	30	1	RE
103-65-1	n-propylbenzene	ND	U	ug/Kg	2.1	30	1	RE
95-49-8	2-Chlorotoluene	ND	U	ug/Kg	4.4	30	1	RE
108-67-8	1,3,5-Trimethylbenzene	ND	U	ug/Kg	2.7	30	1	RE
106-43-4	4-Chlorotoluene	ND	U	ug/Kg	3.7	30	1	RE
98-06-6	tert-Butylbenzene	ND	U	ug/Kg	3.5	30	1	RE
95-63-6	1,2,4-Trimethylbenzene	ND	U	ug/Kg	3.0	30	1	RE
135-98-8	sec-Butylbenzene	ND	U	ug/Kg	3.1	30	1	RE
99-87-6	p-Isopropyltoluene	ND	U	ug/Kg	1.7	30	1	RE
541-73-1	1,3-Dichlorobenzene	ND	U	ug/Kg	2.2	30	1	RE
106-46-7	1,4-Dichlorobenzene	ND	U	ug/Kg	2.4	30	1	RE
104-51-8	n-Butylbenzene	ND	U	ug/Kg	2.7	30	1	RE
95-50-1	1,2-Dichlorobenzene	ND	U	ug/Kg	3.7	30	1	RE
96-12-8	1,2-Dibromo-3-Chloropropane	ND	U	ug/Kg	5.2	30	1	RE
120-82-1	1,2,4-Trichlorobenzene	ND	U	ug/Kg	4.2	30	1	RE
87-68-3	Hexachlorobutadiene	ND	U	ug/Kg	4.7	30	1	RE
91-20-3	Naphthalene	ND	U	ug/Kg	2.7	30	1	RE
87-61-6	1,2,3-Trichlorobenzene	ND	U	ug/Kg	3.0	30	1	RE



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09						
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09						
Test :	Mercury	Lab Sample ID :	A2735-07						
SDG ID :	A2735	Customer Sample No. :	DS3						
% Moisture :	5.300003	Analytical Method :	EPA SW-846 7471 - HG						
DataFile :	LB44323.PRN	Result Type :	Final						
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE	
7439-97-6	Mercury	ND	U	mg/Kg	0.002	0.011	1		



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	Metals ICP-TAL	Lab Sample ID :	A2735-07					
SDG ID :	A2735	Customer Sample No. :	DS3					
% Moisture :	5.300003	Analytical Method :	EPA SW-846 6010 - ICP4					
DataFile :	LB44314.txt	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
7429-90-5	Aluminum	610		mg/Kg	0.59	7.040	1	
7440-36-0	Antimony	ND	U	mg/Kg	0.39	1.760	1	
7440-38-2	Arsenic	0.46	J	mg/Kg	0.23	0.70	1	
7440-39-3	Barium	4.710		mg/Kg	0.28	3.520	1	
7440-41-7	Beryllium	0.05	J	mg/Kg	0.04	0.21	1	
7440-43-9	Cadmium	5.450		mg/Kg	0.04	0.21	1	
7440-70-2	Calcium	174		mg/Kg	0.75	70.4	1	
7440-47-3	Chromium	3.320		mg/Kg	0.09	0.35	1	
7440-48-4	Cobalt	0.58	J	mg/Kg	0.40	1.060	1	
7440-50-8	Copper	2.530		mg/Kg	0.23	0.70	1	
7439-89-6	Iron	2830		mg/Kg	0.94	3.520	1	
7439-92-1	Lead	3.640		mg/Kg	0.27	0.42	1	
7439-95-4	Magnesium	191		mg/Kg	3.220	70.4	1	
7439-96-5	Manganese	50.6		mg/Kg	0.13	0.70	1	
7440-02-0	Nickel	3.210		mg/Kg	0.32	1.410	1	
7440-09-7	Potassium	80.5		mg/Kg	2.460	70.4	1	
7782-49-2	Selenium	0.36	J	mg/Kg	0.29	0.70	1	
7440-22-4	Silver	ND	UN	mg/Kg	0.11	0.35	1	
7440-23-5	Sodium	63.6	J	mg/Kg	1.770	70.4	1	
7440-28-0	Thallium	ND	U	mg/Kg	0.19	1.410	1	
7440-62-2	Vanadium	2.350		mg/Kg	0.42	1.410	1	
7440-66-6	Zinc	14.7		mg/Kg	0.49	1.410	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09					
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09					
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-07					
SDG ID :	A2735	Customer Sample No. :	DS3					
% Moisture :	5	Analytical Method :	EPA SW846 8260					
DataFile :	VI025862.D	Result Type :	Final					
CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
75-71-8	Dichlorodifluoromethane	ND	U	ug/Kg	3.4	26	1	
74-87-3	Chloromethane	ND	U	ug/Kg	4.5	26	1	
75-01-4	Vinyl Chloride	ND	U	ug/Kg	6.5	26	1	
74-83-9	Bromomethane	ND	U	ug/Kg	13	26	1	
75-00-3	Chloroethane	ND	U	ug/Kg	7.4	26	1	
75-69-4	Trichlorofluoromethane	ND	U	ug/Kg	6.9	26	1	
75-65-0	Tert butyl alcohol	ND	U	ug/Kg	39	130	1	
75-35-4	1,1-Dichloroethene	ND	U	ug/Kg	7.7	26	1	
107-02-8	Acrolein	ND	U	ug/Kg	21	130	1	
107-13-1	Acrylonitrile	ND	U	ug/Kg	26	130	1	
67-64-1	Acetone	ND	U	ug/Kg	16	130	1	
75-15-0	Carbon Disulfide	ND	U	ug/Kg	5.6	26	1	
1634-04-4	Methyl tert-butyl Ether	ND	U	ug/Kg	5.1	26	1	
75-09-2	Methylene Chloride	ND	U	ug/Kg	7.5	26	1	
156-60-5	trans-1,2-Dichloroethene	ND	U	ug/Kg	3.6	26	1	
108-05-4	Vinyl Acetate	ND	U	ug/Kg	18	130	1	
75-34-3	1,1-Dichloroethane	ND	U	ug/Kg	4.9	26	1	
78-93-3	2-Butanone	ND	U	ug/Kg	16	130	1	
56-23-5	Carbon Tetrachloride	ND	U	ug/Kg	5.2	26	1	
594-20-7	2,2-Dichloropropane	ND	U	ug/Kg	5.5	26	1	
156-59-2	cis-1,2-Dichloroethene	ND	U	ug/Kg	4.7	26	1	
74-97-5	Bromochloromethane	ND	U	ug/Kg	4.2	26	1	
67-66-3	Chloroform	ND	U	ug/Kg	3.9	26	1	
71-55-6	1,1,1-Trichloroethane	ND	U	ug/Kg	4.6	26	1	
563-58-6	1,1-Dichloropropene	ND	U	ug/Kg	2.4	26	1	
71-43-2	Benzene	ND	U	ug/Kg	2.0	26	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-07
SDG ID :	A2735	Customer Sample No. :	DS3
% Moisture :	5	Analytical Method :	EPA SW846 8260
DataFile :	VI025862.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
107-06-2	1,2-Dichloroethane	ND	U	ug/Kg	3.4	26	1	
79-01-6	Trichloroethene	ND	U	ug/Kg	4.5	26	1	
78-87-5	1,2-Dichloropropane	ND	U	ug/Kg	1.4	26	1	
74-95-3	Dibromomethane	ND	U	ug/Kg	4.1	26	1	
75-27-4	Bromodichloromethane	ND	U	ug/Kg	3.3	26	1	
108-10-1	4-Methyl-2-Pentanone	ND	U	ug/Kg	15	130	1	
108-88-3	Toluene	ND	U	ug/Kg	3.4	26	1	
10061-02-6	t-1,3-Dichloropropene	ND	U	ug/Kg	4.2	26	1	
10061-01-5	cis-1,3-Dichloropropene	ND	U	ug/Kg	3.8	26	1	
79-00-5	1,1,2-Trichloroethane	ND	U	ug/Kg	4.7	26	1	
142-28-9	1,3-Dichloropropane	ND	U	ug/Kg	3.9	26	1	
110-75-8	2-Chloroethyl vinyl ether	ND	U	ug/Kg	61	130	1	
591-78-6	2-Hexanone	ND	U	ug/Kg	21	130	1	
124-48-1	Dibromochloromethane	ND	U	ug/Kg	2.8	26	1	
106-93-4	1,2-Dibromoethane	ND	U	ug/Kg	3.4	26	1	
127-18-4	Tetrachloroethene	ND	U	ug/Kg	5.3	26	1	
108-90-7	Chlorobenzene	ND	U	ug/Kg	2.6	26	1	
630-20-6	1,1,1,2-Tetrachloroethane	ND	U	ug/Kg	2.3	26	1	
100-41-4	Ethyl Benzene	ND	U	ug/Kg	3.3	26	1	
179601-23-1	m/p-Xylenes	ND	U	ug/Kg	3.8	53	1	
95-47-6	o-Xylene	ND	U	ug/Kg	3.6	26	1	
100-42-5	Styrene	ND	U	ug/Kg	2.4	26	1	
75-25-2	Bromoform	ND	U	ug/Kg	3.9	26	1	
98-82-8	Isopropylbenzene	ND	U	ug/Kg	2.5	26	1	
79-34-5	1,1,2,2-Tetrachloroethane	ND	U	ug/Kg	2.4	26	1	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Report Of Analysis

Client :	Envirotrac Environmental Services	Date Collected :	05/13/09
Project Id :	Spectrum Finishing D006356	Date Received :	05/14/09
Test :	VOC-Chemtech Full -15	Lab Sample ID :	A2735-07
SDG ID :	A2735	Customer Sample No. :	DS3
% Moisture :	5	Analytical Method :	EPA SW846 8260
DataFile :	VI025862.D	Result Type :	Final

CasNumber	Parameter	Results	Qualifier	Units	DL	RT/RL	DF	DIL/RE
96-18-4	1,2,3-Trichloropropane	ND	U	ug/Kg	2.6	26	1	
108-86-1	Bromobenzene	ND	U	ug/Kg	2.7	26	1	
103-65-1	n-propylbenzene	ND	U	ug/Kg	1.9	26	1	
95-49-8	2-Chlorotoluene	ND	U	ug/Kg	3.9	26	1	
108-67-8	1,3,5-Trimethylbenzene	ND	U	ug/Kg	2.4	26	1	
106-43-4	4-Chlorotoluene	ND	U	ug/Kg	3.3	26	1	
98-06-6	tert-Butylbenzene	ND	U	ug/Kg	3.1	26	1	
95-63-6	1,2,4-Trimethylbenzene	ND	U	ug/Kg	2.6	26	1	
135-98-8	sec-Butylbenzene	ND	U	ug/Kg	2.7	26	1	
99-87-6	p-Isopropyltoluene	ND	U	ug/Kg	1.5	26	1	
541-73-1	1,3-Dichlorobenzene	ND	U	ug/Kg	1.9	26	1	
106-46-7	1,4-Dichlorobenzene	ND	U	ug/Kg	2.2	26	1	
104-51-8	n-Butylbenzene	ND	U	ug/Kg	2.4	26	1	
95-50-1	1,2-Dichlorobenzene	ND	U	ug/Kg	3.3	26	1	
96-12-8	1,2-Dibromo-3-Chloropropane	ND	U	ug/Kg	4.6	26	1	
120-82-1	1,2,4-Trichlorobenzene	ND	U	ug/Kg	3.7	26	1	
87-68-3	Hexachlorobutadiene	ND	U	ug/Kg	4.2	26	1	
91-20-3	Naphthalene	ND	U	ug/Kg	2.4	26	1	
87-61-6	1,2,3-Trichlorobenzene	ND	U	ug/Kg	2.6	26	1	

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Page

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Project #: A2735
5/15/2009 7:37:46 PM
End Of Report