

**Groundwater and Surface Water
Sampling & Analysis
East Northport Landfill
East Northport, New York
April, 2009**

Prepared for:

**Town of Huntington Department of Environmental Waste Management
100 Main Street
Huntington, New York 11743**

AUG - 4 2009

Prepared by:

**R & C Formation, Ltd.
705 Bedford Ave., Suite 2B
Bellmore, New York 11710**




TABLE OF CONTENTS

	Page
Introduction	1
Scope of Work	1
Sampling Methodology	2
Quality Assurance/Quality Control	2
Summary of Analytical Results	3
QA/QC Samples	3
Groundwater	3
Surface Water	4
Historical Analysis	4

Section HA-1A

Tabulated comparison of historical analytical results in order as follows: CW1-S, CW1-M, CW2-M, CW4-S, CW4-M, EN1-M, EN6-S, EN6-M, EN7-M, EN9-M, EN10-M, SW-1, SW-2, SW-3, SW-4, SW-5, SW-6, SW-7

Figure

Following Page

Figure 1. Groundwater and Surface Water Sampling Locations	1
--	---

Summary Tables

Following Page

Table 1. Field Data	2
Table 2. Analytical Results-GW (Volatile Organic Compounds)	5
Table 2A. Analytical Results-GW (Metals & Leachate Indicators)	5
Table 3. Analytical Results-SW (Volatile Organic Compounds)	5
Table 3A. Analytical Results-SW (Leachate Indicators)	5

Appendix

Appendix 1. Laboratory Analytical Data	
---	--

R & C Formation, Ltd.

Groundwater and Surface Water Sampling & Analysis

East Northport Landfill
East Northport, New York
April, 2009


Introduction

Presented herein are the results of April, 2009 groundwater and surface water sampling and analyses performed as stipulated by the Record of Decision (ROD) for the East Northport Landfill Remedial Investigation/Feasibility Study. The ROD specifically requires the performance of "semi-annual sampling and analysis of eleven groundwater monitoring wells and seven surface water locations for leachate parameters." Figure 1 depicts the location of each groundwater and surface water sampling point. The scope-of-work performed each semi-annual event is presented below. A description of sampling methodology, quality assurance/quality control procedures, and a summary of analytical results follows.

Scope-of-Work

The scope-of-work includes performance of the following items:

- 1) sampling of groundwater from monitoring wells CW1-S, CW1-M, CW2-M, CW4-S, CW4-M, EN1-M, EN6-S, EN6-M, EN7-M, EN9-M, EN10-M and surface water from locations SW-1 through SW-7;
- 2) analyzing collected groundwater samples for *volatile organic compounds* by EPA method 624 with TCL parameter list and ASP category B reporting of data; *metals* (aluminum, arsenic, chromium, cadmium, calcium, iron, lead, magnesium, mercury, potassium, sodium); and *leachate indicators* (alkalinity/bicarbonate, ammonia, nitrate, chloride, TDS, hardness, sulfate);
- 3) analyzing collected surface water samples for *volatile organic compounds* and *leachate indicators* (as above); and
- 4) measuring and recording appropriate field data including temperature, pH, specific conductivity, dissolved oxygen, salinity and turbidity.



Groundwater and Surface Water Sampling Locations

East Northport Landfill
Post Closure Water Sampling

Prepared By: RDH
Reviewed By: RNC

Figure 1
August, 2006

R & C Formation, Ltd.

Sampling Methodology

Sampling methodology includes evacuating a minimum of 3-5 casing volumes of groundwater from each monitoring well - utilizing a submersible centrifugal pump (Grundfos Redi-Flo2) with per-well dedicated tubing - prior to sample collection. The field parameters dissolved oxygen, specific conductivity, temperature, pH, salinity and turbidity are measured and recorded on a per-casing-volume basis during well-purging activities. Groundwater samples are collected following the stabilization of these values to within 10%. As a means to negate the potential for cross-well contamination, the Grundfos Redi-Flo2 is cleaned internally and externally with an Alconox and water solution, followed by two fresh water rinses, between each groundwater sampling location.

Surface water sampling methodology entails submerging laboratory-provided sample containers at each sampling point and establishing a smooth flow of water into them until filled. In addition, surface water samples are collected following a minimum of 3 days without precipitation prior to sampling to minimize the influence of surface water runoff from adjacent land surfaces and roadways. Consequently, collected surface water samples reflect stream base-flow and, for the most part, the quality of groundwater resources.

The seven designated surface water monitoring points and groundwater from monitoring wells CW2-M, EN1-M, EN6-S, EN6-M, EN7-M and EN9-M were sampled April 27, 2009. Groundwater from monitoring wells CW1-S, CW1-M, CW4-S, CW4-M and EN10-M were collected April 28, 2009. Following the completion of sampling activities, collected samples were submitted under chain-of-custody control to New York State Department of Health certified Phoenix Environmental Laboratories, Inc. for chemical analysis. Appendix 1 presents a copy of the original laboratory "Sample Data Summary Package."

Field parameters measured and recorded in relation to groundwater and surface water sampling points are summarized on Table 1. Note that data associated with groundwater samples reflects the last value measured during well-purging activities.

Quality Assurance/Quality Control

A narrative (conformance/nonconformance summary) of QA/QC procedures practiced by Phoenix Environmental Laboratories, Inc. - which include instrument calibrations, analysis of method blanks, matrix spike blanks, and the percent recovery of surrogates

Table 1

**Summary of Field Data
Measured April 27-28, 2009
East Northport Landfill, East Northport, NY**

Sampling Point	Dissolved Oxygen (mg/l)	Conductivity (umhos)	Temperature (°centigrade)	pH (units)	Salinity (‰)	Turbidity (ntu)
CW1-S	5.93	906	22.4	6.82	0.0	36.8
CW1-M	6.03	435	22.4	6.36	0.0	50.8
CW2-M	7.57	210	15.1	5.74	0.0	35.9
CW4-S	13.06	28	17.4	6.08	0.0	52.3
CW4-M	14.61	224	16.1	5.96	0.0	40.4
EN1-M	15.79	236	12.8	5.75	0.0	37.7
EN6-S	17.06	245	13.3	5.74	0.0	57.9
EN6-M	7.85	322	13.1	5.91	0.0	38.0
EN7-M	8.21	1,890	12.5	6.32	0.1	37.4
EN9-M	13.15	396	11.9	6.76	0.0	40.0
EN10-M	8.96	20	14.5	5.08	0.0	62.0
SW-1	17.54	376	12.4	8.94	0.0	41.2
SW-2	17.81	395	16.4	8.05	0.0	38.9
SW-3	18.41	222	11.5	7.96	0.0	56.8
SW-4	16.89	305	16.1	8.28	0.0	42.6
SW-5	18.41	373	19.1	7.50	0.0	53.5
SW-6	15.95	497	19.8	7.18	0.0	50.8
SW-7	11.97	7,760	18.2	7.69	0.4	46.5

R & C Formation, Ltd.

(system monitoring compounds) - is presented in the above-mentioned "Sample Data Summary Package." Matrix spike/matrix spike duplicates (MS/MSD's) were collected to supplement both groundwater (EN7-M) and surface water analyses (SW-2).

Additionally, trip blanks representing groundwater (TB-GW) and surface water samples (TB-SW) were analyzed for volatile organic compounds. A field blank (FB4-28) representing groundwater sampling activities was also analyzed to assure the integrity of sampling equipment and procedures.

"Blind duplicates," collected from groundwater monitoring well EN7-M (identified as GW-DUP) and surface water sampling location SW-3 (identified as SW-DUP), were collected to assess the accuracy of reported analytical results. These "blind duplicate" samples were analyzed for all groundwater and surface water parameters, respectively.

Summary of Analytical Results

QA/QC Samples

The volatile organic compound *methylene chloride*, a typical "in-house" laboratory analytical contaminant, was detected in all of the above-mentioned QA/QC samples. Consequently, the detection of this compound in collected groundwater and surface water samples is not considered valid. However, analytical results in relation to groundwater and surface water blind duplicates are comparable (see Tables 2, 2A, 3 and 3A). Therefore, the results of groundwater and surface water analyses summarized below are considered accurate.

Groundwater

A summary of analytical results in relation to volatile organic compounds and metals/leachate indicators - including comparisons with New York State Department of Environmental Conservation (NYSDEC) Class GA Drinking Water Standards - are presented on Table 2 and Table 2A, respectively.

As shown on Table 2, *trichloroethene* (EN7-M) is the sole volatile organic compound detected at or above NYSDEC Class GA Drinking Water Standards.

As shown on Table 2A, metals detected in excess of associated NYSDEC Class GA Drinking Water Standards include *arsenic* (CW1-S, CW1-M), *iron* (CW1-S), *magnesium* (EN7-M) and *sodium* (CW1-S, CW1-M, CW2-M, EN1-M, EN6-S, EN6-M, EN7-M, EN9-M). *Ammonia* (CW1-S, CW1-M) is the sole leachate indicator detected in excess of its associated NYSDEC Class GA Drinking Water Standard.

R & C Formation, Ltd.

Surface Water

Table 3 and Table 3A present a summary of analytical results in relation to volatile organic compounds and leachate indicators, respectively – including comparisons with New York State Department of Environmental Conservation (NYSDEC) Class GA Drinking Water Standards.

As shown on Table 3, volatile organic compounds were not detected in any of the collected surface water samples above NYSDEC Class GA Drinking Water Standards.

As shown on Table 3A, leachate indicators detected in excess of NYSDEC Class GA Drinking Water Standards include *chloride* (SW-7) and *sulfate* (SW-7). As previously reported, elevated concentrations of “salts” at this sampling point are attributable to the influence of saline surface water, insofar as sample SW-7 is collected from within the tidal portion of Sunken Meadow Creek.

Historical Analysis

A tabulated comparison of historical analytical results for the period-of-record dating from June, 1996 to April, 2009 is presented in Section HA-1A on a per sampling-point basis. A summary of inconsistencies with the most recent analyses, completed September, 2008, is presented below. With the exception of these inconsistencies, analytical results in relation to the April, 2009 sampling event continue to be consistent with past events (i.e., June, 1996, April & September, 1997, April & September, 1998, April & September, 1999, April & September, 2000, April & September, 2001, April & September, 2002, April & October, 2003, June & October, 2004, April & September, 2005, August & November, 2006, July & November, 2007, April & September, 2008).

Groundwater

* The concentration of *iron* decreased in groundwater sampled from monitoring well CW1-M from 20,200.0 micrograms per liter ($\mu\text{g/l}$), a concentration above NYSDEC’s Class GA Drinking Water Standard of 300.0 $\mu\text{g/l}$, to 170.0 $\mu\text{g/l}$.

*The concentration of *sodium* increased in groundwater sampled from monitoring well CW1-M from 19,000.0 $\mu\text{g/l}$, a concentration below NYSDEC’s Class GA Drinking Water Standard of 20,000.0 $\mu\text{g/l}$, to 31,200.00 $\mu\text{g/l}$.

R & C Formation, Ltd.

- * The concentration of *chloride* decreased in groundwater sampled from monitoring well EN7-M from 280.0 milligrams per liter (mg/l), a concentration above NYSDEC's Class GA Drinking Water Standard of 250.0 mg/l, to 240.0 mg/l.
- * The concentration of *nitrate* decreased in groundwater sampled from monitoring wells EN1-M and EN6-M from 10.0 mg/l and 11.0 mg/l, respectively - concentrations above NYSDEC's Class GA Drinking Water Standard of 10.0 mg/l - to 9.9 mg/l and 8.6 mg/l, respectively.

Surface Water

No significant variations with the past sampling event (September, 2008) are evident. Volatile organic compounds were, once again, not detected in any of the collected samples above NYSDEC Class GA Drinking Water Standards and leachate indicators were detected at similar concentrations with those detected September, 2008.

Table 2

**Summary of Analytical Results-Groundwater
East Northport Landfill, East Northport, NY**

Sampled April 27-28, 2009

Volatile Organic Compounds

Reported in Micrograms per Liter

Table 2 continued

Parameter	CW1-S	CW1-M	CW2-M	CW4-S	CW4-M	EN1-M	EN6-S	EN6-M	EN7-M	EN9-M	EN10-M	GW-DUP	TB-GW	FB4-28	NYSDEC Class GA Standard
Ethylbenzene	ND(5.00)	5.0													
1,2-Dichlorobenzene	ND(5.00)	3.0													
1,3-Dichlorobenzene	ND(5.00)	3.0													
1,4-Dichlorobenzene	1.0 J	ND(5.00)	3.0												

Note:

ND(): Compound not detected at the method detection limit
 NYSDEC Class GA Standards: New York State Department of Environmental Conservation Ambient Water Quality Standards for Source of Drinking Water Title 6 Part 703 (per June 1998 revision)

GV: NYSDEC Guidance Value for Source of Drinking Water

NS/GV: No NYSDEC Standard or Guidance Value Established

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

*Standard of 0.4 applies to sum of cis and trans 1,3-Dichloropropene

B: The analyte was found in an associated blank, as well as in the sample

Table 2A

**Summary of Analytical Results-Groundwater
East Northport Landfill, East Northport, NY
Sampled April 27-28, 2009
Metals and Leachate Indicators**
Reported in Micrograms per Liter ($\mu\text{g/l}$) and Milligrams per Liter (mg/l)

Metals ($\mu\text{g/l}$)	NYSDEC Class GA Standard										
	CW1-S	CW1-M	CW2-M	CW4-S	CW4-M	EN1-M	EN6-S	EN7-M	EN9-M	EN10-M	GW-DUP
Aluminum	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(10.0)	NS/GV
Arsenic	45.8	33.8	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	13,800.0	16,800.0	13,700.0	8,480.0	24,800.0	23,000.0	14,800.0	34,600.0	122,000.0	26,600.0	1,230.0
Chromium	1.1	ND(1.0)	ND(1.0)	0.9 B	0.8 B	1.1	ND(1.0)	ND(1.0)	ND(1.0)	9.4	ND(1.0)
Iron	1,230.0	170.0	64.0	6.0	ND(2.0)	6.0	22.0	54.0	46.0	3.0	279.0
Lead	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)
Magnesium	12,400.0	7,980.0	4,900.0	1,780.0	9,310.0	8,340.0	6,630.0	9,330.0	49,100.0	11,300.0	418.0
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	57,900.0	19,600.0	6,300.0	4,940.0	1,580.0	1,580.0	2,320.0	2,890.0	5,620.0	2,500.0	992.0
Sodium	68,800.0	31,200.0	23,700.0	4,050.0	13,500.0	19,200.0	31,000.0	29,700.0	212,000.0	55,700.0	1,380.0
Leachate Indicators (mg/l)											
Ammonia	56.00	17.00	0.07	0.12	0.07	0.06	0.10	0.11	0.18	0.06	0.15
Bicarbonate	451.00	173.00	33.20	31.00	38.00	31.10	ND(20.00)	72.20	514.00	33.60	ND(20.00)
Chloride	47.00	24.00	36.00	8.10	22.00	26.00	52.00	45.00	240.00	130.00	ND(3.00)
Nitrate	1.70	0.15	2.20	1.30	7.70	9.90	7.20	8.60	0.05	0.71	0.57
Sulfate	12.00	31.00	29.00	5.60	38.00	37.00	27.00	31.00	120.00	17.00	ND(3.00)
Alkalinity	451.00	173.00	33.20	31.00	38.00	31.10	ND(20.00)	72.20	514.00	33.60	ND(20.00)
TDS	380.00	220.00	150.00	39.00	170.00	180.00	170.00	230.00	1,100.00	300.00	16.00
Hardness	85.50	74.80	54.30	28.50	100.00	91.80	64.30	125.00	507.00	113.00	4.80

Note:
 ND(): Compound not detected at the method detection limit
 NYSDEC Class GA Standards: New York State Department of Environmental Conservation Ambient Water Quality Standards for Source of Drinking Water Title 6 Part 703 (per June 1998 revision)
 GV: NYSDEC Guidance Value for Source of Drinking Water
 NS/GV: No NYSDEC Standard or Guidance Value Established
 B: Reported value less than contract required detection limit but greater than or equal to instrument detection limit
 J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 na: Not available

Table 3

**Summary of Analytical Results-Surface Water
East Northport Landfill, East Northport, NY
Sampled April 27, 2009**
Volatile Organic Compounds
Reported in Micrograms per liter

Parameter	SW-1	SW-2	SW-3	SW-4	SW-5	SW-6	SW-7	SW-DUP	TB-SW	NYSDEC Class GA Standard
Chloromethane	ND(5.00)	NS/GV								
Bromomethane	ND(5.00)	5.0								
Vinyl Chloride	ND(5.00)	2.0								
Chloroethane	ND(5.00)	5.0								
Methylene Chloride	2.6 J	2.7 J	2.6 J	2.8 J	2.5 J	2.6 J	2.7 J	2.8 J	2.9 J	5.0
Trichlorofluoromethane	ND(5.00)	5.0								
1,1-Dichloroethene	ND(5.00)	5.0								
1,1-Dichloroethane	ND(5.00)	5.0								
trans-1,2-Dichloroethene	ND(5.00)	5.0								
Chloroform	ND(5.00)	7.0								
1,2-Dichloroethane	ND(5.00)	0.6								
1,1,1-Trichloroethane	ND(5.00)	5.0								
Carbon Tetrachloride	ND(5.00)	5.0								
Bromodichloromethane	ND(5.00)	50.0 GV								
1,2-Dichloropropane	ND(5.00)	1.0								
cis-1,3-Dichloropropene	ND(5.00)	0.4*								
Trichloroethene	ND(5.00)	5.0								
Benzene	ND(5.00)	1.0								
Dibromo-chloromethane	ND(5.00)	50.0 GV								
trans-1,3-Dichloropropene	ND(5.00)	0.4*								
1,1,2-Trichloroethane	ND(5.00)	1.0								
2-Chloroethyl vinyl Ether	ND(5.00)	NS/GV								
Bromoform	ND(5.00)	50.0 GV								
1,1,2,2-Tetrachloroethane	ND(5.00)	5.0								
Tetrachloroethene	1.9 J	1.7 J	2.4 J	0.97 J	1.4 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	5.0

Table 3 continued

Parameter	SW-1	SW-2	SW-3	SW-4	SW-5	SW-6	SW-7	SW-DUP	TB-SW	NYSDEC Class GA Standard
Toluene	ND(5.00)	5.0								
Chlorobenzene	ND(5.00)	5.0								
Ethylbenzene	ND(5.00)	5.0								
1,2-Dichlorobenzene	ND(5.00)	3.0								
1,3-Dichlorobenzene	ND(5.00)	3.0								
1,4-Dichlorobenzene	ND(5.00)	3.0								

Note:

ND(): Compound not detected at the method detection limit
 NYSDEC Class GA Standards: New York State Department of Environmental Conservation Ambient Water Quality Standards for Source of Drinking Water Title 6 Part 703
 (per June 1998 revision)

GV: NYSDEC Class GA Guidance Value for Source of Drinking Water

NS/GV: No NYSDEC Standard or Guidance Value Established

*Standard of 0.4 applies to sum of cis and trans 1,3-Dichloropropene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

B: The analyte was found in an associated blank, as well as in the sample

Table 3A

**Summary of Analytical Results-Surface Water
East Northport Landfill, East Northport, NY
Sampled April 27, 2009
Leachate Indicators**

Reported in Milligrams per Liter

Parameter	SW-1	SW-2	SW-3	SW-4	SW-5	SW-6	SW-7	SW-DUP	NYSDEC Class GA Standard
Ammonia	0.11	0.09	0.06	0.14	0.07	0.19	0.18	0.08	2.0
Bicarbonate	26.49	60.72	27.79	47.59	64.23	48.20	51.21	26.54	NS/GV
Chloride	66.00	89.00	46.00	66.00	86.00	140.00	2300.00	48.00	250.0
Nitrate	3.80	1.20	4.10	2.20	1.30	0.55	1.40	4.20	10.0
Sulfate	21.00	38.00	22.00	25.00	87.00	22.00	330.00	23.00	250.0
Alkalinity	26.49	60.72	27.79	47.59	64.23	48.20	51.21	26.54	NS/GV
TDS	200.00	270.00	160.00	210.00	260.00	320.00	4200.00	160.00	NS/GV
Hardness	76.50	125.00	73.50	97.30	128.00	84.60	789.00	73.90	NS/GV

Note:

ND(): Compound not detected at the method detection limit

NYSDEC Class GA Standards: New York State Department of Environmental Conservation Ambient Water Quality Standards for Source of Drinking Water Title 6 Part 703
(per June 1998 revision)

NS/GV: No NYSDEC Standard or Guidance Value Established

Section HA-1A

CW1-S

Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane	ND(2.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total	ND(1.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	3.0	3.0	3.0 J	3.0 J	ND(0.5)	1.6	ND(0.3)	ND(0.3)
Dibromo-chloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.6)	ND(0.3)	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	10.0	15.0	11.0	7.0	ND(5.0)	ND(0.6)	9.8	5.3	6.2
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	1.0 J	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	0.8
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		4.0	3.0	3.0 J	ND(10.0)	2.4	2.9	ND(0.3)	2.5

CW1-S (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	2.9	2.4	2.4	2.2 J	2.2 J	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17) 1.6 J
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.236)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	6.5	6.8	7.0	ND(1.0)	4.2 J	ND(0.24)	4.9 J	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	0.7	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	1.9	2.0 J	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	2.9	ND(0.3)	1.7	2.0 J	ND(1.4)	1.3 J	ND(0.30)	1.1 J	1.7 J

CW1-S (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chromomethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	0.5 JB	ND(5.00)	ND(5.00)	2.0 J	3.2 J
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	1.9 J	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	6.0	ND(0.47)	1.7 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	1.7 J
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	1.5 J	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	1.0 J

Note:

ND(: Compound not detected at method detection limit
*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-DichloroetheneJ: Indicates an estimated value; compound is present at a concentration less than specified detection limit
Bold indicates value above NYSDEC Class GA Standard
B: The analyte was found in an associated blank, as well as in the sample

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	180.0 B	162.0 B	44.2 B	ND(26.8)	85.4 B	ND(200.0)	49.6 B	54.1 B	124.0 B
Arsenic	62.1	79.4	62.4	44.8 B	70.8	61.0	56.8	67.2	60.6
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	14,500.0	27,900.0	12,800.0	15,000.0 E	25,700.0	13,600.0	12,300.0	17,500.0	17,200.0
Chromium	8.0 B	10.8	7.9 B	ND(8.3)	22.0	ND(5.0)	4.8 B	4.8 B	4.1 B
Iron	3,570.0	5,760.0	3,690.0	4,540.0	5,900.0	5,270.0	5,450.0	5,800.0	5,510.0
Lead	5.4	ND(1.6)	ND(1.6)	ND(1.1)	3.0	ND(4.0)	4.2	12.7	2.2 B
Magnesium	32,900.0	47,300.0	31,300.0	36,700.0 E	34,200.0 E	30,700.0	24,300.0	37,300.0	30,700.0
Mercury	ND(0.2)	ND(0.06)	ND(0.04)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.19 B	ND(0.1)
Potassium	263,000.0	384,000.0	239,000.0	199,000.0	228,000.0 E	177,000.0	140,000.0 E	195,000.0	194,000.0 B
Sodium	472,000.0	592,000.0 E	480,000.0 E	406,000.0	450,000.0 E	360,000.0	271,000.0	420,000.0	442,000.0
Leachate Indicators (mg/l)									
Ammonia	273.00	343.000	319.000	280.000	190.000	243.000	143.000	190.000	200.000
Bicarbonate		2,330.00	1,850.00	1,820.00	1,850.00	1,550.00	1,539.00	1,400.00	1,240.00
Chloride	477.00	520.00	5.20	362.00	337.00	282.00	276.00	240.00	270.00
Nitrate	3.73	0.10	ND(0.04)	ND(0.20)	ND(0.05)	ND(0.50)	ND(0.05)	ND(0.50)	ND(0.50)
Sulfate	5.00	ND(3.00)	17.40	30.00	22.50	34.00	31.20	24.00	1.80
Alkalinity	216.00	2,330.00	1,850.00	1,820.00	1,850.00	1,550.00	1,540.00	1,400.00	1,240.00
TDS	3,600.00	2,300.00	2,070.00	1,540.00	1,690.00	1,430.00	1,821.00	1,500.00	1,600.00
Hardness	44.00	263.57	160.00	188.00 E	204.00	160.00	2,000.00	200.00	170.00

CW1-S (continued)

Metals (µg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	30.1 B	ND(45.7)	ND(7.3)	26.5 B	ND(78.9)	85.7 J	56.2 J	ND(180.0)	18.2 J
Arsenic	67.6	71.0	67.9	75.4	ND(11.0)	66.6	59.1	ND(4.84)	64.2
Cadmium	ND(0.4)	ND(3.0)	ND(0.4)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)	
Calcium	22,800.0	19,300.0	19,700.0	24,700.0	11,700.0	16,200.0	16,800.0	7,410.0	25,100.0
Chromium	6.6 B	ND(5.0)	1.6 B	5.3 B	ND(1.0)	15.4	125.0	2.13 J	2.48 J
Iron	4,580.0	5,080.0	5,180.0	6,580.0	721.0	4,750.0	4,370.0	1,400.0	6,690.0
Lead	ND(2.5)	ND(3.0)	3.5	4.3	ND(3.0)	6.2	4.5 J	ND(1.79)	ND(2.18)
Magnesium	35,400.0	27,600.0	25,900.0	25,800.0	6,740.0	19,500.0	19,100.0	2,020.0 J	25,600.0
Mercury	ND(0.2)	0.25	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.03)	0.07 J
Potassium	182,000.0	133,000.0	147,000.0	150,000.0	24,100.0	114,000.0	116,000.0	1,720.0 J	123,000.0
Sodium	447,000.0	336,000.0	316,000.0	407,000.0	56,400.0	219,000.0	219,000.0	5,850.0	263,000.0
Leachate Indicators (mg/l)									
Ammonia	180.00	170.00	150.00	160.00	ND(0.2)	55.000	39.00	110.00	34.00
Bicarbonate	1,400.00	1,500.00	1,300.00	1,300.00	820.00	880.00	900.00	870.00	990.00
Chloride	260.00	210.00	270.00	210.00	53.00	130.00	130.00	130.00	170.00
Nitrate	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)
Sulfate	7.80	31.00	20.00	2.46	28.00	34.00	28.00	12.00	17.00
Alkalinity	1,400.00	1,500.00	1,300.00	1,300.00	830.00	880.00	910.00	870.00	990.00
TDS	1,290.00	1,500.00	1,200.00	1,400.00	1,025.00	903.00	858.00	10,850.00	980.00
Hardness	200.00	160.00	160.00	170.00	57.00	121.00	120.00	27.00	168.00

CW1-S (continued)

Metals ($\mu\text{g/l}$)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Aluminum	109.0 J	103.0 J	9.5 J	530.0	51.0	ND(10.0)	ND(10.0)	ND(10.0)
Arsenic	61.7	29.7	67.1	42.0	29.0	42.0	46.0	45.8
Cadmium	ND(0.327)	ND(0.327)	0.74 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	27,700.0	13,400.0	16,300.0	15,700.0	12,400.0	11,600.0	9,720.0	13,800.0
Chromium	2.06 J	10.1	12.2	2.2 J	ND(1.0)	3.0	ND(1.0)	1.1
Iron	6,390.0	13,000.0	6,810.0	19,700.0	14,400.0	3,850.0	2,800.0	1,230.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	6.4	ND(1.0)	ND(1.0)	ND(2.0)	ND(2.0)
Magnesium	26,400.0	8,420.0	19,700.0	9,100.0	6,400.0	10,600.0	8,710.0	12,400.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	103,000.0	19,300.0	86,600.0	18,300.0	19,700.0	55,600.0	47,800.0	57,900.0
Sodium	349,000.0	33,400.0	170,000.0	30,600.0	26,900.0	93,600.0	63,800.0	68,800.0
Leachate Indicators (mg/l)								
Ammonia	140.000	3.73	80.000	16.800	16.000	74.000	55.000	56.00
Bicarbonate	1,000.00	190.00	ND(2.00)	170.00	150.00	517.0	404.00	451.00
Chloride	160.00	29.00	75.00	22.80	18.00	56.00	35.00	47.00
Nitrate	ND(0.50)	ND(0.50)	ND(0.50)	0.15	0.53	0.59	0.83	1.70
Sulfate	13.00	30.00	8.53	31.80	32.00	11.00	15.00	12.00
Alkalinity	1,000.00	190.00	570.00	170.00	150.00	517.00	404.00	451.00
TDS	960.00	250.00	520.00	225.00	470.00	430.00	360.00	380.00
Hardness	177.90	68.26	121.75	76.50	57.30	72.60	60.10	85.50

Note:

ND(): Compound not detected at method detection limit
J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

CW1-M
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)	ND(0.4)
Trichlorofluoromethane	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total	ND(1.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	2.0	2.0	2.0 J	1.0 J	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether	ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(0.7)	ND(0.6)	ND(0.3)	ND(0.3)	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Chlorobenzene	5.4	5.0	4.0	3.0 J	ND(5.0)	ND(0.6)	2.9	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	0.8 J	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		3.0	ND(2.0)	2.0 J	ND(10.0)	1.6	1.6	ND(0.3)	1.2

CW1-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.1)	ND(0.17)	ND(0.35)
Dibromo-chloromethane	ND(0.3)	ND(0.3)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(1.1)	ND(1.1)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
2-Chloroethylvinyl ether	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.22)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Toluene	ND(0.2)	ND(0.2)	1.8	3.4 J	5.3	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Chlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
Ethylbenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,2-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,3-Dichlorobenzene	0.6	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

CW1-M (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	0.27 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	0.90 J	1.70 J	ND(0.47)	1.90 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	0.20 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	0.46 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND() : Compound not detected at method detection limit
*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-DichloroetheneJ: Indicates an estimated value; compound is present at a concentration less than specified detection limit
Bold indicates value above NYSDEC Class GA Standard
B: The analyte was found in an associated blank, as well as in the sample

CW1-M

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

	Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum		526.0	157.0 B	123.0 B	ND(26.8)	ND(21.3)	ND(200.0)	42.0 B	68.6 B	89.8 B
Arsenic	49.4	58.9	44.3	34.9	52.7	64.0	58.3	52.8	54.7	
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)	
Calcium	3,580.0 B	4,270.0 B	2,550.0 B	16,500.0 E	19,300.0	20,000.0	22,500.0	19,600.0	17,700.0	
Chromium	8.4 B	5.2 B	4.7 B	9.9 B	ND(8.2)	ND(5.0)	1.9 B	8.3 B	1.0 B	
Iron	1,960.0	1,930.0	1,510.0	9,060.0	9,690.0	11,300.0	12,900.0	8,710.0	13,600.0	
Lead	3.4	2.1 B	3.1	ND(1.1)	1.7 B	ND(4.0)	ND(3.0)	147.0	ND(2.0)	
Magnesium	20,000.0	22,200.0	14,500.0	26,900.0 E	22,000.0 E	26,200.0	22,300.0	24,200.0	17,300.0	
Mercury	ND(0.2)	ND(0.06)	ND(0.04)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)	
Potassium	195,000.0	271,000.0	137,000.0	100,000.0	89,400.0 E	88,700.0	77,500.0 E	93,800.0	63,900.0	
Sodium	391,000.0	411,000.0 E	302,000.0 E	177,000.0 E	163,000.0 E	152,000.0	142,000.0	160,000.0	102,000.0	
Leachate Indicators (mg/l)										
Ammonia	221.000	204.000	195.000	115.000	84.000	106.000	80.000	90.000	65.000	
Bicarbonate		1,450.00	1,180.00	814.00	724.00	680.00	597.00	560.00	420.00	
Chloride	363.00	255.00	337.00	173.00	115.00	119.00	116.00	91.00	71.00	
Nitrate	2.73	0.45	0.29	0.28	ND(0.05)	ND(0.50)	ND(0.05)	ND(0.50)	ND(0.50)	
Sulfate	3.18	16.00	38.90	120.00	93.90	99.00	200.00	90.00	76.00	
Alkalinity	1,870.00	1,450.00	1,180.00	814.00	724.00	680.00	598.00	560.00	420.00	
TDS	2,570.00	1,280.00	1,380.00	736.00	744.00	773.00	792.00	770.00	600.00	
Hardness	21.00	101.62	65.80	152.00 E	139.00	95.70	897.00	150.00	120.00	

CW1-M (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	105.0	B	ND(45.7)	ND(7.3)	25.8	B	ND(78.9)	114.0	J
Arsenic	113.0	70.4	29.3	56.7	75.1	6.0	J	41.9	ND(4.84)
Cadmium	0.74	B	ND(3.0)	ND(0.4)	ND(1.0)	0.55	J	ND(0.57)	ND(0.994)
Calcium	18,900.0	20,000.0	13,200.0	15,800.0	19,700.0	12,300.0	14,400.0	6,740.0	16,300.0
Chromium	83.9	ND(5.0)	ND(0.6)	5.8	B	4.4	B	2.2	J
Iron	23,700.0	13,900.0	3,770.0	7,770.0	6,640.0	191.0	7,400.0	81.8	12,200.0
Lead	ND(2.5)	ND(3.0)	4.6	7.1	3.8	5.3	7.3	ND(1.79)	ND(2.18)
Magnesium	18,700.0	20,300.0	14,700.0	16,700.0	24,400.0	11,300.0	11,700.0	1,260.0	J
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.03)	0.07
Potassium	66,600.0	59,700.0	58,000.0	72,800.0	124,773.4	44,800.0	44,800.0	1,050.0	J
Sodium	120,000.0	119,000.0	92,400.0	156,000.0	254,000.0	64,300.0	54,100.0	4,640.0	J
Leachate Indicators (mg/l)									
Ammonia	50.000	71.000	51.000	61.000	0.500	21.000	39.000	37.000	34.000
Bicarbonate	340.00	410.00	380.00	570.00	120.00	200.00	280.00	280.00	280.00
Chloride	68.00	89.00	78.00	95.00	170.00	47.00	36.00	32.00	42.00
Nitrate	0.60	ND(0.50)	ND(0.50)	ND(0.50)	2.40	7.40	0.70	0.70	ND(0.50)
Sulfate	54.00	83.00	69.00	54.00	19.00	73.00	110.00	56.00	48.00
Alkalinity	340.00	410.00	390.00	570.00	120.00	200.00	280.00	280.00	280.00
TDS	420.00	670.00	480.00	680.00	274.00	396.00	376.00	353.00	380.00
Hardness	120.00	130.00	94.00	110.00	150.00	77.00	83.00	22.00	92.00

CW1-M (continued)

Metals ($\mu\text{g/l}$)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Aluminum	129.0 J	ND(5.31)	48.0 J	ND(200.0)	18.0	ND(10.0)	ND(10.0)	ND(10.0)
Arsenic	28.5	34.8	36.0	59.0	45.0	25.0	33.0	33.8
Cadmium	1.71 J	ND(0.327)	ND(0.52)	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	16,900.0	14,800.0	16,700.0	17,000.0	14,000.0	11,900.0	14,400.0	16,800.0
Chromium	2.03 J	9.02 J	5.8 J	3.0 J	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Iron	9,210.0	5,290.0	13,100.0	7,500.0	5,530.0	14,600.0	20,200.0	170.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)
Magnesium	11,200.0	15,400.0	11,400.0	16,500.0	12,000.0	6,290.0	6,940.0	7,980.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	44,300.0	85,000.0	29,900.0	70,700.0	57,700.0	17,600.0	14,600.0	19,600.0
Sodium	60.0	169,000.0	49,600.0	118,000.0	105,000.0	21,200.0	19,000.0	31,200.0
Leachate Indicators (mg/l)								
Ammonia	0.470	53.000	26.000	79.800	77.000	15.000	12.000	17.00
Bicarbonate	270.00	660.00	ND(2.00)	669.00	610.00	136.00	122.00	173.00
Chloride	36.00	92.00	29.00	93.70	67.00	20.00	17.00	24.00
Nitrate	ND(0.5)	ND(0.50)	ND(0.50)	ND(0.10)	ND(0.05)	0.05	0.08	0.15
Sulfate	44.00	8.79	33.00	7.10	10.00	27.00	33.00	31.00
Alkalinity	270.00	660.00	210.00	669.00	610.00	136.00	122.00	173.00
TDS	330.00	630.00	260.00	613.00	170.00	170.00	180.00	220.00
Hardness	88.20	100.42	88.45	110.00	84.40	55.60	64.50	74.80

Note:

ND(): Compound not detected at method detection limit
J: Indicates an estimated value; compound is present at a concentration less than specified detection limitBold indicates value above NYSDEC Class GA Standard
B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

CW2-M

Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY

Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	2.0 J	2.0 J	4.6	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	2.2	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.6)	2.9	3.7
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethybenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

CW2-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	NA	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	NA	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	NA	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	NA	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	NA	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	NA	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	NA	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	NA	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	NA	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	NA	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	NA	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	NA	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	NA	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	NA	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	NA	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	NA	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	1.2	NA	ND(0.4)	1.0 J	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	NA	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	NA	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	NA	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	NA	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	NA	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	NA	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	NA	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	2.8	NA	1.2	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	NA	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	NA	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	NA	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	NA	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	NA	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	NA	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

CW2-M (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	0.8 J	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

*ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

NA: Not Accessible

B: The analyte was found in an associated blank, as well as in the sample

CW2-M

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	60.0 B	156.0 B	ND(34.8)	ND(26.8)	ND(21.3)	ND(200.0)	36.5 B	ND(25.8)	93.8 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	ND(2.0)	24.2	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	4.7 B	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	48,500.0	56,400.0	46,100.0	24,400.0 E	25,900.0	22,800.0	25,700.0	28,800.0	21,300.0
Chromium	ND(1.0)	ND(1.8)	ND(1.0)	ND(8.3)	10.3	ND(5.0)	2.3 B	4.7 B	ND(0.7)
Iron	416.0	263.0	346.0	109.0 B	484.0	390.0	184.0	60.9 B	112.0
Lead	ND(3.0)	ND(1.6)	ND(1.6)	3.5	2.4 B	ND(4.0)	ND(3.0)	ND(0.6)	ND(2.0)
Magnesium	7,500.0	6,960.0	7,510.0	4,800.0 BE	5,860.0 E	6,010.0	6,940.0	7,940.0	6,260.0
Mercury	ND(0.2)	ND(0.06)	0.05 B	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	16,800.0	13,500.0	11,500.0	6,050.0	7,060.0 E	5,640.0	5,880.0 E	7,160.0	5,950.0
Sodium	34,900.0	31,700.0 E	31,800.0 E	23,500.0 E	24,400.0 E	22,500.0	29,500.0	27,600.0	24,800.0
Leachate Indicators (mg/l)									
Ammonia	2.520	ND(0.050)	1.190	1.100	4.900	0.740	7.400	0.200	ND(0.200)
Bicarbonate		111.00	67.20	63.80	70.30	61.00	73.00	68.00	110.00
Chloride	51.40	31.20	44.10	37.20	26.90	33.60	40.80	46.00	46.00
Nitrate	ND(1.00)	1.31	ND(0.04)	0.46	ND(0.05)	ND(0.50)	0.295	0.86	0.90
Sulfate	76.40	55.50	40.20	40.00	39.80	36.50	48.80	39.00	39.00
Alkalinity	110.00	111.00	67.20	63.80	70.30	61.00	74.00	68.00	110.00
TDS	334.00	352.00	279.00	224.00	178.00	158.00	158.00	180.00	190.00
Hardness	55.00	169.62	145.00	80.70 E	88.70	80.80	110.00	100.00	79.00

CW2-M (continued)

Metals (ug/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	86.8 B	NA	ND(7.3)	35.8 B	ND(78.9)	25.1 J	53.4 J	ND(180.0)	35.8 J
Arsenic	ND(2.5)	NA	ND(2.8)	ND(3.6)	ND(11.9)	ND(4.0)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	ND(0.4)	NA	ND(0.4)	ND(1.0)	ND(1.0)	ND(.80)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	27,000.0	NA	18,200.0	19,400.0	25,000.0	35,200.0	26,400.0	29,600.0	21,700.0
Chromium	ND(0.8)	NA	ND(0.6)	8.4 B	ND(1.0)	ND(1.4)	16.4	ND(1.22)	ND(0.343)
Iron	93.8 B	NA	25.0 B	112.0	227.0	85.4 J	92.2 J	168.0	234.0
Lead	2.9 B	NA	4.4	5.2	4.0	4.0	6.6	ND(1.79)	ND(2.18)
Magnesium	8,240.0	NA	5,650.0	6,010.0	8,330.0	11,900.0	9,240.0	10,600.0	7,890.0
Mercury	ND(0.2)	NA	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.14 J	0.04 J
Potassium	6,960.0	NA	5,480.0	7,580.0	7,670.0	9,380.0	8,760.0	13,100.0	8,810.0
Sodium	31,300.0	NA	20,900.0	22,300.0	23,500.0	31,800.0	22,800.0	22,300.0	21,100.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	NA	ND(0.200)	ND(0.200)	ND(0.200)	0.300	ND(0.200)	0.487	0.367
Bicarbonate	59.00	NA	52.00	46.00	55.00	90.00	71.00	83.00	64.00
Chloride	43.00	NA	40.00	26.00	37.00	49.00	32.00	31.00	25.00
Nitrate	1.60	NA	ND(0.50)	1.40	0.90	6.60	7.70	ND(0.50)	ND(0.50)
Sulfate	31.00	NA	48.00	35.00	69.00	100.00	62.00	85.00	64.00
Alkalinity	59.00	NA	52.00	46.00	55.00	90.00	71.00	83.00	64.00
TDS	190.00	NA	160.00	140.00	222.00	321.00	221.00	251.00	190.00
Hardness	100.00	NA	69.00	73.00	97.00	136.00	104.00	118.00	87.00

CW2-M (continued)

Metals (ug/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Aluminum	97.0 J	ND(5.31)	ND(7.6)	ND(200.0)	30.0	17.0	ND(10.0)	ND(10.0)
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	ND(10.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	0.91 J	ND(0.327)	0.64 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	24,500.0	24,600.0	25,200.0	18,100.0	17,400.0	16,500.0	18,000.0	13,700.0
Chromium	ND(0.343)	ND(0.343)	20.4	ND(10.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Iron	150.0	ND(27.0)	72.2 J	72.0 J	74.0	46.0	20.0	64.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)
Magnesium	8,680.0	9,520.0	10,600.0	7,000.0	6,440.0	6,000.0	6,100.0	4,900.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	0.1 B	ND(0.2)
Potassium	10,900.0	8,080.0	8,590.0	6,700.0	7,680.0	7,700.0	7,600.0	6,300.0
Sodium	21,100.0	19,400.0	22,700.0	20,300.0	23,400.0	22,300.0	23,100.0	23,700.0
Leachate Indicators (mg/l)								
Ammonia	34,000	ND(0.200)	0.330	0.090	0.410	0.080	0.070	0.07
Bicarbonate	58.00	71.00	ND(2.00)	50.40	38.00	38.20	38.10	33.20
Chloride	27.00	31.00	27.00	30.60	48.00	43.00	38.00	36.00
Nitrate	ND(0.50)	1.67	1.22	1.00	1.90	2.40	2.60	2.20
Sulfate	65.00	64.00	32.00	37.10	26.00	28.00	30.00	29.00
Alkalinity	58.00	71.00	63.00	50.40	38.00	38.20	38.10	33.20
TDS	190.00	250.00	170.00	175.00	46.00	170.00	180.00	150.00
Hardness	96.90	100.53	106.71	74.00	70.00	65.90	70.10	54.30

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

NA: Not Accessible

CW4-S

**Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY**
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(6.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	17.0	23.0	ND(1.0)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(1.6)	ND(0.4)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	1.2	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	3.0	ND(5.0)	ND(5.0)	4.0 J	5.2	ND(0.3)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	5.5	ND(3.0)	4.0	ND(5.0)	ND(5.0)	5.0 J	4.6	5.5	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

CW4-S (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

CW4-S (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND(): Compound not detected at method detection limit
 *1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 Bold indicates value above NYSDDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

CW4-S

Historical Analysis of Metals and Leachate Indicators East Northport Landfill, East Northport, NY

Metals (ug/l)		6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	90.6 B	347.0	273.0	270.0	62.0 B	ND(200.0)	80.7 B	41.9 B	314.0	
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	2.7 B	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)	
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)	
Calcium	32,300.0	25,200.0	30,700.0	7,400.0 E	35,300.0	37,700.0	45,800.0	28,400.0	30,200.0	
Chromium	1.8 B	8.7 B	1.4 B	ND(8.3)	13.7	9.0	5.1 B	5.5 B	7.7 B	
Iron	8,160.0	7,720.0	7,650.0	2,700.0	9,220.0	10,100.0	9,590.0	5,530.0	5,710.0	
Lead	3.4	4.1	6.4	6.7	5.8	ND(4.0)	ND(3.0)	1.6 B	3.8	
Magnesium	9,790.0	7,760.0	9,100.0	419.0 BE	10,600.0 E	12,900.0	15,900.0	8,870.0	10,800.0	
Mercury	ND(0.2)	ND(0.06)	0.06 B	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)	
Potassium	12,800.0	13,200.0	9,760.0	1,650.0 B	12,700.0 E	15,100.0	19,500.0 E	12,800.0	19,700.0	
Sodium	34,800.0	28,000.0 E	31,500.0 E	2,310.0 BE	40,200.0 E	46,500.0	51,100.0	27,400.0	42,300.0	
Leachate Indicators (mg/l)										
Ammonia	4.700	1.650	1.810	ND(0.200)	6.200	5.990	1.140	ND(0.200)	4.500	
Bicarbonate		82.70	110.00	15.40	126.00	150.00	191.00	40.00	280.00	
Chloride	39.00	31.90	90.40	4.30	55.90	69.80	85.10	20.00	50.00	
Nitrate	4.89	0.25	0.30	0.53	0.23	ND(0.50)	ND(0.05)	6.90	ND(0.50)	
Sulfate	37.30	20.50	29.80	ND(5.00)	38.70	47.60	76.10	29.00	36.00	
Alkalinity	63.00	82.70	110.00	15.40	126.00	150.00	192.00	40.00	280.00	
TDS	218.00	173.00	206.00	46.00	324.00	305.00	376.00	130.00	280.00	
Hardness	41.00	94.80	114.00	20.20 E	132.00	146.00	286.00	98.00	120.00	

CW4-S (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	142.0 B	202.0	75.1 B	65.4 B	319.0	106.0 J	64.4 J	ND(180.0)	154.0
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	2.9 B	3.3 B	3.3 B	ND(1.0)	1.2 B	0.93 J	1.3 J	1.58 J	2.7 J
Calcium	4,420.0 B	12,600.0	10,600.0	7,210.0	10,000.0	5,530.0	5,650.0	5,760.0	5,540.0
Chromium	2.6 B	ND(5.0)	ND(0.6)	6.5 B	7.6 B	2.7 J	4.2 J	ND(1.22)	11.1
Iron	1,070.0	2,210.0	2,340.0	398.0	2,540.0	237.0	310.0	197.0	1,570.0
Lead	4.8	14.9	9.1	10.6	35.1	8.3	6.0	ND(1.79)	17.2
Magnesium	222.0 B	2,400.0 B	1,520.0 B	520.0 B	2,230.0 B	293.0 J	288.0 J	619.0 J	229.0 J
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.08 J	0.04 J
Potassium	1,120.0 B	5,080.0	4,170.0 B	3,060.0 B	5,770.0	2,280.0 J	2,040.0 J	2,340.0 J	2,710.0 J
Sodium	1,430.0 B	8,520.0	4,570.0 B	4,210.0 B	5,980.0	1,750.0 J	1,380.0 J	1,190.0 J	1,740.0 J
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	0.600	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	11.00	49.00	38.00	20.00	79.00	16.00	11.00	12.00	17.00
Chloride	2.30	11.00	8.50	4.70	8.40	2.40	2.50	2.80	3.30
Nitrate	ND(0.50)	ND(0.50)	ND(0.50)	0.90	0.50	0.70	0.90	0.50	0.717
Sulfate	ND(1.00)	10.00	8.60	4.06	7.70	1.90	14.00	ND(1.00)	ND(1.00)
Alkalinity	11.00	49.00	38.00	20.00	78.00	16.00	11.00	12.00	17.00
TDS	20.00	70.00	68.00	37.00	87.00	33.00	38.00	11.00	23.00
Hardness	12.00	41.00	33.00	20.00	34.00	15.00	15.00	17.00	15.00

CW4-S (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Aluminum	488.0	ND(5.31)	652.0	300.0	125.0	ND(10.0)	7.2 B	ND(10.0)
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	5.4 J	ND(4.0)	7.0	ND(4.0)	ND(4.0)
Cadmium	3.69 J	ND(0.327)	7.5	2.3 J	7.0	1.0	0.6 B	0.7 B
Calcium	12,500.0	5,130.0	17,400.0	11,500.0	7,930.0	8,270.0	7,400.0	8,480.0
Chromium	15.7	1.31 J	20.4	11.0	3.0	2.0	ND(1.0)	0.9 B
Iron	2,850.0	582.0	3,490.0	1,700.0	862.0	11.0	12.0	6.0
Lead	42.3	ND(2.18)	205.0	55.0	7.0	ND(1.0)	2.0	ND(2.0)
Magnesium	3,780.0 J	557.0 J	6,340.0	3,100.0 J	1,210.0	1,040.0	1,100.0	1,780.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	7,250.0	1,790.0 J	5,980.0	4,000.0 J	4,960.0	5,400.0	4,200.0	4,940.0
Sodium	7,620.0	ND(332.0)	11,400.0	6,100.0	4,740.0	4,500.0	2,700.0	4,050.0
Leachate Indicators (mg/l)								
Ammonia	0.230	ND(0.200)	ND(0.200)	0.047	0.070	0.020	0.020	0.12
Bicarbonate	50.00	21.00	ND(2.00)	40.20	40.00	27.10	24.30	31.00
Chloride	14.00	4.02	11.00	9.00	4.00	7.30	3.50	8.10
Nitrate	ND(0.50)	ND(0.50)	0.61	0.78	1.10	1.10	0.94	1.30
Sulfate	14.00	3.28	11.00	7.40	3.70	3.50	ND(3.00)	5.60
Alkalinity	50.00	21.00	44.00	40.20	40.00	27.10	24.30	31.00
TDS	120.00	33.00	81.00	71.00	170.00	40.00	50.00	39.00
Hardness	46.70	15.10	69.58	41.50	24.80	24.90	23.00	28.50

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

CW4-M
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	1.0	ND(5.0)	1.0 J	1.0	ND(0.5)	ND(0.3)	1.4
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.6)	2.1	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

CW4-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)	
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)	
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)	
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)	
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)	
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)	
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)	
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	1.2 J	ND(1.3)	ND(0.29)	ND(0.29)	1.0 J
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	0.4 J
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	1.4 J	1.1 J	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	0.4 J
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.7)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)	
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

CW4-M (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	1.1 J	1.10 J	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	0.6 J	ND(0.18)	ND(0.18)	0.41 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	0.8 J	ND(0.17)	ND(0.17)	1.20 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	0.36 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND(): Compound not detected at method detection limit
 *1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 Bold indicates value above NYSDEC Class GA Standard
 B: The analyte was found in an associated blank, as well as in the sample

CW4-M

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals ($\mu\text{g/l}$)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	65.2 B	157.0 B	ND(34.8)	29.8 B	ND(21.3)	ND(200.0)	27.6 B	ND(25.8)	80.7 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	2.6 B	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(0.3)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	34,700.0	40,000.0	24,500.0	23,200.0 E	24,500.0	21,600.0	25,100.0	24,200.0	21,100.0
Chromium	1.3 B	4.0 B	2.2 B	ND(8.3)	36.4	ND(5.0)	1.7 B	11.3	3.6 B
Iron	ND(27.0)	ND(34.0)	38.5 B	151.0	41.0 B	ND(50.0)	ND(21.0)	175.0	ND(15.9)
Lead	ND(3.0)	ND(1.6)	ND(1.6)	3.6	3.0	ND(4.0)	ND(3.0)	ND(0.6)	2.1 B
Magnesium	12,600.0	10,800.0	9,180.0	8,390.0 E	9,420.0 E	8,660.0	10,000.0	9,220.0	7,950.0
Mercury	ND(0.2)	ND(0.06)	ND(0.04)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	1,810.0 B	2,940.0 B	1,310.0 B	1,570.0 B	1,950.0 BE	1,460.0	1,320.0 BE	1,170.0 B	1,350.0 B
Sodium	15,300.0	15,900.0 E	12,000.0 E	10,700.0 E	12,400.0 E	10,600.0	12,700.0	8,610.0	10,900.0
Leachate Indicators (mg/l)									
Ammonia	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	0.270	ND(0.200)	1.420	4.300	ND(0.200)
Bicarbonate	51.90	42.30	33.00	32.00	31.50	30.00	110.00	69.00	69.00
Chloride	53.20	32.10	18.20	17.30	22.20	19.10	19.50	39.00	21.00
Nitrate	ND(1.00)	7.15	6.30	6.30	6.80	7.41	3.26	ND(0.50)	7.20
Sulfate	27.30	35.90	29.80	39.50	35.70	36.00	12.60	35.00	37.00
Alkalinity	124.00	51.90	42.30	33.00	32.00	31.50	31.00	110.00	69.00
TDS	319.00	154.00	121.00	152.00	232.00	150.00	130.00	200.00	130.00
Hardness	47.00	144.56	98.80	92.30 E	99.90	88.80	46.00	110.00	85.00

CW4-M (continued)

Metals ($\mu\text{g/l}$)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	110.0 B	ND(45.7)	ND(7.3)	ND(10.1)	ND(78.9)	99.9 J	39.2 J	ND(180.0)	39.4 J
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	0.88 B	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	27,500.0	21,400.0	21,500.0	19,300.0	22,900.0	22,500.0	21,200.0	21,600.0	23,100.0
Chromium	2.9 B	ND(5.0)	2.1 B	7.1 B	1.8 B	3.8 J	114.0	ND(1.22)	2.42 J
Iron	275.0	18.3 B	ND(17.3)	45.9 B	72.9 B	78.1 J	409.0	43.0 J	40.2 J
Lead	4.5	ND(3.0)	4.8	9.2	ND(3.0)	6.7	5.4	ND(1.79)	ND(2.18)
Magnesium	9,280.0	8,280.0	7,940.0	7,610.0	9,350.0	8,590.0	8,220.0	8,570.0	9,380.0
Mercury	ND(0.2)	0.09 J	0.04 J						
Potassium	1,800.0 B	1,170.0 B	1,340.0 B	1,200.0 B	1,390.0 B	1,410.0 J	1,200.0 J	1,080.0 J	1,350.0 J
Sodium	12,000.0	10,600.0	11,400.0	11,600.0	12,500.0	10,300.0	10,700.0	10,200.0	12,600.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	38.00	44.00	43.00	37.00	81.00	41.00	32.00	32.00	35.00
Chloride	20.00	22.00	30.00	23.00	22.00	22.00	22.00	22.00	22.00
Nitrate	5.90	6.90	6.70	7.20	6.80	6.90	7.30	7.20	7.28
Sulfate	28.00	31.00	26.00	26.00	32.00	31.00	39.00	37.00	40.00
Alkalinity	38.00	44.00	43.00	37.00	82.00	42.00	32.00	32.00	35.00
TDS	140.00	140.00	180.00	120.00	195.00	183.00	172.00	137.00	170.00
Hardness	110.00	88.00	86.00	80.00	96.00	91.00	88.00	89.00	96.00

CW4-M (continued)

Metals ($\mu\text{g/l}$)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Aluminum	89.4 J	ND(5.31)	ND(7.6)	ND(200.0)	28.0	40.0	ND(10.0)	ND(10.0)
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	8.8 J	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	ND(0.327)	ND(0.327)	ND(0.52)	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	22,000.0	25,200.0	29,600.0	25,800.0	24,900.0	24,500.0	23,900.0	24,800.0
Chromium	1.79 J	50.2	7.4 J	2.6 J	2.0	2.0	ND(1.0)	0.8 B
Iron	ND(27.0)	261.0	ND(30.4)	47.0 J	34.0	4.0	7.0	ND(2.0)
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)
Magnesium	8,700.0	10,100.0	13,100.0	9,900.0	9,590.0	9,310.0	9,340.0	9,310.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	1,430.0 J	995.0 J	206.0 J	1,100.0 J	1,500.0	1,500.0	1,400.0	1,580.0
Sodium	11,600.0	12,800.0	16,200.0	12,100.0	13,600.0	13,100.0	12,600.0	13,500.0
Leachate Indicators (mg/l)								
Ammonia	ND(0.200)	0.310	ND(0.200)	0.019 J	0.020	0.020	ND(0.020)	0.07
Bicarbonate	37.00	39.00	ND(2.00)	38.20	44.00	39.70	38.80	38.00
Chloride	23.00	24.00	24.00	22.80	21.00	26.00	24.00	22.00
Nitrate	7.10	7.44	7.43	7.30	7.10	6.70	7.80	7.70
Sulfate	33.00	11.00	33.00	35.90	33.00	35.00	36.00	38.00
Alkalinity	37.00	39.00	39.00	38.20	44.00	39.70	38.80	38.00
TDS	160.00	180.00	180.00	192.00	180.00	170.00	200.00	170.00
Hardness	90.80	104.76	127.97	105.00	102.00	99.50	98.10	100.00

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

EN1-M

**Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY**
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(1.0)	0.6 J	1.0 J	ND(1.2)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	2.0	3.0	3.0 J	3.0 J	ND(1.4)	2.9	2.0	ND(0.2)
*1,2-Dichloroethene, Total	ND(1.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.0 J	ND(1.6)	ND(0.4)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	6.2	6.0	7.0	7.0	6.0	5.3	2.7	5.3	6.7
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethylene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	0.7 J	ND(0.6)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether	ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	0.8 J	ND(0.7)	ND(0.6)	1.0
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

EN1-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	1.0	1.4	1.2	2.0 J	2.1 J	1.6 J	ND(0.28)	2.2 J	ND(0.28)
1,1-Dichloroethane	ND(0.2)	2.2	ND(0.2)	2.4 J	2.6 J	ND(1.3)	ND(0.29)	ND(0.29)	1.2 J
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	1.9	1.3	1.5	ND(0.8)	1.8 J	ND(1.5)	ND(0.30)	1.8 J	0.9 J
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	6.0	ND(0.3)	6.0	4.6 J	4.6 J	4.2 J	4.5 J	4.7 J	2.7 J
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	1.3	0.9	0.8	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

EN1-M (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	0.48 JB	ND(5.00)	ND(5.00)	2.2 J	3.0 J
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	1.17 J	ND(0.33)	1.4 J	1.0 J	ND(5.00)	ND(5.00)	ND(5.00)	0.81 J
1,1-Dichloroethane	1.19 J	ND(0.28)	1.8 J	1.6 J	ND(5.00)	ND(5.00)	ND(5.00)	1.5 J
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	1.2 J	0.7 J	ND(0.18)	0.97 J	ND(5.00)	ND(5.00)	ND(5.00)	0.87 J
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	2.9 J	1.9 J	2.6 J	3.0 J	ND(5.00)	ND(5.00)	1.0 J	1.6 J
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethyl/vinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	0.87 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value, compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

EN1-M
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals ($\mu\text{g/l}$)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	71.8 B	119.0 B	ND(34.8)	ND(26.8)	ND(21.3)	ND(200.0)	25.2 B	ND(25.8)	59.0 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	ND(2.0)	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	32,400.0	35,800.0	30,400.0	24,600.0 E	29,900.0	26,400.0	27,300.0	26,800.0	22,300.0
Chromium	ND(1.0)	2.0 B	1.1 B	ND(8.3)	15.2	ND(5.0)	1.3 B	5.6 B	2.1 B
Iron	ND(27.0)	ND(34.0)	ND(22.4)	97.3 B	84.8 B	54.0	ND(21.0)	63.1 B	ND(15.9)
Lead	ND(3.0)	ND(1.6)	ND(1.6)	ND(1.1)	ND(1.5)	ND(4.0)	ND(3.0)	ND(0.6)	ND(2.0)
Magnesium	12,100.0	13,700.0	11,700.0	9,4400 E	11,000.0 E	10,100.0	10,400.0	9,890.0	8,410.0
Mercury	ND(0.2)	ND(0.06)	ND(0.04)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	1,470.0 B	2,520.0 B	1,190.0 B	1,640.0 B	1,640.0 BE	1,470.0	1,260.0 BE	1,270.0 B	1,350.0 B
Sodium	10,800.0	16,500.0 E	14,000.0 E	14,500.0 E	16,300.0 E	14,600.0	15,900.0	12,100.0	14,000.0
Leachate Indicators (mg/l)									
Ammonia	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	1.420	ND(0.200)	ND(0.200)
Bicarbonate	22.20	21.90	24.20	23.40	23.20	24.00	27.00	50.00	50.00
Chloride	23.00	24.20	23.00	24.20	26.90	29.00	26.60	29.00	29.00
Nitrate	9.41	8.85	9.50	7.60	8.50	8.83	3.66	8.00	8.80
Sulfate	67.30	52.90	36.30	44.00	54.80	39.60	79.90	43.00	50.00
Alkalinity	23.00	22.20	21.90	24.20	23.40	23.20	25.00	27.00	50.00
TDS	203.00	172.00	165.00	132.00	200.00	148.00	155.00	150.00	150.00
Hardness	43.00	145.44	123.00	100.0 E	120.00	106.00	38.00	110.00	90.00

EN1-M (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	18.1 B	ND(45.7)	ND(7.3)	ND(10.1)	ND(78.9)	13.5 J	38.0 J	ND(180.0)	19.4 J
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	ND(0.4)	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	28,600.0	26,200.0	23,600.0	22,500.0	23,600.0	25,200.0	25,200.0	26,000.0	24,700.0
Chromium	2.8 B	ND(5.0)	1.1 B	4.3 B	1.7 B	1.4 J	64.6	ND(1.22)	0.905 J
Iron	20.3 B	29.2 B	ND(17.3)	ND(16.8)	67.8 B	158.8 J	218.0	43.0 J	41.2 J
Lead	ND(2.5)	ND(3.0)	3.8	9.8	ND(3.0)	5.9	4.0 J	ND(1.79)	ND(2.18)
Magnesium	10,700.0	9,810.0	8,660.0	8,620.0	9,810.0	9,440.0	9,400.0	9,660.0	9,450.0
Mercury	ND(0.2)	ND(0.03)	0.06 J						
Potassium	1,410.0 B	1,270.0 B	1,260.0 B	1,280.0 B	1,530.0 B	1,360.0 J	1,380.0 J	1,410.0	1,500.0 J
Sodium	16,400.0	15,200.0	14,600.0	15,300.0	17,100.0	14,500.0	15,600.0	16,900.0	19,100.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	24.00	34.00	28.00	26.00	77.00	26.00	23.00	24.00	27.00
Chloride	29.00	28.00	37.00	30.00	31.00	32.00	35.00	33.00	
Nitrate	7.40	9.50	9.60	9.60	9.20	9.70	9.60	9.00	8.84
Sulfate	38.00	52.00	46.00	37.00	38.00	44.00	46.00	50.00	49.00
Alkalinity	24.00	34.00	28.00	26.00	77.00	26.00	23.00	24.00	27.00
TDS	190.00	160.00	230.00	160.00	223.00	240.00	215.00	187.00	190.00
Hardness	120.00	110.00	95.00	92.00	99.00	102.00	102.00	105.00	101.00

EN1-M (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Aluminum	93.1 J	ND(5.31)	ND(7.6)	ND(200.0)	30.0	13.0	ND(10.0)	ND(10.0)
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	ND(10.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	0.51 J	ND(0.327)	1.2 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	23,300.0	20,600.0	25,600.0	24,200.0	23,200.0	22,600.0	20,800.0	23,000.0
Chromium	1.56 J	6.77 J	21.1	1.9 J	2.0	2.0	ND(1.0)	1.1
Iron	ND(27.0)	ND(27.0)	52.5 J	ND(100.0)	28.0	9.0	6.0	6.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)
Magnesium	8,580.0	7,770.0	10,200.0	9,200.0	8,550.0	8,520.0	7,780.0	8,340.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	1,420.0 J	1,690.0 J	542.0 J	1,200.0 J	1,430.0	1,500.0	1,400.0	1,580.0
Sodium	17,000.0	19,200.0	18,700.0	17,800.0	18,600.0	18,500.0	20,200.0	19,200.0
Leachate Indicators (mg/l)								
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.040)	0.030	0.040	0.030	0.06
Bicarbonate	28.00	29.00	ND(2.00)	28.40	32.00	28.70	34.50	31.10
Chloride	33.00	29.00	29.00	26.20	24.00	30.00	27.00	26.00
Nitrate	8.66	8.76	8.96	8.50	9.20	8.30	10.00	9.90
Sulfate	42.00	41.00	43.00	40.10	41.00	39.00	37.00	37.00
Alkalinity	28.00	29.00	30.00	28.40	32.00	28.70	34.50	31.10
TDS	190.00	220.00	210.00	193.00	140.00	190.00	210.00	180.00
Hardness	93.60	83.52	106.03	98.10	93.10	91.50	84.00	91.80

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

EN6-S

**Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY**
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total	ND(1.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	0.7 J	ND(1.6)	ND(0.4)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	0.7 J	ND(0.5)	ND(0.3)	2.7
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether	ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.6)	ND(0.3)	1.0
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

EN6-S (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)	
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)	
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)	
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)	
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)	
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)	
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)	
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)	
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)	
Chloroform	ND(0.3)	0.8	0.7	ND(0.8)	ND(1.5)	ND(0.30)	2.1 J	1.6 J	
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)	
1,1,1-Trichloroethane	1.2	ND(0.3)	ND(0.3)	1.6 J	1.7 J	1.4 J	ND(0.34)	ND(0.34)	0.3 J
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)	
Tetrachloroethene	ND(0.3)	0.6	ND(0.3)	ND(1.0)	1.3 J	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)	
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

EN6-S (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	1.1 J	ND(0.18)	ND(0.18)	0.58 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	0.5 J	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	0.59 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND(): Compound not detected at method detection limit
*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-DichloroetheneJ: Indicates an estimated value; compound is present at a concentration less than specified detection limit
Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

EN6-S

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	79.3 B	209.0	ND(34.8)	ND(26.8)	ND(21.3)	ND(200.0)	40.5 B	ND(25.8)	78.7 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	ND(2.0)	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	16,900.0	20,700.0	15,500.0	13,700.0 E	15,800.0	11,700.0	1,200.0	11,300.0	12,700.0
Chromium	16.8	31.6	2.0 B	ND(8.3)	11.8	6.0	6.9 B	8.8 B	2.0 B
Iron	245.0	563.0	ND(22.4)	20.5 B	131.0	296.0	81.3 B	96.8 B	16.4 B
Lead	ND(3.0)	ND(1.6)	ND(1.6)	ND(1.1)	ND(1.5)	ND(4.0)	ND(3.0)	2.0 B	ND(2.0)
Magnesium	7,700.0	9,840.0	7,400.0	6,190.0 E	6,960.0 E	5,500.0	5,680.0	5,030.0	5,900.0
Mercury	ND(0.2)	ND(0.06)	0.04 B	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	1,540.0 B	3,320.0 B	1,270.0 B	1,480.0 B	1,680.0 BE	1,370.0	1,170.0 B	1,230.0 B	1,560.0 B
Sodium	2,130.0	32,600.0 E	26,200.0 E	23,800.0 E	26,800.0 E	23,000.0	20,200.0	26,200.0	26,900.0
Leachate Indicators (mg/l)									
Ammonia	ND(1.00)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	1.290	ND(0.200)	ND(0.200)
Bicarbonate	15.20	12.90	13.20	17.00	13.50	11.00	16.00	34.00	34.00
Chloride	62.00	42.20	44.50	36.10	47.20	36.70	37.20	48.00	49.00
Nitrate	7.37	13.00	6.00	5.60	5.80	5.49	3.91	3.70	6.60
Sulfate	21.80	31.30	24.90	20.50	21.80	22.00	26.20	22.00	24.00
Alkalinity	14.00	15.20	12.90	13.20	17.00	13.50	12.00	16.00	34.00
TDS	174.00	101.00	139.00	164.00	196.00	92.00	115.00	130.00	150.00
Hardness	22.00	92.09	69.10	59.60 E	68.10	51.40	18.00	49.00	56.00

EN6-S (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	30.4 B	217.0	ND(7.3)	51.6 B	ND(78.9)	85.0 J	59.2 J	ND(180.0)	16.2 J
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	ND(0.4)	ND(3.0)	ND(0.4)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)	
Calcium	17,400.0	14,100.0	12,700.0	14,100.0	14,500.0	13,300.0	12,200.0	14,000.0	11,900.0
Chromium	430.0	41.3	14.1	46.2	22.8	37.8	7.9 J	7.8 J	2.74 J
Iron	2,100.0	1,280.0	207.0	468.0	249.0	482.0	66.6 J	381.0	31.4 J
Lead	ND(2.5)	ND(3.0)	5.2	7.9	ND(3.0)	6.9	4.4 J	ND(1.79)	ND(2.18)
Magnesium	8,180.0	6,560.0	5,810.0	6,810.0	7,290.0	6,270.0	5,660.0	6,080.0	5,620.0
Mercury	ND(0.2)	ND(0.03)	0.09 J						
Potassium	1,840.0 B	1,570.0 B	1,520.0 B	1,750.0 B	1,870.0 B	1,740.0 J	1,540.0 J	1,610.0 J	1,850.0 J
Sodium	33,400.0	28,100.0	26,100.0	30,100.0	34,300.0	27,900.0	25,200.0	24,200.0	32,900.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.400	2.500	0.356	ND(0.200)
Bicarbonate	16.00	24.00	16.00	13.00	14.00	14.00	9.50	11.00	14.00
Chloride	45.00	48.00	57.00	46.00	49.00	48.00	48.00	57.00	51.00
Nitrate	6.80	6.90	7.20	8.30	7.40	7.60	6.30	6.20	5.35
Sulfate	27.00	25.00	26.00	28.00	28.00	29.00	23.00	26.00	24.00
Alkalinity	16.00	24.00	16.00	13.00	14.00	14.00	9.50	11.00	14.00
TDS	170.00	140.00	200.00	160.00	196.00	214.00	172.00	216.00	150.00
Hardness	77.00	62.00	56.00	64.00	66.00	59.00	54.00	60.00	53.00

EN6-S (continued)

Metals (µg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Aluminum	137.0 J	ND(5.31)	ND(7.6)	ND(200.0)	23.0	11.0	ND(10.0)	ND(10.0)
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	ND(10.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	0.6 J	ND(0.327)	1.2 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	11,800.0	9,920.0	13,400.0	11,700.0	11,400.0	13,400.0	13,200.0	14,800.0
Chromium	4.33 J	15.8	10.6	6.1 J	2.0	4.0	ND(1.0)	ND(1.0)
Iron	111.0	ND(27.0)	71.6 J	68.0 J	44.0	26.0	26.0	22.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)
Magnesium	5,330.0	4,620.0 J	6,580.0	5,500.0	5,150.0	6,190.0	5,990.0	6,630.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	1,610.0 J	1,710.0 J	1,120.0 J	1,400.0 J	1,740.0	2,000.0	1,800.0	2,320.0
Sodium	26,400.0	26,900.0	27,500.0	23,100.0	24,200.0	23,100.0	26,700.0	31,000.0
Leachate Indicators (mg/l)								
Ammonia	ND(0.200)	0.400	ND(0.200)	0.016 J	ND(0.020)	0.020	ND(0.020)	0.10
Bicarbonate	15.00	17.00	ND(2.00)	14.70	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)
Chloride	54.00	34.00	40.00	37.10	35.00	41.00	44.00	52.00
Nitrate	5.62	5.35	4.95	5.20	6.10	5.20	6.80	7.20
Sulfate	21.00	22.00	18.00	19.70	24.00	22.00	26.00	27.00
Alkalinity	15.00	17.00	18.00	14.70	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)
TDS	180.00	140.00	150.00	134.00	160.00	140.00	180.00	170.00
Hardness	51.40	43.81	60.58	51.70	49.70	59.00	57.60	64.30

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

EN6-M

Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	0.8 J	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total	ND(1.0)	ND(1.0)	ND(1.0)	5.0	9.0	14.0	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	2.0 J	2.0 J	2.1	1.4	2.8	1.8
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	7.0	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethyl/vinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	4.6	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	12.0	11.0	12.0	12.0	12.0	9.3	13.0	12.0	12.0
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)

EN6-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	1.2 J	ND(1.3)	ND(0.29)	ND(0.29)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	2.4	2.4	2.1	2.5 J	2.5 J	2.3 J	ND(0.1)	ND(0.27)	2.4 J
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	14.0	9.1	11.0	9.5	8.8	2.5 J	5.1	9.5	4.4 J
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

EN6-M (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	1.3 J	ND(0.28)	ND(0.28)	0.91 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	0.17 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	1.5 J	0.9 J	1.1 J	1.1 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	4.9 J	2.4 J	4.2 J	6.9	ND(5.00)	ND(5.00)	0.87 J	1.0 J
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

EN6-M

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	77.7 B	147.0 B	ND(34.8)	283.0	ND(21.3)	ND(200.0)	25.9 B	ND(25.8)	74.7 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	ND(2.0)	3.7 B	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.50)	ND(0.50)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	118,000.0	132,000.0	116,000.0	113,000.0 E	118,000.0	111,000.0	120,000.0	124,000.0	93,600.0
Chromium	ND(1.0)	20.0 B	ND(1.0)	ND(8.3)	ND(8.2)	ND(5.0)	ND(1.0)	5.2 B	0.78 B
Iron	ND(27.0)	ND(34.0)	23.3 B	736.0 B	118.0	ND(50.0)	ND(21.0)	118.0	ND(15.9)
Lead	ND(3.0)	ND(1.6)	ND(1.6)	1.2 B	2.7 B	ND(4.0)	ND(3.0)	0.87 B	2.6 B
Magnesium	34,300.0	39,900.0	35,100.0	30,400.0 E	31,600.0 E	30,500.0	32,400.0	29,300.0	24,600.0
Mercury	ND(0.2)	ND(0.06)	0.04 B	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	3,780.0 B	6,900.0	2,890.0 B	3,080.0 B	3,560.0 BE	3,390.0	4,000.0 BE	4,740.0 B	4,000.0 B
Sodium	66,100.0	81,100.0 E	83,200.0 E	72,000.0 E	78,700.0 E	76,100.0	66,700.0	78,600.0	74,100.0
Leachate Indicators (mg/l)									
Ammonia	ND(1.00)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	1.140	ND(0.200)	ND(0.200)
Bicarbonate	123.00	128.00	132.00	126.00	144.00	148.00	130.00	160.00	160.00
Chloride	248.00	250.00	250.00	649.00	217.00	222.00	198.00	180.00	190.00
Nitrate	2.77	2.46	ND(0.04)	1.80	2.00	2.04	1.01	2.90	3.00
Sulfate	105.00	89.00	51.00	105.00	132.00	177.00	204.00	57.00	130.00
Alkalinity	123.00	123.00	128.00	132.00	126.00	144.00	149.00	130.00	160.00
TDS	740.00	745.00	598.00	804.00	800.00	727.00	567.00	530.00	540.00
Hardness	150.00	494.39	434.00	406.00 E	426.00	398.00	225.00	430.00	340.00

EN6-M (continued)

Metals ($\mu\text{g/l}$)	4/01	9/07	4/02	9/02	5/03	10/03	6/04	10/04	4/05
Aluminum	11.3 B	ND(45.7)	ND(7.3)	ND(10.1)	ND(78.9)	18.0 J	46.8 J	ND(180.0)	56.1 J
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	ND(0.4)	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	0.2 J	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	94,300.0	77,400.0	92,500.0	80,600.0	79,300.0	58,500.0	78,900.0	73,000.0	70,900.0
Chromium	12.7	ND(5.0)	0.77 B	4.6 B	ND(1.0)	1.6 J	4.0 J	ND(1.22)	0.545 J
Iron	83.9 B	20.1 B	ND(17.3)	25.9 B	27.9 B	ND(5.2)	ND(0.91)	30.9 J	154.0
Lead	ND(2.5)	ND(3.0)	4.9	6.4	4.2	5.0	6.3	ND(1.79)	ND(2.180)
Magnesium	30,800.0	25,600.0	22,300.0	23,400.0	20,700.0	21,400.0	21,500.0	20,100.0	20,000.0
Mercury	ND(0.2)	ND(0.03)	0.09 J						
Potassium	4,430.0 B	3,800.0 B	4,150.0 B	4,470.0 B	4,040.0 B	2,800.0 J	4,530.0 J	4,520.0 J	4,530.0 J
Sodium	83,000.0	72,300.0	67,400.0	71,600.0	61,800.0	40,600.0	57,100.0	54,100.0	60,600.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.400	1.700	ND(0.200)	0.251
Bicarbonate	130.00	150.00	140.00	150.00	150.00	130.00	150.00	140.00	140.00
Chloride	140.00	120.00	160.00	100.00	130.00	74.00	120.00	120.00	110.00
Nitrate	2.40	3.60	3.30	2.80	3.50	4.50	5.10	5.20	5.86
Sulfate	100.00	150.00	14.00	86.00	150.00	120.00	180.00	120.00	120.00
Alkalinity	130.00	150.00	150.00	150.00	150.00	130.00	150.00	140.00	140.00
TDS	580.00	460.00	620.00	410.00	566.00	465.00	526.00	475.00	510.00
Hardness	360.00	300.00	320.00	300.00	280.00	234.00	286.00	265.00	259.00

EN6-M (continued)

Metals ($\mu\text{g/l}$)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Aluminum	100.0 J	ND(5.31)	ND(7.6)	ND(200.0)	66.0	24.0	ND(10.0)	ND(10.0)
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	ND(10.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	1.02 J	ND(0.327)	2.0 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	71,700.0	50,100.0	79,500.0	64,900.0	59,700.0	55,800.0	37,800.0	34,600.0
Chromium	1.54 J	2.57 J	14.1	ND(10.0)	52.0	ND(1.0)	ND(1.0)	ND(1.0)
Iron	ND(27.0)	ND(27.0)	ND(30.4)	ND(100.0)	259.0	6.0	28.0	54.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)
Magnesium	19,800.0	17,500.0	26,300.0	19,700.0	18,100.0	16,700.0	9,460.0	9,330.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	4,480.0 J	3,210.0 J	3,820.0 J	3,300.0 J	3,520.0	3,700.0	2,300.0	2,890.0
Sodium	58,000.0	46,300.0	65,200.0	48,200.0	47,800.0	48,800.0	31,800.0	29,700.0
Leachate Indicators (mg/l)								
Ammonia	ND(0.200)	0.350	ND(0.200)	0.015 J	ND(0.200)	ND(0.020)	ND(0.020)	0.11
Bicarbonate	130.00	120.00	ND(2.00)	120.00	150.00	114.00	76.80	72.20
Chloride	110.00	67.00	99.00	95.50	88.00	86.00	46.00	45.00
Nitrate	6.28	9.07	6.75	5.90	6.60	6.40	11.00	8.60
Sulfate	91.00	65.00	79.00	81.40	72.00	67.00	36.00	31.00
Alkalinity	130.00	120.00	120.00	120.00	150.00	114.00	76.80	72.20
TDS	500.00	370.00	460.00	415.00	360.00	360.00	270.00	230.00
Hardness	260.50	197.23	306.94	243.00	224.00	208.00	133.00	125.00

Note:

ND(): Compound not detected at method detection limit
J: Indicates an estimated value, compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

EN7-M

Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	3.0	ND(1.0)	3.0 J	4.0 J	ND(1.7)	1.1 J	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	2.1	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	0.8 J	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	0.5 J	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	1.0 J	1.0 J	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total				32.0	32.0	27.0	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	0.5 J	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethylene	5.2	8.0	9.0	9.0	9.0	6.9	3.5	7.6	5.2
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	0.7 J	ND(0.5)	ND(0.6)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	14.0	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	4.6	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	14.0	38.0	32.0	35.0	35.0	22.0	28.0	27.0	25.0
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	1.1	1.1

EN7-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)	
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)	
Vinyl Chloride	ND(1.0)	ND(1.0)	2.3	ND(1.2)	5.4	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	1.70 J	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	2.0	2.0	2.3 J	2.4 J	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	8.0	6.1	7.0	7.2	7.3	5.7	5.3	7.6	6.1
Benzene	0.9	0.9	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	33.0	23.0	21.0	24.0	21.0	11.0	14.0	19.0	13.0
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	0.90 J	1.00 J
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)	
1,4-Dichlorobenzene	1.1	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	1.8 J	ND(0.30)	2.50 J	3.6 J

EN7-M (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	3.8 J	1.0 J	ND(0.62)	1.1 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	2.7 J	ND(0.28)	1.8 J	1.5 J	ND(5.00)	ND(5.00)	1.1 J	ND(5.0)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	5.8	5.7	7.8	8.9	ND(5.00)	ND(5.00)	6.1	5.0
Benzene	0.90 J	ND(0.35)	ND(0.35)	0.56 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromoethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	10.0	ND(0.74)	2.3 J	0.91 J	5.3	5.2	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	1.8 J	1.4 J	1.3 J	1.6 J	ND(5.00)	ND(5.00)	1.4 J	1.3 J
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	0.9 J	0.8 J	ND(0.67)	0.55 J	ND(5.00)	ND(5.00)	0.77 J	0.75 J
1,3-Dichlorobenzene	ND(0.65)	3.4 J	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	3.2 J	2.9 J	2.7 J	1.7 J	ND(5.00)	ND(5.00)	2.5 J	2.6 J

Note:

ND(): Compound not detected at method detection limit
 *1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 Bold indicates value above NYSDDEC Class GA Standard
 B: The analyte was found in an associated blank, as well as in the sample

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	67.9 B	166.0 B	ND(34.8)	ND(26.8)	32.6 B	ND(200.0)	33.0 B	40.2 B	90.4 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	ND(2.0)	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	0.61 B	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	80,800.0	88,100.0	89,300.0	87,500.0 E	87,600.0	80,300.0	86,600.0	86,900.0	75,400.0
Chromium	ND(1.0)	3.3 B	ND(1.0)	ND(8.3)	ND(8.2)	ND(5.0)	ND(1.0)	ND(1.3)	ND(0.7)
Iron	ND(27.0)	263.0	117.0	35.5 B	13.6 B	ND(50.0)	ND(21.0)	49.2 B	ND(15.9)
Lead	3.8	ND(1.6)	ND(1.6)	ND(1.1)	1.6 B	ND(4.0)	ND(3.0)	ND(0.6)	ND(2.0)
Magnesium	30,400.0	36,300.0	36,800.0	33,200.0 E	33,800.0 E	33,100.0	35,600.0	36,400.0	31,100.0
Mercury	ND(0.2)	ND(0.06)	0.11 B	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	4,540.0 B	7,260.0	3,130.0 B	3,280.0 B	3,880.0 BE	3,710.0	4,750.0 BE	5,590.0	5,330.0
Sodium	110,000.0	135,000.0 E	168,000.0 E	150,000.0 E	164,000.0 E	192,000.0	183,000.0	252,000.0	247,000.0
Leachate Indicators (mg/l)									
Ammonia	2.520	ND(0.250)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	ND(0.100)	ND(0.200)	ND(0.200)
Bicarbonate	84.90	86.73	99.00	109.00	140.00	150.00	180.00	200.00	200.00
Chloride	239.00	254.00	253.00	264.00	253.00	273.00	278.00	290.00	270.00
Nitrate	5.00	5.15	2.88	2.70	2.40	1.89	0.603	1.00	0.70
Sulfate	236.00	229.00	97.90	225.00	221.00	245.00	351.00	210.00	200.00
Alkalinity	62.00	84.90	86.70	99.00	109.00	140.00	151.00	180.00	200.00
TDS	856.00	1,020.00	6,990.00	860.00	956.00	953.00	729.00	740.00	750.00
Hardness	111.00	369.03	374.00	355.0 E	358.00	334.00	226.00	670.00	320.00

EN7-M (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	5/03	10/03	6/04	10/04	4/05
Aluminum	87.0 B	ND(45.7)	ND(7.3)	ND(10.1)	ND(78.9)	29.8 J	55.0 J	ND(180.0)	9.62 J
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	0.46 B	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	89,900.0	86,200.0	82,800.0	79,900.0	83,700.0	90,500.0	91,700.0	84,500.0	93,500.0
Chromium	7.2 B	ND(5.0)	ND(0.6)	1.6 B	ND(1.0)	0.75 J	2.5 J	ND(1.22)	ND(0.343)
Iron	103.0	ND(7.0)	ND(17.3)	ND(16.8)	ND(2.2)	ND(5.2)	ND(0.91)	ND(29.0)	ND(27.0)
Lead	ND(2.5)	ND(3.0)	3.3	7.5	3.0	4.7	6.2	ND(1.79)	ND(2.18)
Magnesium	38,000.0	36,000.0	34,300.0	34,400.0	37,000.0	39,200.0	40,200.0	36,100.0	40,600.0
Mercury	ND(0.2)	0.32	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.03)	0.09 J
Potassium	5,940.0	4,900.0 B	5,000.0	5,240.0	4,490.0 B	5,280.0	5,040.0	5,550.0	5,140.0
Sodium	287,000.0	252,000.0	227,000.0	270,000.0	234,000.0	239,000.0	252,000.0	231,000.0	288,000.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	190.00	220.00	240.00	280.00	300.00	290.00	330.00	340.00	410.00
Chloride	270.00	260.00	270.00	280.00	270.00	270.00	270.00	280.00	
Nitrate	ND(0.50)	0.99	ND(0.50)	0.70	0.60	ND(0.50)	0.60	0.60	ND(0.50)
Sulfate	160.00	290.00	200.00	36.00	280.00	320.00	350.00	180.00	190.00
Alkalinity	190.00	220.00	240.00	280.00	300.00	290.00	330.00	340.00	410.00
TDS	930.00	780.00	950.00	790.00	1,050.00	1,077.00	1,106.00	1,049.00	1,100.00
Hardness	380.00	360.00	350.00	340.00	360.00	387.00	395.00	360.00	401.00

EN7-M (continued)

Metals (ug/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Aluminum	109.0 J	ND(5.31)	12.5 J	ND(200.0)	154.0	45.0	ND(10.0)	ND(10.0)
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	ND(10.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	0.41 J	ND(0.327)	0.98 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	95,600.0	90,200.0	127,000.0	116,000.0	125,000.0	127,000.0	124,000.0	122,000.0
Chromium	ND(0.343)	98.8	12.7	ND(10.0)	ND(1.0)	2.0	ND(1.0)	ND(1.0)
Iron	40.9 J	352.0	102.0	120.0	204.0	84.0	92.0	46.0
Lead	2,610 J	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	2.0	ND(2.0)
Magnesium	40,900.0	39,300.0	57,900.0	50,500.0	52,300.0	51,300.0	51,100.0	49,100.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	6,040.0	5,170.0	5,000.0 J	5,200.0	5,510.0	6,500.0	5,700.0	5,620.0
Sodium	301,000.0	266,000.0	300,000.0	173,000.0	228,000.0	227,000.0	211,000.0	212,000.0
Leachate Indicators (mg/l)								
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	0.045	0.120	0.160	0.090	0.18
Bicarbonate	430.00	480.00	ND(2.00)	515.00	650.00	555.00	556.00	514.00
Chloride	280.00	280.00	270.00	239.00	280.00	290.00	280.00	240.00
Nitrate	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.10)	ND(0.05)	ND(0.05)	ND(0.05)	0.05
Sulfate	160.00	130.00	110.00	104.00	120.00	130.00	140.00	120.00
Alkalinity	430.00	480.00	510.00	515.00	650.00	555.00	556.00	514.00
TDS	1100.00	1100.00	1100.00	1090.00	1100.00	1,100.00	1,100.00	1,100.00
Hardness	407.20	387.02	555.41	498.00	527.00	528.00	520.00	507.00

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

EN9-M

**Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY**
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	4.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.6)	ND(0.3)	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene	ND(2.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

EN9-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.36)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

EN9-M (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

EN9-M

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals (µg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	37.8 B	227.0	ND(34.8)	ND(26.8)	ND(21.3)	ND(200.0)	35.8 B	31.2 B	77.8 B
Arsenic	ND(9.0)	ND(4.5)	ND(2.7)	ND(2.0)	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	0.61 B	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	26,600.0	24,900.0	19,800.0	17,400.0 E	23,900.0 E	26,800.0	28,200.0	19,300.0	24,100.0
Chromium	ND(1.0)	3.6 B	ND(1.0)	ND(8.3)	17.0	ND(5.0)	ND(1.0)	ND(1.0)	ND(0.7)
Iron	ND(27.0)	109.0	ND(22.4)	27.1 B	129.0	ND(50.0)	ND(21.0)	ND(30.9)	ND(15.9)
Lead	ND(3.0)	2.1 B	ND(1.6)	ND(1.1)	ND(1.5)	ND(4.0)	ND(3.0)	ND(0.6)	ND(2.0)
Magnesium	12,500.0	12,000.0	9,600.0	8,180.0 E	10,700.0 E	12,100.0	12,600.0	8,640.0	10,700.0
Mercury	ND(0.2)	ND(0.06)	ND(0.04)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	1,920.0 B	3,290.0 BE	1,260.0 B	1,350.0 B	1,930.0 BE	2,010.0	2,100.0 BE	1,360.0 B	2,000.0 B
Sodium	23,100.0	23,400.0	16,200.0 E	20,100.0 E	27,500.0 E	33,000.0	36,700.0	16,700.0	33,200.0
Leachate Indicators (mg/l)									
Ammonia	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	1.430	ND(0.200)	ND(0.200)
Bicarbonate	29.90	29.60	35.20	36.20	32.50	4.00	30.00	58.00	58.00
Chloride	727.00	65.80	50.80	112.00	83.80	110.00	108.00	58.00	97.00
Nitrate	1.42	0.96	0.71	0.90	0.91	0.89	0.42	0.89	0.86
Sulfate	186.00	14.20	16.40	14.00	16.60	15.60	24.40	17.00	19.00
Alkalinity	28.00	29.90	29.60	35.20	36.20	32.50	4.20	30.00	58.00
TDS	203.00	95.00	140.00	238.00	256.00	225.00	209.00	140.00	210.00
Hardness	39.00	111.34	88.80	77.1 E	103.00	116.00	63.00	84.00	100.00

EN9-M (continued)

Metals (µg/l)	4/01	9/01	4/02	9/02	4/03	9/03	10/03	6/04	10/04	4/05
Aluminum	83.9 B	ND(45.7)	25.4 B	ND(10.1)	ND(78.9)	13.2 J	43.1 J	ND(180.0)	ND(180.0)	20.4 J
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)	ND(3.32)
Cadmium	0.46 B	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)	ND(0.327)
Calcium	30,400.0	20,900.0	19,800.0	15,500.0	14,600.0	25,300.0	21,500.0	20,400.0	22,500.0	22,500.0
Chromium	2.1 B	ND(5.0)	ND(0.6)	2.6 B	ND(1.0)	2.2 J	12.0	ND(1.22)	ND(1.22)	ND(0.343)
Iron	135.0	ND(7.0)	ND(17.3)	29.0 B	34.7 B	36.9 J	16.9 J	51.3 J	37.1 J	37.1 J
Lead	4.7	ND(3.0)	3.5	9.8	ND(3.0)	6.8	5.1	ND(1.79)	ND(1.79)	ND(2.18)
Magnesium	13,800.0	9,420.0	8,820.0	7,040.0	7,100.0	11,700.0	9,960.0	9,220.0	10,500.0	10,500.0
Mercury	ND(0.2)	0.27	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.03)	ND(0.03)	0.07 J
Potassium	2,450.0	1,700.0 B	1,500.0 B	1,350.0 B	1,330.0 B	2,100.0 J	1,800.0 J	1,800.0 J	1,800.0 J	2,140 J
Sodium	44,500.0	30,100.0	26,900.0	19,400.0	15,200.0	33,400.0	25,800.0	27,700.0	27,700.0	39,200.0
Leachate Indicators (mg/l)										
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	0.500	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	30.00	45.00	36.00	32.00	34.00	24.00	31.00	30.00	33.00	33.00
Chloride	120.00	80.00	94.00	47.00	39.00	110.00	79.00	81.00	100.00	100.00
Nitrate	0.93	1.00	0.90	1.20	0.50	1.10	0.80	0.78	0.86	0.86
Sulfate	14.00	17.00	16.00	17.00	19.00	16.00	19.00	19.00	180.00	180.00
Alkalinity	30.00	45.00	36.00	32.00	34.00	24.00	31.00	30.00	33.00	33.00
TDS	280.00	190.00	240.00	150.00	165.00	360.00	273.00	74.00	310.00	310.00
Hardness	130.00	91.00	86.00	68.00	66.00	111.00	95.00	89.00	99.00	99.00

EN9-M (continued)

Metals ($\mu\text{g/l}$)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Aluminum	94.1 J	ND(5.31)	ND(7.6)	ND(200.0)	109.0	ND(10.0)	ND(10.0)	ND(10.0)
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	ND(10.0)	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)
Cadmium	ND(0.327)	ND(0.327)	1.2 J	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
Calcium	23,400.0	21,000.0	24,600.0	29,700.0	32,100.0	27,600.0	27,300.0	26,600.0
Chromium	0.86 J	9.89 J	11.6	ND(10.0)	ND(1.0)	2.0	ND(1.0)	ND(1.0)
Iron	ND(27.0)	ND(27.0)	ND(30.4)	ND(100.0)	165.0	20.0	2.0	3.0
Lead	ND(2.18)	ND(2.18)	ND(1.6)	ND(3.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(2.0)
Magnesium	10,300.0	10,200.0	12,800.0	14,100.0	14,300.0	12,000.0	12,000.0	11,300.0
Mercury	ND(0.03)	ND(0.03)	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
Potassium	2,030.0 J	1,480.0 J	956.0 J	2,100.0 J	2,790.0	2,700.0	2,400.0	2,500.0
Sodium	31,400.0	28,600.0	29,700.0	31,600.0	52,700.0	57,300.0	51,300.0	55,700.0
Leachate Indicators (mg/l)								
Ammonia	ND(0.200)	0.490	ND(0.200)	ND(0.040)	ND(0.020)	0.040	0.020	0.06
Bicarbonate	36.00	38.00	ND(2.00)	35.40	48.00	35.80	36.90	33.60
Chloride	98.00	68.00	66.00	112.00	130.00	160.00	140.00	130.00
Nitrate	0.78	ND(0.50)	ND(0.50)	0.62	0.71	0.86	0.76	0.71
Sulfate	19.00	19.00	21.00	16.00	15.00	16.00	18.00	17.00
Alkalinity	36.00	38.00	36.00	35.40	48.00	35.80	36.90	33.60
TDS	260.00	230.00	240.00	302.00	300.00	330.00	380.00	300.00
Hardness	100.90	94.39	114.03	132.00	139.00	118.00	118.00	113.00

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

EN10-M
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(2.0)	ND(1.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(0.7)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	4.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	3.0	4.0	4.0 J	3.0 J	ND(1.4)	1.1	ND(0.2)	2.0
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	4.0	5.0	5.0 J	5.0	3.0	1.9	4.1	5.3
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	1.0 J	ND(0.6)	ND(0.4)	0.4
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(5.0)	ND(5.0)	0.5 J	ND(0.7)	ND(0.3)	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(5.0)	ND(0.3)	ND(0.3)	ND(0.3)

EN10-M (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	0.7	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	1.9	ND(0.2)	ND(1.0)	ND(1.0)	1.5 J	ND(1.3)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	0.8	ND(0.3)	ND(0.8)	1.5 J	ND(1.5)	ND(0.30)	1.0 J	0.6 J
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	4.7	ND(0.3)	4.8	3.2 J	2.6 J	2.6 J	ND(0.34)	2.70 J	1.30 J
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	0.6	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.7)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

EN10-M (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(25.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND(: Compound not detected at method detection limit
*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-DichloroetheneJ: Indicates an estimated value; compound is present at a concentration less than specified detection limit
Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

EN10-M

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY

Metals ($\mu\text{g/l}$)	1/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Aluminum	232.0	163.0 B	ND(34.8)	ND(26.8)	ND(21.3)	ND(200.0)	30.1 B	ND(25.8)	104.0 B
Arsenic	ND(8.0)	ND(4.5)	ND(2.7)	ND(2.0)	ND(1.5)	ND(4.0)	ND(6.0)	ND(3.0)	ND(3.8)
Cadmium	ND(1.0)	ND(0.5)	ND(0.5)	ND(5.2)	ND(4.7)	ND(5.0)	ND(1.0)	ND(0.5)	ND(0.4)
Calcium	29,800.0	27,100.0	25,100.0 E	21,100.0 E	23,400.0	20,500.0	22,400.0	21,800.0	20,600.0
Chromium	1.1 B	4.0 B	2.8 B	ND(8.3)	12.8	6.0	24.2	6.0 B	2.6 B
Iron	310.0	249.0	ND(22.4)	25.0 B	11.8 B	114.0	319.0	ND(30.9)	ND(15.9)
Lead	ND(2.0)	ND(1.6)	ND(1.6)	ND(1.1)	ND(1.5)	ND(4.0)	ND(3.0)	ND(0.6)	ND(2.0)
Magnesium	9,620.0	10,400.0	9,640.0	8,720.0 E	8,670.0 E	7,840.0	8,490.0	8,090.0	7,650.0
Mercury	ND(0.2)	ND(0.06)	0.04 B	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.1)	ND(0.1)
Potassium	1,570.0 B	2,440.0 BE	1,100.0 B	1,440.0 B	1,640.0 BE	1,300.0	1,190.0 BE	1,100.0 B	1,330.0 B
Sodium	14,400.0	14,700.0	13,800.0 E	17,400.0 E	15,400.0 E	12,800.0	14,500.0	10,500.0	13,500.0
Leachate Indicators (mg/l)									
Ammonia	1.120	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	1.430	ND(0.200)	ND(0.200)
Bicarbonate		19.60	18.30	19.80	21.30	20.50	16.00	22.00	35.00
Chloride	21.30	19.60	21.70	23.50	22.20	23.00	23.00	21.00	23.00
Nitrate	10.10	8.40	7.50	7.80	8.20	8.44	3.50	8.10	8.30
Sulfate	44.00	55.50	19.90	40.00	44.30	39.20	56.10	40.00	46.00
Alkalinity	27.00	19.60	18.30	19.80	21.30	20.50	17.00	22.00	35.00
TDS	167.00	184.00	143.00	138.00	28.00	168.00	133.00	140.00	130.00
Hardness	110.00	110.28	102.00	88.6 E	94.10	82.70	25.50	88.00	83.00

EN10-M (continued)

Metals (µg/l)	4/01	9/07	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Aluminum	64.3 B	ND(45.7)	ND(7.3)	ND(10.1)	ND(78.9)	9.0 J	46.8	305.0	1.9(0.0
Arsenic	ND(2.5)	ND(5.0)	ND(2.8)	ND(3.6)	ND(11.9)	ND(2.2)	ND(5.5)	ND(4.84)	ND(3.32)
Cadmium	ND(0.4)	ND(3.0)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.12)	ND(0.57)	ND(0.994)	ND(0.327)
Calcium	22,200.0	21,500.0	19,900.0	20,100.0	21,000.0	20,900.0	20,200.0	14,000.0	16,100.0
Chromium	2.6 B	ND(5.0)	3.8 B	6.8 B	3.1 B	36.4	9.6 J	1.96 J	7.91 J
Iron	109.0	16.4 B	ND(17.3)	24.4 B	38.8 B	118.0	30.1 J	481.0	1,640.0
Lead	ND(2.5)	ND(3.0)	3.8	9.8	ND(3.0)	4.2	4.6 J	11.3	33.8
Magnesium	8,460.0	8,120.0	7,420.0	7,560.0	8,450.0	7,230.0	7,560.0	4,530.0 J	6,080.0
Mercury	ND(0.2)	ND(0.03)	0.07 J						
Potassium	1,280.0 B	1,110.0 B	1,120.0 B	1,260.0 B	1,390.0 B	1,190.0 J	1,230.0 J	3,600.0	3,300.0 J
Sodium	14,000.0	13,500.0	13,500.0	14,400.0	15,400.0	11,700.0	12,600.0	7,340.0	11,100.0
Leachate Indicators (mg/l)									
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	0.400	ND(0.200)	ND(0.200)
Bicarbonate	19.00	28.00	29.00	18.00	20.00	20.00	16.00	23.00	23.00
Chloride	23.00	25.00	34.00	26.00	26.00	27.00	26.00	10.00	20.00
Nitrate	7.00	8.20	8.10	9.80	7.50	8.20	8.20	2.50	6.33
Sulfate	38.00	40.00	43.00	36.00	190.00	75.00	42.00	15.00	32.00
Alkalinity	19.00	28.00	29.00	18.00	20.00	20.00	16.00	23.00	23.00
TDS	90.00	130.00	160.00	140.00	196.00	206.00	205.00	34.00	190.00
Hardness	90.00	87.00	80.00	81.00	87.00	84.00	82.00	54.00	65.00

EN10-M (continued)

	Metals (ug/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Aluminum	1,580.0	10,900.0	321.0	380.0	273.0	12.0	107.0	47.5	
Arsenic	ND(3.32)	ND(3.32)	ND(4.1)	4.5 J	ND(4.0)	ND(4.0)	ND(4.0)	ND(4.0)	
Cadmium	ND(0.327)	ND(0.327)	ND(5.52)	ND(5.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
Calcium	7,450.0	5,340.0	1,460.0 J	1,200.0 J	1,350.0	799.0	2,050.0	1,230.0	
Chromium	8,460.0 J	34.6	8.7 J	1.9 J	6.0	ND(1.0)	ND(1.0)	9.4	
Iron	1,170.0	40,800.0	437.0	400.0	1,500.0	24.0	206.0	279.0	
Lead	69.8	285.0	16.2	15.0	13.0	ND(1.0)	3.0	ND(2.0)	
Magnesium	2,660.0 J	2,150.0 J	582.0 J	400.0 J	426.0	260.0	550.0	418.0	
Mercury	ND(0.03)	0.11 J	ND(0.18)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	
Potassium	2,880.0 J	2,320.0 J	1,250.0 J	840.0 J	3,570.0	700.0	2,400.0	992.0	
Sodium	5,020.0	3,480.0 J	ND(215.0)	1,200.0 J	1,580.0	1,200.0	800.0	1,380.0	
Leachate Indicators (mg/l)									
Ammonia	0.450	ND(0.200)	0.450	0.070	0.030	0.040	0.270	0.15	
Bicarbonate	21.00	12.00	ND(2.00)	3.10	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)	
Chloride	9.20	4.57	2.86	2.00	ND(3.00)	4.40	ND(3.00)	ND(3.00)	
Nitrate	0.83	ND(0.50)	ND(0.50)	0.27	ND(0.50)	0.48	0.10	0.57	
Sulfate	14.00	4.02	ND(1.00)	1.80	ND(3.00)	ND(3.00)	ND(3.00)	ND(3.00)	
Alkalinity	21.00	12.00	9.44	3.10	ND(20.00)	ND(20.00)	ND(20.00)	ND(20.00)	
TDS	90.00	38.00	21.00	14.00	21.00	ND(10.00)	29.00	16.00	
Hardness	32.00	22.18	6.04	4.70	5.13	3.07	7.38	4.80	

Note:

ND(:) Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

SW-1

Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	6.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	1.2	ND(0.3)	ND(0.3)
Tetrachloroethylene	ND(5.0)	ND(3.0)	4.0	3.0 J	3.0	1.8	3.7	3.3	2.9
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

SW-1 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethylene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	3.9	3.7	3.1	3.2 J	2.0 J	1.7 J	ND(0.30)	3.40 J	2.10 J
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-1 (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	0.17 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	2.10 J	ND(0.74)	1.70 J	2.60	ND(5.00)	ND(5.00)	ND(5.00)	1.9 J
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.35)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND(:) : Compound not detected at method detection limit
*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-DichloroetheneJ: Indicates an estimated value; compound is present at a concentration less than specified detection limit
Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

SW-1

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	ND(1.000)	ND(0.050)	0.140	ND(0.200)	0.130	ND(0.200)	ND(0.200)	ND(0.200)	0.280
Bicarbonate	25.20	28.20	24.20	29.80	27.50	27.50	32.00	38.00	
Chloride	49.60	38.20	35.10	30.30	30.00	38.50	33.70	40.00	40.00
Nitrate	1.70	1.99	1.48	1.70	1.50	1.92	0.789	1.60	1.50
Sulfate	21.80	16.00	18.50	17.00	19.90	20.30	27.10	20.00	21.00
Alkalinity	25.00	25.20	28.20	24.20	29.80	27.50	34.00	32.00	38.00
TDS	145.00	588.00	110.00	172.00	94.00	137.00	111.00	110.00	120.00
Hardness	23.00	63.07	61.60	64.8 E	56.50	55.90	51.00	57.00	60.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.600	0.700	ND(0.200)	ND(0.200)
Bicarbonate	24.00	29.00	22.00	28.00	26.00	36.00	26.00	29.00	29.00
Chloride	47.00	44.00	56.00	45.00	58.00	53.00	55.00	52.00	65.00
Nitrate	ND(0.50)	1.60	2.00	1.20	3.30	2.50	2.20	2.44	2.31
Sulfate	21.00	22.00	21.00	20.00	22.00	24.00	4.30	23.00	23.00
Alkalinity	24.00	29.00	22.00	28.00	26.00	36.00	26.00	29.00	29.00
TDS	140.00	120.00	200.00	140.00	175.00	174.00	198.00	157.00	180.00
Hardness	75.00	37.00	57.00	60.00	61.00	67.00	70.00	61.00	81.00

SW-1 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Ammonia	0.230	ND(0.200)	0.200	0.074	0.160	0.080	0.090	0.11
Bicarbonate	34.00	33.00	34.00	32.70	38.00	33.70	67.40	26.49
Chloride	53.00	51.00	49.00	49.20	48.00	55.00	47.00	66.00
Nitrate	2.36	2.12	2.73	2.30	3.00	2.80	4.30	3.80
Sulfate	22.00	23.00	20.00	19.20	20.00	20.00	17.00	21.00
Alkalinity	34.00	33.00	34.00	32.70	38.00	33.70	67.40	26.49
TDS	150.00	160.00	190.00	195.00	160.00	170.00	200.00	200.00
Hardness	67.20	56.20	75.80	70.90	74.60	65.80	58.90	76.50

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

SW-2

Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	6.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total		ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	0.8 J	ND(0.6)	ND(0.3)	ND(0.3)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethylene	ND(5.0)	ND(3.0)	3.0	3.0 J	4.0 J	3.2	1.8	4.2	3.0
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

SW-2 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	6/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)	
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)	
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)	
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)	
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)	
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(0.80)	ND(0.80)	ND(0.58)	
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.28)	
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.29)	ND(0.29)	ND(0.33)	
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.32)	ND(0.32)	ND(0.40)	
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.18)	
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.19)	ND(0.19)	ND(0.28)	
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.5)	ND(0.34)	
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.30)	
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.27)	
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.35)	
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.22)	
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.24)	
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(6.20)	
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)	
Tetrachloroethene	4.8	6.9	4.2	4.7 J	2.6 J	1.7 J	ND(0.30)	4.5 J	1.8 J
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	0.7 J	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)	
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-2 (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	2.0 J	0.9 J	2.3 J	130.0 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.35)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

SW-2

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	1,400	ND(0.050)	0.130	ND(0.200)	0.150	ND(0.200)	ND(0.200)	0.230	ND(0.200)
Bicarbonate		41.10	44.50	41.80	49.00	44.00	44.00	23.00	50.00
Chloride	47.90	48.50	15.10	41.10	42.40	62.60	40.80	44.00	46.00
Nitrate	1.26	1.84	1.12	1.40	1.20	1.67	0.279	1.20	1.20
Sulfate	30.00	25.00	25.50	31.50	30.80	27.80	28.00	22.00	30.00
Alkalinity	37.00	41.10	44.50	41.80	49.00	44.00	43.00	23.00	50.00
TDS	174.00	145.00	128.00	140.00	156.00	207.00	129.00	130.00	150.00
Hardness	30.00	92.02	92.80	82.6 E	99.00	93.70	64.00	70.00	89.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	0.300	ND(0.200)	ND(0.200)
Bicarbonate	40.00	49.00	52.00	45.00	44.00	54.00	47.00	52.00	ND(2.00)
Chloride	71.00	56.00	69.00	50.00	80.00	63.00	68.00	61.00	83.00
Nitrate	1.10	1.40	1.80	1.50	1.10	1.70	0.90	1.40	1.47
Sulfate	38.00	37.00	39.00	34.00	30.00	9.80	38.00	39.00	40.00
Alkalinity	40.00	49.00	52.00	45.00	44.00	54.00	47.00	52.00	ND(2.00)
TDS	170.00	180.00	250.00	160.00	246.00	231.00	253.00	168.00	250.00
Hardness	110.00	61.00	110.00	110.00	83.00	107.00	102.00	94.00	121.00

SW-2 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Ammonia	ND(0.200)	0.221	0.200	0.049	0.110	0.060	0.110	0.09
Bicarbonate	64.00	62.00	61.00	62.00	76.00	66.20	66.10	60.72
Chloride	74.00	71.00	69.00	67.70	69.00	88.00	73.00	89.00
Nitrate	2.09	0.771	1.73	0.64	1.90	1.40	1.20	1.20
Sulfate	44.00	37.00	37.00	31.80	38.00	36.00	40.00	38.00
Alkalinity	64.00	62.00	61.00	62.00	76.00	66.20	66.10	60.72
TDS	240.00	240.00	190.00	251.00	250.00	280.00	250.00	270.00
Hardness	116.30	97.90	105.20	114.00	126.00	123.00	124.00	125.00

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

SW-3

Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	6.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane	ND(2.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(2.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total	ND(1.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	0.7 J	ND(0.5)	ND(0.5)	ND(0.3)	0.5
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	1.0 J	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	3.0	6.0	3.0	2.4	3.6	4.5	3.3
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

SW-3 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	0.5	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	4.7	3.4	4.6	4.1 J	4.2 J	1.7 J	ND(0.30)	2.60 J	2.80 J
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-3 (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	0.60 J	ND(0.18)	ND(0.18)	0.45 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	0.34 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	2.10 J	ND(0.74)	2.20 J	2.90 J	ND(5.00)	ND(5.00)	1.9 J	2.4 J
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.35)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND(): Compound not detected at method detection limit
*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-DichloroetheneJ: Indicates an estimated value; compound is present at a concentration less than specified detection limit
Bold indicates value above NYSDEC Class GA Standard
B: The analyte was found in an associated blank, as well as in the sample

SW-3
Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)
Ammonia									
Bicarbonate	21.00	15.30	17.60	21.30	20.50	20.50	21.00	25.00	
Chloride	21.30	20.50	21.10	21.60	25.00	32.40	24.80	35.00	30.00
Nitrate	4.01	3.25	5.25	2.90	3.20	3.34	1.37	3.10	3.40
Sulfate	18.20	16.00	17.40	16.00	18.70	18.60	24.40	20.00	21.00
Alkalinity	17.00	21.00	15.30	17.60	21.30	20.50	19.00	21.00	25.00
TDS	102.00	117.00	90.00	106.00	152.00	113.00	89.00	100.00	100.00
Hardness	19.00	58.82	57.60	64.5 E	59.70	58.20	28.00	43.00	58.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
	ND(0.200)								
Ammonia									
Bicarbonate	20.00	23.00	23.00	23.00	24.00	21.00	18.00	1.800	
Chloride	35.00	31.00	42.00	32.00	57.00	32.00	33.00	32.00	45.00
Nitrate	3.00	3.10	3.80	3.00	ND(0.50)	3.90	3.80	3.90	3.85
Sulfate	20.00	21.00	21.00	20.00	20.00	20.00	22.00	22.00	23.00
Alkalinity	20.00	23.00	23.00	22.00	24.00	21.00	18.00	21.00	23.00
TDS	150.00	100.00	170.00	110.00	188.00	123.00	166.00	108.00	180.00
Hardness	66.00	34.00	53.00	58.00	67.00	63.00	60.00	56.00	78.00

SW-3 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Ammonia	ND(0.200)	0.220	0.200	0.019 J	0.049	0.040	0.050	0.06
Bicarbonate	25.00	26.00	26.00	23.80	38.00	25.90	26.40	27.79
Chloride	35.00	37.00	38.00	42.00	44.00	45.00	43.00	46.00
Nitrate	4.14	ND(0.50)	3.80	3.50	3.70	4.20	3.90	4.10
Sulfate	19.00	20.00	20.00	18.80	22.00	21.00	22.00	22.00
Alkalinity	25.00	26.00	26.00	23.80	38.00	25.90	26.40	27.79
TDS	110.00	170.00	170.00	180.00	160.00	150.00	200.00	160.00
Hardness	59.70	54.50	72.60	68.40	77.20	66.70	70.00	73.50

Note:

ND(:): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

SW-4
Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	6.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane			ND(2.0)	ND(2.0)	ND(10.0)	ND(1.0)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethylene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total			ND(1.0)	ND(1.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	0.5
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether		ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	3.0	4.0	3.0 J	2.0 J	1.7	3.2	3.9	2.6
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

SW 4 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)	
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)	
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)	
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)	
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)	
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)	
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)	
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.29)	ND(0.29)	ND(0.33)	
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.32)	ND(0.32)	ND(0.40)	
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.18)	
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.19)	ND(0.19)	ND(0.28)	
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.34)	ND(0.34)	ND(0.17)	
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.34)	
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	
Dibromo-chloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)	
Tetrachloroethene	4.1	3.4	2.5	2.6 J	1.8 J	1.4 J	ND(0.30)	3.3 J	1.9 J
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)	
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-4 (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(18. J)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	0.14 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	1.7 J	1.1 J	1.4 J	2.6 J	ND(5.00)	ND(5.00)	1.9 J	0.97 J
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.35)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:
ND(): Compound not detected at method detection limit

*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

SW-4

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	ND(1.000)	ND(0.050)	0.110	ND(0.200)	0.200	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	34.40	30.20	28.60	25.60	27.50	27.50	32.00	31.00	31.00
Chloride	35.40	42.40	34.70	30.30	31.80	39.20	38.90	39.00	40.00
Nitrate	3.73	1.79	3.80	1.60	1.80	1.88	0.652	1.60	1.40
Sulfate	19.10	15.10	18.50	16.00	23.50	18.20	27.10	18.00	22.00
Alkalinity	18.00	34.40	30.20	28.60	25.60	27.50	27.00	32.00	31.00
TDS	131.00	141.00	113.00	74.00	110.00	133.00	109.00	110.00	120.00
Hardness	18.00	65.67	62.50	42.5 E	62.90	57.10	40.50	56.00	67.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.600	0.900	ND(0.200)	ND(0.200)
Bicarbonate	28.00	31.00	34.00	32.00	32.00	30.00	29.00	31.00	34.00
Chloride	47.00	46.00	62.00	47.00	66.00	56.00	65.00	54.00	110.00
Nitrate	1.60	1.70	2.10	1.10	2.10	2.50	2.30	2.51	2.31
Sulfate	19.00	22.00	22.00	21.00	21.00	24.00	26.00	23.00	23.00
Alkalinity	28.00	31.00	34.00	32.00	32.00	30.00	29.00	31.00	34.00
TDS	100.00	130.00	190.00	150.00	186.00	166.00	212.00	262.00	290.00
Hardness	77.00	38.00	60.00	61.00	63.00	64.00	65.00	64.00	77.00

SW-4 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Ammonia	0.290	ND(0.200)	0.200	0.054	0.160	0.090	0.110	0.14
Bicarbonate	39.00	32.00	34.00	33.20	42.00	36.20	35.50	47.59
Chloride	61.00	53.00	51.00	50.10	49.00	57.00	55.00	66.00
Nitrate	2.12	2.16	2.70	2.30	3.00	3.00	2.90	2.20
Sulfate	20.00	26.00	22.00	19.20	21.00	20.00	39.00	25.00
Alkalinity	39.00	32.00	34.00	33.20	42.00	36.20	35.50	47.59
TDS	210.00	180.00	260.00	199.00	160.00	180.00	220.00	210.00
Hardness	75.50	49.90	74.20	69.70	72.90	69.10	73.40	97.30

Note:

ND(): Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

SW-5

Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	5.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane	ND(2.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total	ND(1.0)	ND(1.0)	ND(1.0)	2.0 J	1.0 J	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	0.7 J	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.4)	ND(0.3)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromo-chloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether	ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	5.7	ND(3.0)	ND(3.0)	3.0 J	2.0 J	1.0	2.5	2.7	1.6
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene		ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)

SW-5 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	0.6 J
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	0.4 J
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	3.0	ND(0.3)	1.7	2.6 J	ND(1.0)	ND(1.0)	ND(0.30)	ND(0.30)	1.3 J
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.7)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-5 (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	0.37 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	0.32 J	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethylene	ND(0.74)	ND(0.74)	ND(0.74)	0.90 J	ND(5.00)	ND(5.00)	ND(5.00)	1.4 J
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.35)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND() : Compound not detected at method detection limit
 *1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 Bold indicates value above NYSDEC Class GA Standard
 B: The analyte was found in an associated blank, as well as in the sample

SW-5

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	ND(1.000)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	44.70	36.40	37.40	40.50	40.00	40.00	49.00	49.00	45.00
Chloride	105.00	3,500.00	88.90	95.10	75.20	77.50	81.50	86.00	86.00
Nitrate	4.59	1.86	3.26	ND(0.20)	3.50	3.92	1.43	3.40	3.50
Sulfate	41.80	482.00	38.90	32.50	30.80	29.00	65.30	37.00	32.00
Alkalinity	38.00	44.70	36.40	37.40	40.50	40.00	43.00	49.00	45.00
TDS	319.00	71.00	228.00	278.00	254.00	205.00	202.00	220.00	230.00
Hardness	46.00	1,186.07	131.00	112.0 E	125.00	114.00	65.00	130.00	130.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.300	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	52.00	39.00	58.00	56.00	51.00	46.00	50.00	44.00	74.00
Chloride	92.00	97.00	89.00	90.00	81.00	94.00	90.00	94.00	110.00
Nitrate	2.90	4.00	3.10	2.20	3.10	3.60	3.60	3.75	2.52
Sulfate	47.00	29.00	42.00	37.00	36.00	32.00	41.00	31.00	47.00
Alkalinity	52.00	39.00	58.00	56.00	50.00	46.00	50.00	44.00	74.00
TDS	200.00	240.00	320.00	240.00	271.00	300.00	343.00	373.00	330.00
Hardness	150.00	74.00	120.00	140.00	100.00	90.00	130.00	97.00	160.00

SW-5 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Ammonia	ND(0.200)	0.223	0.200	0.150	0.070	0.070	0.160	0.07
Bicarbonate	59.00	41.00	50.00	62.10	84.00	55.50	81.50	64.23
Chloride	120.00	64.00	64.00	77.00	100.00	73.00	90.00	86.00
Nitrate	3.57	1.87	2.09	1.20	2.90	2.20	1.20	1.30
Sulfate	34.00	32.00	26.00	25.00	34.00	25.00	43.00	87.00
Alkalinity	59.00	41.00	50.00	62.10	84.00	55.50	81.50	64.23
TDS	320.00	220.00	240.00	274.00	300.00	220.00	300.00	260.00
Hardness	132.90	72.90	106.60	111.00	142.00	103.00	132.00	128.00

Note:

ND(: Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

SW-6

Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	5.0	ND(3.0)	ND(5.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)
Trichlorofluoromethane	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.2)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.4)	ND(0.7)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total	ND(1.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.7)	ND(1.0)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.9)	ND(0.5)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.5)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.6)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.8)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	1.0 J	ND(0.6)	ND(0.4)	ND(0.4)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.6)	ND(0.3)	ND(0.3)
Dibromo-chloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.9)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether	ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(3.0)	ND(3.0)	ND(0.7)	ND(0.6)	ND(0.3)	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.5)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene			ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene			ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene			ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)

SW-6 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(1.0)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.7)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)	ND(0.35)
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-6 (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethylvinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.35)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND(): Compound not detected at method detection limit
 *1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-Dichloroethene

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit
 Bold indicates value above NYSDEC Class GA Standard
 B: The analyte was found in an associated blank, as well as in the sample

SW-6

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	ND(1,000)	ND(0.050)	ND(0.050)	ND(0.200)	ND(0.100)	ND(0.200)	ND(0.200)	0.220	ND(0.200)
Bicarbonate	35.60	45.50	39.60	55.40	41.00	41.00	33.00	47.00	
Chloride	144.00	94.70	42.20	38.90	38.60	98.10	23.00	77.00	29.00
Nitrate	ND(1,000)	1.07	0.31	ND(0.20)	0.49	1.05	ND(0.05)	ND(0.50)	ND(0.50)
Sulfate	14.60	16.90	14.80	14.50	18.70	18.60	15.40	9.20	13.00
Alkalinity	45.00	35.60	45.50	39.60	55.40	41.00	29.00	33.00	47.00
TDS	363.00	239.00	130.00	104.00	162.00	252.00	75.00	150.00	100.00
Hardness	40.00	71.02	65.30	65.8 E	76.10	65.70	44.00	49.00	57.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.400	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	39.00	44.00	37.00	13.00	34.00	44.00	42.00	48.00	42.00
Chloride	150.00	44.00	65.00	14.00	520.00	82.00	100.00	67.00	190.00
Nitrate	ND(0.50)	1.60	ND(0.50)	ND(0.50)	ND(0.50)	0.80	ND(0.50)	0.974	0.844
Sulfate	19.00	16.00	16.00	25.00	26.00	11.00	17.00	22.00	
Alkalinity	39.00	44.00	37.00	13.00	34.00	44.00	42.00	48.00	42.00
TDS	220.00	130.00	180.00	64.00	903.00	401.00	280.00	350.00	410.00
Hardness	85.00	34.00	50.00	33.00	76.00	63.00	59.00	61.00	80.00

SW-6 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Ammonia	ND(0.200)	0.219	0.500	0.098	0.320	0.070	0.150	0.19
Bicarbonate	45.00	58.00	55.00	57.30	67.00	55.90	59.30	48.20
Chloride	60.00	94.00	74.00	73.70	63.00	130.00	83.00	140.00
Nitrate	ND(0.50)	ND(0.50)	1.18	0.57	2.00	0.72	0.45	0.55
Sulfate	24.00	23.00	18.00	17.60	21.00	20.00	27.00	22.00
Alkalinity	45.00	58.00	55.00	57.30	67.00	55.90	59.30	48.20
TDS	190.00	13,000.00	230.00	218.00	180.00	290.00	240.00	320.00
Hardness	80.60	63.00	83.50	78.30	75.50	81.40	76.20	84.60

Note:

ND(: Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

SW-7

Historical Analysis of Volatile Organic Compounds
East Northport Landfill, East Northport, NY
Reported in Micrograms per Liter

Parameter	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Chloromethane	ND(10.0)	ND(2.0)	ND(2.0)	ND(10.0)	ND(4.6)	ND(2.3)	ND(1.1)	ND(1.1)	ND(1.1)
Bromomethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(3.8)	ND(1.8)	ND(0.6)	ND(0.6)	ND(0.6)
Vinyl Chloride	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(1.7)	ND(2.0)	ND(1.0)	ND(1.0)	ND(1.0)
Chloroethane	ND(10.0)	ND(1.0)	ND(1.0)	ND(10.0)	ND(1.8)	ND(1.6)	ND(0.7)	ND(0.7)	ND(0.7)
Methylene Chloride	ND(5.0)	4.0	ND(3.0)	ND(5.0)	ND(2.7)	ND(0.6)	ND(0.4)	ND(0.4)	ND(0.4)
Trichlorofluoromethane	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(1.5)	ND(0.4)	ND(0.4)	ND(0.4)
1,1-Dichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(1.2)	ND(0.4)	ND(0.4)	ND(0.4)
1,1-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.7)	ND(0.2)	ND(0.2)	ND(0.2)
*1,2-Dichloroethene, Total	ND(1.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.0)	ND(0.4)	ND(0.4)	ND(0.4)
Chloroform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(1.6)	ND(0.4)	ND(0.3)	ND(0.3)
1,2-Dichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
1,1,1-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Carbon Tetrachloride	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.4)	ND(0.3)	ND(0.3)
Bromodichloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.3)	ND(0.3)
1,2-Dichloropropane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.4)	ND(0.4)	ND(0.4)
cis-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Trichloroethene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.3)	ND(0.3)
Benzene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
Dibromochloromethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.3)	ND(0.3)	ND(0.3)
trans-1,3-Dichloropropene	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.2)	ND(0.2)	ND(0.2)
1,1,2-Trichloroethane	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
2-Chloroethylvinyl ether	ND(4.0)	ND(4.0)	ND(10.0)	ND(10.0)	ND(0.6)	ND(1.5)	ND(1.1)	ND(1.1)	ND(1.1)
Bromoform	ND(5.0)	ND(1.0)	ND(1.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.7)	ND(0.3)	ND(0.3)
1,1,2,2-Tetrachloroethane	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(1.0)	ND(0.3)	ND(0.3)
Tetrachloroethene	ND(5.0)	ND(3.0)	ND(3.0)	ND(3.0)	ND(0.7)	ND(0.6)	ND(0.3)	ND(0.3)	ND(0.3)
Toluene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.8)	ND(0.5)	ND(0.3)	ND(0.3)
Chlorobenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.6)	ND(0.5)	ND(0.2)	ND(0.2)
Ethylbenzene	ND(5.0)	ND(2.0)	ND(2.0)	ND(5.0)	ND(5.0)	ND(0.5)	ND(0.4)	ND(0.4)	ND(0.4)
1,2-Dichlorobenzene	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(1.5)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
1,3-Dichlorobenzene	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.7)	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.4)
1,4-Dichlorobenzene	ND(2.0)	ND(2.0)	ND(10.0)	ND(10.0)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)

SW-7 (continued)

Parameter	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Chloromethane	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.4)	ND(1.4)	ND(2.2)	ND(0.49)	ND(0.49)	ND(0.45)
Bromomethane	ND(0.6)	ND(0.6)	ND(0.6)	ND(1.7)	ND(1.7)	ND(2.9)	ND(0.61)	ND(0.61)	ND(1.30)
Vinyl Chloride	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.28)	ND(0.28)	ND(0.62)
Chloroethane	ND(0.7)	ND(0.7)	ND(0.7)	ND(1.8)	ND(1.8)	ND(2.0)	ND(0.62)	ND(0.62)	ND(1.10)
Methylene Chloride	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.40)	ND(1.40)	ND(0.98)
Trichlorofluoromethane	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.3)	ND(1.3)	ND(1.5)	ND(0.80)	ND(0.80)	ND(0.58)
1,1-Dichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(0.1)	ND(0.28)	ND(0.28)	ND(0.28)
1,1-Dichloroethane	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.29)	ND(0.29)	ND(0.33)
*1,2-Dichloroethene, Total	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.0)	ND(1.0)	ND(1.3)	ND(0.32)	ND(0.32)	ND(0.40)
Chloroform	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.5)	ND(0.30)	ND(0.30)	ND(0.18)
1,2-Dichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.2)	ND(0.19)	ND(0.19)	ND(0.28)
1,1,1-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(0.5)	ND(0.34)	ND(0.34)	ND(0.17)
Carbon Tetrachloride	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.5)	ND(0.1)	ND(0.18)	ND(0.18)	ND(0.34)
Bromodichloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.29)	ND(0.29)	ND(0.30)
1,2-Dichloropropane	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.8)	ND(0.2)	ND(0.32)	ND(0.32)	ND(0.27)
cis-1,3-Dichloropropene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.21)	ND(0.21)	ND(0.26)
Trichloroethene	ND(0.4)	ND(0.4)	ND(0.4)	ND(0.9)	ND(0.9)	ND(0.1)	ND(0.27)	ND(0.27)	ND(0.59)
Benzene	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.6)	ND(0.1)	ND(0.17)	ND(0.17)	ND(0.35)
Dibromochloromethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.2)	ND(0.30)	ND(0.30)	ND(0.22)
trans-1,3-Dichloropropene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.5)	ND(1.5)	ND(0.7)	ND(0.23)	ND(0.23)	ND(0.29)
1,1,2-Trichloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.0)	ND(0.28)	ND(0.28)	ND(0.24)
2-Chloroethylvinyl ether	ND(1.1)	ND(1.1)	ND(1.1)	ND(4.8)	ND(4.8)	ND(2.7)	ND(1.70)	ND(1.70)	ND(6.20)
Bromoform	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.5)	ND(1.5)	ND(1.3)	ND(0.25)	ND(0.25)	ND(0.22)
1,1,2,2-Tetrachloroethane	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.8)	ND(0.8)	ND(1.9)	ND(0.27)	ND(0.27)	ND(0.35)
Tetrachloroethene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(1.0)	ND(0.30)	ND(0.30)	ND(0.74)
Toluene	ND(0.3)	ND(0.3)	ND(0.3)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.23)	ND(0.23)	ND(0.38)
Chlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.0)	ND(1.0)	ND(0.5)	ND(0.24)	ND(0.24)	ND(0.47)
Ethylbenzene	ND(0.4)	ND(0.4)	ND(0.4)	ND(1.2)	ND(1.2)	ND(0.8)	ND(0.17)	ND(0.17)	ND(0.50)
1,2-Dichlorobenzene	ND(0.2)	ND(0.2)	ND(0.2)	ND(1.6)	ND(1.6)	ND(0.5)	ND(0.20)	ND(0.20)	ND(0.67)
1,3-Dichlorobenzene	ND(0.4)	ND(0.4)	ND(0.8)	ND(0.7)	ND(0.7)	ND(0.28)	ND(0.28)	ND(0.35)	
1,4-Dichlorobenzene	ND(0.3)	ND(0.3)	ND(1.4)	ND(1.4)	ND(1.4)	ND(0.8)	ND(0.30)	ND(0.30)	ND(0.79)

SW-7 (continued)

Parameter	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Chloromethane	ND(0.45)	ND(0.45)	ND(0.45)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromomethane	ND(1.30)	ND(1.30)	ND(1.30)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Vinyl Chloride	ND(0.62)	ND(0.62)	ND(0.62)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroethane	ND(1.10)	ND(1.10)	ND(1.10)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Methylene Chloride	ND(0.98)	ND(0.98)	ND(0.98)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichlorofluoromethane	ND(0.58)	ND(0.58)	ND(0.58)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethene	ND(0.33)	ND(0.33)	ND(0.33)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
*1,2-Dichloroethene, Total	ND(0.40)	ND(0.40)	ND(0.40)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chloroform	ND(0.18)	ND(0.18)	ND(0.18)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloroethane	ND(0.28)	ND(0.28)	ND(0.28)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,1-Trichloroethane	ND(0.17)	ND(0.17)	ND(0.17)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Carbon Tetrachloride	ND(0.34)	ND(0.34)	ND(0.34)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromodichloromethane	ND(0.30)	ND(0.30)	ND(0.30)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichloropropane	ND(0.27)	ND(0.27)	ND(0.27)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
cis-1,3-Dichloropropene	ND(0.26)	ND(0.26)	ND(0.26)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Trichloroethene	ND(0.59)	ND(0.59)	ND(0.59)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Benzene	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Dibromochloromethane	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
trans-1,3-Dichloropropene	ND(0.29)	ND(0.29)	ND(0.29)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2-Trichloroethane	ND(0.36)	ND(0.36)	ND(0.36)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
2-Chloroethyl/vinyl ether	ND(6.20)	ND(6.20)	ND(6.20)	ND(10.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Bromoform	ND(0.22)	ND(0.22)	ND(0.22)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,1,2,2-Tetrachloroethane	ND(0.35)	ND(0.35)	ND(0.35)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Tetrachloroethene	ND(0.74)	ND(0.74)	ND(0.74)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Toluene	ND(0.38)	ND(0.38)	ND(0.38)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Chlorobenzene	ND(0.47)	ND(0.47)	ND(0.47)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
Ethylbenzene	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,2-Dichlorobenzene	ND(0.67)	ND(0.67)	ND(0.67)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,3-Dichlorobenzene	ND(0.65)	ND(0.65)	ND(0.65)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)
1,4-Dichlorobenzene	ND(0.79)	ND(0.79)	ND(0.79)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)	ND(5.00)

Note:

ND(): Compound not detected at method detection limit
*1,2-Dichloroethene, Total: Sum of Trans and Cis 1,2-DichloroetheneJ: Indicates an estimated value; compound is present at a concentration less than specified detection limit
Bold indicates value above NYSDEC Class GA Standard
B: The analyte was found in an associated blank, as well as in the sample

SW-7

Historical Analysis of Metals and Leachate Indicators
East Northport Landfill, East Northport, NY
Reported in Milligrams per Liter

Leachate Indicators (mg/l)	6/96	4/97	9/97	4/98	9/98	4/99	9/99	4/00	9/00
Ammonia	ND(1.000)	ND(0.050)	0.070	ND(0.200)	ND(0.100)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)
Bicarbonate	48.40	66.00	50.60	61.80	48.00	48.00	45.00	45.00	55.00
Chloride	4,316.00	4,470.00	3,810.00	3,620.00	3,080.00	5,835.00	1,500.00	3,300.00	
Nitrate	5.00	0.62	0.32	0.44	0.30	0.67	ND(0.05)	ND(0.50)	ND(0.50)
Sulfate	705.00	808.00	248.00	530.00	447.00	416.00	953.00	28.00	270.00
Alkalinity	56.00	48.40	66.00	50.60	61.80	48.00	61.00	45.00	55.00
TDS	8,840.00	3,260.00	5,890.00	226.00	274.00	5,450.00	8,860.00	2,400.00	5,300.00
Hardness	341.00	1,435.54	1,848.00	1,200.0 E	1,050.00	934.00	92.00	510.00	1,200.00

Leachate Indicators (mg/l)	4/01	9/01	4/02	9/02	4/03	10/03	6/04	10/04	4/05
Ammonia	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	ND(0.200)	0.400	2,800	ND(0.200)	0.329
Bicarbonate	44.00	54.00	53.00	51.00	44.00	55.00	46.00	43.00	48.00
Chloride	1,800.00	2,600.00	2,500.00	3,600.00	1,100.00	3,900.00	1,500.00	1,300.00	2,400.00
Nitrate	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.80	ND(0.50)	ND(0.50)	1.15	0.654
Sulfate	240.00	370.00	270.00	310.00	180.00	750.00	440.00	190.00	380.00
Alkalinity	44.00	54.00	53.00	52.00	44.00	56.00	46.00	43.00	48.00
TDS	2,700.00	3,600.00	4,600.00	6,800.00	2,108.00	8,213.00	6,010.00	2,393.00	4,300.00
Hardness	530.00	140.00	730.00	1,200.00	320.00	668.00	209.00	390.00	667.00

SW-7 (continued)

Leachate Indicators (mg/l)	9/05	8/06	11/06	7/07	11/07	4/08	9/08	4/09
Ammonia	ND(0.200)	0.635	ND(0.200)	0.097	0.130	0.090	0.130	0.18
Bicarbonate	65.00	26.00	60.00	53.20	76.00	65.70	61.30	51.21
Chloride	2,600.00	2,500.00	1,400.00	1,460.00	4,500.00	3,000.00	2,300.00	2300.00
Nitrate	ND(0.50)	ND(0.50)	0.71	0.44	0.94	0.36	0.44	1.40
Sulfate	350.00	370.00	220.00	199.00	390.00	380.00	420.00	330.00
Alkalinity	35.00	26.00	60.00	53.20	76.00	65.70	61.30	51.21
TDS	2,600.00	5,100.00	2,800.00	2,800.00	7,100.00	4,900.00	5,400.00	4200.00
Hardness	778.10	691.90	608.10	478.00	1,470.00	806.00	996.00	789.00

Note:

ND(: Compound not detected at method detection limit

J: Indicates an estimated value; compound is present at a concentration less than specified detection limit

Bold indicates value above NYSDEC Class GA Standard

B: The analyte was found in an associated blank, as well as in the sample

E: Reported value is estimated because of the presence of interference

APPENDIX 1

"Sample Data Summary Package"



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



ENHANCED DELIVERABLES DATA PACKAGE

Client: R&C Formation, LTD

Project: EAST NORTHPORT GROUND WATER

Laboratory Project: GAR61461



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

ENHANCED DELIVERABLES DATA PACKAGE

Client: R&C Formation, LTD

Project: EAST NORTHPORT SURFACE WATER

Laboratory Project: GAR61452

Organic Data Flags

MDL:	Method Detection Limit The minimum reportable concentration that can be measured with 99% confidence, as defined in 40CFR part 136 (Appendix B).
PQL(RL):	Practical Quantitation Level or Reporting Level This value is at or above the MDL and is supported by the lowest calibration standard.

- Q Qualifiers:

- U - The compound was analyzed for but not detected at or above the MDL. The number immediately preceding the "U" represents the PQL reporting level corrected for percent solids, weight and/or volume calculations, and dilution factors.
- J - The value is estimated. This flag is used
 - a) on form 1 when the compound is reported above the MDL, but below the PQL, and
 - b) on the Tentatively Identified Compound (TIC) form for all compounds identified
- JL - The value is estimated. This flag is used on the form 1 when a compound is evaluated to the requested criteria. This value may be below the MDL.
- N - The concentration is based on the response of the nearest internal. This flag is used on the TIC form for all compounds identified.
- S - This compound is a solvent that is used in the laboratory. Laboratory contamination is suspected if concentration is less than five times the reporting level.
- B - This compound was also present in the method blank
- D - The reported concentration is the result of a diluted analysis.
- E - The reported value is estimated because the concentration exceeded the calibration range.
- A - Indicates that the tentatively identified compound is a suspected aldol condensation product.

Inorganic Data Flags

- C (Concentration) Qualifiers:
 - B - The reported value was obtained from a reading that was less than the Reporting Level (RL) but greater than or equal to the Instrument Detection Limit (IDL)
 - U - The analyte was analyzed for but not detected at or above the IDL
- Q Qualifiers:
 - E - The reported value is estimated because of the presence of interference. An explanatory note shall be included in the project narrative (if the problem applies to all samples) or on the specific FORM I-IN (if it is an isolated problem).
 - M - Duplicate injection precision not met.
 - N - Spiked sample recovery not within control limits.
 - S - The reported value was determined by the Method of Standard Additions (MSA).
 - W - Post-digestion spike for Furnace AA analysis is out of control limits (85-115%), while sample absorbance is less than 50% of spike absorbance.
 - * - Duplicate analysis not within control limits.
 - + - Correlation coefficient for the MSA is less than 0.995.
- M (Method) Qualifiers:
 - "P" - ICP
 - "A" - Flame AA
 - "F" - Furnace AA
 - "PM" - ICP when Microwave Digestion is used
 - "AM" - Flame AA when Microwave Digestion is used
 - "FM" - Furnace AA when Microwave Digestion is used
 - "CV" - Manual Cold Vapor AA
 - "AV" - Automated Cold Vapor AA
 - "CA" - Midi-Distillation Spectrophotometric
 - "AS" - Semi-Automated Spectrophotometric
 - "C" - Manual Spectrophotometric
 - "T" - Titrimetric
 - "G" - Gravimetric
 - "TC" - Total Organic Carbon Analyzer
 - "TX" - Total Organic Halide Analyzer
 - "TB" - Turbidimeter
 - "IC" - Ion Chromatograph
 - "CL" - Calculation
 - " " - where no data have been entered
 - "NR" - the analyte is not required to be analyzed



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



ENHANCED DELIVERABLES FORMAT

June 01, 2009

SDG I.D.: GAR61461

EAST NORTHPORT GROUND WATER R&C Formation, LTD

Conformance / Non-Conformance Summary

Volatile Organic Compounds:

- Form 2: All surrogate recoveries met method criteria.
- Form 3: Lab Control Sample/Lab Control Sample Duplicate (LCS/LCSD) and Matrix Spike/Matrix Spike Duplicate (MS/MSD): Criteria: 90% of compounds are within 70-130% for LCS/LCSD.
All QC associated with this sample set met method criteria. Compounds with recoveries and/or RPDs outside method control limits are flagged with an asterisk on form 3. 2-Chloroethyl vinyl ether was not included in the spiked compounds.
- Form 5: BFB Tunes met method criteria. All samples were analyzed within 12 hours from their injection.
- Form 6: The initial calibration met SW-846/8260 criteria for all system monitoring compounds (CCC and SPCC). The minimum RRF (0.05) was not achieved for Acrolein.
- Form 7: The continuing calibrations met SW-846/8260 criteria for all system monitoring compounds (CCC and SPCC). The minimum RRF (0.05) was not achieved for Acrolein.
- Form 8: All internal standard areas and retention times met criteria.

Observations:

The client requested the Priority Pollutant compound list for this sample set.

No other observations are noted.

Johanna Harrington
Project Manager

Date



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



ENHANCED DELIVERABLES FORMAT

June 01, 2009

SDG I.D.: GAR61461

EAST NORTHPORT GROUND WATER R&C Formation, LTD

Conformance / Non-Conformance Summary

Inorganic Package

Form 1 (Analytical Results Summary):

Form 2A&B (Calibration Standard Summary) met criteria.

Form 3 (Instrument and Preparation Blank Summary) There is an elevated level of iron in the calibration blanks for the dissolved iron analysis.

Form 4 (ICP Interference Check Sample) met criteria.

Form 5 (Spike Summary): Potassium failed high for the matrix spike. The post digest spike sample also failed high, pointing to a matrix effect issue with the sample.

Note that the laboratory performs a MS and MSD; only the MS is reported on Form 5.

Form 6 (Duplicate Summary): The duplicate for dissolved iron failed above criteria and is marked with a * on the appropriate forms.

Form 7 (Laboratory Control Sample) met criteria.

Note that the laboratory performs a LCS and LCSD; only the LCS is reported on Form 7.

Form 9 (ICP Serial Dilution) met criteria.

Form 13 (Preparation Log):

Other observations:

Jonathon Carlson Date
Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



ENHANCED DELIVERABLES FORMAT

May 12, 2009

SDG I.D.: GAR61452

EAST NORTHPORT SURFACE WATER

Conformance / Non-Conformance Summary

Volatile Organic Compounds:

- Form 2: All surrogate recoveries met method criteria.
- Form 3: Lab Control Sample/Lab Control Sample Duplicate (LCS/LCSD) and Matrix Spike/Matrix Spike Duplicate (MS/MSD): Criteria: 90% of compounds are within 70-130% for LCS/LCSD.
 - All QC associated with this sample set met method criteria. Compounds with recoveries and/or RPDs outside method control limits are flagged with an asterisk on form 3. 2-Chloroethyl vinyl ether was not included in the spiked compounds.
- Form 5: BFB Tunes met method criteria. All samples were analyzed within 12 hours from their injection.
- Form 6: The initial calibration met SW-846/8260 criteria for all system monitoring compounds (CCC and SPCC). The minimum RRF (0.05) was not achieved for Acrolein.
- Form 7: The continuing calibrations met SW-846/8260 criteria for all system monitoring compounds (CCC and SPCC). The minimum RRF (0.05) was not achieved for Acrolein.
- Form 8: All internal standard areas and retention times met criteria.

Observations:

The client requested the Priority Pollutant compound list for this sample set.

■ No other observations are noted.

Johanna Harrington
Johanna Harrington
Project Manager

5/12/2009
Date



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

ENHANCED DELIVERABLES FORMAT

May 06, 2009

SDG I.D.: GAR61452

EAST NORTHPORT SURFACE WATER

Conformance / Non-Conformance Summary


Inorganic Package (Soil)

- Form 1 (Analytical Results Summary):
Form 2A&B (Calibration Standard Summary) met criteria.
- Form 3 (Instrument and Preparation Blank Summary) met criteria
- Form 4 (ICP Interference Check Sample) met criteria.
- Form 5 (Spike Summary): met criteria
Note that the laboratory performs a MS and MSD; only the MS is reported on Form 5.
- Form 6 (Duplicate Summary) met criteria
- Form 7 (Laboratory Control Sample) met criteria.
Note that the laboratory performs a LCS and LCSD; only the LCS is reported on Form 7.
- Form 9 (ICP Serial Dilution) met criteria.

Form 13 (Preparation Log):

Form 14 (Analysis Rung Log):

Other observations:


Jonathon Carlson
Project Manager

5/6/09
Date

PHOENIX

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixdabs.com Fax (860) 845-0823

Client Services (860) 645-8726

Customer: Alt Formation Ltd
Address: 705 Bedford Ave Suite 20
Bethel, NY 11710

Project: East Ararat - Ground Water
Report to: Voss Co. Inc.
Invoice to: —

Client Sample - Information - Identification

Sampler's Signature John

Date: 4/18/04

Matrix Code:
DW=drinking water
GW=groundwater
WW=wastewater
SL=sludge

Sample Matrix:
S=soil
G=water
O=oil
X=other
A=aerobic

Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled
0014101	CW1-S	G-W	4/18/04	1239
0014102	CW1-M		—	1217
0014103	CW2-M		4/18/04	1358
0014104	CW4-S		4/18/04	1128
0014105	CW4-M		—	1107
0014106	EN1-M		4/17/04	14441
0014107	EN6-S		4/17/04	1253
0014108	EN6-M		—	1311
0014109	EN7-M (nyd)		4/17/04	1221
0014110	EN9-M		4/17/04	1126
0014111	EN10-M		4/18/04	1024
0014112	CW-Dsp		4/17/04	0000

Distinguised by:

Accepted by:

Date:

Time:

Turnaround:

NJ

- Res. Criteria
- Non-H-Res. Criteria
- Impact to GW Soil
- Cleanup Criteria
- Other

- TAGM 4046 GW
- TAGM 4046 SOIL
- NY375 Unrestricted Soil
- NY375 Residential Soil
- NY375 Restricted Non-Residential Soil

- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- Other

- Data Package
- NJ Reduced Deliv.
- NY Enhanced (ASP B)
- Other

- Data Format
- Phoenix Std Report
- Excel
- PDF
- GIS/Key
- EQuIS
- NJ Hazsite EDD
- NY EZ EDD (ASP)
- <

PHOENIX

Environmental Laboratories, Inc.

NY/NJ CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823

Client Services (860) 645-8726

Customer: Rtu Formation LTD
Address: 705 Belvoir Ave Site D
Billerica MA 11710

Project: East North Port-Surfen Water
Report to: Bob Cason
Invoice to: _____

Client Sample - Information - Identification

Sampler's Signature: John Date: 1/26/09

Analysis Request

*TCL

LCL

UCL

Matrix Code: DW=drinking water GW=groundwater SL=sludge	Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	Soil VOL (L) Methodology (L/S) Bisulfite (L/HCl)							
						PL AS 15 (1250ml)	PL AS 16 (1250ml)	PL AS 17 (1250ml)	PL AS 18 (1250ml)	PL AS 19 (1250ml)	PL AS 20 (1250ml)	PL AS 21 (1250ml)	PL AS 22 (1250ml)
101452	SL-1	SL	0940	0910)))))))))
101453	SL-2 (PL/HCl)	SL	0940	0940)))))))))
101454	SL-3	SL	1000	1000)))))))))
101455	SL-4	SL	0925	0925)))))))))
101456	SL-5	SL	1015	1015)))))))))
101457	SL-6	SL	1035	1035)))))))))
101458	SL-7	SL	0850	0850)))))))))
101459	SL-8	SL	0600	0600)))))))))
101460	TB-SW	TB-SW)))))))))

Relinquished by:	Accepted by:	Date:	Time:	Turnaround:	Data Format:
<u>John Cason</u>	<u>John Cason</u>	<u>1/28/09</u>	<u>1:20</u>	<input type="checkbox"/> Res. Criteria <input type="checkbox"/> Non-Res. Criteria <input type="checkbox"/> Impact to GW Soil Cleanup Criteria <input type="checkbox"/> Standard <input type="checkbox"/> Other	<input type="checkbox"/> TAGM 4046 GW <input type="checkbox"/> TAGM 4046 SOIL <input type="checkbox"/> NY375 Unrestricted Soil <input type="checkbox"/> NY375 Residential Soil <input type="checkbox"/> NY375 Restricted Non-Residential Soil
		<u>1/28/09</u>	<u>10:00</u>	<input type="checkbox"/> SURCHARGE APPLIES	<input type="checkbox"/> EQUS <input type="checkbox"/> NJ Hazsite EDD <input type="checkbox"/> NY EZ EDD (ASP) <input type="checkbox"/> Other
Comments, Special Requirements, or Regulations:					
<p>* Alkalinity / bicarbonate, Ammonia, Nitrate, Chloride TDS, Hardness, sulfate</p> <p>* One vial record labeled SW-7</p>					
State where samples were collected: <u>NY</u>					
Data Package: <input type="checkbox"/> NJ Reduced Deliv. <input checked="" type="checkbox"/> NY Enhanced (ASP B) * <input type="checkbox"/> Other					



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
 R&C Formation, Ltd
 705 Bedford Ave, Suite 2B
 Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
 Location Code: R&CFORM
 Rush Request:
 P.O.:#:

Custody Information

Collected by:
 Received by: SW
 Analyzed by: see "By" below

Date 04/28/09 Time 12:39

Date 04/28/09 Time 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61461

Laboratory Data

Client ID: EAST NORTHPORT GROUND WATER CW 1-S


Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	< 0.010	0.010	mg/L	04/29/09		LK	6010/200.7
Arsenic	0.046	0.004	mg/L	04/29/09		LK	6010/200.7
Calcium	13.8	0.010	mg/L	04/29/09		LK	200.7/6010
Cadmium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Chromium	0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Iron (Dissolved)	1.23	0.002	mg/L	05/05/09		EK	6010/200.7
Hardness (CaCO ₃)	85.5	0.10	mg/L	04/30/09		GL	200.7
Mercury	< 0.0002	0.0002	mg/L	04/29/09		RS	7470/E245.1
Potassium	57.9	N	0.1	04/29/09		LK	6010/200.7
Magnesium	12.4	0.01	mg/L	04/29/09		LK	200.7/6010
Sodium	68.8	1.0	mg/L	04/29/09		LK	6010/200.7
Lead	< 0.005	0.005	mg/L	06/01/09		GL	6010/200.7
Alkalinity (CaCO ₃)	451	20	mg/L	05/05/09		JC	SM 2320B
Bicarbonate Alk. (CaCO ₃)	451	20	mg/L	05/05/09		JC	SM 2320B
Chloride	47	3.0	mg/L	04/29/09		B/G	300.0
Ammonia as Nitrogen	56	2	mg/L	04/29/09		WM	350.1
Nitrate as Nitrogen	1.7	0.05	mg/L	04/29/09	5:53	B/G	300.0/9056
Sulfate	12	3.0	mg/L	04/29/09	5:53	B/G	300.0
Tot. Diss. Solids	380	10	mg/L	04/29/09		VR/KDB	SM2540C
Filtration	Completed			05/04/09		AG	0.45um Filter
Mercury Digestion	Completed			04/29/09		E	7471/245.1
Dissolved Metals Preparation	Completed			04/28/09		AG	SW846-3005
Total Metals Digestion	Completed			04/28/09		AG	
Volatiles							
1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,4-Dichlorobenzene	1.0	J	ug/L	05/01/09		H/J	E624/8260
2-Chloroethyl vinyl ether	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chlorobenzene	1.7	J	ug/L	05/01/09		H/J	E624/8260
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J	E624/8260
Methylene chloride	3.2	JS	ug/L	05/01/09		H/J	E624/8260
o-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Tetrachloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Toluene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichlorofluoromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Vinyl chloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	105		%	05/01/09		H/J	E624/8260
% Bromofluorobenzene	96		%	05/01/09		H/J	E624/8260
% Dibromofluoromethane	100		%	05/01/09		H/J	E624/8260
% Toluene-d8	99		%	05/01/09		H/J	E624/8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
R&C Formation, Ltd
705 Bedford Ave, Suite 2B
Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
Location Code: R&CFORM
Rush Request:
P.O.:#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date 04/28/09

Time 12:17

Date 04/28/09

Time 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61462

Laboratory Data

Client ID: EAST NORTHPORT GROUND WATER CW 1-M

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	< 0.010	0.010	mg/L	04/29/09		LK	6010/200.7
Arsenic	0.034	0.004	mg/L	04/29/09		LK	6010/200.7
Calcium	16.8	0.010	mg/L	04/29/09		LK	200.7/6010
Cadmium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Chromium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Iron (Dissolved)	0.170	0.002	mg/L	05/05/09		EK	6010/200.7
Hardness (CaCO ₃)	74.8	0.10	mg/L	04/30/09		GL	200.7
Mercury	< 0.0002	0.0002	mg/L	04/29/09		RS	7470/E245.1
Potassium	19.6	N	0.1	04/29/09		LK	6010/200.7
Magnesium	7.98	0.01	mg/L	04/29/09		LK	200.7/6010
Sodium	31.2	0.1	mg/L	04/29/09		LK	6010/200.7
Lead	< 0.005	0.005	mg/L	06/01/09		GL	6010/200.7
Alkalinity (CaCO ₃)	173	20	mg/L	05/05/09		JC	SM 2320B
Bicarbonate Alk. (CaCO ₃)	173	20	mg/L	05/05/09		JC	SM 2320B
Chloride	24	3.0	mg/L	04/29/09		B/G	300.0
Ammonia as Nitrogen	17	0.1	mg/L	04/29/09		WM	350.1
Nitrate as Nitrogen	0.15	0.05	mg/L	04/29/09	6:13	B/G	300.0/9056
Sulfate	31	3.0	mg/L	04/29/09	6:13	B/G	300.0
Tot. Diss. Solids	220	10	mg/L	04/29/09		VR/KDB	SM2540C
Filtration	Completed			05/04/09		AG	0.45um Filter
Mercury Digestion	Completed			04/29/09		E	7471/245.1
Dissolved Metals Preparation	Completed			04/28/09		AG	SW846-3005
Total Metals Digestion	Completed			04/28/09		AG	

Volatiles

1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09	H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09	H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09	H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09	H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09	H/J	E624/8260

Client ID: EAST NORTHPORT GROUND WATER CW 1-M

Phoenix I.D.: AR61462

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,4-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
2-Chloroethyl vinyl ether	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J	E624/8260
Methylene chloride	3.3	JS	5.0	ug/L	05/01/09	H/J	E624/8260
o-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Tetrachloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Toluene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichlorofluoromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Vinyl chloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	104		%	05/01/09		H/J	E624/8260
% Bromofluorobenzene	95		%	05/01/09		H/J	E624/8260
% Dibromofluoromethane	101		%	05/01/09		H/J	E624/8260
% Toluene-d8	98		%	05/01/09		H/J	E624/8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
R&C Formation, Ltd
705 Bedford Ave, Suite 2B
Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
Location Code: R&CFORM
Rush Request:
P.O.:#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date 04/27/09 Time 13:58

04/28/09 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61463

Laboratory Data

Client ID: EAST NORTHPORT GROUND WATER CW 2-M

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	< 0.010	0.010	mg/L	04/29/09		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	04/29/09		LK	6010/200.7
Calcium	13.7	0.010	mg/L	04/29/09		LK	200.7/6010
Cadmium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Chromium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Iron (Dissolved)	0.064	0.002	mg/L	05/05/09		EK	6010/200.7
Hardness (CaCO ₃)	54.3	0.10	mg/L	04/30/09		GL	200.7
Mercury	< 0.0002	0.0002	mg/L	04/29/09		RS	7470/E245.1
Potassium	6.3	N	0.1	04/29/09		LK	6010/200.7
Magnesium	4.89	0.01	mg/L	04/29/09		LK	200.7/6010
Sodium	23.7	0.1	mg/L	04/29/09		LK	6010/200.7
Lead	< 0.005	0.005	mg/L	06/01/09		GL	6010/200.7
Alkalinity (CaCO ₃)	33.2	20	mg/L	05/05/09		JC	SM 2320B
Bicarbonate Alk. (CaCO ₃)	33.2	20	mg/L	05/05/09		JC	SM 2320B
Chloride	36	3.0	mg/L	04/29/09		B/G	300.0
Ammonia as Nitrogen	0.07	0.02	mg/L	04/30/09		WM	350.1
Nitrate as Nitrogen	2.2	0.05	mg/L	04/29/09	6:24	B/G	300.0/9056
Sulfate	29	3.0	mg/L	04/29/09	6:24	B/G	300.0
Tot. Diss. Solids	150	10	mg/L	04/29/09		VR/KDB	SM2540C
Filtration	Completed			05/04/09		AG	0.45um Filter
Mercury Digestion	Completed			04/29/09		E	7471/245.1
Dissolved Metals Preparation	Completed			04/28/09		AG	SW846-3005
Total Metals Digestion	Completed			04/28/09		AG	

Volatiles

1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09	H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09	H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09	H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09	H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09	H/J	E624/8260

Client ID: EAST NORTHPORT GROUND WATER CW 2-M


Phoenix I.D.: AR61463

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,4-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
2-Chloroethyl vinyl ether	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J	E624/8260
Methylene chloride	3.3	JS	5.0	ug/L	05/01/09	H/J	E624/8260
o-Xylene	ND		5.0	ug/L	05/01/09	H/J	E624/8260
Tetrachloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Toluene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichlorofluoromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Vinyl chloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	103		%	05/01/09		H/J	E624/8260
% Bromofluorobenzene	95		%	05/01/09		H/J	E624/8260
% Dibromofluoromethane	102		%	05/01/09		H/J	E624/8260
% Toluene-d8	97		%	05/01/09		H/J	E624/8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
R&C Formation, Ltd
705 Bedford Ave, Suite 2B
Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
Location Code: R&CFORM
Rush Request:
P.O.:#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date 04/28/09 Time 11:28

04/28/09 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61464

Laboratory Data

Client ID: EAST NORTHPORT GROUND WATER CW 4-S

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	< 0.010	0.010	mg/L	04/29/09		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	04/29/09		LK	6010/200.7
Calcium	8.48	0.010	mg/L	04/29/09		LK	200.7/6010
Cadmium	0.0007	B	0.001	04/29/09		LK	6010/200.7
Chromium	0.0009	B	0.001	04/29/09		LK	6010/200.7
Iron (Dissolved)	0.006	*	0.002	05/05/09		EK	6010/200.7
Hardness (CaCO ₃)	28.5	0.10	mg/L	04/30/09		GL	200.7
Mercury	< 0.0002	0.0002	mg/L	04/29/09		RS	7470/E245.1
Potassium	4.9	N	0.1	04/29/09		LK	6010/200.7
Magnesium	1.78	0.01	mg/L	04/29/09		LK	200.7/6010
Sodium	4.0	0.1	mg/L	04/29/09		LK	6010/200.7
Lead	< 0.005	0.005	mg/L	06/01/09		GL	6010/200.7
Alkalinity (CaCO ₃)	31.0	20	mg/L	05/05/09		JC	SM 2320B
Bicarbonate Alk. (CaCO ₃)	31.0	20	mg/L	05/05/09		JC	SM 2320B
Chloride	8.1	3.0	mg/L	04/29/09		B/G	300.0
Ammonia as Nitrogen	0.12	0.02	mg/L	04/30/09		WM	350.1
Nitrate as Nitrogen	1.3	0.05	mg/L	04/29/09	6:34	B/G	300.0/9056
Sulfate	5.6	3.0	mg/L	04/29/09	6:34	B/G	300.0
Tot. Diss. Solids	39	10	mg/L	04/29/09		VR/KDB	SM2540C
Filtration	Completed			05/04/09		AG	0.45um Filter
Mercury Digestion	Completed			04/29/09		E	7471/245.1
Dissolved Metals Preparation	Completed			04/28/09		AG	SW846-3005
Total Metals Digestion	Completed			04/28/09		AG	
Volatiles							
1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260

Client ID: EAST NORTHPORT GROUND WATER CW 4-S

Phoenix I.D.: AR61464

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,4-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
2-Chloroethyl vinyl ether	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J	E624/8260
Methylene chloride	2.8	JS	5.0	ug/L	05/01/09	H/J	E624/8260
o-Xylene	ND		5.0	ug/L	05/01/09	H/J	E624/8260
Tetrachloroethene	ND		5.0	ug/L	05/01/09	H/J	E624/8260
Toluene	ND		5.0	ug/L	05/01/09	H/J	E624/8260
trans-1,2-Dichloroethene	ND		5.0	ug/L	05/01/09	H/J	E624/8260
trans-1,3-Dichloropropene	ND		5.0	ug/L	05/01/09	H/J	E624/8260
Trichloroethene	ND		5.0	ug/L	05/01/09	H/J	E624/8260
Trichlorofluoromethane	ND		5.0	ug/L	05/01/09	H/J	E624/8260
Vinyl chloride	ND		5.0	ug/L	05/01/09	H/J	E624/8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	106		%	05/01/09		H/J	E624/8260
% Bromofluorobenzene	94		%	05/01/09		H/J	E624/8260
% Dibromofluoromethane	101		%	05/01/09		H/J	E624/8260
% Toluene-d8	98		%	05/01/09		H/J	E624/8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller
Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
R&C Formation, Ltd
705 Bedford Ave, Suite 2B
Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
Location Code: R&CFORM
Rush Request:
P.O.:#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date 04/28/09 Time 11:07

04/28/09 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61465

Laboratory Data

Client ID: EAST NORTHPORT GROUND WATER CW 4-M

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	< 0.010	0.010	mg/L	04/29/09		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	04/29/09		LK	6010/200.7
Calcium	24.8	0.010	mg/L	04/29/09		LK	200.7/6010
Cadmium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Chromium	0.0008	B	0.001	mg/L	04/29/09		6010/200.7
Iron (Dissolved)	< 0.002	*	0.002	mg/L	05/05/09	EK	6010/200.7
Hardness (CaCO ₃)	100		0.10	mg/L	04/30/09	GL	200.7
Mercury	< 0.0002		0.0002	mg/L	04/29/09	RS	7470/E245.1
Potassium	1.6	N	0.1	mg/L	04/29/09	LK	6010/200.7
Magnesium	9.31		0.01	mg/L	04/29/09	LK	200.7/6010
Sodium	13.5		0.1	mg/L	04/29/09	LK	6010/200.7
Lead	< 0.005		0.005	mg/L	06/01/09	GL	6010/200.7
Alkalinity (CaCO ₃)	38.0		20	mg/L	05/05/09	JC	SM 2320B
Bicarbonate Alk. (CaCO ₃)	38.0		20	mg/L	05/05/09	JC	SM 2320B
Chloride	22		3.0	mg/L	04/29/09	B/G	300.0
Ammonia as Nitrogen	0.07		0.02	mg/L	04/30/09	WM	350.1
Nitrate as Nitrogen	7.7		0.10	mg/L	04/29/09	21:14	B/E/G 300.0/9056
Sulfate	38		3.0	mg/L	04/29/09	6:44	B/G 300.0
Tot. Diss. Solids	170		10	mg/L	04/29/09	VR/KDB	SM2540C
Filtration	Completed				05/04/09	AG	0.45um Filter
Mercury Digestion	Completed				04/29/09	E	7471/245.1
Dissolved Metals Preparation	Completed				04/28/09	AG	SW846-3005
Total Metals Digestion	Completed				04/28/09	AG	

Volatiles

1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09	H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09	H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09	H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09	H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09	H/J	E624/8260

Client ID: EAST NORTHPORT GROUND WATER CW 4-M

Phoenix I.D.: AR61465

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,4-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
2-Chloroethyl vinyl ether	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J	E624/8260
Methylene chloride	3.0	JS	5.0	ug/L	05/01/09	H/J	E624/8260
o-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Tetrachloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Toluene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichlorofluoromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Vinyl chloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	104		%	05/01/09		H/J	E624/8260
% Bromofluorobenzene	96		%	05/01/09		H/J	E624/8260
% Dibromofluoromethane	102		%	05/01/09		H/J	E624/8260
% Toluene-d8	97		%	05/01/09		H/J	E624/8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
 R&C Formation, Ltd
 705 Bedford Ave, Suite 2B
 Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
 Location Code: R&CFORM
 Rush Request:
 P.O.:#:

Custody Information

Collected by:
 Received by: SW
 Analyzed by: see "By" below

Date

Time

04/27/09 14:47
 04/28/09 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61466

Laboratory Data

Client ID: EAST NORTHPORT GROUND WATER EW1-M

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	< 0.010	0.010	mg/L	04/29/09		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	04/29/09		LK	6010/200.7
Calcium	23.0	0.010	mg/L	04/29/09		LK	200.7/6010
Cadmium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Chromium	0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Iron (Dissolved)	0.006	0.002	mg/L	05/05/09		EK	6010/200.7
Hardness (CaCO ₃)	91.8	0.10	mg/L	04/30/09		GL	200.7
Mercury	< 0.0002	0.0002	mg/L	04/29/09		RS	7470/E245.1
Potassium	1.6	N	0.1	04/29/09		LK	6010/200.7
Magnesium	8.34	0.01	mg/L	04/29/09		LK	200.7/6010
Sodium	19.2	0.1	mg/L	04/29/09		LK	6010/200.7
Lead	< 0.005	0.005	mg/L	06/01/09		GL	6010/200.7
Alkalinity (CaCO ₃)	31.1	20	mg/L	05/05/09		JC	SM 2320B
Bicarbonate Alk. (CaCO ₃)	31.1	20	mg/L	05/05/09		JC	SM 2320B
Chloride	26	3.0	mg/L	04/29/09		B/G	300.0
Ammonia as Nitrogen	0.06	0.02	mg/L	04/30/09		WM	350.1
Nitrate as Nitrogen	9.9	0.25	mg/L	04/29/09	21:23	B/E/G	300.0/9056
Sulfate	37	3.0	mg/L	04/29/09	6:54	B/G	300.0
Tot. Diss. Solids	180	10	mg/L	04/29/09		VR/KDB	SM2540C
Filtration	Completed			05/04/09		AG	0.45um Filter
Mercury Digestion	Completed			04/29/09		E	7471/245.1
Dissolved Metals Preparation	Completed			04/28/09		AG	SW846-3005
Total Metals Digestion	Completed			04/28/09		AG	
Volatiles							
1,1,1-Trichloroethane	1.6	J	ug/L	05/01/09		H/J	E624/8260
1,1,2,2-tetrachloroethane	ND		ug/L	05/01/09		H/J	E624/8260
1,1,2-Trichloroethane	ND		ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethane	1.5	J	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethene	0.81	J	ug/L	05/01/09		H/J	E624/8260

Client ID: EAST NORTHPORT GROUND WATER EW1-M

Phoenix I.D.: AR61466

Parameter	Result	RL	Units	Date	Time	By	Reference	
1,2-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
1,4-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
2-Chloroethyl vinyl ether	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260	
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Chlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Chloroform	0.87	J	5.0	ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
cis-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J	E624/8260	
Methylene chloride	3.0	JS	5.0	ug/L	05/01/09		H/J	E624/8260
o-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Tetrachloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Toluene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
trans-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
trans-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Trichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Trichlorofluoromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Vinyl chloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
<u>QA/QC Surrogates</u>								
% 1,2-dichlorobenzene-d4	104		%	05/01/09		H/J	E624/8260	
% Bromofluorobenzene	95		%	05/01/09		H/J	E624/8260	
% Dibromofluoromethane	102		%	05/01/09		H/J	E624/8260	
% Toluene-d8	97		%	05/01/09		H/J	E624/8260	

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
 R&C Formation, Ltd
 705 Bedford Ave, Suite 2B
 Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
 Location Code: R&CFORM
 Rush Request:
 P.O.:#:

Custody Information

Collected by:
 Received by: SW
 Analyzed by: see "By" below

Date 04/27/09 Time 12:53

Date 04/28/09 Time 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61467

Laboratory Data

Client ID: EAST NORTHPORT GROUND WATER EN6-S

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	< 0.010	0.010	mg/L	04/29/09		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	04/29/09		LK	6010/200.7
Calcium	14.8	0.010	mg/L	04/29/09		LK	200.7/6010
Cadmium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Chromium	0.001	B	0.001	mg/L	04/29/09	LK	6010/200.7
Iron (Dissolved)	0.022	*	0.002	mg/L	05/05/09	EK	6010/200.7
Hardness (CaCO ₃)	64.3	0.10	mg/L	04/30/09		GL	200.7
Mercury	< 0.0002	0.0002	mg/L	04/29/09		RS	7470/E245.1
Potassium	2.3	N	0.1	mg/L	04/29/09	LK	6010/200.7
Magnesium	6.63	0.01	mg/L	04/29/09		LK	200.7/6010
Sodium	31.0	0.1	mg/L	04/29/09		LK	6010/200.7
Lead	< 0.005	0.005	mg/L	06/01/09		GL	6010/200.7
Alkalinity (CaCO ₃)	< 20	20	mg/L	05/05/09		JC	SM 2320B
Bicarbonate Alk. (CaCO ₃)	< 20	20	mg/L	05/05/09		JC	SM 2320B
Chloride	52	3.0	mg/L	04/29/09		B/G	300.0
Ammonia as Nitrogen	0.1	0.02	mg/L	04/30/09		WM	350.1
Nitrate as Nitrogen	7.2	0.10	mg/L	04/29/09	21:32	B/E/G	300.0/9056
Sulfate	27	3.0	mg/L	04/29/09	7:04	B/G	300.0
Tot. Diss. Solids	170	10	mg/L	04/29/09		VR/KDB	SM2540C
Filtration	Completed			05/04/09		AG	0.45um Filter
Mercury Digestion	Completed			04/29/09		E	7471/245.1
Dissolved Metals Preparation	Completed			04/28/09		AG	SW846-3005
Total Metals Digestion	Completed			04/28/09		AG	
Volatiles							
1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260

Client ID: EAST NORTHPORT GROUND WATER EN6-S

Phoenix I.D.: AR61467

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,4-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
2-Chloroethyl vinyl ether	93	5.0	ug/L	05/01/09		H/J	E624/8260
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J	E624/8260
Methylene chloride	3.0	JS	5.0	ug/L	05/01/09	H/J	E624/8260
o-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Tetrachloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Toluene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichlorofluoromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Vinyl chloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	104		%	05/01/09		H/J	E624/8260
% Bromofluorobenzene	94		%	05/01/09		H/J	E624/8260
% Dibromofluoromethane	103		%	05/01/09		H/J	E624/8260
% Toluene-d8	98		%	05/01/09		H/J	E624/8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

June 01, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



NY # 11301

Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
R&C Formation, Ltd
705 Bedford Ave, Suite 2B
Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
Location Code: R&CFORM
Rush Request:
P.O.:#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/28/09 13:11
04/28/09 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61468

Laboratory Data

Client ID: EAST NORTHPORT GROUND WATER EN6-M

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	< 0.010	0.010	mg/L	04/29/09		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	04/29/09		LK	6010/200.7
Calcium	34.6	0.010	mg/L	04/29/09		LK	200.7/6010
Cadmium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Chromium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Iron (Dissolved)	0.054	0.002	mg/L	05/05/09		EK	6010/200.7
Hardness (CaCO ₃)	125	0.10	mg/L	04/30/09		GL	200.7
Mercury	< 0.0002	0.0002	mg/L	04/29/09		RS	7470/E245.1
Potassium	2.9	N	0.1	04/29/09		LK	6010/200.7
Magnesium	9.33	0.01	mg/L	04/29/09		LK	200.7/6010
Sodium	29.7	0.1	mg/L	04/29/09		LK	6010/200.7
Lead	< 0.005	0.005	mg/L	06/01/09		GL	6010/200.7
Alkalinity (CaCO ₃)	72.2	20	mg/L	05/05/09		JC	SM 2320B
Bicarbonate Alk. (CaCO ₃)	72.2	20	mg/L	05/05/09		JC	SM 2320B
Chloride	45	3.0	mg/L	04/29/09		B/G	300.0
Ammonia as Nitrogen	0.11	0.02	mg/L	04/30/09		WM	350.1
Nitrate as Nitrogen	8.6	0.25	mg/L	04/29/09	21:41	B/E/G	300.0/9056
Sulfate	31	3.0	mg/L	04/29/09	7:14	B/G	300.0
Tot. Diss. Solids	230	10	mg/L	04/29/09		VR/KDB	SM2540C
Filtration	Completed			05/04/09		AG	0.45um Filter
Mercury Digestion	Completed			04/29/09		E	7471/245.1
Dissolved Metals Preparation	Completed			04/28/09		AG	SW846-3005
Total Metals Digestion	Completed			04/28/09		AG	
Volatiles							
1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260

Client ID: EAST NORTHPORT GROUND WATER EN6-M

Phoenix I.D.: AR61468

Parameter	Result	RL	Units	Date	Time	By	Reference	
1,2-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
1,4-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
2-Chloroethyl vinyl ether	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260	
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Chlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Chloroform	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
cis-1,2-Dichloroethene	1.2	J	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J	E624/8260	
Methylene chloride	2.8	JS	5.0	ug/L	05/01/09		H/J	E624/8260
o-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Tetrachloroethene	1.0	J	5.0	ug/L	05/01/09		H/J	E624/8260
Toluene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
trans-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
trans-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Trichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Trichlorofluoromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
Vinyl chloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260	
<u>QA/QC Surrogates</u>								
% 1,2-dichlorobenzene-d4	104		%	05/01/09		H/J	E624/8260	
% Bromofluorobenzene	94		%	05/01/09		H/J	E624/8260	
% Dibromofluoromethane	99		%	05/01/09		H/J	E624/8260	
% Toluene-d8	98		%	05/01/09		H/J	E624/8260	

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
R&C Formation, Ltd
705 Bedford Ave, Suite 2B
Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
Location Code: R&CFORM
Rush Request:
P.O.:#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

Time

04/27/09 12:21
04/28/09 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61469

Laboratory Data

Client ID: EAST NORTHPORT GROUND WATER EN7-M MSD

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	< 0.10	0.10	mg/L	04/29/09		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	04/29/09		LK	6010/200.7
Calcium	122	0.010	mg/L	04/29/09		LK	200.7/6010
Cadmium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Chromium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Iron (Dissolved)	0.046	0.002	mg/L	05/05/09		EK	6010/200.7
Hardness (CaCO ₃)	507	0.10	mg/L	04/30/09		GL	200.7
Mercury	< 0.0002	0.0002	mg/L	04/29/09		RS	7470/E245.1
Potassium	5.6	N	0.1	04/29/09		LK	6010/200.7
Magnesium	49.1	0.01	mg/L	04/29/09		LK	200.7/6010
Sodium	212	1.0	mg/L	04/29/09		LK	6010/200.7
Lead	< 0.005	0.005	mg/L	06/01/09		GL	6010/200.7
QC for Mercury	Completed			04/29/09			
QC for ICP	Completed			04/30/09			
Alkalinity (CaCO ₃)	514	20	mg/L	05/05/09		JC	SM 2320B
Bicarbonate Alk. (CaCO ₃)	514	20	mg/L	05/05/09		JC	SM 2320B
Chloride	240	15	mg/L	04/29/09		B/E/G	300.0
Ammonia as Nitrogen	0.18	0.02	mg/L	04/30/09		WM	350.1
Nitrate as Nitrogen	0.05	0.05	mg/L	04/29/09	8:45	B/G	300.0/9056
QC For Anions	Completed			04/29/09			
Sulfate	120	6.0	mg/L	04/29/09	21:59	B/E/G	300.0
Tot. Diss. Solids	1100	10	mg/L	04/30/09		C/K/V	SM2540C
Filtration	Completed			05/04/09		AG	0.45um Filter
Mercury Digestion MS/MSD	Completed			04/29/09			SW7471
Mercury Digestion	Completed			04/29/09		E	7471/245.1
Dissolved Metals Preparation	Completed			04/28/09		AG	SW846-3005
Total Metals Digest MS/MSD	Completed			04/29/09			
Total Metals Digestion	Completed			04/28/09		AG	
QC for Volatile	Completed			05/01/09		JH	
MS/MSD Volatiles	Completed			05/01/09		JH	

Client ID: EAST NORTHPORT GROUND WATER EN7-M MSD

Phoenix I.D.: AR61469

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichlorobenzene	0.75	J	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,4-Dichlorobenzene	2.6	J	ug/L	05/01/09		H/J	E624/8260
2-Chloroethyl vinyl ether	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chlorobenzene	1.3	J	ug/L	05/01/09		H/J	E624/8260
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,2-Dichloroethene	5.2	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J	E624/8260
Methylene chloride	2.8	JS	5.0	ug/L	05/01/09	H/J	E624/8260
o-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Tetrachloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Toluene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichloroethene	5.0	5.0	ug/L	05/01/09		H/J	E624/8260
Trichlorofluoromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Vinyl chloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	102		%	05/01/09		H/J	E624/8260
% Bromofluorobenzene	93		%	05/01/09		H/J	E624/8260
% Dibromofluoromethane	102		%	05/01/09		H/J	E624/8260
% Toluene-d8	97		%	05/01/09		H/J	E624/8260

Client ID: EAST NORTHPORT GROUND WATER EN7-M MSD

Phoenix I.D.: AR61469

Parameter

Result

RL

Units

Date

Time

By

Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level


Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
 R&C Formation, Ltd
 705 Bedford Ave, Suite 2B
 Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
 Location Code: R&CFORM
 Rush Request:
 P.O.:#:

Custody Information

Collected by:
 Received by: SW
 Analyzed by: see "By" below

Date 04/27/09 Time 11:20

Date 04/28/09 Time 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61470

Laboratory Data

Client ID: EAST NORTHPORT GROUND WATER EN9-M

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	< 0.010	0.010	mg/L	04/29/09		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	04/29/09		LK	6010/200.7
Calcium	26.6	0.010	mg/L	04/29/09		LK	200.7/6010
Cadmium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Chromium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Iron (Dissolved)	0.003	0.002	mg/L	05/05/09		EK	6010/200.7
Hardness (CaCO ₃)	113	0.10	mg/L	04/30/09		GL	200.7
Mercury	< 0.0002	0.0002	mg/L	04/29/09		RS	7470/E245.1
Potassium	2.5	N	0.1	04/29/09		LK	6010/200.7
Magnesium	11.3	0.01	mg/L	04/29/09		LK	200.7/6010
Sodium	55.7	0.1	mg/L	04/29/09		LK	6010/200.7
Lead	< 0.005	0.005	mg/L	06/01/09		GL	6010/200.7
Alkalinity (CaCO ₃)	33.6	20	mg/L	05/05/09		JC	SM 2320B
Bicarbonate Alk. (CaCO ₃)	33.6	20	mg/L	05/05/09		JC	SM 2320B
Chloride	130	6.0	mg/L	04/29/09		B/E/G	300.0
Ammonia as Nitrogen	0.06	0.02	mg/L	04/30/09		WM	350.1
Nitrate as Nitrogen	0.71	0.05	mg/L	04/29/09	7:24	B/G	300.0/9056
Sulfate	17	3.0	mg/L	04/29/09	7:24	B/G	300.0
Tot. Diss. Solids	300	10	mg/L	04/29/09		VR/KDB	SM2540C
Filtration	Completed			05/04/09		AG	0.45um Filter
Mercury Digestion	Completed			04/29/09		E	7471/245.1
Dissolved Metals Preparation	Completed			04/28/09		AG	SW846-3005
Total Metals Digestion	Completed			04/28/09		AG	
Volatiles							
1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260

Client ID: EAST NORTHPORT GROUND WATER EN9-M

Phoenix I.D.: AR61470

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,4-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
2-Chloroethyl vinyl ether	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J	E624/8260
Methylene chloride	2.7	JS	5.0	ug/L	05/01/09	H/J	E624/8260
o-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Tetrachloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Toluene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichlorofluoromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Vinyl chloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	104		%	05/01/09		H/J	E624/8260
% Bromofluorobenzene	98		%	05/01/09		H/J	E624/8260
% Dibromofluoromethane	105		%	05/01/09		H/J	E624/8260
% Toluene-d8	98		%	05/01/09		H/J	E624/8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller
Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
R&C Formation, Ltd
705 Bedford Ave, Suite 2B
Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
Location Code: R&CFORM
Rush Request:
P.O.:#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date 04/28/09 Time 10:24

Date 04/28/09 Time 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61471

Laboratory Data

Client ID: EAST NORTHPOR GROUND WATER EN10-M

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	0.048	0.010	mg/L	04/29/09		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	04/29/09		LK	6010/200.7
Calcium	1.23	0.010	mg/L	04/29/09		LK	200.7/6010
Cadmium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Chromium	0.009	0.001	mg/L	04/29/09		LK	6010/200.7
Iron (Dissolved)	0.279	0.002	mg/L	05/05/09		EK	6010/200.7
Hardness (CaCO ₃)	4.8	0.10	mg/L	04/30/09		GL	200.7
Mercury	< 0.0002	0.0002	mg/L	04/29/09		RS	7470/E245.1
Potassium	1.0	N	0.1	04/29/09		LK	6010/200.7
Magnesium	0.42	0.01	mg/L	04/29/09		LK	200.7/6010
Sodium	1.4	0.1	mg/L	04/29/09		LK	6010/200.7
Lead	0.007	0.005	mg/L	06/01/09		GL	6010/200.7
Alkalinity (CaCO ₃)	< 20	20	mg/L	05/05/09		JC	SM 2320B
Bicarbonate Alk. (CaCO ₃)	< 20	20	mg/L	05/05/09		JC	SM 2320B
Chloride	< 3.0	3.0	mg/L	04/29/09		B/G	300.0
Ammonia as Nitrogen	0.15	0.02	mg/L	04/30/09		WM	350.1
Nitrate as Nitrogen	0.57	0.05	mg/L	04/29/09	7:34	B/G	300.0/9056
Sulfate	< 3.0	3.0	mg/L	04/29/09	7:34	B/G	300.0
Tot. Diss. Solids	16	10	mg/L	04/29/09		VR/KDB	SM2540C
Filtration	Completed			05/04/09		AG	0.45um Filter
Mercury Digestion	Completed			04/29/09		E	7471/245.1
Dissolved Metals Preparation	Completed			04/28/09		AG	SW846-3005
Total Metals Digestion	Completed			04/28/09		AG	
Volatiles							
1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260

Client ID: EAST NORTHPORT GROUND WATER EN10-M


Phoenix I.D.: AR61471

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,4-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
2-Chloroethyl vinyl ether	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J.	E624/8260
Methylene chloride	2.6	JS	5.0	ug/L	05/01/09	H/J	E624/8260
o-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Tetrachloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Toluene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichlorofluoromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Vinyl chloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	05/01/09		H/J	E624/8260
% Bromofluorobenzene	95		%	05/01/09		H/J	E624/8260
% Dibromofluoromethane	104		%	05/01/09		H/J	E624/8260
% Toluene-d8	97		%	05/01/09		H/J	E624/8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

June 01, 2009



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
 R&C Formation, Ltd
 705 Bedford Ave, Suite 2B
 Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
 Location Code: R&CFORM
 Rush Request:
 P.O.:#:

Custody Information

Collected by:
 Received by: SW
 Analyzed by: see "By" below

Date 04/27/09 Time 0:00

04/28/09 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61472

Laboratory Data

Client ID: EAST NORTHPOR T GROUND WATER GW-DUP

Parameter	Result	RL	Units	Date	Time	By	Reference
Aluminum	< 0.10	0.10	mg/L	04/29/09		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	04/29/09		LK	6010/200.7
Calcium	121	0.010	mg/L	04/29/09		LK	200.7/6010
Cadmium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Chromium	< 0.001	0.001	mg/L	04/29/09		LK	6010/200.7
Iron (Dissolved)	0.022	0.002	mg/L	05/05/09		EK	6010/200.7
Hardness (CaCO ₃)	504	0.10	mg/L	04/30/09		GL	200.7
Mercury	< 0.0002	0.0002	mg/L	04/29/09		RS	7470/E245.1
Potassium	5.6	N	0.1	mg/L	04/29/09	LK	6010/200.7
Magnesium	48.9	0.01	mg/L	04/29/09		LK	200.7/6010
Sodium	205	1.0	mg/L	04/29/09		LK	6010/200.7
Lead	< 0.005	0.005	mg/L	06/01/09		GL	6010/200.7
Alkalinity (CaCO ₃)	523	20	mg/L	05/05/09		JC	SM 2320B
Bicarbonate Alk. (CaCO ₃)	523	20	mg/L	05/05/09		JC	SM 2320B
Chloride	240	15	mg/L	04/29/09		B/E/G	300.0
Ammonia as Nitrogen	0.22	0.02	mg/L	04/30/09		WM	350.1
Nitrate as Nitrogen	0.08	0.05	mg/L	04/29/09	7:44	B/G	300.0/9056
Sulfate	120	6.0	mg/L	04/29/09	22:26	B/E/G	300.0
Tot. Diss. Solids	1100	10	mg/L	04/29/09		VR/KDB	SM2540C
Filtration	Completed			05/04/09		AG	0.45um Filter
Mercury Digestion	Completed			04/29/09		E	7471/245.1
Dissolved Metals Preparation	Completed			04/28/09		AG	SW846-3005
Total Metals Digestion	Completed			04/28/09		AG	
Volatiles							
1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260

Client ID: EAST NORTHPORT GROUND WATER GW-DUP


Phoenix I.D.: AR61472

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2-Dichlorobenzene	0.69	J	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloroethane	ND		ug/L	05/01/09		H/J	E624/8260
1,2-Dichloropropane	ND		ug/L	05/01/09		H/J	E624/8260
1,3-Dichlorobenzene	ND		ug/L	05/01/09		H/J	E624/8260
1,4-Dichlorobenzene	2.3	J	ug/L	05/01/09		H/J	E624/8260
2-Chloroethyl vinyl ether	ND		ug/L	05/01/09		H/J	E624/8260
Acrolein	ND		ug/L	05/01/09		H/J	E624/8260
Benzene	ND		ug/L	05/01/09		H/J	E624/8260
Bromodichloromethane	ND		ug/L	05/01/09		H/J	E624/8260
Bromoform	ND		ug/L	05/01/09		H/J	E624/8260
Bromomethane	ND		ug/L	05/01/09		H/J	E624/8260
Carbon tetrachloride	ND		ug/L	05/01/09		H/J	E624/8260
Chlorobenzene	1.3	J	ug/L	05/01/09		H/J	E624/8260
Chloroethane	ND		ug/L	05/01/09		H/J	E624/8260
Chloroform	ND		ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND		ug/L	05/01/09		H/J	E624/8260
cis-1,2-Dichloroethene	4.7	J	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND		ug/L	05/01/09		H/J	E624/8260
Dibromochloromethane	ND		ug/L	05/01/09		H/J	E624/8260
Ethylbenzene	ND		ug/L	05/01/09		H/J	E624/8260
m&p-Xylene	ND		ug/L	05/01/09		H/J	E624/8260
Methyl t-butyl ether (MTBE)	ND		10	ug/L	05/01/09	H/J	E624/8260
Methylene chloride	2.6	JS	ug/L	05/01/09		H/J	E624/8260
o-Xylene	ND		ug/L	05/01/09		H/J	E624/8260
Tetrachloroethene	ND		ug/L	05/01/09		H/J	E624/8260
Toluene	ND		ug/L	05/01/09		H/J	E624/8260
trans-1,2-Dichloroethene	ND		ug/L	05/01/09		H/J	E624/8260
trans-1,3-Dichloropropene	ND		ug/L	05/01/09		H/J	E624/8260
Trichloroethene	4.8	J	ug/L	05/01/09		H/J	E624/8260
Trichlorofluoromethane	ND		ug/L	05/01/09		H/J	E624/8260
Vinyl chloride	ND		ug/L	05/01/09		H/J	E624/8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	105		%	05/01/09		H/J	E624/8260
% Bromofluorobenzene	94		%	05/01/09		H/J	E624/8260
% Dibromofluoromethane	104		%	05/01/09		H/J	E624/8260
% Toluene-d8	98		%	05/01/09		H/J	E624/8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
R&C Formation, Ltd
705 Bedford Ave, Suite 2B
Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
Location Code: R&CFORM
Rush Request:
P.O.:#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date 04/28/09

Time 12:00

Date 04/28/09

Time 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61473

Laboratory Data

Client ID: EAST NORTHPOR GROUND WATER FB 4-28

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,4-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
2-Chloroethyl vinyl ether	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J	E624/8260
Methylene chloride	3.1	JS	5.0	ug/L	05/01/09		H/J E624/8260

Client ID: EAST NORTHPORT GROUND WATER FB 4-28


Phoenix I.D.: AR61473

Parameter	Result	RL	Units	Date	Time	By	Reference
o-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Tetrachloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Toluene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichlorofluoromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Vinyl chloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	108		%	05/01/09		H/J	E624/8260
% Bromofluorobenzene	95		%	05/01/09		H/J	E624/8260
% Dibromofluoromethane	101		%	05/01/09		H/J	E624/8260
% Toluene-d8	98		%	05/01/09		H/J	E624/8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 01, 2009

FOR: Attn: Mr. Bob Casson
R&C Formation, Ltd
705 Bedford Ave, Suite 2B
Bellmore, NY 11710

Sample Information

Matrix: GROUND WATER
Location Code: R&CFORM
Rush Request:
P.O.:#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date 04/27/09 Time 0:00

04/28/09 16:00

SDG I.D.: GAR61461

Phoenix I.D.: AR61474

Laboratory Data

Client ID: EAST NORTHPOR GROUND WATER TB-GW

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2,2-tetrachloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1,2-Trichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,1-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,2-Dichloropropane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,3-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
1,4-Dichlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
2-Chloroethyl vinyl ether	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Acrolein	ND	25	ug/L	05/01/09		H/J	E624/8260
Benzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromodichloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromoform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Bromomethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Carbon tetrachloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chlorobenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloroform	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Chloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Dibromochloromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Ethylbenzene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
m&p-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/01/09		H/J	E624/8260
Methylene chloride	3.0	JS	5.0	ug/L	05/01/09		H/J E624/8260

Client ID: EAST NORTHPOR GROUND WATER TB-GW


Phoenix I.D.: AR61474

Parameter	Result	RL	Units	Date	Time	By	Reference
o-Xylene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Tetrachloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Toluene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichloroethene	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Trichlorofluoromethane	ND	5.0	ug/L	05/01/09		H/J	E624/8260
Vinyl chloride	ND	5.0	ug/L	05/01/09		H/J	E624/8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	103		%	05/01/09		H/J	E624/8260
% Bromofluorobenzene	94		%	05/01/09		H/J	E624/8260
% Dibromofluoromethane	99		%	05/01/09		H/J	E624/8260
% Toluene-d8	97		%	05/01/09		H/J	E624/8260

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040

Tel. (860) 645-1102

Fax (860) 645-0823



QA/QC Report

June 01, 2009

QA/QC Data

SDG I.D.: GAR61461

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 125873, QC Sample No: AR61469 (AR61461, AR61462, AR61463, AR61464, AR61465, AR61466, AR61467, AR61468, AR61469, AR61470, AR61471, AR61472, AR61474)								
ICP Metals - Aqueous								
Aluminum	BDL	NC	94.1	94.5	0.4	102	103	1.0
Arsenic	BDL	NC	90.5	91.0	0.6	97.6	98.3	0.7
Cadmium	BDL	NC	93.3	93.9	0.6	94.1	94.8	0.7
Calcium	BDL	1.20	95.8	96.1	0.3	NC	NC	NC
Chromium	BDL	NC	95.9	96.2	0.3	96.0	96.4	0.4
Iron	0.002	NC	95.7	96.0	0.3	97.2	97.6	0.4
Lead	BDL	NC	93.3	93.8	0.5	92.9	93.8	1.0
Magnesium	BDL	0.90	97.8	98.2	0.4	NC	NC	NC
Potassium	BDL	23.7	97.8	98.2	0.4	>130	>130	NC
Sodium	BDL	0.50	95.8	96.1	0.3	NC	NC	NC

QA/QC Batch 126275, QC Sample No: AR61469 (AR61461, AR61462, AR61463, AR61464, AR61465, AR61466, AR61467, AR61468, AR61469, AR61470, AR61471, AR61472)

ICP Metals - Dissolved

Aluminum	BDL	NC	91.8	91.8	0.0	92.3	93.4	1.2
Arsenic	BDL	NC	81.9	83.3	1.7	82.9	83.8	1.1
Cadmium	BDL	NC	92.3	94.0	1.8	94.0	94.8	0.8
Calcium	BDL	1.40	93.6	94.2	0.6	NC	NC	NC
Chromium	BDL	NC	93.3	94.9	1.7	93.2	94.2	1.1
Iron	BDL	75.6	88.6	90.0	1.6	82.8	84.1	1.6
Lead	0.003	NC	91.9	94.8	3.1	92.1	92.7	0.6
Magnesium	BDL	1.20	94.0	94.4	0.4	NC	NC	NC
Potassium	BDL	3.60	83.4	82.7	0.8	83.8	83.7	0.1
Sodium	BDL	2.10	92.8	91.5	1.4	NC	NC	NC

QA/QC Batch 125895, QC Sample No: AR61469 (AR61461, AR61462, AR61463, AR61464, AR61465, AR61466, AR61467, AR61468, AR61469, AR61470, AR61471, AR61472, AR61474)

Mercury BDL NC

3 = This parameter is outside laboratory ms/msd specified limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Phyllis Shiller, Laboratory Director
June 01, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

June 01, 2009

QA/QC Data

SDG I.D.: GAR61461

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 125881, QC Sample No: AR61453 (AR61461, AR61462)								
Ammonia as Nitrogen	BDL	1.20	99.3				104	
QA/QC Batch 125951, QC Sample No: AR61453 (AR61461, AR61462, AR61463, AR61464, AR61465, AR61466, AR61467, AR61468, AR61470, AR61471, AR61472)								
Chloride	BDL		96.2				104	
QA/QC Batch 125953, QC Sample No: AR61453 (AR61461, AR61462, AR61463, AR61464, AR61465, AR61466, AR61467, AR61468, AR61470, AR61471, AR61472)								
Sulfate	BDL	0	94.3				103	
QA/QC Batch 125905, QC Sample No: AR61453 (AR61461, AR61462, AR61463, AR61464, AR61465, AR61466, AR61467, AR61468, AR61470, AR61471, AR61472)								
Tot. Diss. Solids	BDL	1.89	94.6					
QA/QC Batch 126036, QC Sample No: AR61464 (AR61464)								
Conductivity	BDL	0.90	99.8					
QA/QC Batch 126068, QC Sample No: AR61469 (AR61461, AR61462, AR61463, AR61464, AR61465, AR61466, AR61467, AR61468, AR61469, AR61470, AR61471, AR61472)								
Alkalinity (CaCO ₃)	BDL	3.10	103					
Alkalinity-CaCO ₃	BDL	3.80						
QA/QC Batch 125916, QC Sample No: AR61469 (AR61463, AR61464, AR61465, AR61466, AR61467, AR61468, AR61469, AR61470, AR61471, AR61472, AR61474)								
Ammonia as Nitrogen	BDL	1.70	105				104	
QA/QC Batch 125954, QC Sample No: AR61469 (AR61469)								
Chloride	BDL		97.0				96.0	
QA/QC Batch 126390, QC Sample No: AR61469 (AR61469)								
Conductivity	BDL	6.50						
QA/QC Batch 125956, QC Sample No: AR61469 (AR61469)								
Sulfate	BDL		95.4				98.3	
QA/QC Batch 126004, QC Sample No: AR61469 (AR61469)								
Tot. Diss. Solids	BDL	0	98.3					
QA/QC Batch 125939, QC Sample No: AR61621 (AR61469)								
Conductivity	BDL	0.50	98.7					
QA/QC Batch 126383, QC Sample No: AR63110 (AR61472)								
Alkalinity-CaCO ₃	BDL	NC	98.0					

QA/QC Data

SDG I.D.: GAR61461

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
-----------	-------	------------	----------	-----------	------------	-------------	-----------------	-----

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria



Phyllis Shiller, Laboratory Director

June 01, 2009



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040

Tel. (860) 645-1102

Fax (860) 645-0823

QA/QC Report

June 01, 2009

QA/QC Data

SDG I.D.: GAR61461

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 126318, QC Sample No: AR61469 (AR61461, AR61462, AR61463, AR61464, AR61465, AR61466, AR61467, AR61468, AR61469, AR61470, AR61471, AR61472, AR61473, AR61474)							
Volatiles							
1,1,1-Trichloroethane	ND	99	101	2.0	102	104	1.9
1,1,2,2-Tetrachloroethane	ND	93	98	5.2	104	104	0.0
1,1,2-Trichloroethane	ND	97	98	1.0	103	104	1.0
1,1-Dichloroethane	ND	102	103	1.0	91	106	15.2
1,1-Dichloroethene	ND	99	99	0.0	100	102	2.0
1,2-Dichlorobenzene	ND	97	99	2.0	100	99	1.0
1,2-Dichloroethane	ND	100	101	1.0	103	105	1.9
1,2-Dichloropropane	ND	98	101	3.0	103	104	1.0
1,3-Dichlorobenzene	ND	96	98	2.1	98	96	2.1
1,4-Dichlorobenzene	ND	96	98	2.1	97	94	3.1
Acrolein	ND	94	95	1.1	114	117	2.6
Benzene	ND	99	100	1.0	102	103	1.0
Bromodichloromethane	ND	103	105	1.9	106	106	0.0
Bromoform	ND	101	105	3.9	108	108	0.0
Bromomethane	ND	98	98	0.0	96	96	0.0
Carbon tetrachloride	ND	96	112	15.4	99	101	2.0
Chlorobenzene	ND	100	100	0.0	102	102	0.0
Chloroethane	ND	102	102	0.0	103	108	4.7
Chloroform	ND	98	97	1.0	103	103	0.0
Chloromethane	ND	114	113	0.9	98	100	2.0
cis-1,2-Dichloroethene	ND	100	101	1.0	100	101	1.0
cis-1,3-Dichloropropene	ND	95	95	0.0	93	96	3.2
Dibromochloromethane	ND	101	100	1.0	102	102	0.0
Ethylbenzene	ND	99	100	1.0	102	101	1.0
m&p-Xylene	ND	101	102	1.0	101	103	2.0
Methyl t-butyl ether (MTBE)	ND	101	102	1.0	101	104	2.9
Methylene chloride	1.7 JS	92	91	1.1	87	88	1.1
o-Xylene	ND	103	105	1.9	104	105	1.0
Tetrachloroethene	ND	100	100	0.0	98	101	3.0
Toluene	ND	98	100	2.0	100	101	1.0
trans-1,2-Dichloroethene	ND	100	100	0.0	100	100	0.0
trans-1,3-Dichloropropene	ND	100	103	3.0	99	102	3.0
Trichloroethene	ND	96	96	0.0	96	97	1.0
Trichlorofluoromethane	ND	108	107	0.9	102	103	1.0
Vinyl chloride	ND	108	107	0.9	97	100	3.0
% 1,2-dichlorobenzene-d4	103	98	99	1.0	100	99	1.0
% Bromofluorobenzene	95	100	100	0.0	101	99	2.0

QA/QC Data

SDG I.D.: GAR61461

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
% Dibromofluoromethane	99	103	99	4.0	100	102	2.0
% Toluene-d8	97	99	99	0.0	98	99	1.0

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria



Phyllis Shiller, Laboratory Director
June 01, 2009

1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT ID

Client:	R&CFORM	Lab:	Phoenix Env. Labs	SW-1	
SDG No.:	GAR61452	Lab Sample ID:	AR61452		
Sample wt/vol:	5 (g/mL)	mL	Lab File ID:	0430M19.D	
Level: (low/med/meth):	Med		Date Received:	04/28/09	
% Moisture:	n.a.		Date Analyzed:	04/30/09	
Instrument:	CHEM11	Column:	rbx-vms	Dilution Factor:	1
Purge Volume	5000 (uL)	pH:	< 2	Soil Aliquot Vol:	n.a. (uL)
Matrix: (soil/water)	WATER	CONCENTRATION UNITS: (ug/L or ug/Kg)			ug/L
CAS NO.	COMPOUND	CONC.	Q	MDL	PQL
74-87-3	Chloromethane	5	U	2.3	5
75-01-4	Vinyl Chloride	5	U	1.9	5
74-83-9	Bromomethane	5	U	2.9	5
75-00-3	Chloroethane	5	U	1.7	5
75-69-4	Trichlorofluoromethane	5	U	0.93	5
75-35-4	1,1-Dichloroethene	5	U	0.80	5
107-02-08	acrolein	25	U	15	25
75-09-2	Methylene Chloride	2.6	JS	1.2	5
156-60-5	Trans-1,2-Dichloroethene	5	U	1.3	5
75-34-3	1,1-Dichloroethane	5	U	1.3	5
156-59-2	Cis-1,2-Dichloroethene	5	U	0.98	5
67-66-3	Chloroform	5	U	0.59	5
71-55-6	1,1,1-Trichloroethane	5	U	1.2	5
1634-04-4	Methyl t-Butyl Ether (MTBE)	10	U	1.2	10
56-23-5	Carbon Tetrachloride	5	U	1.3	5
71-43-2	Benzene	5	U	0.46	5
107-06-2	1,2-Dichloroethane	5	U	0.64	5
79-01-6	Trichloroethene	5	U	0.43	5
78-87-5	1,2-dichloropropane	5	U	0.83	5
110-75-8	2-Chloroethyl vinyl ether	25	U	25	25
75-27-4	Bromodichloromethane	5	U	0.73	5
542-75-6	cis-1,3-Dichloropropene	5	U	0.67	5
108-88-3	Toluene	5	U	0.85	5
10061-02-6	trans-1,3-Dichloropropene	5	U	1.1	5
79-00-5	1,1,2-Trichloroethane	5	U	0.99	5
127-18-4	Tetrachloroethene	1.9	J	0.65	5
124-48-1	Dibromochloromethane	5	U	0.75	5
108-90-7	Chlorobenzene	5	U	0.41	5
100-41-4	Ethylbenzene	5	U	0.56	5
1330-20-7	m&p-Xylene	5	U	0.87	5
95-47-6	o-Xylene	5	U	1.0	5
75-25-2	Bromoform	5	U	0.76	5
79-34-5	1,1,2,2-Tetrachloroethane	5	U	0.60	5
541-73-1	1,3-Dichlorobenzene	5	U	0.51	5
106-46-7	1,4-Dichlorobenzene	5	U	0.72	5
95-50-1	1,2-Dichlorobenzene	5	U	0.53	5

1
INORGANIC ANALYSIS DATA SHEET

Client Id

SW-1

Lab Name: Phoenix Environmental Labs

Client: R&CFORM

Lab Code: Phoenix

Case No.:

SAS No.:

SDG No.: GAR61452

Matrix (soil/water): WATER

Lab Sample ID: AR61452

Level (low/med):

Date Received: 04/28/09

% Solids: 100.0

Concentration Units (ug/L or mg/kg dry weight): mg/L

Color Before: _____

Clarity Before: _____ Texture: _____

Texture: _____

Color After: _____

Clarity After: _____ Artifacts: _____

Artifacts: _____

Comments:

1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT ID

Client:	R&CFORM	Lab:	Phoenix Env. Labs	SW-2	
SDG No.:	GAR61452	Lab Sample ID:	AR61453		
Sample wt/vol:	5 (g/mL) mL	Lab File ID:	0430M20.D		
Level: (low/med/meth):	Med	Date Received:	04/28/09		
% Moisture:	n.a.	Date Analyzed:	04/30/09		
Instrument:	CHEM11	Column:	rtx-vms	Dilution Factor: 1	
Purge Volume	5000 (uL)	pH:	< 2	Soil Aliquot Vol: n.a. (uL)	
Matrix: (soil/water)	WATER	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L			
CAS NO.	COMPOUND	CONC.	Q	MDL	PQL
74-87-3	Chloromethane	5	U	2.3	5
75-01-4	Vinyl Chloride	5	U	1.9	5
74-83-9	Bromomethane	5	U	2.9	5
75-00-3	Chloroethane	5	U	1.7	5
75-69-4	Trichlorofluoromethane	5	U	0.93	5
75-35-4	1,1-Dichloroethene	5	U	0.80	5
107-02-08	acrolein	25	U	15	25
75-09-2	Methylene Chloride	2.7	JS	1.2	5
156-60-5	Trans-1,2-Dichloroethene	5	U	1.3	5
75-34-3	1,1-Dichloroethane	5	U	1.3	5
156-59-2	Cis-1,2-Dichloroethene	5	U	0.98	5
67-66-3	Chloroform	5	U	0.59	5
71-55-6	1,1,1-Trichloroethane	5	U	1.2	5
1634-04-4	Methyl t-Butyl Ether (MTBE)	10	U	1.2	10
56-23-5	Carbon Tetrachloride	5	U	1.3	5
71-43-2	Benzene	5	U	0.46	5
107-06-2	1,2-Dichloroethane	5	U	0.64	5
79-01-6	Trichloroethene	5	U	0.43	5
78-87-5	1,2-dichloropropane	5	U	0.83	5
110-75-8	2-Chloroethyl vinyl ether	25	U	25	25
75-27-4	Bromodichloromethane	5	U	0.73	5
542-75-6	cis-1,3-Dichloropropene	5	U	0.67	5
108-88-3	Toluene	5	U	0.85	5
10061-02-6	trans-1,3-Dichloropropene	5	U	1.1	5
79-00-5	1,1,2-Trichloroethane	5	U	0.99	5
127-18-4	Tetrachloroethene	1.7	J	0.65	5
124-48-1	Dibromochloromethane	5	U	0.75	5
108-90-7	Chlorobenzene	5	U	0.41	5
100-41-4	Ethylbenzene	5	U	0.56	5
1330-20-7	m&p-Xylene	5	U	0.87	5
95-47-6	o-Xylene	5	U	1.0	5
75-25-2	Bromoform	5	U	0.76	5
79-34-5	1,1,2,2-Tetrachloroethane	5	U	0.60	5
541-73-1	1,3-Dichlorobenzene	5	U	0.51	5
106-46-7	1,4-Dichlorobenzene	5	U	0.72	5
95-50-1	1,2-Dichlorobenzene	5	U	0.53	5

1
INORGANIC ANALYSIS DATA SHEET

Client Id

SW-2 MS/MSD

Lab Name: Phoenix Environmental Labs

Client: R&CFORM

Lab Code: Phoenix

Case No.:

SAS No.:

SDG No.: GAR61452

Matrix (soil/water): WATER

Lab Sample ID: AR61453

Level (low/med):

Date Received: 04/28/09

% Solids: 100.0

Concentration Units (ug/L or mg/kg dry weight): _____ mg/L

Color Before:

Clarity Before: **Texture:**

Texture:

Color After:

Clarity After: Artifacts:

Artifacts:

Comments:

—
—
—

1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT ID

Client:	<u>R&CFORM</u>	Lab:	<u>Phoenix Env. Labs</u>	<u>SW-3</u>
SDG No.:	<u>GAR61452</u>			Lab Sample ID: <u>AR61454</u>
Sample wt/vol:	<u>5</u>	(g/mL)	<u>mL</u>	Lab File ID: <u>0430M21.D</u>
Level: (low/med/meth):	<u>Med</u>			Date Received: <u>04/28/09</u>
% Moisture:	<u>n.a.</u>			Date Analyzed: <u>04/30/09</u>
Instrument:	<u>CHEM11</u>	Column:	<u>rtx-vms</u>	Dilution Factor: <u>1</u>
Purge Volume	<u>5000</u>	(uL)	pH: <u>< 2</u>	Soil Aliquot Vol: <u>n.a.</u> (uL)
Matrix (soil/water)	<u>WATER</u>			CONCENTRATION UNITS: (ug/L or ug/Kg) <u>ug/L</u>

CAS NO.	COMPOUND	CONC.	Q	MDL	PQL
74-87-3	Chloromethane	5	U	2.3	5
75-01-4	Vinyl Chloride	5	U	1.9	5
74-83-9	Bromomethane	5	U	2.9	5
75-00-3	Chloroethane	5	U	1.7	5
75-69-4	Trichlorofluoromethane	5	U	0.93	5
75-35-4	1,1-Dichloroethene	5	U	0.80	5
107-02-08	acrolein	25	U	15	25
75-09-2	Methylene Chloride	2.6	JS	1.2	5
156-60-5	Trans-1,2-Dichloroethene	5	U	1.3	5
75-34-3	1,1-Dichloroethane	5	U	1.3	5
156-59-2	Cis-1,2-Dichloroethene	5	U	0.98	5
67-66-3	Chloroform	5	U	0.59	5
71-55-6	1,1,1-Trichloroethane	5	U	1.2	5
1634-04-4	Methyl t-Butyl Ether (MTBE)	10	U	1.2	10
56-23-5	Carbon Tetrachloride	5	U	1.3	5
71-43-2	Benzene	5	U	0.46	5
107-06-2	1,2-Dichloroethane	5	U	0.64	5
79-01-6	Trichloroethene	5	U	0.43	5
78-87-5	1,2-dichloropropane	5	U	0.83	5
110-75-8	2-Chloroethyl vinyl ether	25	U	25	25
75-27-4	Bromodichloromethane	5	U	0.73	5
542-75-6	cis-1,3-Dichloropropene	5	U	0.67	5
108-88-3	Toluene	5	U	0.85	5
10061-02-6	trans-1,3-Dichloropropene	5	U	1.1	5
79-00-5	1,1,2-Trichloroethane	5	U	0.99	5
127-18-4	Tetrachloroethene	2.4	J	0.65	5
124-48-1	Dibromochloromethane	5	U	0.75	5
108-90-7	Chlorobenzene	5	U	0.41	5
100-41-4	Ethylbenzene	5	U	0.56	5
1330-20-7	m&p-Xylene	5	U	0.87	5
95-47-6	o-Xylene	5	U	1.0	5
75-25-2	Bromoform	5	U	0.76	5
79-34-5	1,1,2,2-Tetrachloroethane	5	U	0.60	5
541-73-1	1,3-Dichlorobenzene	5	U	0.51	5
106-46-7	1,4-Dichlorobenzene	5	U	0.72	5
95-50-1	1,2-Dichlorobenzene	5	U	0.53	5

1
INORGANIC ANALYSIS DATA SHEET

Client Id

SW-3

Lab Name: Phoenix Environmental Labs

Client: R&CFORM

Lab Code: Phoenix

Case No.:

SAS No.:

SDG No.: GAR61452

Matrix (soil/water): WATER

Lab Sample ID: AR61454

Level (low/med):

Date Received: 04/28/09

% Solids: 100.0

Concentration Units (ug/L or mg/kg dry weight): mg/L

Color Before: _____

Clarity Before: _____ **Texture:** _____

Texture: _____

Color After: _____

Clarity After: _____ Artifacts: _____

Artifacts: _____

Comments:

1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT ID

Client:	R&CFORM	Lab:	Phoenix Env. Labs	SW-4
SDG No.:	GAR61452	Lab Sample ID:	AR61455	
Sample wt/vol:	5 (g/mL)	mL	Lab File ID:	0430M22.D
Level: (low/med/meth):	Med	Date Received:	04/28/09	
% Moisture:	n.a.	Date Analyzed:	04/30/09	
Instrument:	CHEM11	Column:	rtx-vms	Dilution Factor: 1
Purge Volume	5000 (uL)	pH: < 2	Soil Aliquot Vol:	n.a. (uL)
Matrix (soil/water)	WATER	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L		

CAS NO.	COMPOUND	CONC.	Q	MDL	PQL
74-87-3	Chloromethane	5	U	2.3	5
75-01-4	Vinyl Chloride	5	U	1.9	5
74-83-9	Bromomethane	5	U	2.9	5
75-00-3	Chloroethane	5	U	1.7	5
75-69-4	Trichlorofluoromethane	5	U	0.93	5
75-35-4	1,1-Dichloroethene	5	U	0.80	5
107-02-08	acrolein	25	U	15	25
75-09-2	Methylene Chloride	2.8	JS	1.2	5
156-60-5	Trans-1,2-Dichloroethene	5	U	1.3	5
75-34-3	1,1-Dichloroethane	5	U	1.3	5
156-59-2	Cis-1,2-Dichloroethene	5	U	0.98	5
67-66-3	Chloroform	5	U	0.59	5
71-55-6	1,1,1-Trichloroethane	5	U	1.2	5
1634-04-4	Methyl t-Butyl Ether (MTBE)	10	U	1.2	10
56-23-5	Carbon Tetrachloride	5	U	1.3	5
71-43-2	Benzene	5	U	0.46	5
107-06-2	1,2-Dichloroethane	5	U	0.64	5
79-01-6	Trichloroethene	5	U	0.43	5
78-87-5	1,2-dichloropropane	5	U	0.83	5
110-75-8	2-Chloroethyl vinyl ether	25	U	25	25
75-27-4	Bromodichloromethane	5	U	0.73	5
542-75-6	cis-1,3-Dichloropropene	5	U	0.67	5
108-88-3	Toluene	5	U	0.85	5
10061-02-6	trans-1,3-Dichloropropene	5	U	1.1	5
79-00-5	1,1,2-Trichloroethane	5	U	0.99	5
127-18-4	Tetrachloroethene	0.97	J	0.65	5
124-48-1	Dibromochloromethane	5	U	0.75	5
108-90-7	Chlorobenzene	5	U	0.41	5
100-41-4	Ethylbenzene	5	U	0.56	5
1330-20-7	m&p-Xylene	5	U	0.87	5
95-47-6	o-Xylene	5	U	1.0	5
75-25-2	Bromoform	5	U	0.76	5
79-34-5	1,1,2,2-Tetrachloroethane	5	U	0.60	5
541-73-1	1,3-Dichlorobenzene	5	U	0.51	5
106-46-7	1,4-Dichlorobenzene	5	U	0.72	5
95-50-1	1,2-Dichlorobenzene	5	U	0.53	5

1
INORGANIC ANALYSIS DATA SHEET

Client Id

Lab Name: Phoenix Environmental Labs

Client: R&CFORM

SW-4

Lab Code: Phoenix

Case No.:

SAS No.:

SDG No.: GAR61452

Matrix (soil/water):

WATER

Lab Sample ID: AR61455

Level (low/med):

Date Received: 04/28/09

% Solids:

100.0

Concentration Units (ug/L or mg/kg dry weight): mg/L

Color Before:

Clarity Before: **Texture:**

Texture:

Color After: _____

Clarity After: **Artifacts:**

Artifacts:

Comments:

1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT ID

Client:	R&CFORM	Lab:	Phoenix Env. Labs	SW-5	
SDG No.:	GAR61452	Lab Sample ID:	AR61456		
Sample wt/vol:	5 (g/mL)	mL	Lab File ID:	0430M23.D	
Level: (low/med/meth):	Med		Date Received:	04/28/09	
% Moisture:	n.a.		Date Analyzed:	04/30/09	
Instrument:	CHEM11	Column:	rtx-vms	Dilution Factor:	1
Purge Volume	5000 (uL)	pH:	< 2	Soil Aliquot Vol:	n.a. (uL)
Matrix: (soil/water)	WATER	CONCENTRATION UNITS: (ug/L or ug/Kg)			ug/L
CAS NO.	COMPOUND	CONC.	Q	MDL	PQL
74-87-3	Chloromethane	5	U	2.3	5
75-01-4	Vinyl Chloride	5	U	1.9	5
74-83-9	Bromomethane	5	U	2.9	5
75-00-3	Chloroethane	5	U	1.7	5
75-69-4	Trichlorofluoromethane	5	U	0.93	5
75-35-4	1,1-Dichloroethene	5	U	0.80	5
107-02-08	acrolein	25	U	15	25
75-09-2	Methylene Chloride	2.5	JS	1.2	5
156-60-5	Trans-1,2-Dichloroethene	5	U	1.3	5
75-34-3	1,1-Dichloroethane	5	U	1.3	5
156-59-2	Cis-1,2-Dichloroethene	5	U	0.98	5
67-66-3	Chloroform	5	U	0.59	5
71-55-6	1,1,1-Trichloroethane	5	U	1.2	5
1634-04-4	Methyl t-Butyl Ether (MTBE)	10	U	1.2	10
56-23-5	Carbon Tetrachloride	5	U	1.3	5
71-43-2	Benzene	5	U	0.46	5
107-06-2	1,2-Dichloroethane	5	U	0.64	5
79-01-6	Trichloroethene	5	U	0.43	5
78-87-5	1,2-dichloropropane	5	U	0.83	5
110-75-8	2-Chloroethyl vinyl ether	25	U	25	25
75-27-4	Bromodichloromethane	5	U	0.73	5
542-75-6	cis-1,3-Dichloropropene	5	U	0.67	5
108-88-3	Toluene	5	U	0.85	5
10061-02-6	trans-1,3-Dichloropropene	5	U	1.1	5
79-00-5	1,1,2-Trichloroethane	5	U	0.99	5
127-18-4	Tetrachloroethene	1.4	J	0.65	5
124-48-1	Dibromochloromethane	5	U	0.75	5
108-90-7	Chlorobenzene	5	U	0.41	5
100-41-4	Ethylbenzene	5	U	0.56	5
1330-20-7	m&p-Xylene	5	U	0.87	5
95-47-6	o-Xylene	5	U	1.0	5
75-25-2	Bromoform	5	U	0.76	5
79-34-5	1,1,2,2-Tetrachloroethane	5	U	0.60	5
541-73-1	1,3-Dichlorobenzene	5	U	0.51	5
106-46-7	1,4-Dichlorobenzene	5	U	0.72	5
95-50-1	1,2-Dichlorobenzene	5	U	0.53	5

1
INORGANIC ANALYSIS DATA SHEET

Client Id

SW-5

Lab Name: Phoenix Environmental Labs

Client: R&CFORM

Lab Code: Phoenix

Case No.:

SAS No.:

SDG No.: GAR61452

Matrix (soil/water): WATER

Lab Sample ID: AR61456

Level (low/med): _____

Date Received: 04/28/09

% Solids: 100.0

Concentration Units (ug/L or mg/kg dry weight): _____ mg/L

Color Before:

Clarity Before:

Texture: _____

Color After:

Clarity After:

Artifacts:

Comments:

1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT ID

Client:	R&CFORM	Lab:	Phoenix Env. Labs	SW-6
SDG No.:	GAR61452	Lab Sample ID:	AR61457	
Sample wt/vol:	5 (g/mL)	mL	Lab File ID:	0430M24.D
Level: (low/med/meth):	Med	Date Received:	04/28/09	
% Moisture:	n.a.	Date Analyzed:	04/30/09	
Instrument:	CHEM11	Column:	rbx-vms	Dilution Factor: 1
Purge Volume	5000 (uL)	pH: < 2	Soil Aliquot Vol:	n.a. (uL)
Matrix: (soil/water)	WATER	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L		

CAS NO.	COMPOUND	CONC.	Q	MDL	PQL
74-87-3	Chloromethane	5	U	2.3	5
75-01-4	Vinyl Chloride	5	U	1.9	5
74-83-9	Bromomethane	5	U	2.9	5
75-00-3	Chloroethane	5	U	1.7	5
75-69-4	Trichlorofluoromethane	5	U	0.93	5
75-35-4	1,1-Dichloroethene	5	U	0.80	5
107-02-08	acrolein	25	U	15	25
75-09-2	Methylene Chloride	2.6	JS	1.2	5
156-60-5	Trans-1,2-Dichloroethene	5	U	1.3	5
75-34-3	1,1-Dichloroethane	5	U	1.3	5
156-59-2	Cis-1,2-Dichloroethene	5	U	0.98	5
67-66-3	Chloroform	5	U	0.59	5
71-55-6	1,1,1-Trichloroethane	5	U	1.2	5
1634-04-4	Methyl t-Butyl Ether (MTBE)	10	U	1.2	10
56-23-5	Carbon Tetrachloride	5	U	1.3	5
71-43-2	Benzene	5	U	0.46	5
107-06-2	1,2-Dichloroethane	5	U	0.64	5
79-01-6	Trichloroethene	5	U	0.43	5
78-87-5	1,2-dichloropropane	5	U	0.83	5
110-75-8	2-Chloroethyl vinyl ether	25	U	25	25
75-27-4	Bromodichloromethane	5	U	0.73	5
542-75-6	cis-1,3-Dichloropropene	5	U	0.67	5
108-88-3	Toluene	5	U	0.85	5
10061-02-6	trans-1,3-Dichloropropene	5	U	1.1	5
79-00-5	1,1,2-Trichloroethane	5	U	0.99	5
127-18-4	Tetrachloroethene	5	U	0.65	5
124-48-1	Dibromochloromethane	5	U	0.75	5
108-90-7	Chlorobenzene	5	U	0.41	5
100-41-4	Ethylbenzene	5	U	0.56	5
1330-20-7	m&p-Xylene	5	U	0.87	5
95-47-6	o-Xylene	5	U	1.0	5
75-25-2	Bromoform	5	U	0.76	5
79-34-5	1,1,2,2-Tetrachloroethane	5	U	0.60	5
541-73-1	1,3-Dichlorobenzene	5	U	0.51	5
106-46-7	1,4-Dichlorobenzene	5	U	0.72	5
95-50-1	1,2-Dichlorobenzene	5	U	0.53	5

1
INORGANIC ANALYSIS DATA SHEET

Client Id

SW-6

Lab Name: Phoenix Environmental Labs

Client: R&CFORM

Lab Code: Phoenix

Case No.:

SAS No.:

SDG No.: GAR61452

Matrix (soil/water): WATER

Lab Sample ID: AR61457

Level (low/med):

Date Received: 04/28/09

% Solids: 100.0

Concentration Units (ug/L or mg/kg dry weight): mg/L

Color Before:

Clarity Before: **Texture:**

Texture:

Color After:

Clarity After: Artifacts:

Artifacts:

Comments:

1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT ID

Client:	R&CFORM	Lab:	Phoenix Env. Labs	SW-7
SDG No.:	GAR61452	Lab Sample ID:	AR61458	
Sample wt/vol:	5 (g/mL)	mL	Lab File ID:	0430M25.D
Level: (low/med/meth):	Med		Date Received:	04/28/09
% Moisture:	n.a.		Date Analyzed:	04/30/09
Instrument:	CHEM11	Column: rtx-vms	Dilution Factor:	1
Purge Volume	5000 (uL)	pH: < 2	Soil Aliquot Vol:	n.a. (uL)
Matrix: (soil/water)	WATER	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L		

CAS NO.	COMPOUND	CONC.	Q	MDL	PQL
74-87-3	Chloromethane	5	U	2.3	5
75-01-4	Vinyl Chloride	5	U	1.9	5
74-83-9	Bromomethane	5	U	2.9	5
75-00-3	Chloroethane	5	U	1.7	5
75-69-4	Trichlorofluoromethane	5	U	0.93	5
75-35-4	1,1-Dichloroethene	5	U	0.80	5
107-02-08	acrolein	25	U	15	25
75-09-2	Methylene Chloride	2.7	JS	1.2	5
156-60-5	Trans-1,2-Dichloroethene	5	U	1.3	5
75-34-3	1,1-Dichloroethane	5	U	1.3	5
156-59-2	Cis-1,2-Dichloroethene	5	U	0.98	5
67-66-3	Chloroform	5	U	0.59	5
71-55-6	1,1,1-Trichloroethane	5	U	1.2	5
1634-04-4	Methyl t-Butyl Ether (MTBE)	10	U	1.2	10
56-23-5	Carbon Tetrachloride	5	U	1.3	5
71-43-2	Benzene	5	U	0.46	5
107-06-2	1,2-Dichloroethane	5	U	0.64	5
79-01-6	Trichloroethene	5	U	0.43	5
78-87-5	1,2-dichloropropane	5	U	0.83	5
110-75-8	2-Chloroethyl vinyl ether	25	U	25	25
75-27-4	Bromodichloromethane	5	U	0.73	5
542-75-6	cis-1,3-Dichloropropene	5	U	0.67	5
108-88-3	Toluene	5	U	0.85	5
10061-02-6	trans-1,3-Dichloropropene	5	U	1.1	5
79-00-5	1,1,2-Trichloroethane	5	U	0.99	5
127-18-4	Tetrachloroethene	5	U	0.65	5
124-48-1	Dibromochloromethane	5	U	0.75	5
108-90-7	Chlorobenzene	5	U	0.41	5
100-41-4	Ethylbenzene	5	U	0.56	5
1330-20-7	m&p-Xylene	5	U	0.87	5
95-47-6	o-Xylene	5	U	1.0	5
75-25-2	Bromoform	5	U	0.76	5
79-34-5	1,1,2,2-Tetrachloroethane	5	U	0.60	5
541-73-1	1,3-Dichlorobenzene	5	U	0.51	5
106-46-7	1,4-Dichlorobenzene	5	U	0.72	5
95-50-1	1,2-Dichlorobenzene	5	U	0.53	5

1
INORGANIC ANALYSIS DATA SHEET

Client Id

SW-7

Lab Name: Phoenix Environmental Labs

Client: R&CFORM

Lab Code: Phoenix

Case No.:

SAS No.:

SDG No : GAR61452

Matrix (soil/water): WATER

Lab Sample ID: AR61458

Level (low/med):

Date Received: 04/28/09

% Solids: 100.0

Concentration Units (ug/L or mg/kg dry weight): mg/L

Color Before:

Clarity Before:  **Texture:** 

Texture:

Color After:

Clarity After: _____ Artifacts: _____

Artifacts:

Comments:

1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT ID

Client:	R&CFORM	Lab:	Phoenix Env. Labs	SW-DUP	
SDG No.:	GAR61452	Lab Sample ID:	AR61459		
Sample wt/vol:	5 (g/mL) mL	Lab File ID:	0430M26.D		
Level: (low/med/meth):	Med	Date Received:	04/28/09		
% Moisture:	n.a.	Date Analyzed:	04/30/09		
Instrument:	CHEM11	Column:	rtx-vms	Dilution Factor: 1	
Purge Volume	5000 (uL)	pH:	< 2	Soil Aliquot Vol: n.a. (uL)	
Matrix: (soil/water)	WATER	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L			
CAS NO.	COMPOUND	CONC.	Q	MDL	PQL
74-87-3	Chloromethane	5	U	2.3	5
75-01-4	Vinyl Chloride	5	U	1.9	5
74-83-9	Bromomethane	5	U	2.9	5
75-00-3	Chloroethane	5	U	1.7	5
75-69-4	Trichlorofluoromethane	5	U	0.93	5
75-35-4	1,1-Dichloroethene	5	U	0.80	5
107-02-08	acrolein	25	U	15	25
75-09-2	Methylene Chloride	2.8	JS	1.2	5
156-60-5	Trans-1,2-Dichloroethene	5	U	1.3	5
75-34-3	1,1-Dichloroethane	5	U	1.3	5
156-59-2	Cis-1,2-Dichloroethene	5	U	0.98	5
67-66-3	Chloroform	5	U	0.59	5
71-55-6	1,1,1-Trichloroethane	5	U	1.2	5
1634-04-4	Methyl t-Butyl Ether (MTBE)	10	U	1.2	10
56-23-5	Carbon Tetrachloride	5	U	1.3	5
71-43-2	Benzene	5	U	0.46	5
107-06-2	1,2-Dichloroethane	5	U	0.64	5
79-01-6	Trichloroethene	5	U	0.43	5
78-87-5	1,2-dichloropropane	5	U	0.83	5
110-75-8	2-Chloroethyl vinyl ether	25	U	25	25
75-27-4	Bromodichloromethane	5	U	0.73	5
542-75-6	cis-1,3-Dichloropropene	5	U	0.67	5
108-88-3	Toluene	5	U	0.85	5
10061-02-6	trans-1,3-Dichloropropene	5	U	1.1	5
79-00-5	1,1,2-Trichloroethane	5	U	0.99	5
127-18-4	Tetrachloroethene	2.3	J	0.65	5
124-48-1	Dibromochloromethane	2.4	J	0.75	5
108-90-7	Chlorobenzene	5	U	0.41	5
100-41-4	Ethylbenzene	5	U	0.56	5
1330-20-7	m&p-Xylene	5	U	0.87	5
95-47-6	o-Xylene	5	U	1.0	5
75-25-2	Bromoform	5	U	0.76	5
79-34-5	1,1,2,2-Tetrachloroethane	5	U	0.60	5
541-73-1	1,3-Dichlorobenzene	5	U	0.51	5
106-46-7	1,4-Dichlorobenzene	5	U	0.72	5
95-50-1	1,2-Dichlorobenzene	5	U	0.53	5

1
INORGANIC ANALYSIS DATA SHEET

Client Id

SW-DUP

Lab Name: Phoenix Environmental Labs

Client: R&CFORM

Lab Code: Phoenix

Case No.:

SAS No.:

SDG No.: GAR61452

Matrix (soil/water): WATER

Lab Sample ID: AR61459

Level (low/med):

Date Received: 04/28/09

% Solids: 100.0

Concentration Units (ug/L or mg/kg dry weight): mg/L

Color Before:

Clarity Before: _____ **Texture:** _____

Texture: _____

Color After:

Clarity After: **Artifacts:**

Artifacts:

Comments:

1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT ID

Client:	R&CFORM	Lab:	Phoenix Env. Labs	TB-SW	
SDG No.:	GAR61452	Lab Sample ID:	AR61460		
Sample wt/vol:	5 (g/mL) mL	Lab File ID:	0430M18.D		
Level: (low/med/meth):	Med	Date Received:	04/28/09		
% Moisture:	n.a.	Date Analyzed:	04/30/09		
Instrument:	CHEM11	Column:	rtx-vms	Dilution Factor: 1	
Purge Volume	5000 (uL)	pH:	< 2	Soil Aliquot Vol: n.a. (uL)	
Matrix: (soil/water)	WATER	CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L			
CAS NO.	COMPOUND	CONC.	Q	MDL	PQL
74-87-3	Chloromethane	5	U	2.3	5
75-01-4	Vinyl Chloride	5	U	1.9	5
74-83-9	Bromomethane	5	U	2.9	5
75-00-3	Chloroethane	5	U	1.7	5
75-69-4	Trichlorofluoromethane	5	U	0.93	5
75-35-4	1,1-Dichloroethene	5	U	0.80	5
107-02-08	acrolein	25	U	15	25
75-09-2	Methylene Chloride	2.9	JS	1.2	5
156-60-5	Trans-1,2-Dichloroethene	5	U	1.3	5
75-34-3	1,1-Dichloroethane	5	U	1.3	5
156-59-2	Cis-1,2-Dichloroethene	5	U	0.98	5
67-66-3	Chloroform	5	U	0.59	5
71-55-6	1,1,1-Trichloroethane	5	U	1.2	5
1634-04-4	Methyl t-Butyl Ether (MTBE)	10	U	1.2	10
56-23-5	Carbon Tetrachloride	5	U	1.3	5
71-43-2	Benzene	5	U	0.46	5
107-06-2	1,2-Dichloroethane	5	U	0.64	5
79-01-6	Trichloroethene	5	U	0.43	5
78-87-5	1,2-dichloropropane	5	U	0.83	5
110-75-8	2-Chloroethyl vinyl ether	25	U	25	25
75-27-4	Bromodichloromethane	5	U	0.73	5
542-75-6	cis-1,3-Dichloropropene	5	U	0.67	5
108-88-3	Toluene	5	U	0.85	5
10061-02-6	trans-1,3-Dichloropropene	5	U	1.1	5
79-00-5	1,1,2-Trichloroethane	5	U	0.99	5
127-18-4	Tetrachloroethene	5	U	0.65	5
124-48-1	Dibromochloromethane	5	U	0.75	5
108-90-7	Chlorobenzene	5	U	0.41	5
100-41-4	Ethylbenzene	5	U	0.56	5
1330-20-7	m&p-Xylene	5	U	0.87	5
95-47-6	o-Xylene	5	U	1.0	5
75-25-2	Bromoform	5	U	0.76	5
79-34-5	1,1,2,2-Tetrachloroethane	5	U	0.60	5
541-73-1	1,3-Dichlorobenzene	5	U	0.51	5
106-46-7	1,4-Dichlorobenzene	5	U	0.72	5
95-50-1	1,2-Dichlorobenzene	5	U	0.53	5