

# LEGGETTE, BRASHEARS & GRAHAM, INC.

## PROFESSIONAL GROUND-WATER AND ENVIRONMENTAL ENGINEERING SERVICES

126 MONROE TURNPIKE  
TRUMBULL, CT 06611  
203-452-3100  
FAX 203-452-3111  
www.lbgweb.com

December 2, 2003

Mr. Jeffery Trad  
Project Manager  
New York State Department of Environmental Conservation  
Division of Environmental Remediation, Construction Services  
625 Broadway, 12<sup>th</sup> floor  
Albany, NY 12233-7013

RE: Ground Water Remedial Action  
Focused Ground Water Remediation System  
Rowe Industries Superfund Site  
Sag Harbor, New York  
July 2003 through September 2003 Status Report

Dear Mr. Trad:

The enclosed letter report details the operation status of the focused ground-water pump and treat system at the above referenced site. LBG has enclosed an additional copy of the report to be forwarded to the Chief of the Operation Maintenance and Support Section.

Should you or the Operation Maintenance and Support Section have any questions, please feel free to contact myself, Paul Jobmann, or Al Kovalik, at (203) 452-3100.

Very truly yours,

LEGGETTE, BRASHEARS & GRAHAM, INC.



Mark M. Goldberg, P.E.  
Senior Environmental Engineer

MMG:ng

Enclosures

H:\NABIS\2003\Quarterly Reports\July - Sept\trad\_3quarter.doc

**PROJECT STATUS MEMORANDUM**

**NO. 03-03**

---

**TO:** Pamela Tames, USEPA

**FROM:** Mark M. Goldberg, P.E.  
Alfred N. Kovalik, P.E.

**DATE:** December 2, 2003

**PROJECT:** Ground Water Remedial Action  
Focused Ground Water Remediation System  
Rowe Industries Superfund Site  
Sag Harbor, New York  
July 2003 through September 2003 Status Report

LBG Engineering Services, P.C. (LBG) commenced operation of the focused ground-water pump and treat system at the above-referenced site on March 22, 2001. This status report presents a summary of the operation, maintenance and monitoring activities for the site from July 23, 2003 through September 23, 2003. The report includes a summary of system operational parameters, analytical results for ground-water and system effluent samples, and a summary of ground-water monitoring data.

**SUMMARY OF SYSTEM OPERATION**  
*(July 2003 through September 2003)*

*Reporting Period:* 62 days

*Total Flow During Period:* 662,533 gallons

*Cumulative Total Flow:* 4,865,527 gallons

*System Average Flow:* 20.3 gallons per minute (gpm)

*Mass of VOCs Recovered:* 1.32 pounds

*Cumulative VOCs Recovered Since 3/22/01:* 15.32 pounds

*Discharge Criteria:* Effluent water quality criteria met

## CONCLUSIONS

Volatile organic compound (VOC) concentrations in groundwater recovered from the Former Drum Storage Area (FDSA) have decreased as a result of the system operation to concentrations ranging from 49 micrograms per liter ( $\mu\text{g/l}$ ) to 110  $\mu\text{g/L}$  at the pre-carbon sample location. Following periods of down time as a result of alarms, maintenance or high water levels in the discharge pond, VOC concentrations have rebounded as high as 110  $\mu\text{g/l}$  at the pre-carbon location but have returned to lower concentrations at the following sample event.

LBG proposes to operate the focused pump and treat system in a pulsed operation scenario running all three wells for a two-week period followed by a two-week shutdown period to coincide with the operation of the SVE/AS system. During the initial shutdown period, the water levels in the FDSA will be monitored to ensure that any mounding observed would not result in lateral spreading of the contaminated groundwater towards the adjacent residence. This situation is not anticipated because the ground-water pump and treat (full-scale) system will remain in operation. However, should the potential for spreading in the southeast direction occur, the soil-vapor extraction (SVE) and air sparge (AS) systems would also be turned off to eliminate any potential for the migration of contaminated water due to mounding.

Should concentrations remain stable following three months of operation in the pulsed scenario, LBG will propose using additives in the FDSA to initiate biodegradation. The addition of bioremediation additives, in conjunction with operation of the ground-water pump and treat (full scale) system, is likely to reduce the concentration of residual contamination in the FDSA.

H:\NABIS\2003\Quartely Reports\July - Sept\MEMOJuly-Sept03.doc

Table 1

GROUND-WATER REMEDIAL ACTION  
 FOCUSED GROUND-WATER REMEDIATION SYSTEM  
 ROWE INDUSTRIES SUPERFUND SITE  
 SAG HARBOR, NEW YORK

Mass of VOCs Removed from the FDSA  
 July 2003 through September 2003

| Date    | Total Precarbon VOC Concentrations (µg/L) | Total Volume of Water Pumped (gals) | Volume of Water Processed for Period (gallons) | Total Mass Removed (lbs.) | Cumulative Mass Removed (lbs.) |
|---------|---|-------------------------------------|--|---------------------------|--------------------------------|
| 7/23/03 | 98  | 4,202,994                           | 0  | 0.00                      | 0.00                           |
| 8/18/03 | 110                                       | 4,402,265                           | 199,271  | 0.18                      | 0.18                           |
| 8/20/03 | 76  | 4,456,724                           | 54,459   | 0.03                      | 0.22                           |
| 9/2/03  | 49  | 4,540,744                           | 84,020   | 0.03                      | 0.25                           |
| 9/9/03  | 49  | 4,663,962                           | 123,218  | 0.05                      | 0.30                           |
| 9/17/03 | 70  | 4,787,313                           | 123,351  | 0.07                      | 0.37                           |
| 9/23/03 | 56  | 4,865,527                           | 78,214   | 0.04                      | 0.41                           |

Table 2

GROUND-WATER REMEDIAL ACTION  
 FOCUSED GROUND-WATER REMEDIATION SYSTEM  
 ROWE INDUSTRIES SUPERFUND SITE  
 SAG HARBOR, NEW YORK

Recovery Well Influent VOC Concentrations, micrograms per liter  
 July 2003 through September 2003

| FRW-1   |     |      |      |      |        |        |      |
|---------|-----|------|------|------|--------|--------|------|
| Date    | PCE | TCA  | IPB  | PB   | 124TMB | 135TMB | MTBE |
| 8/20/03 | 69  | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 |
| 9/2/03  | 11  | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | --   |
| 9/18/03 | 110 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | --   |

PCE - TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

12DCE - cis1,2-DICHLOROETHENE

MTBE - METHYL TERTIARY-BUTYL ETHER

PB - n PROPYL BENZENE

124TMB - 1,2,4-TRIMETHYLBENZENE

135TMB - 1,3,5-TRIMETHYLBENZENE

IPB - ISOPROPYLBENZENE

4-IPT - 4-ISOPROPYLTOLUENE

-- - NOT ANALYZED

Table 3

GROUND-WATER REMEDIAL ACTION  
 FOCUSED GROUND-WATER REMEDIATION SYSTEM  
 ROWE INDUSTRIES SUPERFUND SITE  
 SAG HARBOR, NEW YORK

Recovery Well Influent VOC Concentrations, micrograms per liter  
 July 2003 through September 2003

| FRW-2   |     |       |      |      |        |        |      |
|---------|-----|-------|------|------|--------|--------|------|
| Date    | PCE | 12DCE | IPB  | PB   | 124TMB | 135TMB | MTBE |
| 8/20/03 | 96  | ND<1  | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 |
| 9/2/03  | 75  | 2.5   | ND<1 | ND<1 | ND<1   | ND<1   | --   |
| 9/18/03 | 51  | ND<1  | ND<1 | ND<1 | ND<1   | ND<1   | --   |

PCE - TETRACHLOROETHYLENE  
 TCA - 1,1,1-TRICHLOROETHANE  
 11 2-TCA - 1,1,2-TRICHLOROETHANE  
 TCE - TRICHLOROETHENE  
 12DCE - cis1,2-DICHLOROETHENE  
 MTBE - METHYL TERTIARY-BUTYL ETHER

PB - n PROPYL BENZENE  
 124TMB - 1,2,4-TRIMETHYLBENZENE  
 1,3,5TMB - 1,3,5-TRIMETHYLBENZENE  
 IPB - ISOPROPYLBENZENE  
 4-IPT - 4-ISOPROPYLTOLUENE  
 -- - NOT ANALYZED

Table 4

**GROUND-WATER REMEDIAL ACTION  
FOCUSED GROUND-WATER REMEDIATION SYSTEM  
ROWE INDUSTRIES SUPERFUND SITE  
SAG HARBOR, NEW YORK**

**Recovery Well Influent VOC Concentrations, micrograms per liter  
July 2003 through September 2003**

| FRW-3   |     |      |      |      |        |        |      |
|---------|-----|------|------|------|--------|--------|------|
| Date    | PCE | TCA  | IPB  | PB   | 124TMB | 135TMB | MTBE |
| 8/20/03 | 92  | ND<1 | 2.5  | 1.7  | ND<1   | ND<1   | ND<1 |
| 9/2/03  | 120 | ND<1 | 2.3  | 1.3  | ND<1   | 3.6    | --   |
| 9/18/03 | 150 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | --   |

PCE- TETRACHLOROETHYLENE  
 TCA - 1,1,1-TRICHLOROETHANE  
 11 2-TCA - 1,1,2-TRICHLOROETHANE  
 TCE - TRICHLOROETHENE  
 12DCE - cis1,2-DICHLOROETHENE  
 MTBE - METHYL TERTIARY-BUTYL ETHER

PB - n PROPYL BENZENE  
 124TMB - 1,2,4-TRIMETHYLBENZENE  
 1,3,5TMB - 1,3,5-TRIMETHYLBENZENE  
 IPB - ISOPROPYLBENZENE  
 4-IPT - 4-ISOPROPYLTOLUENE  
 -- - NOT ANALYZED

Table 5

GROUND-WATER REMEDIAL ACTION  
 FOCUSED GROUND-WATER REMEDIATION SYSTEM  
 ROWE INDUSTRIES SUPERFUND SITE  
 SAG HARBOR, NEW YORK

Pre-Carbon VOC Concentrations, micrograms per liter  
 July 2003 through September 2003

| PRE-CARBON |     |      |      |      |      |        |        |      |         |         |      |
|------------|-----|------|------|------|------|--------|--------|------|---------|---------|------|
| Date       | PCE | TCA  | DCE  | IPB  | CB   | 124TMB | 135TMB | TCE  | Toluene | Benzene | MTBE |
| 8/7/03     | 110 | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | -    |
| 8/18/03    | 110 | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | ND<1 |
| 8/20/03    | 76  | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | ND<1 |
| 9/2/03     | 49  | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | --   |
| 9/9/03     | 49  | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | --   |
| 9/17/03    | 70  | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | --   |
| 9/23/03    | 56  | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | --   |

PCE- TETRACHLOROETHYLENE

TCA - 1,1,1-TRICHLOROETHANE

11 2-TCA - 1,1,2-TRICHLOROETHANE

TCE - TRICHLOROETHENE

EB - ETHYLBENZENE

IPB - ISOPROPYLBENZENE

CB - CHLOROBENZENE

BF - BROMOFORM

124TMB - 1,2,4-TRIMETHYLBENZENE

135TMB - 1,3,5-TRIMETHYLBENZENE

CB - CHLOROBENZENE

12DCE - cis1,2-DICHLOROETHENE

4-IPT - 4-ISOPROPYLTOLUENE

-- NOT ANALYZED

Table 6

GROUND-WATER REMEDIAL ACTION  
 FOCUSED GROUND-WATER REMEDIATION SYSTEM  
 ROWE INDUSTRIES SUPERFUND SITE  
 SAG HARBOR, NEW YORK

Mid-carbon VOC Concentrations, micrograms per liter  
 July 2003 through September 2003

| Date    | MID-CARBON |      |      |      |      |        |        |      |         |         |      |
|---------|------------|------|------|------|------|--------|--------|------|---------|---------|------|
|         | PCE        | TCA  | DCE  | IPB  | CB   | 124TMB | 135TMB | TCE  | Toluene | Benzene | MTBE |
| 8/18/03 | 36         | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | ND<1 |
| 8/20/03 | 17         | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | ND<1 |
| 9/2/03  | ND<1       | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | --   |
| 9/9/03  | ND<1       | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | --   |
| 9/17/03 | ND<1       | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | --   |
| 9/23/03 | ND<1       | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | --   |

PCE- TETRACHLOROETHYLENE  
 TCA - 1,1,1-TRICHLOROETHANE  
 11 2-TCA - 1,1,2-TRICHLOROETHANE  
 TCE - TRICHLOROETHENE  
 EB - ETHYLBENZENE  
 IPB - ISOPROPYLBENZENE  
 CB - CHLOROBENZENE

BF - BROMOFORM  
 124TMB - 1,2,4-TRIMETHYLBENZENE  
 135TMB - 1,3,5-TRIMETHYLBENZENE  
 CB - CHLOROBENZENE  
 12DCE - cis1,2-DICHLOROETHENE  
 4-IPT - 4-ISOPROPYLTOLUENE  
 -- - NOT ANALYZED

Table 7

GROUND-WATER REMEDIAL ACTION  
 FOCUSED GROUND-WATER REMEDIATION SYSTEM  
 ROWE INDUSTRIES SUPERFUND SITE  
 SAG HARBOR, NEW YORK

Post-carbon VOC Concentrations, micrograms per liter  
 July 2003 through September 2003


| POST-CARBON |      |      |      |      |      |        |        |      |         |         |      |
|-------------|------|------|------|------|------|--------|--------|------|---------|---------|------|
| Date        | PCE  | TCA  | DCE  | IPB  | CB   | 124TMB | 135TMB | TCE  | Toluene | Benzene | MTBE |
| 8/18/03     | ND<1 | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | ND<1 |
| 8/20/03     | ND<1 | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | ND<1 |
| 9/2/03      | ND<1 | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | --   |
| 9/9/03      | ND<1 | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | --   |
| 9/17/03     | ND<1 | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | --   |
| 9/23/03     | ND<1 | ND<1 | ND<1 | ND<1 | ND<1 | ND<1   | ND<1   | ND<1 | ND<1    | ND<1    | --   |

PCE- TETRACHLOROETHYLENE  
 TCA - 1,1,1-TRICHLOROETHANE  
 11 2-TCA - 1,1,2-TRICHLOROETHANE  
 TCE - TRICHLOROETHENE  
 EB - ETHYLBENZENE  
 IPB - ISOPROPYLBENZENE  
 CB - CHLOROBENZENE

BF - BROMOFORM  
 124TMB - 1,2,4-TRIMETHYLBENZENE  
 135TMB - 1,3,5-TRIMETHYLBENZENE  
 CB - CHLOROBENZENE  
 12DCE - cis1,2-DICHLOROETHENE  
 4-IPT - 4-ISOPROPYLTOLUENE  
 -- - NOT ANALYZED


**GRAPHS**

**GRAPH 1**  
**GROUND WATER REMEDIAL ACTION**  
**FOCUSED GROUND WATER REMEDIATION SYSTEM**  
**ROWE INDUSTRIES SUPERFUND SITE**  
**SAG HARBOR, NEW YORK**  
**INFLUENT VOC CONCENTRATIONS AND CUMULATIVE MASS REMOVED FROM FDSA**  
**July 2003 through September 2003**




**GRAPH 2  
GROUND WATER REMEDIAL ACTION  
FOCUSED GROUND WATER REMEDIATION SYSTEM  
ROWE INDUSTRIES SUPERFUND SITE  
SAG HARBOR, NEW YORK**

**INFLUENT VOC CONCENTRATION AND CUMULATIVE MASS REMOVED FROM FDSA  
March 22, 2001 through September 23, 2003**



**Graph 3**  
**Ground Water Remedial Action**  
**Focused Ground Water Remediation System**  
**Rowe Industries Superfund Site**  
**Sag Harbor, New York**  
**Tetrachloroethene Concentrations in Recovered Ground Water**



**ANALYTICAL REPORTS**

August 21, 2003

Laura Zima  
Legette Brashears & Graham Inc.  
126 Monroe Turnpike  
Trumbull, CT 06611

TEL: (203) 452-3110  
FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0308062

Dear Laura Zima:

American Analytical Laboratories, Inc. received 3 samples on 8/20/2003 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Lori Beyer  
Lab Director

---

**CLIENT:** Legette Brashears & Graham Inc.  
**Project:** Rowe Industries  
**Lab Order:** 0308062

---

**Work Order Sample Summary**

---

| <b>Lab Sample ID</b> | <b>Client Sample ID</b> | <b>Tag Number</b> | <b>Collection Date</b> | <b>Date Received</b> |
|----------------------|-------------------------|-------------------|------------------------|----------------------|
| 0308062-01A          | FP & T [POST]           |                   | 8/19/2003              | 8/20/2003            |
| 0308062-02A          | FP & T [MID]            |                   | 8/20/2003              | 8/20/2003            |
| 0308062-03A          | FP & T [PRE]            |                   | 8/20/2003              | 8/20/2003            |

---

**AMERICAN ANALYTICAL LABORATORIES, INC.**

**56 TOLEDO STREET**

**FARMINGDALE, NEW YORK 11735**

**TELEPHONE: (631) 454-6100      FAX: (631) 454-8027**

**DATA REPORTING QUALIFIERS**

For reporting results, the following "Results Qualifiers" are used:

|              |  |
|--------------|--|
| <b>Value</b> | If the result is greater than or equal to the detection limit, report the value  |
| <b>U</b>     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.   |
| <b>J</b>     | Indicates an estimated value. The flag is used:<br><ol style="list-style-type: none"><li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li><li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.</li></ol> |
| <b>B</b>     | Indicates the analyte was found in the blank as well as the sample report "10B".   |
| <b>E</b>     | Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.  |
| <b>D</b>     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.   |
| <b>P</b>     | This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".  |
| <b>N</b>     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.   |

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

|   |        |      |       |                     |  |          |                                     |  |  |   |  |   |  |  |                           |  |   |  |                                |                               |  |  |  |  |
|---|--------|------|-------|---------------------|--|----------|-------------------------------------|--|--|---|--|---|--|--|---------------------------|--|---|--|--------------------------------|-------------------------------|--|--|--|--|
| CLIENT NAME/ADDRESS<br><i>LEB</i>   |        |      |       |                     | CONTACT:<br><i>Paul Jobmann</i>                |          |                                     |  |  | SAMPLER (SIGNATURE) _____ DATE _____ TIME _____   |  |   |  |  | SAMPLE(S) SEALED YES / NO |  |   |  |                                |                               |  |  |  |  |
| PROJECT LOCATION:<br><i>Rene Industries</i>   |        |      |       |                     |  |          |                                     |  |  | SAMPLER NAME (PRINT)<br><i>Megan Durnmore</i>   |  |   |  |  |                           |  |   |  |                                | CORRECT CONTAINER(S) YES / NO |  |  |  |  |
| ANALYSIS REQUIRED   |        |      |       |                     |  |          |                                     |  |  |   |  |   |  |  | <i>8/22/03</i>            |  |   |  |                                |                               |  |  |  |  |
| LABORATORY ID #   | MATRIX | TYPE | PRES. | SAMPLE # - LOCATION |  |          |                                     |  |  |   |  |   |  |  |                           |  |   |  |                                | P.O.#                         |  |  |  |  |
| <i>0308062-01A</i>  |        |      |       | <i>FP/T Post</i>    |  | <i>X</i> |                                     |  |  |   |  |   |  |  |                           |  |   |  |                                |                               |  |  |  |  |
| <i>0308062-02A</i>  |        |      |       | <i>FP/T mid</i>     |  | <i>X</i> |                                     |  |  |   |  |   |  |  |                           |  |   |  |                                |                               |  |  |  |  |
| <i>0308062-03A</i>  |        |      |       | <i>FP/T Pre</i>     |  | <i>X</i> |                                     |  |  |   |  |   |  |  |                           |  |   |  |                                |                               |  |  |  |  |
| <b>MATRIX</b> S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL<br><b>TYPE</b> G=GRAB; C=COMPOSITE, SS=SPLIT SPOON |        |      |       |                     |  |          |                                     |  |  | TURNAROUND REQUIRED:<br>NORMAL <input type="checkbox"/> STAT <input type="checkbox"/> BY <i>/ /</i> |  |   |  |  | COMMENTS / INSTRUCTIONS   |  |   |  |                                |                               |  |  |  |  |
| RELINQUISHED BY (SIGNATURE)<br><i>[Signature]</i>   |        |      |       |                     | DATE<br><i>8/19/03</i><br>TIME<br><i>14:53</i> |          | PRINTED NAME<br><i>Paul Jobmann</i> |  |  |   |  | RECEIVED BY LAB (SIGNATURE)<br><i>[Signature]</i> |  |  |                           |  | DATE<br><i>08-20-03</i><br>TIME<br><i>10:14</i> |  | PRINTED NAME<br><i>J. GRAY</i> |                               |  |  |  |  |
| RELINQUISHED BY (SIGNATURE)   |        |      |       |                     | DATE<br>TIME                                   |          | PRINTED NAME                        |  |  |   |  | RECEIVED BY LAB (SIGNATURE)                       |  |  |                           |  | DATE<br>TIME                                    |  | PRINTED NAME                   |                               |  |  |  |  |

**American Analytical Laboratories, Inc.**

Date: 21-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308062  
**Project:** Rowe Industries  
**Lab ID:** 0308062-01A

**Client Sample ID:** FP & T [POST]  
**Tag Number:**  
**Collection Date:** 8/19/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS         |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 21-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308062  
**Project:** Rowe Industries  
**Lab ID:** 0308062-01A

**Client Sample ID:** FP & T [POST]  
**Tag Number:**  
**Collection Date:** 8/19/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: <b>LDS</b>  |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 7:37:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 21-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308062  
**Project:** Rowe Industries  
**Lab ID:** 0308062-02A

**Client Sample ID:** FP & T [MID]  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS         |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

# American Analytical Laboratories, Inc.

Date: 21-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308062  
**Project:** Rowe Industries  
**Lab ID:** 0308062-02A

**Client Sample ID:** FP & T [MID]  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>  |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Tetrachloroethene            | 36     | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:15:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 21-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308062  
**Project:** Rowe Industries  
**Lab ID:** 0308062-03A

**Client Sample ID:** FP & T [PRE]  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS         |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 21-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308062  
**Project:** Rowe Industries  
**Lab ID:** 0308062-03A

**Client Sample ID:** FP & T [PRE]  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|-------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |       |      |       |    |                      |
|                              |        |       |      |       |    | <b>Analyst: LDS</b>  |
| Dibromomethane               | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Dichlorodifluoromethane      | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Ethylbenzene                 | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Hexachlorobutadiene          | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Isopropylbenzene             | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| m,p-Xylene                   | U      | 2.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Methylene chloride           | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Naphthalene                  | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| n-Butylbenzene               | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| n-Propylbenzene              | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| o-Xylene                     | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| sec-Butylbenzene             | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Styrene                      | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| tert-Butylbenzene            | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Tetrachloroethene            | 110    | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Toluene                      | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Trichloroethene              | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Trichlorofluoromethane       | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Vinyl acetate                | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |
| Vinyl chloride               | U      | 1.0   |      | µg/L  | 1  | 8/20/2003 8:53:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

August 26, 2003

Paul Jobmann  
Legette Brashears & Graham Inc.  
126 Monroe Turnpike  
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0308075

Dear Paul Jobmann:

American Analytical Laboratories, Inc. received 6 samples on 8/22/2003 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Lori Beyer  
Lab Director

**CLIENT:** Legette Brashears & Graham Inc.  
**Project:** Rowe Industries  
**Lab Order:** 0308075

**Work Order Sample Summary**

---

| <b>Lab Sample ID</b> | <b>Client Sample ID</b> | <b>Tag Number</b> | <b>Collection Date</b> | <b>Date Received</b> |
|----------------------|-------------------------|-------------------|------------------------|----------------------|
| 0308075-01A          | FRW-1                   |                   | 8/20/2003              | 8/22/2003            |
| 0308075-02A          | FRW-2                   |                   | 8/20/2003              | 8/22/2003            |
| 0308075-03A          | FRW-3                   |                   | 8/20/2003              | 8/22/2003            |
| 0308075-04A          | Pre 082003              |                   | 8/20/2003              | 8/22/2003            |
| 0308075-05A          | Mid 082003              |                   | 8/20/2003              | 8/22/2003            |
| 0308075-06A          | Post 082003             |                   | 8/20/2003              | 8/22/2003            |

# AMERICAN ANALYTICAL LABORATORIES, INC.

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

## DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

| Value |  |
|-------|--|
|       | If the result is greater than or equal to the detection limit, report the value  |
| U     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.   |
| J     | Indicates an estimated value. The flag is used:<br><ol style="list-style-type: none"><li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li><li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.</li></ol> |
| B     | Indicates the analyte was found in the blank as well as the sample report "10B".   |
| E     | Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.  |
| D     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.   |
| P     | This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".  |
| N     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.   |

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

|  |                          |                                      |                |               |  |
|--|--------------------------|--------------------------------------|----------------|---------------|--|
| CLIENT NAME/ADDRESS<br>LBG<br>126 Monroe Turnpike<br>Tolland, CT 06611 | CONTACT:<br>Paul Jobmann | SAMPLER (SIGNATURE)<br>              | DATE<br>8/2/03 | TIME<br>10:40 | SAMPLE(S) SEALED<br>YES / NO<br>YES / NO |
|  |                          | SAMPLER NAME (PRINT)<br>Paul Jobmann |                |               |  |

PROJECT LOCATION:  
 Rowe Industries

ANALYSIS REQUIRED

8021B

FOR METHANOL PRESERVED SAMPLES  
[VOLATILE VIAL #]

| LABORATORY ID # | MATRIX | TYPE | PRES. | SAMPLE # - LOCATION |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-----------------|--------|------|-------|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 0308075-01A     |        |      |       | FRW-1 082003        | X |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 0308075-02A     |        |      |       | FRW-2 082003        | X |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 0308075-03A     |        |      |       | FRW-3 082003        | X |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 0308075-04A     |        |      |       | Pre 082003          | X |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 0308075-05A     |        |      |       | M.d 082003          | X |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 0308075-06A     |        |      |       | Post 082003         | X |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

1 vial rec'd broken

COOLER TEMPERATURE:

|   |   |                         |
|---|---|-------------------------|
| <b>MATRIX</b> S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL<br><b>TYPE</b> G=GRAB; C=COMPOSITE, SS=SPLIT SPOON | TURNAROUND REQUIRED:<br>NORMAL <input checked="" type="checkbox"/> STAT <input type="checkbox"/> BY / / | COMMENTS / INSTRUCTIONS |
|---|---|-------------------------|

|                             |        |              |                             |        |              |
|-----------------------------|--------|--------------|-----------------------------|--------|--------------|
| RELINQUISHED BY (SIGNATURE) | DATE   | PRINTED NAME | RECEIVED BY LAB (SIGNATURE) | DATE   | PRINTED NAME |
|                             | 8/2/03 | Paul Jobmann |                             | 8/2/03 | Cori Beyer   |
|                             | TIME   |              |                             | TIME   |              |
|                             | 18:00  |              |                             | 10:30  |              |

**American Analytical Laboratories, Inc.**

Date: 26-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308075  
**Project:** Rowe Industries  
**Lab ID:** 0308075-01A

**Client Sample ID:** FRW-1  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses  | Result | Limit          | Qual | Units        | DF | Date Analyzed        |
|---|--------|----------------|------|--------------|----|----------------------|
| <b>VOLATILES SW-846 8260 PLUS MTBE &amp; FREON1</b> |        | <b>SW8260B</b> |      | Analyst: LDS |    |                      |
| 1,1,1,2-Tetrachloroethane                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,1,1-Trichloroethane                               | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,1,2,2-Tetrachloroethane                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,1,2-Trichloro-1,2,2-trifluoroethane               | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,1,2-Trichloroethane                               | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,1-Dichloroethane                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,1-Dichloroethene                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,1-Dichloropropene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,2,3-Trichlorobenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,2,3-Trichloropropane                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,2,4-Trichlorobenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,2,4-Trimethylbenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,2-Dibromo-3-chloropropane                         | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,2-Dibromoethane                                   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,2-Dichlorobenzene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,2-Dichloroethane                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,2-Dichloropropane                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,3,5-Trimethylbenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,3-Dichlorobenzene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,3-dichloropropane                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 1,4-Dichlorobenzene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 2,2-Dichloropropane                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 2-Butanone  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 2-Chloroethyl vinyl ether                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 2-Chlorotoluene                                     | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 2-Hexanone  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 4-Chlorotoluene                                     | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 4-Isopropyltoluene                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| 4-Methyl-2-pentanone                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Acetone   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Benzene   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Bromobenzene  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Bromochloromethane                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Bromodichloromethane                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Bromoform   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Bromomethane  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Carbon disulfide                                    | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Carbon tetrachloride                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Chlorobenzene                                       | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Chloroethane  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level  
 S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 26-Aug-03

CLIENT: Legette Brashears & Graham Inc.  
 Lab Order: 0308075  
 Project: Rowe Industries  
 Lab ID: 0308075-01A

Client Sample ID: FRW-1  
 Tag Number:  
 Collection Date: 8/20/2003  
 Matrix: LIQUID

| Analyses  | Result | Limit          | Qual | Units        | DF | Date Analyzed        |
|---|--------|----------------|------|--------------|----|----------------------|
| <b>VOLATILES SW-846 8260 PLUS MTBE &amp; FREON1</b> |        | <b>SW8260B</b> |      | Analyst: LDS |    |                      |
| Chloroform  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Chloromethane                                       | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| cis-1,2-Dichloroethene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| cis-1,3-Dichloropropene                             | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Dibromochloromethane                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Dibromomethane                                      | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Dichlorodifluoromethane                             | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Ethylbenzene  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Hexachlorobutadiene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Isopropylbenzene                                    | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| m,p-Xylene  | U      | 2.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Methyl tert-butyl ether                             | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Methylene chloride                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Naphthalene   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| n-Butylbenzene                                      | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| n-Propylbenzene                                     | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| o-Xylene  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| sec-Butylbenzene                                    | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Styrene   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| tert-Butylbenzene                                   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Tetrachloroethene                                   | 69     | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Toluene   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| trans-1,2-Dichloroethene                            | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| trans-1,3-Dichloropropene                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Trichloroethene                                     | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Trichlorofluoromethane                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Vinyl acetate                                       | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |
| Vinyl chloride                                      | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 3:40:00 AM |

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

# American Analytical Laboratories, Inc.

Date: 26-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308075  
**Project:** Rowe Industries  
**Lab ID:** 0308075-02A

**Client Sample ID:** FRW-2  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses  | Result | Limit          | Qual | Units        | DF | Date Analyzed        |
|---|--------|----------------|------|--------------|----|----------------------|
| <b>VOLATILES SW-846 8260 PLUS MTBE &amp; FREON1</b> |        | <b>SW8260B</b> |      | Analyst: LDS |    |                      |
| 1,1,1,2-Tetrachloroethane                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,1,1-Trichloroethane                               | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,1,2,2-Tetrachloroethane                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,1,2-Trichloro-1,2,2-trifluoroethane               | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,1,2-Trichloroethane                               | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,1-Dichloroethane                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,1-Dichloroethene                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,1-Dichloropropene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,2,3-Trichlorobenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,2,3-Trichloropropane                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,2,4-Trichlorobenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,2,4-Trimethylbenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,2-Dibromo-3-chloropropane                         | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,2-Dibromoethane                                   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,2-Dichlorobenzene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,2-Dichloroethane                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,2-Dichloropropane                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,3,5-Trimethylbenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,3-Dichlorobenzene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,3-dichloropropane                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 1,4-Dichlorobenzene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 2,2-Dichloropropane                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 2-Butanone  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 2-Chloroethyl vinyl ether                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 2-Chlorotoluene                                     | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 2-Hexanone  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 4-Chlorotoluene                                     | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 4-Isopropyltoluene                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| 4-Methyl-2-pentanone                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| Acetone   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| Benzene   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| Bromobenzene  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| Bromochloromethane                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| Bromodichloromethane                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| Bromoform   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| Bromomethane  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| Carbon disulfide                                    | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| Carbon tetrachloride                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| Chlorobenzene                                       | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |
| Chloroethane  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:20:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 26-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308075  
**Project:** Rowe Industries  
**Lab ID:** 0308075-02A

**Client Sample ID:** FRW-2  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses  | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|---|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8260 PLUS MTBE &amp; FREON1</b> |        | <b>SW8260B</b> |      |       |    | Analyst: LDS         |
| Chloroform  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Chloromethane                                       | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| cis-1,2-Dichloroethene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| cis-1,3-Dichloropropene                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Dibromochloromethane                                | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Dibromomethane                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Dichlorodifluoromethane                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Ethylbenzene  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Hexachlorobutadiene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Isopropylbenzene                                    | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| m,p-Xylene  | U      | 2.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Methyl tert-butyl ether                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Methylene chloride                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Naphthalene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| n-Butylbenzene                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| n-Propylbenzene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| o-Xylene  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| sec-Butylbenzene                                    | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Styrene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| tert-Butylbenzene                                   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Tetrachloroethene                                   | 96     | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Toluene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| trans-1,2-Dichloroethene                            | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| trans-1,3-Dichloropropene                           | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Trichloroethene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Trichlorofluoromethane                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Vinyl acetate                                       | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |
| Vinyl chloride                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:20:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 26-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308075  
**Project:** Rowe Industries  
**Lab ID:** 0308075-03A

**Client Sample ID:** FRW-3  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses  | Result | Limit          | Qual | Units        | DF | Date Analyzed        |
|---|--------|----------------|------|--------------|----|----------------------|
| <b>VOLATILES SW-846 8260 PLUS MTBE &amp; FREON1</b> |        | <b>SW8260B</b> |      | Analyst: LDS |    |                      |
| 1,1,1,2-Tetrachloroethane                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,1,1-Trichloroethane                               | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,1,2,2-Tetrachloroethane                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,1,2-Trichloro-1,2,2-trifluoroethane               | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,1,2-Trichloroethane                               | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,1-Dichloroethane                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,1-Dichloroethene                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,1-Dichloropropene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,2,3-Trichlorobenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,2,3-Trichloropropane                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,2,4-Trichlorobenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,2,4-Trimethylbenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,2-Dibromo-3-chloropropane                         | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,2-Dibromoethane                                   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,2-Dichlorobenzene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,2-Dichloroethane                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,2-Dichloropropane                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,3,5-Trimethylbenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,3-Dichlorobenzene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,3-dichloropropane                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 1,4-Dichlorobenzene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 2,2-Dichloropropane                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 2-Butanone  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 2-Chloroethyl vinyl ether                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 2-Chlorotoluene                                     | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 2-Hexanone  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 4-Chlorotoluene                                     | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 4-Isopropyltoluene                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| 4-Methyl-2-pentanone                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| Acetone   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| Benzene   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| Bromobenzene  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| Bromochloromethane                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| Bromodichloromethane                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| Bromoform   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| Bromomethane  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| Carbon disulfide                                    | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| Carbon tetrachloride                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| Chlorobenzene                                       | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |
| Chloroethane  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 4:58:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 26-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308075  
**Project:** Rowe Industries  
**Lab ID:** 0308075-03A

**Client Sample ID:** FRW-3  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses  | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|---|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8260 PLUS MTBE &amp; FREON1</b> |        |                |      |       |    |                      |
|   |        | <b>SW8260B</b> |      |       |    | Analyst: LDS         |
| Chloroform  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Chloromethane                                       | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| cis-1,2-Dichloroethene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| cis-1,3-Dichloropropene                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Dibromochloromethane                                | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Dibromomethane                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Dichlorodifluoromethane                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Ethylbenzene  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Hexachlorobutadiene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Isopropylbenzene                                    | 2.5    | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| m,p-Xylene  | U      | 2.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Methyl tert-butyl ether                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Methylene chloride                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Naphthalene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| n-Butylbenzene                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| n-Propylbenzene                                     | 1.7    | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| o-Xylene  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| sec-Butylbenzene                                    | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Styrene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| tert-Butylbenzene                                   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Tetrachloroethene                                   | 92     | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Toluene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| trans-1,2-Dichloroethene                            | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| trans-1,3-Dichloropropene                           | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Trichloroethene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Trichlorofluoromethane                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Vinyl acetate                                       | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |
| Vinyl chloride                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 4:58:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 26-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308075  
**Project:** Rowe Industries  
**Lab ID:** 0308075-04A

**Client Sample ID:** Pre 082003  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses  | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|---|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8260 PLUS MTBE &amp; FREON1</b> |        |                |      |       |    |                      |
|   |        | <b>SW8260B</b> |      |       |    | <b>Analyst: LDS</b>  |
| 1,1,1,2-Tetrachloroethane                           | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,1,1-Trichloroethane                               | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,1,2,2-Tetrachloroethane                           | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,1,2-Trichloro-1,2,2-trifluoroethane               | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,1,2-Trichloroethane                               | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,1-Dichloroethane                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,1-Dichloroethene                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,1-Dichloropropene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,2,3-Trichlorobenzene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,2,3-Trichloropropane                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,2,4-Trichlorobenzene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,2,4-Trimethylbenzene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,2-Dibromo-3-chloropropane                         | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,2-Dibromoethane                                   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,2-Dichlorobenzene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,2-Dichloroethane                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,2-Dichloropropane                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,3,5-Trimethylbenzene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,3-Dichlorobenzene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,3-dichloropropane                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 1,4-Dichlorobenzene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 2,2-Dichloropropane                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 2-Butanone  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 2-Chloroethyl vinyl ether                           | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 2-Chlorotoluene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 2-Hexanone  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 4-Chlorotoluene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 4-Isopropyltoluene                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| 4-Methyl-2-pentanone                                | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Acetone   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Benzene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Bromobenzene  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Bromochloromethane                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Bromodichloromethane                                | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Bromoform   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Bromomethane  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Carbon disulfide                                    | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Carbon tetrachloride                                | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Chlorobenzene                                       | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Chloroethane  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 26-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308075  
**Project:** Rowe Industries  
**Lab ID:** 0308075-04A

**Client Sample ID:** Pre 082003  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses  | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|---|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8260 PLUS MTBE &amp; FREON1</b> |        |                |      |       |    |                      |
|   |        | <b>SW8260B</b> |      |       |    | Analyst: LDS         |
| Chloroform  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Chloromethane                                       | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| cis-1,2-Dichloroethene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| cis-1,3-Dichloropropene                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Dibromochloromethane                                | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Dibromomethane                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Dichlorodifluoromethane                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Ethylbenzene  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Hexachlorobutadiene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Isopropylbenzene                                    | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| m,p-Xylene  | U      | 2.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Methyl tert-butyl ether                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Methylene chloride                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Naphthalene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| n-Butylbenzene                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| n-Propylbenzene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| o-Xylene  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| sec-Butylbenzene                                    | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Styrene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| tert-Butylbenzene                                   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Tetrachloroethene                                   | 76     | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Toluene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| trans-1,2-Dichloroethene                            | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| trans-1,3-Dichloropropene                           | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Trichloroethene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Trichlorofluoromethane                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Vinyl acetate                                       | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |
| Vinyl chloride                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 5:37:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 26-Aug-03

|  |                                     |
|--|-------------------------------------|
| <b>CLIENT:</b> Legette Brashears & Graham Inc. | <b>Client Sample ID:</b> Mid 082003 |
| <b>Lab Order:</b> 0308075                      | <b>Tag Number:</b>                  |
| <b>Project:</b> Rowe Industries                | <b>Collection Date:</b> 8/20/2003   |
| <b>Lab ID:</b> 0308075-05A                     | <b>Matrix:</b> LIQUID               |

| Analyses  | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|---|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8260 PLUS MTBE &amp; FREON1</b> |        | <b>SW8260B</b> |      |       |    | Analyst: LDS         |
| 1,1,1,2-Tetrachloroethane                           | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,1,1-Trichloroethane                               | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,1,2,2-Tetrachloroethane                           | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,1,2-Trichloro-1,2,2-trifluoroethane               | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,1,2-Trichloroethane                               | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,1-Dichloroethane                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,1-Dichloroethene                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,1-Dichloropropene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,2,3-Trichlorobenzene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,2,3-Trichloropropane                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,2,4-Trichlorobenzene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,2,4-Trimethylbenzene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,2-Dibromo-3-chloropropane                         | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,2-Dibromoethane                                   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,2-Dichlorobenzene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,2-Dichloroethane                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,2-Dichloropropane                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,3,5-Trimethylbenzene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,3-Dichlorobenzene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,3-dichloropropane                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 1,4-Dichlorobenzene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 2,2-Dichloropropane                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 2-Butanone  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 2-Chloroethyl vinyl ether                           | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 2-Chlorotoluene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 2-Hexanone  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 4-Chlorotoluene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 4-Isopropyltoluene                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| 4-Methyl-2-pentanone                                | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Acetone   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Benzene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Bromobenzene  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Bromochloromethane                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Bromodichloromethane                                | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Bromoform   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Bromomethane  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Carbon disulfide                                    | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Carbon tetrachloride                                | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Chlorobenzene                                       | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Chloroethane  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |

|                    |   |   |
|--------------------|---|---|
| <b>Qualifiers:</b> | ND - Not Detected at the Reporting Limit            | S - Spike Recovery outside accepted recovery limits |
|                    | J - Analyte detected below quantitation limits      | R - RPD outside accepted recovery limits            |
|                    | B - Analyte detected in the associated Method Blank | E - Value above quantitation range                  |
|                    | * - Value exceeds Maximum Contaminant Level         |   |

**American Analytical Laboratories, Inc.**

Date: 26-Aug-03

|                   |                                 |                          |            |
|-------------------|---------------------------------|--------------------------|------------|
| <b>CLIENT:</b>    | Legette Brashears & Graham Inc. | <b>Client Sample ID:</b> | Mid 082003 |
| <b>Lab Order:</b> | 0308075                         | <b>Tag Number:</b>       |            |
| <b>Project:</b>   | Rowe Industries                 | <b>Collection Date:</b>  | 8/20/2003  |
| <b>Lab ID:</b>    | 0308075-05A                     | <b>Matrix:</b>           | LIQUID     |

| Analyses  | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|---|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8260 PLUS MTBE &amp; FREON1</b> |        | <b>SW8260B</b> |      |       |    | Analyst: LDS         |
| Chloroform  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Chloromethane                                       | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| cis-1,2-Dichloroethene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| cis-1,3-Dichloropropene                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Dibromochloromethane                                | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Dibromomethane                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Dichlorodifluoromethane                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Ethylbenzene  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Hexachlorobutadiene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Isopropylbenzene                                    | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| m,p-Xylene  | U      | 2.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Methyl tert-butyl ether                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Methylene chloride                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Naphthalene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| n-Butylbenzene                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| n-Propylbenzene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| o-Xylene  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| sec-Butylbenzene                                    | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Styrene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| tert-Butylbenzene                                   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Tetrachloroethene                                   | 17     | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Toluene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| trans-1,2-Dichloroethene                            | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| trans-1,3-Dichloropropene                           | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Trichloroethene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Trichlorofluoromethane                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Vinyl acetate                                       | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |
| Vinyl chloride                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:15:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 26-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308075  
**Project:** Rowe Industries  
**Lab ID:** 0308075-06A

**Client Sample ID:** Post 082003  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses  | Result | Limit          | Qual | Units        | DF | Date Analyzed        |
|---|--------|----------------|------|--------------|----|----------------------|
| <b>VOLATILES SW-846 8260 PLUS MTBE &amp; FREON1</b> |        | <b>SW8260B</b> |      | Analyst: LDS |    |                      |
| 1,1,1,2-Tetrachloroethane                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,1,1-Trichloroethane                               | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,1,2,2-Tetrachloroethane                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,1,2-Trichloro-1,2,2-trifluoroethane               | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,1,2-Trichloroethane                               | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,1-Dichloroethane                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,1-Dichloroethene                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,1-Dichloropropene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,2,3-Trichlorobenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,2,3-Trichloropropane                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,2,4-Trichlorobenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,2,4-Trimethylbenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,2-Dibromo-3-chloropropane                         | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,2-Dibromoethane                                   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,2-Dichlorobenzene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,2-Dichloroethane                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,2-Dichloropropane                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,3,5-Trimethylbenzene                              | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,3-Dichlorobenzene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,3-dichloropropane                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 1,4-Dichlorobenzene                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 2,2-Dichloropropane                                 | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 2-Butanone  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 2-Chloroethyl vinyl ether                           | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 2-Chlorotoluene                                     | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 2-Hexanone  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 4-Chlorotoluene                                     | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 4-Isopropyltoluene                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| 4-Methyl-2-pentanone                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| Acetone   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| Benzene   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| Bromobenzene  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| Bromochloromethane                                  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| Bromodichloromethane                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| Bromoform   | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| Bromomethane  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| Carbon disulfide                                    | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| Carbon tetrachloride                                | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| Chlorobenzene                                       | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |
| Chloroethane  | U      | 1.0            |      | µg/L         | 1  | 8/26/2003 6:54:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 26-Aug-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0308075  
**Project:** Rowe Industries  
**Lab ID:** 0308075-06A

**Client Sample ID:** Post 082003  
**Tag Number:**  
**Collection Date:** 8/20/2003  
**Matrix:** LIQUID

| Analyses  | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|---|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8260 PLUS MTBE &amp; FREON1</b> |        | <b>SW8260B</b> |      |       |    | Analyst: LDS         |
| Chloroform  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Chloromethane                                       | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| cis-1,2-Dichloroethene                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| cis-1,3-Dichloropropene                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Dibromochloromethane                                | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Dibromomethane                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Dichlorodifluoromethane                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Ethylbenzene  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Hexachlorobutadiene                                 | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Isopropylbenzene                                    | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| m,p-Xylene  | U      | 2.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Methyl tert-butyl ether                             | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Methylene chloride                                  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Naphthalene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| n-Butylbenzene                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| n-Propylbenzene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| o-Xylene  | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| sec-Butylbenzene                                    | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Styrene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| tert-Butylbenzene                                   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Tetrachloroethene                                   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Toluene   | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| trans-1,2-Dichloroethene                            | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| trans-1,3-Dichloropropene                           | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Trichloroethene                                     | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Trichlorofluoromethane                              | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Vinyl acetate                                       | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |
| Vinyl chloride                                      | U      | 1.0            |      | µg/L  | 1  | 8/26/2003 6:54:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

September 08, 2003

Paul Jobmann  
Legette Brashears & Graham Inc.  
126 Monroe Turnpike  
Trumbull, CT 06611

TEL: (203) 452-3110  
FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0309018

Dear Paul Jobmann:

American Analytical Laboratories, Inc. received 6 samples on 9/5/2003 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Lori Beyer  
Lab Director

**CLIENT:** Legette Brashears & Graham Inc.  
**Project:** Rowe Industries  
**Lab Order:** 0309018

**Work Order Sample Summary**

| <b>Lab Sample ID</b> | <b>Client Sample ID</b> | <b>Tag Number</b> | <b>Collection Date</b> | <b>Date Received</b> |
|----------------------|-------------------------|-------------------|------------------------|----------------------|
| 0309018-01A          | FRW 1                   |                   | 2/3/2029               | 9/5/2003             |
| 0309018-02A          | FRW 2 [090203]          |                   | 9/2/2003               | 9/5/2003             |
| 0309018-03A          | FRW 3 [090203]          |                   | 9/2/2003               | 9/5/2003             |
| 0309018-04A          | PRECARBON [090203]      |                   | 9/2/2003               | 9/5/2003             |
| 0309018-05A          | MIDCARBON [090203]      |                   | 9/2/2003               | 9/5/2003             |
| 0309018-06A          | POSTCARBON [090203]     |                   | 9/2/2003               | 9/5/2003             |

**American Analytical Laboratories, Inc.**

Date: 08-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309018  
**Project:** Rowe Industries  
**Lab ID:** 0309018-01A

**Client Sample ID:** FRW 1  
**Tag Number:**  
**Collection Date:** 2/3/2029  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed       |
|------------------------------|--------|----------------|------|-------|----|---------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                     |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b> |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 08-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309018  
**Project:** Rowe Industries  
**Lab ID:** 0309018-01A

**Client Sample ID:** FRW 1  
**Tag Number:**  
**Collection Date:** 2/3/2029  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed       |
|------------------------------|--------|----------------|------|-------|----|---------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                     |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b> |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Tetrachloroethene            | 11     | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:09:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

# American Analytical Laboratories, Inc.

Date: 08-Sep-03

CLIENT: Legette Brashears & Graham Inc.  
 Lab Order: 0309018  
 Project: Rowe Industries  
 Lab ID: 0309018-02A

Client Sample ID: FRW 2 [090203]  
 Tag Number:  
 Collection Date: 9/2/2003  
 Matrix: LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed       |
|------------------------------|--------|----------------|------|-------|----|---------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                     |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS        |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| cis-1,2-Dichloroethene       | 2.5    | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 08-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309018  
**Project:** Rowe Industries  
**Lab ID:** 0309018-02A

**Client Sample ID:** FRW 2 [090203]  
**Tag Number:**  
**Collection Date:** 9/2/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit | Qual | Units | DF | Date Analyzed       |
|------------------------------|--------|-------|------|-------|----|---------------------|
| <b>VOLATILES SW-846 8021</b> |        |       |      |       |    |                     |
|                              |        |       |      |       |    | <b>Analyst: LDS</b> |
| Dibromomethane               | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Dichlorodifluoromethane      | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Ethylbenzene                 | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Hexachlorobutadiene          | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Isopropylbenzene             | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| m,p-Xylene                   | U      | 2.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Methylene chloride           | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Naphthalene                  | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| n-Butylbenzene               | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| n-Propylbenzene              | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| o-Xylene                     | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| sec-Butylbenzene             | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Styrene                      | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| tert-Butylbenzene            | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Tetrachloroethene            | 75     | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Toluene                      | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Trichloroethene              | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Trichlorofluoromethane       | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Vinyl acetate                | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |
| Vinyl chloride               | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 5:47:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 08-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309018  
**Project:** Rowe Industries  
**Lab ID:** 0309018-03A

**Client Sample ID:** FRW 3 [090203]  
**Tag Number:**  
**Collection Date:** 9/2/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed       |
|------------------------------|--------|----------------|------|-------|----|---------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                     |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b> |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,3,5-Trimethylbenzene       | 3.6    | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 08-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309018  
**Project:** Rowe Industries  
**Lab ID:** 0309018-03A

**Client Sample ID:** FRW 3 [090203]  
**Tag Number:**  
**Collection Date:** 9/2/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit | Qual | Units | DF | Date Analyzed       |
|------------------------------|--------|-------|------|-------|----|---------------------|
| <b>VOLATILES SW-846 8021</b> |        |       |      |       |    |                     |
|                              |        |       |      |       |    | <b>Analyst: LDS</b> |
| Dibromomethane               | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Dichlorodifluoromethane      | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Ethylbenzene                 | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Hexachlorobutadiene          | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Isopropylbenzene             | 2.3    | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| m,p-Xylene                   | U      | 2.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Methylene chloride           | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Naphthalene                  | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| n-Butylbenzene               | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| n-Propylbenzene              | 1.3    | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| o-Xylene                     | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| sec-Butylbenzene             | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Styrene                      | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| tert-Butylbenzene            | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Tetrachloroethene            | 120    | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Toluene                      | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Trichloroethene              | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Trichlorofluoromethane       | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Vinyl acetate                | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |
| Vinyl chloride               | U      | 1.0   |      | µg/L  | 1  | 9/6/2003 6:26:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

# American Analytical Laboratories, Inc.

Date: 08-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309018  
**Project:** Rowe Industries  
**Lab ID:** 0309018-04A

**Client Sample ID:** PRECARBON [090203]  
**Tag Number:**  
**Collection Date:** 9/2/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed       |
|------------------------------|--------|----------------|------|-------|----|---------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                     |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b> |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 08-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309018  
**Project:** Rowe Industries  
**Lab ID:** 0309018-04A

**Client Sample ID:** PRECARBON [090203]  
**Tag Number:**  
**Collection Date:** 9/2/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed       |
|------------------------------|--------|----------------|------|-------|----|---------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                     |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: <b>LDS</b> |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Tetrachloroethene            | 49     | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:04:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 08-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309018  
**Project:** Rowe Industries  
**Lab ID:** 0309018-05A

**Client Sample ID:** MIDCARBON [090203]  
**Tag Number:**  
**Collection Date:** 9/2/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed       |
|------------------------------|--------|----------------|------|-------|----|---------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                     |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b> |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 08-Sep-03

CLIENT: Legette Brashears & Graham Inc.  
 Lab Order: 0309018  
 Project: Rowe Industries  
 Lab ID: 0309018-05A

Client Sample ID: MIDCARBON [090203]  
 Tag Number:  
 Collection Date: 9/2/2003  
 Matrix: LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed       |
|------------------------------|--------|----------------|------|-------|----|---------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                     |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS        |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 7:43:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 08-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309018  
**Project:** Rowe Industries  
**Lab ID:** 0309018-06A

**Client Sample ID:** POSTCARBON [090203]  
**Tag Number:**  
**Collection Date:** 9/2/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed       |
|------------------------------|--------|----------------|------|-------|----|---------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                     |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS        |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 08-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309018  
**Project:** Rowe Industries  
**Lab ID:** 0309018-06A

**Client Sample ID:** POSTCARBON [090203]  
**Tag Number:**  
**Collection Date:** 9/2/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed       |
|------------------------------|--------|----------------|------|-------|----|---------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                     |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b> |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 9/6/2003 8:21:00 PM |



**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

|  |                                 |   |                                      |
|--|---------------------------------|---|--------------------------------------|
| CLIENT NAME/ADDRESS<br><b>L3G</b><br><br><b>Trumbull, CT</b> | CONTACT:<br><b>Paul Jabmann</b> | SAMPLER (SIGNATURE)<br><br>DATE<br><br>TIME | SAMPLE(S) SEALED<br><br>YES / NO     |
|  |                                 | SAMPLER NAME (PRINT)                        | CORRECT CONTAINER(S)<br><br>YES / NO |

| PROJECT LOCATION:<br><b>Rowe Industries</b> |        |      |       |                     | ANALYSIS REQUIRED<br><b>80213</b> |  |  |  |  |  |  |  |  |  | FOR METHANOL PRESERVED SAMPLES<br>[ VOLATILE VIAL # ] |  |  |  |                     |
|---|--------|------|-------|---------------------|-----------------------------------|--|--|--|--|--|--|--|--|--|---|--|--|--|---------------------|
| LABORATORY ID #                             | MATRIX | TYPE | PRES. | SAMPLE # - LOCATION |                                   |  |  |  |  |  |  |  |  |  |   |  |  |  |                     |
| 0309018-01A                                 | L      | G    | HCl   | FRW-1 090203        |                                   |  |  |  |  |  |  |  |  |  |   |  |  |  |                     |
| 0309018-02A                                 |        |      |       | FRW-2 090203        |                                   |  |  |  |  |  |  |  |  |  |   |  |  |  | 1 vial rec'd broken |
| 0309018-03A                                 |        |      |       | FRW-3 090203        |                                   |  |  |  |  |  |  |  |  |  |   |  |  |  | 1 vial rec'd broken |
| 0309018-04A                                 |        |      |       | Pre-carbon 090203   |                                   |  |  |  |  |  |  |  |  |  |   |  |  |  |                     |
| 0309018-05A                                 |        |      |       | Mid-carbon 090203   |                                   |  |  |  |  |  |  |  |  |  |   |  |  |  |                     |
| 0309018-06A                                 |        |      |       | Post-carbon 090203  |                                   |  |  |  |  |  |  |  |  |  |   |  |  |  |                     |

|   |        |       |  |   |          |  |              |  |
|---|--------|-------|--|---|----------|--|--------------|--|
| MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL<br>TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON |        |       | TURNAROUND REQUIRED:<br>NORMAL <input type="checkbox"/> STAT <input type="checkbox"/> BY / / |   |          | COOLER TEMPERATURE:<br><br>COMMENTS / INSTRUCTIONS |              |  |
| RELINQUISHED BY (SIGNATURE)   | DATE   | TIME  | PRINTED NAME   | RECEIVED BY LAB (SIGNATURE)   | DATE     | TIME   | PRINTED NAME |  |
|    | 9/4/03 | 17:00 | Paul Jabmann   |  | 09-05-03 | 12:01  | J. Gray      |  |
| RELINQUISHED BY (SIGNATURE)   | DATE   | TIME  | PRINTED NAME   | RECEIVED BY LAB (SIGNATURE)   | DATE     | TIME   | PRINTED NAME |  |

September 18, 2003

Paul Jobmann  
Legette Brashears & Graham Inc.  
126 Monroe Turnpike  
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0309058

Dear Paul Jobmann:

American Analytical Laboratories, Inc. received 3 samples on 9/12/2003 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Lori Beyer  
Lab Director

---

**CLIENT:** Legette Brashears & Graham Inc.  
**Project:** Rowe Industries  
**Lab Order:** 0309058

**Work Order Sample Summary**

---

| <b>Lab Sample ID</b> | <b>Client Sample ID</b> | <b>Tag Number</b> | <b>Collection Date</b> | <b>Date Received</b> |
|----------------------|-------------------------|-------------------|------------------------|----------------------|
| 0309058-01A          | Precarbon 090903        |                   | 9/9/2003               | 9/12/2003            |
| 0309058-02A          | Midcarbon 090903        |                   | 9/9/2003               | 9/12/2003            |
| 0309058-03A          | Postcarbon 090903       |                   | 9/9/2003               | 9/12/2003            |

**AMERICAN ANALYTICAL LABORATORIES, INC.**

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

**DATA REPORTING QUALIFIERS**

For reporting results, the following "Results Qualifiers" are used:

|       |  |
|-------|--|
| Value | If the result is greater than or equal to the detection limit, report the value  |
| U     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.   |
| J     | Indicates an estimated value. The flag is used:<br><ol style="list-style-type: none"><li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li><li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.</li></ol> |
| B     | Indicates the analyte was found in the blank as well as the sample report "10B".   |
| E     | Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.  |
| D     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.   |
| P     | This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".  |
| N     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.   |

**American Analytical Laboratories, Inc.**

Date: 19-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309058  
**Project:** Rowe Industries  
**Lab ID:** 0309058-01A

**Client Sample ID:** Precarbon 090903  
**Tag Number:**  
**Collection Date:** 9/9/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units        | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|--------------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        | <b>SW8021B</b> |      | Analyst: LDS |    |                      |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Benzene                      | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Bromobenzene                 | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Bromochloromethane           | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Bromoform                    | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Bromomethane                 | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Carbon disulfide             | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Chlorobenzene                | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Chloroethane                 | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Chloroform                   | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Chloromethane                | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 2:42:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 19-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309058  
**Project:** Rowe Industries  
**Lab ID:** 0309058-01A

**Client Sample ID:** Precarbon 090903  
**Tag Number:**  
**Collection Date:** 9/9/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS         |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Tetrachloroethene            | 49     | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 2:42:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

# American Analytical Laboratories, Inc.

Date: 19-Sep-03

CLIENT: Legette Brashears & Graham Inc.  
 Lab Order: 0309058  
 Project: Rowe Industries  
 Lab ID: 0309058-02A

Client Sample ID: Midcarbon 090903  
 Tag Number:  
 Collection Date: 9/9/2003  
 Matrix: LIQUID

| Analyses                     | Result | Limit          | Qual | Units        | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|--------------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        | <b>SW8021B</b> |      | Analyst: LDS |    |                      |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Benzene                      | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Bromobenzene                 | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Bromochloromethane           | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Bromoform                    | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Bromomethane                 | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Carbon disulfide             | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Chlorobenzene                | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Chloroethane                 | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Chloroform                   | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Chloromethane                | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L         | 1  | 9/13/2003 3:21:00 AM |

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 19-Sep-03

CLIENT: Legette Brashears & Graham Inc.  
 Lab Order: 0309058  
 Project: Rowe Industries  
 Lab ID: 0309058-02A

Client Sample ID: Midcarbon 090903  
 Tag Number:  
 Collection Date: 9/9/2003  
 Matrix: LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS         |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:21:00 AM |

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 19-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309058  
**Project:** Rowe Industries  
**Lab ID:** 0309058-03A

**Client Sample ID:** Postcarbon 090903  
**Tag Number:**  
**Collection Date:** 9/9/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>  |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 19-Sep-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309058  
**Project:** Rowe Industries  
**Lab ID:** 0309058-03A

**Client Sample ID:** Postcarbon 090903  
**Tag Number:**  
**Collection Date:** 9/9/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>  |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 9/13/2003 3:59:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

| CLIENT NAME/ADDRESS<br><b>LS6</b><br><b>Tombull, CT</b>   |        |         |                     | CONTACT:<br><b>Paul Johnson</b>   |   |         |                      | SAMPLER (SIGNATURE)<br><b>Paul Johnson</b> |                         |          | DATE | TIME | SAMPLE(S) SEALED | YES / NO |
|---|--------|---------|---------------------|---|---|---------|----------------------|--|-------------------------|----------|------|------|------------------|----------|
| PROJECT LOCATION:<br><b>Rome Industries</b>   |        |         |                     | SAMPLER NAME (PRINT)<br><b>Paul Johnson</b>   |   |         | CORRECT CONTAINER(S) |  |                         | YES / NO |      |      |                  |          |
|   |        |         |                     | ANALYSIS REQUIRED<br><i>(Diagonal lines)</i>  |   |         |                      |  |                         |          |      |      |                  | P.O.#    |
| LABORATORY ID #   | MATRIX | TYPE    | PRES.               | SAMPLE # - LOCATION   | X | X       | X                    | X  | X                       | X        | X    | X    | X                |          |
| 0309058-01A   | L      | G       | HCl                 | Pre-carbon 090903   | X |         |                      |  |                         |          |      |      |                  |          |
| -02A  |        |         |                     | M.d carbon 090903   | X |         |                      |  |                         |          |      |      |                  |          |
| -03A  |        |         |                     | Post carbon 090905  | X |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
|   |        |         |                     |   |   |         |                      |  |                         |          |      |      |                  |          |
| <b>MATRIX</b> S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL<br><b>TYPE</b> G=GRAB; C=COMPOSITE, SS=SPLIT SPOON |        |         |                     | TURNAROUND REQUIRED:<br>NORMAL <input checked="" type="checkbox"/> STAT <input type="checkbox"/> BY 1/1 |   |         |                      |  | COMMENTS / INSTRUCTIONS |          |      |      |                  |          |
| RELINQUISHED BY (SIGNATURE)   |        | DATE    | PRINTED NAME        | RECEIVED BY LAB (SIGNATURE)   |   | DATE    | PRINTED NAME         |  |                         |          |      |      |                  |          |
|   |        | TIME    |                     | <b>Karen Kelly</b>  |   | 9/12/03 | <b>KAREN KELLY</b>   |  |                         |          |      |      |                  |          |
| RELINQUISHED BY (SIGNATURE)   |        | DATE    | PRINTED NAME        | RECEIVED BY LAB (SIGNATURE)   |   | DATE    | PRINTED NAME         |  |                         |          |      |      |                  |          |
| <b>Paul Johnson</b>   |        | 9/11/03 | <b>Paul Johnson</b> |   |   | 11:30   |                      |  |                         |          |      |      |                  |          |
|   |        | TIME    |                     |   |   | TIME    |                      |  |                         |          |      |      |                  |          |
|   |        | 13:37   |                     |   |   |         |                      |  |                         |          |      |      |                  |          |

October 06, 2003

Paul Jobmann  
Legette Brashears & Graham Inc.  
126 Monroe Turnpike  
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0309116

Dear Paul Jobmann:

American Analytical Laboratories, Inc. received 9 samples on 9/25/2003 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Lori Beyer  
Lab Director

**CLIENT:** Legette Brashears & Graham Inc.

**Project:** Rowe Industries

**Lab Order:** 0309116

**Work Order Sample Summary**

---

| <b>Lab Sample ID</b> | <b>Client Sample ID</b> | <b>Tag Number</b> | <b>Collection Date</b> | <b>Date Received</b> |
|----------------------|-------------------------|-------------------|------------------------|----------------------|
| 0309116-01A          | PRE-Carbon [91703]      |                   | 9/17/2003              | 9/25/2003            |
| 0309116-02A          | POST-Carbon [091703]    |                   | 9/17/2003              | 9/25/2003            |
| 0309116-03A          | MID-Carbon [091703]     |                   | 9/17/2003              | 9/25/2003            |
| 0309116-04A          | FRW-1 [091703]          |                   | 9/18/2003              | 9/25/2003            |
| 0309116-05A          | FRW-2 [091803]          |                   | 9/18/2003              | 9/25/2003            |
| 0309116-06A          | FRW-3 [091803]          |                   | 9/18/2003              | 9/25/2003            |
| 0309116-07A          | 0923031245 MID          |                   | 9/23/2003              | 9/25/2003            |
| 0309116-08A          | 0923031245 PRE          |                   | 9/23/2003              | 9/25/2003            |
| 0309116-09A          | 0923031245 POST         |                   | 9/23/2003              | 9/25/2003            |

**AMERICAN ANALYTICAL LABORATORIES, INC.**

**56 TOLEDO STREET**

**FARMINGDALE, NEW YORK 11735**

**TELEPHONE: (631) 454-6100      FAX: (631) 454-8027**

**DATA REPORTING QUALIFIERS**

For reporting results, the following "Results Qualifiers" are used:

|              |  |
|--------------|--|
| <b>Value</b> | If the result is greater than or equal to the detection limit, report the value  |
| <b>U</b>     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.   |
| <b>J</b>     | Indicates an estimated value. The flag is used:<br><ol style="list-style-type: none"><li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li><li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.</li></ol> |
| <b>B</b>     | Indicates the analyte was found in the blank as well as the sample report "10B".   |
| <b>E</b>     | Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.  |
| <b>D</b>     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.   |
| <b>P</b>     | This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".  |
| <b>N</b>     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.   |

# American Analytical Laboratories, Inc.

Date: 06-Oct-03

CLIENT: Legette Brashears & Graham Inc.  
 Lab Order: 0309116  
 Project: Rowe Industries  
 Lab ID: 0309116-01A

Client Sample ID: PRE-Carbon [91703]  
 Tag Number:  
 Collection Date: 9/17/2003  
 Matrix: LIQUID

| Analyses                     | Result | Limit | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|-------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |       |      |       |    |                      |
|                              |        |       |      |       |    | Analyst: LDS         |
|                              |        |       |      |       |    |                      |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,1-Dichloroethane           | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,1-Dichloroethene           | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,1-Dichloropropene          | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,2-Dibromoethane            | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,2-Dichloroethane           | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,2-Dichloropropane          | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,3-dichloropropane          | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 2,2-Dichloropropane          | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 2-Chlorotoluene              | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 4-Chlorotoluene              | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| 4-Isopropyltoluene           | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Benzene                      | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Bromobenzene                 | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Bromochloromethane           | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Bromodichloromethane         | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Bromoform                    | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Bromomethane                 | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Carbon disulfide             | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Carbon tetrachloride         | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Chlorobenzene                | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Chloroethane                 | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Chloroform                   | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Chloromethane                | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Dibromochloromethane         | U      | 1.0   | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-01A

**Client Sample ID:** PRE-Carbon [91703]  
**Tag Number:**  
**Collection Date:** 9/17/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS         |
| Dibromomethane               | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Ethylbenzene                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Hexachlorobutadiene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Isopropylbenzene             | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| m,p-Xylene                   | U      | 2.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Methylene chloride           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Naphthalene                  | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| n-Butylbenzene               | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| n-Propylbenzene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| o-Xylene                     | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| sec-Butylbenzene             | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Styrene                      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| tert-Butylbenzene            | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Tetrachloroethene            | 70     | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Toluene                      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Trichloroethene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Trichlorofluoromethane       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Vinyl acetate                | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |
| Vinyl chloride               | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 9:29:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-02A

**Client Sample ID:** POST-Carbon [091703]  
**Tag Number:**  
**Collection Date:** 9/17/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,3-dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 2-Chlorotoluene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 4-Chlorotoluene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Benzene                      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Bromobenzene                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Bromochloromethane           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Bromodichloromethane         | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Bromoform                    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Bromomethane                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Carbon disulfide             | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Carbon tetrachloride         | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Chlorobenzene                | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Chloroethane                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Chloroform                   | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Chloromethane                | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Dibromochloromethane         | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-02A

**Client Sample ID:** POST-Carbon [091703]  
**Tag Number:**  
**Collection Date:** 9/17/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Ethylbenzene                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Hexachlorobutadiene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Isopropylbenzene             | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| m,p-Xylene                   | U      | 2.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Methylene chloride           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Naphthalene                  | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| n-Butylbenzene               | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| n-Propylbenzene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| o-Xylene                     | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| sec-Butylbenzene             | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Styrene                      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| tert-Butylbenzene            | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Tetrachloroethene            | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Toluene                      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Trichloroethene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Trichlorofluoromethane       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Vinyl acetate                | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |
| Vinyl chloride               | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:13:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level  
 S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-03A

**Client Sample ID:** MID-Carbon [091703]  
**Tag Number:**  
**Collection Date:** 9/17/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        | <b>SW8021B</b> |      |       |    | Analyst: LDS          |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,3-dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 2-Chlorotoluene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 4-Chlorotoluene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Benzene                      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Bromobenzene                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Bromochloromethane           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Bromodichloromethane         | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Bromoform                    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Bromomethane                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Carbon disulfide             | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Carbon tetrachloride         | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Chlorobenzene                | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Chloroethane                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Chloroform                   | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Chloromethane                | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Dibromochloromethane         | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level  
 S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-03A

**Client Sample ID:** MID-Carbon [091703]  
**Tag Number:**  
**Collection Date:** 9/17/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: <b>LDS</b>   |
| Dibromomethane               | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Ethylbenzene                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Hexachlorobutadiene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Isopropylbenzene             | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| m,p-Xylene                   | U      | 2.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Methylene chloride           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Naphthalene                  | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| n-Butylbenzene               | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| n-Propylbenzene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| o-Xylene                     | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| sec-Butylbenzene             | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Styrene                      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| tert-Butylbenzene            | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Tetrachloroethene            | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Toluene                      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Trichloroethene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Trichlorofluoromethane       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Vinyl acetate                | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |
| Vinyl chloride               | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 10:53:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-04A

**Client Sample ID:** FRW-1 [091703]  
**Tag Number:**  
**Collection Date:** 9/18/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,3-dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 2-Chlorotoluene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 4-Chlorotoluene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Benzene                      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Bromobenzene                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Bromochloromethane           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Bromodichloromethane         | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Bromoform                    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Bromomethane                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Carbon disulfide             | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Carbon tetrachloride         | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Chlorobenzene                | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Chloroethane                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Chloroform                   | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Chloromethane                | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Dibromochloromethane         | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-04A

**Client Sample ID:** FRW-1 [091703]  
**Tag Number:**  
**Collection Date:** 9/18/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Ethylbenzene                 | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Hexachlorobutadiene          | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Isopropylbenzene             | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| m,p-Xylene                   | U      | 2.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Methylene chloride           | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Naphthalene                  | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| n-Butylbenzene               | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| n-Propylbenzene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| o-Xylene                     | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| sec-Butylbenzene             | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Styrene                      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| tert-Butylbenzene            | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Tetrachloroethene            | 110    | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Toluene                      | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Trichloroethene              | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Trichlorofluoromethane       | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Vinyl acetate                | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |
| Vinyl chloride               | U      | 1.0            | H    | µg/L  | 1  | 10/4/2003 11:32:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level  
 S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-05A

**Client Sample ID:** FRW-2 [091803]  
**Tag Number:**  
**Collection Date:** 9/18/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,1-Dichloroethane           | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,1-Dichloroethene           | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,1-Dichloropropene          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,2-Dibromoethane            | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,2-Dichloroethane           | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,2-Dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,3-dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 2,2-Dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 2-Chlorotoluene              | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 4-Chlorotoluene              | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| 4-Isopropyltoluene           | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Benzene                      | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Bromobenzene                 | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Bromochloromethane           | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Bromodichloromethane         | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Bromoform                    | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Bromomethane                 | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Carbon disulfide             | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Carbon tetrachloride         | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Chlorobenzene                | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Chloroethane                 | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Chloroform                   | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Chloromethane                | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Dibromochloromethane         | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-05A

**Client Sample ID:** FRW-2 [091803]  
**Tag Number:**  
**Collection Date:** 9/18/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|-------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |       |      |       |    |                       |
|                              |        |       |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Dichlorodifluoromethane      | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Ethylbenzene                 | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Hexachlorobutadiene          | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Isopropylbenzene             | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| m,p-Xylene                   | U      | 2.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Methylene chloride           | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Naphthalene                  | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| n-Butylbenzene               | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| n-Propylbenzene              | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| o-Xylene                     | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| sec-Butylbenzene             | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Styrene                      | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| tert-Butylbenzene            | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Tetrachloroethene            | 51     | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Toluene                      | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Trichloroethene              | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Trichlorofluoromethane       | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Vinyl acetate                | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |
| Vinyl chloride               | U      | 1.0   | H    | µg/L  | 1  | 10/5/2003 12:14:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-06A

**Client Sample ID:** FRW-3 [091803]  
**Tag Number:**  
**Collection Date:** 9/18/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,1-Dichloroethane           | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,1-Dichloroethene           | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,1-Dichloropropene          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,2-Dibromoethane            | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,2-Dichloroethane           | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,2-Dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,3-dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 2,2-Dichloropropane          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 2-Chlorotoluene              | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 4-Chlorotoluene              | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| 4-Isopropyltoluene           | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Benzene                      | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Bromobenzene                 | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Bromochloromethane           | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Bromodichloromethane         | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Bromoform                    | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Bromomethane                 | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Carbon disulfide             | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Carbon tetrachloride         | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Chlorobenzene                | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Chloroethane                 | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Chloroform                   | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Chloromethane                | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Dibromochloromethane         | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-06A

**Client Sample ID:** FRW-3 [091803]  
**Tag Number:**  
**Collection Date:** 9/18/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Dichlorodifluoromethane      | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Ethylbenzene                 | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Hexachlorobutadiene          | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Isopropylbenzene             | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| m,p-Xylene                   | U      | 2.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Methylene chloride           | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Naphthalene                  | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| n-Butylbenzene               | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| n-Propylbenzene              | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| o-Xylene                     | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| sec-Butylbenzene             | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Styrene                      | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| tert-Butylbenzene            | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Tetrachloroethene            | 150    | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Toluene                      | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Trichloroethene              | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Trichlorofluoromethane       | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Vinyl acetate                | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |
| Vinyl chloride               | U      | 1.0            | H    | µg/L  | 1  | 10/5/2003 12:53:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-07A

**Client Sample ID:** 0923031245 MID  
**Tag Number:**  
**Collection Date:** 9/23/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS         |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,1,1,2,2-Tetrachloroethane  | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-07A

**Client Sample ID:** 0923031245 MID  
**Tag Number:**  
**Collection Date:** 9/23/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>  |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 1:38:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-08A

**Client Sample ID:** 0923031245 PRE  
**Tag Number:**  
**Collection Date:** 9/23/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>  |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-08A

**Client Sample ID:** 0923031245 PRE  
**Tag Number:**  
**Collection Date:** 9/23/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>  |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Tetrachloroethene            | 56     | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:17:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level  
 S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

# American Analytical Laboratories, Inc.

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-09A

**Client Sample ID:** 0923031245 POST  
**Tag Number:**  
**Collection Date:** 9/23/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS         |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 06-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0309116  
**Project:** Rowe Industries  
**Lab ID:** 0309116-09A

**Client Sample ID:** 0923031245 POST  
**Tag Number:**  
**Collection Date:** 9/23/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed        |
|------------------------------|--------|----------------|------|-------|----|----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                      |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>  |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/5/2003 2:58:00 AM |



**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

|   |   |   |   |                      |                                     |
|---|---|---|---|----------------------|-------------------------------------|
| <b>CLIENT NAME/ADDRESS</b><br>LBG<br>126 Monroe Turnpike<br>Trumbull CT 06611 | <b>CONTACT:</b><br>Paul Toemann<br>802 452-3100 | <b>SAMPLER (SIGNATURE)</b><br> | <b>DATE</b><br>09-18-03                 | <b>TIME</b><br>23:03 | <b>SAMPLE(S) SEALED</b><br>YES / NO |
|   |   | <b>SAMPLER NAME (PRINT)</b><br>Peter Heidl  | <b>CORRECT CONTAINER(S)</b><br>YES / NO |                      |                                     |

| PROJECT LOCATION: |        |      |       |                            | ANALYSIS REQUIRED |              |              |              |                |              |       |  |  |  |  |  |  |  |  |          |
|-------------------|--------|------|-------|----------------------------|-------------------|--------------|--------------|--------------|----------------|--------------|-------|--|--|--|--|--|--|--|--|----------|
| LABORATORY ID #   | MATRIX | TYPE | PRES. | SAMPLE # - LOCATION        | 8260              | MTBE         | Freon 113    | Total Non    | Dissolved Iron | TPS          | 8021B |  |  |  |  |  |  |  |  |          |
|                   |        |      |       | <del>W00918031215-6</del>  | <del>X</del>      | <del>X</del> | <del>X</del> | <del>X</del> | <del>X</del>   | <del>X</del> |       |  |  |  |  |  |  |  |  |          |
|                   |        |      |       | <del>W00918031215-10</del> | <del>X</del>      | <del>X</del> | <del>X</del> | <del>X</del> | <del>X</del>   | <del>X</del> |       |  |  |  |  |  |  |  |  |          |
|                   |        |      |       | <del>W00918031215-7</del>  | <del>X</del>      | <del>X</del> | <del>X</del> | <del>X</del> | <del>X</del>   | <del>X</del> |       |  |  |  |  |  |  |  |  |          |
| 0309116-01A       |        |      |       | Pre-Carbon 91703           |                   |              |              |              |                |              |       |  |  |  |  |  |  |  |  | 09-17-03 |
| 0309116-02A       |        |      |       | Post-Carbon 91703          |                   |              |              |              |                |              |       |  |  |  |  |  |  |  |  | ↓        |
| 0309116-03A       |        |      |       | Mid-Carbon 91703           |                   |              |              |              |                |              |       |  |  |  |  |  |  |  |  | ↓        |
| 0309116-04A       |        |      |       | FRW-1 91703                |                   |              |              |              |                |              |       |  |  |  |  |  |  |  |  | 09-18-03 |
| 0309116-05A       |        |      |       | FRW-2 91703                |                   |              |              |              |                |              |       |  |  |  |  |  |  |  |  | ↓        |
| 0309116-06A       |        |      |       | FRW-3 91703                |                   |              |              |              |                |              |       |  |  |  |  |  |  |  |  | ↓        |
| 0309116-07A       |        |      |       | 0923031245 MID             |                   |              |              |              |                |              |       |  |  |  |  |  |  |  |  | 09-23-03 |
| 0309116-08A       |        |      |       | 0923031245 PRE             |                   |              |              |              |                |              |       |  |  |  |  |  |  |  |  | ↓        |
| 0309116-09A       |        |      |       | 0923031245 POST            |                   |              |              |              |                |              |       |  |  |  |  |  |  |  |  | ↓        |

|   |  |                                    |   |   |                                |                                |  |  |
|---|--|------------------------------------|---|---|--------------------------------|--------------------------------|--|--|
| <b>MATRIX</b> S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL<br><b>TYPE</b> G=GRAB; C=COMPOSITE, SS=SPLIT SPOON |  |                                    | <b>TURNAROUND REQUIRED:</b><br>NORMAL <input checked="" type="checkbox"/> STAT <input type="checkbox"/> BY 1/1              |   |                                | <b>COMMENTS / INSTRUCTIONS</b> |  |  |
| <b>RELINQUISHED BY (SIGNATURE)</b><br>                   | <b>DATE</b><br>09-24-03<br><b>TIME</b><br>9:45 | <b>PRINTED NAME</b><br>Peter Heidl | <b>RECEIVED BY LAB (SIGNATURE)</b><br> | <b>DATE</b><br>09-25-03<br><b>TIME</b><br>12:41 | <b>PRINTED NAME</b><br>J. GRAY |                                |  |  |
| <b>RELINQUISHED BY (SIGNATURE)</b>  | <b>DATE</b><br><br><b>TIME</b>                 | <b>PRINTED NAME</b>                | <b>RECEIVED BY LAB (SIGNATURE)</b>  | <b>DATE</b><br><br><b>TIME</b>                  | <b>PRINTED NAME</b>            |                                |  |  |

October 16, 2003

Paul Jobmann  
Legette Brashears & Graham Inc.  
126 Monroe Turnpike  
Trumbull, CT 06611

TEL: (203) 452-3110  
FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0310063

Dear Paul Jobmann:

American Analytical Laboratories, Inc. received 3 samples on 10/10/2003 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Lori Beyer  
Lab Director

**American Analytical Laboratories, Inc.**

Date: 16-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Project:** Rowe Industries  
**Lab Order:** 0310063

**Work Order Sample Summary**

---

| <b>Lab Sample ID</b> | <b>Client Sample ID</b> | <b>Tag Number</b> | <b>Collection Date</b> | <b>Date Received</b> |
|----------------------|-------------------------|-------------------|------------------------|----------------------|
| 0310063-01A          | Precarbon 100903        |                   | 10/9/2003              | 10/10/2003           |
| 0310063-02A          | Midcarbon 100903        |                   | 10/9/2003              | 10/10/2003           |
| 0310063-03A          | Postcarbon 100903       |                   | 10/9/2003              | 10/10/2003           |

**AMERICAN ANALYTICAL LABORATORIES, INC.**

**56 TOLEDO STREET**

**FARMINGDALE, NEW YORK 11735**

**TELEPHONE: (631) 454-6100      FAX: (631) 454-8027**

**DATA REPORTING QUALIFIERS**

For reporting results, the following "Results Qualifiers" are used:

|              |  |
|--------------|--|
| <b>Value</b> | If the result is greater than or equal to the detection limit, report the value  |
| <b>U</b>     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.   |
| <b>J</b>     | Indicates an estimated value. The flag is used:<br><ol style="list-style-type: none"><li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li><li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.</li></ol> |
| <b>B</b>     | Indicates the analyte was found in the blank as well as the sample report "10B".   |
| <b>E</b>     | Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.  |
| <b>D</b>     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.   |
| <b>P</b>     | This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".  |
| <b>N</b>     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.   |

# American Analytical Laboratories, Inc.

Date: 16-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310063  
**Project:** Rowe Industries  
**Lab ID:** 0310063-01A

**Client Sample ID:** Precarbon 100903  
**Tag Number:**  
**Collection Date:** 10/9/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        | <b>SW8021B</b> |      |       |    | Analyst: LDS          |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

# American Analytical Laboratories, Inc.

Date: 16-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310063  
**Project:** Rowe Industries  
**Lab ID:** 0310063-01A

**Client Sample ID:** Precarbon 100903  
**Tag Number:**  
**Collection Date:** 10/9/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|-------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |       |      |       |    |                       |
|                              |        |       |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Dichlorodifluoromethane      | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Ethylbenzene                 | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Hexachlorobutadiene          | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Isopropylbenzene             | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| m,p-Xylene                   | U      | 2.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Methylene chloride           | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Naphthalene                  | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| n-Butylbenzene               | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| n-Propylbenzene              | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| o-Xylene                     | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| sec-Butylbenzene             | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Styrene                      | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| tert-Butylbenzene            | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Tetrachloroethene            | 20     | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Toluene                      | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Trichloroethene              | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Trichlorofluoromethane       | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Vinyl acetate                | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |
| Vinyl chloride               | U      | 1.0   |      | µg/L  | 1  | 10/15/2003 1:37:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

# American Analytical Laboratories, Inc.

Date: 16-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310063  
**Project:** Rowe Industries  
**Lab ID:** 0310063-02A

**Client Sample ID:** Midcarbon 100903  
**Tag Number:**  
**Collection Date:** 10/9/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 16-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310063  
**Project:** Rowe Industries  
**Lab ID:** 0310063-02A

**Client Sample ID:** Midcarbon 100903  
**Tag Number:**  
**Collection Date:** 10/9/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:17:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

# American Analytical Laboratories, Inc.

Date: 16-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310063  
**Project:** Rowe Industries  
**Lab ID:** 0310063-03A

**Client Sample ID:** Postcarbon 100903  
**Tag Number:**  
**Collection Date:** 10/9/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS          |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 16-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310063  
**Project:** Rowe Industries  
**Lab ID:** 0310063-03A

**Client Sample ID:** Postcarbon 100903  
**Tag Number:**  
**Collection Date:** 10/9/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/15/2003 2:57:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735  
 (631) 454-6100 • FAX (631) 454-8027 • email: AAL20000@aol.com

NYSDOH LAMP 11418  
 AIHA PAT, LPAT 102391  
 CTDOH PH-0205

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

| CLIENT NAME/ADDRESS<br><i>LBC<br/>Trumbull, CT</i>  |        |      |                                | CONTACT:<br><i>Paul Jobmann</i> |  |   |                             | SAMPLER SIGNATURE<br><i>[Signature]</i>     |  |                                 |                    | DATE<br><i>10/9/13</i> |  | TIME<br><i>12:10</i>             |  | SAMPLE(S) SEALED<br>YES / NO |  |       |
|---|--------|------|--------------------------------|---------------------------------|--|---|-----------------------------|---|--|---------------------------------|--------------------|------------------------|--|----------------------------------|--|------------------------------|--|-------|
|   |        |      |                                |                                 |  |   |                             | SAMPLER NAME (PRINT)<br><i>Paul Jobmann</i> |  |                                 |                    |                        |  | CORRECT CONTAINER(S)<br>YES / NO |  |                              |  |       |
| PROJECT LOCATION:<br><i>Rowe Industries</i>   |        |      |                                |                                 |  | ANALYSIS REQUIRED<br><i>102-1B</i>  |                             |   |  |                                 |                    |                        |  |                                  |  |                              |  |       |
| LABORATORY ID #   | MATRIX | TYPE | PRES.                          | SAMPLE # - LOCATION             |  |   |                             |   |  |                                 |                    |                        |  |                                  |  |                              |  | P.O.# |
| <i>0310063-01A</i>  |        |      |                                | <i>Pre-carbon 100903</i>        |  | <i>X</i>  |                             |   |  |                                 |                    |                        |  |                                  |  |                              |  |       |
| <i>-02A</i>   |        |      |                                | <i>Mid-carbon 100903</i>        |  | <i>X</i>  |                             |   |  |                                 |                    |                        |  |                                  |  |                              |  |       |
| <i>-03A</i>   |        |      |                                | <i>Post-carbon 100903</i>       |  | <i>X</i>  |                             |   |  |                                 |                    |                        |  |                                  |  |                              |  |       |
|   |        |      |                                |                                 |  | <i>1 vial broken KBR</i>  |                             |   |  |                                 |                    |                        |  |                                  |  |                              |  |       |
| MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL<br>TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON |        |      |                                |                                 |  | TURNAROUND REQUIRED:<br>NORMAL <input type="checkbox"/> STAT <input type="checkbox"/> BY <i>1/1</i> |                             |   |  | COMMENTS / INSTRUCTIONS         |                    |                        |  |                                  |  |                              |  |       |
| RELINQUISHED BY (SIGNATURE)   |        |      | DATE<br>TIME                   | PRINTED NAME                    |  |   | RECEIVED BY LAB (SIGNATURE) |   |  | DATE<br>TIME                    | PRINTED NAME       |                        |  |                                  |  |                              |  |       |
| <i>[Signature]</i>  |        |      | <i>10/9/13</i><br><i>12:00</i> | <i>Paul Jobmann</i>             |  |   | <i>[Signature]</i>          |   |  | <i>10/10/13</i><br><i>11:45</i> | <i>Karen Kelly</i> |                        |  |                                  |  |                              |  |       |

October 24, 2003

Paul Jobmann  
Legette Brashears & Graham Inc.  
126 Monroe Turnpike  
Trumbull, CT 06611

TEL: (203) 452-3110  
FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0310116

Dear Paul Jobmann:

American Analytical Laboratories, Inc. received 5 samples on 10/21/2003 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Lori Beyer  
Lab Director

---

**CLIENT:** Legette Brashears & Graham Inc.  
**Project:** Rowe Industries  
**Lab Order:** 0310116

---

**Work Order Sample Summary**

---

| <b>Lab Sample ID</b> | <b>Client Sample ID</b> | <b>Tag Number</b> | <b>Collection Date</b> | <b>Date Received</b> |
|----------------------|-------------------------|-------------------|------------------------|----------------------|
| 0310116-01A          | FRW-1 101603            |                   | 10/16/2003             | 10/21/2003           |
| 0310116-02A          | FRW-2 101603            |                   | 10/16/2003             | 10/21/2003           |
| 0310116-03A          | Precarbon 101603        |                   | 10/16/2003             | 10/21/2003           |
| 0310116-04A          | Midcarbon 101603        |                   | 10/16/2003             | 10/21/2003           |
| 0310116-05A          | Postcarbon 101603       |                   | 10/16/2003             | 10/21/2003           |

---

**AMERICAN ANALYTICAL LABORATORIES, INC.**

**56 TOLEDO STREET**

**FARMINGDALE, NEW YORK 11735**

**TELEPHONE: (631) 454-6100 FAX: (631) 454-8027**

**DATA REPORTING QUALIFIERS**

For reporting results, the following "Results Qualifiers" are used:

|       |   |
|-------|---|
| Value | If the result is greater than or equal to the detection limit, report the value   |
| U     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.  |
| J     | Indicates an estimated value. The flag is used:<br>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)<br>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others. |
| B     | Indicates the analyte was found in the blank as well as the sample report "10B".  |
| E     | Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.   |
| D     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.  |
| P     | This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".   |
| N     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.  |

**American Analytical Laboratories, Inc.**

Date: 24-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310116  
**Project:** Rowe Industries  
**Lab ID:** 0310116-01A

**Client Sample ID:** FRW-1 101603  
**Tag Number:**  
**Collection Date:** 10/16/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 24-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310116  
**Project:** Rowe Industries  
**Lab ID:** 0310116-01A

**Client Sample ID:** FRW-1 101603  
**Tag Number:**  
**Collection Date:** 10/16/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Tetrachloroethene            | 21     | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 4:43:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

# American Analytical Laboratories, Inc.

Date: 24-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310116  
**Project:** Rowe Industries  
**Lab ID:** 0310116-02A

**Client Sample ID:** FRW-2 101603  
**Tag Number:**  
**Collection Date:** 10/16/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        | <b>SW8021B</b> |      |       |    | Analyst: <b>LDS</b>   |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 24-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310116  
**Project:** Rowe Industries  
**Lab ID:** 0310116-02A

**Client Sample ID:** FRW-2 101603  
**Tag Number:**  
**Collection Date:** 10/16/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Tetrachloroethene            | 46     | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:20:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 24-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310116  
**Project:** Rowe Industries  
**Lab ID:** 0310116-03A

**Client Sample ID:** Precarbon 101603  
**Tag Number:**  
**Collection Date:** 10/16/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS          |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 24-Oct-03

|  |   |
|--|---|
| <b>CLIENT:</b> Legette Brashears & Graham Inc. | <b>Client Sample ID:</b> Precarbon 101603 |
| <b>Lab Order:</b> 0310116                      | <b>Tag Number:</b>                        |
| <b>Project:</b> Rowe Industries                | <b>Collection Date:</b> 10/16/2003        |
| <b>Lab ID:</b> 0310116-03A                     | <b>Matrix:</b> LIQUID                     |

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Tetrachloroethene            | 43     | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 5:57:00 PM |

|                    |   |   |
|--------------------|---|---|
| <b>Qualifiers:</b> | ND - Not Detected at the Reporting Limit            | S - Spike Recovery outside accepted recovery limits |
|                    | J - Analyte detected below quantitation limits      | R - RPD outside accepted recovery limits            |
|                    | B - Analyte detected in the associated Method Blank | E - Value above quantitation range                  |
|                    | * - Value exceeds Maximum Contaminant Level         |   |

# American Analytical Laboratories, Inc.

Date: 24-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310116  
**Project:** Rowe Industries  
**Lab ID:** 0310116-04A

**Client Sample ID:** Midcarbon 101603  
**Tag Number:**  
**Collection Date:** 10/16/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS          |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 24-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310116  
**Project:** Rowe Industries  
**Lab ID:** 0310116-04A

**Client Sample ID:** Midcarbon 101603  
**Tag Number:**  
**Collection Date:** 10/16/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 6:34:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 24-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310116  
**Project:** Rowe Industries  
**Lab ID:** 0310116-05A

**Client Sample ID:** Postcarbon 101603  
**Tag Number:**  
**Collection Date:** 10/16/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS          |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 24-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310116  
**Project:** Rowe Industries  
**Lab ID:** 0310116-05A

**Client Sample ID:** Postcarbon 101603  
**Tag Number:**  
**Collection Date:** 10/16/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/22/2003 7:11:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

| CLIENT NAME/ADDRESS<br><i>LBG</i><br><i>Trumbull, CT</i>  |          |      |  | CONTACT:<br><i>Paul Johnson</i>     |  |                      |   | SAMPLER (SIGNATURE)                          |  |  |   | DATE  |  |  |  | TIME                    |  |       |  | SAMPLE(S) SEALED |  |  |  | YES / NO |  |  |  |
|---|----------|------|--|-------------------------------------|--|----------------------|---|--|--|--|---|---|--|--|--|-------------------------|--|-------|--|------------------|--|--|--|----------|--|--|--|
|   |          |      |  |                                     |  |                      |   | SAMPLER NAME (PRINT)<br><i>Mark Goldberg</i> |  |  |   |   |  |  |  | CORRECT CONTAINER(S)    |  |       |  | YES / NO         |  |  |  |          |  |  |  |
| PROJECT LOCATION:<br><i>Rona Industries</i>   |          |      |  |                                     |  |                      |   |  |  |  |   | ANALYSIS REQUIRED<br><i>SOIL</i>  |  |  |  |                         |  |       |  |                  |  |  |  |          |  |  |  |
| LABORATORY ID #   | MATRIX   | TYPE | PRES.  | SAMPLE # - LOCATION                 |  |                      |   |  |  |  |   |   |  |  |  |                         |  | P.O.# |  |                  |  |  |  |          |  |  |  |
| <i>0310116-01A</i>  | <i>L</i> |      | <i>HCl</i>                                     | <i>FRD-1 101603</i>                 |  | <i>X</i>             |   |  |  |  |   |   |  |  |  |                         |  |       |  |                  |  |  |  |          |  |  |  |
| <i>-02A</i>   |          |      |  | <i>FRD2 101603</i>                  |  | <i>X</i>             |   |  |  |  |   |   |  |  |  |                         |  |       |  |                  |  |  |  |          |  |  |  |
| <i>---</i>  |          |      |  | <i>FRD3 101603</i>                  |  | <i>X ← no sample</i> |   |  |  |  |   |   |  |  |  |                         |  |       |  |                  |  |  |  |          |  |  |  |
| <i>-03A</i>   |          |      |  | <i>Pre-carbon 101603</i>            |  | <i>X</i>             |   |  |  |  |   |   |  |  |  |                         |  |       |  |                  |  |  |  |          |  |  |  |
| <i>-04A</i>   |          |      |  | <i>Mid-carbon 101603</i>            |  | <i>X</i>             |   |  |  |  |   |   |  |  |  |                         |  |       |  |                  |  |  |  |          |  |  |  |
| <i>-05A</i>   | <i>↓</i> |      |  | <i>Post-carbon 101603</i>           |  | <i>X</i>             |   |  |  |  |   |   |  |  |  |                         |  |       |  |                  |  |  |  |          |  |  |  |
| <b>MATRIX</b> S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL<br><b>TYPE</b> G=GRAB; C=COMPOSITE, SS=SPLIT SPOON |          |      |  |                                     |  |                      |   |  |  |  |   | TURNAROUND REQUIRED:<br>NORMAL <input type="checkbox"/> STAT <input type="checkbox"/> BY <i>/ /</i> |  |  |  | COMMENTS / INSTRUCTIONS |  |       |  |                  |  |  |  |          |  |  |  |
| RELINQUISHED BY (SIGNATURE)<br><i>[Signature]</i>   |          |      | DATE<br><i>10/24/03</i><br>TIME<br><i>1500</i> | PRINTED NAME<br><i>Paul Johnson</i> |  |                      | RECEIVED BY LAB (SIGNATURE)<br><i>Karen Kelly</i> |  |  |  | DATE<br><i>10/24/03</i><br>TIME<br><i>15:22</i> | PRINTED NAME<br><i>KAREN KELLY</i>  |  |  |  |                         |  |       |  |                  |  |  |  |          |  |  |  |
| RELINQUISHED BY (SIGNATURE)   |          |      | DATE<br>TIME                                   | PRINTED NAME                        |  |                      | RECEIVED BY LAB (SIGNATURE)                       |  |  |  | DATE<br>TIME                                    | PRINTED NAME  |  |  |  |                         |  |       |  |                  |  |  |  |          |  |  |  |

October 27, 2003

Paul Jobmann  
Legette Brashears & Graham Inc.  
126 Monroe Turnpike  
Trumbull, CT 06611

TEL: (203) 452-3110

FAX (203) 452-3111

RE: Rowe Industries

Order No.: 0310148

Dear Paul Jobmann:

American Analytical Laboratories, Inc. received 6 samples on 10/24/2003 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Lori Beyer  
Lab Director

---

---

**CLIENT:** Legette Brashears & Graham Inc.

**Project:** Rowe Industries

**Lab Order:** 0310148

**Work Order Sample Summary**

---

| <b>Lab Sample ID</b> | <b>Client Sample ID</b> | <b>Tag Number</b> | <b>Collection Date</b> | <b>Date Received</b> |
|----------------------|-------------------------|-------------------|------------------------|----------------------|
| 0310148-01A          | FRW-1                   |                   | 10/24/2003             | 10/24/2003           |
| 0310148-02A          | FRW-2                   |                   | 10/24/2003             | 10/24/2003           |
| 0310148-03A          | FRW-3                   |                   | 10/24/2003             | 10/24/2003           |
| 0310148-04A          | PRE-Carbon              |                   | 10/24/2003             | 10/24/2003           |
| 0310148-05A          | POST-Carbon             |                   | 10/24/2003             | 10/24/2003           |
| 0310148-06A          | MID-Carbon              |                   | 10/24/2003             | 10/24/2003           |

**AMERICAN ANALYTICAL LABORATORIES, INC.**

**56 TOLEDO STREET**

**FARMINGDALE, NEW YORK 11735**

**TELEPHONE: (631) 454-6100 FAX: (631) 454-8027**

**DATA REPORTING QUALIFIERS**

For reporting results, the following "Results Qualifiers" are used:

|       |  |
|-------|--|
| Value | If the result is greater than or equal to the detection limit, report the value  |
| U     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.   |
| J     | Indicates an estimated value. The flag is used:<br><ol style="list-style-type: none"><li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li><li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.</li></ol> |
| B     | Indicates the analyte was found in the blank as well as the sample report "10B".   |
| E     | Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.  |
| D     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.   |
| P     | This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".  |
| N     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.   |

**American Analytical Laboratories, Inc.**

Date: 27-Oct-03

CLIENT: Legette Brashears & Graham Inc.  
 Lab Order: 0310148  
 Project: Rowe Industries  
 Lab ID: 0310148-01A

Client Sample ID: FRW-1  
 Tag Number:  
 Collection Date: 10/24/2003  
 Matrix: LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF           | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|--------------|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        | <b>SW8021B</b> |      |       | Analyst: LDS |                       |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1            | 10/25/2003 9:54:00 PM |

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 27-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310148  
**Project:** Rowe Industries  
**Lab ID:** 0310148-01A

**Client Sample ID:** FRW-1  
**Tag Number:**  
**Collection Date:** 10/24/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS          |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Tetrachloroethene            | 33     | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 9:54:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 27-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310148  
**Project:** Rowe Industries  
**Lab ID:** 0310148-02A

**Client Sample ID:** FRW-2  
**Tag Number:**  
**Collection Date:** 10/24/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed          |
|------------------------------|--------|----------------|------|-------|----|------------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                        |
|                              |        | <b>SW8021B</b> |      |       |    | Analyst: LDS           |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 27-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310148  
**Project:** Rowe Industries  
**Lab ID:** 0310148-02A

**Client Sample ID:** FRW-2  
**Tag Number:**  
**Collection Date:** 10/24/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed          |
|------------------------------|--------|----------------|------|-------|----|------------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                        |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>    |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Tetrachloroethene            | 31     | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 10:32:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

# American Analytical Laboratories, Inc.

Date: 27-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310148  
**Project:** Rowe Industries  
**Lab ID:** 0310148-03A

**Client Sample ID:** FRW-3  
**Tag Number:**  
**Collection Date:** 10/24/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit | Qual | Units | DF | Date Analyzed          |
|------------------------------|--------|-------|------|-------|----|------------------------|
| <b>VOLATILES SW-846 8021</b> |        |       |      |       |    |                        |
|                              |        |       |      |       |    | <b>SW8021B</b>         |
|                              |        |       |      |       |    | <b>Analyst: LDS</b>    |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,1-Dichloroethane           | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,1-Dichloroethene           | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,1-Dichloropropene          | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,2,4-Trimethylbenzene       | 3.6    | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,2-Dibromoethane            | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,2-Dichloroethane           | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,2-Dichloropropane          | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,3,5-Trimethylbenzene       | 3.6    | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,3-dichloropropane          | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 2,2-Dichloropropane          | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 2-Chlorotoluene              | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 4-Chlorotoluene              | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| 4-Isopropyltoluene           | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Benzene                      | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Bromobenzene                 | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Bromochloromethane           | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Bromodichloromethane         | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Bromoform                    | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Bromomethane                 | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Carbon disulfide             | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Carbon tetrachloride         | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Chlorobenzene                | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Chloroethane                 | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Chloroform                   | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Chloromethane                | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| cis-1,3-Dichloropropene      | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Dibromochloromethane         | U      | 1.0   |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 27-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310148  
**Project:** Rowe Industries  
**Lab ID:** 0310148-03A

**Client Sample ID:** FRW-3  
**Tag Number:**  
**Collection Date:** 10/24/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed          |
|------------------------------|--------|----------------|------|-------|----|------------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                        |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>    |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Isopropylbenzene             | 1.9    | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| n-Propylbenzene              | 1.0    | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Tetrachloroethene            | 76     | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:10:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 27-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310148  
**Project:** Rowe Industries  
**Lab ID:** 0310148-04A

**Client Sample ID:** PRE-Carbon  
**Tag Number:**  
**Collection Date:** 10/24/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed          |
|------------------------------|--------|----------------|------|-------|----|------------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                        |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>    |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| cis-1,3-Dichloropropane      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 27-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310148  
**Project:** Rowe Industries  
**Lab ID:** 0310148-04A

**Client Sample ID:** PRE-Carbon  
**Tag Number:**  
**Collection Date:** 10/24/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed          |
|------------------------------|--------|----------------|------|-------|----|------------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                        |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>    |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Tetrachloroethene            | 45     | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/25/2003 11:47:00 PM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 27-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310148  
**Project:** Rowe Industries  
**Lab ID:** 0310148-05A

**Client Sample ID:** POST-Carbon  
**Tag Number:**  
**Collection Date:** 10/24/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit | Qual | Units | DF | Date Analyzed          |
|------------------------------|--------|-------|------|-------|----|------------------------|
| <b>VOLATILES SW-846 8021</b> |        |       |      |       |    |                        |
|                              |        |       |      |       |    | <b>SW8021B</b>         |
|                              |        |       |      |       |    | <b>Analyst: LDS</b>    |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,1-Dichloroethane           | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,1-Dichloroethene           | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,1-Dichloropropene          | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,2-Dibromoethane            | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,2-Dichloroethane           | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,2-Dichloropropane          | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,3-dichloropropane          | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 2,2-Dichloropropane          | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 2-Chlorotoluene              | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 4-Chlorotoluene              | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| 4-Isopropyltoluene           | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Benzene                      | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Bromobenzene                 | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Bromochloromethane           | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Bromodichloromethane         | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Bromoform                    | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Bromomethane                 | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Carbon disulfide             | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Carbon tetrachloride         | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Chlorobenzene                | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Chloroethane                 | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Chloroform                   | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Chloromethane                | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Dibromochloromethane         | U      | 1.0   |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 27-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310148  
**Project:** Rowe Industries  
**Lab ID:** 0310148-05A

**Client Sample ID:** POST-Carbon  
**Tag Number:**  
**Collection Date:** 10/24/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed          |
|------------------------------|--------|----------------|------|-------|----|------------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                        |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>    |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 12:25:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 27-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310148  
**Project:** Rowe Industries  
**Lab ID:** 0310148-06A

**Client Sample ID:** MID-Carbon  
**Tag Number:**  
**Collection Date:** 10/24/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| 1,1,1,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,1,1-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,1,2,2-Tetrachloroethane    | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,1,2-Trichloroethane        | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,1-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,1-Dichloroethene           | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,1-Dichloropropene          | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,2,3-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,2,3-Trichloropropane       | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,2,4-Trichlorobenzene       | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,2,4-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,2-Dibromo-3-chloropropane  | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,2-Dibromoethane            | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,2-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,2-Dichloroethane           | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,3,5-Trimethylbenzene       | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,3-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,3-dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 1,4-Dichlorobenzene          | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 2,2-Dichloropropane          | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 2-Chloroethyl vinyl ether    | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 2-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 4-Chlorotoluene              | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| 4-Isopropyltoluene           | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Benzene                      | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Bromobenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Bromochloromethane           | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Bromodichloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Bromoform                    | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Bromomethane                 | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Carbon disulfide             | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Carbon tetrachloride         | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Chlorobenzene                | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Chloroethane                 | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Chloroform                   | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Chloromethane                | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| cis-1,2-Dichloroethene       | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| cis-1,3-Dichloropropene      | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Dibromochloromethane         | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

**American Analytical Laboratories, Inc.**

Date: 27-Oct-03

**CLIENT:** Legette Brashears & Graham Inc.  
**Lab Order:** 0310148  
**Project:** Rowe Industries  
**Lab ID:** 0310148-06A

**Client Sample ID:** MID-Carbon  
**Tag Number:**  
**Collection Date:** 10/24/2003  
**Matrix:** LIQUID

| Analyses                     | Result | Limit          | Qual | Units | DF | Date Analyzed         |
|------------------------------|--------|----------------|------|-------|----|-----------------------|
| <b>VOLATILES SW-846 8021</b> |        |                |      |       |    |                       |
|                              |        | <b>SW8021B</b> |      |       |    | <b>Analyst: LDS</b>   |
| Dibromomethane               | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Dichlorodifluoromethane      | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Ethylbenzene                 | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Hexachlorobutadiene          | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Isopropylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| m,p-Xylene                   | U      | 2.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Methylene chloride           | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Naphthalene                  | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| n-Butylbenzene               | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| n-Propylbenzene              | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| o-Xylene                     | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| sec-Butylbenzene             | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Styrene                      | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| tert-Butylbenzene            | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Tetrachloroethene            | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Toluene                      | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| trans-1,2-Dichloroethene     | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| trans-1,3-Dichloropropene    | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Trichloroethene              | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Trichlorofluoromethane       | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Vinyl acetate                | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |
| Vinyl chloride               | U      | 1.0            |      | µg/L  | 1  | 10/26/2003 1:03:00 AM |

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

|  |   |  |                                  |      |                              |
|--|---|--|----------------------------------|------|------------------------------|
| CLIENT NAME/ADDRESS<br><br><div style="font-size: 2em; font-family: cursive;">L BG</div> | CONTACT:<br><br><div style="font-family: cursive;">Paul Jobmann</div><br>203 452-3100 | SAMPLER (SIGNATURE)<br>  | DATE<br>10-27-03                 | TIME | SAMPLE(S) SEALED<br>YES / NO |
|  |   | SAMPLER NAME (PRINT)<br><div style="font-family: cursive;">Peter Heidl</div> | CORRECT CONTAINER(S)<br>YES / NO |      |                              |

| PROJECT LOCATION:<br><div style="font-size: 1.5em; font-family: cursive;">Rowe Ind.</div> |        |      |       |                     | ANALYSIS REQUIRED<br><div style="font-size: 2em; font-family: cursive;">802113</div> |  |  |  |  |  |  |  |  |  |  |  |  |  |  |       |
|---|--------|------|-------|---------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|
| LABORATORY ID #   | MATRIX | TYPE | PRES. | SAMPLE # - LOCATION |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  | P.O.# |
| 0310148-01A   | L      | G    | HCL   | FRW-1               | X  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |       |
| 0310148-02A   |        |      |       | FRW-2               |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |       |
| 0310148-03A   |        |      |       | FRW-3               |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |       |
| 0310148-04A   |        |      |       | Pre-Carbon          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |       |
| 0310148-05A   |        |      |       | Post-Carbon         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |       |
| 0310148-06A   |        |      |       | Mid-Carbon          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |       |

|   |                                  |  |   |                                  |  |                         |  |  |
|---|----------------------------------|--|---|----------------------------------|--|-------------------------|--|--|
| <b>MATRIX</b> S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL<br><b>TYPE</b> G=GRAB; C=COMPOSITE; SS=SPLIT SPOON |                                  |  | TURNAROUND REQUIRED:<br>NORMAL <input checked="" type="checkbox"/> STAT <input type="checkbox"/> BY / / |                                  |  | COMMENTS / INSTRUCTIONS |  |  |
| RELINQUISHED BY (SIGNATURE)<br>   | DATE<br>10-23-03<br>TIME<br>8:40 | PRINTED NAME<br><div style="font-family: cursive;">Peter Heidl</div> | RECEIVED BY LAB (SIGNATURE)<br>   | DATE<br>10-24-03<br>TIME<br>4:20 | PRINTED NAME<br><div style="font-family: cursive;">J. Gray</div> |                         |  |  |
| RELINQUISHED BY (SIGNATURE)   | DATE<br>TIME                     | PRINTED NAME   | RECEIVED BY LAB (SIGNATURE)   | DATE<br>TIME                     | PRINTED NAME   |                         |  |  |